



Environmental Affairs  
BIN10221  
241 Ralph McGill Boulevard NE  
Atlanta, GA 30308-3374

December 7, 2022

Mr. William Cook  
Georgia Environmental Protection Division  
Solid Waste Program  
4244 International Parkway, Suite 104  
Atlanta, Georgia 30354

**Re: Request for Closure Extension  
Georgia Power Company – Plant McManus Ash Pond 1 (AP-1)  
Glynn County  
CCR Solid Waste Permit 063-030D (CCR)**

Dear Mr. Cook:

Georgia Power Company (Georgia Power) placed the Notification of Intent to Initiate Closure (NOI) for Plant McManus AP-1 in the facility's operating record on December 7, 2015. The NOI was subsequently placed on Georgia Power's public website, and a notification was provided to the Georgia Environmental Protection Division (EPD) in accordance with Solid Waste Management Rule 391-3-4-.10(8).

Solid Waste Management Rule 391-3-4-.10(7) requires closure of CCR units to be conducted in accordance with 40 CFR 257.102. Specifically, regarding closure timeframes, 40 CFR 257.102(f)(1)(ii) includes the requirement that existing and new CCR surface impoundments and any lateral expansion of a CCR surface impoundment must complete closure within five years of commencing closure activities. As anticipated in 40 CFR 257.102(f)(2)(i), extension of closure timeframes may be needed and can be extended upon demonstration that completion of all activities was not feasible within the designated timeframes.


Closure construction activities have been completed for the greater than 40-acre CCR unit by removing all visible CCR from within the boundaries of the CCR unit area in accordance with the requirements in 40 CFR 257.102(c). A certification of removal report demonstrating completion of removal activities was submitted to EPD on November 27, 2019. Based on review of the report and an inspection of AP-1 on December 13, 2019, EPD acknowledged the completion of CCR removal on January 10, 2020. In accordance with 40 CFR 257.102(c), CCR removal and decontamination is complete when constituent concentrations throughout the CCR unit and any areas affected by releases of the CCR unit have been removed and groundwater monitoring concentrations do not exceed the groundwater protection standard established pursuant to 40 CFR 257.95(h) for constituents listed in Appendix IV. Currently, one Appendix IV parameter, in one monitoring well, is present in groundwater at statistically significant levels above the Groundwater Protection Standard. A detailed evaluation of corrective measures is ongoing to complete decontamination.

The EPD Solid Waste Management Program issued a CCR permit for AP-1 on June 18, 2021. Additional time is required to coordinate with and obtain the necessary approvals from EPD. In accordance with 40 CFR 257.102(c), 40 CFR 257.102(f)(2)(i)(D), and 40 CFR 257.102(f)(2)(ii)(B), an extension of two years is requested to complete closure activities. This demonstration for extension of closure timeframe will be placed in the facility operating record.

*I certify under penalty of law that I have personally examined and am familiar with the information submitted in this demonstration and all attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.*

 2022-12-07  
07:39-05:00

Tyler Boyles  
Manager, Environmental Affairs  
Georgia Power Company



**CONFIRMATION OF SUBMITTAL**

- 1. Your application has been received and will be reviewed shortly.
  - 2. Check your account, email and text message for system notification at various milestones.
- Thank you for using the GEOS system.



Please click [Here](#) to print your receipt.

**Submittal Summary**

Submittal ID:	<b>717952</b>	Submittal Name:	<b>SW02. Request for Minor Modification To Solid Waste Handling Permit</b>
Submitted Date:	<b>12/7/2022 12:08:39 PM</b>	Submitted by:	<b>Aaron Mitchell 241 Ralph McGill Blvd NE Atlanta 30308 404-506-6505 gpcenv@southernco.com</b>
Status:	<b>Complete Submittal</b>	Submission Method:	<b>On-line submission</b>
Facility / Property Name:	<b>PLANT MCMANUS ASH POND 1</b>		

**Submittal Form List**

- Request for Minor Modification To Solid Waste Handling Permit

**Attachment List**

**Design and Operational (D&O) Plans (Optional) -- NONE**

**Supporting Material (Optional) -- Online**

- 20221207 GPC Req Closure Schedule Ext MCM AP1.pdf

**Certification Receipt**

Certification Statement:	<b>I hereby certify that I am the owner, or authorized agent of the owner, of the described property. Further, I consent to the work to be done as described.</b>
Certification Question:	<b>what is your favorite hobby?</b>
Certification Question Answer:	<b>*****</b>
PIN Number:	<b>*****</b>
Responsible Officer:	<b>Aaron Mitchell</b>
Sender IP Address:	<b>146.126.61.241</b>