



REPORT

2022 Annual Groundwater Monitoring and Corrective Action Report

Georgia Power Company - Plant Scherer Ash Pond 1

Submitted to:



Georgia Power Company

241 Ralph McGill Boulevard, NE
Atlanta, GA 30308

Submitted by:

WSP USA Inc.

5170 Peachtree Road Building 100 Suite 300, Atlanta, Georgia, USA 30341
+1 770 496-1893

January 31, 2023




SUMMARY

This *2022 Annual Groundwater Monitoring and Corrective Action Report*, Georgia Power Company - Plant Scherer Ash Pond 1 (AP-1), Juliette, Monroe County, Georgia (GA), was prepared to document groundwater monitoring activities through December 2022 for AP-1. Groundwater monitoring and reporting for AP-1 is performed by WSP USA Inc. (WSP) in accordance with the United States Environmental Protection Agency (US EPA) Coal Combustion Residuals (CCR) Rule published in the Code of Federal Regulations (CFR) Title 40 Part 257 (40 CFR Part 257, Subpart D) dated April 17, 2015, and revised July 2018, 40 CFR § 257.90 through § 257.98. As required in 40 CFR § 257.90(e), this Annual Report describes the status of the groundwater monitoring program, summarizes key actions completed, and presents projected key activities for the upcoming reporting period at AP-1. Other CCR Landfill units on-site at Plant Scherer (Cell 1 and PAC Ash Cell) are reported separately.

Plant Scherer is a coal-fired power generation facility located in northeast Monroe County approximately 5 miles south of Juliette, GA. The property occupies approximately 13,000 acres and is bounded on the south by Lake Juliette. Closure of the AP-1 unit includes consolidation and capping of the ash within the 550-acre unit to a smaller footprint covering approximately 300 acres.

Groundwater at AP-1 is monitored with a comprehensive well network system comprised of upgradient and downgradient wells that meets federal and state monitoring requirements. Routine sampling and reporting for AP-1 began after background groundwater conditions were established for Appendix III and IV constituents between 2016 and 2018. Based on groundwater conditions at the Site, an assessment monitoring program was established for AP-1 in accordance with § 257.95 on May 15, 2018.



Plant Scherer Ash Pond 1

During the 2022 semi-annual and annual reporting period, AP-1 remained in assessment monitoring. Groundwater elevation measurements were recorded at AP-1 monitoring wells within a 24-hour period prior to each sampling event. The elevation data were used to confirm the groundwater flow direction, and to confirm that the groundwater monitoring well network for the CCR unit effectively monitors groundwater downgradient of the unit. Thus, there are no changes to the AP-1 certified monitoring network in 2022. The groundwater annual monitoring event for AP-1 was conducted in February 2022 (first semi-annual) and in August 2022 (second semi-annual). Groundwater samples were collected and analyzed for both Appendix III and Appendix IV constituents from each of the Site monitoring wells.

Analytical data from the February 2022 and August 2022 monitoring events have been statistically analyzed in accordance with the Site's certified statistical analysis method. For both February 2022 and August 2022 semi-

annual monitoring events, statistical analyses indicate statistically significant increases (SSIs) above the prediction limit and statistically significant levels (SSLs) above the groundwater protection standard as summarized below. The AP-1 network remains in assessment monitoring.

Appendix III Constituent	February 2022
Boron	SGWC-8, SGWC-9, SGWC-11, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Calcium	SGWC-8, SGWC-9, SGWC-12, SGWC-14, SGWC-17, SGWC-18, SGWC-19, SGWC-21, SGWC-22, SGWC-23
Chloride	SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Fluoride	SGWC-6, SGWC-7, SGWC-8
pH	SGWC-15, SGWC-18, SGWC-20
Sulfate	SGWC-7, SGWC-8, SGWC-9, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
TDS	SGWC-8, SGWC-9, SGWC-12, SGWC-14, SGWC-15, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Appendix III Constituent	August 2022
Boron	SGWC-8, SGWC-9, SGWC-11, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Calcium	SGWC-8, SGWC-9, SGWC-12, SGWC-13, SGWC-14, SGWC-17, SGWC-18, SGWC-19, SGWC-21, SGWC-22, SGWC-23
Chloride	SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Fluoride	SGWC-8, SGWC-9, SGWC-20
pH	SGWC-11 SGWC-15, SGWC-18, SGWC-20
Sulfate	SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
TDS	SGWC-8, SGWC-9, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23
Appendix IV Constituent	February 2022
Cobalt	SGWC-10, SGWC-11, SGWC-15, SGWC-18, SGWC-20
Appendix IV Constituent	August 2022
Cobalt	SGWC-10, SGWC-11, SGWC-15, SGWC-18, SGWC-20

In response to the SSLs of cobalt, Georgia Power initiated an assessment of corrective measures (ACM) on November 18, 2021 and prepared an ACM Report on April 15, 2022. Georgia Power will complete an ACM following the timelines and requirements of Georgia (GA) Environmental Protection Division (EPD) Rules of Solid Waste Management 391-3-4-.10 (Georgia CCR Rule) and 40 CFR § 257.96.

Based on review of the Appendix III and Appendix IV statistical results completed for the groundwater monitoring and corrective action program during the 2022 reporting period, the Site will remain in assessment monitoring. Georgia Power will continue routine groundwater monitoring and reporting at the Site. Reports will be posted to the website and provided to GA EPD semi-annually.

Table of Contents

CERTIFICATION	vii
1.0 INTRODUCTION	1
1.1 Site Description and Background.....	1
1.2 Regional and Site Geology and Hydrogeologic Setting	2
1.3 Groundwater Monitoring Well Network	3
2.0 GROUNDWATER MONITORING ACTIVITIES	3
2.1 Monitoring Well Installation and Maintenance	3
2.2 Assessment Monitoring	3
2.3 Supplemental Sampling	4
3.0 SAMPLE METHODOLOGY AND ANALYSIS	4
3.1 Groundwater Level Measurements	4
3.2 Groundwater Gradient and Flow Velocity	4
3.3 Groundwater Sampling	5
3.4 Laboratory Analyses	6
3.5 Quality Assurance and Quality Control Summary.....	6
4.0 STATISTICAL ANALYSES	7
4.1 Statistical Method	7
4.1.1 Appendix III Statistical Methods.....	7
4.1.2 Appendix IV Assessment Monitoring Statistical Methods.....	7
4.2 Statistical Analysis Results	8
4.2.1 First Semi-Annual 2022 – Appendix III Statistical Results.....	8
4.2.2 First Semi-Annual 2022 – Assessment Monitoring Statistical Results	8
4.2.3 First Semi-Annual 2022 Trend Evaluation	8
4.2.4 Second Semi-Annual 2022 – Appendix III Statistical Results	9
4.2.5 Second Semi-Annual 2022 – Assessment Monitoring Statistical Results	9
4.2.6 Second Semi-Annual 2022 Trend Evaluation.....	9

4.3	Alternate Source Demonstration	9
5.0	ASSESSMENT MONITORING AND DELINEATION STATUS	10
6.0	ASSESSMENT OF CORRECTIVE MEASURES	11
7.0	MONITORING PROGRAM STATUS.....	11
8.0	CONCLUSIONS AND FUTURE ACTIONS	11
9.0	REFERENCES	12

Tables

Table 1:	Summary of Monitoring Well and Piezometer Construction Data
Table 2:	Groundwater Sampling Event Summary
Table 3:	Summary of Groundwater Elevations
Table 4A:	Horizontal Groundwater Velocity Calculations – February 2022
Table 4B:	Horizontal Groundwater Velocity Calculations – August 2022
Table 5A:	Analytical Data Summary – February 2022
Table 5B:	Analytical Data Summary – August 2022
Table 5C:	Supplemental Data Summary – February 2022
Table 5D:	Supplemental Data Summary – August 2022
Table 6:	Summary of Background Levels and GWPS

Figures

Figure 1:	Site Location Map
Figure 2:	Site Plan, Monitoring Well and Piezometer Location Map
Figure 3A:	Potentiometric Surface Map – February 8, 2022
Figure 3B:	Potentiometric Surface Map – August 16, 2022

Table of Contents - continued

Appendices

Appendix A: ACM 60-Day Extension Demonstration

Appendix B: Field Data Forms and Instrument Calibration Forms

Appendix C: Analytical Results, Laboratory Accreditation, and Data Validation Summaries

Appendix D: Well Maintenance Repair Memorandum and Well Condition Assessment Forms

Appendix E: PZ-15S Well Modification Report

Appendix F: Statistical Analyses

Appendix G: Remedy Selection and Design Progress Report

Certification

This *2022 Annual Groundwater Monitoring and Corrective Action Report*, Georgia Power Company - Plant Scherer Ash Pond 1 (AP-1) has been prepared in compliance with the United States Environmental Protection Agency coal combustion residual rule [40 Code of Federal Regulations (CFR) 257 Subpart D] and the Georgia Environmental Protection Division Rules for Solid Waste Management 391-3-4-.10 by a qualified groundwater scientist or engineer with WSP USA Inc. I hereby certify that I am a qualified groundwater scientist, in accordance with the Georgia Rules of Solid Waste Management, and 40 CFR Part 258.50(g).

WSP USA INC.



Dawn L. Prell, CPG
Technical Principal, Hydrogeologist



Rhonda Quinn, PG
Georgia Registered Professional Geologist No. 1031

I hereby certify that this *2022 Annual Groundwater Monitoring and Corrective Action Report*, Georgia Power Company - Plant Scherer-Ash Pond 1 (AP-1) located at 10986 Georgia 87, Juliette, Georgia 31046, has been prepared to meet the requirements of 40 CFR § 257.90(e).

WSP USA INC.



Todd H. Rees, PhD, PE
Georgia Professional Engineer No. 047845

1.0 INTRODUCTION

In accordance with the United States (US) Environmental Protection Agency (EPA) Coal Combustion Residuals (CCR) Rule 40 Code of Federal Regulations (CFR) 257 Subpart D and the Georgia (GA) Environmental Protection Division (EPD) Rules of Solid Waste Management 391-3-4-.10 (Georgia CCR Rule), WSP USA Inc. (WSP) has prepared this *Annual Groundwater Monitoring and Corrective Action Report* to document groundwater monitoring activities conducted during 2022 at Georgia Power's Plant Scherer (Scherer) Ash Pond 1 (AP-1). This report includes the results of the first and second semi-annual monitoring events conducted in February 2022 and August 2022 as well as any subsequent resampling efforts for AP-1. For ease of reference, the US EPA CCR Rule is cited within this report.

Due to statistically significant increases (SSIs) of Appendix III parameters, Georgia Power initiated an assessment monitoring program for AP-1 in 2018. An Alternate Source Demonstration (ASD) was submitted to GA EPD on January 14, 2019, to address statistically significant levels (SSLs) of cobalt identified at wells SGWC-10, SGWC--11, SGWC-15, SGWC-18, and SGWC-20. Following review of the ASD report, GA EPD issued a notice of non-concurrence, dated August 2021, which acknowledged that cobalt is naturally occurring in groundwater but required additional lines of evidence for approval. Following receipt of GA EPD's notice, Georgia Power initiated an assessment of corrective measures (ACM) on November 18, 2021. Pursuant to 40 CFR § 257.96(a), Georgia Power completed a deadline extension demonstration due to site-specific conditions (Appendix A) with the ACM being documented on April 15, 2022. Georgia Power is performing an ACM following the timelines and requirements of Georgia CCR Rule 391-3-4-.10(6)(a) and 40 CFR § 257.96. Pursuant to § 257.96(b), Georgia Power continues to monitor groundwater at AP-1 in accordance with the assessment monitoring program established for the unit in 2018, including semi-annual monitoring and reporting.

The following sections describe the Site setting and monitoring program, analytical data collected from the most recent sampling events, statistical analysis of the data, a description of groundwater flow direction and rate, and a discussion of the current findings with relevant conclusions and recommendations for future monitoring activities at the Site.

1.1 Site Description and Background

Plant Scherer is a coal-fired power generation facility located in northeast Monroe County approximately 5 miles south of Juliette, GA. The Plant Scherer property occupies approximately 13,000 acres and is bounded on the south by Lake Juliette. The Plant is primarily surrounded by agricultural and residential use. Figure 1 depicts the location of Plant Scherer relative to the surrounding area.

CCR produced from power generation has historically been stored in AP-1. Figure 2 depicts the general configuration of AP-1 and Site monitoring wells. As of 2019, AP-1 no longer received CCR and as of October 30, 2020, AP-1 no longer received non-CCR waste streams. A permit application for closure of AP-1 was submitted to GA EPD in November 2018 and is currently under review.

Plant Scherer is located within the Piedmont Physiographic Province of central Georgia, which is characterized by gently rolling hills and narrow valleys, with locally pronounced linear ridges. Overall, the property slopes gently south toward Lake Juliette and east toward the Ocmulgee River (Figure 1). AP-1 is located on a topographically high area, with several relatively small, intermittent, and perennial creeks and streams surrounding the pond. Several isolated hilltops occur west of the pond and represent topographic high points on the Site. Topographic relief across the Site is greater than 200 feet, with a natural topographic high of over 570 feet above mean sea

level (ft msl) occurring along the ridge west of the ash pond, and a topographic low of less than 380 ft msl in the eastern portion of the Site near Berry Creek.

1.2 Regional and Site Geology and Hydrogeologic Setting

The following section includes a general description of regional geologic and hydrogeologic characteristics of formations that occur beneath the Site. Information presented in this section is based on published literature, discussion with local geologic experts, and experience working in this geologic terrain (Golder, 2020a).

Plant Scherer is located within the center of the East Juliette, GA US Geological Survey (USGS) 7.5-minute topographic quadrangle. The Piedmont/Blue Ridge geologic province contains some of the oldest rocks in the Southeastern US. Since their origin, approximately 276 to 1100 million years ago (Ma), these late Precambrian (Neoproterozoic) to late Paleozoic (Permian) rocks have undergone repeated cycles of igneous intrusions and extrusions, metamorphism, folding, faulting, shearing, and silicification. The latest regional metamorphism and associated deformation has been attributed to the collision of the North America plate with the Eurasian plate approximately 200 to 230 Ma. Later deformation and emplacement of mafic dikes is associated with the rifting of the North American craton during the Mesozoic and Cenozoic Eras.

The metamorphic and igneous rocks that underlie the area have been subjected to physical and chemical weathering, which has created a landscape dissected by creeks and streams forming a dendritic drainage pattern. These rocks are deeply weathered due to the humid climate and bedrock is typically overlain by a variably thick blanket of residual soils and saprolite. The overall depth of weathering in the Piedmont/Blue Ridge is generally about 20 to 60 feet; however, the depth of weathering along discontinuities and/or very feldspathic rock units may extend to depths greater than 100 feet. Because of such variations in rock types and structure, the depth of weathering can vary significantly over short horizontal distances.

Locally, boring logs and monitoring/piezometer installation logs were used to evaluate the hydrostratigraphy of the Site. Material types identified included residual soils, saprolitic soils, saprolitic rock (or partially weathered rock if blow counts were provided), transitionally weathered rock (TWR), which are referred to as overburden, and competent bedrock. Residual and soils, primarily sandy silt, silty sand, sandy clay, and silty clay, occur as a variably thick blanket overlying bedrock across most of the Site. The thickness of the soil encountered in the borings is variable, ranging from little to no soil where outcrop is encountered at the surface, to as much as 168 feet. Thickness of saprolitic soils /or saprolitic rock are variable across the Site. The saturated thickness of the overburden material ranges from 2 feet to over 40 feet.

Based on a review of boring and well construction logs, the screen sections and filter pack intervals for most of the piezometers and monitoring wells installed at the Site are located within the overburden. Based on groundwater elevations, groundwater generally flows from the northwest towards AP-1 and then radially (following topography) away from the ridge to the northeast and east, southeast and south and southwesterly directions across the Site and is consistent with historical observations. The direction and gradient of topography and groundwater surface suggests and supports an unconfined, phreatic or water table aquifer generally within the overburden.

Field hydraulic conductivity tests (i.e., slug tests) performed in a variety of geologic materials on site indicate an average horizontal hydraulic conductivity on the order of 6×10^{-4} centimeters per second (cm/s) with an average of 2.36 feet/day (ft/day) and a median of 1.31 ft/day (Golder, 2020a). This hydraulic conductivity is generally consistent with regional measurements within Piedmont overburden (Heath, 1982).

1.3 Groundwater Monitoring Well Network

A groundwater monitoring system was installed within the uppermost aquifer at Plant Scherer's AP-1 in accordance with § 257.91 (Golder, 2018). The monitoring system is intended to monitor groundwater passing the waste boundary of AP-1 within the uppermost aquifer. Wells are located upgradient and downgradient of AP-1 based on groundwater flow direction as determined by the potentiometric surface elevation contour maps. A network of 25 wells was installed for groundwater monitoring near AP-1. Table 1 includes the pertinent construction details for the AP-1 monitoring well network at Plant Scherer.

Additionally, a series of groundwater piezometers have been installed for gauging groundwater elevations. Table 1 also includes pertinent construction details for the AP-1 piezometers. Landfill Cell 1 and PAC Ash Cell wells are discussed in a separate report. The detection monitoring well network has been certified by a Registered Professional Engineer in Georgia and notice of that certification has been placed in the Plant Scherer Operating Record.

2.0 GROUNDWATER MONITORING ACTIVITIES

In accordance with 40 CFR § 257.90(e), the following describes monitoring-related activities performed during calendar year 2022 and presents the status of the monitoring program. Groundwater sampling was performed in accordance with 40 CFR § 257.93. Samples were collected from each well in the certified groundwater monitoring well system. The location of each of these monitoring wells is shown on Figure 2. Table 2 presents a summary of groundwater sampling events completed for AP-1 in 2022. Field Data Forms and Instrument Calibration Forms for the first and second semi-annual events in 2022 are included in Appendix B. Analytical results, laboratory accreditation, and data validation summaries for each of the 2022 sampling events are included in Appendix C.

2.1 Monitoring Well Installation and Maintenance

There was no change to the detection groundwater monitoring system during this reporting period. Monitoring wells are inspected semi-annually to determine if any repairs or corrective actions are necessary to meet the requirements of the Georgia Water Well Standards Act (O.C.G.A. § 12-5-134(5)(d)(vii)). In August 2022 monitoring wells were inspected, necessary corrective actions were identified and subsequently completed, as documented in Appendix D. This documentation was performed under the direction of a professional geologist or engineer registered in the State of Georgia. The well condition inspection forms from each sampling event are also included in Appendix D.

Site piezometer PZ-15S was modified on July 6, 2022 to accommodate realignment of the adjacent access road. The piezometer casing was modified from an above ground finish to a flush-mounted piezometer. Details of the piezometer re-construction are presented in a summary report submitted to GA EPD (see Appendix E).

2.2 Assessment Monitoring

Pursuant to § 257.94(e)(3), an assessment monitoring program has been established for AP-1 at Plant Scherer based on statistically significant increases. A notice of assessment monitoring was placed in the Plant Scherer Operating Record on May 15, 2018.

Groundwater sampling events were conducted for AP-1 in February and August 2022. Samples were collected from each well in the certified monitoring network as well as those in the assessment monitoring network

presented in Table 1. Table 2 presents a summary of groundwater sampling events completed for AP-1 and the status of the monitoring network.

During the February and August semi-annual sampling events, groundwater samples were collected for Appendix III and Appendix IV constituents. Results of the sampling activities conducted during calendar year 2022 are discussed in Section 5.0, and the data are presented in Appendix C.

2.3 Supplemental Sampling

Additional sampling was conducted during the reporting period in support of the assessment of corrective measures and in continuing to define the nature and extent of cobalt observed in groundwater at the Site. Groundwater samples collected from the detection and assessment monitoring well networks in February and August 2022, with resample events conducted in October and November 2022. Resample events were conducted in October and November 2022 for analysis of select constituents due to exceedance of holding time for major ions (magnesium, potassium, sodium, total and bicarbonate alkalinity) prior to analysis. In addition, risk assessment monitoring, as recommended by the Risk Evaluation Report (Wood, 2021) was completed at Site piezometers PZ-25S and PZ-25I. The laboratory reports associated with each of these sampling events are provided in Appendix C.

3.0 SAMPLE METHODOLOGY AND ANALYSIS

Groundwater sampling events were conducted for AP-1 in February and August 2022 followed by resample events due to missed hold times in October and November 2022. During the 2022 semi-annual sampling events, groundwater samples were collected for Appendix III constituents and Appendix IV constituents from each detection and assessment monitoring wells. Resample events were analysed for select constituents as noted above. Results of sampling activities conducted in 2022 are presented in Appendix C.

3.1 Groundwater Level Measurements

Groundwater elevations were recorded on February 8, 2022 and August 16, 2022 from Site monitoring wells and piezometers. A site-wide water level gauging event was also conducted on December 6, 2022 to supplement existing site data. Due to site access constraints select piezometers at Cell 3 and the North Property of Plant Scherer were not gauged for water levels during the August 2022 sampling event. These locations are not part of the certified monitoring network; however, an additional water level round was completed in December 2022 following access improvements to supplement existing data. Water levels from each of the monitoring events are provided in Table 3 and are consistent with historic data. The recorded water level data from the semi-annual monitoring event were used to develop a potentiometric surface elevation contour map as presented on Figures 3A and 3B. Review of Figures 3A and 3B shows that groundwater generally flows from the northwest towards AP-1 and then radially (following topography) away from the ridge to the northeast and east, southeast and south, and southwesterly directions across the Site and is consistent with historical observations. The consistent correlation in direction and gradient of topography and groundwater surface suggests and supports an unconfined, phreatic or water table aquifer within the overburden.

3.2 Groundwater Gradient and Flow Velocity

Groundwater flow rates at the Site were calculated based on hydraulic gradients, hydraulic conductivity from previous slug test results, and an estimated effective porosity of the screened horizon. Based on available slug test data, hydraulic conductivity of approximately 1.31 to 2.36 feet per day was used in the flow calculations. The

hydraulic gradient was calculated between well pairs shown on Tables 4A and 4B. An effective porosity of 0.2 was used based on the default values for effective porosity recommended by US EPA for a silty sand-type soil (US EPA, 1996).

Horizontal flow velocity was calculated using the commonly used derivative of Darcy's Law:

$$V = \frac{K * i}{n_e}$$

Where:

$$V = \text{Groundwater flow velocity} \left(\frac{\text{feet}}{\text{day}} \right)$$

$$K = \text{Average Hydraulic Conductivity of the aquifer} \left(\frac{\text{feet}}{\text{day}} \right)$$

$$i = \text{Horizontal hydraulic gradient} \left(\frac{\text{feet}}{\text{feet}} \right)$$

$$n_e = \text{Effective porosity}$$

Using this equation and groundwater elevation data from February and August, horizontal groundwater velocities are calculated for various areas of the Site and are tabulated on Tables 4A and 4B.

As presented on Tables 4A and 4B, groundwater flow velocities across at the Site range from approximately 0.07 ft/day to 0.23 ft/day across AP-1 in February 2022, and from approximately 0.09 ft/day to 0.26 ft/day in August 2022. Overall, as discussed in Section 3.1, the direction and gradient of topography and groundwater surface suggests and supports an unconfined, phreatic or water table aquifer generally within the overburden at Plant Scherer.

3.3 Groundwater Sampling

Groundwater samples were collected in accordance with § 257.93(a). Monitoring wells were purged and sampled using low-flow sampling procedures. Dedicated and/or non-dedicated peristaltic and low-flow pneumatic bladder pumps were used to purge and sample the wells. Non-dedicated equipment was decontaminated in accordance with US EPA Region 4 standard operating procedures (US EPA, 2020a). During purging of each well, field measurements of temperature, specific conductance, dissolved oxygen (DO), pH, and oxidation-reduction potential (ORP) were recorded using a SmarTroll® (an In-Situ® field instrument) or an Aqua TROLL 400 along with a separate turbidity meter to verify stabilization.

Groundwater samples were collected when the following general stabilization criteria were met:

- 0.1 standard units (S.U.) for pH
- 5% for specific conductance
- ±10% or 0.2 milligrams per liter (mg/L), whichever is greater for DO. Where DO > 0.5 mg/L, no stabilization criteria apply
- Turbidity measurements less than 5 nephelometric turbidity units (NTUs)

Following well stabilization, unfiltered samples were collected directly into appropriately preserved laboratory supplied sample containers, placed in iced coolers, and submitted to the laboratory following standard chain-of-custody protocol. Field data forms ("Low-Flow Test Reports") generated directly from the SmarTroll® or Aqua

TROLL 400, along with daily calibration logs are included in Appendix B and chain-of-custody records are included in Appendix C.

Field data sheets and the Low-Flow Test Reports are included in Appendix B. Field data and sampling notes for each monitoring well are recorded on the field information forms, which contains a description of the sampling equipment, sampling method, purge rate, field observations, and depth to water measurements at each monitoring location.

3.4 Laboratory Analyses

Groundwater samples were collected during two groundwater monitoring events in 2022 (February and August 2022) with subsequent resample events conducted in October and November 2022 due to missed hold times by the laboratory for various parameters. Because AP-1 is currently in assessment monitoring, groundwater samples from AP-1 detection and assessment monitoring wells were analyzed for Appendix III and Appendix IV monitoring parameters per 40 CFR Parts 257. Groundwater samples were also analyzed for major ions (magnesium, potassium, sodium, total and bicarbonate alkalinity). Tables 5A through 5D present tabulated summaries of the 2022 sampling results.

The required laboratory analyses were performed by Eurofins TestAmerica Laboratory (TAL) locations in Pittsburgh, Pennsylvania, St. Louis, Missouri, and Savannah, Georgia. TAL is accredited by National Environmental Laboratory Accreditation Program (NELAP) and maintain a NELAP certification for all parameters analyzed for this project. Groundwater data and chain of custody records for the monitoring events are presented in Appendix C.

3.5 Quality Assurance and Quality Control Summary

During each sampling event, quality assurance/quality control (QA/QC) samples are collected at a rate of at least one sample per every 10 samples. Equipment blanks (where non-dedicated sampling equipment is used), field blanks, and duplicate samples were also collected during each sampling event. QA/QC sample data was evaluated during data validation and is included in Appendix C.

Groundwater quality data in this report were independently validated in accordance with US EPA Region 4 Data Validation Standard Operating Procedures (US EPA, 2011), National Functional Guidelines for Inorganic Superfund Methods Data Review (US EPA, 2020b) and the analytical methods. Data validation generally consisted of reviewing sample integrity, holding times, laboratory method blanks, laboratory control samples, matrix spikes/matrix spike duplicate recoveries and relative percent differences (RPDs), laboratory, and field duplicate RPDs, field and equipment blanks, and reporting limits. Where appropriate, validation qualifiers and flags are applied to the data per US EPA procedures and guidance. Data validation summary reports prepared by WSP are included in Appendix C. Flagged data identified in the statistical analysis reports are described in the following section. The data are considered usable for meeting project objectives and the results are considered valid.

A value followed by a "J" flag in tables and laboratory reports indicate that the value is an estimated analyte concentration detected between the method detection limit (MDL) and the laboratory reporting limit (RL). The estimated value is positively identified but is below the lowest level that can be reliably achieved within specified limits of precision and accuracy under routine laboratory operating conditions.

4.0 STATISTICAL ANALYSES

Statistical analysis of Appendix III and Appendix IV groundwater monitoring data was performed pursuant to § 257.93-95 following the established statistical method for AP-1.

4.1 Statistical Method

The selected statistical method for AP-1 was developed in accordance with § 257.93(f) using methodology presented in *Statistical Analysis of Groundwater Data at RCRA Facilities*, Unified Guidance, March 2009, US EPA 530/R-09-007 (Unified Guidance). The Sanitas Statistical Software (Sanitas™) package was used to perform the statistical analyses of groundwater data. Sanitas™ is a decision-support software package that incorporates the statistical tests required of Subtitle C and D facilities by US EPA regulations and guidance as recommended in the Unified Guidance (US EPA, 2009). A summary table of the statistical results accompanies the prediction limits for Appendix III and confidence intervals for Appendix IV in Appendix F.

4.1.1 Appendix III Statistical Methods

For Appendix III constituents, groundwater monitoring data was statistically evaluated using interwell prediction limits. The Sen's Slope/Mann Kendall trend test was also performed to evaluate concentrations over time and determine whether concentrations are statistically increasing, decreasing, or stabilizing.

4.1.2 Appendix IV Assessment Monitoring Statistical Methods

For the Assessment Monitoring Program (Appendix IV constituents), parametric tolerance limits were used to calculate site specific background limits from pooled upgradient well data for Appendix IV parameters with a target of 95% confidence and 95% coverage. The confidence and coverage levels for nonparametric tolerance limits are dependent upon the number of background samples. The background limits were then used when determining the groundwater protection standard (GWPS) under 40 CFR § 257.95(h) and Georgia EPD Rule 391-3-4-.10(6)(a).

As described in 40 CFR 257.95(h)(1-3), the GWPS is:

- The maximum contaminant level (MCL) established under §§ 141.62 and 141.66 of this title;
- Where an MCL has not been established, Federal rule specified limits have been specified for cobalt (0.006 mg/L), lead (0.015 mg/L), lithium (0.040 mg/L), or molybdenum (0.100 mg/L); or
- The respective background level for a constituent when the background level is higher than the MCL or rule identified GWPS.

On February 22, 2022 GA EPD updated the Rules for Solid Waste Management 391-3-4-.10(6) to incorporate updated Federal GWPS where an MCL has not been established. These levels were specified for cobalt (0.006 mg/L), lead (0.015 mg/L), lithium (0.040 mg/L), and molybdenum (0.100 mg/L), except when site specific background concentration of these constituents is higher. Statistical evaluation for the 2022 events was updated to reflect these changes.

Consistent with applicable regulatory requirements, GWPS were established for statistical comparison of Appendix IV constituents. Table 6 summarizes the background limit established at each monitoring well and the corresponding GWPS.

To complete the statistical comparison to GWPS, confidence intervals were constructed for each of the Appendix IV parameters in each downgradient well. Those confidence intervals were compared to the GWPS established for both the State and Federal rules. Only when the entire confidence interval is above a GWPS is the well/constituent pair considered to exceed its respective standard. If there is an exceedance of the established standard, an SSL exceedance is identified.

Tolerance limits for confidence interval calculations are updated to include current data for each of the events. Due to varying reporting limits in background, the most recent reporting limit is used when data are not reported above detection limits.

4.2 Statistical Analysis Results

Analytical data from the first and second semi-annual monitoring events conducted in February and August 2022, including subsequent resample events at AP-1 have been statistically analyzed in accordance with the Statistical Analysis Plan for AP-1. Because resample events were completed due to exceedance of hold times by the laboratory, the resample results and not the original results were used for statistical evaluations. Verification resampling to confirm initial SSIs was not performed; therefore, initial SSIs are considered verified. The statistical results of the February and August 2022 monitoring events are included in Appendix F.

4.2.1 First Semi-Annual 2022 – Appendix III Statistical Results

Based on statistical results presented in Appendix F, SSIs of boron, calcium, chloride, fluoride, pH, sulfate, and total dissolved solids (TDS) at various wells were identified following the February 2022 semi-annual monitoring event. A detailed list of the noted exceedances is provided in Appendix F. Based on review of the Appendix III statistical analyses results, concentrations of Appendix III constituents have not returned to background levels and assessment monitoring will continue pursuant to 40 CFR 257.94(f).

4.2.2 First Semi-Annual 2022 – Assessment Monitoring Statistical Results

Analytical data from the February 2022 monitoring event at AP-1 have been statistically analyzed in accordance with the AP-1 certified statistical analysis method. Review of the statistical results indicates that using the GWPS established according to both 40 CFR § 257.95(h) and 391-3-4-.10(6)(a), the following SSLs were identified:

AP-1 Confidence Interval Statistically Significant Level Exceedances February 2022	
Appendix IV Parameter	AP-1 Monitoring Well
Cobalt	SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20

4.2.3 First Semi-Annual 2022 Trend Evaluation

February 2022 results for cobalt were further evaluated using the Sen’s Slope/Mann Kendall trend test to determine whether concentrations are significantly increasing, decreasing or stable. Upgradient wells are included in the trend analyses to identify whether similar patterns exist upgradient of the Site which is an indication of natural variability in groundwater. Results of trend analyses for cobalt are presented in the February 2022 Statistical Package in Appendix F. Statistically significant trends were noted for the following well/constituent pairs:

Increasing Trends

None

Decreasing Trends (Cobalt)

SGWA-1 (upgradient) SGWA-25 (upgradient),
 SGWC-11, and SGWC-20

4.2.4 Second Semi-Annual 2022 – Appendix III Statistical Results

Based on statistical results presented in Appendix F, SSIs of boron, calcium, chloride, fluoride, pH, sulfate, and TDS at various wells were identified following the August 2022 semi-annual monitoring event. A detailed list of the noted exceedances is provided in Appendix F. Based on review of the Appendix III statistical analyses results, concentrations of Appendix III constituents have not returned to background levels and assessment monitoring will continue pursuant to 40 CFR 257.94(f).

4.2.5 Second Semi-Annual 2022 – Assessment Monitoring Statistical Results

Analytical data from the August 2022 monitoring event at AP-1 have been statistically analyzed in accordance with the AP-1 certified statistical analysis method. Review of the statistical results indicates that using the GWPS established according to both 40 CFR § 257.95(h) and 391-3-4-.10(6)(a), the following SSLs were identified:

AP-1 Confidence Interval Statistically Significant Level Exceedances August 2022	
Appendix IV Parameter	AP-1 Monitoring Well
Cobalt	SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20

4.2.6 Second Semi-Annual 2022 Trend Evaluation

August 2022 results for cobalt were further evaluated using the Sen’s Slope/Mann Kendall trend test to determine whether concentrations are significantly increasing, decreasing or stable. Upgradient wells are included in the trend analyses to identify whether similar patterns exist upgradient of the Site which is an indication of natural variability in groundwater. Results of trend analyses for cobalt are presented in the August 2022 Statistical Package in Appendix F. Statistically significant trends were noted for the following well/constituent pairs:

Increasing Trends

None

Decreasing Trends (Cobalt)

SGWA-1 (upgradient), SGWA-25 (upgradient),
 SGWC-11, and SGWC-20

4.3 Alternate Source Demonstration

In accordance with 40 CFR § 257.95, an ASD was submitted to GA EPD on January 14, 2019, to address SSLs of cobalt at AP-1 (Golder, 2019). The ASD presented multiple lines of evidence for the natural occurrence of cobalt in groundwater at the Site and support the conclusion that the SSLs of cobalt present in compliance monitoring wells are not the result of impact by AP-1, but rather from an alternate, natural source of cobalt. Following their review, the GA EPD acknowledged that “cobalt does naturally occur in groundwater at the site,” but EPD did “not concur with the ASD at this time” because “EPD is not able to discount that higher cobalt concentrations at SSLs above the groundwater protection standard may be influenced by the CCR unit.”

The notice was issued on August 20, 2021 and requested Georgia Power to initiate the ACM process of 391-3-4-.10(6). Georgia Power initiated the ACM process on November 18, 2021.

GA EPD acknowledged that if additional information was available to support an alternate source of cobalt, that information would be reviewed following submittal of an updated ASD. Additional data collection and evaluation supporting an ASD may occur.

5.0 ASSESSMENT MONITORING AND DELINEATION STATUS

CCR compliance groundwater monitoring-related activities have been performed for AP-1 since September 2016 pursuant to the CCR rule. Georgia Power initiated an assessment monitoring program in May 2018 after identifying SSLs of Appendix III parameters in groundwater. Pursuant to § 257.95, samples were collected from the compliance monitoring wells and analyzed for Appendix IV constituents.

In accordance with Section 21.1.1 of the Unified Guidance (US EPA, 2009), four independent data are the minimum population size recommended to construct confidence intervals required to assess SSLs for Appendix IV constituents. At the time of this report, the data set for some of the assessment wells is limited to fewer than four independent datums and therefore not appropriate for statistical analyses. For wells where the minimum of four data points are available, statistical analyses are discussed in Section 4.0, above, and are included in Appendix F.

To characterize the nature and extent of cobalt SSLs, multiple piezometers have been installed and sampled at the Site (Golder, 2020a); refer to the table below for constituent delineation status. Specific details regarding the delineation status at AP-1, including isoconcentration contours for cobalt, is discussed in the *Semi-Annual Remedy Selection and Design Progress Report* (Appendix G).

Detection/Assessment Monitoring Well with SSL	Constituent of Concern	Vertical Delineation Well	Horizontal Delineation Well Location
SGWC-10	Cobalt	PZ-69 ^[1]	PZ-13S
SGWC-11	Cobalt	P-44 ^[1]	PZ-14S
SGWC-15	Cobalt	PZ-17 ^[1]	PZ-39S
SGWC-18	Cobalt	PZ-40 ^[1]	PZ-41S
SGWC-20	Cobalt	PZ-42 ^[1]	PZ-43S

Note:

[1] Delineation is complete pending statistical data evaluations at locations PZ-17I, PZ-40I, PZ-42I, PZ-44I and PZ-69I. A minimum of four data points is needed to perform the required statistical analyses. Reported sample results at each of these locations are below the GWPS.

Horizontal and vertical delineation is summarized below based on review of analytical results, statistical analyses and the isoconcentration contours (Appendix G).

Cobalt at SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20: Horizontal delineation for cobalt is defined by wells PZ-13S, PZ-14S, PZ-39S, PZ-41S and PZ-43S. There are no SSLs for any of the horizontal delineation wells and therefore horizontal delineation is deemed complete.

Vertical delineation for cobalt is defined using wells PZ-69I, PZ-44I, PZ-17I, PZ-40I, and PZ-42I. Reported results are below the GWPS and therefore, vertical delineation is deemed complete. However, in accordance with the statistical plan, sufficient data to perform statistical analyses is pending at each of these locations; a minimum of four data points are needed to perform statistical operations.

6.0 ASSESSMENT OF CORRECTIVE MEASURES

On November 18, 2021, Georgia Power initiated the ACM for cobalt and documented the ACM in the operating record on April 15, 2022. Georgia Power will complete the evaluation of ACM alternatives following the timelines and requirements of Rule 394-3-4-.10(6)(d)4 and § 257.96 and § 257.94(e)(3).

In accordance with 40 CFR § 257.97(a), a remedy selection progress report will be prepared and submitted concurrent with semi-annual groundwater monitoring reports to document results associated with additional data collection, and present progress toward selection and design of a groundwater remedy. The *Semi-Annual Remedy Selection and Design Progress Report* that is included as Appendix G includes the following information:

- i) A summary of the closure status for AP-1 as it relates to source control.
- ii) Summary of work completed to date to achieve delineation of constituents exceeding GWPS and a summary of data collected to date towards remedy selection.
- iii) A summary of remedial alternatives and progress towards remedy selection.

7.0 MONITORING PROGRAM STATUS

Statistical evaluations of the groundwater monitoring well data for AP-1 confirm SSIs of Appendix III groundwater monitoring parameters above background and SSLs of Appendix IV groundwater monitoring parameter (cobalt) above the GWPS. AP-1 will continue to be monitored in accordance with the assessment monitoring program pursuant to 40 CFR § 257.95. On November 18, 2021, Georgia Power initiated an ACM per Georgia CCR Rule 391-3-4-.10(6)(a) and § 257.96 to address the concentrations of cobalt in Site groundwater. Pursuant to 40 CFR 257.95(g)(1)(iv), the assessment wells continue to be sampled as part of the ongoing semi-annual assessment monitoring program and the assessment of corrective measures.

8.0 CONCLUSIONS AND FUTURE ACTIONS

This *2022 Annual Groundwater Monitoring and Corrective Action Report*, Georgia Power Company - Plant Scherer Ash Pond 1 was prepared to fulfill the requirements of US EPA's 40 CFR § 257.95 and GA EPD's 391-3-4-.10. The groundwater flow direction interpreted during this event is consistent with historical evaluations.

Review of analytical results and statistical analyses developed for AP-1 indicates statistical exceedances of cobalt identified during both semi-annual events for 2022. The monitoring well network continues to effectively monitor the uppermost aquifer beneath AP-1 and compliance monitoring will be conducted in accordance with § 257.94 and § 257.95.

Based on the findings presented herein, Plant Scherer will continue with assessment groundwater monitoring and is continuing with an ACM in response to the SSLs of cobalt in Site groundwater. The next scheduled sampling event is tentatively scheduled for February 2023. The February 2023 semi-annual assessment monitoring event will meet the requirements of § 257.95(b) and § 257.95(d)(1) and will include sampling and analysis of Appendix III and IV constituents.

9.0 REFERENCES

- Combustion Residuals from Electric Utilities; Final Rule. [EPA-HQ-RCRA–2009–0640; FRL–9919–44– OSWER]. RIN–2050–AE81.
- Golder, 2018, *2017 Annual Groundwater Monitoring and Corrective Action Report, Georgia Power Company Plant Scherer Ash Pond 1*, Golder Associates, Inc, January 30, 2018.
- Golder, 2019, *Alternate Source Demonstration, Georgia Power Company Plant Scherer AP-1*, Golder Associates Inc, January 14, 2019.
- Golder, 2020a, *Hydrogeologic Assessment Report, Plant Scherer Ash Pond 1*, Golder Associates Inc., September 2020, revised December 2020.
- Golder, 2022, *Semi-Annual Remedy Selection and Design Progress Report*, Georgia Power Company – Plant Scherer, Juliette, Georgia, Golder Associates USA Inc., August 31, 2022
- Heath, R.C., 1982, Basic Ground-Water Hydrology. Water Supply Paper 2220. U.S. Geological Survey, Federal Center, Box 25425, Denver, Colorado.
- Sanitas 2014, Groundwater Statistical Software, Sanitas Technologies, Shawnee, KS, 2007. www.sanitastech.com.
- US EPA, 1996, *Soil Screening Guidance: User's Guide*, Second Edition, EPA/540/R-96-018, July.
- US EPA, 2009, *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance*. EPA 530-R-09-007.
- US EPA, 2011, *Data Validation Standard Operating Procedures*. Science and Ecosystem Support Division. Region 4. Athens, GA, September.
- US EPA, 2017, Federal Register. Volume 80. No. 74. Friday April 17, 2015. Part II. Environmental Protection Agency. 40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule. [EPA HQ RCRA–2009–0640; FRL–9919–44– OSWER]. RIN–2050–AE81.
- US EPA, 2020a, Laboratory Services and Applied Science Division, Operating Procedure, Field Equipment Cleaning and Decontamination
- US EPA, 2020b, National Functional Guidelines for Inorganic Superfund Methods Data Review, Office of Superfund Remediation and Technology Innovation. OLEM 9240.0-51 [EPA 540-R-20-005]. Washington. DC, November 2020.
- Wood 2021. Risk Evaluation Report, Plant Scherer Ash Pond 1, Juliette, Georgia, Wood Environment & Infrastructure Solutions, Inc., January 2021.

Tables

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
AP-1 DETECTION MONITORING WELL NETWORK												
SGWA-1	Upgradient	Overburden	1119233.10	2399899.81	544.27	544.1	546.83	53.7	503.57	493.57	10	2/11/2015
SGWA-2	Upgradient	Bedrock	1119237.67	2399908.19	544.20	544.0	546.94	98.5	458.55	448.55	10	2/17/2015
SGWA-3	Upgradient	Overburden	1120224.15	2399296.64	543.03	542.9	545.83	53.0	502.88	492.88	10	11/18/2015
SGWA-4	Upgradient	Overburden	1121477.05	2401124.64	544.96	544.8	547.66	63.3	494.31	484.31	10	11/17/2015
SGWA-5	Upgradient	Overburden	1118088.42	2397426.26	505.93	505.7	508.48	32.8	485.53	475.53	10	11/18/2015
SGWC-6	Downgradient	Overburden	1122167.18	2401979.98	507.87	507.7	510.49	27.8	492.67	482.67	10	11/12/2015
SGWC-7	Downgradient	Bedrock	1122668.61	2402259.75	503.65	503.5	506.40	37.9	478.45	468.45	10	11/11/2015
SGWC-8	Downgradient	Overburden/Bedrock	1122865.98	2402979.50	511.68	511.5	514.28	42.8	481.48	471.48	10	11/11/2015
SGWC-9	Downgradient	Overburden	1122634.64	2403455.19	507.88	507.6	510.62	38.0	482.63	472.63	10	11/6/2015
SGWC-10	Downgradient	Overburden	1121895.85	2404046.92	506.80	506.6	509.41	32.8	486.60	476.60	10	11/5/2015
SGWC-11	Downgradient	Overburden	1121542.11	2404332.12	508.77	508.6	511.47	42.9	478.62	468.62	10	10/29/2015
SGWC-12	Downgradient	Overburden	1121576.75	2405009.92	497.80	497.7	500.53	50.4	460.70	450.70	10	10/30/2015
SGWC-13	Downgradient	Overburden	1121274.85	2405761.20	480.17	479.9	482.71	37.8	454.92	444.92	10	11/4/2015
SGWC-14	Downgradient	Overburden	1120966.13	2406329.89	473.52	473.3	476.72	38.7	448.52	438.52	10	2/24/2015
SGWC-15	Downgradient	Overburden	1120191.20	2407093.92	479.76	479.7	482.75	48.3	444.86	434.86	10	2/26/2015
SGWC-16	Downgradient	Overburden	1119221.42	2407155.89	457.18	457.0	460.31	43.5	428.23	418.23	10	3/3/2015
SGWC-17	Downgradient	Overburden	1118308.77	2407267.44	415.13	414.9	418.00	27.6	400.83	390.83	10	3/11/2015
SGWC-18	Downgradient	Overburden	1116947.75	2406931.32	510.41	510.3	513.29	47.5	476.21	466.21	10	3/17/2015
SGWC-19	Downgradient	Overburden	1116024.59	2406097.05	476.13	475.8	478.94	37.7	451.63	441.63	10	3/18/2015
SGWC-20	Downgradient	Overburden	1116020.73	2405307.67	501.69	501.5	504.60	28.1	486.49	476.49	10	11/19/2015
SGWC-21	Downgradient	Overburden	1115409.88	2404197.33	484.92	484.7	487.67	27.9	470.17	460.17	10	5/6/2015
SGWC-22	Downgradient	Overburden	1115540.08	2403001.81	515.51	515.4	518.02	52.7	478.91	468.91	10	1/22/2015
SGWC-23	Downgradient	Bedrock	1116693.80	2402131.07	520.17	520.0	523.10	52.8	480.72	470.72	10	2/3/2015
SGWA-24	Upgradient	Overburden	1118121.96	2400743.52	489.47	489.3	492.38	43.1	461.62	451.62	10	2/10/2015
SGWA-25	Upgradient	Overburen	1120555.28	2400857.08	523.45	523.2	526.49	48.3	488.60	478.60	10	2/18/2015

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
AP-1 ASSESSMENT MONITORING WELL NETWORK												
PZ-13S	Downgradient	Overburden	1121957.03	2404227.47	517.68	517.5	520.51	48.3	482.58	472.58	10	4/1/2015
PZ-14S	Downgradient	Overburden	1121852.80	2404820.56	509.03	508.7	512.13	48.4	474.18	464.18	10	3/26/2015
PZ-17I	Downgradient	Bedrock	1120190.27	2407107.37	480.20	479.9	483.03	100.4	393.20	383.20	10	2/27/2015
PZ-39S	Downgradient	Overburden	1120178.43	2407470.49	471.99	471.8	474.58	82.8	405.79	395.79	10	8/21/2018
PZ-40I	Downgradient	Bedrock	1116960.39	2406934.72	510.19	510.1	512.55	86.5	437.09	427.09	10	8/15/2018
PZ-41S	Downgradient	Overburden	1116799.18	2407124.98	488.66	488.6	491.50	47.9	453.56	443.56	5	8/16/2018
PZ-42I	Downgradient	Bedrock	1116013.79	2405294.12	500.65	500.5	503.18	107.7	414.45	404.45	10	8/21/2018
PZ-43S	Downgradient	Overburden	1115598.12	2405507.16	501.34	501.2	504.03	57.8	460.69	450.69	10	8/17/2018
PZ-44I	Downgradient	Bedrock	1121515.40	2404330.23	507.91	507.9	510.36	116.5	403.86	393.86	10	9/5/2018
PZ-69I	Downgradient	Bedrock	1121906.36	2404051.35	506.44	506.0	508.85	108.9	410.00	400.00	10	1/13/2022
PIEZOMETERS												
PZ-2I	Downgradient	Bedrock	1115544.85	2402990.76	515.06	514.8	517.56	86.8	440.91	430.91	10	1/27/2015
PZ-3S	Downgradient	Overburden	1116085.04	2402533.80	514.57	514.4	517.29	52.9	474.77	464.77	10	1/29/2015
PZ-5I	Downgradient	Bedrock	1117484.15	2401816.71	520.73	520.6	523.26	49.8	484.03	474.03	10	2/4/2015
PZ-9I	Upgradient	Bedrock	1120562.72	2400862.76	523.61	523.3	526.57	83.5	453.51	443.51	10	2/19/2015
PZ-10S	Downgradient	Overburden	1122338.03	2401768.92	514.78	514.4	517.53	38.1	489.88	479.88	10	5/5/2015
PZ-11S	Downgradient	Overburden	1123169.22	2402767.44	526.19	526.0	529.31	49.2	490.54	480.54	10	4/6/2015
PZ-12S	Downgradient	Overburden	1122684.90	2403618.46	514.64	514.5	517.69	47.5	480.54	470.54	10	4/1/2015
PZ-14I	Downgradient	Bedrock	1121866.36	2404822.43	510.03	509.7	512.89	98.4	424.93	414.93	10	3/25/2015
PZ-15S	Downgradient	Overburden	1121486.96	2405558.59	497.59	497.4	500.60	43.3	467.74	457.74	10	4/28/2015
PZ-19I	Downgradient	Bedrock	1118588.47	2407251.56	414.74	414.5	417.76	75.1	353.04	343.04	10	3/4/2015
PZ-19S	Downgradient	Overburden	1118587.24	2407241.54	414.79	414.5	417.80	28.3	399.94	389.94	10	3/4/2015
PZ-20I	Downgradient	Bedrock	1118318.15	2407273.36	414.46	414.3	417.41	82.7	345.11	335.11	10	3/10/2015
PZ-21S	Downgradient	Overburden	1117639.19	2407006.52	470.85	470.6	473.74	28.1	457.60	447.60	10	3/12/2015
PZ-25S	Downgradient	Overburden	1121848.11	2404567.52	525.78	525.5	528.24	58.8	480.78	470.68	10	5/25/2016
PZ-25I	Downgradient	Overburden	1121837.80	2404573.04	526.02	525.8	528.39	128.6	410.97	400.97	10	5/24/2016

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PIEZOMETERS - continued												
PZ-26S	Downgradient	Overburden	1121696.65	2405733.23	489.17	489.1	491.65	48.6	454.27	444.27	10	6/1/2016
PZ-27D	Downgradient	Bedrock	1121558.94	2406023.17	472.659	472.4	475.43	129.0	367.61	347.61	20	6/17/2016
PZ-27S	Downgradient	Overburden	1121565.33	2406028.25	473.175	473.1	475.80	48.7	438.33	428.33	10	5/26/2016
PZ-28I	Downgradient	Bedrock	1121394.06	2406373.94	481.587	481.4	484.18	72.7	422.84	412.84	10	6/3/2016
PZ-29S	Downgradient	Overburden	1121269.19	2406618.29	488.704	488.5	491.31	48.8	453.70	443.70	10	5/26/2016
PZ-30I	Downgradient	Bedrock	1121073.53	2407078.99	475.712	475.6	478.31	89.8	400.46	390.46	10	6/2/2016
PZ-31I	Downgradient	Bedrock	1121204.03	2407445.73	464.163	464.0	466.89	79.9	399.06	389.06	10	6/2/2016
PZ-32D	Downgradient	Bedrock	1121089.64	2407719.37	462.561	462.4	465.42	129.6	366.56	336.56	30	6/1/2016
PZ-32S	Downgradient	Overburden	1121089.22	2407698.44	462.52	462.3	465.06	59.8	417.47	407.47	10	6/1/2016
PZ-33I	Downgradient	Overburden	1121245.25	2409064.05	466.547	466.4	469.38	79.4	400.65	390.65	10	6/8/2016
PZ-34S	Downgradient	Overburden	1121331.59	2409288.37	441.08	440.8	443.67	48.8	405.53	395.53	10	6/4/2016
PZ-35I	Downgradient	Overburden	1121598.57	2406058.33	474.72	474.6	474.40	55.8	429.27	419.27	10	6/22/2016
PZ-36I	Downgradient	Bedrock	1120410.99	2407256.25	478.96	478.9	481.52	99.7	393.56	383.56	10	6/5/2016
PZ-36S	Downgradient	Overburden	1120401.04	2407248.04	479.50	479.4	482.35	59.0	434.40	424.40	10	8/22/2018
PZ-37I	Downgradient	Overburden/Bedrock	1121178.48	2408419.19	479.68	479.5	482.18	75.2	418.48	408.48	10	6/2/2016
PZ-38I	Downgradient	Overburden	1121475.86	2406352.98	482.38	482.2	482.24	76.0	418.43	408.43	10	6/23/2016
PZ-45D	Downgradient	Bedrock	1125296.24	2400250.55	509.94	509.7	512.33	167.6	399.74	344.74	55	3/9/2020
PZ-46D	Downgradient	Overburden/Bedrock	1123512.22	2400923.25	447.37	447.1	450.28	56.7	423.57	393.57	30	3/17/2020
PZ-47D	Downgradient	Bedrock	1126623.42	2404366.80	406.91	406.8	410.01	29.2	396.66	381.66	15	3/11/2020
PZ-48S	Downgradient	Overburden	1125014.71	2405779.92	441.45	441.3	444.33	64.0	390.55	380.55	10	3/4/2020
PZ-49D	Downgradient	Bedrock	1123429.73	2410615.29	365.13	364.9	367.41	108.5	288.88	258.88	30	3/6/2020
PZ-49S	Downgradient	Overburden	1123434.46	2410605.99	365.29	365.2	367.89	27.7	350.19	340.19	10	3/7/2020
PZ-50D	Upgradient	Bedrock	1103125.91	2408306.87	470.70	470.7	473.78	103.1	380.66	370.66	10	3/18/2020
PZ-51D	Upgradient	Bedrock	1119239.99	2399955.07	543.47	543.2	546.04	128.9	427.17	417.17	10	3/8/2020
PZ-52	Downgradient	Overburden	1122822.91	2403622.69	519.68	519.4	521.84	79.4	452.43	442.43	10	3/17/2020
PZ-53	Downgradient	Overburden	1121932.34	2404813.43	513.81	513.6	516.64	48.0	478.61	468.61	10	3/19/2020

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PIEZOMETERS - continued												
PZ-54	Downgradient	Overburden	1121509.71	2406555.15	490.27	490.2	492.96	47.8	455.17	445.17	10	3/19/2020
PZ-55	Downgradient	Overburden	1121931.60	2409132.43	444.25	444.2	447.21	39.1	418.15	408.15	10	3/20/2020
PZ-56	Downgradient	Bedrock	1123524.68	2409037.21	431.10	430.8	433.68	48.8	395.10	385.10	10	3/19/2020
PZ-57	Downgradient	Overburden/Bedrock	1123405.64	2407361.88	436.55	436.4	439.51	62.1	387.45	377.45	10	3/19/2020
PZ-58	Downgradient	Overburden	1123299.43	2405207.09	489.35	489.3	492.21	49.0	453.25	443.25	10	3/16/2020
PZ-59S	Downgradient	Overburden	1125213.65	2407658.45	383.13	382.8	385.93	27.1	368.83	358.83	10	3/20/2020
PZ-59D	Downgradient	Bedrock	1125229.89	2407668.93	383.16	382.9	385.86	72.0	328.86	313.86	15	3/27/2020
PZ-60D	Downgradient	Bedrock	1124410.72	2408242.87	386.53	386.4	389.34	102.9	317.03	286.73	30	3/29/2020
PZ-60S	Downgradient	Overburden	1124400.44	2408243.59	386.66	386.4	389.88	23.5	376.36	366.36	10	3/31/2020
PZ-61	Downgradient	Overburden/Bedrock	1122537.21	2408531.43	436.84	436.8	439.27	52.5	397.34	387.34	10	4/11/2020
PZ-62	Downgradient	Overburden	1122370.34	2406175.11	498.45	498.3	501.32	55.1	456.00	446.00	10	4/9/2020
PZ-63	Downgradient	Bedrock	1123955.38	2404060.61	499.12	498.9	501.54	42.7	468.87	458.87	10	4/12/2020
PZ-64	Downgradient	Bedrock	1123724.36	2406404.18	476.09	476.0	479.52	72.5	416.99	406.99	10	4/8/2020
PZ-65	Downgradient	Overburden	1121937.16	2407733.04	429.77	429.6	432.42	32.8	409.57	399.57	10	4/11/2020
PZ-66D	Downgradient	Bedrock	1124644.48	2409028.45	424.64	424.4	427.60	269.2	-	-	open borehole	4/2/2020
PZ-66	Downgradient	Bedrock	1124664.10	2409115.98	418.68	418.4	421.24	62.9	373.38	358.38	15	5/8/2020
PZ-67D	Downgradient	Bedrock	1125764.81	2408259.40	424.86	424.7	428.48	304.8	-	-	open borehole	4/1/2020
PZ-67	Downgradient	Overburden	1125782.26	2408248.89	423.37	423.2	425.94	42.7	393.47	383.47	10	4/25/2020
PZ-68	Downgradient	Overburden	1125116.59	2407181.92	392.34	392.1	395.55	23.4	382.14	372.14	10	4/15/2020
LPZ-01	Upgradient	Overburden/Bedrock	1117001.58	2398513.19	550.47	550.0	553.29	69.1	495.97	485.97	10	11/10/2015
LPZ-02	Upgradient	Overburden	1119972.34	2398004.93	511.42	511.1	514.52	23.4	501.07	491.07	10	11/20/2015
LPZ-03	Upgradient	Overburden	1117883.86	2398657.00	512.55	512.2	515.45	38.3	487.15	477.15	10	11/18/2015
LPZ-04	Upgradient	Overburden	1115962.59	2397083.47	458.31	458.1	461.24	43.1	440.11	430.11	10	11/19/2015
LPZ-05	Upgradient	Overburden	1115328.95	2399698.53	521.81	521.5	524.51	106.405	479.41	469.41	10	11/5/2015

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
GYPSUM CELL 1												
GWC-1	Downgradient	Overburden	1120077.85	2411555.32	371.77	371.6	374.95	39.35	346.91	336.91	10	10/28/2009
GWC-2	Downgradient	Overburden	1119816.59	2411493.53	377.02	376.9	380.22	57.82	332.12	322.12	10	10/8/2009
GWC-3	Downgradient	Overburden	1119615.01	2411201.98	409.97	409.6	412.66	49.46	373.20	363.20	10	10/29/2009
GWC-4	Downgradient	Overburden	1119255.96	2411041.82	408.50	408.4	411.75	42.85	378.70	368.70	10	11/21/2009
GWC-5	Downgradient	Overburden	1118897.72	2411025.88	393.37	393.3	396.69	38.22	372.84	362.84	10	10/22/2009
GWC-6	Downgradient	Bedrock	1118575.69	2410872.56	412.48	412.4	415.80	47.92	377.52	367.52	10	10/21/2009
GWC-7	Downgradient	Overburden	1118243.67	2410645.91	414.51	414.4	418.27	58.36	369.84	359.84	10	10/20/2009
GWC-8A	Downgradient	Overburden	1117917.32	2410375.16	398.65	398.6	401.62	48.02	364.30	354.30	10	3/29/2017
GWC-9	Downgradient	Overburden	1117955.40	2410167.75	383.21	382.8	386.18	19.87	376.02	366.02	10	11/4/2009
GWC-10	Downgradient	Overburden	1118306.77	2410018.28	389.49	388.9	392.87	39.48	367.50	357.50	10	11/3/2009
GWC-11	Downgradient	Overburden	1118648.98	2409778.84	399.21	398.8	402.33	33.52	377.81	367.81	10	11/3/2009
GWC-12	Downgradient	Overburden	1118977.87	2409554.57	409.66	409.2	412.89	37.23	384.94	374.94	10	11/3/2009
GWC-13	Downgradient	Overburden	1119338.68	2409390.95	416.71	416.5	419.77	42.76	386.52	376.52	10	11/2/2009
GWC-14	Downgradient	Overburden	1119655.05	2409111.75	400.41	400.2	403.60	28.43	386.09	376.09	10	11/4/2009
GWA-15	Upgradient	Overburden	1120009.40	2409282.43	412.00	411.7	415.01	28.31	395.51	385.51	10	11/4/2009
GWA-16	Upgradient	Overburden	1120248.68	2409579.75	441.01	440.9	444.24	58.33	396.71	386.71	10	10/13/2009
GWA-17	Upgradient	Overburden	1120210.57	2409946.73	442.92	442.8	445.84	46.32	409.27	399.27	10	9/28/2009
GWC-18	Downgradient	Overburden	1119998.73	2410261.85	436.40	436.3	439.66	62.86	389.49	379.49	10	9/29/2009
GWC-19	Downgradient	Overburden	1119645.70	2410713.20	426.34	426.3	430.20	73.90	382.45	372.45	10	10/2/2009
GWC-20	Downgradient	Overburden	1119950.51	2411195.38	423.03	423.0	426.30	72.93	363.85	353.85	10	10/6/2009

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PAC ASH CELL												
GWA-21	Upgradient	Overburden	1120675.73	2409462.70	419.81	419.7	422.58	19.88	412.04	402.04	10	6/29/2010
GWA-22	Upgradient	Overburden/Bedrock	1120962.12	2409473.22	442.01	442.0	444.50	42.49	412.29	402.29	10	6/30/2010
GWC-29	Downgradient	Overburden	1119875.58	2408717.95	396.98	396.9	399.64	27.12	382.78	372.78	10	6/28/2010
GWA-45	Upgradient	Overburden	1120669.03	2407889.56	448.33	448.3	451.08	35.81	425.99	415.99	10	6/23/2010
GWA-46	Upgradient	Overburden	1120783.23	2408235.69	458.37	458.3	461.13	46.31	424.38	414.38	10	6/23/2010
GWA-47	Upgradient	Overburden	1120862.63	2408585.01	463.03*	462.9	465.77	57.87	421.74	411.74	10	6/22/2010
GWA-48	Upgradient	Overburden	1120953.42	2408939.48	459.00	458.8	461.73	74.89	407.74	397.74	10	6/22/2010
GWA-49	Upgradient	Overburden	1121030.08	2409288.38	430.16	429.9	432.88	40.02	401.81	391.81	10	6/21/2010
GWC-50	Downgradient	Overburden	1119917.51	2408956.10	404.44	404.3	407.16	37.82	380.88	370.88	10	6/28/2010
GWC-51	Downgradient	Overburden	1119835.51	2408436.95	407.37	407.3	410.15	29.87	393.78	383.78	10	7/27/2010
GWC-52	Downgradient	Overburden	1119972.34	2408203.99	414.43	414.4	417.13	32.75	394.53	384.53	10	6/24/2010
GWC-53	Downgradient	Overburden	1120319.65	2407943.05	433.10	432.9	435.83	30.93	412.84	402.84	10	6/23/2010

TABLE 1
SUMMARY OF MONITORING WELL AND PIEZOMETER CONSTRUCTION DATA
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[2]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
CELL 3												
GWC-30	Downgradient	Overburden/Bedrock	1119366.69	2408976.35	392.19	392.0	394.49	21.5	384.04	374.04	10	1/24/2020
GWC-31	Downgradient	Overburden	1118970.00	2409062.02	390.13	390.0	392.78	21.8	380.68	370.68	10	1/23/2020
GWC-32	Downgradient	Overburden	1118749.53	2409084.83	407.25	406.9	410.03	38.1	381.95	371.95	10	1/21/2020
GWC-33A	Downgradient	Overburden	1118458.68	2409359.58	391.32	390.9	393.96	27.1	376.87	366.87	10	1/25/2020
GWC-34	Downgradient	Overburden	1118248.26	2409680.41	386.48	386.2	389.29	22.1	377.23	367.23	10	1/13/2020
GWC-35	Downgradient	Overburden	1117860.46	2409906.21	385.35	385.1	387.90	22.8	375.10	365.10	10	1/12/2020
GWC-36	Downgradient	Overburden	1117561.29	2409681.44	422.52	422.0	425.12	48.5	386.62	376.62	10	1/10/2020
GWC-37	Downgradient	Overburden	1117239.70	2409636.56	427.38	427.2	429.80	44.6	395.23	385.23	10	1/8/2020
GWC-38	Downgradient	Overburden	1116786.45	2409533.11	416.23	416.0	418.68	41.7	386.98	376.98	10	1/7/2020
GWA-39	Upgradient	Bedrock	1116967.57	2408671.68	454.59	454.2	457.62	62.4	405.24	395.24	10	12/20/2019
GWA-40	Upgradient	Overburden	1117365.24	2408730.04	461.25	461.2	463.84	47.5	427.15	417.15	10	12/18/2020
GWA-41	Upgradient	Overburden	1118096.97	2408412.15	431.70	431.4	434.12	46.7	403.75	393.75	10	1/26/2020
GWA-42	Upgradient	Overburden	1118500.68	2408233.53	402.57	402.2	405.19	21.8	393.37	383.37	10	1/27/2020
GWA-43	Upgradient	Overburden	1118861.38	2408484.42	398.42	398.1	400.94	21.8	389.12	379.12	10	1/26/2020
GWA-44A	Upgradient	Overburden	1119296.99	2408569.76	396.83	396.5	399.62	23.9	386.58	376.58	10	1/27/2020
GWA-54	Upgradient	Bedrock	1117751.40	2408588.52	448.78	448.6	451.49	51.7	409.83	399.83	10	12/21/2020

Notes:

ft = feet; feet bgs = feet below ground surface; ft BTOC = feet below top of casing

(1) Coordinates in North American Datum (NAD) 1983, State Plane, Georgia-West, feet.

(2) Vertical elevations are in feet relative to the North American Vertical Datum (NAVD) 1988.

(3) Total well depth accounts for sump if data provided on well construction logs.

(4) Survey data provided by Jordan Engineering, Inc., July 2020.

(5) - = not applicable

**TABLE 2
GROUNDWATER SAMPLING EVENT SUMMARY**

Georgia Power Company - Plant Scherer
Juliette, Georgia

Well ID	Hydraulic Location	Sampling Event				Status of Monitoring Well
		February 2022	August 2022	October 2022	November 2022	
Purpose of Sampling Event		Detection / Assessment	Detection / Assessment	Resample	Resample	
AP-1 Detection Monitoring Wells						
SGWA-1	Upgradient	X	X			Assessment
SGWA-2	Upgradient	X	X			Assessment
SGWA-3	Upgradient	X	X			Assessment
SGWA-4	Upgradient	X	X			Assessment
SGWA-5	Upgradient	X	X			Assessment
SGWC-6	Downgradient	X	X			Assessment
SGWC-7	Downgradient	X	X			Assessment
SGWC-8	Downgradient	X	X			Assessment
SGWC-9	Downgradient	X	X			Assessment
SGWC-10	Downgradient	X	X			Assessment
SGWC-11	Downgradient	X	X			Assessment
SGWC-12	Downgradient	X	X			Assessment
SGWC-13	Downgradient	X	X			Assessment
SGWC-14	Downgradient	X	X			Assessment
SGWC-15	Downgradient	X	X			Assessment
SGWC-16	Downgradient	X	X	X	X	Assessment
SGWC-17	Downgradient	X	X	X	X	Assessment
SGWC-18	Downgradient	X	X	X		Assessment
SGWC-19	Downgradient	X	X	X		Assessment
SGWC-20	Downgradient	X	X	X		Assessment
SGWC-21	Downgradient	X	X	X		Assessment
SGWC-22	Downgradient	X	X	X		Assessment
SGWC-23	Downgradient	X	X	X		Assessment
SGWA-24	Upgradient	X	X			Assessment
SGWA-25	Upgradient	X	X			Assessment

**TABLE 2
GROUNDWATER SAMPLING EVENT SUMMARY**

Georgia Power Company - Plant Scherer
Juliette, Georgia

Well ID	Hydraulic Location	Sampling Event				Status of Monitoring Well
		February 2022	August 2022	October 2022	November 2022	
Purpose of Sampling Event		Detection / Assessment	Detection / Assessment	Resample	Resample	
AP-1 Assessment Monitoring Wells						
PZ-13S	Downgradient	X	X			Assessment
PZ-14S	Downgradient	X	X	X		Assessment
PZ-17I	Downgradient	X	X			Assessment
PZ-39S	Downgradient	X	X	X		Assessment
PZ-40I	Downgradient	X	X	X		Assessment
PZ-41S	Downgradient	X	X			Assessment
PZ-42I	Downgradient	X	X	X		Assessment
PZ-43S	Downgradient	X	X			Assessment
PZ-44I	Downgradient	X	X			Assessment
PZ-69I	Downgradient	X	X			Assessment
PZ-25I	Downgradient	X	X			Assessment
PZ-25S	Downgradient	X	X			Assessment

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
ASH POND				
SGWA-1	546.83	509.48	506.99	504.47
SGWA-2	546.94	510.48	506.99	504.58
SGWA-3	545.83	516.27	513.28	510.91
SGWA-4	547.66	502.41	502.76	501.66
SGWA-5	508.48	493.56	493.00	491.39
SGWC-6	510.49	497.93	496.75	496.02
SGWC-7	506.40	494.08	493.48	492.61
SGWC-8	514.28	493.12	492.53	492.38
SGWC-9	510.62	489.92	488.74	487.94
SGWC-10	509.41	491.51	489.74	489.10
SGWC-11	511.47	492.26	490.30	489.80
SGWC-12	500.53	485.10	483.34	482.73
SGWC-13	482.71	478.46	477.55	477.66
SGWC-14	476.72	466.31	465.74	465.99
SGWC-15	482.75	455.16	452.99	453.19
SGWC-16	460.31	437.73	434.50	434.90
SGWC-17	418.00	416.25	415.73	415.79
SGWC-18	513.29	472.77	471.81	470.49
SGWC-19	478.94	464.19	462.90	463.18
SGWC-20	504.60	492.24	489.22	489.99
SGWC-21	487.67	487.37	485.87	486.30
SGWC-22	518.02	492.23	490.37	490.52
SGWC-23	523.10	493.03	491.44	490.31
SGWA-24	492.38	479.59	477.30	477.29
SGWA-25	526.49	501.14	498.94	498.47
PIEZOMETERS				
PZ-2I	517.56	491.76	489.73	489.97
PZ-3S	517.29	488.93	487.93	487.42
PZ-5I	523.26	488.92	487.17	485.92

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
PIEZOMETERS - continued				
PZ-9I	526.57	499.87	499.50	498.72
PZ-10S	517.53	497.89	496.28	495.86
PZ-11S	529.31	492.31	491.60	490.76
PZ-12S	517.69	488.62	487.39	486.73
PZ-13S	520.51	490.39	488.24	487.58
PZ-14S	512.13	488.58	485.58	484.94
PZ-14I	512.89	488.44	485.60	484.94
PZ-15S	500.60	481.92	484.09	484.16
PZ-17I	483.03	455.55	453.38	453.63
PZ-19I	417.76	414.11	413.56	413.80
PZ-19S	417.80	414.81	413.11	413.32
PZ-20I	417.41	414.40	413.73	413.89
PZ-21S	473.74	464.52	462.34	461.93
PZ-25S	528.24	490.03	487.80	486.89
PZ-25I	528.39	490.34	487.50	486.68
PZ-26S	491.65	476.55	474.23	474.66
PZ-27S	475.80	472.30	469.25	470.41
PZ-27D	475.43	474.98	472.79	473.26
PZ-28I	484.18	467.38	464.65	465.73
PZ-29S	491.31	461.90	460.00	460.35
PZ-30I	478.31	449.76	447.67	446.87
PZ-31I	466.89	438.79	436.28	435.17
PZ-32S	465.06	440.50	438.07	436.39
PZ-32D	465.42	438.49	436.29	435.10
PZ-33I	469.38	426.88	426.37	424.81
PZ-34S	443.67	427.59	423.40	423.23
PZ-35I	474.40	471.90	468.99	470.12
PZ-36S	482.35	452.62	449.05	446.53
PZ-36I	481.52	448.90	445.24	448.97
PZ-37I	482.18	433.35	434.25	432.89

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
PIEZOMETERS - continued				
PZ-38I	482.24	467.97	465.29	466.33
PZ-39S	474.58	440.99	437.62	436.84
PZ-40I	512.55	473.65	472.48	471.05
PZ-41S	491.50	460.47	460.10	459.38
PZ-42I	503.18	494.11	491.02	491.83
PZ-43S	504.03	483.31	478.74	479.32
PZ-44I	510.36	491.91	489.82	489.32
PZ-45D	512.33	488.70	512.33	482.93
PZ-46D	450.28	439.67	437.46	438.01
PZ-47D	410.01	400.41	410.01	400.25
PZ-48S	444.33	410.45	409.81	408.53
PZ-49S	367.89	361.37	359.15	360.43
PZ-49D	367.41	362.51	360.50	361.53
PZ-50D	473.78	NM	NM	NM
PZ-51D	546.04	510.08	506.70	506.35
PZ-52	521.84	487.85	486.84	486.14
PZ-53	516.64	488.06	485.36	484.62
PZ-54	492.96	462.70	460.76	460.90
PZ-55	447.21	422.98	422.17	420.34
PZ-56	433.68	393.37	NM	392.65
PZ-57	439.51	405.50	NM	404.49
PZ-58	492.21	448.40	447.99	446.79
PZ-59S	385.93	382.00	379.82	381.39
PZ-59D	385.86	381.73	379.81	381.02
PZ-60S	389.88	382.40	380.66	380.55
PZ-60D	389.34	384.86	382.89	382.37
PZ-61	439.27	420.11	419.27	418.00
PZ-62	501.32	461.08	460.87	459.49
PZ-63	501.54	481.90	481.46	480.36

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
PIEZOMETERS - continued				
PZ-64	479.52	431.46	431.11	429.85
PZ-65	432.42	416.43	415.20	415.17
PZ-66	421.24	386.59	383.28	384.80
PZ-66D	427.60	380.42	379.17	378.92
PZ-67	425.94	401.44	401.49	400.47
PZ-67D	428.48	383.81	382.27	383.87
PZ-68	395.55	388.19	386.57	386.94
PZ-69I	508.85	491.54	489.75	489.19
LPZ-01	553.29	535.98	496.46	495.81
LPZ-02	514.52	457.32	511.04	510.41
LPZ-03	515.45	512.60	506.51	503.46
LPZ-04	461.24	456.07	447.12	446.21
LPZ-05	524.51	512.26	479.10	NM

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
CELL 1				
GWC-1	374.95	364.85	364.56	365.22
GWC-2	380.22	379.63	365.44	366.11
GWC-3	412.66	377.94	377.43	376.80
GWC-4	411.75	379.94	378.93	378.80
GWC-5	396.69	377.82	375.87	375.49
GWC-6	415.80	377.73	376.99	376.40
GWC-7	418.27	376.56	375.54	373.32
GWC-8A	401.62	379.84	378.36	379.08
GWC-9	386.18	379.77	378.76	379.60
GWC-10	392.87	383.29	381.23	382.64
GWC-11	402.33	386.00	383.08	384.63
GWC-12	412.89	389.92	376.77	387.08
GWC-13	419.77	391.67	388.77	389.63
GWC-14	403.60	392.28	389.91	390.96
GWA-15	415.01	405.47	402.19	402.78
GWA-16	444.24	413.45	410.96	410.65
GWA-17	445.84	416.21	416.14	415.39
GWC-18	439.66	406.24	406.06	405.42
GWC-19	430.20	392.92	392.76	392.46
GWC-20	426.30	382.08	381.97	381.71

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
PAC ASH CELL				
GWA-21	422.58	419.87	416.43	417.32
GWA-22	444.50	423.13	419.07	419.06
GWC-29	399.64	394.61	393.74	393.66
GWA-45	451.08	438.17	433.57	433.59
GWA-46	461.13	430.20	429.31	428.23
GWA-47	465.77	426.97	427.53	424.36
GWA-48	461.73	425.50	425.20	423.85
GWA-49	432.88	425.11	420.49	420.71
GWC-50	407.16	400.12	397.87	398.31
GWC-51	410.15	402.04	401.30	401.73
GWC-52	417.13	408.11	407.82	407.98
GWC-53	435.83	426.40	424.58	424.65

TABLE 3
SUMMARY OF GROUNDWATER ELEVATIONS
Georgia Power Company - Plant Scherer
Juliette, GA

Well ID	Top of Casing Elevation (Feet NAVD88) (certified 7/17/2020)	GROUNDWATER ELEVATION (Feet NAVD88)		
		2/8/2022	8/16/2022	12/6/2022
CELL 3				
GWA-39	457.62	431.80	NM	427.92
GWA-40	463.84	431.97	NM	428.74
GWA-41	434.12	424.99	NM	NM
GWA-42	405.19	400.97	NM	400.20
GWA-43	400.94	397.46	NM	NM
GWA-44A	399.62	396.34	NM	NM
GWA-54	451.49	427.57	NM	NM
GWC-30	394.49	389.34	NM	NM
GWC-31	392.78	387.83	NM	NM
GWC-32	410.03	387.28	NM	NM
GWC-33A	393.96	384.64	NM	NM
GWC-34	389.29	382.25	NM	NM
GWC-35	387.90	383.77	NM	383.20
GWC-36	425.12	394.88	NM	391.86
GWC-37	429.80	407.60	NM	405.34
GWC-38	418.68	408.40	NM	406.21

Notes:

During 2022 water levels were recorded during each of the semi-annual events on 2/8/22 and 8/16/22. An additional water level monitoring event was conducted on 12/6/2022 to supplement the site monitoring data because access to several wells was not attainable during the August event.

Feet MSL = feet above mean sea level

NM = Not Measured

TABLE 4A
HORIZONTAL GROUNDWATER VELOCITY CALCULATIONS
ASH POND 1 - FEBRUARY 2022
 Georgia Power Company- Plant Scherer
 Juliette, GA

Flow Paths	Groundwater Elevation (feet msl)	Δ H (feet)	Δ L (feet)	Hydraulic Gradient (Δ h/Δ l)	Average Hydraulic Conductivity, K (feet per day)	Assumed Effective Porosity (n _e)	Average Linear Groundwater Velocity	
							(feet per day)	(feet per year)
AP-1 February 2022								
SGWC-14/PZ-29S	466.31	4.41	400	0.011	1.31 to 2.36	0.2	0.07 to 0.13	26 to 47
	461.90							
SGWC-13/PZ-35I	478.46	6.56	400	0.016	1.31 to 2.36	0.2	0.11 to 0.19	39 to 71
	471.90							
SGWC-20/PZ-43S	492.24	8.93	468	0.019	1.31 to 2.36	0.2	0.12 to 0.23	46 to 82
	483.31							

Notes:

1. Δ H = Change in groundwater elevation
2. Δ L = Distance along flow path
3. $I = \Delta H / \Delta L$
4. Velocity = $(I * K) / n_e$
5. Hydraulic conductivity range based on historic aquifer performance tests (revised 3/2017)
6. Effective porosity based on default values for effective porosity recommended by USEPA for a silty sand-type soil (USEPA, 1996)

TABLE 4B
HORIZONTAL GROUNDWATER VELOCITY CALCULATIONS
ASH POND 1 - AUGUST 2022
 Georgia Power Company- Plant Scherer
 Juliette, GA

Flow Paths	Groundwater Elevation (feet msl)	Δ H (feet)	Δ L (feet)	Hydraulic Gradient (Δ h/Δ l)	Average Hydraulic Conductivity, K (feet per day)	Assumed Effective Porosity (n _e)	Average Linear Groundwater Velocity	
							(feet per day)	(feet per year)
AP-1 August 2022								
SGWC-14/PZ-29S	465.74	5.74	400	0.014	1.31 to 2.36	0.2	0.09 to 0.17	34 to 62
	460.00							
SGWC-13/PZ-35I	477.55	8.56	400	0.021	1.31 to 2.36	0.2	0.14 to 0.25	51 to 92
	468.99							
SGWC-20/PZ-43S	489.22	10.48	468	0.022	1.31 to 2.36	0.2	0.15 to 0.26	54 to 96
	478.74							

Notes:

1. Δ H = Change in groundwater elevation
2. Δ L = Distance along flow path
3. $I = \Delta H / \Delta L$
4. Velocity = $(I * K) / n_e$
5. Hydraulic conductivity range based on historic aquifer performance tests (revised 3/2017)
6. Effective porosity based on default values for effective porosity recommended by USEPA for a silty sand-type soil (USEPA, 1996)

TABLE 5A
ANALYTICAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS														
		SGWA-1	SGWA-2	SGWA-3	SGWA-4	SGWA-5	SGWA-24	SGWA-25	SGWC-6	SGWC-7	SGWC-8	SGWC-9	SGWC-10	SGWC-11	SGWC-12	SGWC-13
		2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022	2/10/2022	2/11/2022	2/10/2022	2/10/2022	2/11/2022
Appendix III																
BORON, TOTAL	mg/L	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	0.16	1.3	0.090	0.53	< 0.060	0.48
CALCIUM, TOTAL	mg/L	1.8	11	6.0	18	1.8	15	9.3	11	16	53	37	0.55	1.9	23	19
CHLORIDE, TOTAL	mg/L	2.0	1.5	2.3	1.5	1.9	2.4	1.8	2.6	4.0	12	15	11	8.8	10	12
FLUORIDE, TOTAL	mg/L	0.034 J	0.11	0.049 J	0.083 J	0.044 J	0.061 J	0.069 J	0.19	0.27	0.44	0.098 J	0.030 J	< 0.026	0.060 J	0.045 J
pH	S.U.	5.28	7.01	5.84	6.38	5.56	6.38	6.17	6.33	6.77	6.47	6.25	5.13	5.11	6.19	6.02
SULFATE, TOTAL	mg/L	1.0	1.2	1.3	1.1	< 0.76	< 0.76	< 0.76	0.88 J	7.1	80	190	2.1	< 0.76	41	94
TOTAL DISSOLVED SOLIDS	mg/L	45	100	54	110	60	130	93	130	170	400	410	44	39	210	200
Appendix IV																
ANTIMONY, TOTAL	mg/L	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051
ARSENIC, TOTAL	mg/L	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028
BARIUM, TOTAL	mg/L	0.044	0.039	0.041	0.069	0.011	0.025	0.026	0.13	0.21	0.18	0.047	0.025	0.045	0.057	0.034
BERYLLIUM, TOTAL	mg/L	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	0.0017 J	0.014	0.019	0.0048	< 0.0015	0.0048	0.0023	< 0.0015	< 0.0015	< 0.0015	< 0.0015	< 0.0015	< 0.0015	< 0.0015	< 0.0015
COBALT, TOTAL	mg/L	0.00089 J	< 0.00026	< 0.00026	< 0.00026	< 0.00026	< 0.00026	0.00045 J	< 0.00026	0.0024 J	< 0.00026	0.0022 J	0.023	0.021	0.00079 J	0.0015 J
FLUORIDE, TOTAL	mg/L	0.034 J	0.11	0.049 J	0.083 J	0.044 J	0.061 J	0.069 J	0.19	0.27	0.44	0.098 J	0.030 J	< 0.026	0.060 J	0.045 J
LEAD, TOTAL	mg/L	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	0.00020 J	< 0.00017
LITHIUM, TOTAL	mg/L	0.0011 J	< 0.00083	< 0.00083	< 0.00083	0.00094 J	< 0.00083	< 0.00083	0.0013 J	0.0048 J	0.0015 J	< 0.00083	< 0.00083	0.0022 J	< 0.00083	< 0.00083
MERCURY, TOTAL	mg/L	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	0.0012 J	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061
RADIUM (226 + 228)	pCi/L	0.147 U	0.307 U	0.198 U	0.0285 U	0.416	0.0512 U	0.150 U	0.145 U	0.659	2.08	0.179 U	0.436	0.110 U	0.279 U	0.631
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data are a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.

TABLE 5A
ANALYTICAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS									
		SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
		2/14/2022	2/11/2022	2/10/2022	2/11/2022	2/10/2022	2/11/2022	2/11/2022	2/11/2022	2/10/2022	2/10/2022
Appendix III											
BORON, TOTAL	mg/L	1.5	1.2	0.63	0.27	6.4	1.7	1.5	1.0	0.54	0.45
CALCIUM, TOTAL	mg/L	41	16	1.2	58	55	46	13	36	27	23
CHLORIDE, TOTAL	mg/L	14	12	9.8	8.4	19	10	9.6	11	10	12
FLUORIDE, TOTAL	mg/L	0.035 J	0.14	< 0.026	0.064 J	0.039 J	< 0.026	0.14	0.092 J	< 0.026	0.066 J
pH	S.U.	5.77	4.59	5.21	6.39	4.86	5.65	4.25	6.31	5.78	6.13
SULFATE, TOTAL	mg/L	220	200	45	190	890	260	230	120	100	73
TOTAL DISSOLVED SOLIDS	mg/L	360	310	100	440	1400	440	350	350	250	230
Appendix IV											
ANTIMONY, TOTAL	mg/L	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051
ARSENIC, TOTAL	mg/L	< 0.00028	0.0021	< 0.00028	< 0.00028	0.0043	< 0.00028	0.00081 J	< 0.00028	0.00031 J	< 0.00028
BARIUM, TOTAL	mg/L	0.047	0.027	0.034	0.025	0.013	0.032	0.022	0.11	0.070	0.064
BERYLLIUM, TOTAL	mg/L	< 0.00027	0.00040 J	< 0.00027	< 0.00027	< 0.00027	< 0.00027	0.00074 J	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	0.00024 J	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	< 0.0015	0.032	0.012	0.0079	0.010	0.015	< 0.0015	< 0.0015	< 0.0015	0.0015 J
COBALT, TOTAL	mg/L	0.0065	0.23	0.0049	0.00036 J	0.090	0.00045 J	0.14	< 0.00026	0.0016 J	< 0.00026
FLUORIDE, TOTAL	mg/L	0.035 J	0.14	< 0.026	0.064 J	0.039 J	< 0.026	0.14	0.092 J	< 0.026	0.066 J
LEAD, TOTAL	mg/L	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	0.00033 J	0.00021 J	< 0.00017	< 0.00017	< 0.00017
LITHIUM, TOTAL	mg/L	< 0.00083	0.0027 J	< 0.00083	< 0.00083	0.0039 J	0.0072	0.0037 J	0.0011 J	< 0.00083	0.0029 J
MERCURY, TOTAL	mg/L	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061
RADIUM (226 + 228)	pCi/L	0.377 U	0.500	0.595	0.233 U	0.244 U	0.456 U	0.259 U	0.689	0.346 U	0.204 U
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	0.00092 J	< 0.00074	0.0021 J	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data are a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.

TABLE 5A
ANALYTICAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	ASSESSMENT MONITORING WELLS									
		PZ-13S	PZ-14S	PZ-17I	PZ-39S	PZ-40I	PZ-41S	PZ-42I	PZ-43S	PZ-44I	PZ-69I
		2/8/2022	2/8/2022	2/9/2022	2/9/2022	2/10/2022	2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022
Appendix III											
BORON, TOTAL	mg/L	< 0.060	< 0.060	0.16	< 0.060	4.1	3.2	2.7	0.90	< 0.060	0.44
CALCIUM, TOTAL	mg/L	4.7	4.0	35	22	150	120	68	54	20	46
CHLORIDE, TOTAL	mg/L	8.9	4.1	6.9	5.8	10	6.8	11	7.5	2.5	12
FLUORIDE, TOTAL	mg/L	< 0.026	< 0.026	0.028 J	< 0.026	< 0.026	< 0.026	0.033 J	0.028 J	< 0.026	0.15
pH	S.U.	4.92	5.42	6.71	6.55	6.11	5.95	6.25	6.66	6.57	6.61
SULFATE, TOTAL	mg/L	< 0.76	< 0.76	100	38	720	< 0.76	240	150	0.76 J	110
TOTAL DISSOLVED SOLIDS	mg/L	37	48	240	150	1200	820	470	310	120	320
Appendix IV											
ANTIMONY, TOTAL	mg/L	< 0.00051	< 0.00051	0.00061 J	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051
ARSENIC, TOTAL	mg/L	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	0.00059 J
BARIUM, TOTAL	mg/L	0.049	0.033	0.060	0.040	0.042	0.026	0.056	0.085	0.0078 J	0.14
BERYLLIUM, TOTAL	mg/L	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	0.0030	0.0018 J	0.0036	0.028	< 0.0015	0.0058	< 0.0015	< 0.0015	< 0.0015	< 0.0015
COBALT, TOTAL	mg/L	0.0052	0.00028 J	< 0.00026	< 0.00026	0.0025	0.00093 J	0.00061 J	< 0.00026	0.0024 J	0.0020 J
FLUORIDE, TOTAL	mg/L	< 0.026	< 0.026	0.028 J	< 0.026	< 0.026	< 0.026	0.033 J	0.028 J	< 0.026	0.15
LEAD, TOTAL	mg/L	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017
LITHIUM, TOTAL	mg/L	0.0025 J	0.0015 J	< 0.00083	0.012	0.010	< 0.00083	0.0026 J	0.0031 J	0.010	0.0029 J
MERCURY, TOTAL	mg/L	0.00022	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	0.0011 J	< 0.00061	< 0.00061	0.0057 J	< 0.00061	< 0.00061	0.0017 J
RADIUM (226 + 228)	pCi/L	-0.0564 U	0.0627 U	0.310 U	0.332 U	0.366 U	0.229 U	0.274 U	0.412 U	0.237 U	0.418 U
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	< 0.00074	0.0022 J	< 0.00074	0.0061	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data are a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.

TABLE 5B
ANALYTICAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS														
		SGWA-1	SGWA-2	SGWA-3	SGWA-4	SGWA-5	SGWA-24	SGWA-25	SGWC-6	SGWC-7	SGWC-8	SGWC-9	SGWC-10	SGWC-11	SGWC-12	SGWC-13
		8/17/2022	8/17/2022	8/18/2022	8/18/2022	8/18/2022	8/18/2022	8/18/2022	8/19/2022	8/18/2022	8/18/2022	8/18/2022	8/19/2022	8/18/2022	8/18/2022	8/18/2022
Appendix III																
BORON, TOTAL	mg/L	< 0.060	< 0.060	0.072 J	< 0.060	< 0.060	< 0.060	< 0.060	< 0.060	0.10	0.14	1.4	0.083	0.57	0.061 J	0.55
CALCIUM, TOTAL	mg/L	1.9	11	5.9	20	1.7	16	9.1	12	15	50	44	0.78	1.8	22	21
CHLORIDE, TOTAL	mg/L	2.0	1.5	2.4	1.6	2.1	3.1	1.9	2.6	3.5	13	17	9.2	9.9	9.5	12
FLUORIDE, TOTAL	mg/L	0.088 J	0.076 J	0.034 J	0.056 J	0.036 J	0.051 J	0.044 J	0.12	0.14	0.54	0.51	< 0.026	0.034 J	0.052 J	0.038 J
pH	S.U.	5.16	6.79	5.64	6.35	5.43	6.32	6.03	6.24	6.77	6.8	6.52	5.22	5.06	6.12	5.78
SULFATE, TOTAL	mg/L	0.94 J	0.87 J	< 0.76	< 0.76	< 0.76	< 0.76	< 0.76	< 0.76	5.3	78	200	4.5	< 0.76	50	95
TOTAL DISSOLVED SOLIDS	mg/L	82	130	64	140	94	170	88	150	200	420	470	63	54	230	240
Appendix IV																
ANTIMONY, TOTAL	mg/L	0.00052 J	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051
ARSENIC, TOTAL	mg/L	0.00028 J	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028
BARIUM, TOTAL	mg/L	0.046	0.040	0.035	0.071	0.011	0.023	0.022	0.15	0.20	0.16	0.050	0.027	0.044	0.056	0.036
BERYLLIUM, TOTAL	mg/L	0.00027 J	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	0.0016 J	0.013	0.018	0.0064	0.0022	0.0040	0.0028	< 0.0015	< 0.0015	0.055	< 0.0015	< 0.0015	< 0.0015	< 0.0015	< 0.0015
COBALT, TOTAL	mg/L	0.00055 J	< 0.00026	< 0.00026	< 0.00026	< 0.00026	< 0.00026	< 0.00026	< 0.00026	0.0012 J	0.00075 J	0.00084 J	0.022	0.012	0.0010 J	0.0019 J
FLUORIDE, TOTAL	mg/L	0.088 J	0.076 J	0.034 J	0.056 J	0.036 J	0.051 J	0.044 J	0.12	0.14	0.54	0.51	< 0.026	0.034 J	0.052 J	0.038 J
LEAD, TOTAL	mg/L	0.00018 J	0.00044 J	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017
LITHIUM, TOTAL	mg/L	0.0035 J	0.0016 J	0.0012 J	0.00086 J	0.0019 J	0.0015 J	0.0014 J	0.0023 J	0.0061	0.0025 J	0.0014 J	0.0011 J	0.0033 J	0.0012 J	0.0012 J
MERCURY, TOTAL	mg/L	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013	< 0.00013
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	0.0011 J	0.00073 J	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061
RADIUM (226 + 228)	pCi/L	0.751	-0.129 U	0.849	0.647	0.592	0.263 U	0.371 U	0.243 U	0.309 U	2.58	0.275 U	0.606	0.393 U	0.384 U	0.377 U
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data is a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.
7. N/A indicates not available.
8. H indicates parameter was analyzed outside of holding time.
9. * indicates the analyte was resampled between October 25th and October 31st, 2022 and November 16th, 2022.
10. ** PZ-25S is a risk assessment piezometer. Delineation for monitoring well SGWC-11 is met with PZ-14S and PZ-44I.

TABLE 5B
ANALYTICAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS									
		SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
		8/19/2022	8/19/2022	8/31/2022	8/31/2022	8/23/2022	8/22/2022	8/22/2022	8/22/2022	8/22/2022	8/22/2022
Appendix III											
BORON, TOTAL	mg/L	1.4	1.3	0.67	0.31	6.8	1.7	1.6	1.2	0.57	0.46
CALCIUM, TOTAL	mg/L	39	17	1.2	58	52	42	13	36	28	22
CHLORIDE, TOTAL	mg/L	13	11	9.6	8.0	16	9.6	9.4	10	11	12
FLUORIDE, TOTAL	mg/L	< 0.026	0.11	0.058 J	0.058 J	0.10 J	0.041 J	0.22	0.09 J	0.038 J	0.052 J
pH	S.U.	5.62	4.61	5.10 / 5.23* / 5.17*	6.26 / 6.27* / 6.23*	4.80 / 4.89*	5.54 / 5.53*	4.30 / 4.32*	6.17 / 6.29*	5.62 / 5.72*	5.91 / 6.00*
SULFATE, TOTAL	mg/L	200	180	49	220	910	260	220	130	110	61
TOTAL DISSOLVED SOLIDS	mg/L	370	320	120 H / 130* / 110*	470 H / 470* / 430*	1300	450	370	380	3400	220
Appendix IV											
ANTIMONY, TOTAL	mg/L	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051	0.0021	0.0019 J	0.0019 J	0.0022	0.00098 J
ARSENIC, TOTAL	mg/L	< 0.00028	0.00066 J	< 0.00028	< 0.00028	0.0021	< 0.00028	0.00042 J	< 0.00028	0.00044 J	< 0.00028
BARIUM, TOTAL	mg/L	0.048	0.025	0.033	0.033	0.012	0.023	0.021	0.10	0.075	0.056
BERYLLIUM, TOTAL	mg/L	< 0.00027	0.00039 J	< 0.00027	< 0.00027	< 0.00027	< 0.00027	0.00062 J	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	0.00024 J	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	0.0066	0.032	0.012	0.0088	0.0095	0.013	< 0.0015	0.0016 J	0.0022	0.0017 J
COBALT, TOTAL	mg/L	0.010	0.25	0.0054	0.00045 J	0.088	< 0.00026	0.11	< 0.00026	0.001 J	< 0.00026
FLUORIDE, TOTAL	mg/L	< 0.026	0.11	0.058 J	0.058 J	0.10 J	0.041 J	0.22	0.090 J	0.038 J	0.052 J
LEAD, TOTAL	mg/L	0.00028 J	< 0.00017	< 0.00017	< 0.00017	< 0.00017	< 0.00017	0.00028 J	0.0002 J	0.00017 J	< 0.00017
LITHIUM, TOTAL	mg/L	0.0015 J	0.0038 J	0.0012 J	< 0.00083	0.0032 J	0.0012 J	0.003 J	< 0.00083	0.00087 J	0.0020 J
MERCURY, TOTAL	mg/L	< 0.00013	< 0.00013	< 0.00013	0.00013 J	< 0.00013*	< 0.00013*	< 0.00013*	< 0.00013*	< 0.00013*	< 0.00013*
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061	< 0.00061
RADIUM (226 + 228)	pCi/L	0.378 U	0.459	0.310 U	0.434 U	0.345 U	0.356 U	0.475 U	0.565	0.632	0.0738 U
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	0.0010 J	< 0.00074	0.00085 J	0.00099 J	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data is a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.
7. N/A indicates not available.
8. H indicates parameter was analyzed outside of holding time.
9. * indicates the analyte was resampled between October 25th and October 31st, 2022 and November 16th, 2022.

TABLE 5B
ANALYTICAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	ASSESSMENT MONITORING WELLS											
		PZ-13S	PZ-14S	PZ-17I	PZ-25I	PZ-25S**	PZ-39S	PZ-40I	PZ-41S	PZ-42I	PZ-43S	PZ-44I	PZ-69I
		8/24/2022	8/23/2022	8/24/2022	8/24/2022	8/24/2022	8/23/2022	8/23/2022	8/24/2022	8/22/2022	8/24/2022	8/24/2022	8/24/2022
Appendix III													
BORON, TOTAL	mg/L	< 0.060	< 0.060	0.20	--	--	< 0.060	4.8	3.2	2.7	1.1	0.083	0.43
CALCIUM, TOTAL	mg/L	5.0	4.6	35	--	--	24	150	120	64	54	21	47
CHLORIDE, TOTAL	mg/L	9.3	3.9	7.0	--	--	6.1	8.7	7.0	12	8.2	2.7	10
FLUORIDE, TOTAL	mg/L	0.069 J	0.029 J	0.046 J	--	--	0.043 J	0.036 J	0.035 J	0.043 J	0.037 J	0.031 J	0.21
pH	S.U.	5.09	5.39 / 5.46*	6.74	6.64	4.75	6.75 / 6.69*	6.14 / 6.96*	5.87	6.27 / 6.48*	9.96	6.61	6.86
SULFATE, TOTAL	mg/L	< 0.76	< 0.76	100	--	--	36	640	540	240	170	0.78 J	100
TOTAL DISSOLVED SOLIDS	mg/L	86	65	280	--	--	170	100	920	500	350	200	290
Appendix IV													
ANTIMONY, TOTAL	mg/L	< 0.00051	< 0.00051	< 0.00051	--	--	< 0.00051	0.00089 J	< 0.00051	< 0.00051	< 0.00051	< 0.00051	< 0.00051
ARSENIC, TOTAL	mg/L	< 0.00028	< 0.00028	< 0.00028	--	--	0.00028 J	< 0.00028	< 0.00028	0.00049 J	< 0.00028	< 0.00028	0.00074 J
BARIUM, TOTAL	mg/L	0.046	0.034	0.058	--	--	0.039	0.055	0.025	0.052	0.070	0.0079 J	0.13
BERYLLIUM, TOTAL	mg/L	< 0.00027	< 0.00027	< 0.00027	--	--	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027	< 0.00027
CADMIUM, TOTAL	mg/L	< 0.00022	< 0.00022	< 0.00022	--	--	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022	< 0.00022
CHROMIUM, TOTAL	mg/L	0.0034	0.0024	0.0037	--	--	0.014	< 0.0015	0.0051	0.0030	< 0.0015	< 0.0015	< 0.0015
COBALT, TOTAL	mg/L	0.0059	0.00046 J	< 0.00026	0.0012 J	0.025	< 0.00026	0.0029	0.0010 J	0.0012 J	< 0.00026	0.0016 J	0.0013 J
FLUORIDE, TOTAL	mg/L	0.069 J	0.029 J	0.046 J	--	--	0.043 J	0.036 J	0.035 J	0.043 J	0.037 J	0.031 J	0.21
LEAD, TOTAL	mg/L	< 0.00017	< 0.00017	< 0.00017	--	--	< 0.00017	< 0.00017	< 0.00017	0.00019 J	< 0.00017	< 0.00017	< 0.00017
LITHIUM, TOTAL	mg/L	0.0023 J	0.0011 J	< 0.00083	--	--	0.022	0.010	0.00099 J	0.0036 J	0.0032 J	0.011	0.0025 J
MERCURY, TOTAL	mg/L	0.00024	< 0.00013*	< 0.00013	--	--	< 0.00013*	< 0.00013*	< 0.00013	< 0.00013*	< 0.00013	< 0.00013	< 0.00013
MOLYBDENUM, TOTAL	mg/L	< 0.00061	< 0.00061	< 0.00061	--	--	0.0013 J	0.00079 J	< 0.00061	0.0062 J	< 0.00061	< 0.00061	0.00081 J
RADIUM (226 + 228)	pCi/L	0.234 U	0.432 U	0.125 U	--	--	0.565	0.986	0.456	0.401 U	0.241 U	0.0981 U	0.458
SELENIUM, TOTAL	mg/L	< 0.00074	< 0.00074	< 0.00074	--	--	0.0014 J	< 0.00074	0.0062	< 0.00074	< 0.00074	< 0.00074	< 0.00074
THALLIUM, TOTAL	mg/L	< 0.00047	< 0.00047	< 0.00047	--	--	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047	< 0.00047

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. Radium data is a combination of radium isotopes 226 and 228. When results are reported below the MDC (Minimum Detectable Concentration), data is displayed with an accompanying U. The MDC varies depending upon the sample amount and elapsed time of the measurement.
7. N/A indicates not available.
8. H indicates parameter was analyzed outside of holding time.
9. * indicates the analyte was resampled between October 25th and October 31st, 2022 and November 16th, 2022.
10. ** PZ-25S is a risk assessment piezometer. Delineation for monitoring well SGWC-11 is met with PZ-14S and PZ-44I.

TABLE 5C
SUPPLEMENTAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS												
		SGWA-1	SGWA-2	SGWA-3	SGWA-4	SGWA-5	SGWA-24	SGWA-25	SGWC-6	SGWC-7	SGWC-8	SGWC-9	SGWC-10	SGWC-11
		2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022	2/10/2022	2/11/2022	2/10/2022
Additional Parameters														
ALKALINITY, BICARBONATE	mg/L	11	59	41	89	28	76	57	69	110	230	79	15	12
ALKALINITY, CARBONATE	mg/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
ALKALINITY, TOTAL	mg/L	11	59	41	89	28	76	57	69	110	230	79	15	12
FERRIC IRON	mg/L	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	0.19	< 0.10	< 0.10	0.17	< 0.10	0.13	< 0.10	< 0.10
FERROUS IRON	mg/L	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	0.091 J
MAGNESIUM	mg/L	0.85	5.9	4.6	6.1	0.53	7.0	6.1	4.5	10	30	22	4.2	1.5
MANGANESE	mg/L	0.11	0.0013 J	< 0.0013	< 0.0013	0.0031 J	0.011	0.026	0.013	0.12	0.0016 J	0.22	0.38	0.56
POTASSIUM	mg/L	0.63	0.90	1.0	1.6	0.51	0.86	0.60	0.93	3.7	1.2	0.48 J	0.27 J	0.32 J
SODIUM	mg/L	2.7	4.6	4.7	8.3	9.9	6.3	7.9	11	28	40	49	12	6.8
SULFIDE	mg/L	2.4 J	2.7 J	< 2.1	< 2.1	3.3	< 2.1	< 2.1	< 2.1	< 2.1	2.5 J	< 2.1	< 2.1	< 2.1

NOTES:

1. mg/L - Milligrams per Liter
2. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
3. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.

TABLE 5C
SUPPLEMENTAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS											
		SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
		2/10/2022	2/11/2022	2/14/2022	2/11/2022	2/10/2022	2/11/2022	2/10/2022	2/11/2022	2/11/2022	2/11/2022	2/10/2022	2/10/2022
Additional Parameters													
ALKALINITY, BICARBONATE	mg/L	100	28	15	< 5.0	< 5.0	78	< 5.0	10	< 5.0	130	43	62
ALKALINITY, CARBONATE	mg/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
ALKALINITY, TOTAL	mg/L	100	28	15	< 5.0	< 5.0	78	< 5.0	10	< 5.0	130	43	62
FERRIC IRON	mg/L	0.32	< 0.10	0.18	0.12	0.18	0.35	0.15	0.49	< 0.10	0.17	0.82	< 0.10
FERROUS IRON	mg/L	0.56	0.21	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	< 0.081	0.13	< 0.081
MAGNESIUM	mg/L	12	7.5	21	15	0.71	27	24	21	17	12	12	11
MANGANESE	mg/L	0.74	0.091	0.20	3.4	0.029	0.023	0.82	0.10	1.5	0.052	0.24	< 0.0013
POTASSIUM	mg/L	0.72	1.1	1.9	4.4	0.55	0.43 J	3.4	2.5	3.2	1.4	2.8	1.5
SODIUM	mg/L	15	25	26	43	28	29	330	45	60	60	23	19
SULFIDE	mg/L	< 2.1	2.5 J	< 2.1	< 2.1	< 2.1	2.2 J	< 2.1	< 2.1	3.9	3.4	< 2.1	< 2.1

NOTES:

1. mg/L - Milligrams per Liter
2. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
3. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.

TABLE 5C
SUPPLEMENTAL DATA SUMMARY - FEBRUARY 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	ASSESSMENT MONITORING WELLS									
		PZ-13S	PZ-14S	PZ-17I	PZ-39S	PZ-40I	PZ-41S	PZ-42I	PZ-43S	PZ-44I	PZ-69I
		2/8/2022	2/8/2022	2/9/2022	2/9/2022	2/10/2022	2/9/2022	2/9/2022	2/9/2022	2/9/2022	2/10/2022
Additional Parameters											
ALKALINITY, BICARBONATE	mg/L	16	22	62	75	33	21	76	54	100	94
ALKALINITY, CARBONATE	mg/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
ALKALINITY, TOTAL	mg/L	16	22	62	75	33	21	76	54	100	94
FERRIC IRON	mg/L	0.22	< 0.10	< 0.10	< 0.10	0.43	0.21	< 0.10	< 0.10	0.31	0.71
FERROUS IRON	mg/L	< 0.081	< 0.081	< 0.081	< 0.081	0.97	< 0.081	0.24	< 0.081	0.28	0.29
MAGNESIUM	mg/L	1.6	2.5	15	9.1	60	42	27	15	9.7	12
MANGANESE	mg/L	0.051	0.0097	0.0016 J	0.14	0.38	0.011	0.14	0.025	0.20	1.4
POTASSIUM	mg/L	0.39 J	0.60	2.0	1.6	8.1	3.7	3.5	3.4	1.9	5.8
SODIUM	mg/L	5.0	1.9	11	6.6	56	45	27	10	5.5	20
SULFIDE	mg/L	2.7 J	< 2.1	< 2.1	< 2.1	< 2.1	2.3 J	2.3 J	4.9	< 2.1	2.1 J

NOTES:

1. mg/L - Milligrams per Liter
2. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the MDL.
3. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.

TABLE 5D
SUPPLEMENTAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS														
		SGWA-1	SGWA-2	SGWA-3	SGWA-4	SGWA-5	SGWA-24	SGWA-25	SGWC-6	SGWC-7	SGWC-8	SGWC-9	SGWC-10	SGWC-11	SGWC-12	SGWC-13
		8/17/2022	8/17/2022	8/18/2022	8/18/2022	8/18/2022	8/18/2022	8/18/2022	8/19/2022	8/18/2022	8/18/2022	8/18/2022	8/18/2022	8/19/2022	8/18/2022	8/18/2022
Additional Parameters																
ALKALINITY, BICARBONATE	mg/L	11	60 H	41 H	110 H	48 H	94 H	62 H	78 H	110 H	250 H	72 H	15 H	21 H	81 H	21 H
ALKALINITY, CARBONATE	mg/L	< 5.0	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	160 H	< 10 H	< 10 H	< 5.0 H	< 10 H
ALKALINITY, TOTAL	mg/L	11	60 H	41 H	110	48 H	94	62 H	78 H	110 H	250 H	230 H	15 H	21 H	81 H	21 H
FERRIC IRON	mg/L	0.037 J	< 0.0061	< 0.0061	< 0.0061	< 0.0061	0.10	0.03 J	< 0.0061	< 0.0061	< 0.0061	< 0.0061	< 0.0061	0.033 J	0.70	0.33
FERROUS IRON	mg/L	0.00	0.50	0.00	0.00	0.25	0.00	0.00	0.00	0.50	0.30	0.20	0.30	0.00	0.50	0.00
IRON, TOTAL	mg/L	0.037 J	< 0.028	< 0.028	< 0.028	< 0.028	0.10	0.030 J	< 0.028	0.060	0.27	0.035 J	< 0.028	0.033 J	1.2	0.33
MAGNESIUM	mg/L	0.93	6.3	4.6	7.1	0.54	7.4	6.1	5.3	10	29	27	4.8	1.5	12	8.3
MANGANESE	mg/L	0.081	< 0.0013	< 0.0013	0.0018 J	0.0036 J	0.0064	0.013	0.023	0.072	0.0072	0.056	0.36	0.34	0.63	0.099
POTASSIUM	mg/L	0.74	0.92	1.1	1.7	0.48 J	0.85	0.56	1.0	3.5	1.1	0.56	0.28 J	0.30 J	0.66	1.1
SODIUM	mg/L	16	4.9	3.6	9.0	10	6.2	4.1	12	20	45	50	4.6	7.1	16	27

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. N/A indicates not available.
7. H indicates parameter was analyzed outside of holding time.

TABLE 5D
SUPPLEMENTAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	DETECTION MONITORING WELLS									
		SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
		8/19/2022	8/19/2022	8/31/2022	8/31/2022	8/23/2022	8/22/2022	8/22/2022	8/22/2022	8/22/2022	8/22/2022
Additional Parameters											
ALKALINITY, BICARBONATE	mg/L	17 H	< 10 H	8.7 H / 7.9*	73 H / 72*	< 10 H	26 H	< 10 H	120 H	42 H	70 H
ALKALINITY, CARBONATE	mg/L	< 10 H	< 10 H	< 5.0 H / < 5.0*	< 5.0 H / < 5.0*	< 10 H	< 25 H	< 10 H	< 5.0 H	< 5.0 H	< 5.0 H
ALKALINITY, TOTAL	mg/L	17 H	< 10 H	8.7 H / 7.9*	73 H / 72*	< 10 H	26 H	< 10 H	120 H	42 H	70 H
FERRIC IRON	mg/L	0.73	< 0.0061	< 0.0061	0.38	0.16	< 0.0061	< 0.0061	0.48	0.78	< 0.0061
FERROUS IRON	mg/L	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
IRON, TOTAL	mg/L	0.73	< 0.028	< 0.028	0.38	0.16	< 0.028	< 0.028	0.48	0.78	< 0.028
MAGNESIUM	mg/L	21	16	0.75	29	24	20	15	13	13	11
MANGANESE	mg/L	0.26	3.5	0.029	0.030	0.84	0.023	1.3	0.047	0.17	< 0.0013
POTASSIUM	mg/L	1.9	4.8	0.56	0.41 J	3.5	1.7	3.4	1.6	2.6	1.3
SODIUM	mg/L	29	47	30	25	340	45	65	56	20	19

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. N/A indicates not available.
7. H indicates parameter was analyzed outside of holding time.

TABLE 5D
SUPPLEMENTAL DATA SUMMARY - AUGUST 2022
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	ASSESSMENT MONITORING WELLS									
		PZ-13S	PZ-14S	PZ-17I	PZ-39S	PZ-40I	PZ-41S	PZ-42I	PZ-43S	PZ-44I	PZ-69I
		8/24/2022	8/23/2022	8/24/2022	8/23/2022	8/23/2022	8/24/2022	8/22/2022	8/24/2022	8/24/2022	8/24/2022
Additional Parameters											
ALKALINITY, BICARBONATE	mg/L	43 H	25 H	56 H	69 H	33 H	35 H	85 H	29 H	120 H	100 H
ALKALINITY, CARBONATE	mg/L	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H	< 10 H	< 5.0 H	< 5.0 H	< 5.0 H	< 5.0 H
ALKALINITY, TOTAL	mg/L	43 H	25 H	56 H	69 H	33 H	35 H	85 H	29 H	120	100 H
FERRIC IRON	mg/L	0.27	0.096	0.072	0.074	1.2	0.23	0.78	< 0.0061	0.51	1.5
FERROUS IRON	mg/L	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.00
IRON, TOTAL	mg/L	0.27	0.096	0.072	0.074	1.2	0.23	0.78	< 0.028	0.91	1.5
MAGNESIUM	mg/L	1.7	2.9	15	8.7	61	46	27	16	10	13
MANGANESE	mg/L	0.081	0.019	0.0034 J	0.15	0.43	0.013	0.17	0.0061	0.21	1.9
POTASSIUM	mg/L	0.56	0.72	2.1	1.9	9.4	3.8	3.5	3.6	1.9	5.7
SODIUM	mg/L	5.3	2.0	12	7.4	63	51	27	12	15	21

NOTES:

1. mg/L - milligrams per Liter
2. pCi/L - picocuries per Liter
3. S.U. - Standard Units
4. < indicates the substance was not detected above the analytical method detection limit (MDL). The value displayed is the method detection limit.
5. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed is qualified by the laboratory as an estimated number.
6. N/A indicates not available.
7. H indicates parameter was analyzed outside of holding time.

TABLE 6
SUMMARY OF BACKGROUND LEVELS AND GWPS
 Georgia Power Company - Plant Scherer
 Juliette, Georgia

Analyte	Units	Maximum Contaminant Level (MCL)	Regional Screening Level (RSL)	Site Specific Background August 2022 ^[1]	GWPS ^[2] August 2022
Antimony	mg/L	0.006	--	0.0021	0.006
Arsenic	mg/L	0.01	--	0.0025	0.01
Barium	mg/L	2	--	0.071	2
Beryllium	mg/L	0.004	--	0.0025	0.004
Cadmium	mg/L	0.005	--	0.0025	0.005
Chromium	mg/L	0.1	--	0.021	0.1
Cobalt	mg/L	NA	0.006	0.02	0.02
Fluoride	mg/L	4	--	0.16	4.0
Lead	mg/L	NA	0.015	0.0025	0.015
Lithium	mg/L	NA	0.04	0.025	0.04
Mercury	mg/L	0.002	--	0.00025	0.002
Molybdenum	mg/L	NA	0.1	0.015	0.1
Radium (226 + 228)	pCi/L	5	--	1.54	5.0
Selenium	mg/L	0.05	--	0.005	0.05
Thallium	mg/L	0.002	--	0.001	0.002

Notes:



mg/L = milligrams per liter; pCi/L = picocuries per liter; NA = Not Available

[1] The background limits are used when determining the groundwater protection standard (GWPS) under 40 CFR § 257.95(h) and 391-3-4-.10(6)(a).

[2] Under existing EPD rules, the GWPS is: (i) The MCL established under 141.62 and 131.66 of this title, (ii) where an MCL has not been established the rule-specified GWPS, or (iii) background concentrations where the background level is higher than the MCL or rule-specified GWPS. On February 22, 2022, GA EPD adopted the federally promulgated GWPS for cobalt, lithium, lead, and molybdenum.

[3] The background tolerance limit (TL) used to evaluate GWPS for this analyte equals the laboratory specified reporting limit (RL). Per the Statistical Analysis Plan, and in accordance with the Unified Guidance, a non-parametric limit approach was used when the data set contains greater than 50% non-detect results for this analyte. Under this approach, the TL equals the highest value reported, for which is the laboratory RL. We also note that the values reported herein have been updated from the previously established GWPS which was determined based on estimated data. The modified GWPS also reflects additional outlier identification.


Figures



LEGEND

- PROPERTY BOUNDARY
- AP-1 PERMIT BOUNDARY

Service Layer Credits: USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset,



CLIENT
 GEORGIA POWER COMPANY
 PLANT SCHERER



PROJECT
 2022 ANNUAL GROUNDWATER MONITORING AND
 CORRECTIVE ACTION REPORT
 PLANT SCHERER - ASH POND 1

TITLE
SITE LOCATION MAP

CONSULTANT



YYYY-MM-DD	2021-08-03
PREPARED	DJC
DESIGN	DJC
CHECKED	DLP
REVIEWED/APPROVED	RPK

PROJECT No. 166235022.000 CONTROL 166235021AE000-GIS.mxd Rev. 0 FIGURE 1



- LEGEND**
- MONITORING WELL LOCATION
 - ▲ ASSESSMENT MONITORING WELL LOCATION
 - PIEZOMETER LOCATION

NOTE
 MONITORING WELL LOCATIONS PROVIDED BY JORDAN ENGINEERING.


- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY SOUTHERN COMPANY SERVICES.



CLIENT		
GEORGIA POWER COMPANY PLANT SCHERER		
PROJECT		
2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT PLANT SCHERER ASH POND 1		
TITLE		
SITE PLAN, MONITORING WELL AND PIEZOMETER LOCATION MAP		
CONSULTANT	YYYY-MM-DD	2022-07-05
	PREPARED	DJC
	DESIGN	DLP
	REVIEW	DLP
	APPROVED	RPK
PROJECT No.	CONTROL	Rev.
GL166235022.000	GL1662350211002-GIS.mxd	0

Path: H:\166k-Projects\GIS\166235021-Georgia Power-Plant Scherer\GIS\1662350211002-GIS.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSB



LEGEND

- SCHERER ASH POND-CCR MONITORING WELL
- ◆ CELL 1 LANDFILL MONITORING WELL
- PAC ASH LANDFILL MONITORING WELL
- ◆ CELL 3 MONITORING WELL
- ▲ PIEZOMETER
- ▲ STREAM GAUGE LOCATION
- ▲ ASSESSMENT WELL LOCATION
- INFERRED POTENTIOMETRIC SURFACE CONTOUR (FT-NAVD 88)
- STREAM
- PROPERTY BOUNDARY
- PONDS

- NOTES**
1. GROUNDWATER ELEVATION MEASUREMENTS OBTAINED FEBRUARY 8, 2021 BY GOLDER ASSOCIATES.
 2. GROUNDWATER ELEVATIONS DISPLAYED IN FEET-NORTH AMERICAN VERTICAL DATUM (FT-NAVD 88).
 3. DEEP AND INTERMEDIATE WELL GROUNDWATER ELEVATIONS WERE NOT USED TO GENERATE GROUNDWATER CONTOURS.
 4. PZ-50D IS NOT SHOWN; ITS LOCATION IS BEYOND THE MAPPED LIMITS.
 5. PZ-46D* AND PZ-67D* WERE NOT USED FOR CONTOURING.

- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY JORDAN ENGINEERING.




CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA

PROJECT
**2022 ANNUAL GROUNDWATER MONITORING AND
 CORRECTIVE ACTION REPORT**
 PLANT SCHERER ASH POND 1

TITLE
POTENTIOMETRIC SURFACE MAP
FEBRUARY 8, 2022

CONSULTANT	YYYY-MM-DD	2022-02-17
	PREPARED	DJC
	DESIGN	DLP
	REVIEW	DLP
	APPROVED	RPK

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANS B



- LEGEND**
- SCHERER ASH POND-CCR MONITORING WELL
 - CELL 1 LANDFILL MONITORING WELL
 - PAC ASH LANDFILL MONITORING WELL
 - CELL 3 MONITORING WELL
 - PIEZOMETER
 - ▲ STREAM GAUGE LOCATION
 - ▲ ASSESSMENT WELL LOCATION
 - INFERRED POTENTIOMETRIC SURFACE CONTOUR (FT-NAVD 88)
 - STREAM
 - PROPERTY BOUNDARY
 - PONDS
 - NM ELEVATION NOT MEASURED

- NOTES**
1. GROUNDWATER ELEVATION MEASUREMENTS OBTAINED AUGUST 16, 2022 BY GOLDR ASSOCIATES.
 2. GROUNDWATER ELEVATIONS DISPLAYED IN FEET-NORTH AMERICAN VERTICAL DATUM (FT-NAVD 88).
 3. DEEP AND INTERMEDIATE WELL GROUNDWATER ELEVATIONS WERE NOT USED TO GENERATE GROUNDWATER CONTOURS.
 4. PZ-50D IS NOT SHOWN; ITS LOCATION IS BEYOND THE MAPPED LIMITS.
 5. GWC-12*, PZ-46D* AND PZ-67D* WERE NOT USED FOR CONTOURING.

- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY JORDAN ENGINEERING.



CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA



PROJECT
**2022 ANNUAL GROUNDWATER MONITORING
 AND CORRECTIVE ACTION REPORT**

TITLE
**POTENTIOMETRIC SURFACE MAP
 AUGUST 16, 2022**

CONSULTANT	YYYY-MM-DD	2022-09-28
wsp GOLDR	PREPARED	DJC
	DESIGN	DLP
	REVIEW	DLP
	APPROVED	RPK

PROJECT No. **GL166235021** CONTROL **GL166235021A004-GIS.mxd** Rev. **0** FIGURE **3B**



Path: H:\166235021_Georgia Power-Plant Scherer\GIS\166235021A004-GIS.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANS/B

APPENDIX A

ACM 60-Day Extension Demonstration



DEADLINE EXTENSION DEMONSTRATION
40 CFR §257.96(a)
PLANT SCHERER ASH POND 1 (AP-1)
GEORGIA POWER COMPANY

Pursuant to 40 CFR § 257.96(a), Georgia Power Company requires that the deadline to complete the Assessment of Corrective Measures (ACM) be extended by 60 days, until April 15, 2022, due to site-specific conditions or circumstances.

The 60-day extension is required because activities are on-going at Plant Scherer Ash Pond 1 (AP-1), to characterize the nature and extent of target constituents and relevant site conditions that may affect evaluation of possible corrective measures. Additional time is required to complete the installation of proposed delineation wells and to evaluate groundwater monitoring data from the delineation well network as a whole. The delineation well monitoring data will be incorporated into the existing conceptual site model (CSM). An updated CSM is necessary for a complete evaluation of appropriate corrective measures that can be undertaken to meet the requirements of 40 CFR §257.96(c). An additional 60 days will enable the preparation of the ACM based on a more thorough evaluation of technical data to develop the most appropriate solutions for the protection of groundwater quality.

CERTIFICATION

I, Todd Reese, being a Registered Professional Engineer licensed in the state where the CCR unit is located, do hereby certify to the best of my knowledge, information, and belief, that the information provided above is accurate.

Golder Associates Inc.



Todd H. Rees, PhD, PE
Georgia Professional Engineer No. 047845

February 16, 2022
Date

APPENDIX B

Field Data Forms and Instrument Calibration Forms

APPENDIX B

Field Data Forms
February 2022

Low-Flow Test Report:

Test Date / Time: 2/8/2022 3:11:03 PM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: PZ-13S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.1 ft Total Depth: 48.1 ft Initial Depth to Water: 30.25 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 43 ft Pump Intake From TOC: 43 ft Estimated Total Volume Pumped: 12418.5 ml Flow Cell Volume: 90 ml Final Flow Rate: 170 ml/min Final Draw Down: 0.17 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Prepurge 1 liter

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/8/2022 3:11 PM	00:00	5.40 pH	20.29 °C	63.58 µS/cm	1.38 mg/L	417.00 NTU	68.4 mV	30.25 ft	170.00 ml/min
2/8/2022 3:15 PM	04:00	4.77 pH	18.36 °C	58.27 µS/cm	0.44 mg/L	342.00 NTU	42.0 mV	30.42 ft	170.00 ml/min
2/8/2022 3:19 PM	08:00	4.76 pH	18.16 °C	58.43 µS/cm	0.36 mg/L	281.00 NTU	33.4 mV	30.42 ft	170.00 ml/min
2/8/2022 3:23 PM	12:00	4.78 pH	17.91 °C	58.59 µS/cm	0.32 mg/L	148.00 NTU	28.6 mV	30.42 ft	170.00 ml/min
2/8/2022 3:27 PM	16:00	4.78 pH	17.70 °C	59.01 µS/cm	0.43 mg/L	107.00 NTU	26.4 mV	30.42 ft	170.00 ml/min
2/8/2022 3:31 PM	20:00	4.84 pH	17.66 °C	59.31 µS/cm	0.30 mg/L	91.10 NTU	21.0 mV	30.42 ft	170.00 ml/min
2/8/2022 3:35 PM	24:00	4.82 pH	17.64 °C	59.65 µS/cm	0.27 mg/L	78.10 NTU	19.9 mV	30.42 ft	170.00 ml/min
2/8/2022 3:39 PM	28:00	4.83 pH	17.65 °C	59.79 µS/cm	0.23 mg/L	46.00 NTU	17.5 mV	30.42 ft	170.00 ml/min
2/8/2022 3:43 PM	32:00	4.85 pH	17.61 °C	60.00 µS/cm	0.21 mg/L	33.70 NTU	15.7 mV	30.42 ft	170.00 ml/min
2/8/2022 3:47 PM	36:00	4.86 pH	17.70 °C	62.39 µS/cm	3.89 mg/L	29.10 NTU	18.3 mV	30.42 ft	170.00 ml/min
2/8/2022 3:51 PM	40:00	4.86 pH	17.57 °C	61.18 µS/cm	0.21 mg/L	20.80 NTU	23.8 mV	30.42 ft	170.00 ml/min
2/8/2022 3:55 PM	44:00	4.85 pH	17.94 °C	60.98 µS/cm	0.15 mg/L	20.10 NTU	19.4 mV	30.42 ft	170.00 ml/min
2/8/2022 3:59 PM	48:00	4.86 pH	17.88 °C	60.96 µS/cm	0.13 mg/L	18.40 NTU	16.3 mV	30.42 ft	170.00 ml/min
2/8/2022 4:03 PM	52:00	4.87 pH	17.79 °C	61.27 µS/cm	0.13 mg/L	16.90 NTU	14.4 mV	30.42 ft	170.00 ml/min

2/8/2022 4:07 PM	56:00	4.87 pH	18.15 °C	61.25 µS/cm	0.12 mg/L	12.30 NTU	13.4 mV	30.42 ft	170.00 ml/min
2/8/2022 4:12 PM	01:01:03	4.89 pH	18.05 °C	61.08 µS/cm	0.12 mg/L	9.41 NTU	8.4 mV	30.42 ft	170.00 ml/min
2/8/2022 4:16 PM	01:05:03	4.91 pH	17.79 °C	62.28 µS/cm	0.12 mg/L	6.18 NTU	6.6 mV	30.42 ft	170.00 ml/min
2/8/2022 4:20 PM	01:09:03	4.91 pH	17.75 °C	61.94 µS/cm	0.11 mg/L	3.98 NTU	6.3 mV	30.42 ft	170.00 ml/min
2/8/2022 4:24 PM	01:13:03	4.92 pH	17.74 °C	62.14 µS/cm	0.12 mg/L	2.46 NTU	5.8 mV	30.42 ft	170.00 ml/min

Samples

Sample ID:	Description:
PZ-13S	Metals, TDS, Inorganics, sulfide, Radium

Low-Flow Test Report:

Test Date / Time: 2/8/2022 3:54:57 PM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-14S Well Diameter: 2 in Casing Type: PVC Screen Length: 43 ft Top of Screen: 38.25 ft Total Depth: 48.25 ft Initial Depth to Water: 23.65 ft	Pump Type: Peristaltic Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 43 ft Pump Intake From TOC: 43 ft Estimated Total Volume Pumped: 8500 ml Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 0.02 ft	Instrument Used: Aqua TROLL 400 Serial Number: 728623
---	--	--

Test Notes:

Weather Conditions:

Clear, 56

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/8/2022 3:54 PM	00:00	7.33 pH	14.81 °C	79.34 µS/cm	5.97 mg/L	21.40 NTU	118.7 mV	23.67 ft	130.00 ml/min
2/8/2022 3:59 PM	05:00	5.72 pH	16.88 °C	71.86 µS/cm	0.44 mg/L	17.90 NTU	93.0 mV	23.67 ft	130.00 ml/min
2/8/2022 4:04 PM	10:00	5.59 pH	17.45 °C	66.30 µS/cm	0.26 mg/L	27.20 NTU	81.4 mV	23.67 ft	160.00 ml/min
2/8/2022 4:09 PM	15:00	5.50 pH	17.59 °C	61.10 µS/cm	0.21 mg/L	16.80 NTU	75.4 mV	23.67 ft	160.00 ml/min
2/8/2022 4:14 PM	20:00	5.48 pH	17.49 °C	61.08 µS/cm	0.20 mg/L	20.70 NTU	71.4 mV	23.67 ft	160.00 ml/min
2/8/2022 4:19 PM	25:00	5.47 pH	17.54 °C	60.83 µS/cm	0.18 mg/L	13.70 NTU	67.6 mV	23.68 ft	160.00 ml/min
2/8/2022 4:24 PM	30:00	5.45 pH	17.59 °C	59.88 µS/cm	0.17 mg/L	10.40 NTU	65.1 mV	23.68 ft	160.00 ml/min
2/8/2022 4:29 PM	35:00	5.44 pH	17.73 °C	59.18 µS/cm	0.16 mg/L	6.87 NTU	63.1 mV	23.68 ft	160.00 ml/min
2/8/2022 4:34 PM	40:00	5.44 pH	17.62 °C	59.27 µS/cm	0.16 mg/L	5.74 NTU	60.8 mV	23.67 ft	160.00 ml/min
2/8/2022 4:39 PM	45:00	5.44 pH	17.53 °C	59.13 µS/cm	0.15 mg/L	4.84 NTU	59.5 mV	23.67 ft	160.00 ml/min
2/8/2022 4:44 PM	50:00	5.44 pH	17.56 °C	58.92 µS/cm	0.14 mg/L	3.60 NTU	57.7 mV	23.67 ft	160.00 ml/min
2/8/2022 4:49 PM	55:00	5.42 pH	17.54 °C	58.75 µS/cm	0.14 mg/L	2.44 NTU	57.5 mV	23.67 ft	160.00 ml/min

Low-Flow Test Report:

Test Date / Time: 2/9/2022 11:18:21 AM

Project: SCS Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-17I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 90.35 ft Total Depth: 100.35 ft Initial Depth to Water: 27.33 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 95 ft Pump Intake From TOC: 95 ft Estimated Total Volume Pumped: 10516.417 ml Flow Cell Volume: 90 ml Final Flow Rate: 95 ml/min Final Draw Down: 0.62 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	--	--

Test Notes:

Odor

Weather Conditions:

Clear, 53

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/9/2022 11:18 AM	00:00	7.17 pH	14.49 °C	368.23 µS/cm	3.20 mg/L	33.46 NTU	-42.0 mV	27.90 ft	110.00 ml/min
2/9/2022 11:23 AM	05:00	6.79 pH	17.50 °C	359.47 µS/cm	0.95 mg/L	38.50 NTU	-26.6 mV	27.92 ft	110.00 ml/min
2/9/2022 11:28 AM	10:00	6.72 pH	17.99 °C	360.39 µS/cm	0.66 mg/L	48.20 NTU	-3.2 mV	27.93 ft	89.00 ml/min
2/9/2022 11:33 AM	15:00	6.71 pH	18.16 °C	360.39 µS/cm	0.52 mg/L	45.00 NTU	7.1 mV	27.95 ft	89.00 ml/min
2/9/2022 11:38 AM	20:00	6.71 pH	18.31 °C	358.94 µS/cm	0.51 mg/L	34.20 NTU	10.4 mV	27.95 ft	89.00 ml/min
2/9/2022 11:43 AM	25:00	6.71 pH	18.55 °C	359.99 µS/cm	0.41 mg/L	34.00 NTU	10.8 mV	27.95 ft	89.00 ml/min
2/9/2022 11:48 AM	30:00	6.71 pH	18.61 °C	357.63 µS/cm	0.37 mg/L	31.70 NTU	9.5 mV	27.96 ft	95.00 ml/min
2/9/2022 11:53 AM	35:00	6.71 pH	18.53 °C	358.32 µS/cm	0.33 mg/L	25.10 NTU	5.5 mV	27.96 ft	95.00 ml/min
2/9/2022 11:58 AM	40:00	6.70 pH	18.57 °C	358.08 µS/cm	0.31 mg/L	22.10 NTU	2.5 mV	27.96 ft	95.00 ml/min
2/9/2022 12:03 PM	45:00	6.72 pH	18.63 °C	357.90 µS/cm	0.31 mg/L	20.20 NTU	-4.7 mV	27.96 ft	95.00 ml/min
2/9/2022 12:08 PM	50:00	6.71 pH	18.57 °C	358.92 µS/cm	0.28 mg/L	18.50 NTU	-5.1 mV	27.96 ft	95.00 ml/min
2/9/2022 12:13 PM	55:00	6.71 pH	18.79 °C	358.20 µS/cm	0.26 mg/L	16.80 NTU	-21.2 mV	27.96 ft	95.00 ml/min
2/9/2022 12:14 PM	56:07	6.71 pH	18.74 °C	357.93 µS/cm	0.25 mg/L	15.20 NTU	-21.9 mV	27.96 ft	95.00 ml/min

2/9/2022 12:18 PM	01:00:23	6.71 pH	18.71 °C	358.38 µS/cm	0.24 mg/L	13.70 NTU	-28.4 mV	27.96 ft	95.00 ml/min
2/9/2022 12:23 PM	01:05:23	6.71 pH	18.68 °C	355.96 µS/cm	0.25 mg/L	11.20 NTU	-28.3 mV	27.95 ft	95.00 ml/min
2/9/2022 12:28 PM	01:10:23	6.71 pH	18.26 °C	359.73 µS/cm	0.23 mg/L	11.20 NTU	-32.1 mV	27.95 ft	95.00 ml/min
2/9/2022 12:33 PM	01:15:23	6.71 pH	18.13 °C	363.38 µS/cm	0.21 mg/L	11.10 NTU	-45.3 mV	27.96 ft	95.00 ml/min
2/9/2022 12:38 PM	01:20:23	6.71 pH	18.14 °C	361.95 µS/cm	0.22 mg/L	9.65 NTU	-35.3 mV	27.97 ft	95.00 ml/min
2/9/2022 12:43 PM	01:25:23	6.71 pH	18.01 °C	363.06 µS/cm	0.20 mg/L	8.50 NTU	-48.2 mV	27.96 ft	95.00 ml/min
2/9/2022 12:48 PM	01:30:23	6.71 pH	17.95 °C	363.63 µS/cm	0.21 mg/L	7.53 NTU	-62.4 mV	27.95 ft	95.00 ml/min
2/9/2022 12:53 PM	01:35:23	6.71 pH	17.82 °C	362.09 µS/cm	0.19 mg/L	6.64 NTU	-52.8 mV	27.95 ft	95.00 ml/min
2/9/2022 12:58 PM	01:40:23	6.71 pH	17.84 °C	364.22 µS/cm	0.19 mg/L	6.31 NTU	-71.0 mV	27.95 ft	95.00 ml/min
2/9/2022 1:03 PM	01:45:23	6.71 pH	17.86 °C	361.98 µS/cm	0.21 mg/L	5.08 NTU	-56.2 mV	27.95 ft	95.00 ml/min
2/9/2022 1:08 PM	01:50:23	6.71 pH	17.81 °C	363.90 µS/cm	0.18 mg/L	4.88 NTU	-75.3 mV	27.95 ft	95.00 ml/min

Samples

Sample ID:	Description:
PZ-171	

Low-Flow Test Report:

Test Date / Time: 2/9/2022 9:31:01 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-39S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 70 ft Total Depth: 80 ft Initial Depth to Water: 33.43 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 75 ft Pump Intake From TOC: 75 ft Estimated Total Volume Pumped: 5225 ml Flow Cell Volume: 90 ml Final Flow Rate: 120 ml/min Final Draw Down: 0.77 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
---	--	--

Test Notes:

Weather Conditions:

Clear / 34 Deg

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/9/2022 9:31 AM	00:00	6.76 pH	9.33 °C	238.60 µS/cm	6.22 mg/L	17.60 NTU	102.2 mV	33.75 ft	175.00 ml/min
2/9/2022 9:36 AM	05:00	6.57 pH	14.67 °C	236.09 µS/cm	0.74 mg/L	3.66 NTU	86.7 mV	34.11 ft	130.00 ml/min
2/9/2022 9:41 AM	10:00	6.55 pH	15.53 °C	233.28 µS/cm	0.80 mg/L	5.37 NTU	87.5 mV	34.22 ft	130.00 ml/min
2/9/2022 9:46 AM	15:00	6.55 pH	15.58 °C	234.84 µS/cm	0.97 mg/L	4.91 NTU	97.9 mV	34.20 ft	130.00 ml/min
2/9/2022 9:51 AM	20:00	6.53 pH	15.84 °C	233.99 µS/cm	0.95 mg/L	4.02 NTU	96.5 mV	34.20 ft	120.00 ml/min
2/9/2022 9:56 AM	25:00	6.55 pH	15.89 °C	233.45 µS/cm	0.93 mg/L	3.30 NTU	90.6 mV	34.20 ft	120.00 ml/min
2/9/2022 10:01 AM	30:00	6.55 pH	15.95 °C	233.17 µS/cm	0.87 mg/L	3.60 NTU	85.4 mV	34.20 ft	120.00 ml/min
2/9/2022 10:06 AM	35:00	6.54 pH	16.07 °C	232.05 µS/cm	0.92 mg/L	2.64 NTU	82.3 mV	34.20 ft	120.00 ml/min
2/9/2022 10:11 AM	40:00	6.55 pH	16.16 °C	231.14 µS/cm	0.74 mg/L	2.16 NTU	79.8 mV	34.20 ft	120.00 ml/min

Samples

Sample ID:	Description:
PZ-39S	

Low-Flow Test Report:

Test Date / Time: 2/10/2022 9:12:15 AM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: PZ-40I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 75.93 ft Total Depth: 85.93 ft Initial Depth to Water: 38.28 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 80 ft Pump Intake From TOC: 80 ft Estimated Total Volume Pumped: 20469.334 ml Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 3.87 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Prepurge 1 liter

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/10/2022 9:12 AM	00:00	7.57 pH	16.51 °C	362.02 µS/cm	1.95 mg/L	52.30 NTU	109.6 mV	38.28 ft	160.00 ml/min
2/10/2022 9:16 AM	04:00	7.43 pH	18.01 °C	340.98 µS/cm	0.91 mg/L	30.30 NTU	107.2 mV	40.17 ft	160.00 ml/min
2/10/2022 9:20 AM	08:00	7.31 pH	18.24 °C	426.99 µS/cm	0.76 mg/L	30.70 NTU	104.4 mV	40.54 ft	160.00 ml/min
2/10/2022 9:24 AM	12:00	7.18 pH	18.20 °C	568.61 µS/cm	0.65 mg/L	30.40 NTU	99.3 mV	40.96 ft	160.00 ml/min
2/10/2022 9:28 AM	16:00	6.97 pH	18.20 °C	750.01 µS/cm	0.55 mg/L	30.10 NTU	90.6 mV	41.30 ft	160.00 ml/min
2/10/2022 9:32 AM	20:00	6.72 pH	18.24 °C	902.28 µS/cm	0.48 mg/L	23.50 NTU	81.5 mV	41.49 ft	160.00 ml/min
2/10/2022 9:36 AM	24:00	6.54 pH	18.20 °C	999.62 µS/cm	0.41 mg/L	24.80 NTU	74.7 mV	41.66 ft	160.00 ml/min
2/10/2022 9:40 AM	28:00	6.41 pH	18.20 °C	1,073.2 µS/cm	0.35 mg/L	18.50 NTU	70.1 mV	41.81 ft	160.00 ml/min
2/10/2022 9:44 AM	32:00	6.33 pH	18.24 °C	1,122.2 µS/cm	0.31 mg/L	16.20 NTU	66.8 mV	41.95 ft	160.00 ml/min
2/10/2022 9:48 AM	36:00	6.28 pH	18.31 °C	1,157.0 µS/cm	0.27 mg/L	13.70 NTU	64.1 mV	42.03 ft	160.00 ml/min
2/10/2022 9:52 AM	40:00	6.24 pH	18.37 °C	1,189.9 µS/cm	0.24 mg/L	11.40 NTU	62.5 mV	42.11 ft	160.00 ml/min
2/10/2022 9:56 AM	44:00	6.22 pH	18.42 °C	1,214.7 µS/cm	0.22 mg/L	11.50 NTU	61.6 mV	42.15 ft	160.00 ml/min
2/10/2022 10:00 AM	48:00	6.20 pH	18.37 °C	1,234.0 µS/cm	0.20 mg/L	10.10 NTU	61.1 mV	42.15 ft	160.00 ml/min
2/10/2022 10:04 AM	52:00	6.18 pH	18.52 °C	1,252.0 µS/cm	0.19 mg/L	9.88 NTU	60.4 mV	42.15 ft	160.00 ml/min

2/10/2022 10:08 AM	56:00	6.17 pH	18.67 °C	1,261.9 µS/cm	0.17 mg/L	11.30 NTU	59.7 mV	42.15 ft	160.00 ml/min
2/10/2022 10:12 AM	01:00:00	6.15 pH	18.87 °C	1,268.0 µS/cm	0.16 mg/L	10.60 NTU	59.2 mV	42.15 ft	160.00 ml/min
2/10/2022 10:16 AM	01:04:00	6.14 pH	19.12 °C	1,281.0 µS/cm	0.14 mg/L	10.80 NTU	58.7 mV	42.15 ft	160.00 ml/min
2/10/2022 10:20 AM	01:08:00	6.14 pH	19.27 °C	1,274.0 µS/cm	0.14 mg/L	8.28 NTU	58.2 mV	42.15 ft	160.00 ml/min
2/10/2022 10:24 AM	01:12:00	6.13 pH	19.42 °C	1,274.2 µS/cm	0.14 mg/L	9.49 NTU	57.6 mV	42.15 ft	160.00 ml/min
2/10/2022 10:28 AM	01:16:00	6.13 pH	19.49 °C	1,272.0 µS/cm	0.13 mg/L	10.40 NTU	57.1 mV	42.15 ft	160.00 ml/min
2/10/2022 10:32 AM	01:20:00	6.13 pH	19.57 °C	1,277.4 µS/cm	0.12 mg/L	9.83 NTU	56.5 mV	42.15 ft	160.00 ml/min
2/10/2022 10:36 AM	01:24:00	6.13 pH	19.66 °C	1,279.2 µS/cm	0.12 mg/L	9.67 NTU	56.1 mV	42.15 ft	160.00 ml/min
2/10/2022 10:40 AM	01:28:00	6.12 pH	19.84 °C	1,277.8 µS/cm	0.11 mg/L	8.77 NTU	55.3 mV	42.15 ft	160.00 ml/min
2/10/2022 10:44 AM	01:31:56	6.12 pH	20.01 °C	1,298.9 µS/cm	0.11 mg/L	8.24 NTU	54.8 mV	42.15 ft	160.00 ml/min
2/10/2022 10:48 AM	01:35:56	6.12 pH	20.00 °C	1,286.6 µS/cm	0.11 mg/L	8.11 NTU	54.4 mV	42.15 ft	160.00 ml/min
2/10/2022 10:52 AM	01:39:56	6.12 pH	20.06 °C	1,283.2 µS/cm	0.10 mg/L	8.04 NTU	53.9 mV	42.15 ft	160.00 ml/min
2/10/2022 10:56 AM	01:43:56	6.12 pH	20.02 °C	1,281.1 µS/cm	0.10 mg/L	7.40 NTU	53.5 mV	42.15 ft	160.00 ml/min
2/10/2022 11:00 AM	01:47:56	6.11 pH	20.15 °C	1,286.1 µS/cm	0.10 mg/L	8.33 NTU	53.0 mV	42.15 ft	160.00 ml/min
2/10/2022 11:04 AM	01:51:56	6.11 pH	20.19 °C	1,283.4 µS/cm	0.10 mg/L	7.44 NTU	52.6 mV	42.15 ft	160.00 ml/min
2/10/2022 11:08 AM	01:55:56	6.11 pH	20.06 °C	1,284.9 µS/cm	0.09 mg/L	7.33 NTU	52.4 mV	42.15 ft	160.00 ml/min
2/10/2022 11:12 AM	01:59:56	6.11 pH	19.95 °C	1,289.1 µS/cm	0.09 mg/L	7.29 NTU	52.2 mV	42.15 ft	160.00 ml/min
2/10/2022 11:16 AM	02:03:56	6.11 pH	20.11 °C	1,285.3 µS/cm	0.09 mg/L	7.27 NTU	51.7 mV	42.15 ft	160.00 ml/min
2/10/2022 11:20 AM	02:07:56	6.11 pH	20.24 °C	1,288.7 µS/cm	0.09 mg/L	3.96 NTU	51.3 mV	42.15 ft	160.00 ml/min

Samples

Sample ID:	Description:
PZ-40I	Metals, TDS, Inorganics, sulfide, Radium

Low-Flow Test Report:

Test Date / Time: 2/9/2022 2:02:56 PM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: PZ-41S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.42 ft Total Depth: 47.42 ft Initial Depth to Water: 30.59 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 42 ft Pump Intake From TOC: 42 ft Estimated Total Volume Pumped: 14400 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.91 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Prepurge 1 liter

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/9/2022 2:02 PM	00:00	6.31 pH	20.32 °C	945.84 µS/cm	2.57 mg/L	53.10 NTU	42.3 mV	30.59 ft	200.00 ml/min
2/9/2022 2:06 PM	04:00	6.03 pH	19.00 °C	997.91 µS/cm	1.94 mg/L	52.50 NTU	41.1 mV	31.98 ft	200.00 ml/min
2/9/2022 2:10 PM	08:00	5.99 pH	18.80 °C	1,004.7 µS/cm	1.83 mg/L	41.70 NTU	41.0 mV	32.16 ft	200.00 ml/min
2/9/2022 2:14 PM	12:00	5.98 pH	18.60 °C	1,015.5 µS/cm	1.80 mg/L	26.80 NTU	41.0 mV	32.30 ft	200.00 ml/min
2/9/2022 2:18 PM	16:00	5.97 pH	18.51 °C	1,021.0 µS/cm	1.77 mg/L	22.70 NTU	40.8 mV	32.38 ft	200.00 ml/min
2/9/2022 2:22 PM	20:00	5.97 pH	18.49 °C	1,021.4 µS/cm	1.75 mg/L	18.30 NTU	40.9 mV	32.39 ft	200.00 ml/min
2/9/2022 2:26 PM	24:00	5.97 pH	18.46 °C	1,021.8 µS/cm	1.76 mg/L	15.50 NTU	41.0 mV	32.41 ft	200.00 ml/min
2/9/2022 2:30 PM	28:00	5.96 pH	18.46 °C	1,023.3 µS/cm	1.78 mg/L	13.30 NTU	41.2 mV	32.44 ft	200.00 ml/min
2/9/2022 2:34 PM	32:00	5.96 pH	18.46 °C	1,023.4 µS/cm	1.77 mg/L	12.40 NTU	41.4 mV	32.47 ft	200.00 ml/min
2/9/2022 2:38 PM	36:00	5.96 pH	18.49 °C	1,022.3 µS/cm	1.78 mg/L	13.20 NTU	41.6 mV	32.48 ft	200.00 ml/min
2/9/2022 2:42 PM	40:00	5.96 pH	18.53 °C	1,023.8 µS/cm	1.79 mg/L	8.81 NTU	41.7 mV	32.49 ft	200.00 ml/min
2/9/2022 2:46 PM	44:00	5.96 pH	18.45 °C	1,024.5 µS/cm	1.81 mg/L	7.28 NTU	41.9 mV	32.49 ft	200.00 ml/min
2/9/2022 2:50 PM	48:00	5.96 pH	18.37 °C	1,025.1 µS/cm	1.82 mg/L	7.70 NTU	42.2 mV	32.49 ft	200.00 ml/min
2/9/2022 2:54 PM	52:00	5.95 pH	18.33 °C	1,028.9 µS/cm	1.82 mg/L	6.78 NTU	42.4 mV	32.50 ft	200.00 ml/min

2/9/2022 2:58 PM	56:00	5.95 pH	18.25 °C	1,026.7 µS/cm	1.82 mg/L	6.33 NTU	42.6 mV	32.50 ft	200.00 ml/min
2/9/2022 3:02 PM	01:00:00	5.95 pH	18.23 °C	1,029.2 µS/cm	1.83 mg/L	6.44 NTU	42.7 mV	32.50 ft	200.00 ml/min
2/9/2022 3:06 PM	01:04:00	5.95 pH	18.17 °C	1,028.6 µS/cm	1.85 mg/L	5.64 NTU	42.9 mV	32.50 ft	200.00 ml/min
2/9/2022 3:10 PM	01:08:00	5.95 pH	18.17 °C	1,030.1 µS/cm	1.85 mg/L	5.12 NTU	43.2 mV	32.50 ft	200.00 ml/min
2/9/2022 3:14 PM	01:12:00	5.95 pH	18.15 °C	1,029.7 µS/cm	1.85 mg/L	4.84 NTU	43.3 mV	32.50 ft	200.00 ml/min

Samples

Sample ID:	Description:
PZ-42I	Metals, TDS, Inorganics, sulfide, Radium
DUP-1	Metals, TDS, Inorganics, sulfide, Radium

Low-Flow Test Report:

Test Date / Time: 2/9/2022 11:40:29 AM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: PZ-42I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 87.46 ft Total Depth: 97.46 ft Initial Depth to Water: 8.78 ft	Pump Type: Peristaltic Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 93 ft Pump Intake From TOC: 93 ft Estimated Total Volume Pumped: 14778 ml Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 3.11 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	---	--

Test Notes:

Prepurge 1 liter

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/9/2022 11:40 AM	00:00	6.41 pH	17.71 °C	631.90 µS/cm	0.81 mg/L	21.80 NTU	35.9 mV	8.78 ft	180.00 ml/min
2/9/2022 11:44 AM	04:00	6.28 pH	18.96 °C	650.94 µS/cm	0.39 mg/L	12.10 NTU	34.6 mV	10.68 ft	180.00 ml/min
2/9/2022 11:48 AM	08:00	6.26 pH	19.14 °C	658.42 µS/cm	0.31 mg/L	11.90 NTU	34.8 mV	11.19 ft	180.00 ml/min
2/9/2022 11:52 AM	12:00	6.25 pH	19.42 °C	666.39 µS/cm	0.26 mg/L	10.90 NTU	34.8 mV	11.43 ft	180.00 ml/min
2/9/2022 11:56 AM	16:00	6.25 pH	19.30 °C	666.41 µS/cm	0.25 mg/L	14.90 NTU	34.9 mV	11.57 ft	180.00 ml/min
2/9/2022 12:00 PM	20:00	6.25 pH	19.04 °C	669.44 µS/cm	0.24 mg/L	19.30 NTU	35.2 mV	11.64 ft	180.00 ml/min
2/9/2022 12:04 PM	24:00	6.24 pH	18.86 °C	670.27 µS/cm	0.22 mg/L	11.40 NTU	35.1 mV	11.68 ft	180.00 ml/min
2/9/2022 12:08 PM	28:00	6.24 pH	18.88 °C	669.34 µS/cm	0.21 mg/L	29.60 NTU	34.9 mV	11.72 ft	180.00 ml/min
2/9/2022 12:12 PM	32:00	6.24 pH	18.94 °C	668.09 µS/cm	0.20 mg/L	25.40 NTU	34.7 mV	11.78 ft	180.00 ml/min
2/9/2022 12:16 PM	36:00	6.24 pH	18.67 °C	674.00 µS/cm	0.19 mg/L	29.30 NTU	34.6 mV	11.80 ft	180.00 ml/min
2/9/2022 12:20 PM	40:00	6.24 pH	18.73 °C	672.55 µS/cm	0.18 mg/L	25.30 NTU	34.3 mV	11.81 ft	180.00 ml/min
2/9/2022 12:24 PM	44:00	6.25 pH	18.77 °C	670.13 µS/cm	0.17 mg/L	21.60 NTU	34.1 mV	11.84 ft	180.00 ml/min
2/9/2022 12:28 PM	48:00	6.24 pH	18.80 °C	676.31 µS/cm	0.18 mg/L	17.40 NTU	33.6 mV	11.86 ft	180.00 ml/min
2/9/2022 12:32 PM	52:00	6.25 pH	18.55 °C	671.14 µS/cm	0.17 mg/L	11.00 NTU	33.6 mV	11.87 ft	180.00 ml/min

2/9/2022 12:36 PM	56:00	6.26 pH	18.44 °C	669.35 µS/cm	0.17 mg/L	10.44 NTU	32.9 mV	11.89 ft	180.00 ml/min
2/9/2022 12:40 PM	01:00:00	6.25 pH	18.46 °C	671.14 µS/cm	0.17 mg/L	11.60 NTU	32.7 mV	11.89 ft	180.00 ml/min
2/9/2022 12:44 PM	01:04:00	6.25 pH	18.50 °C	669.16 µS/cm	0.16 mg/L	12.80 NTU	32.0 mV	11.89 ft	180.00 ml/min
2/9/2022 12:48 PM	01:08:00	6.24 pH	18.84 °C	672.32 µS/cm	0.13 mg/L	11.40 NTU	31.4 mV	11.89 ft	180.00 ml/min
2/9/2022 12:52 PM	01:12:00	6.25 pH	19.22 °C	673.12 µS/cm	0.13 mg/L	11.60 NTU	31.1 mV	11.89 ft	180.00 ml/min
2/9/2022 12:54 PM	01:14:06	6.25 pH	19.40 °C	676.56 µS/cm	0.12 mg/L	9.09 NTU	30.9 mV	11.89 ft	180.00 ml/min
2/9/2022 12:58 PM	01:18:06	6.25 pH	20.01 °C	664.47 µS/cm	0.14 mg/L	4.46 NTU	30.0 mV	11.89 ft	180.00 ml/min
2/9/2022 1:02 PM	01:22:06	6.25 pH	20.00 °C	666.25 µS/cm	0.14 mg/L	3.75 NTU	29.3 mV	11.89 ft	180.00 ml/min

Samples

Sample ID:	Description:
PZ-42I	Metals, TDS, Inorganics, sulfide, Radium

Low-Flow Test Report:

Test Date / Time: 2/9/2022 9:29:33 AM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: PZ-43S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 43.9 ft Total Depth: 53.9 ft Initial Depth to Water: 20.62 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 48 ft Pump Intake From TOC: 48 ft Estimated Total Volume Pumped: 8320 ml Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 2.02 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	--	--

Test Notes:

Prepurge 1.5 liters

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/9/2022 9:29 AM	00:00	10.34 pH	10.43 °C	545.77 µS/cm	5.71 mg/L	6.20 NTU	113.5 mV	20.62 ft	160.00 ml/min
2/9/2022 9:33 AM	04:00	8.55 pH	15.87 °C	482.73 µS/cm	1.52 mg/L	6.69 NTU	68.6 mV	21.92 ft	160.00 ml/min
2/9/2022 9:37 AM	08:00	7.89 pH	16.32 °C	474.52 µS/cm	1.12 mg/L	11.50 NTU	62.0 mV	22.23 ft	160.00 ml/min
2/9/2022 9:41 AM	12:00	7.52 pH	16.45 °C	473.95 µS/cm	1.01 mg/L	10.40 NTU	59.2 mV	22.39 ft	160.00 ml/min
2/9/2022 9:45 AM	16:00	7.29 pH	16.46 °C	477.18 µS/cm	0.95 mg/L	9.34 NTU	57.8 mV	22.44 ft	160.00 ml/min
2/9/2022 9:49 AM	20:00	7.13 pH	16.50 °C	476.55 µS/cm	0.90 mg/L	8.59 NTU	56.8 mV	22.51 ft	160.00 ml/min
2/9/2022 9:53 AM	24:00	7.03 pH	16.57 °C	477.47 µS/cm	0.85 mg/L	8.51 NTU	56.0 mV	22.56 ft	160.00 ml/min
2/9/2022 9:57 AM	28:00	6.95 pH	16.54 °C	476.25 µS/cm	0.81 mg/L	7.44 NTU	55.2 mV	22.58 ft	160.00 ml/min
2/9/2022 10:01 AM	32:00	6.89 pH	16.67 °C	474.75 µS/cm	0.77 mg/L	7.61 NTU	54.5 mV	22.59 ft	160.00 ml/min
2/9/2022 10:05 AM	36:00	6.83 pH	16.72 °C	473.60 µS/cm	0.72 mg/L	6.47 NTU	54.0 mV	22.60 ft	160.00 ml/min
2/9/2022 10:09 AM	40:00	6.78 pH	16.81 °C	471.37 µS/cm	0.68 mg/L	5.24 NTU	53.7 mV	22.62 ft	160.00 ml/min
2/9/2022 10:13 AM	44:00	6.74 pH	16.85 °C	469.71 µS/cm	0.64 mg/L	4.56 NTU	53.1 mV	22.64 ft	160.00 ml/min
2/9/2022 10:17 AM	48:00	6.70 pH	16.88 °C	467.03 µS/cm	0.59 mg/L	4.91 NTU	52.7 mV	22.64 ft	160.00 ml/min
2/9/2022 10:21 AM	52:00	6.66 pH	16.90 °C	463.82 µS/cm	0.55 mg/L	2.86 NTU	52.1 mV	22.64 ft	160.00 ml/min

Samples

Sample ID:	Description:
PZ-43s	Metals, TDS, Inorganics, cyanide, Radium

Low-Flow Test Report:

Test Date / Time: 2/9/2022 2:53:22 PM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-44I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 107.2 ft Total Depth: 117.2 ft Initial Depth to Water: 18.3 ft	Pump Type: Peristaltic Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 112 ft Pump Intake From TOC: 112 ft Estimated Total Volume Pumped: 5545 ml Flow Cell Volume: 90 ml Final Flow Rate: 120 ml/min Final Draw Down: 0.74 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	--	--

Test Notes:

Weather Conditions:

Clear, 60

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/9/2022 2:53 PM	00:00	6.74 pH	21.93 °C	199.14 µS/cm	4.13 mg/L	4.92 NTU	-24.7 mV	18.55 ft	100.00 ml/min
2/9/2022 2:58 PM	05:00	6.60 pH	19.46 °C	204.94 µS/cm	1.15 mg/L	23.50 NTU	-66.2 mV	18.72 ft	82.00 ml/min
2/9/2022 3:03 PM	10:00	6.59 pH	19.29 °C	205.57 µS/cm	0.73 mg/L	18.50 NTU	-73.0 mV	28.75 ft	82.00 ml/min
2/9/2022 3:08 PM	15:00	6.58 pH	19.25 °C	204.78 µS/cm	0.53 mg/L	14.10 NTU	-60.3 mV	18.85 ft	125.00 ml/min
2/9/2022 3:13 PM	20:00	6.58 pH	19.09 °C	204.74 µS/cm	0.41 mg/L	11.00 NTU	-82.0 mV	18.95 ft	120.00 ml/min
2/9/2022 3:18 PM	25:00	6.58 pH	19.06 °C	203.68 µS/cm	0.31 mg/L	8.34 NTU	-66.3 mV	19.00 ft	120.00 ml/min
2/9/2022 3:23 PM	30:00	6.59 pH	19.06 °C	202.50 µS/cm	0.28 mg/L	9.69 NTU	-67.0 mV	19.03 ft	120.00 ml/min
2/9/2022 3:28 PM	35:00	6.58 pH	18.97 °C	201.69 µS/cm	0.28 mg/L	5.85 NTU	-66.8 mV	19.04 ft	120.00 ml/min
2/9/2022 3:33 PM	40:00	6.57 pH	18.97 °C	200.89 µS/cm	0.26 mg/L	4.31 NTU	-86.0 mV	19.01 ft	120.00 ml/min
2/9/2022 3:38 PM	45:00	6.58 pH	18.97 °C	199.65 µS/cm	0.24 mg/L	4.45 NTU	-67.3 mV	19.01 ft	120.00 ml/min
2/9/2022 3:43 PM	50:00	6.57 pH	18.97 °C	200.34 µS/cm	0.21 mg/L	4.12 NTU	-86.3 mV	19.04 ft	120.00 ml/min

Samples

Low-Flow Test Report:

Test Date / Time: 2/10/2022 11:05:09 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-69I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 98.16 ft Total Depth: 108.16 ft Initial Depth to Water: 17.20 ft	Pump Type: Peristaltic Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 103 ft Pump Intake From TOC: 103 ft Estimated Total Volume Pumped: 3993 ml Flow Cell Volume: 90 ml Final Flow Rate: 190 ml/min Final Draw Down: 0.09 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	--	--

Test Notes:

Second sample collection

Weather Conditions:

Clear

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/10/2022 11:05 AM	00:00	6.63 pH	17.37 °C	488.43 µS/cm	0.19 mg/L	4.11 NTU	-26.2 mV	17.29 ft	190.00 ml/min
2/10/2022 11:10 AM	05:00	6.64 pH	17.86 °C	483.93 µS/cm	0.14 mg/L	3.22 NTU	-42.6 mV	17.29 ft	190.00 ml/min
2/10/2022 11:11 AM	06:01	6.64 pH	17.91 °C	483.80 µS/cm	0.14 mg/L	2.27 NTU	-43.9 mV	17.29 ft	190.00 ml/min
2/10/2022 11:16 AM	11:01	6.65 pH	18.05 °C	478.77 µS/cm	0.12 mg/L	1.89 NTU	-38.2 mV	17.29 ft	190.00 ml/min
2/10/2022 11:21 AM	16:01	6.61 pH	18.17 °C	471.41 µS/cm	0.11 mg/L	1.55 NTU	-36.6 mV	17.29 ft	190.00 ml/min
2/10/2022 11:26 AM	21:01	6.61 pH	18.25 °C	469.48 µS/cm	0.10 mg/L	2.22 NTU	-48.6 mV	17.29 ft	190.00 ml/min

Samples

Sample ID:	Description:
PZ-69 I	

Low-Flow Test Report:

Test Date / Time: 2/9/2022 1:02:09 PM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWA-1 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 43.4 ft Total Depth: 53.4 ft Initial Depth to Water: 37.27 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 44.6 ft Pump Intake From TOC: 44.6 ft Estimated Total Volume Pumped: 4000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.27 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10	+/- 5	+/- 10	+/- 5	
2/9/2022 1:02 PM	00:00	5.35 pH	18.00 °C	32.75 µS/cm	2.22 mg/L	39.00 NTU	75.6 mV	37.27 ft	200.00 ml/min
2/9/2022 1:07 PM	05:00	5.32 pH	17.94 °C	30.81 µS/cm	1.86 mg/L	17.00 NTU	70.4 mV	37.51 ft	200.00 ml/min
2/9/2022 1:12 PM	10:00	5.32 pH	17.99 °C	31.65 µS/cm	2.05 mg/L	10.60 NTU	68.0 mV	37.52 ft	200.00 ml/min
2/9/2022 1:17 PM	15:00	5.35 pH	18.02 °C	31.60 µS/cm	1.69 mg/L	7.87 NTU	67.4 mV	37.53 ft	200.00 ml/min
2/9/2022 1:22 PM	20:00	5.28 pH	18.21 °C	31.83 µS/cm	1.11 mg/L	4.47 NTU	69.4 mV	37.54 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/9/2022 1:47:42 PM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWA-2 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 88.05 ft Total Depth: 98.5 ft Initial Depth to Water: 36.36 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 91.05 ft Pump Intake From TOC: 91.05 ft Estimated Total Volume Pumped: 3000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 2.96 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10	+/- 5	+/- 10	+/- 5	
2/9/2022 1:47 PM	00:00	6.92 pH	17.94 °C	122.68 µS/cm	5.07 mg/L	3.31 NTU	71.3 mV	36.36 ft	200.00 ml/min
2/9/2022 1:52 PM	05:00	6.98 pH	18.01 °C	122.19 µS/cm	4.84 mg/L	1.44 NTU	70.1 mV	39.29 ft	200.00 ml/min
2/9/2022 1:57 PM	10:00	6.98 pH	17.97 °C	122.07 µS/cm	4.92 mg/L	1.52 NTU	71.0 mV	39.31 ft	200.00 ml/min
2/9/2022 2:02 PM	15:00	7.01 pH	18.00 °C	121.22 µS/cm	4.99 mg/L	1.18 NTU	71.1 mV	39.32 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/9/2022 11:55:03 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWA-3 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.82 ft Total Depth: 52.82 ft Initial Depth to Water: 29.76 ft	Pump Type: QED Well Wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 44.9 ft Pump Intake From TOC: 44.9 ft Estimated Total Volume Pumped: 7.2 liter Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 5.73 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
2/9/2022 11:55 AM	00:00	7.20 pH	23.16 °C	68.89 µS/cm	7.30 mg/L		41.9 mV	29.76 ft	200.00 ml/min
2/9/2022 12:00 PM	05:00	5.81 pH	18.94 °C	85.27 µS/cm	4.10 mg/L	1.19 NTU	41.7 mV	31.98 ft	200.00 ml/min
2/9/2022 12:05 PM	10:00	5.80 pH	18.74 °C	85.01 µS/cm	3.95 mg/L	0.63 NTU	41.2 mV	33.05 ft	200.00 ml/min
2/9/2022 12:10 PM	15:00	5.81 pH	18.82 °C	83.61 µS/cm	3.93 mg/L	0.43 NTU	41.5 mV	34.36 ft	200.00 ml/min
2/9/2022 12:15 PM	20:00	5.81 pH	18.75 °C	83.53 µS/cm	4.02 mg/L	0.54 NTU	42.1 mV	34.72 ft	200.00 ml/min
2/9/2022 12:20 PM	25:00	5.83 pH	18.70 °C	83.14 µS/cm	4.01 mg/L	0.22 NTU	42.5 mV	35.00 ft	160.00 ml/min
2/9/2022 12:25 PM	30:00	5.82 pH	18.65 °C	83.62 µS/cm	3.96 mg/L	0.54 NTU	43.1 mV	35.21 ft	160.00 ml/min
2/9/2022 12:30 PM	35:00	5.81 pH	18.65 °C	83.78 µS/cm	3.94 mg/L	0.21 NTU	43.8 mV	35.37 ft	160.00 ml/min
2/9/2022 12:35 PM	40:00	5.84 pH	18.79 °C	83.62 µS/cm	3.92 mg/L	0.24 NTU	43.9 mV	35.49 ft	160.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/9/2022 10:32:14 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWA-4 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 53.2 ft Total Depth: 63.2 ft Initial Depth to Water: 45.21 ft	Pump Type: QED Well Wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 54.8 ft Pump Intake From TOC: 54.8 ft Estimated Total Volume Pumped: 8.4 liter Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 3.49 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
2/9/2022 10:32 AM	00:00	7.83 pH	14.76 °C	172.77 µS/cm	9.76 mg/L		114.3 mV	45.21 ft	260.00 ml/min
2/9/2022 10:37 AM	05:00	6.42 pH	17.65 °C	166.14 µS/cm	6.56 mg/L	2.15 NTU	61.6 mV	47.28 ft	260.00 ml/min
2/9/2022 10:42 AM	10:00	6.38 pH	17.90 °C	163.95 µS/cm	5.48 mg/L	1.64 NTU	57.0 mV	48.12 ft	260.00 ml/min
2/9/2022 10:47 AM	15:00	6.38 pH	18.07 °C	163.86 µS/cm	5.42 mg/L	1.85 NTU	51.2 mV	48.75 ft	260.00 ml/min
2/9/2022 10:52 AM	20:00	6.38 pH	18.08 °C	164.49 µS/cm	5.64 mg/L	1.87 NTU	54.3 mV	48.73 ft	180.00 ml/min
2/9/2022 10:57 AM	25:00	6.38 pH	18.12 °C	165.42 µS/cm	6.12 mg/L	1.38 NTU	50.8 mV	48.70 ft	180.00 ml/min
2/9/2022 11:02 AM	30:00	6.38 pH	18.24 °C	165.93 µS/cm	6.30 mg/L	1.46 NTU	53.7 mV	48.70 ft	180.00 ml/min
2/9/2022 11:07 AM	35:00	6.38 pH	18.28 °C	165.69 µS/cm	6.41 mg/L	0.89 NTU	53.5 mV	48.70 ft	180.00 ml/min

Samples

Sample ID:	Description:
SGWA-4	

Low-Flow Test Report:

Test Date / Time: 2/9/2022 1:29:51 PM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23.1 ft Total Depth: 33.1 ft Initial Depth to Water: 14.61 ft	Pump Type: QED Well Wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 24.36 ft Pump Intake From TOC: 24.36 ft Estimated Total Volume Pumped: 4 liter Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.86 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
2/9/2022 1:29 PM	00:00	6.79 pH	21.02 °C	47.25 µS/cm	7.93 mg/L		51.6 mV	14.61 ft	200.00 ml/min
2/9/2022 1:34 PM	05:00	5.64 pH	18.21 °C	53.61 µS/cm	4.84 mg/L	0.32 NTU	42.3 mV	15.39 ft	200.00 ml/min
2/9/2022 1:39 PM	10:00	5.58 pH	18.07 °C	53.96 µS/cm	4.37 mg/L	0.59 NTU	42.1 mV	15.47 ft	200.00 ml/min
2/9/2022 1:44 PM	15:00	5.56 pH	18.18 °C	54.05 µS/cm	4.20 mg/L	0.50 NTU	42.4 mV	15.47 ft	200.00 ml/min
2/9/2022 1:49 PM	20:00	5.56 pH	18.37 °C	53.83 µS/cm	4.11 mg/L	0.26 NTU	42.1 mV	15.47 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/9/2022 3:09:45 PM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-6 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.6 ft Total Depth: 27.6 ft Initial Depth to Water: 12.43 ft	Pump Type: QED Well Wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 19.21 ft Pump Intake From TOC: 19.21 ft Estimated Total Volume Pumped: 6.3 liter Flow Cell Volume: 90 ml Final Flow Rate: 140 ml/min Final Draw Down: 2.73 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
2/9/2022 3:09 PM	00:00	6.39 pH	19.77 °C	128.05 µS/cm	3.36 mg/L		48.2 mV	12.43 ft	140.00 ml/min
2/9/2022 3:14 PM	05:00	6.37 pH	19.06 °C	131.69 µS/cm	2.46 mg/L	1.36 NTU	47.4 mV	13.96 ft	140.00 ml/min
2/9/2022 3:19 PM	10:00	6.36 pH	19.12 °C	132.75 µS/cm	2.30 mg/L	1.43 NTU	47.3 mV	14.30 ft	140.00 ml/min
2/9/2022 3:24 PM	15:00	6.37 pH	18.86 °C	132.21 µS/cm	2.15 mg/L	1.70 NTU	46.5 mV	14.50 ft	140.00 ml/min
2/9/2022 3:29 PM	20:00	6.36 pH	19.24 °C	132.67 µS/cm	2.01 mg/L	1.97 NTU	45.7 mV	14.65 ft	140.00 ml/min
2/9/2022 3:34 PM	25:00	6.36 pH	19.05 °C	132.51 µS/cm	1.88 mg/L	1.10 NTU	45.5 mV	14.82 ft	140.00 ml/min
2/9/2022 3:39 PM	30:00	6.35 pH	18.86 °C	131.66 µS/cm	1.79 mg/L	1.51 NTU	46.0 mV	14.93 ft	140.00 ml/min
2/9/2022 3:44 PM	35:00	6.34 pH	18.81 °C	131.49 µS/cm	1.64 mg/L	1.11 NTU	46.3 mV	14.99 ft	140.00 ml/min
2/9/2022 3:49 PM	40:00	6.34 pH	18.56 °C	131.10 µS/cm	1.55 mg/L	1.78 NTU	46.3 mV	15.10 ft	140.00 ml/min
2/9/2022 3:54 PM	45:00	6.33 pH	18.44 °C	131.15 µS/cm	1.46 mg/L	1.79 NTU	46.8 mV	15.16 ft	140.00 ml/min

Samples

Sample ID:	Description:
SGWC-6	

Low-Flow Test Report:

Test Date / Time: 2/9/2022 3:33:37 PM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-7 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.7 ft Total Depth: 37.7 ft Initial Depth to Water: 12.33 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 29.75 ft Pump Intake From TOC: 29.75 ft Estimated Total Volume Pumped: 7163 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.24 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/9/2022 3:33 PM	00:00	6.87 pH	18.76 °C	277.20 µS/cm	4.01 mg/L	35.00 NTU	60.9 mV	12.33 ft	200.00 ml/min
2/9/2022 3:38 PM	05:00	6.89 pH	18.74 °C	249.38 µS/cm	2.86 mg/L	11.00 NTU	61.5 mV	12.54 ft	200.00 ml/min
2/9/2022 3:43 PM	10:00	6.80 pH	18.75 °C	239.40 µS/cm	2.33 mg/L	4.86 NTU	63.7 mV	12.57 ft	200.00 ml/min
2/9/2022 3:48 PM	15:00	6.82 pH	18.66 °C	226.62 µS/cm	3.33 mg/L	4.08 NTU	66.2 mV	12.53 ft	200.00 ml/min
2/9/2022 3:53 PM	20:00	6.84 pH	18.79 °C	241.19 µS/cm	3.13 mg/L	3.06 NTU	67.0 mV	12.55 ft	200.00 ml/min
2/9/2022 3:54 PM	20:49	6.84 pH	18.76 °C	241.19 µS/cm	3.23 mg/L	3.06 NTU	67.8 mV	12.55 ft	200.00 ml/min
2/9/2022 3:59 PM	25:49	6.78 pH	18.87 °C	237.21 µS/cm	2.71 mg/L	2.80 NTU	68.2 mV	12.56 ft	200.00 ml/min
2/9/2022 4:04 PM	30:49	6.76 pH	18.86 °C	235.48 µS/cm	2.57 mg/L	2.50 NTU	68.3 mV	12.56 ft	200.00 ml/min
2/9/2022 4:09 PM	35:49	6.77 pH	18.95 °C	236.35 µS/cm	2.64 mg/L	2.26 NTU	69.5 mV	12.57 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/10/2022 9:45:09 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-8 Well Diameter: 2 ft Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.6 ft Total Depth: 42.6 ft Initial Depth to Water: 21.16 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 34.2 ft Pump Intake From TOC: 34.2 ft Estimated Total Volume Pumped: 5000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.24 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/10/2022 9:45 AM	00:00	8.46 pH	11.77 °C	620.90 µS/cm	9.90 mg/L		102.4 mV	21.16 ft	200.00 ml/min
2/10/2022 9:50 AM	05:00	6.53 pH	15.75 °C	627.98 µS/cm	2.06 mg/L	1.16 NTU	62.9 mV	21.31 ft	200.00 ml/min
2/10/2022 9:55 AM	10:00	6.51 pH	16.38 °C	619.69 µS/cm	1.74 mg/L	0.85 NTU	54.2 mV	21.33 ft	200.00 ml/min
2/10/2022 10:00 AM	15:00	6.48 pH	16.56 °C	618.21 µS/cm	1.30 mg/L	0.62 NTU	51.0 mV	21.39 ft	200.00 ml/min
2/10/2022 10:05 AM	20:00	6.47 pH	16.60 °C	617.66 µS/cm	1.15 mg/L	0.79 NTU	49.2 mV	21.40 ft	200.00 ml/min
2/10/2022 10:10 AM	25:00	6.47 pH	16.71 °C	616.12 µS/cm	1.10 mg/L	0.42 NTU	45.2 mV	21.40 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/10/2022 11:03:57 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-9 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.8 ft Total Depth: 37.8 ft Initial Depth to Water: 20.7 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 29.4 ft Pump Intake From TOC: 29.4 ft Estimated Total Volume Pumped: 3200 ml Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 0.62 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/10/2022 11:03 AM	00:00	7.77 pH	21.73 °C	504.35 µS/cm	7.20 mg/L		48.7 mV	20.70 ft	160.00 ml/min
2/10/2022 11:08 AM	05:00	6.28 pH	18.60 °C	575.11 µS/cm	1.01 mg/L	2.88 NTU	36.1 mV	21.26 ft	160.00 ml/min
2/10/2022 11:13 AM	10:00	6.27 pH	18.70 °C	578.46 µS/cm	0.69 mg/L	2.71 NTU	32.8 mV	21.32 ft	160.00 ml/min
2/10/2022 11:18 AM	15:00	6.26 pH	18.52 °C	580.69 µS/cm	0.48 mg/L	1.15 NTU	31.8 mV	21.32 ft	160.00 ml/min
2/10/2022 11:23 AM	20:00	6.25 pH	18.79 °C	580.99 µS/cm	0.31 mg/L	1.19 NTU	30.1 mV	21.32 ft	160.00 ml/min

Samples

Sample ID:	Description:
SGWC-9	

Low-Flow Test Report:

Test Date / Time: 2/11/2022 8:41:16 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-10 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 22.6 ft Total Depth: 32.6 ft Initial Depth to Water: 17.78 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 24.2 ft Pump Intake From TOC: 24.2 ft Estimated Total Volume Pumped: 4325 ml Flow Cell Volume: 90 ml Final Flow Rate: 95 ml/min Final Draw Down: 0.84 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	---	--

Test Notes:

Weather Conditions:

Clear/ 35

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/11/2022 8:41 AM	00:00	5.78 pH	12.67 °C	87.30 µS/cm	8.63 mg/L	0.55 NTU	159.2 mV	18.45 ft	200.00 ml/min
2/11/2022 8:46 AM	05:00	5.14 pH	15.58 °C	69.20 µS/cm	1.20 mg/L	1.62 NTU	143.8 mV	18.60 ft	95.00 ml/min
2/11/2022 8:51 AM	10:00	5.12 pH	15.21 °C	67.46 µS/cm	0.65 mg/L	1.24 NTU	138.2 mV	18.62 ft	95.00 ml/min
2/11/2022 8:56 AM	15:00	5.12 pH	15.04 °C	67.07 µS/cm	0.50 mg/L	0.83 NTU	135.0 mV	18.60 ft	95.00 ml/min
2/11/2022 9:01 AM	20:00	5.13 pH	14.95 °C	66.30 µS/cm	0.49 mg/L	1.38 NTU	132.3 mV	18.52 ft	95.00 ml/min
2/11/2022 9:06 AM	25:00	5.12 pH	15.61 °C	67.25 µS/cm	0.47 mg/L	0.88 NTU	132.2 mV	18.63 ft	95.00 ml/min
2/11/2022 9:11 AM	30:00	5.13 pH	15.76 °C	65.84 µS/cm	0.47 mg/L	0.99 NTU	129.4 mV	18.60 ft	95.00 ml/min
2/11/2022 9:16 AM	35:00	5.13 pH	15.54 °C	65.92 µS/cm	0.41 mg/L	0.89 NTU	127.4 mV	18.58 ft	95.00 ml/min
2/11/2022 9:21 AM	40:00	5.13 pH	15.67 °C	66.75 µS/cm	0.40 mg/L	0.85 NTU	126.3 mV	18.62 ft	95.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/10/2022 12:10:12 PM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-11 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.7 ft Total Depth: 42.7 ft Initial Depth to Water: 19.11 ft	Pump Type: Peristaltic Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 37 ft Pump Intake From TOC: 37 ft Estimated Total Volume Pumped: 5300 ml Flow Cell Volume: 90 ml Final Flow Rate: 105 ml/min Final Draw Down: 1.39 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	--	--

Test Notes:

Weather Conditions:

Clear/ 61

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/10/2022 12:10 PM	00:00	5.67 pH	17.63 °C	59.96 µS/cm	4.41 mg/L	1.21 NTU	62.8 mV	19.83 ft	125.00 ml/min
2/10/2022 12:15 PM	05:00	5.21 pH	18.04 °C	63.62 µS/cm	2.47 mg/L	1.49 NTU	77.5 mV	19.99 ft	125.00 ml/min
2/10/2022 12:20 PM	10:00	5.20 pH	17.87 °C	63.64 µS/cm	1.84 mg/L	0.77 NTU	78.2 mV	20.10 ft	95.00 ml/min
2/10/2022 12:25 PM	15:00	5.16 pH	18.10 °C	63.67 µS/cm	2.22 mg/L	0.78 NTU	101.2 mV	20.02 ft	95.00 ml/min
2/10/2022 12:30 PM	20:00	5.05 pH	17.99 °C	63.57 µS/cm	1.50 mg/L	0.75 NTU	90.2 mV	20.20 ft	95.00 ml/min
2/10/2022 12:35 PM	25:00	5.14 pH	18.31 °C	64.00 µS/cm	0.94 mg/L	0.64 NTU	85.6 mV	20.28 ft	105.00 ml/min
2/10/2022 12:40 PM	30:00	5.11 pH	18.25 °C	63.49 µS/cm	0.95 mg/L	0.71 NTU	87.5 mV	20.35 ft	105.00 ml/min
2/10/2022 12:45 PM	35:00	5.10 pH	18.38 °C	64.65 µS/cm	1.91 mg/L	0.54 NTU	91.9 mV	20.40 ft	105.00 ml/min
2/10/2022 12:50 PM	40:00	5.12 pH	18.26 °C	64.13 µS/cm	0.54 mg/L	0.40 NTU	88.4 mV	20.42 ft	105.00 ml/min
2/10/2022 12:55 PM	45:00	5.11 pH	18.56 °C	64.07 µS/cm	0.59 mg/L	0.39 NTU	89.3 mV	20.42 ft	105.00 ml/min
2/10/2022 1:00 PM	50:00	5.11 pH	18.40 °C	64.54 µS/cm	0.43 mg/L	0.44 NTU	88.5 mV	20.50 ft	105.00 ml/min

Samples

Low-Flow Test Report:

Test Date / Time: 2/10/2022 2:30:19 PM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-12 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 40.2 ft Total Depth: 50.2 ft Initial Depth to Water: 15.25 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 42 ft Pump Intake From TOC: 42 ft Estimated Total Volume Pumped: 5000 ml Flow Cell Volume: 90 ml Final Flow Rate: 90 ml/min Final Draw Down: 1.4 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	--	--

Test Notes:

Weather Conditions:

Clear/ 65

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/10/2022 2:30 PM	00:00	6.64 pH	20.22 °C	276.91 µS/cm	8.03 mg/L	2.16 NTU	64.4 mV	15.58 ft	100.00 ml/min
2/10/2022 2:35 PM	05:00	6.51 pH	18.70 °C	314.10 µS/cm	2.62 mg/L	1.58 NTU	-71.8 mV	15.65 ft	90.00 ml/min
2/10/2022 2:40 PM	10:00	6.19 pH	19.15 °C	322.33 µS/cm	0.90 mg/L	2.57 NTU	-71.6 mV	15.95 ft	65.00 ml/min
2/10/2022 2:45 PM	15:00	6.16 pH	19.54 °C	319.08 µS/cm	0.76 mg/L	2.05 NTU	-67.2 mV	16.02 ft	60.00 ml/min
2/10/2022 2:50 PM	20:00	6.14 pH	19.28 °C	318.42 µS/cm	0.43 mg/L	1.98 NTU	-85.9 mV	16.29 ft	65.00 ml/min
2/10/2022 2:55 PM	25:00	6.16 pH	19.34 °C	316.51 µS/cm	0.33 mg/L	2.39 NTU	-119.3 mV	16.35 ft	80.00 ml/min
2/10/2022 3:00 PM	30:00	6.17 pH	19.37 °C	316.06 µS/cm	0.30 mg/L	1.66 NTU	-112.8 mV	16.50 ft	90.00 ml/min
2/10/2022 3:05 PM	35:00	6.18 pH	19.49 °C	313.11 µS/cm	0.32 mg/L	1.72 NTU	-139.5 mV	16.58 ft	90.00 ml/min
2/10/2022 3:10 PM	40:00	6.18 pH	19.64 °C	312.84 µS/cm	0.25 mg/L	1.52 NTU	-124.8 mV	16.55 ft	90.00 ml/min
2/10/2022 3:15 PM	45:00	6.19 pH	19.73 °C	311.98 µS/cm	0.23 mg/L	1.55 NTU	-153.1 mV	16.58 ft	90.00 ml/min
2/10/2022 3:20 PM	50:00	6.20 pH	19.60 °C	313.04 µS/cm	0.46 mg/L	1.81 NTU	-152.4 mV	16.65 ft	90.00 ml/min
2/10/2022 3:25 PM	55:00	6.20 pH	19.55 °C	312.80 µS/cm	0.82 mg/L	1.66 NTU	-150.3 mV	16.70 ft	90.00 ml/min
2/10/2022 3:30 PM	01:00:00	6.19 pH	19.47 °C	309.82 µS/cm	0.32 mg/L	1.47 NTU	-156.8 mV	16.65 ft	90.00 ml/min

Low-Flow Test Report:

Test Date / Time: 2/11/2022 10:25:00 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-13 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.5 ft Total Depth: 37.5 ft Initial Depth to Water: 4.25 ft	Pump Type: QED Dedicated Pump Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 29 ft Pump Intake From TOC: 29 ft Estimated Total Volume Pumped: 7450 ml Flow Cell Volume: 90 ml Final Flow Rate: 185 ml/min Final Draw Down: 1.3 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
---	--	--

Test Notes:

Weather Conditions:

Clear/ 51 Deg,

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/11/2022 10:25 AM	00:00	6.10 pH	17.28 °C	301.28 µS/cm	6.85 mg/L	4.15 NTU	124.9 mV	4.55 ft	100.00 ml/min
2/11/2022 10:30 AM	05:00	6.02 pH	17.01 °C	310.54 µS/cm	2.31 mg/L	9.17 NTU	92.9 mV	5.35 ft	225.00 ml/min
2/11/2022 10:35 AM	10:00	6.04 pH	16.74 °C	309.93 µS/cm	1.82 mg/L	7.82 NTU	88.7 mV	5.42 ft	225.00 ml/min
2/11/2022 10:40 AM	15:00	6.05 pH	16.93 °C	309.78 µS/cm	1.53 mg/L	5.05 NTU	66.0 mV	5.54 ft	200.00 ml/min
2/11/2022 10:45 AM	20:00	6.01 pH	17.00 °C	310.87 µS/cm	1.42 mg/L	3.97 NTU	68.6 mV	5.54 ft	185.00 ml/min
2/11/2022 10:50 AM	25:00	6.03 pH	17.01 °C	306.12 µS/cm	1.17 mg/L	2.29 NTU	55.5 mV	5.57 ft	185.00 ml/min
2/11/2022 10:55 AM	30:00	6.03 pH	17.00 °C	307.34 µS/cm	1.04 mg/L	1.73 NTU	58.2 mV	5.52 ft	185.00 ml/min
2/11/2022 11:00 AM	35:00	6.02 pH	17.02 °C	308.87 µS/cm	0.97 mg/L	1.66 NTU	51.3 mV	5.53 ft	185.00 ml/min
2/11/2022 11:05 AM	40:00	6.02 pH	17.10 °C	308.70 µS/cm	0.92 mg/L	1.84 NTU	40.4 mV	5.55 ft	185.00 ml/min

Samples

Sample ID:	Description:
SGWC-13	

Low-Flow Test Report:

Test Date / Time: 2/14/2022 10:33:52 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-14 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 28.5 ft Total Depth: 38.5 ft Initial Depth to Water: 10.43 ft	Pump Type: QED Dedicated Pump Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 30.24 ft Pump Intake From TOC: 30.24 ft Estimated Total Volume Pumped: 9725 ml Flow Cell Volume: 90 ml Final Flow Rate: 215 ml/min Final Draw Down: 0.06 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
--	---	--

Test Notes:

Weather Conditions:

Clear/38

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/14/2022 10:33 AM	00:00	7.49 pH	13.91 °C	575.21 µS/cm	6.87 mg/L	1.78 NTU	194.8 mV	10.49 ft	225.00 ml/min
2/14/2022 10:38 AM	05:00	5.86 pH	15.82 °C	529.52 µS/cm	1.55 mg/L	8.23 NTU	158.5 mV	10.49 ft	215.00 ml/min
2/14/2022 10:43 AM	10:00	5.82 pH	16.03 °C	529.76 µS/cm	0.92 mg/L	9.38 NTU	161.2 mV	10.49 ft	215.00 ml/min
2/14/2022 10:48 AM	15:00	5.81 pH	15.98 °C	532.37 µS/cm	0.68 mg/L	9.11 NTU	155.0 mV	10.48 ft	215.00 ml/min
2/14/2022 10:53 AM	20:00	5.79 pH	15.96 °C	494.65 µS/cm	0.56 mg/L	9.03 NTU	149.8 mV	10.49 ft	215.00 ml/min
2/14/2022 10:58 AM	25:00	5.80 pH	16.20 °C	529.65 µS/cm	0.13 mg/L	6.21 NTU	143.5 mV	10.49 ft	215.00 ml/min
2/14/2022 11:03 AM	30:00	5.79 pH	16.10 °C	529.36 µS/cm	0.13 mg/L	6.05 NTU	122.8 mV	10.49 ft	215.00 ml/min
2/14/2022 11:08 AM	35:00	5.79 pH	15.87 °C	533.05 µS/cm	0.15 mg/L	3.34 NTU	116.5 mV	10.49 ft	215.00 ml/min
2/14/2022 11:13 AM	40:00	5.78 pH	15.80 °C	537.52 µS/cm	0.15 mg/L	3.04 NTU	126.2 mV	10.49 ft	215.00 ml/min
2/14/2022 11:18 AM	45:00	5.77 pH	15.71 °C	535.61 µS/cm	0.15 mg/L	2.25 NTU	106.9 mV	10.49 ft	215.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/11/2022 10:26:46 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-15 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.2 ft Total Depth: 48.2 ft Initial Depth to Water: 27.49 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 39.65 ft Pump Intake From TOC: 39.65 ft Estimated Total Volume Pumped: 12000 ml Flow Cell Volume: 90 ml Final Flow Rate: 300 ml/min Final Draw Down: 0.11 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/11/2022 10:26 AM	00:00	6.99 pH	15.12 °C	473.29 µS/cm	9.41 mg/L	1.20 NTU	56.4 mV	27.49 ft	300.00 ml/min
2/11/2022 10:31 AM	05:00	4.60 pH	17.41 °C	503.96 µS/cm	1.65 mg/L	6.55 NTU	74.6 mV	27.60 ft	300.00 ml/min
2/11/2022 10:36 AM	10:00	4.59 pH	17.58 °C	501.25 µS/cm	0.66 mg/L	11.70 NTU	83.8 mV	27.60 ft	300.00 ml/min
2/11/2022 10:41 AM	15:00	4.58 pH	17.63 °C	500.48 µS/cm	0.53 mg/L	8.69 NTU	91.6 mV	27.60 ft	300.00 ml/min
2/11/2022 10:46 AM	20:00	4.58 pH	17.90 °C	499.09 µS/cm	0.50 mg/L	6.29 NTU	98.4 mV	27.60 ft	300.00 ml/min
2/11/2022 10:51 AM	25:00	4.57 pH	17.90 °C	500.48 µS/cm	0.49 mg/L	5.33 NTU	101.8 mV	27.60 ft	300.00 ml/min
2/11/2022 10:56 AM	30:00	4.58 pH	17.82 °C	501.03 µS/cm	0.49 mg/L	4.15 NTU	108.3 mV	27.60 ft	300.00 ml/min
2/11/2022 11:01 AM	35:00	4.59 pH	17.80 °C	501.42 µS/cm	0.49 mg/L	3.84 NTU	117.1 mV	27.60 ft	300.00 ml/min
2/11/2022 11:06 AM	40:00	4.59 pH	17.94 °C	500.28 µS/cm	0.48 mg/L	3.50 NTU	130.7 mV	27.60 ft	300.00 ml/min

Samples

Sample ID:	Description:
SGWC-15	Extra radium

Low-Flow Test Report:

Test Date / Time: 2/10/2022 2:48:29 PM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-16 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 33.3 ft Total Depth: 43.3 ft Initial Depth to Water: 22.69 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 34.62 ft Pump Intake From TOC: 34.62 ft Estimated Total Volume Pumped: 13800 ml Flow Cell Volume: 90 ml Final Flow Rate: 140 ml/min Final Draw Down: 0.11 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/10/2022 2:48 PM	00:00	7.65 pH	26.29 °C	126.15 µS/cm	7.17 mg/L		59.5 mV	22.69 ft	220.00 ml/min
2/10/2022 2:53 PM	05:00	5.24 pH	19.44 °C	156.59 µS/cm	3.38 mg/L	17.90 NTU	55.4 mV	22.80 ft	220.00 ml/min
2/10/2022 2:58 PM	10:00	5.19 pH	19.77 °C	159.38 µS/cm	2.90 mg/L	26.10 NTU	55.2 mV	22.80 ft	220.00 ml/min
2/10/2022 3:03 PM	15:00	5.18 pH	19.98 °C	159.35 µS/cm	2.58 mg/L	17.80 NTU	56.0 mV	22.80 ft	140.00 ml/min
2/10/2022 3:08 PM	20:00	5.19 pH	19.81 °C	160.28 µS/cm	2.57 mg/L	16.70 NTU	56.9 mV	22.80 ft	140.00 ml/min
2/10/2022 3:13 PM	25:00	5.21 pH	19.55 °C	161.82 µS/cm	3.16 mg/L	15.40 NTU	59.5 mV	22.80 ft	140.00 ml/min
2/10/2022 3:18 PM	30:00	5.20 pH	19.53 °C	161.71 µS/cm	3.18 mg/L	12.50 NTU	61.8 mV	22.80 ft	140.00 ml/min
2/10/2022 3:23 PM	35:00	5.18 pH	19.41 °C	161.07 µS/cm	3.03 mg/L	10.10 NTU	64.8 mV	22.80 ft	140.00 ml/min
2/10/2022 3:28 PM	40:00	5.19 pH	19.62 °C	163.02 µS/cm	3.10 mg/L	8.99 NTU	65.1 mV	22.80 ft	140.00 ml/min
2/10/2022 3:33 PM	45:00	5.22 pH	19.50 °C	161.78 µS/cm	3.15 mg/L	7.53 NTU	66.7 mV	22.80 ft	140.00 ml/min
2/10/2022 3:38 PM	50:00	5.20 pH	19.43 °C	162.22 µS/cm	3.21 mg/L	5.56 NTU	71.2 mV	22.80 ft	140.00 ml/min
2/10/2022 3:43 PM	55:00	5.21 pH	19.46 °C	161.90 µS/cm	3.44 mg/L	6.71 NTU	71.3 mV	22.80 ft	140.00 ml/min
2/10/2022 3:48 PM	01:00:00	5.16 pH	19.50 °C	161.16 µS/cm	3.15 mg/L	5.71 NTU	75.2 mV	22.80 ft	140.00 ml/min
2/10/2022 3:53 PM	01:05:00	5.19 pH	19.41 °C	160.72 µS/cm	3.19 mg/L	5.63 NTU	78.5 mV	22.80 ft	140.00 ml/min
2/10/2022 3:58 PM	01:10:00	5.21 pH	19.28 °C	161.27 µS/cm	3.12 mg/L	4.72 NTU	76.5 mV	22.80 ft	140.00 ml/min

2/10/2022 4:03 PM	01:15:00	5.25 pH	19.20 °C	161.79 µS/cm	3.23 mg/L	4.61 NTU	78.3 mV	22.80 ft	140.00 ml/min
2/10/2022 4:08 PM	01:20:00	5.16 pH	19.15 °C	161.67 µS/cm	3.12 mg/L	3.45 NTU	82.0 mV	22.80 ft	140.00 ml/min
2/10/2022 4:13 PM	01:25:00	5.20 pH	19.26 °C	161.92 µS/cm	3.19 mg/L	3.47 NTU	81.8 mV	22.80 ft	140.00 ml/min
2/10/2022 4:18 PM	01:30:00	5.21 pH	19.17 °C	162.10 µS/cm	3.25 mg/L	3.80 NTU	82.8 mV	22.80 ft	140.00 ml/min

Samples

Sample ID:	Description:
SGWC-16	

Low-Flow Test Report:

Test Date / Time: 2/11/2022 9:32:12 AM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWC-17 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 14.6 ft Total Depth: 24.6 ft Initial Depth to Water: 1.92 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 19.24 ft Pump Intake From TOC: 19.24 ft Estimated Total Volume Pumped: 12250 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 0.43 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	---	--

Test Notes:

Began purging at 832 with variable flow rates. Purged 10.75L and achieved stabilization, iPad died. Replaced iPad and collected 3 extra readings. See physical purge form for additional info

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/11/2022 9:32 AM	00:00	6.39 pH	13.64 °C	614.28 µS/cm	0.55 mg/L	4.15 NTU	14.8 mV	2.35 ft	150.00 ml/min
2/11/2022 9:37 AM	05:00	6.39 pH	13.58 °C	608.47 µS/cm	0.41 mg/L	2.77 NTU	12.4 mV	2.35 ft	150.00 ml/min
2/11/2022 9:42 AM	10:00	6.39 pH	13.68 °C	607.75 µS/cm	0.39 mg/L	2.84 NTU	12.2 mV	2.35 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWC-17	

Low-Flow Test Report:

Test Date / Time: 2/10/2022 12:15:41 PM

Project: Plant Scherer

Operator Name: Joe Booth

Location Name: SGWC-18 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.6 ft Total Depth: 47.6 ft Initial Depth to Water: 40.52 ft	Pump Type: SamplePro Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 46 ft Pump Intake From TOC: 46 ft Estimated Total Volume Pumped: 32400 ml Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 0.16 ft	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 1000 %	+/- 5 %	+/- 10 %	+/- 10	+/- 1000 %	+/- 0.3	
2/10/2022 12:15 PM	00:00	5.76 pH	26.18 °C	1,757.2 µS/cm	3.77 mg/L	822.00 NTU	79.0 mV	40.52 ft	180.00 ml/min
2/10/2022 12:19 PM	04:00	5.08 pH	21.36 °C	1,854.3 µS/cm	2.56 mg/L	500.00 NTU	90.2 mV	40.68 ft	180.00 ml/min
2/10/2022 12:23 PM	08:00	5.01 pH	20.93 °C	1,863.4 µS/cm	2.45 mg/L	500.00 NTU	94.5 mV	40.68 ft	180.00 ml/min
2/10/2022 12:27 PM	12:00	4.98 pH	20.93 °C	1,845.7 µS/cm	2.32 mg/L	300.00 NTU	96.0 mV	40.68 ft	180.00 ml/min
2/10/2022 12:31 PM	16:00	4.95 pH	20.90 °C	1,827.2 µS/cm	2.27 mg/L	300.00 NTU	96.7 mV	40.68 ft	180.00 ml/min
2/10/2022 12:35 PM	20:00	4.92 pH	20.91 °C	1,823.9 µS/cm	2.25 mg/L	125.00 NTU	97.1 mV	40.68 ft	180.00 ml/min
2/10/2022 12:39 PM	24:00	4.91 pH	20.96 °C	1,822.4 µS/cm	2.25 mg/L	130.00 NTU	97.5 mV	40.68 ft	180.00 ml/min
2/10/2022 12:43 PM	28:00	4.90 pH	20.95 °C	1,822.6 µS/cm	2.23 mg/L	31.30 NTU	97.9 mV	40.68 ft	180.00 ml/min
2/10/2022 12:47 PM	32:00	4.89 pH	20.87 °C	1,824.2 µS/cm	2.23 mg/L	31.30 NTU	98.5 mV	40.68 ft	180.00 ml/min
2/10/2022 12:51 PM	36:00	4.89 pH	20.94 °C	1,821.9 µS/cm	2.23 mg/L	28.30 NTU	99.0 mV	40.68 ft	180.00 ml/min
2/10/2022 12:55 PM	40:00	4.88 pH	20.93 °C	1,829.5 µS/cm	2.24 mg/L	25.60 NTU	99.6 mV	40.68 ft	180.00 ml/min
2/10/2022 12:59 PM	44:00	4.88 pH	20.95 °C	1,824.5 µS/cm	2.22 mg/L	26.40 NTU	100.5 mV	40.68 ft	180.00 ml/min
2/10/2022 1:03 PM	48:00	4.88 pH	21.00 °C	1,821.1 µS/cm	2.22 mg/L	25.50 NTU	101.1 mV	40.68 ft	180.00 ml/min
2/10/2022 1:07 PM	52:00	4.88 pH	21.04 °C	1,821.7 µS/cm	2.22 mg/L	20.90 NTU	101.7 mV	40.68 ft	180.00 ml/min

2/10/2022 1:11 PM	56:00	4.87 pH	21.07 °C	1,822.9 µS/cm	2.21 mg/L	19.80 NTU	102.3 mV	40.68 ft	180.00 ml/min
2/10/2022 1:15 PM	01:00:00	4.87 pH	20.82 °C	1,834.2 µS/cm	2.22 mg/L	18.90 NTU	103.1 mV	40.68 ft	180.00 ml/min
2/10/2022 1:19 PM	01:04:00	4.87 pH	20.96 °C	1,823.1 µS/cm	2.21 mg/L	17.90 NTU	103.8 mV	40.68 ft	180.00 ml/min
2/10/2022 1:23 PM	01:08:00	4.87 pH	21.04 °C	1,823.5 µS/cm	2.20 mg/L	15.00 NTU	104.5 mV	40.68 ft	180.00 ml/min
2/10/2022 1:27 PM	01:12:00	4.87 pH	21.09 °C	1,817.7 µS/cm	2.21 mg/L	14.30 NTU	105.2 mV	40.68 ft	180.00 ml/min
2/10/2022 1:31 PM	01:16:00	4.87 pH	21.07 °C	1,821.1 µS/cm	2.20 mg/L	14.30 NTU	105.9 mV	40.68 ft	180.00 ml/min
2/10/2022 1:35 PM	01:20:00	4.87 pH	21.04 °C	1,813.0 µS/cm	2.20 mg/L	14.10 NTU	106.7 mV	40.68 ft	180.00 ml/min
2/10/2022 1:39 PM	01:24:00	4.87 pH	21.00 °C	1,837.4 µS/cm	2.20 mg/L	12.80 NTU	107.5 mV	40.68 ft	180.00 ml/min
2/10/2022 1:43 PM	01:28:00	4.87 pH	21.03 °C	1,824.8 µS/cm	2.19 mg/L	9.02 NTU	108.2 mV	40.68 ft	180.00 ml/min
2/10/2022 1:47 PM	01:32:00	4.87 pH	21.09 °C	1,823.1 µS/cm	2.19 mg/L	7.77 NTU	108.9 mV	40.68 ft	180.00 ml/min
2/10/2022 1:51 PM	01:36:00	4.86 pH	21.18 °C	1,827.5 µS/cm	2.19 mg/L	8.51 NTU	109.6 mV	40.68 ft	180.00 ml/min
2/10/2022 1:55 PM	01:40:00	4.86 pH	21.18 °C	1,827.4 µS/cm	2.19 mg/L	7.97 NTU	110.4 mV	40.68 ft	180.00 ml/min
2/10/2022 1:59 PM	01:44:00	4.86 pH	21.13 °C	1,851.3 µS/cm	2.19 mg/L	7.43 NTU	111.1 mV	40.68 ft	180.00 ml/min
2/10/2022 2:03 PM	01:48:00	4.87 pH	21.11 °C	1,827.7 µS/cm	2.19 mg/L	7.21 NTU	111.9 mV	40.68 ft	180.00 ml/min
2/10/2022 2:07 PM	01:52:00	4.86 pH	21.10 °C	1,823.0 µS/cm	2.19 mg/L	6.39 NTU	112.6 mV	40.68 ft	180.00 ml/min
2/10/2022 2:11 PM	01:56:00	4.86 pH	21.13 °C	1,818.5 µS/cm	2.19 mg/L	6.84 NTU	113.3 mV	40.68 ft	180.00 ml/min
2/10/2022 2:15 PM	02:00:00	4.86 pH	21.07 °C	1,819.3 µS/cm	2.20 mg/L	6.68 NTU	114.1 mV	40.68 ft	180.00 ml/min
2/10/2022 2:19 PM	02:04:00	4.86 pH	20.98 °C	1,822.2 µS/cm	2.20 mg/L	5.67 NTU	114.8 mV	40.68 ft	180.00 ml/min
2/10/2022 2:23 PM	02:08:00	4.86 pH	21.09 °C	1,820.3 µS/cm	2.20 mg/L	5.77 NTU	115.5 mV	40.68 ft	180.00 ml/min
2/10/2022 2:27 PM	02:12:00	4.86 pH	21.18 °C	1,817.4 µS/cm	2.19 mg/L	5.65 NTU	116.2 mV	40.68 ft	180.00 ml/min
2/10/2022 2:31 PM	02:16:00	4.86 pH	21.17 °C	1,813.1 µS/cm	2.18 mg/L	5.44 NTU	117.0 mV	40.68 ft	180.00 ml/min
2/10/2022 2:35 PM	02:20:00	4.86 pH	21.13 °C	1,819.4 µS/cm	2.18 mg/L	5.37 NTU	117.7 mV	40.68 ft	180.00 ml/min
2/10/2022 2:39 PM	02:24:00	4.86 pH	21.09 °C	1,828.1 µS/cm	2.19 mg/L	5.26 NTU	118.4 mV	40.68 ft	180.00 ml/min
2/10/2022 2:43 PM	02:28:00	4.86 pH	21.11 °C	1,817.2 µS/cm	2.18 mg/L	5.12 NTU	119.1 mV	40.68 ft	180.00 ml/min
2/10/2022 2:47 PM	02:32:00	4.86 pH	21.13 °C	1,817.6 µS/cm	2.19 mg/L	5.43 NTU	119.8 mV	40.68 ft	180.00 ml/min
2/10/2022 2:51 PM	02:36:00	4.86 pH	21.10 °C	1,835.2 µS/cm	2.18 mg/L	4.65 NTU	120.5 mV	40.68 ft	180.00 ml/min
2/10/2022 2:55 PM	02:40:00	4.86 pH	21.09 °C	1,826.3 µS/cm	2.18 mg/L	4.22 NTU	121.2 mV	40.68 ft	180.00 ml/min
2/10/2022 2:59 PM	02:44:00	4.86 pH	21.11 °C	1,829.6 µS/cm	2.18 mg/L	4.88 NTU	121.9 mV	40.68 ft	180.00 ml/min
2/10/2022 3:03 PM	02:48:00	4.86 pH	21.09 °C	1,820.1 µS/cm	2.17 mg/L	4.88 NTU	122.6 mV	40.68 ft	180.00 ml/min

2/10/2022 3:07 PM	02:52:00	4.86 pH	21.04 °C	1,828.1 µS/cm	2.18 mg/L	4.03 NTU	123.3 mV	40.68 ft	180.00 ml/min
2/10/2022 3:11 PM	02:56:00	4.86 pH	21.17 °C	1,817.1 µS/cm	2.18 mg/L	3.58 NTU	123.9 mV	40.68 ft	180.00 ml/min
2/10/2022 3:15 PM	03:00:00	4.86 pH	21.09 °C	1,816.5 µS/cm	2.18 mg/L	3.85 NTU	124.6 mV	40.68 ft	180.00 ml/min

Samples

Sample ID:	Description:
SGWC-18	Metals, TDS, Inorganics, sulfide, Radium
DUP-3	Metals, TDS, Inorganics, sulfide, Radium

Low-Flow Test Report:

Test Date / Time: 2/11/2022 10:46:33 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-19 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.4 ft Total Depth: 37.4 ft Initial Depth to Water: 14.82 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 29 ft Pump Intake From TOC: 29 ft Estimated Total Volume Pumped: 4000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.35 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/11/2022 10:46 AM	00:00	5.77 pH	19.10 °C	588.49 µS/cm	3.84 mg/L	2.39 NTU	146.4 mV	14.82 ft	200.00 ml/min
2/11/2022 10:51 AM	05:00	5.71 pH	19.17 °C	592.82 µS/cm	3.09 mg/L	1.84 NTU	140.1 mV	16.25 ft	200.00 ml/min
2/11/2022 10:56 AM	10:00	5.64 pH	18.92 °C	600.64 µS/cm	2.78 mg/L	1.27 NTU	140.3 mV	16.04 ft	200.00 ml/min
2/11/2022 11:01 AM	15:00	5.65 pH	19.15 °C	600.59 µS/cm	2.89 mg/L	1.28 NTU	134.6 mV	16.15 ft	200.00 ml/min
2/11/2022 11:06 AM	20:00	5.65 pH	19.19 °C	600.80 µS/cm	2.87 mg/L	0.89 NTU	132.7 mV	16.17 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/11/2022 9:50:24 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-20 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.9 ft Total Depth: 27.9 ft Initial Depth to Water: 12.5 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 19.5 ft Pump Intake From TOC: 19.5 ft Estimated Total Volume Pumped: 6000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 2.25 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/11/2022 9:50 AM	00:00	4.18 pH	19.50 °C	600.60 µS/cm	2.05 mg/L	0.41 NTU	92.1 mV	12.50 ft	200.00 ml/min
2/11/2022 9:55 AM	05:00	4.20 pH	20.26 °C	583.15 µS/cm	1.29 mg/L	0.33 NTU	110.7 mV	14.75 ft	200.00 ml/min
2/11/2022 10:00 AM	10:00	4.21 pH	19.88 °C	587.10 µS/cm	1.32 mg/L	0.26 NTU	122.0 mV	14.72 ft	200.00 ml/min
2/11/2022 10:05 AM	15:00	4.23 pH	19.73 °C	581.34 µS/cm	1.07 mg/L	0.30 NTU	129.9 mV	14.73 ft	200.00 ml/min
2/11/2022 10:10 AM	20:00	4.25 pH	19.85 °C	570.01 µS/cm	0.85 mg/L	0.28 NTU	136.1 mV	14.75 ft	200.00 ml/min
2/11/2022 10:15 AM	25:00	4.27 pH	19.80 °C	564.66 µS/cm	0.78 mg/L	0.27 NTU	141.7 mV	14.75 ft	200.00 ml/min
2/11/2022 10:20 AM	30:00	4.27 pH	19.79 °C	561.13 µS/cm	0.80 mg/L	0.28 NTU	147.2 mV	14.75 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/11/2022 8:37:03 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-21 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.79 ft Total Depth: 27.79 ft Initial Depth to Water: 0 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 18 ft Pump Intake From TOC: 18 ft Estimated Total Volume Pumped: 14262 ml Flow Cell Volume: 90 ml Final Flow Rate: 300 ml/min Final Draw Down: 1.2 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/11/2022 8:37 AM	00:00	6.36 pH	16.29 °C	504.98 µS/cm	2.13 mg/L	31.50 NTU	74.6 mV	0.00 ft	200.00 ml/min
2/11/2022 8:42 AM	05:00	6.32 pH	16.21 °C	513.06 µS/cm	2.26 mg/L	21.40 NTU	67.2 mV	0.50 ft	200.00 ml/min
2/11/2022 8:47 AM	10:00	6.30 pH	17.58 °C	511.41 µS/cm	1.73 mg/L	8.81 NTU	63.7 mV	0.65 ft	250.00 ml/min
2/11/2022 8:50 AM	13:15	6.31 pH	17.72 °C	511.00 µS/cm	1.49 mg/L	8.81 NTU	62.4 mV	0.65 ft	250.00 ml/min
2/11/2022 8:51 AM	14:03	6.31 pH	17.76 °C	511.54 µS/cm	1.64 mg/L	8.81 NTU	62.4 mV	0.65 ft	250.00 ml/min
2/11/2022 8:56 AM	19:03	6.31 pH	17.95 °C	480.71 µS/cm	1.52 mg/L	6.10 NTU	60.7 mV	0.75 ft	250.00 ml/min
2/11/2022 9:01 AM	24:03	6.31 pH	17.84 °C	509.61 µS/cm	1.38 mg/L	8.75 NTU	59.8 mV	0.80 ft	250.00 ml/min
2/11/2022 9:06 AM	29:03	6.31 pH	18.61 °C	513.73 µS/cm	0.85 mg/L	18.10 NTU	58.2 mV	1.10 ft	300.00 ml/min
2/11/2022 9:11 AM	34:03	6.30 pH	18.88 °C	508.80 µS/cm	0.80 mg/L	16.20 NTU	57.9 mV	1.15 ft	300.00 ml/min
2/11/2022 9:16 AM	39:03	6.30 pH	18.93 °C	509.24 µS/cm	0.40 mg/L	13.00 NTU	58.2 mV	1.17 ft	300.00 ml/min
2/11/2022 9:21 AM	44:03	6.31 pH	18.96 °C	508.39 µS/cm	0.80 mg/L	8.73 NTU	58.5 mV	1.17 ft	300.00 ml/min
2/11/2022 9:26 AM	49:03	6.31 pH	18.90 °C	508.42 µS/cm	0.74 mg/L	5.29 NTU	59.3 mV	1.19 ft	300.00 ml/min
2/11/2022 9:31 AM	54:03	6.31 pH	18.92 °C	506.60 µS/cm	0.62 mg/L	4.41 NTU	60.8 mV	1.20 ft	300.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 2/10/2022 10:11:19 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-22 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 26.09 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 44.2 ft Pump Intake From TOC: 44.2 ft Estimated Total Volume Pumped: 7000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.15 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/10/2022 10:11 AM	00:00	6.22 pH	16.06 °C	351.81 µS/cm	4.56 mg/L	12.00 NTU	66.5 mV	26.09 ft	200.00 ml/min
2/10/2022 10:16 AM	05:00	5.95 pH	15.42 °C	364.30 µS/cm	3.16 mg/L	2.31 NTU	64.9 mV	26.19 ft	200.00 ml/min
2/10/2022 10:21 AM	10:00	5.83 pH	15.48 °C	366.33 µS/cm	2.31 mg/L	1.99 NTU	67.9 mV	26.19 ft	200.00 ml/min
2/10/2022 10:26 AM	15:00	5.78 pH	15.57 °C	368.10 µS/cm	1.66 mg/L	1.19 NTU	69.9 mV	26.21 ft	200.00 ml/min
2/10/2022 10:31 AM	20:00	5.77 pH	15.84 °C	368.45 µS/cm	1.54 mg/L	1.03 NTU	71.2 mV	26.22 ft	200.00 ml/min
2/10/2022 10:36 AM	25:00	5.77 pH	16.10 °C	367.45 µS/cm	1.39 mg/L	0.97 NTU	72.6 mV	26.23 ft	200.00 ml/min
2/10/2022 10:41 AM	30:00	5.77 pH	16.34 °C	366.29 µS/cm	1.36 mg/L	0.79 NTU	73.4 mV	26.23 ft	200.00 ml/min
2/10/2022 10:46 AM	35:00	5.78 pH	16.58 °C	366.28 µS/cm	1.31 mg/L	0.55 NTU	73.6 mV	26.24 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/10/2022 9:20:23 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-23 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 30 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 44.25 ft Pump Intake From TOC: 44.25 ft Estimated Total Volume Pumped: 4000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 5	
2/10/2022 9:20 AM	00:00	6.48 pH	15.43 °C	300.29 µS/cm	4.89 mg/L	10.10 NTU	97.8 mV	30.00 ft	200.00 ml/min
2/10/2022 9:25 AM	05:00	6.17 pH	16.33 °C	308.38 µS/cm	2.84 mg/L	6.71 NTU	87.3 mV	30.08 ft	200.00 ml/min
2/10/2022 9:30 AM	10:00	6.12 pH	16.64 °C	306.33 µS/cm	2.65 mg/L	3.89 NTU	82.9 mV	30.09 ft	200.00 ml/min
2/10/2022 9:35 AM	15:00	6.12 pH	16.78 °C	309.14 µS/cm	2.57 mg/L	2.05 NTU	79.0 mV	31.00 ft	200.00 ml/min
2/10/2022 9:40 AM	20:00	6.13 pH	16.98 °C	307.71 µS/cm	2.58 mg/L	1.91 NTU	79.0 mV	31.00 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/10/2022 1:17:18 PM

Project: Plant Scherer

Operator Name: K. Minkara

Location Name: SGWA-24 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.9 ft Total Depth: 42.9 ft Initial Depth to Water: 12.87 ft	Pump Type: QED well wizard Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 34.8 ft Pump Intake From TOC: 34.8 ft Estimated Total Volume Pumped: 5000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.53 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 2	+/- 10	+/- 0.3	
2/10/2022 1:17 PM	00:00	7.54 pH	25.95 °C	136.56 µS/cm	7.80 mg/L		24.4 mV	12.87 ft	200.00 ml/min
2/10/2022 1:22 PM	05:00	6.39 pH	19.58 °C	156.60 µS/cm	1.92 mg/L	5.89 NTU	31.8 mV	13.40 ft	200.00 ml/min
2/10/2022 1:27 PM	10:00	6.39 pH	19.55 °C	157.21 µS/cm	1.66 mg/L	3.30 NTU	32.2 mV	13.40 ft	200.00 ml/min
2/10/2022 1:32 PM	15:00	6.38 pH	19.41 °C	158.33 µS/cm	1.29 mg/L	2.68 NTU	32.8 mV	13.40 ft	200.00 ml/min
2/10/2022 1:37 PM	20:00	6.38 pH	19.33 °C	158.35 µS/cm	1.22 mg/L	2.48 NTU	33.5 mV	13.40 ft	200.00 ml/min
2/10/2022 1:42 PM	25:00	6.38 pH	19.37 °C	158.75 µS/cm	1.22 mg/L	2.50 NTU	33.8 mV	13.40 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWA-24	

Low-Flow Test Report:

Test Date / Time: 2/9/2022 2:33:06 PM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWA-25 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38 ft Total Depth: 48 ft Initial Depth to Water: 25.16 ft	Pump Type: QED Dedicated Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 39.75 ft Pump Intake From TOC: 39.75 ft Estimated Total Volume Pumped: 6000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.29 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10	+/- 5	+/- 10	+/- 5	
2/9/2022 2:33 PM	00:00	6.30 pH	18.74 °C	112.35 µS/cm	2.90 mg/L	2.93 NTU	72.4 mV	25.16 ft	200.00 ml/min
2/9/2022 2:38 PM	05:00	6.25 pH	18.74 °C	113.06 µS/cm	1.92 mg/L	3.54 NTU	71.4 mV	25.39 ft	200.00 ml/min
2/9/2022 2:43 PM	10:00	6.14 pH	18.79 °C	112.15 µS/cm	1.77 mg/L	3.94 NTU	74.2 mV	25.39 ft	200.00 ml/min
2/9/2022 2:48 PM	15:00	6.21 pH	18.83 °C	106.17 µS/cm	1.52 mg/L	2.96 NTU	72.0 mV	25.41 ft	200.00 ml/min
2/9/2022 2:53 PM	20:00	6.21 pH	18.68 °C	112.69 µS/cm	1.42 mg/L	2.94 NTU	71.7 mV	25.42 ft	200.00 ml/min
2/9/2022 2:58 PM	25:00	6.22 pH	18.61 °C	111.63 µS/cm	1.28 mg/L	2.66 NTU	71.5 mV	25.44 ft	200.00 ml/min
2/9/2022 3:03 PM	30:00	6.17 pH	18.65 °C	112.05 µS/cm	1.28 mg/L	2.49 NTU	73.9 mV	25.45 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/8/2022 3:40:13 PM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: PZ-25S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 48.05 ft Total Depth: 58.05 ft Initial Depth to Water: 38.27 ft	Pump Type: QED Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 53 ft Pump Intake From TOC: 53 ft Estimated Total Volume Pumped: 10000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.7 ft	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth To Water	Flow
		+/- 0.1	+/- 10	+/- 5 %	+/- 10	+/- 5	+/- 10	+/- 5	
2/8/2022 3:40 PM	00:00	4.75 pH	17.43 °C	37.61 µS/cm	1.95 mg/L	20.50 NTU	62.5 mV	38.27 ft	200.00 ml/min
2/8/2022 3:45 PM	05:00	4.77 pH	17.41 °C	37.29 µS/cm	1.80 mg/L	20.10 NTU	59.3 mV	39.95 ft	200.00 ml/min
2/8/2022 3:50 PM	10:00	4.85 pH	17.36 °C	39.17 µS/cm	1.66 mg/L	22.60 NTU	59.3 mV	39.96 ft	200.00 ml/min
2/8/2022 3:55 PM	15:00	4.90 pH	17.18 °C	39.84 µS/cm	1.56 mg/L	17.50 NTU	60.4 mV	39.95 ft	200.00 ml/min
2/8/2022 4:00 PM	20:00	4.97 pH	17.14 °C	41.47 µS/cm	1.52 mg/L	14.30 NTU	63.0 mV	39.97 ft	200.00 ml/min
2/8/2022 4:05 PM	25:00	4.96 pH	17.38 °C	40.54 µS/cm	1.51 mg/L	10.30 NTU	65.1 mV	39.97 ft	200.00 ml/min
2/8/2022 4:10 PM	30:00	4.95 pH	17.45 °C	40.01 µS/cm	1.52 mg/L	8.74 NTU	67.8 mV	39.97 ft	200.00 ml/min
2/8/2022 4:15 PM	35:00	4.93 pH	17.48 °C	39.24 µS/cm	1.53 mg/L	7.73 NTU	71.6 mV	39.97 ft	200.00 ml/min
2/8/2022 4:20 PM	40:00	4.90 pH	17.45 °C	38.40 µS/cm	1.55 mg/L	6.98 NTU	74.9 mV	39.97 ft	200.00 ml/min
2/8/2022 4:25 PM	45:00	4.88 pH	17.71 °C	37.46 µS/cm	1.55 mg/L	5.24 NTU	77.5 mV	39.97 ft	200.00 ml/min
2/8/2022 4:30 PM	50:00	4.86 pH	17.54 °C	37.13 µS/cm	1.57 mg/L	4.32 NTU	80.8 mV	39.97 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 2/8/2022 3:50:17 PM

Project: Plant Scherer

Operator Name: Jude Waguespack

Location Name: PZ-25I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 120.9 ft Total Depth: 130.9 ft Initial Depth to Water: 38.09 ft	Pump Type: Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.170 in Tubing Length: 125 ft Pump Intake From TOC: 125 ft Estimated Total Volume Pumped: 3000 ml Flow Cell Volume: 90 ml Final Flow Rate: 100 ml/min Final Draw Down: 0.47 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850751
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 2	+/- 10	+/- 0.3	
2/8/2022 3:50 PM	00:00	9.98 pH	17.26 °C	128.23 µS/cm	5.82 mg/L	41.00 NTU	93.7 mV	38.09 ft	100.00 ml/min
2/8/2022 3:55 PM	05:00	7.26 pH	17.14 °C	232.36 µS/cm	1.22 mg/L	17.50 NTU	-48.7 mV	38.49 ft	100.00 ml/min
2/8/2022 4:00 PM	10:00	6.82 pH	17.16 °C	254.09 µS/cm	0.65 mg/L	10.30 NTU	-53.2 mV	38.49 ft	100.00 ml/min
2/8/2022 4:05 PM	15:00	6.73 pH	17.14 °C	251.53 µS/cm	0.51 mg/L	6.84 NTU	-31.1 mV	38.53 ft	100.00 ml/min
2/8/2022 4:10 PM	20:00	6.67 pH	17.28 °C	243.92 µS/cm	0.44 mg/L	4.37 NTU	-23.9 mV	38.53 ft	100.00 ml/min
2/8/2022 4:15 PM	25:00	6.66 pH	17.28 °C	237.29 µS/cm	0.41 mg/L	4.64 NTU	-24.3 mV	38.53 ft	100.00 ml/min
2/8/2022 4:20 PM	30:00	6.64 pH	17.19 °C	233.29 µS/cm	0.38 mg/L	3.16 NTU	-22.1 mV	38.56 ft	100.00 ml/min

Samples

Sample ID:	Description:
PZ-25I	

APPENDIX B

**Field Data Forms
August 2022**

Low-Flow Test Report:

Test Date / Time: 8/17/2022 1:46:38 PM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: SGWA-1 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 43.4 ft Total Depth: 53.4 ft Initial Depth to Water: 39.96 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 44.6 ft Pump Intake From TOC: 44.6 ft Estimated Total Volume Pumped: 10.75 L Flow Cell Volume: 90 ml Final Flow Rate: 110 ml/min Final Draw Down: 3.72 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	---	--

Test Notes:

Weather Conditions:

Light rain, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Specific Conductivity	RDO Concentration	Turbidity	Depth to Water	Flow
		+/- 0.1	+/- 5 %	+/- 0.2	+/- 5	+/- 0.3	
8/17/2022 1:46 PM	00:00	5.06 pH	35.76 µS/cm	5.54 mg/L	270.00 NTU	39.96 ft	250.00 ml/min
8/17/2022 1:51 PM	05:00	5.04 pH	36.22 µS/cm	1.41 mg/L	231.00 NTU	40.25 ft	250.00 ml/min
8/17/2022 1:56 PM	10:00	5.06 pH	35.85 µS/cm	1.37 mg/L	163.00 NTU	40.21 ft	110.00 ml/min
8/17/2022 2:01 PM	15:00	5.06 pH	35.69 µS/cm	1.37 mg/L	110.00 NTU	40.24 ft	110.00 ml/min
8/17/2022 2:06 PM	20:00	5.12 pH	35.58 µS/cm	1.33 mg/L	70.10 NTU	40.22 ft	110.00 ml/min
8/17/2022 2:11 PM	25:00	5.13 pH	35.28 µS/cm	1.32 mg/L	58.50 NTU	40.27 ft	110.00 ml/min
8/17/2022 2:16 PM	30:00	5.13 pH	35.38 µS/cm	1.32 mg/L	51.30 NTU	40.24 ft	110.00 ml/min
8/17/2022 2:21 PM	35:00	5.16 pH	35.31 µS/cm	1.32 mg/L	35.40 NTU	40.27 ft	110.00 ml/min
8/17/2022 2:26 PM	40:00	5.16 pH	35.27 µS/cm	1.32 mg/L	23.70 NTU	40.23 ft	110.00 ml/min
8/17/2022 2:31 PM	45:00	5.17 pH	35.27 µS/cm	1.32 mg/L	18.90 NTU	40.25 ft	110.00 ml/min
8/17/2022 2:36 PM	50:00	5.18 pH	35.19 µS/cm	1.31 mg/L	15.40 NTU	40.24 ft	110.00 ml/min
8/17/2022 2:41 PM	55:00	5.16 pH	35.25 µS/cm	1.32 mg/L	12.60 NTU	40.26 ft	110.00 ml/min
8/17/2022 2:46 PM	01:00:00	5.18 pH	35.10 µS/cm	1.29 mg/L	11.00 NTU	40.23 ft	110.00 ml/min

8/17/2022 2:51 PM	01:05:00	5.18 pH	35.07 μ S/cm	1.30 mg/L	9.74 NTU	40.28 ft	110.00 ml/min
8/17/2022 2:56 PM	01:10:00	5.16 pH	35.13 μ S/cm	1.30 mg/L	7.37 NTU	40.21 ft	110.00 ml/min
8/17/2022 3:01 PM	01:15:00	5.19 pH	34.98 μ S/cm	1.29 mg/L	6.79 NTU	40.25 ft	110.00 ml/min
8/17/2022 3:06 PM	01:20:00	5.18 pH	34.90 μ S/cm	1.28 mg/L	5.54 NTU	40.24 ft	110.00 ml/min
8/17/2022 3:11 PM	01:25:00	5.16 pH	34.83 μ S/cm	1.28 mg/L	4.05 NTU	40.27 ft	110.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/17/2022 2:15:11 PM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWA-2 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 88.5 ft Total Depth: 98.5 ft Initial Depth to Water: 40.1 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 91.05 ft Pump Intake From TOC: 91.05 ft Estimated Total Volume Pumped: 5.4 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 17.76 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	--	--

Test Notes:

Weather Conditions:

Light rain

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 3	
8/17/2022 2:15 PM	00:00	6.78 pH	20.19 °C	124.03 µS/cm	3.93 mg/L	4.48 NTU	157.7 mV	41.71 ft	200.00 ml/min
8/17/2022 2:20 PM	05:00	6.79 pH	20.15 °C	127.27 µS/cm	4.02 mg/L	2.57 NTU	147.4 mV	42.69 ft	200.00 ml/min
8/17/2022 2:25 PM	10:00	6.79 pH	20.20 °C	126.85 µS/cm	3.99 mg/L	1.81 NTU	136.5 mV	41.60 ft	200.00 ml/min
8/17/2022 2:27 PM	12:02	6.79 pH	20.17 °C	124.36 µS/cm	3.99 mg/L	1.69 NTU	131.4 mV	41.60 ft	200.00 ml/min
8/17/2022 2:32 PM	17:02	6.79 pH	20.18 °C	128.02 µS/cm	4.00 mg/L	1.59 NTU	133.8 mV	41.58 ft	200.00 ml/min
8/17/2022 2:37 PM	22:02	6.79 pH	20.16 °C	128.31 µS/cm	4.03 mg/L	1.36 NTU	125.9 mV	41.59 ft	200.00 ml/min
8/17/2022 2:42 PM	27:02	6.79 pH	20.22 °C	128.23 µS/cm	4.05 mg/L	1.23 NTU	118.1 mV	41.58 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWA2	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 9:23:25 AM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: SGWA-3 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.82 ft Total Depth: 52.82 ft Initial Depth to Water: 32.55 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 44.9 ft Pump Intake From TOC: 44.9 ft Estimated Total Volume Pumped: 4.689 L Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 31.44 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 9:23 AM	00:00	5.60 pH	21.95 °C	83.93 µS/cm	5.54 mg/L	1.00 NTU	63.3 mV	32.55 ft	180.00 ml/min
8/18/2022 9:26 AM	03:27	5.59 pH	20.61 °C	84.50 µS/cm	4.12 mg/L	1.73 NTU	58.4 mV	34.21 ft	180.00 ml/min
8/18/2022 9:31 AM	08:27	5.57 pH	20.25 °C	85.46 µS/cm	3.78 mg/L	1.96 NTU	56.2 mV	34.67 ft	180.00 ml/min
8/18/2022 9:36 AM	13:27	5.61 pH	20.75 °C	85.26 µS/cm	3.86 mg/L	1.36 NTU	54.9 mV	34.95 ft	180.00 ml/min
8/18/2022 9:41 AM	18:27	5.62 pH	21.10 °C	85.31 µS/cm	3.85 mg/L	1.10 NTU	54.9 mV	35.04 ft	180.00 ml/min
8/18/2022 9:46 AM	23:27	5.64 pH	21.16 °C	85.04 µS/cm	3.82 mg/L	1.01 NTU	54.5 mV	35.17 ft	180.00 ml/min
8/18/2022 9:49 AM	26:03	5.64 pH	21.15 °C	84.64 µS/cm	3.78 mg/L	1.01 NTU	55.1 mV	35.17 ft	180.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/18/2022 2:41:36 PM

Project: SCS Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWA-4 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 53.2 ft Total Depth: 63.2 ft Initial Depth to Water: 44.94 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 54.8 ft Pump Intake From TOC: 54.8 ft Estimated Total Volume Pumped: 4.075 L Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 23.52 in	Instrument Used: Aqua TROLL 400 Serial Number: 883561
---	--	--

Test Notes:

Weather Conditions:

Cloudy, 88

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 2:41 PM	00:00	6.99 pH	27.13 °C	156.99 µS/cm	7.26 mg/L	0.00 NTU	74.8 mV	45.35 ft	40.00 ml/min
8/18/2022 2:46 PM	05:00	6.60 pH	23.74 °C	165.49 µS/cm	6.11 mg/L	0.00 NTU	79.2 mV	45.55 ft	75.00 ml/min
8/18/2022 2:51 PM	10:00	6.41 pH	22.53 °C	167.21 µS/cm	5.96 mg/L	0.43 NTU	81.3 mV	45.90 ft	100.00 ml/min
8/18/2022 2:56 PM	15:00	6.36 pH	20.27 °C	173.35 µS/cm	6.18 mg/L	0.00 NTU	79.9 mV	46.69 ft	180.00 ml/min
8/18/2022 3:01 PM	20:00	6.35 pH	20.62 °C	171.57 µS/cm	5.79 mg/L	0.02 NTU	79.4 mV	46.90 ft	120.00 ml/min
8/18/2022 3:06 PM	25:00	6.35 pH	21.28 °C	173.41 µS/cm	5.82 mg/L	0.00 NTU	78.0 mV	46.90 ft	150.00 ml/min
8/18/2022 3:11 PM	30:00	6.35 pH	21.41 °C	173.85 µS/cm	5.90 mg/L	0.00 NTU	78.1 mV	46.90 ft	150.00 ml/min
8/18/2022 3:16 PM	35:00	6.35 pH	21.42 °C	174.21 µS/cm	6.01 mg/L	0.00 NTU	96.5 mV	46.90 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWA-4	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 12:17:02 PM

Project: SCS Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23.1 ft Total Depth: 33.1 ft Initial Depth to Water: 15.55 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 24.36 ft Pump Intake From TOC: 24.36 ft Estimated Total Volume Pumped: 3.78 L Flow Cell Volume: 90 ml Final Flow Rate: 130 ml/min Final Draw Down: 5.4 in	Instrument Used: Aqua TROLL 400 Serial Number: 883561
---	---	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 12:17 PM	00:00	7.99 pH	24.59 °C	67.49 µS/cm	7.42 mg/L	9.63 NTU	125.7 mV	15.92 ft	175.00 ml/min
8/18/2022 12:22 PM	05:00	5.43 pH	19.71 °C	53.83 µS/cm	4.03 mg/L	0.58 NTU	117.7 mV	16.00 ft	130.00 ml/min
8/18/2022 12:27 PM	10:00	5.41 pH	19.59 °C	54.63 µS/cm	4.00 mg/L	0.23 NTU	108.9 mV	16.00 ft	130.00 ml/min
8/18/2022 12:32 PM	15:00	5.44 pH	19.51 °C	54.55 µS/cm	3.90 mg/L	0.57 NTU	101.5 mV	16.00 ft	130.00 ml/min
8/18/2022 12:34 PM	17:21	5.43 pH	19.45 °C	54.57 µS/cm	3.89 mg/L	0.29 NTU	102.0 mV	16.00 ft	130.00 ml/min
8/18/2022 12:39 PM	22:21	5.44 pH	19.41 °C	54.35 µS/cm	3.92 mg/L	0.33 NTU	95.6 mV	16.00 ft	130.00 ml/min
8/18/2022 12:44 PM	27:21	5.43 pH	19.41 °C	54.14 µS/cm	3.91 mg/L	0.41 NTU	92.9 mV	16.00 ft	130.00 ml/min

Samples

Sample ID:	Description:
SGWA-5	

Low-Flow Test Report:

Test Date / Time: 8/19/2022 8:46:14 AM

Project: Plant Scherer

Operator Name: Tiffany Messier

Location Name: SGWC-6 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.6 ft Total Depth: 27.6 ft Initial Depth to Water: 13.99 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 19.21 ft Pump Intake From TOC: 19.21 ft Estimated Total Volume Pumped: 10.5 L Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 31.8 in	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	--	--

Test Notes:

Weather Conditions:

73 Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 3	
8/19/2022 8:46 AM	00:00	6.32 pH	21.20 °C	143.08 µS/cm	2.77 mg/L	4.55 NTU	130.1 mV	13.99 ft	150.00 ml/min
8/19/2022 8:51 AM	05:00	6.30 pH	22.09 °C	139.19 µS/cm	1.86 mg/L	3.63 NTU	128.1 mV	14.95 ft	150.00 ml/min
8/19/2022 8:56 AM	10:00	6.26 pH	20.09 °C	139.43 µS/cm	0.93 mg/L	2.00 NTU	151.3 mV	15.85 ft	150.00 ml/min
8/19/2022 9:01 AM	15:00	6.27 pH	19.79 °C	139.47 µS/cm	1.01 mg/L	5.50 NTU	106.6 mV	16.40 ft	150.00 ml/min
8/19/2022 9:06 AM	20:00	6.25 pH	20.44 °C	137.83 µS/cm	0.78 mg/L	1.46 NTU	99.5 mV	16.30 ft	150.00 ml/min
8/19/2022 9:11 AM	25:00	6.26 pH	19.89 °C	138.21 µS/cm	0.92 mg/L	1.77 NTU	94.5 mV	17.00 ft	150.00 ml/min
8/19/2022 9:16 AM	30:00	6.26 pH	20.60 °C	139.42 µS/cm	1.09 mg/L	1.26 NTU	91.4 mV	16.61 ft	150.00 ml/min
8/19/2022 9:21 AM	35:00	6.25 pH	21.60 °C	139.05 µS/cm	0.69 mg/L	0.83 NTU	88.5 mV	15.70 ft	150.00 ml/min
8/19/2022 9:26 AM	40:00	6.25 pH	21.72 °C	138.67 µS/cm	0.52 mg/L	0.45 NTU	85.0 mV	15.75 ft	150.00 ml/min
8/19/2022 9:31 AM	45:00	6.24 pH	21.73 °C	137.42 µS/cm	0.49 mg/L	0.37 NTU	82.9 mV	15.65 ft	150.00 ml/min
8/19/2022 9:36 AM	50:00	6.24 pH	21.75 °C	136.25 µS/cm	0.45 mg/L	0.70 NTU	81.3 mV	15.63 ft	150.00 ml/min
8/19/2022 9:41 AM	55:00	6.23 pH	21.73 °C	135.16 µS/cm	0.42 mg/L	1.13 NTU	79.8 mV	16.64 ft	150.00 ml/min
8/19/2022 9:46 AM	01:00:00	6.23 pH	21.87 °C	134.32 µS/cm	0.38 mg/L	0.36 NTU	77.4 mV	16.64 ft	150.00 ml/min

8/19/2022 9:51 AM	01:05:00	6.24 pH	21.90 °C	134.33 µS/cm	0.37 mg/L	1.13 NTU	76.9 mV	16.64 ft	150.00 ml/min
8/19/2022 9:56 AM	01:10:00	6.24 pH	21.85 °C	134.47 µS/cm	0.39 mg/L	0.47 NTU	76.2 mV	16.64 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWC-6	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 9:33:29 AM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWC-7 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.7 ft Total Depth: 37.7 ft Initial Depth to Water: 13.18 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 29.75 ft Pump Intake From TOC: 29.75 ft Estimated Total Volume Pumped: 11.875 L Flow Cell Volume: 90 ml Final Flow Rate: 475 ml/min Final Draw Down: 6 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 9:33 AM	00:00	7.06 pH	22.33 °C	290.58 µS/cm	3.33 mg/L	1.31 NTU	61.8 mV	13.66 ft	475.00 ml/min
8/18/2022 9:38 AM	05:00	6.84 pH	19.32 °C	242.95 µS/cm	0.53 mg/L	0.11 NTU	107.6 mV	13.60 ft	475.00 ml/min
8/18/2022 9:43 AM	10:00	6.79 pH	19.24 °C	233.85 µS/cm	0.72 mg/L	0.00 NTU	105.2 mV	13.67 ft	475.00 ml/min
8/18/2022 9:48 AM	15:00	6.78 pH	19.24 °C	232.40 µS/cm	0.85 mg/L	0.00 NTU	116.4 mV	13.68 ft	475.00 ml/min
8/18/2022 9:53 AM	20:00	6.77 pH	19.26 °C	230.11 µS/cm	0.90 mg/L	0.00 NTU	104.0 mV	13.68 ft	475.00 ml/min
8/18/2022 9:58 AM	25:00	6.77 pH	19.22 °C	231.35 µS/cm	0.93 mg/L	0.00 NTU	112.4 mV	13.68 ft	475.00 ml/min

Samples

Sample ID:	Description:
SGWC-7	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 11:54:52 AM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWC-8 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.6 ft Total Depth: 42.6 ft Initial Depth to Water: 21.93 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 34.2 ft Pump Intake From TOC: 34.2 ft Estimated Total Volume Pumped: 5.25 L Flow Cell Volume: 90 ml Final Flow Rate: 350 ml/min Final Draw Down: 5.4 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 11:54 AM	00:00	6.81 pH	19.64 °C	601.10 µS/cm	1.25 mg/L	0.00 NTU	102.9 mV	22.38 ft	350.00 ml/min
8/18/2022 11:59 AM	05:00	6.80 pH	19.62 °C	593.38 µS/cm	1.26 mg/L	0.19 NTU	109.2 mV	22.39 ft	350.00 ml/min
8/18/2022 12:04 PM	10:00	6.80 pH	19.44 °C	593.81 µS/cm	1.26 mg/L	0.20 NTU	95.1 mV	22.38 ft	350.00 ml/min
8/18/2022 12:09 PM	15:00	6.80 pH	19.38 °C	591.72 µS/cm	1.25 mg/L	0.12 NTU	92.8 mV	22.38 ft	350.00 ml/min

Samples

Sample ID:	Description:
SGWC-8	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 1:36:55 PM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWC-9 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.8 ft Total Depth: 37.8 ft Initial Depth to Water: 22.1 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 29.4 ft Pump Intake From TOC: 29.4 ft Estimated Total Volume Pumped: 5 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 9.6 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	--	--

Test Notes:

Prepurged 2 liters

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 1:36 PM	00:00	6.55 pH	20.06 °C	602.14 µS/cm	1.05 mg/L	2.24 NTU	202.2 mV	22.90 ft	200.00 ml/min
8/18/2022 1:41 PM	05:00	6.53 pH	19.93 °C	599.17 µS/cm	0.74 mg/L	0.51 NTU	281.3 mV	22.89 ft	200.00 ml/min
8/18/2022 1:46 PM	10:00	6.52 pH	20.06 °C	599.77 µS/cm	0.65 mg/L	0.06 NTU	330.2 mV	22.90 ft	200.00 ml/min
8/18/2022 1:51 PM	15:00	6.52 pH	19.98 °C	598.98 µS/cm	0.57 mg/L	0.03 NTU	384.3 mV	22.90 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWC-9	

Low-Flow Test Report:

Test Date / Time: 8/19/2022 8:54:23 AM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWC-10 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 22.6 ft Total Depth: 32.6 ft Initial Depth to Water: 19.85 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 24.2 ft Pump Intake From TOC: 24.2 ft Estimated Total Volume Pumped: 4 L Flow Cell Volume: 90 ml Final Flow Rate: 90 ml/min Final Draw Down: 11.4 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	--	--

Test Notes:

Prepurged 1.3 liters

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/19/2022 8:54 AM	00:00	5.22 pH	20.62 °C	66.21 µS/cm	1.64 mg/L	1.25 NTU	186.7 mV	20.95 ft	90.00 ml/min
8/19/2022 8:59 AM	05:00	5.21 pH	21.00 °C	65.83 µS/cm	1.40 mg/L	0.63 NTU	191.6 mV	20.92 ft	90.00 ml/min
8/19/2022 9:04 AM	10:00	5.23 pH	21.09 °C	66.53 µS/cm	1.55 mg/L	0.44 NTU	248.0 mV	20.83 ft	90.00 ml/min
8/19/2022 9:09 AM	15:00	5.21 pH	21.09 °C	66.55 µS/cm	1.34 mg/L	0.21 NTU	249.0 mV	20.82 ft	90.00 ml/min
8/19/2022 9:14 AM	20:00	5.21 pH	21.09 °C	65.84 µS/cm	1.40 mg/L	0.01 NTU	216.0 mV	20.80 ft	90.00 ml/min
8/19/2022 9:19 AM	25:00	5.21 pH	21.08 °C	66.26 µS/cm	1.56 mg/L	0.52 NTU	254.4 mV	20.80 ft	90.00 ml/min
8/19/2022 9:24 AM	30:00	5.22 pH	21.00 °C	66.26 µS/cm	1.56 mg/L	1.36 NTU	256.2 mV	20.80 ft	90.00 ml/min

Samples

Sample ID:	Description:
SGWC-10	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 11:21:55 AM

Project: Plant Scherer

Operator Name: Mark Mann

Location Name: SGWC-11 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.7 ft Total Depth: 42.7 ft Initial Depth to Water: 21.33 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 37 ft Pump Intake From TOC: 37 ft Estimated Total Volume Pumped: 6 L Flow Cell Volume: 90 ml Final Flow Rate: 100 ml/min Final Draw Down: 15.84 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Weather Conditions:

Sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 11:21 AM	00:00	6.29 pH	32.94 °C	55.51 µS/cm	6.28 mg/L	0.60 NTU	60.9 mV	21.33 ft	250.00 ml/min
8/18/2022 11:26 AM	05:00	5.16 pH	22.53 °C	57.69 µS/cm	1.77 mg/L	1.64 NTU	61.7 mV	22.95 ft	250.00 ml/min
8/18/2022 11:31 AM	10:00	5.16 pH	21.73 °C	58.55 µS/cm	1.87 mg/L	1.03 NTU	66.1 mV	23.20 ft	100.00 ml/min
8/18/2022 11:36 AM	15:00	5.14 pH	23.34 °C	58.85 µS/cm	1.57 mg/L	0.89 NTU	66.1 mV	22.97 ft	100.00 ml/min
8/18/2022 11:41 AM	20:00	5.13 pH	23.43 °C	58.93 µS/cm	1.25 mg/L	0.89 NTU	67.4 mV	22.84 ft	100.00 ml/min
8/18/2022 11:46 AM	25:00	5.09 pH	22.98 °C	59.41 µS/cm	1.14 mg/L	0.49 NTU	69.4 mV	22.75 ft	100.00 ml/min
8/18/2022 11:51 AM	30:00	5.08 pH	23.07 °C	59.54 µS/cm	0.99 mg/L	0.66 NTU	69.7 mV	22.70 ft	100.00 ml/min
8/18/2022 11:56 AM	35:00	5.06 pH	23.47 °C	59.64 µS/cm	0.87 mg/L	0.62 NTU	70.0 mV	22.67 ft	100.00 ml/min
8/18/2022 12:01 PM	40:00	5.06 pH	23.34 °C	59.41 µS/cm	0.76 mg/L	0.68 NTU	71.5 mV	22.66 ft	100.00 ml/min
8/18/2022 12:06 PM	45:00	5.06 pH	22.88 °C	59.52 µS/cm	0.67 mg/L	0.73 NTU	72.5 mV	22.65 ft	100.00 ml/min

Samples

Sample ID:	Description:
GWC-11	
DUP-1	

Low-Flow Test Report:

Test Date / Time: 8/18/2022 12:20:37 PM

Project: Plant Scherer

Operator Name: Tiffany Messier

Location Name: SGWC-12 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 40.2 ft Total Depth: 50.2 ft Initial Depth to Water: 17.2 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 42.2 ft Pump Intake From TOC: 42.2 ft Estimated Total Volume Pumped: 3.6 L Flow Cell Volume: 90 ml Final Flow Rate: 90 ml/min Final Draw Down: 30 in	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	--	--

Test Notes:

Weather Conditions:

Cloudy 81

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 3	
8/18/2022 12:20 PM	00:00	6.25 pH	22.72 °C	256.27 µS/cm	2.08 mg/L	4.29 NTU	-88.6 mV	19.00 ft	90.00 ml/min
8/18/2022 12:25 PM	05:00	6.14 pH	20.70 °C	254.26 µS/cm	0.93 mg/L	1.88 NTU	-95.4 mV	19.85 ft	90.00 ml/min
8/18/2022 12:30 PM	10:00	6.27 pH	21.57 °C	253.26 µS/cm	0.54 mg/L	1.22 NTU	-127.8 mV	19.80 ft	90.00 ml/min
8/18/2022 12:35 PM	15:00	6.25 pH	21.82 °C	254.07 µS/cm	0.39 mg/L	1.27 NTU	-91.8 mV	19.70 ft	90.00 ml/min
8/18/2022 12:40 PM	20:00	6.20 pH	21.82 °C	254.65 µS/cm	0.32 mg/L	1.19 NTU	-94.6 mV	19.70 ft	90.00 ml/min
8/18/2022 12:45 PM	25:00	6.16 pH	21.75 °C	254.82 µS/cm	0.26 mg/L	1.55 NTU	-138.0 mV	19.70 ft	90.00 ml/min
8/18/2022 12:50 PM	30:00	6.14 pH	21.55 °C	254.50 µS/cm	0.22 mg/L	0.77 NTU	-95.6 mV	19.70 ft	90.00 ml/min
8/18/2022 12:55 PM	35:00	6.12 pH	21.47 °C	252.71 µS/cm	0.19 mg/L	0.79 NTU	-95.3 mV	19.70 ft	90.00 ml/min
8/18/2022 1:00 PM	40:00	6.12 pH	21.41 °C	252.10 µS/cm	0.18 mg/L	1.56 NTU	-94.6 mV	19.70 ft	90.00 ml/min
8/18/2022 1:03 PM	42:31	6.12 pH	21.55 °C	251.86 µS/cm	0.18 mg/L		-75.7 mV	19.70 ft	90.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/18/2022 1:52:35 PM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: SGWC-13 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.5 ft Total Depth: 37.5 ft Initial Depth to Water: 5.28 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 29 ft Pump Intake From TOC: 29 ft Estimated Total Volume Pumped: 6.25 L Flow Cell Volume: 90 ml Final Flow Rate: 125 ml/min Final Draw Down: 8.04 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/18/2022 1:52 PM	00:00	5.55 pH	29.53 °C	311.47 µS/cm	4.13 mg/L	1.66 NTU	90.4 mV	5.28 ft	250.00 ml/min
8/18/2022 1:57 PM	05:00	5.67 pH	22.40 °C	305.71 µS/cm	0.78 mg/L	26.20 NTU	78.2 mV	6.38 ft	250.00 ml/min
8/18/2022 2:02 PM	10:00	5.69 pH	23.06 °C	309.57 µS/cm	0.52 mg/L	15.50 NTU	72.5 mV	6.24 ft	125.00 ml/min
8/18/2022 2:07 PM	15:00	5.72 pH	24.56 °C	308.20 µS/cm	0.22 mg/L	8.73 NTU	66.5 mV	6.10 ft	125.00 ml/min
8/18/2022 2:12 PM	20:00	5.74 pH	24.78 °C	307.20 µS/cm	0.20 mg/L	6.06 NTU	61.7 mV	6.04 ft	125.00 ml/min
8/18/2022 2:17 PM	25:00	5.76 pH	24.66 °C	304.75 µS/cm	0.26 mg/L	5.58 NTU	61.2 mV	5.98 ft	125.00 ml/min
8/18/2022 2:22 PM	30:00	5.76 pH	24.87 °C	304.94 µS/cm	0.23 mg/L	5.01 NTU	61.3 mV	5.94 ft	125.00 ml/min
8/18/2022 2:27 PM	35:00	5.77 pH	24.46 °C	305.09 µS/cm	0.26 mg/L	4.56 NTU	59.6 mV	5.95 ft	125.00 ml/min
8/18/2022 2:32 PM	40:00	5.78 pH	24.44 °C	305.02 µS/cm	0.26 mg/L	3.44 NTU	58.6 mV	5.95 ft	125.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/19/2022 8:33:43 AM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: SGWC-14 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 28.5 ft Total Depth: 38.5 ft Initial Depth to Water: 11.1 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 30.24 ft Pump Intake From TOC: 30.24 ft Estimated Total Volume Pumped: 9.787 L Flow Cell Volume: 90 ml Final Flow Rate: 170 ml/min Final Draw Down: 0.6 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/19/2022 8:33 AM	00:00	5.38 pH	23.75 °C	530.30 µS/cm	5.63 mg/L	4.25 NTU	118.1 mV	11.10 ft	125.00 ml/min
8/19/2022 8:35 AM	02:06	5.69 pH	22.00 °C	493.92 µS/cm	2.51 mg/L	17.80 NTU	86.4 mV	11.14 ft	125.00 ml/min
8/19/2022 8:40 AM	07:06	5.68 pH	19.94 °C	513.17 µS/cm	0.72 mg/L	64.50 NTU	80.5 mV	11.13 ft	240.00 ml/min
8/19/2022 8:45 AM	12:06	5.68 pH	19.23 °C	504.16 µS/cm	0.68 mg/L	55.10 NTU	82.0 mV	11.18 ft	240.00 ml/min
8/19/2022 8:50 AM	17:06	5.63 pH	18.57 °C	508.45 µS/cm	0.51 mg/L	53.40 NTU	82.9 mV	11.19 ft	240.00 ml/min
8/19/2022 8:55 AM	22:06	5.62 pH	18.55 °C	509.23 µS/cm	0.17 mg/L	23.40 NTU	82.4 mV	11.19 ft	240.00 ml/min
8/19/2022 9:00 AM	27:06	5.62 pH	18.52 °C	511.46 µS/cm	0.12 mg/L	12.30 NTU	79.1 mV	11.18 ft	240.00 ml/min
8/19/2022 9:05 AM	32:06	5.62 pH	18.48 °C	512.76 µS/cm	0.11 mg/L	7.68 NTU	78.2 mV	11.18 ft	240.00 ml/min
8/19/2022 9:10 AM	37:06	5.62 pH	18.46 °C	512.28 µS/cm	0.10 mg/L	7.18 NTU	80.6 mV	11.16 ft	170.00 ml/min
8/19/2022 9:15 AM	42:06	5.61 pH	18.79 °C	514.56 µS/cm	0.10 mg/L	6.22 NTU	80.1 mV	11.17 ft	170.00 ml/min
8/19/2022 9:20 AM	47:06	5.62 pH	18.85 °C	515.53 µS/cm	0.10 mg/L	3.51 NTU	77.0 mV	11.15 ft	170.00 ml/min

Samples

Sample ID:	Description:
SGWC-14	

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/19/2022 9:44:29 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: SGWC-15 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.2 ft Total Depth: 48.2 ft Initial Depth to Water: 29.69 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 39.65 ft Pump Intake From TOC: 39.65 ft Estimated Total Volume Pumped: 8.125 L Flow Cell Volume: 90 ml Final Flow Rate: 325 ml/min Final Draw Down: 0.72 in	Instrument Used: Aqua TROLL 400 Serial Number: 883561
--	---	--

Test Notes:

Weather Conditions:

Cloudy 80s

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/19/2022 9:44 AM	00:00	7.29 pH	25.14 °C	486.06 µS/cm	7.48 mg/L	0.00 NTU	157.1 mV	29.70 ft	325.00 ml/min
8/19/2022 9:49 AM	05:00	4.63 pH	19.78 °C	448.31 µS/cm	1.48 mg/L	0.00 NTU	217.0 mV	29.70 ft	325.00 ml/min
8/19/2022 9:54 AM	10:00	4.60 pH	19.49 °C	449.71 µS/cm	0.88 mg/L	0.00 NTU	266.0 mV	29.70 ft	325.00 ml/min
8/19/2022 9:59 AM	15:00	4.59 pH	19.41 °C	449.96 µS/cm	0.60 mg/L	0.00 NTU	284.1 mV	29.75 ft	325.00 ml/min
8/19/2022 10:04 AM	20:00	4.60 pH	19.33 °C	449.00 µS/cm	0.49 mg/L	0.00 NTU	388.0 mV	29.75 ft	325.00 ml/min
8/19/2022 10:09 AM	25:00	4.61 pH	19.35 °C	448.86 µS/cm	0.45 mg/L	0.00 NTU	348.2 mV	29.75 ft	325.00 ml/min

Samples

Sample ID:	Description:
SGWC-15	

Low-Flow Test Report:

Test Date / Time: 8/31/2022 1:47:09 PM

Project: Plant Scherer

Operator Name: Jude Waguespack

Location Name: SGWC-16 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 33.3 ft Total Depth: 43.3 ft Initial Depth to Water: 24.85 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 38 ft Pump Intake From TOC: 38 ft Estimated Total Volume Pumped: 10 L Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 2.4 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/31/2022 1:47 PM	00:00	5.39 pH	28.09 °C	169.62 µS/cm	5.17 mg/L	11.50 NTU	64.2 mV	24.85 ft	250.00 ml/min
8/31/2022 1:52 PM	05:00	5.15 pH	23.53 °C	182.01 µS/cm	3.27 mg/L	38.20 NTU	69.2 mV	25.05 ft	250.00 ml/min
8/31/2022 1:57 PM	10:00	5.12 pH	22.97 °C	183.06 µS/cm	2.78 mg/L	29.20 NTU	71.8 mV	25.05 ft	250.00 ml/min
8/31/2022 2:02 PM	15:00	5.12 pH	22.87 °C	182.43 µS/cm	2.42 mg/L	23.20 NTU	73.6 mV	25.05 ft	250.00 ml/min
8/31/2022 2:07 PM	20:00	5.12 pH	22.92 °C	183.18 µS/cm	2.32 mg/L	16.20 NTU	74.4 mV	25.05 ft	250.00 ml/min
8/31/2022 2:12 PM	25:00	5.12 pH	22.73 °C	183.36 µS/cm	2.29 mg/L	12.60 NTU	76.4 mV	25.05 ft	250.00 ml/min
8/31/2022 2:17 PM	30:00	5.12 pH	22.82 °C	183.90 µS/cm	2.27 mg/L	8.29 NTU	77.4 mV	25.05 ft	250.00 ml/min
8/31/2022 2:22 PM	35:00	5.11 pH	22.12 °C	183.78 µS/cm	2.27 mg/L	6.55 NTU	80.6 mV	25.05 ft	250.00 ml/min
8/31/2022 2:27 PM	40:00	5.10 pH	22.80 °C	183.75 µS/cm	2.24 mg/L	4.50 NTU	82.8 mV	25.05 ft	250.00 ml/min

Samples

Sample ID:	Description:
SGWC-16	Dup-2

Low-Flow Test Report:

Test Date / Time: 8/31/2022 12:11:39 PM

Project: Plant Scherer

Operator Name: Jude Waguespack

Location Name: SGWC-17 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17 ft Total Depth: 27 ft Initial Depth to Water: 2.1 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 22 ft Pump Intake From TOC: 22 ft Estimated Total Volume Pumped: 7 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 7.2 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/31/2022 12:11 PM	00:00	6.33 pH	24.96 °C	632.49 µS/cm	1.87 mg/L	31.80 NTU	18.4 mV	2.10 ft	200.00 ml/min
8/31/2022 12:16 PM	05:00	6.27 pH	22.97 °C	660.70 µS/cm	0.42 mg/L	14.90 NTU	16.3 mV	2.75 ft	200.00 ml/min
8/31/2022 12:21 PM	10:00	6.26 pH	22.62 °C	658.59 µS/cm	0.28 mg/L	12.40 NTU	17.4 mV	2.70 ft	200.00 ml/min
8/31/2022 12:26 PM	15:00	6.26 pH	22.56 °C	658.34 µS/cm	0.21 mg/L	8.50 NTU	18.1 mV	2.70 ft	200.00 ml/min
8/31/2022 12:31 PM	20:00	6.26 pH	22.38 °C	657.20 µS/cm	0.20 mg/L	5.85 NTU	19.5 mV	2.70 ft	200.00 ml/min
8/31/2022 12:36 PM	25:00	6.26 pH	22.28 °C	652.51 µS/cm	0.19 mg/L	6.93 NTU	19.9 mV	2.70 ft	200.00 ml/min
8/31/2022 12:41 PM	30:00	6.26 pH	22.28 °C	654.59 µS/cm	0.20 mg/L	5.90 NTU	21.5 mV	2.70 ft	200.00 ml/min
8/31/2022 12:46 PM	35:00	6.26 pH	22.25 °C	654.14 µS/cm	0.20 mg/L	3.95 NTU	21.9 mV	2.70 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWC-17	

Low-Flow Test Report:

Test Date / Time: 8/23/2022 9:16:52 AM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: SGWC-18 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.6 ft Total Depth: 47.6 ft Initial Depth to Water: 41.62 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 45 ft Pump Intake From TOC: 45 ft Estimated Total Volume Pumped: 13.45 L Flow Cell Volume: 90 ml Final Flow Rate: 100 ml/min Final Draw Down: 1.92 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
--	---	--

Test Notes:

Weather Conditions:

Light rain

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/23/2022 9:16 AM	00:00	4.39 pH	23.81 °C	2,081.4 µS/cm	7.12 mg/L	7.14 NTU	117.6 mV	41.62 ft	150.00 ml/min
8/23/2022 9:21 AM	05:00	4.73 pH	21.92 °C	2,061.2 µS/cm	2.16 mg/L	10.20 NTU	100.7 mV	41.86 ft	150.00 ml/min
8/23/2022 9:26 AM	10:00	4.74 pH	21.78 °C	2,060.8 µS/cm	2.02 mg/L	11.20 NTU	104.7 mV	41.88 ft	150.00 ml/min
8/23/2022 9:31 AM	15:00	4.75 pH	21.76 °C	2,066.4 µS/cm	1.99 mg/L	13.60 NTU	111.0 mV	41.88 ft	150.00 ml/min
8/23/2022 9:36 AM	20:00	4.76 pH	21.73 °C	2,057.1 µS/cm	1.97 mg/L	10.50 NTU	114.9 mV	41.85 ft	150.00 ml/min
8/23/2022 9:41 AM	25:00	4.77 pH	21.73 °C	2,065.8 µS/cm	2.18 mg/L	11.90 NTU	121.0 mV	41.89 ft	150.00 ml/min
8/23/2022 9:46 AM	30:00	4.78 pH	21.91 °C	2,061.5 µS/cm	2.05 mg/L	9.64 NTU	122.9 mV	41.82 ft	105.00 ml/min
8/23/2022 9:51 AM	35:00	4.78 pH	22.09 °C	2,060.2 µS/cm	1.99 mg/L	8.96 NTU	125.7 mV	41.78 ft	105.00 ml/min
8/23/2022 9:56 AM	40:00	4.79 pH	22.10 °C	2,058.0 µS/cm	1.98 mg/L	8.50 NTU	128.3 mV	41.77 ft	105.00 ml/min
8/23/2022 10:01 AM	45:00	4.79 pH	22.10 °C	2,055.5 µS/cm	1.98 mg/L	8.99 NTU	130.6 mV	41.79 ft	105.00 ml/min
8/23/2022 10:06 AM	50:00	4.79 pH	22.13 °C	2,058.1 µS/cm	1.97 mg/L	9.57 NTU	132.6 mV	41.79 ft	105.00 ml/min
8/23/2022 10:11 AM	55:00	4.79 pH	22.17 °C	2,056.2 µS/cm	1.99 mg/L	13.00 NTU	134.6 mV	41.80 ft	105.00 ml/min
8/23/2022 10:16 AM	01:00:00	4.79 pH	22.17 °C	2,055.6 µS/cm	1.98 mg/L	11.00 NTU	136.4 mV	41.82 ft	105.00 ml/min

8/23/2022 10:21 AM	01:05:00	4.80 pH	22.22 °C	2,055.1 µS/cm	2.08 mg/L	14.80 NTU	138.5 mV	41.80 ft	105.00 ml/min
8/23/2022 10:26 AM	01:10:00	4.80 pH	22.11 °C	2,058.4 µS/cm	2.02 mg/L	20.00 NTU	143.3 mV	41.80 ft	150.00 ml/min
8/23/2022 10:31 AM	01:15:00	4.80 pH	22.00 °C	2,051.8 µS/cm	1.99 mg/L	12.90 NTU	142.2 mV	41.88 ft	150.00 ml/min
8/23/2022 10:36 AM	01:20:00	4.80 pH	22.00 °C	2,051.6 µS/cm	1.97 mg/L	9.88 NTU	143.6 mV	41.86 ft	150.00 ml/min
8/23/2022 10:41 AM	01:25:00	4.80 pH	22.00 °C	2,052.3 µS/cm	1.97 mg/L	7.93 NTU	145.0 mV	41.90 ft	150.00 ml/min
8/23/2022 10:46 AM	01:30:00	4.80 pH	22.04 °C	2,053.7 µS/cm	1.97 mg/L	7.59 NTU	146.5 mV	41.96 ft	150.00 ml/min
8/23/2022 10:51 AM	01:35:00	4.80 pH	22.49 °C	2,060.7 µS/cm	2.01 mg/L	9.88 NTU	147.1 mV	41.80 ft	100.00 ml/min
8/23/2022 10:56 AM	01:40:00	4.80 pH	22.81 °C	2,059.1 µS/cm	1.97 mg/L	8.66 NTU	147.7 mV	41.78 ft	100.00 ml/min
8/23/2022 11:01 AM	01:45:00	4.80 pH	22.94 °C	2,054.4 µS/cm	1.97 mg/L	8.10 NTU	148.5 mV	41.78 ft	100.00 ml/min

Samples

Sample ID:	Description:
SGWC-18	Water level under top of screen. Three well volumes purged before sampling.
EB-2	

Low-Flow Test Report:

Test Date / Time: 8/22/2022 10:15:51 AM

Project: Plant Scherer (5)

Operator Name: Aimee Plowman

Location Name: SGWC-19 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.4 ft Total Depth: 37.4 ft Initial Depth to Water: 15.82 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 29 ft Pump Intake From TOC: 29 ft Estimated Total Volume Pumped: 4 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 7.44 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	---	--

Test Notes:

Pre-purged 2 L before starting

Weather Conditions:

Rainy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/22/2022 10:15 AM	00:00	5.57 pH	20.86 °C	599.21 µS/cm	3.17 mg/L	3.62 NTU	135.7 mV	16.40 ft	200.00 ml/min
8/22/2022 10:20 AM	05:00	5.57 pH	20.78 °C	597.21 µS/cm	2.98 mg/L	4.36 NTU	146.0 mV	16.42 ft	200.00 ml/min
8/22/2022 10:25 AM	10:00	5.55 pH	20.78 °C	593.42 µS/cm	2.72 mg/L	1.83 NTU	118.1 mV	16.42 ft	200.00 ml/min
8/22/2022 10:30 AM	15:00	5.54 pH	20.82 °C	594.23 µS/cm	2.61 mg/L	1.35 NTU	114.6 mV	16.43 ft	200.00 ml/min
8/22/2022 10:35 AM	20:00	5.54 pH	20.87 °C	594.52 µS/cm	2.58 mg/L	0.86 NTU	112.5 mV	16.44 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWC-19	

Low-Flow Test Report:

Test Date / Time: 8/22/2022 12:02:26 PM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: SGWC-20 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.9 ft Total Depth: 27.9 ft Initial Depth to Water: 15 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 19.5 ft Pump Intake From TOC: 19.5 ft Estimated Total Volume Pumped: 12.25 L Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 14.16 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	--	--

Test Notes:

Purged 3.5 L before starting

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/22/2022 12:02 PM	00:00	4.23 pH	22.16 °C	614.72 µS/cm	0.88 mg/L	0.06 NTU	210.7 mV	16.15 ft	250.00 ml/min
8/22/2022 12:07 PM	05:00	4.24 pH	22.12 °C	602.17 µS/cm	0.65 mg/L	0.16 NTU	207.2 mV	16.15 ft	250.00 ml/min
8/22/2022 12:12 PM	10:00	4.25 pH	22.10 °C	588.03 µS/cm	0.93 mg/L	0.02 NTU	231.2 mV	16.16 ft	250.00 ml/min
8/22/2022 12:17 PM	15:00	4.27 pH	22.09 °C	584.15 µS/cm	0.82 mg/L	0.03 NTU	259.9 mV	16.16 ft	250.00 ml/min
8/22/2022 12:22 PM	20:00	4.28 pH	22.11 °C	571.08 µS/cm	0.70 mg/L	0.15 NTU	285.9 mV	16.15 ft	250.00 ml/min
8/22/2022 12:27 PM	25:00	4.29 pH	22.13 °C	566.42 µS/cm	0.53 mg/L	0.16 NTU	319.0 mV	16.18 ft	250.00 ml/min
8/22/2022 12:32 PM	30:00	4.29 pH	22.06 °C	560.31 µS/cm	0.48 mg/L	0.04 NTU	345.0 mV	16.19 ft	250.00 ml/min
8/22/2022 12:37 PM	35:00	4.30 pH	21.94 °C	555.71 µS/cm	0.63 mg/L	0.13 NTU	369.5 mV	16.18 ft	250.00 ml/min

Samples

Sample ID:	Description:
SGWC-20	FB-2

Low-Flow Test Report:

Test Date / Time: 8/22/2022 1:28:26 PM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: SGWC-21 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.79 ft Total Depth: 27.79 ft Initial Depth to Water: 1.65 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 19.39 ft Pump Intake From TOC: 19.39 ft Estimated Total Volume Pumped: 5.23 L Flow Cell Volume: 90 ml Final Flow Rate: 170 ml/min Final Draw Down: 5.52 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/22/2022 1:28 PM	00:00	6.19 pH	21.29 °C	499.88 µS/cm	0.30 mg/L	39.10 NTU	94.8 mV	1.65 ft	200.00 ml/min
8/22/2022 1:31 PM	02:39	6.17 pH	22.61 °C	506.88 µS/cm	0.96 mg/L	39.10 NTU	94.0 mV	1.65 ft	200.00 ml/min
8/22/2022 1:33 PM	04:40	6.18 pH	23.04 °C	496.08 µS/cm	0.72 mg/L	40.10 NTU	92.5 mV	2.11 ft	170.00 ml/min
8/22/2022 1:38 PM	09:40	6.17 pH	22.87 °C	503.01 µS/cm	0.79 mg/L	30.30 NTU	92.4 mV	2.10 ft	170.00 ml/min
8/22/2022 1:43 PM	14:40	6.17 pH	22.78 °C	501.73 µS/cm	0.77 mg/L	23.20 NTU	93.7 mV	2.11 ft	170.00 ml/min
8/22/2022 1:48 PM	19:40	6.17 pH	22.64 °C	500.12 µS/cm	0.75 mg/L	20.80 NTU	91.1 mV	2.10 ft	170.00 ml/min
8/22/2022 1:53 PM	24:40	6.18 pH	22.68 °C	500.41 µS/cm	0.69 mg/L	6.50 NTU	90.3 mV	2.11 ft	170.00 ml/min
8/22/2022 1:54 PM	25:48	6.18 pH	22.72 °C	498.09 µS/cm	0.76 mg/L	6.50 NTU	90.0 mV	2.11 ft	170.00 ml/min
8/22/2022 1:57 PM	29:28	6.17 pH	22.77 °C	498.59 µS/cm	0.65 mg/L	4.62 NTU	90.1 mV	2.11 ft	170.00 ml/min
8/22/2022 1:58 PM	30:27	6.18 pH	22.75 °C	496.37 µS/cm	0.76 mg/L	4.62 NTU	89.4 mV	2.11 ft	170.00 ml/min
8/22/2022 1:59 PM	31:02	6.18 pH	22.72 °C	495.37 µS/cm	0.76 mg/L	4.62 NTU	89.1 mV	2.11 ft	170.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/22/2022 11:55:42 AM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: SGWC-22 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 27.74 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 44.2 ft Pump Intake From TOC: 44.2 ft Estimated Total Volume Pumped: 7.21 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 2.04 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/22/2022 11:55 AM	00:00	5.57 pH	21.64 °C	348.46 µS/cm	1.15 mg/L	33.00 NTU	84.4 mV	27.74 ft	200.00 ml/min
8/22/2022 11:58 AM	02:54	5.58 pH	21.45 °C	348.84 µS/cm	0.74 mg/L	30.80 NTU	86.5 mV	27.78 ft	200.00 ml/min
8/22/2022 12:03 PM	07:54	5.58 pH	21.42 °C	349.91 µS/cm	0.44 mg/L	16.70 NTU	87.4 mV	27.82 ft	200.00 ml/min
8/22/2022 12:08 PM	12:54	5.58 pH	21.80 °C	352.34 µS/cm	0.29 mg/L	12.90 NTU	85.4 mV	27.84 ft	200.00 ml/min
8/22/2022 12:13 PM	17:54	5.59 pH	21.70 °C	354.16 µS/cm	0.15 mg/L	13.40 NTU	86.8 mV	27.86 ft	200.00 ml/min
8/22/2022 12:18 PM	22:54	5.61 pH	22.18 °C	359.84 µS/cm	0.17 mg/L	9.87 NTU	83.5 mV	27.89 ft	200.00 ml/min
8/22/2022 12:26 PM	30:20	5.63 pH	22.68 °C	359.15 µS/cm	0.26 mg/L	3.01 NTU	83.5 mV	27.89 ft	200.00 ml/min
8/22/2022 12:31 PM	36:03	5.62 pH	22.63 °C	359.51 µS/cm	0.27 mg/L	1.66 NTU	83.1 mV	27.91 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/22/2022 10:06:06 AM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: SGWC-23 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 31.89 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 44.25 ft Pump Intake From TOC: 44.25 ft Estimated Total Volume Pumped: 3.3 L Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 0.84 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 5	
8/22/2022 10:06 AM	00:00	5.94 pH	19.78 °C	300.22 µS/cm	1.43 mg/L	1.55 NTU	92.3 mV	31.89 ft	200.00 ml/min
8/22/2022 10:08 AM	02:46	5.94 pH	19.91 °C	306.33 µS/cm	1.69 mg/L	1.55 NTU	94.6 mV	31.89 ft	200.00 ml/min
8/22/2022 10:13 AM	07:46	5.92 pH	22.19 °C	307.56 µS/cm	2.15 mg/L	0.93 NTU	91.8 mV	31.91 ft	180.00 ml/min
8/22/2022 10:18 AM	12:46	5.91 pH	23.07 °C	303.37 µS/cm	2.27 mg/L	0.69 NTU	85.8 mV	31.94 ft	180.00 ml/min
8/22/2022 10:23 AM	17:46	5.91 pH	23.37 °C	301.40 µS/cm	2.35 mg/L	0.49 NTU	89.8 mV	31.96 ft	180.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/18/2022 2:37:55 PM

Project: Plant Scherer

Operator Name: Tiffany Messier

Location Name: SGWA-24 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.9 ft Total Depth: 42.9 ft Initial Depth to Water: 15.2 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 34.8 ft Pump Intake From TOC: 34.8 ft Estimated Total Volume Pumped: 8.6 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 7.32 in	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	---	--

Test Notes:

Weather Conditions:

82 Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 3	
8/18/2022 2:37 PM	00:00	6.33 pH	20.48 °C	143.57 µS/cm	1.28 mg/L	6.54 NTU	56.5 mV	15.20 ft	200.00 ml/min
8/18/2022 2:42 PM	05:00	6.32 pH	20.24 °C	145.17 µS/cm	1.10 mg/L	18.76 NTU	90.1 mV	15.80 ft	200.00 ml/min
8/18/2022 2:47 PM	10:00	6.31 pH	20.06 °C	144.45 µS/cm	1.01 mg/L	7.51 NTU	122.4 mV	15.80 ft	200.00 ml/min
8/18/2022 2:52 PM	15:00	6.33 pH	19.88 °C	143.98 µS/cm	0.94 mg/L	7.78 NTU	123.1 mV	15.81 ft	200.00 ml/min
8/18/2022 2:57 PM	20:00	6.33 pH	19.79 °C	144.37 µS/cm	0.98 mg/L	8.65 NTU	120.9 mV	15.81 ft	200.00 ml/min
8/18/2022 3:02 PM	25:00	6.31 pH	19.81 °C	143.79 µS/cm	0.93 mg/L	4.76 NTU	118.7 mV	15.81 ft	200.00 ml/min
8/18/2022 3:07 PM	30:00	6.32 pH	19.73 °C	144.65 µS/cm	0.90 mg/L	4.95 NTU	115.7 mV	15.81 ft	200.00 ml/min
8/18/2022 3:12 PM	35:00	6.32 pH	19.68 °C	143.84 µS/cm	0.89 mg/L	4.69 NTU	112.5 mV	15.81 ft	200.00 ml/min
8/18/2022 3:17 PM	40:00	6.32 pH	19.64 °C	143.79 µS/cm	0.97 mg/L	4.20 NTU	109.7 mV	15.81 ft	200.00 ml/min
8/18/2022 3:18 PM	40:24	6.32 pH	19.64 °C	144.14 µS/cm	0.91 mg/L	4.20 NTU	81.1 mV	15.81 ft	200.00 ml/min
8/18/2022 3:21 PM	43:28	6.34 pH	19.59 °C	144.24 µS/cm	0.88 mg/L	4.20 NTU	78.7 mV	15.81 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWA-24	
EB-1	

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/18/2022 9:24:18 AM

Project: Plant Scherer

Operator Name: Tiffany Messier

Location Name: SGWA-25 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38 ft Total Depth: 48 ft Initial Depth to Water: 27.7 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 39.75 ft Pump Intake From TOC: 39.75 ft Estimated Total Volume Pumped: 6 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.8 in	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 3	
8/18/2022 9:24 AM	00:00	6.05 pH	20.09 °C	96.56 µS/cm	2.13 mg/L	16.10 NTU	125.6 mV	27.85 ft	200.00 ml/min
8/18/2022 9:29 AM	04:42	6.04 pH	20.49 °C	98.45 µS/cm	1.71 mg/L	13.10 NTU	127.0 mV	27.85 ft	200.00 ml/min
8/18/2022 9:29 AM	05:09	6.04 pH	20.50 °C	98.34 µS/cm	1.70 mg/L	13.30 NTU	109.9 mV	27.85 ft	200.00 ml/min
8/18/2022 9:34 AM	10:09	6.05 pH	20.59 °C	97.83 µS/cm	1.40 mg/L	10.00 NTU	116.4 mV	27.85 ft	200.00 ml/min
8/18/2022 9:39 AM	15:09	6.03 pH	20.53 °C	96.35 µS/cm	1.35 mg/L	8.93 NTU	115.4 mV	27.85 ft	200.00 ml/min
8/18/2022 9:44 AM	20:09	6.04 pH	20.57 °C	96.17 µS/cm	1.30 mg/L	4.12 NTU	112.9 mV	27.85 ft	200.00 ml/min
8/18/2022 9:49 AM	25:09	6.03 pH	20.59 °C	95.81 µS/cm	1.27 mg/L	4.01 NTU	110.4 mV	27.85 ft	200.00 ml/min
8/18/2022 9:54 AM	30:09	6.03 pH	20.66 °C	95.23 µS/cm	1.24 mg/L	3.76 NTU	108.7 mV	27.85 ft	200.00 ml/min
8/18/2022 9:59 AM	35:09	6.03 pH	20.72 °C	95.13 µS/cm	1.23 mg/L		107.3 mV	27.85 ft	200.00 ml/min
8/18/2022 10:01 AM	37:01	6.03 pH	20.71 °C	94.69 µS/cm	1.22 mg/L		51.5 mV	27.85 ft	200.00 ml/min

Samples

Sample ID:	Description:
SGWA-25	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 10:19:41 AM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: PZ-13S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.1 ft Total Depth: 48.1 ft Initial Depth to Water: 32.29 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 43 ft Pump Intake From TOC: 43 ft Estimated Total Volume Pumped: 13.8 L Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 7.44 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/24/2022 10:19 AM	00:00	5.03 pH	19.66 °C	67.01 µS/cm	0.22 mg/L	39.00 NTU	73.2 mV	32.29 ft	180.00 ml/min
8/24/2022 10:24 AM	05:00	5.03 pH	20.49 °C	67.57 µS/cm	0.18 mg/L	31.90 NTU	70.4 mV	32.56 ft	180.00 ml/min
8/24/2022 10:29 AM	10:00	5.02 pH	20.76 °C	65.11 µS/cm	0.20 mg/L	69.90 NTU	70.2 mV	32.63 ft	180.00 ml/min
8/24/2022 10:34 AM	15:00	5.04 pH	21.90 °C	66.56 µS/cm	0.21 mg/L	44.10 NTU	67.9 mV	32.67 ft	180.00 ml/min
8/24/2022 10:39 AM	20:00	5.05 pH	22.39 °C	66.70 µS/cm	0.22 mg/L	34.60 NTU	66.9 mV	32.70 ft	180.00 ml/min
8/24/2022 10:44 AM	25:00	5.06 pH	22.41 °C	66.08 µS/cm	0.22 mg/L	21.70 NTU	66.6 mV	32.73 ft	180.00 ml/min
8/24/2022 10:49 AM	30:00	5.06 pH	22.64 °C	66.67 µS/cm	0.21 mg/L	14.00 NTU	66.2 mV	32.75 ft	180.00 ml/min
8/24/2022 10:54 AM	35:00	5.07 pH	22.72 °C	66.06 µS/cm	0.20 mg/L	10.56 NTU	65.5 mV	32.78 ft	180.00 ml/min
8/24/2022 10:59 AM	40:00	5.08 pH	22.72 °C	65.94 µS/cm	0.19 mg/L	10.83 NTU	66.5 mV	32.81 ft	180.00 ml/min
8/24/2022 11:04 AM	45:00	5.08 pH	22.59 °C	65.96 µS/cm	0.19 mg/L	7.97 NTU	67.5 mV	32.83 ft	180.00 ml/min
8/24/2022 11:09 AM	50:00	5.08 pH	22.58 °C	65.97 µS/cm	0.19 mg/L	8.82 NTU	68.3 mV	32.83 ft	180.00 ml/min
8/24/2022 11:14 AM	55:00	5.08 pH	22.72 °C	66.14 µS/cm	0.18 mg/L	7.57 NTU	67.8 mV	32.85 ft	180.00 ml/min
8/24/2022 11:19 AM	01:00:00	5.08 pH	22.76 °C	66.01 µS/cm	0.18 mg/L	6.42 NTU	68.3 mV	32.87 ft	180.00 ml/min
8/24/2022 11:21 AM	01:01:58	5.09 pH	22.73 °C	66.04 µS/cm	0.18 mg/L	6.42 NTU	68.0 mV	32.87 ft	180.00 ml/min
8/24/2022 11:26 AM	01:06:58	5.09 pH	22.65 °C	66.07 µS/cm	0.18 mg/L	5.52 NTU	67.6 mV	32.88 ft	180.00 ml/min

8/24/2022 11:31 AM	01:11:58	5.09 pH	22.76 °C	66.06 µS/cm	0.17 mg/L	5.14 NTU	67.4 mV	32.90 ft	180.00 ml/min
8/24/2022 11:36 AM	01:16:58	5.09 pH	22.66 °C	65.85 µS/cm	0.16 mg/L	4.11 NTU	68.0 mV	32.91 ft	180.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/23/2022 1:58:50 PM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: PZ-14S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.25 ft Total Depth: 48.25 ft Initial Depth to Water: 26.44 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 43 ft Pump Intake From TOC: 43 ft Estimated Total Volume Pumped: 23.6 L Flow Cell Volume: 90 ml Final Flow Rate: 170 ml/min Final Draw Down: 7.44 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/23/2022 1:58 PM	00:00	5.42 pH	24.94 °C	59.56 µS/cm	3.40 mg/L	452.00 NTU	139.9 mV	26.44 ft	200.00 ml/min
8/23/2022 2:03 PM	05:00	5.51 pH	20.35 °C	70.60 µS/cm	0.38 mg/L	251.00 NTU	128.6 mV	26.48 ft	200.00 ml/min
8/23/2022 2:08 PM	10:00	5.49 pH	20.26 °C	68.88 µS/cm	0.29 mg/L	200.00 NTU	126.2 mV	26.49 ft	200.00 ml/min
8/23/2022 2:13 PM	15:00	5.48 pH	20.12 °C	68.65 µS/cm	0.26 mg/L	140.00 NTU	124.2 mV	26.47 ft	200.00 ml/min
8/23/2022 2:18 PM	20:00	5.48 pH	20.23 °C	67.40 µS/cm	0.24 mg/L	107.00 NTU	121.2 mV	26.48 ft	200.00 ml/min
8/23/2022 2:23 PM	25:00	5.47 pH	20.21 °C	66.39 µS/cm	0.22 mg/L	99.60 NTU	119.5 mV	26.49 ft	200.00 ml/min
8/23/2022 2:28 PM	30:00	5.45 pH	20.31 °C	65.67 µS/cm	0.20 mg/L	72.50 NTU	118.1 mV	26.50 ft	200.00 ml/min
8/23/2022 2:33 PM	35:00	5.44 pH	20.26 °C	64.75 µS/cm	0.19 mg/L	40.00 NTU	116.3 mV	26.48 ft	200.00 ml/min
8/23/2022 2:38 PM	40:00	5.44 pH	20.12 °C	64.11 µS/cm	0.18 mg/L	34.20 NTU	121.0 mV	26.48 ft	200.00 ml/min
8/23/2022 2:43 PM	45:00	5.44 pH	20.21 °C	64.00 µS/cm	0.17 mg/L	18.80 NTU	113.9 mV	26.49 ft	200.00 ml/min
8/23/2022 2:48 PM	50:00	5.42 pH	20.28 °C	63.04 µS/cm	0.17 mg/L	20.20 NTU	113.0 mV	26.50 ft	200.00 ml/min
8/23/2022 2:53 PM	55:00	5.41 pH	20.21 °C	62.83 µS/cm	0.16 mg/L	18.20 NTU	111.7 mV	26.49 ft	140.00 ml/min
8/23/2022 2:58 PM	01:00:00	5.42 pH	20.65 °C	63.56 µS/cm	0.16 mg/L	15.70 NTU	110.5 mV	26.49 ft	140.00 ml/min

8/23/2022 3:03 PM	01:05:00	5.41 pH	20.57 °C	62.31 µS/cm	0.17 mg/L	14.20 NTU	109.7 mV	26.50 ft	140.00 ml/min
8/23/2022 3:08 PM	01:10:00	5.40 pH	20.61 °C	62.20 µS/cm	0.17 mg/L	14.30 NTU	114.5 mV	26.49 ft	140.00 ml/min
8/23/2022 3:13 PM	01:15:00	5.41 pH	20.81 °C	62.96 µS/cm	0.19 mg/L	149.00 NTU	108.1 mV	26.50 ft	140.00 ml/min
8/23/2022 3:18 PM	01:20:00	5.44 pH	20.61 °C	64.84 µS/cm	0.21 mg/L	330.00 NTU	107.9 mV	26.49 ft	140.00 ml/min
8/23/2022 3:23 PM	01:25:00	5.41 pH	20.03 °C	62.26 µS/cm	0.15 mg/L	87.50 NTU	108.0 mV	26.48 ft	220.00 ml/min
8/23/2022 3:28 PM	01:30:00	5.37 pH	20.03 °C	60.51 µS/cm	0.14 mg/L	38.20 NTU	107.1 mV	26.47 ft	220.00 ml/min
8/23/2022 3:33 PM	01:35:00	5.37 pH	19.99 °C	60.37 µS/cm	0.13 mg/L	31.10 NTU	105.9 mV	26.48 ft	220.00 ml/min
8/23/2022 3:38 PM	01:40:00	5.38 pH	20.21 °C	61.00 µS/cm	0.12 mg/L	15.70 NTU	104.7 mV	26.50 ft	170.00 ml/min
8/23/2022 3:43 PM	01:45:00	5.38 pH	20.43 °C	60.89 µS/cm	0.13 mg/L	10.30 NTU	104.3 mV	26.48 ft	170.00 ml/min
8/23/2022 3:48 PM	01:50:00	5.39 pH	20.46 °C	61.14 µS/cm	0.13 mg/L	6.95 NTU	103.4 mV	26.48 ft	170.00 ml/min
8/23/2022 3:53 PM	01:55:00	5.38 pH	20.70 °C	61.43 µS/cm	0.15 mg/L	8.23 NTU	102.7 mV	26.48 ft	170.00 ml/min
8/23/2022 3:58 PM	02:00:00	5.40 pH	20.64 °C	61.71 µS/cm	0.14 mg/L	6.63 NTU	102.2 mV	26.50 ft	170.00 ml/min
8/23/2022 4:03 PM	02:05:00	5.39 pH	20.74 °C	61.59 µS/cm	0.14 mg/L	6.37 NTU	101.6 mV	26.49 ft	170.00 ml/min
8/23/2022 4:08 PM	02:10:00	5.39 pH	21.06 °C	61.42 µS/cm	0.16 mg/L	4.34 NTU	100.8 mV	26.50 ft	170.00 ml/min

Samples

Sample ID:	Description:
PZ-14S	
DUP-3	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 9:22:19 AM

Project: Plant Scherer

Operator Name: Duane Fulton

Location Name: PZ-17I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 90.35 ft Total Depth: 100.35 ft Initial Depth to Water: 29.54 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 95 ft Pump Intake From TOC: 95 ft Estimated Total Volume Pumped: 3.85 L Flow Cell Volume: 90 ml Final Flow Rate: 60 ml/min Final Draw Down: 4.32 in	Instrument Used: Aqua TROLL 400 Serial Number: 883561
--	---	--

Test Notes:

Weather Conditions:

Cloudy, 80s

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/24/2022 9:22 AM	00:00	7.06 pH	24.60 °C	382.17 µS/cm	7.24 mg/L	5.66 NTU	107.6 mV	29.60 ft	50.00 ml/min
8/24/2022 9:27 AM	05:00	6.86 pH	24.15 °C	373.79 µS/cm	7.23 mg/L	22.70 NTU	92.3 mV	29.69 ft	60.00 ml/min
8/24/2022 9:32 AM	10:00	6.74 pH	22.94 °C	361.00 µS/cm	1.21 mg/L	14.90 NTU	72.8 mV	29.81 ft	60.00 ml/min
8/24/2022 9:37 AM	15:00	6.78 pH	22.10 °C	369.22 µS/cm	1.24 mg/L	9.85 NTU	53.4 mV	29.85 ft	60.00 ml/min
8/24/2022 9:42 AM	20:00	6.75 pH	21.97 °C	367.45 µS/cm	0.52 mg/L	13.90 NTU	37.0 mV	29.87 ft	60.00 ml/min
8/24/2022 9:47 AM	25:00	6.74 pH	21.79 °C	366.55 µS/cm	0.33 mg/L	11.80 NTU	26.6 mV	29.87 ft	60.00 ml/min
8/24/2022 9:52 AM	30:00	6.74 pH	21.80 °C	366.65 µS/cm	0.24 mg/L	9.01 NTU	19.7 mV	29.89 ft	60.00 ml/min
8/24/2022 9:57 AM	35:00	6.74 pH	21.68 °C	365.41 µS/cm	0.18 mg/L	13.10 NTU	15.6 mV	29.89 ft	60.00 ml/min
8/24/2022 10:02 AM	40:00	6.74 pH	21.66 °C	364.99 µS/cm	0.16 mg/L	9.10 NTU	12.7 mV	29.89 ft	60.00 ml/min
8/24/2022 10:07 AM	45:00	6.74 pH	21.61 °C	365.24 µS/cm	0.14 mg/L	7.79 NTU	10.2 mV	29.89 ft	60.00 ml/min
8/24/2022 10:12 AM	50:00	6.74 pH	21.69 °C	365.19 µS/cm	0.13 mg/L	5.88 NTU	8.9 mV	29.90 ft	60.00 ml/min
8/24/2022 10:17 AM	55:00	6.74 pH	21.75 °C	365.02 µS/cm	0.13 mg/L	7.21 NTU	7.9 mV	29.90 ft	60.00 ml/min
8/24/2022 10:22 AM	01:00:00	6.74 pH	21.79 °C	364.27 µS/cm	0.12 mg/L	3.24 NTU	7.8 mV	29.90 ft	60.00 ml/min

8/24/2022 10:27 AM	01:05:00	6.74 pH	21.91 °C	364.44 µS/cm	0.12 mg/L	3.92 NTU	7.6 mV	29.90 ft	60.00 ml/min
-----------------------	----------	---------	----------	--------------	-----------	----------	--------	----------	--------------

Samples

Sample ID:	Description:
PZ-171	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 1:17:49 PM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: PZ-25i Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 120.9 ft Total Depth: 130.9 ft Initial Depth to Water: 41 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 125 ft Pump Intake From TOC: 125 ft Estimated Total Volume Pumped: 7.6 L Flow Cell Volume: 90 ml Final Flow Rate: 170 ml/min Final Draw Down: 15.96 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/24/2022 1:17 PM	00:00	10.14 pH	20.85 °C	173.16 µS/cm	2.54 mg/L	26.70 NTU	83.0 mV	41.00 ft	170.00 ml/min
8/24/2022 1:22 PM	05:00	9.73 pH	19.82 °C	183.93 µS/cm	0.54 mg/L	32.90 NTU	80.8 mV	41.75 ft	170.00 ml/min
8/24/2022 1:27 PM	10:00	8.06 pH	19.69 °C	214.41 µS/cm	0.31 mg/L	20.40 NTU	84.2 mV	42.02 ft	170.00 ml/min
8/24/2022 1:32 PM	15:00	7.22 pH	19.67 °C	225.62 µS/cm	0.22 mg/L	13.00 NTU	79.3 mV	42.14 ft	170.00 ml/min
8/24/2022 1:37 PM	20:00	6.91 pH	19.73 °C	225.76 µS/cm	0.18 mg/L	11.35 NTU	78.9 mV	42.22 ft	170.00 ml/min
8/24/2022 1:42 PM	25:00	6.78 pH	19.78 °C	225.25 µS/cm	0.16 mg/L	8.70 NTU	75.5 mV	42.30 ft	170.00 ml/min
8/24/2022 1:47 PM	30:00	6.74 pH	19.74 °C	222.16 µS/cm	0.14 mg/L	8.16 NTU	74.0 mV	42.31 ft	170.00 ml/min
8/24/2022 1:52 PM	35:00	6.70 pH	19.74 °C	220.11 µS/cm	0.13 mg/L	7.49 NTU	74.1 mV	42.33 ft	170.00 ml/min
8/24/2022 1:57 PM	40:00	6.68 pH	19.74 °C	218.07 µS/cm	0.11 mg/L	4.91 NTU	71.6 mV	42.32 ft	170.00 ml/min
8/24/2022 2:02 PM	44:45	6.64 pH	19.85 °C	216.01 µS/cm	0.11 mg/L	4.91 NTU	71.3 mV	42.33 ft	170.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/24/2022 2:32:47 PM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: PZ-25S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 48.05 ft Total Depth: 58.05 ft Initial Depth to Water: 40.15 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 53 ft Pump Intake From TOC: 53 ft Estimated Total Volume Pumped: 3 L Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 4.44 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
---	---	--

Test Notes:

Prepurge 0.75L

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/24/2022 2:32 PM	00:00	4.80 pH	20.63 °C	33.37 µS/cm	1.76 mg/L	6.03 NTU	74.1 mV	40.15 ft	150.00 ml/min
8/24/2022 2:37 PM	05:00	4.77 pH	22.86 °C	34.25 µS/cm	1.63 mg/L	6.74 NTU	81.8 mV	40.49 ft	150.00 ml/min
8/24/2022 2:42 PM	10:00	4.75 pH	24.04 °C	34.88 µS/cm	1.68 mg/L	4.44 NTU	81.9 mV	40.49 ft	150.00 ml/min
8/24/2022 2:47 PM	15:00	4.75 pH	24.02 °C	33.49 µS/cm	1.76 mg/L	4.37 NTU	82.9 mV	40.52 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/23/2022 9:28:43 AM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: PZ-39S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 70 ft Total Depth: 80 ft Initial Depth to Water: 36.98 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 75 ft Pump Intake From TOC: 75 ft Estimated Total Volume Pumped: 3.5 L Flow Cell Volume: 90 ml Final Flow Rate: 100 ml/min Final Draw Down: 7.56 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
---	---	--

Test Notes:

Pre purged 2 L before starting

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/23/2022 9:28 AM	00:00	6.74 pH	20.58 °C	233.36 µS/cm	0.43 mg/L	0.88 NTU	72.4 mV	37.62 ft	100.00 ml/min
8/23/2022 9:33 AM	05:00	6.75 pH	20.51 °C	236.18 µS/cm	0.39 mg/L	0.48 NTU	78.8 mV	37.63 ft	100.00 ml/min
8/23/2022 9:38 AM	10:00	6.75 pH	20.50 °C	234.15 µS/cm	0.37 mg/L	0.83 NTU	69.7 mV	37.60 ft	100.00 ml/min
8/23/2022 9:43 AM	15:00	6.77 pH	20.55 °C	233.46 µS/cm	0.34 mg/L	0.81 NTU	68.3 mV	37.61 ft	100.00 ml/min

Samples

Sample ID:	Description:
PZ-39S	EB-3

Low-Flow Test Report:

Test Date / Time: 8/23/2022 2:28:43 PM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: PZ-40I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 75.93 ft Total Depth: 85.93 ft Initial Depth to Water: 40.33 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 80 ft Pump Intake From TOC: 80 ft Estimated Total Volume Pumped: 6.7 L Flow Cell Volume: 90 ml Final Flow Rate: 180 ml/min Final Draw Down: 23.64 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/23/2022 2:28 PM	00:00	6.40 pH	24.29 °C	1,284.6 µS/cm	1.95 mg/L	21.70 NTU	91.6 mV	40.33 ft	180.00 ml/min
8/23/2022 2:33 PM	05:00	6.18 pH	23.57 °C	1,352.6 µS/cm	0.81 mg/L	9.30 NTU	91.2 mV	41.39 ft	180.00 ml/min
8/23/2022 2:39 PM	11:01	6.14 pH	23.51 °C	1,361.3 µS/cm	0.49 mg/L	7.77 NTU	91.5 mV	41.77 ft	180.00 ml/min
8/23/2022 2:41 PM	12:58	6.14 pH	23.48 °C	1,364.8 µS/cm	0.43 mg/L	7.77 NTU	91.4 mV	41.77 ft	180.00 ml/min
8/23/2022 2:43 PM	15:10	6.14 pH	23.48 °C	1,364.4 µS/cm	0.38 mg/L	7.77 NTU	91.0 mV	41.77 ft	180.00 ml/min
8/23/2022 2:46 PM	18:11	6.13 pH	23.40 °C	1,363.4 µS/cm	0.33 mg/L	7.82 NTU	90.9 mV	41.98 ft	180.00 ml/min
8/23/2022 2:49 PM	21:05	6.13 pH	23.44 °C	1,363.1 µS/cm	0.30 mg/L	7.82 NTU	90.7 mV	42.09 ft	180.00 ml/min
8/23/2022 2:51 PM	22:31	6.13 pH	23.44 °C	1,362.2 µS/cm	0.28 mg/L	6.47 NTU	90.7 mV	41.98 ft	180.00 ml/min
8/23/2022 2:56 PM	27:35	6.13 pH	23.40 °C	1,362.0 µS/cm	0.24 mg/L	6.07 NTU	90.4 mV	42.20 ft	180.00 ml/min
8/23/2022 2:59 PM	30:42	6.13 pH	23.30 °C	1,356.5 µS/cm	0.21 mg/L	7.41 NTU	90.1 mV	42.26 ft	180.00 ml/min
8/23/2022 3:01 PM	32:31	6.13 pH	23.26 °C	1,352.2 µS/cm	0.20 mg/L	6.58 NTU	89.4 mV	42.27 ft	180.00 ml/min
8/23/2022 3:06 PM	37:31	6.14 pH	23.19 °C	1,340.7 µS/cm	0.16 mg/L	4.89 NTU	90.2 mV	42.30 ft	180.00 ml/min

Samples

Sample ID:	Description:
FB-3	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 9:03:20 AM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: PZ-41S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.42 ft Total Depth: 47.42 ft Initial Depth to Water: 31.42 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 42 ft Pump Intake From TOC: 42 ft Estimated Total Volume Pumped: 11.963 L Flow Cell Volume: 90 ml Final Flow Rate: 140 ml/min Final Draw Down: 27.6 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/24/2022 9:03 AM	00:00	6.31 pH	22.54 °C	1,036.3 µS/cm	5.99 mg/L	63.10 NTU	97.8 mV	31.42 ft	215.00 ml/min
8/24/2022 9:08 AM	05:00	5.88 pH	19.77 °C	1,111.6 µS/cm	1.90 mg/L	48.80 NTU	86.8 mV	32.69 ft	215.00 ml/min
8/24/2022 9:13 AM	10:00	5.87 pH	19.50 °C	1,119.0 µS/cm	1.80 mg/L	42.70 NTU	86.6 mV	32.93 ft	215.00 ml/min
8/24/2022 9:16 AM	13:12	5.86 pH	19.46 °C	1,105.6 µS/cm	1.80 mg/L	37.10 NTU	85.7 mV	33.03 ft	215.00 ml/min
8/24/2022 9:21 AM	18:12	5.87 pH	19.44 °C	1,129.8 µS/cm	1.78 mg/L	24.90 NTU	86.0 mV	33.08 ft	215.00 ml/min
8/24/2022 9:26 AM	23:12	5.86 pH	19.43 °C	1,132.1 µS/cm	1.77 mg/L	17.90 NTU	85.2 mV	33.15 ft	215.00 ml/min
8/24/2022 9:31 AM	28:12	5.86 pH	19.44 °C	1,134.2 µS/cm	1.70 mg/L	16.00 NTU	86.1 mV	33.18 ft	215.00 ml/min
8/24/2022 9:36 AM	33:12	5.86 pH	19.44 °C	1,138.3 µS/cm	1.71 mg/L	11.70 NTU	86.2 mV	33.08 ft	165.00 ml/min
8/24/2022 9:41 AM	38:12	5.87 pH	19.60 °C	1,134.5 µS/cm	1.70 mg/L	9.67 NTU	85.2 mV	32.96 ft	165.00 ml/min
8/24/2022 9:46 AM	43:12	5.87 pH	19.59 °C	1,138.6 µS/cm	1.71 mg/L	8.55 NTU	85.3 mV	32.90 ft	165.00 ml/min
8/24/2022 9:51 AM	48:12	5.87 pH	19.59 °C	1,139.9 µS/cm	1.71 mg/L	8.30 NTU	85.5 mV	33.89 ft	165.00 ml/min
8/24/2022 9:56 AM	53:12	5.87 pH	19.59 °C	1,141.4 µS/cm	1.71 mg/L	7.94 NTU	85.8 mV	33.88 ft	165.00 ml/min
8/24/2022 10:01 AM	58:12	5.87 pH	19.70 °C	1,140.9 µS/cm	1.73 mg/L	6.49 NTU	85.8 mV	33.78 ft	140.00 ml/min
8/24/2022 10:06 AM	01:03:12	5.87 pH	19.81 °C	1,141.2 µS/cm	1.71 mg/L	4.92 NTU	86.8 mV	33.72 ft	140.00 ml/min

Samples

Sample ID:	Description:
PZ-41S	

Low-Flow Test Report:

Test Date / Time: 8/22/2022 4:33:24 PM

Project: Plant Scherer

Operator Name: Chris Tidwell

Location Name: PZ-42I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 87.46 ft Total Depth: 97.46 ft Initial Depth to Water: 11.71 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 93 ft Pump Intake From TOC: 93 ft Estimated Total Volume Pumped: 5.8 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 15.96 in	Instrument Used: Aqua TROLL 400 Serial Number: 884187
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
8/22/2022 4:33 PM	00:00	6.27 pH	23.99 °C	634.31 µS/cm	0.64 mg/L	12.10 NTU	50.5 mV	11.71 ft	200.00 ml/min
8/22/2022 4:35 PM	02:17	6.27 pH	23.98 °C	635.36 µS/cm	0.57 mg/L	12.10 NTU	51.9 mV	11.71 ft	200.00 ml/min
8/22/2022 4:39 PM	05:44	6.27 pH	23.91 °C	635.19 µS/cm	0.52 mg/L	12.80 NTU	53.4 mV	11.71 ft	200.00 ml/min
8/22/2022 4:40 PM	06:49	6.27 pH	23.80 °C	632.20 µS/cm	0.44 mg/L	12.80 NTU	54.0 mV	11.78 ft	200.00 ml/min
8/22/2022 4:41 PM	07:49	6.27 pH	23.68 °C	632.57 µS/cm	0.44 mg/L	12.80 NTU	54.0 mV	11.78 ft	200.00 ml/min
8/22/2022 4:41 PM	08:25	6.27 pH	23.59 °C	632.05 µS/cm	0.43 mg/L	11.00 NTU	54.2 mV	11.78 ft	200.00 ml/min
8/22/2022 4:42 PM	09:00	6.27 pH	23.49 °C	630.73 µS/cm	0.42 mg/L	11.00 NTU	54.4 mV	11.84 ft	200.00 ml/min
8/22/2022 4:47 PM	14:00	6.27 pH	23.01 °C	636.18 µS/cm	0.54 mg/L	14.90 NTU	55.2 mV	12.08 ft	200.00 ml/min
8/22/2022 4:52 PM	19:00	6.27 pH	22.80 °C	636.49 µS/cm	0.44 mg/L	6.80 NTU	56.7 mV	12.44 ft	200.00 ml/min
8/22/2022 4:57 PM	24:00	6.27 pH	22.67 °C	636.77 µS/cm	0.24 mg/L	4.50 NTU	57.2 mV	12.88 ft	200.00 ml/min
8/22/2022 5:02 PM	29:00	6.27 pH	22.78 °C	638.97 µS/cm	0.23 mg/L	4.10 NTU	56.9 mV	13.04 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/24/2022 11:41:16 AM

Project: Plant Scherer

Operator Name: M. Mann

Location Name: PZ-43S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 43.9 ft Total Depth: 53.9 ft Initial Depth to Water: 24.95 ft	Pump Type: Dedicated Bladder Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 48 ft Pump Intake From TOC: 48 ft Estimated Total Volume Pumped: 3.825 L Flow Cell Volume: 90 ml Final Flow Rate: 205 ml/min Final Draw Down: 23.52 in	Instrument Used: Aqua TROLL 400 Serial Number: 851413
---	--	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/24/2022 11:41 AM	00:00	8.52 pH	24.19 °C	403.84 µS/cm	6.21 mg/L	2.83 NTU	79.4 mV	24.59 ft	280.00 ml/min
8/24/2022 11:46 AM	05:00	9.95 pH	19.90 °C	419.51 µS/cm	6.65 mg/L	1.54 NTU	83.9 mV	26.62 ft	280.00 ml/min
8/24/2022 11:51 AM	10:00	9.96 pH	20.06 °C	422.56 µS/cm	6.75 mg/L	2.26 NTU	82.5 mV	26.82 ft	205.00 ml/min
8/24/2022 11:56 AM	15:00	9.96 pH	20.17 °C	419.59 µS/cm	6.64 mg/L	2.89 NTU	83.6 mV	26.91 ft	205.00 ml/min

Samples

Sample ID:	Description:
PZ-43S	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 9:41:13 AM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: PZ-44I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 97.2 ft Total Depth: 117.2 ft Initial Depth to Water: 20.58 ft	Pump Type: Alexis Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 112 ft Pump Intake From TOC: 112 ft Estimated Total Volume Pumped: 17.65 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 15.84 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	---	--

Test Notes:

Pre purged 1 L

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/24/2022 9:41 AM	00:00	6.64 pH	21.11 °C	204.44 µS/cm	0.56 mg/L	49.80 NTU	11.5 mV	21.35 ft	120.00 ml/min
8/24/2022 9:46 AM	05:00	6.64 pH	21.20 °C	202.91 µS/cm	0.37 mg/L	44.80 NTU	5.9 mV	21.34 ft	120.00 ml/min
8/24/2022 9:51 AM	10:00	6.65 pH	21.36 °C	200.07 µS/cm	0.32 mg/L	34.80 NTU	2.9 mV	21.34 ft	120.00 ml/min
8/24/2022 9:56 AM	15:00	6.63 pH	21.36 °C	197.24 µS/cm	0.31 mg/L	28.40 NTU	3.3 mV	21.32 ft	120.00 ml/min
8/24/2022 10:01 AM	20:00	6.61 pH	21.39 °C	195.01 µS/cm	0.29 mg/L	28.80 NTU	3.7 mV	21.33 ft	120.00 ml/min
8/24/2022 10:06 AM	25:00	6.62 pH	21.46 °C	192.97 µS/cm	0.27 mg/L	28.70 NTU	2.7 mV	21.33 ft	120.00 ml/min
8/24/2022 10:11 AM	30:00	6.61 pH	21.51 °C	191.63 µS/cm	0.26 mg/L	21.80 NTU	2.3 mV	21.35 ft	120.00 ml/min
8/24/2022 10:16 AM	35:00	6.61 pH	21.49 °C	198.59 µS/cm	0.27 mg/L	20.10 NTU	5.1 mV	21.35 ft	120.00 ml/min
8/24/2022 10:21 AM	40:00	6.60 pH	21.52 °C	199.33 µS/cm	0.21 mg/L	8.76 NTU	2.3 mV	21.32 ft	120.00 ml/min
8/24/2022 10:26 AM	45:00	6.62 pH	21.60 °C	199.36 µS/cm	0.22 mg/L	13.60 NTU	-1.1 mV	21.34 ft	120.00 ml/min
8/24/2022 10:31 AM	50:00	6.61 pH	21.62 °C	195.85 µS/cm	0.21 mg/L	15.50 NTU	-1.1 mV	21.31 ft	120.00 ml/min
8/24/2022 10:36 AM	55:00	6.61 pH	21.67 °C	195.92 µS/cm	0.19 mg/L	14.20 NTU	0.6 mV	21.31 ft	120.00 ml/min
8/24/2022 10:41 AM	01:00:00	6.60 pH	21.78 °C	199.25 µS/cm	0.64 mg/L	15.80 NTU	4.2 mV	21.32 ft	120.00 ml/min

8/24/2022 10:46 AM	01:05:00	6.60 pH	21.85 °C	198.07 µS/cm	0.28 mg/L	11.70 NTU	-4.2 mV	21.32 ft	120.00 ml/min
8/24/2022 10:51 AM	01:10:00	6.61 pH	22.02 °C	197.46 µS/cm	0.24 mg/L	11.60 NTU	0.2 mV	21.32 ft	120.00 ml/min
8/24/2022 10:56 AM	01:15:00	6.61 pH	21.95 °C	194.40 µS/cm	0.26 mg/L	12.70 NTU	-0.3 mV	21.33 ft	120.00 ml/min
8/24/2022 11:01 AM	01:20:00	6.60 pH	21.76 °C	191.61 µS/cm	0.27 mg/L	11.60 NTU	0.9 mV	21.45 ft	120.00 ml/min
8/24/2022 11:06 AM	01:25:00	6.60 pH	21.94 °C	193.25 µS/cm	0.22 mg/L	17.90 NTU	2.0 mV	21.33 ft	120.00 ml/min
8/24/2022 11:11 AM	01:30:00	6.60 pH	22.11 °C	191.99 µS/cm	0.28 mg/L	14.30 NTU	1.9 mV	21.33 ft	120.00 ml/min
8/24/2022 11:16 AM	01:35:00	6.61 pH	21.71 °C	188.74 µS/cm	0.21 mg/L	9.63 NTU	-5.4 mV	21.43 ft	150.00 ml/min
8/24/2022 11:21 AM	01:40:00	6.60 pH	21.22 °C	188.82 µS/cm	0.20 mg/L	6.90 NTU	0.4 mV	21.65 ft	150.00 ml/min
8/24/2022 11:26 AM	01:45:00	6.60 pH	21.27 °C	189.27 µS/cm	0.19 mg/L	8.03 NTU	2.5 mV	21.68 ft	150.00 ml/min
8/24/2022 11:31 AM	01:50:00	6.61 pH	21.18 °C	189.67 µS/cm	0.19 mg/L	7.66 NTU	2.2 mV	21.70 ft	200.00 ml/min
8/24/2022 11:36 AM	01:55:00	6.61 pH	21.02 °C	185.94 µS/cm	0.16 mg/L	5.96 NTU	2.2 mV	21.82 ft	200.00 ml/min
8/24/2022 11:41 AM	02:00:00	6.61 pH	21.02 °C	185.89 µS/cm	0.15 mg/L	5.11 NTU	1.8 mV	21.88 ft	200.00 ml/min
8/24/2022 11:46 AM	02:05:00	6.61 pH	20.96 °C	188.31 µS/cm	0.16 mg/L	5.76 NTU	-5.1 mV	21.90 ft	200.00 ml/min

Samples

Sample ID:	Description:
PZ-44I	

Low-Flow Test Report:

Test Date / Time: 8/24/2022 1:53:53 PM

Project: Plant Scherer

Operator Name: Aimee Plowman

Location Name: PZ-69I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 98.16 ft Total Depth: 108.16 ft Initial Depth to Water: 19.17 ft	Pump Type: Alexis Tubing Type: Polyethylene Tubing Inner Diameter: 0.17 in Tubing Length: 103 ft Pump Intake From TOC: 103 ft Estimated Total Volume Pumped: 3 L Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.32 in	Instrument Used: Aqua TROLL 400 Serial Number: 843285
--	--	--

Test Notes:

Pre purged 1 L

Weather Conditions:

Sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 0.2	+/- 5	+/- 10	+/- 0.3	
8/24/2022 1:53 PM	00:00	6.86 pH	21.54 °C	437.99 µS/cm	0.30 mg/L	5.88 NTU	-49.8 mV	19.25 ft	200.00 ml/min
8/24/2022 1:58 PM	05:00	6.86 pH	21.35 °C	437.57 µS/cm	0.21 mg/L	2.30 NTU	-74.5 mV	19.26 ft	200.00 ml/min
8/24/2022 2:03 PM	10:00	6.87 pH	21.29 °C	435.98 µS/cm	0.17 mg/L	1.89 NTU	-54.8 mV	19.27 ft	200.00 ml/min
8/24/2022 2:08 PM	15:00	6.86 pH	21.36 °C	433.02 µS/cm	0.14 mg/L	0.99 NTU	-51.7 mV	19.28 ft	200.00 ml/min

Samples

Sample ID:	Description:
PZ-69I	

APPENDIX B

**Field Data Forms
October 2022**

Low-Flow Test Report:

Test Date / Time: 10/25/2022 9:27:14 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-16 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 40 ft Total Depth: 50 ft Initial Depth to Water: 25.89 ft	Pump Type: QED dedicated Tubing Type: Polyethylene Pump Intake From TOC: 45 ft Estimated Total Volume Pumped: 8000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.13 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883546
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 5	
10/25/2022 9:27 AM	00:00	5.80 pH	21.01 °C	0.00 µS/cm	8.35 mg/L	31.00 NTU	33.3 mV	25.88 cm	200.00 ml/min
10/25/2022 9:32 AM	05:00	5.38 pH	19.79 °C	155.19 µS/cm	5.11 mg/L	57.30 NTU	139.7 mV	25.96 cm	200.00 ml/min
10/25/2022 9:37 AM	10:00	5.23 pH	18.62 °C	163.94 µS/cm	3.86 mg/L	25.90 NTU	167.3 mV	25.98 cm	200.00 ml/min
10/25/2022 9:42 AM	15:00	5.22 pH	18.73 °C	166.44 µS/cm	3.53 mg/L	16.30 NTU	165.0 mV	25.99 cm	200.00 ml/min
10/25/2022 9:47 AM	20:00	5.22 pH	18.77 °C	168.36 µS/cm	3.30 mg/L	9.40 NTU	161.9 mV	25.99 cm	200.00 ml/min
10/25/2022 9:52 AM	25:00	5.23 pH	18.92 °C	168.12 µS/cm	3.08 mg/L	5.52 NTU	158.7 mV	26.00 cm	200.00 ml/min
10/25/2022 9:57 AM	30:00	5.23 pH	19.03 °C	167.72 µS/cm	2.91 mg/L	3.96 NTU	156.1 mV	26.01 cm	200.00 ml/min
10/25/2022 10:02 AM	35:00	5.23 pH	19.10 °C	167.67 µS/cm	2.78 mg/L	3.13 NTU	154.1 mV	26.01 cm	200.00 ml/min
10/25/2022 10:07 AM	40:00	5.23 pH	19.21 °C	167.77 µS/cm	2.67 mg/L	2.88 NTU	127.3 mV	26.02 cm	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/25/2022 10:39:40 AM

Project: Plant Scherer (2)

Operator Name: C. Tidwell

Location Name: SGWC-17 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17 ft Total Depth: 27 ft Initial Depth to Water: 2.2 ft	Pump Type: QED dedicated Tubing Type: Polyethylene Pump Intake From TOC: 22 ft Estimated Total Volume Pumped: 4750 ml Flow Cell Volume: 90 ml Final Flow Rate: 190 ml/min Final Draw Down: 0.21 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883546
--	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
10/25/2022 10:39 AM	00:00	6.38 pH	19.59 °C	570.09 µS/cm	7.32 mg/L	11.80 NTU	-183.9 mV	2.20 ft	190.00 ml/min
10/25/2022 10:44 AM	05:00	6.42 pH	17.30 °C	580.11 µS/cm	5.21 mg/L	10.30 NTU	-114.7 mV	2.29 ft	190.00 ml/min
10/25/2022 10:49 AM	10:00	6.33 pH	16.89 °C	614.10 µS/cm	3.16 mg/L	10.60 NTU	-24.8 mV	2.34 ft	190.00 ml/min
10/25/2022 10:54 AM	15:00	6.28 pH	17.25 °C	614.80 µS/cm	1.17 mg/L	12.30 NTU	1.3 mV	2.39 ft	190.00 ml/min
10/25/2022 10:59 AM	20:00	6.28 pH	17.46 °C	607.49 µS/cm	1.14 mg/L	4.41 NTU	16.7 mV	2.39 ft	190.00 ml/min
10/25/2022 11:04 AM	25:00	6.27 pH	17.52 °C	605.25 µS/cm	1.09 mg/L	4.09 NTU	24.1 mV	2.41 ft	190.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/31/2022 11:38:27 AM

Project: Plant Scherer (8)

Operator Name: C. Tidwell

Location Name: SGWC-18 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.6 ft Total Depth: 47.6 ft Initial Depth to Water: 42.21 ft	Pump Type: Bladder Tubing Type: Polyethylene Pump Intake From TOC: 45.6 ft Estimated Total Volume Pumped: 10450 ml Flow Cell Volume: 90 ml Final Flow Rate: 190 ml/min Final Draw Down: 0.57 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883546
--	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
10/31/2022 11:38 AM	00:00	5.04 pH	20.90 °C	1,794.6 µS/cm	2.67 mg/L	60.10 NTU	214.9 mV	42.21 ft	190.00 ml/min
10/31/2022 11:43 AM	05:00	4.92 pH	21.47 °C	1,895.3 µS/cm	2.55 mg/L	29.50 NTU	264.2 mV	42.39 ft	190.00 ml/min
10/31/2022 11:48 AM	10:00	4.92 pH	21.68 °C	1,888.3 µS/cm	2.36 mg/L	35.10 NTU	269.2 mV	42.43 ft	190.00 ml/min
10/31/2022 11:53 AM	15:00	4.91 pH	21.47 °C	1,898.2 µS/cm	2.30 mg/L	41.40 NTU	231.0 mV	42.45 ft	190.00 ml/min
10/31/2022 11:58 AM	20:00	4.91 pH	21.32 °C	1,892.7 µS/cm	2.29 mg/L	31.70 NTU	225.9 mV	42.48 ft	190.00 ml/min
10/31/2022 12:03 PM	25:00	4.90 pH	21.95 °C	1,893.3 µS/cm	2.26 mg/L	21.70 NTU	256.5 mV	42.54 ft	190.00 ml/min
10/31/2022 12:08 PM	30:00	4.90 pH	22.10 °C	1,884.6 µS/cm	2.22 mg/L	14.70 NTU	225.9 mV	42.58 ft	190.00 ml/min
10/31/2022 12:13 PM	35:00	4.90 pH	22.27 °C	1,888.0 µS/cm	2.22 mg/L	11.00 NTU	255.5 mV	42.61 ft	190.00 ml/min
10/31/2022 12:18 PM	40:00	4.90 pH	22.70 °C	1,886.8 µS/cm	2.20 mg/L	11.30 NTU	225.0 mV	42.65 ft	190.00 ml/min
10/31/2022 12:23 PM	45:00	4.90 pH	22.23 °C	1,883.3 µS/cm	2.21 mg/L	9.61 NTU	253.4 mV	42.69 ft	190.00 ml/min
10/31/2022 12:28 PM	50:00	4.90 pH	21.75 °C	1,887.9 µS/cm	2.23 mg/L	5.53 NTU	221.3 mV	42.74 ft	190.00 ml/min
10/31/2022 12:33 PM	55:00	4.89 pH	22.11 °C	1,894.8 µS/cm	2.35 mg/L	3.40 NTU	247.4 mV	42.78 ft	190.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/31/2022 2:32:03 PM

Project: Scherer Resample

Operator Name: M. Mann

Location Name: SGWC-19 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 27.4 ft Total Depth: 37.4 ft Initial Depth to Water: 16.17 ft	Pump Type: QED Dedicated Bladder Tubing Type: Polyurethane Pump Intake From TOC: 32 ft Estimated Total Volume Pumped: 6712.5 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 0.52 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883536
--	---	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 2:32 PM	00:00	5.60 pH	20.78 °C	552.17 µS/cm	3.70 mg/L	1.73 NTU	78.4 mV	16.17 ft	350.00 ml/min
10/31/2022 2:37 PM	05:00	5.58 pH	20.61 °C	608.14 µS/cm	3.57 mg/L	1.14 NTU	66.4 mV	16.90 ft	150.00 ml/min
10/31/2022 2:42 PM	10:00	5.56 pH	20.99 °C	611.06 µS/cm	3.41 mg/L	0.77 NTU	89.0 mV	16.74 ft	150.00 ml/min
10/31/2022 2:47 PM	15:00	5.55 pH	20.84 °C	609.10 µS/cm	3.06 mg/L	0.66 NTU	76.9 mV	16.72 ft	150.00 ml/min
10/31/2022 2:52 PM	20:00	5.55 pH	20.94 °C	611.88 µS/cm	2.95 mg/L	0.53 NTU	95.1 mV	16.71 ft	150.00 ml/min
10/31/2022 2:55 PM	23:05	5.54 pH	21.19 °C	546.43 µS/cm	2.90 mg/L	0.91 NTU	83.9 mV	16.71 ft	150.00 ml/min
10/31/2022 3:00 PM	28:05	5.53 pH	20.92 °C	599.80 µS/cm	2.66 mg/L	1.05 NTU	79.0 mV	16.72 ft	150.00 ml/min
10/31/2022 3:05 PM	33:05	5.54 pH	20.76 °C	612.86 µS/cm	2.68 mg/L	0.64 NTU	97.6 mV	16.70 ft	150.00 ml/min
10/31/2022 3:10 PM	38:05	5.53 pH	20.80 °C	612.14 µS/cm	2.68 mg/L	0.78 NTU	81.2 mV	16.69 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWC-19	

Low-Flow Test Report:

Test Date / Time: 10/31/2022 10:01:06 AM

Project: SCS Plant Scherer (2)

Operator Name: Tiffany Messier

Location Name: SGWC-20 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.90 ft Total Depth: 27.90 ft Initial Depth to Water: 15.74 ft	Pump Type: Dedicated Bladder Tubing Type: LDPE Pump Intake From TOC: 21 ft Estimated Total Volume Pumped: 14809.667 ml Flow Cell Volume: 90 ml Final Flow Rate: 220 ml/min	Instrument Used: Aqua TROLL 400 Serial Number: 883533
--	---	--

Test Notes:

Weather Conditions:

Rain 66

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 10:01 AM	00:00	4.24 pH	21.41 °C	632.09 µS/cm	0.90 mg/L	7.45 NTU	272.8 mV	17.00 ft	220.00 ml/min
10/31/2022 10:06 AM	05:00	4.25 pH	21.78 °C	619.57 µS/cm	1.18 mg/L	5.45 NTU	326.7 mV	17.39 ft	220.00 ml/min
10/31/2022 10:11 AM	10:00	4.26 pH	21.60 °C	618.98 µS/cm	1.01 mg/L	2.93 NTU	271.2 mV	16.60 ft	220.00 ml/min
10/31/2022 10:16 AM	15:00	4.29 pH	22.00 °C	595.58 µS/cm	0.80 mg/L	0.83 NTU	283.4 mV	16.60 ft	220.00 ml/min
10/31/2022 10:21 AM	20:00	4.32 pH	22.04 °C	584.28 µS/cm	1.55 mg/L	1.20 NTU	288.3 mV	16.61 ft	220.00 ml/min
10/31/2022 10:26 AM	25:00	4.33 pH	21.90 °C	580.26 µS/cm	1.29 mg/L	1.08 NTU	292.0 mV	16.61 ft	220.00 ml/min
10/31/2022 10:31 AM	30:00	4.34 pH	21.37 °C	580.70 µS/cm	1.55 mg/L	1.25 NTU	288.9 mV	16.61 ft	220.00 ml/min
10/31/2022 10:36 AM	35:00	4.33 pH	21.33 °C	587.20 µS/cm	1.38 mg/L	0.85 NTU	349.7 mV	16.60 ft	220.00 ml/min
10/31/2022 10:41 AM	40:00	4.32 pH	21.33 °C	458.45 µS/cm	1.42 mg/L	0.46 NTU	354.2 mV	16.60 ft	220.00 ml/min
10/31/2022 10:46 AM	45:00	4.32 pH	21.30 °C	599.34 µS/cm	1.45 mg/L	0.42 NTU	357.8 mV	16.60 ft	220.00 ml/min
10/31/2022 10:51 AM	50:00	4.32 pH	21.32 °C	597.53 µS/cm	1.39 mg/L	0.88 NTU	362.1 mV	16.61 ft	220.00 ml/min
10/31/2022 10:56 AM	55:00	4.32 pH	21.23 °C	594.02 µS/cm	1.37 mg/L		367.7 mV	16.61 ft	220.00 ml/min
10/31/2022 11:00 AM	59:07	4.32 pH	21.22 °C	447.86 µS/cm	1.33 mg/L	0.88 NTU	203.0 mV	16.60 ft	220.00 ml/min

Samples

Sample ID:	Description:
SGWC-20	

Low-Flow Test Report:

Test Date / Time: 10/31/2022 1:28:17 PM

Project: SCS Plant Scherer (4)

Operator Name: Tiffany Messier

Location Name: SGWC-21 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17.79 ft Total Depth: 27.79 ft Initial Depth to Water: 1.85 ft	Pump Type: Dedicated Bladder Pump Tubing Type: LDPE Estimated Total Volume Pumped: 5250 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 0.06 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 1:28 PM	00:00	7.43 pH	24.33 °C	0.00 µS/cm	7.66 mg/L	0.00 NTU	2.6 mV	1.85 ft	150.00 ml/min
10/31/2022 1:33 PM	05:00	6.36 pH	20.62 °C	522.41 µS/cm	1.15 mg/L	2.02 NTU	-18.0 mV	1.94 ft	150.00 ml/min
10/31/2022 1:38 PM	10:00	6.32 pH	20.50 °C	519.03 µS/cm	1.04 mg/L	1.72 NTU	-6.4 mV	1.91 ft	150.00 ml/min
10/31/2022 1:43 PM	15:00	6.31 pH	20.46 °C	521.16 µS/cm	0.95 mg/L	1.94 NTU	2.3 mV	1.91 ft	150.00 ml/min
10/31/2022 1:48 PM	20:00	6.30 pH	20.45 °C	523.12 µS/cm	0.98 mg/L	1.92 NTU	9.0 mV	1.91 ft	150.00 ml/min
10/31/2022 1:53 PM	25:00	6.30 pH	20.40 °C	522.19 µS/cm	0.94 mg/L	2.02 NTU	14.6 mV	1.91 ft	150.00 ml/min
10/31/2022 1:58 PM	30:00	6.29 pH	20.53 °C	523.03 µS/cm	0.89 mg/L	1.72 NTU	18.7 mV	1.91 ft	150.00 ml/min
10/31/2022 2:03 PM	35:00	6.29 pH	20.70 °C	520.22 µS/cm	0.94 mg/L	2.14 NTU	22.9 mV	1.85 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWC-21	

Low-Flow Test Report:

Test Date / Time: 10/31/2022 11:33:13 AM

Project: Scherer Resample

Operator Name: M. Mann

Location Name: SGWC-22 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 27.96 ft	Pump Type: QED Dedicated Bladder Tubing Type: Polyurethane Pump Intake From TOC: 44.2 ft Estimated Total Volume Pumped: 8900 ml Flow Cell Volume: 90 ml Final Flow Rate: 160 ml/min Final Draw Down: 0.62 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883536
--	---	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 11:33 AM	00:00	5.62 pH	19.34 °C	359.15 µS/cm	0.23 mg/L	12.80 NTU	33.8 mV	27.96 ft	500.00 ml/min
10/31/2022 11:38 AM	05:00	5.65 pH	19.32 °C	358.90 µS/cm	0.44 mg/L	9.04 NTU	63.4 mV	30.40 ft	160.00 ml/min
10/31/2022 11:43 AM	10:00	5.69 pH	19.95 °C	365.32 µS/cm	0.24 mg/L	5.90 NTU	-42.8 mV	29.62 ft	160.00 ml/min
10/31/2022 11:48 AM	15:00	5.70 pH	19.95 °C	371.79 µS/cm	0.25 mg/L	10.16 NTU	-48.5 mV	29.07 ft	160.00 ml/min
10/31/2022 11:53 AM	20:00	5.71 pH	20.16 °C	374.98 µS/cm	0.22 mg/L	8.04 NTU	-40.3 mV	28.81 ft	160.00 ml/min
10/31/2022 11:58 AM	25:00	5.72 pH	20.28 °C	379.56 µS/cm	0.24 mg/L	7.81 NTU	-29.0 mV	28.64 ft	160.00 ml/min
10/31/2022 12:03 PM	30:00	5.73 pH	20.65 °C	381.54 µS/cm	0.31 mg/L	6.61 NTU	-10.8 mV	28.61 ft	160.00 ml/min
10/31/2022 12:08 PM	35:00	5.73 pH	21.10 °C	380.78 µS/cm	0.44 mg/L	6.02 NTU	0.9 mV	28.62 ft	160.00 ml/min
10/31/2022 12:13 PM	40:00	5.72 pH	21.37 °C	381.06 µS/cm	0.54 mg/L	4.38 NTU	13.8 mV	28.60 ft	160.00 ml/min
10/31/2022 12:18 PM	45:00	5.72 pH	21.24 °C	379.06 µS/cm	0.58 mg/L	3.41 NTU	24.4 mV	28.58 ft	160.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/31/2022 12:41:57 PM

Project: Scherer Resample

Operator Name: M. Mann

Location Name: SGWC-23 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 42.6 ft Total Depth: 52.6 ft Initial Depth to Water: 32.41 ft	Pump Type: QED Dedicated Bladder Tubing Type: Polyurethane Pump Intake From TOC: 44.25 ft Estimated Total Volume Pumped: 7750 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 0.05 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883536
--	--	--

Test Notes:

Weather Conditions:

Cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 12:41 PM	00:00	6.39 pH	22.05 °C	330.35 µS/cm	5.66 mg/L	1.23 NTU	45.5 mV	32.41 ft	220.00 ml/min
10/31/2022 12:46 PM	05:00	6.06 pH	19.97 °C	306.11 µS/cm	2.04 mg/L	0.54 NTU	57.1 mV	32.56 ft	220.00 ml/min
10/31/2022 12:51 PM	10:00	6.04 pH	20.12 °C	307.74 µS/cm	1.44 mg/L	0.34 NTU	60.7 mV	32.56 ft	220.00 ml/min
10/31/2022 12:56 PM	15:00	6.03 pH	20.17 °C	309.99 µS/cm	1.58 mg/L	0.63 NTU	54.5 mV	32.58 ft	220.00 ml/min
10/31/2022 1:01 PM	20:00	6.02 pH	19.99 °C	305.82 µS/cm	1.80 mg/L	0.18 NTU	57.4 mV	32.59 ft	220.00 ml/min
10/31/2022 1:06 PM	25:00	5.99 pH	19.81 °C	299.68 µS/cm	2.05 mg/L	0.00 NTU	73.9 mV	32.61 ft	150.00 ml/min
10/31/2022 1:11 PM	30:00	6.00 pH	20.03 °C	300.13 µS/cm	2.24 mg/L	0.00 NTU	64.7 mV	32.55 ft	150.00 ml/min
10/31/2022 1:16 PM	35:00	6.00 pH	20.92 °C	301.06 µS/cm	2.32 mg/L	0.09 NTU	65.7 mV	32.49 ft	150.00 ml/min
10/31/2022 1:21 PM	40:00	6.00 pH	21.15 °C	301.56 µS/cm	2.35 mg/L	0.06 NTU	67.2 mV	32.46 ft	150.00 ml/min

Samples

Sample ID:	Description:
SGWC-23	

Low-Flow Test Report:

Test Date / Time: 10/31/2022 10:14:01 AM

Project: Scherer Resample

Operator Name: M. Mann

Location Name: PZ-14S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 38.25 ft Total Depth: 48.25 ft Initial Depth to Water: 27.11 ft	Pump Type: Peristaltic Tubing Type: Polyurethane Pump Intake From TOC: 43 ft Estimated Total Volume Pumped: 5300 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 0.02 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883536
---	---	--

Test Notes:

Weather Conditions:

Raining

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 10:14 AM	00:00	5.23 pH	19.89 °C	68.88 µS/cm	3.49 mg/L	27.90 NTU	154.8 mV	27.11 ft	200.00 ml/min
10/31/2022 10:19 AM	05:00	5.46 pH	18.77 °C	61.22 µS/cm	0.29 mg/L	42.90 NTU	106.1 mV	27.13 ft	200.00 ml/min
10/31/2022 10:24 AM	10:00	5.49 pH	18.72 °C	61.79 µS/cm	0.26 mg/L	15.80 NTU	89.6 mV	27.13 ft	180.00 ml/min
10/31/2022 10:29 AM	15:00	5.45 pH	18.72 °C	59.25 µS/cm	0.25 mg/L	10.16 NTU	81.7 mV	27.13 ft	180.00 ml/min
10/31/2022 10:34 AM	20:00	5.45 pH	18.72 °C	58.52 µS/cm	0.25 mg/L	9.16 NTU	75.9 mV	27.13 ft	150.00 ml/min
10/31/2022 10:39 AM	25:00	5.45 pH	18.76 °C	58.56 µS/cm	0.16 mg/L	6.27 NTU	71.7 mV	27.13 ft	150.00 ml/min
10/31/2022 10:44 AM	30:00	5.46 pH	18.74 °C	56.98 µS/cm	0.19 mg/L	3.39 NTU	68.8 mV	27.13 ft	150.00 ml/min

Samples

Sample ID:	Description:
PZ-14S	

Low-Flow Test Report:

Test Date / Time: 10/31/2022 2:12:02 PM

Project: Plant Scherer (10)

Operator Name: C. Tidwell

Location Name: PZ-39S Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 70.38 ft Total Depth: 80.38 ft Initial Depth to Water: 37.19 ft	Pump Type: Bladder Tubing Type: Polyethylene Pump Intake From TOC: 75 ft Estimated Total Volume Pumped: 3000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 1.97 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883546
---	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
10/31/2022 2:12 PM	00:00	6.70 pH	20.73 °C	236.79 µS/cm	0.40 mg/L	6.81 NTU	-51.6 mV	37.19 ft	200.00 ml/min
10/31/2022 2:17 PM	05:00	6.70 pH	20.07 °C	237.03 µS/cm	0.30 mg/L	4.66 NTU	-35.2 mV	38.99 ft	200.00 ml/min
10/31/2022 2:22 PM	10:00	6.70 pH	20.28 °C	237.00 µS/cm	0.28 mg/L	3.39 NTU	-11.6 mV	39.04 ft	200.00 ml/min
10/31/2022 2:27 PM	15:00	6.69 pH	20.74 °C	236.18 µS/cm	0.25 mg/L	2.45 NTU	-7.2 mV	39.16 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/31/2022 12:57:07 PM

Project: Plant Scherer (9)

Operator Name: C. Tidwell

Location Name: PZ-40I Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 75.93 ft Total Depth: 85.93 ft Initial Depth to Water: 40.77 ft	Pump Type: Bladder Tubing Type: Polyethylene Pump Intake From TOC: 80 ft Estimated Total Volume Pumped: 6300 ml Flow Cell Volume: 90 ml Final Flow Rate: 210 ml/min Final Draw Down: 3.92 ft	Instrument Used: Aqua TROLL 400 Serial Number: 883546
---	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
10/31/2022 12:57 PM	00:00	6.77 pH	21.57 °C	1,119.0 µS/cm	7.26 mg/L	13.90 NTU	-135.0 mV	40.77 ft	210.00 ml/min
10/31/2022 1:02 PM	05:00	6.98 pH	20.87 °C	1,070.2 µS/cm	7.69 mg/L	15.20 NTU	-154.2 mV	44.10 ft	210.00 ml/min
10/31/2022 1:07 PM	10:00	7.02 pH	21.44 °C	1,068.7 µS/cm	7.88 mg/L	10.40 NTU	-114.3 mV	44.36 ft	210.00 ml/min
10/31/2022 1:12 PM	15:00	7.01 pH	21.25 °C	1,063.8 µS/cm	7.54 mg/L	9.33 NTU	-132.5 mV	44.49 ft	210.00 ml/min
10/31/2022 1:17 PM	20:00	6.99 pH	21.92 °C	1,071.4 µS/cm	7.83 mg/L	8.96 NTU	-90.6 mV	44.57 ft	210.00 ml/min
10/31/2022 1:22 PM	25:00	6.98 pH	21.57 °C	1,087.9 µS/cm	7.33 mg/L	4.41 NTU	-107.7 mV	44.63 ft	210.00 ml/min
10/31/2022 1:27 PM	30:00	6.96 pH	21.35 °C	1,110.8 µS/cm	7.52 mg/L	3.91 NTU	-69.3 mV	44.69 ft	210.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 10/31/2022 11:35:35 AM

Project: SCS Plant Scherer (3)

Operator Name: Tiffany Messier

Location Name: PZ421 Well Diameter: 2 cm Casing Type: PVC Screen Length: 10 ft Top of Screen: 87.46 ft Total Depth: 97.46 ft Initial Depth to Water: 12.45	Pump Type: Dedicated Bladder Pump Tubing Type: LDPE Estimated Total Volume Pumped: 11250 ml Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min	Instrument Used: Aqua TROLL 400 Serial Number: 883533
---	--	--

Test Notes:

Weather Conditions:

Cloudy 68

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 5	+/- 10	+/- 0.3	
10/31/2022 11:35 AM	00:00	7.45 pH	21.58 °C	625.89 µS/cm	0.25 mg/L	1.78 NTU	-228.7 mV	13.56 ft	150.00 ml/min
10/31/2022 11:40 AM	05:00	7.57 pH	21.62 °C	630.67 µS/cm	0.09 mg/L	2.98 NTU	-264.9 mV	14.03 ft	150.00 ml/min
10/31/2022 11:45 AM	10:00	7.55 pH	21.67 °C	633.93 µS/cm	0.06 mg/L	2.87 NTU	-282.4 mV	14.45 ft	150.00 ml/min
10/31/2022 11:50 AM	15:00	7.50 pH	21.64 °C	639.70 µS/cm	0.05 mg/L	1.79 NTU	-286.1 mV	14.49 ft	150.00 ml/min
10/31/2022 11:55 AM	20:00	7.44 pH	21.68 °C	643.26 µS/cm	0.04 mg/L	3.74 NTU	-284.9 mV	14.55 ft	150.00 ml/min
10/31/2022 12:00 PM	25:00	7.36 pH	21.73 °C	647.71 µS/cm	0.03 mg/L	0.46 NTU	-289.2 mV	14.59 ft	150.00 ml/min
10/31/2022 12:05 PM	30:00	7.18 pH	21.82 °C	653.00 µS/cm	0.03 mg/L	0.37 NTU	-281.3 mV	14.60 ft	150.00 ml/min
10/31/2022 12:10 PM	35:00	6.95 pH	21.82 °C	664.36 µS/cm	0.02 mg/L	0.42 NTU	-260.5 mV	14.60 ft	150.00 ml/min
10/31/2022 12:15 PM	40:00	6.71 pH	21.86 °C	668.58 µS/cm	0.02 mg/L	0.24 NTU	-235.6 mV	14.60 ft	150.00 ml/min
10/31/2022 12:20 PM	45:00	6.65 pH	21.91 °C	667.91 µS/cm	0.02 mg/L	0.28 NTU	-231.2 mV	14.60 ft	150.00 ml/min
10/31/2022 12:25 PM	50:00	6.60 pH	21.88 °C	667.49 µS/cm	0.01 mg/L	0.36 NTU	-222.6 mV	14.60 ft	150.00 ml/min
10/31/2022 12:30 PM	55:00	6.55 pH	21.84 °C	667.09 µS/cm	0.01 mg/L	0.35 NTU	-210.7 mV	14.60 ft	150.00 ml/min
10/31/2022 12:35 PM	01:00:00	6.52 pH	21.89 °C	667.16 µS/cm	0.01 mg/L	0.38 NTU	-210.0 mV	14.60 ft	150.00 ml/min
10/31/2022 12:40 PM	01:05:00	6.50 pH	21.91 °C	666.99 µS/cm	0.01 mg/L	0.56 NTU	-204.8 mV	14.60 ft	150.00 ml/min

10/31/2022 12:45 PM	01:10:00	6.49 pH	21.95 °C	667.23 µS/cm	0.00 mg/L	0.45 NTU	-201.4 mV	14.60 ft	150.00 ml/min
10/31/2022 12:50 PM	01:15:00	6.48 pH	22.03 °C	666.62 µS/cm	0.00 mg/L	0.45 NTU	-197.1 mV	14.60 ft	150.00 ml/min

Samples

Sample ID:	Description:
PZ-42I	

APPENDIX B

**Field Data Forms
November 2022**

Low-Flow Test Report:

Test Date / Time: 11/16/2022 10:55:38 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-16 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 33.3 ft Total Depth: 43.3 ft Initial Depth to Water: 26.1 ft	Pump Type: QED dedicated Tubing Type: Polyethylene Pump Intake From TOC: 34.62 ft Estimated Total Volume Pumped: 4000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.2 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	---	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
11/16/2022 10:55 AM	00:00	5.35 pH	17.63 °C	165.85 µS/cm	3.82 mg/L	26.10 NTU	99.3 mV	26.10 ft	200.00 ml/min
11/16/2022 11:00 AM	05:00	5.21 pH	17.81 °C	170.39 µS/cm	2.67 mg/L	17.20 NTU	114.1 mV	26.24 ft	200.00 ml/min
11/16/2022 11:05 AM	10:00	5.19 pH	17.79 °C	171.18 µS/cm	2.53 mg/L	10.04 NTU	95.6 mV	26.29 ft	200.00 ml/min
11/16/2022 11:10 AM	15:00	5.18 pH	17.90 °C	170.74 µS/cm	2.49 mg/L	5.55 NTU	96.8 mV	26.28 ft	200.00 ml/min
11/16/2022 11:15 AM	20:00	5.17 pH	17.83 °C	171.74 µS/cm	2.50 mg/L	3.40 NTU	98.2 mV	26.30 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 11/16/2022 11:34:49 AM

Project: Plant Scherer

Operator Name: C. Tidwell

Location Name: SGWC-17 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 17 ft Total Depth: 27 ft Initial Depth to Water: 2.26 ft	Pump Type: QED dedicated Tubing Type: Polyethylene Pump Intake From TOC: 19.24 ft Estimated Total Volume Pumped: 4000 ml Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 0.69 ft	Instrument Used: Aqua TROLL 400 Serial Number: 850767
---	--	--

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 5 %	+/- 10 %	+/- 10	+/- 10	+/- 0.3	
11/16/2022 11:34 AM	00:00	6.10 pH	17.32 °C	623.18 µS/cm	4.60 mg/L	4.96 NTU	-30.0 mV	2.26 ft	200.00 ml/min
11/16/2022 11:39 AM	05:00	6.21 pH	17.65 °C	606.15 µS/cm	1.44 mg/L	4.02 NTU	-7.0 mV	2.86 ft	200.00 ml/min
11/16/2022 11:44 AM	10:00	6.21 pH	17.67 °C	608.98 µS/cm	0.61 mg/L	2.82 NTU	-2.1 mV	2.93 ft	200.00 ml/min
11/16/2022 11:49 AM	15:00	6.21 pH	17.64 °C	603.99 µS/cm	0.38 mg/L	1.86 NTU	1.9 mV	2.94 ft	200.00 ml/min
11/16/2022 11:54 AM	20:00	6.23 pH	17.68 °C	597.44 µS/cm	0.47 mg/L	1.72 NTU	5.1 mV	2.95 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

APPENDIX B

**Instrument Calibration
Forms February 2022**

Project Plant Scherer *Include daily mid-day pH check*
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

Parameter	Units	Standard	Date: 02/08/22		Date: 02/09/22	
			Time: 14:37	—	Time: 07:45	15:50
			SmarTROLL SN <u>728423</u> iPad # _____	Mid-Day pH	SmarTROLL SN <u>728423</u> iPad # _____	Mid-Day pH
DO	% saturation	100	99.78	-----	100.1	-----
Conductivity	us/cm	4490	3,721.9	-----	4679.3	-----
pH	S.U.	4.00	4.02	—	3.97	4.12
pH	S.U.	7.00	7.07	—	7.03	7.13
pH	S.U.	10.00	9.98	—	9.94	10.14
ORP	mV	228.00	232.2	-----	232	-----

Turbidity	Units	Standard	HACH LaMotte SN- <u>131100029651</u>		HACH LaMotte SN- <u>131100029651</u>	
			LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>
	NTU	20.20	20.4	—	19.7	21.1
	NTU	10.100	99.0	—	97.4	100.1
	NTU	10.0500	806	—	806	799

Parameter	Units	Standard	Date: 02/10/22		Date: 02/11/22	
			Time: 07:10	14:10	Time: 07:15	14:00
			SmarTROLL SN <u>850751</u> iPad # <u>110</u>	Mid-Day pH	SmarTROLL SN <u>850751</u> iPad # <u>110</u>	Mid-Day pH
DO	% saturation	100	103.1	-----	97.56	-----
Conductivity	us/cm	4490	4,409.3	-----	4507.1	-----
pH	S.U.	4.00	3.87	3.91	3.97	4.02
pH	S.U.	7.00	6.91	7.09	7.05	7.05
pH	S.U.	10.00	10.10	10.10	10.10	10.01
ORP	mV	228.00	222.6	-----	224.1	-----

Turbidity	Units	Standard	HACH LaMotte SN- <u>131100029651</u>		HACH LaMotte SN- <u>131100029651</u>	
			LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>	LaMotte SN- <u>131100029651</u>
	NTU	20.20	20.4	21.1	20.5	19.7
	NTU	10.100	101	107.7	102	99.1
	NTU	10.0500	812	819	768	808

Project Plant Scherer *Include daily mid-day pH check*
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date:	2/8/2022	2/9/22		
		Time:	14:25	09:47		
Parameter	Units	Standard	SmarTROLL SN 851413 iPad # 80	Mid-Day pH	SmarTROLL SN 851413 iPad # 80	Mid-Day pH
DO	% saturation	100	99.0	-----	97.40	-----
Conductivity	us/cm	4490	4485.0	-----	4828.4	-----
pH	S.U.	4.00	4.01	N/A	3.84	4.03
pH	S.U.	7.00	7.03	N/A	7.00	6.99
pH	S.U.	10.00	10.08	N/A	10.07	10.03
ORP	mV	228.00	247.9	-----	249.7	-----

Turbidity	Units	Standard	LaMotte SN 10800011670	LaMotte SN 10800011670	LaMotte SN 10800011670	LaMotte SN
	NTU	0.0/0.0	103	103		
	NTU	4.0/20	21.2	19.7		
	NTU	10.0	10.7	9.68		

		Date:	2/10/22	2/11/22		
		Time:	08:00	N/A	08:00	
Parameter	Units	Standard	SmarTROLL SN 851413 iPad # 80	Mid-Day pH	SmarTROLL SN 851413 iPad #	Mid-Day pH
DO	% saturation	100	102.1	-----	99.05	-----
Conductivity	us/cm	4490	4832.0	-----	4486.2	-----
pH	S.U.	4.00	4.00	N/A	4.02	
pH	S.U.	7.00	7.07	N/A	7.06	
pH	S.U.	10.00	10.12	N/A	10.07	
ORP	mV	228.00	247.0	-----	246.4	-----

Turbidity	Units	Standard	LaMotte SN 10800011670	LaMotte SN 10800011670	LaMotte SN	LaMotte SN
	NTU/0.0	0.0/0.0	99	102		
	NTU/20	4.0/20	19.1	19.8		
	NTU	10.0	9.48	10.5		

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date: 02/14/22		Date: 02/15/22		
		Time: 07:30		Time: 14:15		
Parameter	Units	Standard	SmarTROLL SN 850751 iPad # 110	Mid-Day pH	SmarTROLL SN 850751 iPad # 110	Mid-Day pH
DO	% saturation	100	100.51	-----	101.6	-----
Conductivity	us/cm	4490	4354.4	-----	4557.5	-----
pH	S.U.	4.00	4.02	4.05	3.98	4.07
pH	S.U.	7.00	7.05	7.03	7.02	7.10
pH	S.U.	10.00	10.07	10.05	10.10	10.05
ORP	mV	228.00	222	-----	237.6	-----

Turbidity	Units	Standard	HACH LaMotte SN	HACH LaMotte SN	HACH LaMotte SN	HACH LaMotte SN
	NTU	20	19.9	20.1	20.9	---
NTU	100	98.0	99.7	97.9	---	
NTU	1000	831	817	824	---	

		Date: 02/14/22				
		Time: 07:30				
Parameter	Units	Standard	SmarTROLL SN 850751 iPad # 110	Mid-Day pH	SmarTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100	99.30	-----		-----
Conductivity	us/cm	4490	4483.1	-----		-----
pH	S.U.	4.00	4.00			
pH	S.U.	7.00	7.03			
pH	S.U.	10.00	10.04			
ORP	mV	228.00	226.7	-----		-----

Turbidity	Units	Standard	HACH LaMotte SN 131100240	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20	20.4			
NTU	100	102				

Project Plant Scherer
Field Staff J.Waguespack / E. Rheams / D. Cox / N. Tejada

Include daily mid-day pH check

Instrument Calibration

Date: 02/10/22
Time: 08:00

Parameter	Units	Standard	SmarTROLL SN <u>850767</u> iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____
DO	% saturation	100	<u>104.1</u>			
Conductivity	us/cm	4490	<u>4199.0</u>			
pH	S.U.	4.00	<u>4.00</u>			
pH	S.U.	7.00	<u>7.03</u>			
pH	S.U.	10.00	<u>10.14</u>			
ORP	mV	228.00	<u>221</u>			

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Date:
Time:

Parameter	Units	Standard	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Daily Calibration Log

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date:	02/09/22		2-14-22	
		Time:	08:05		900	1340
Parameter	Units	Standard	SmarTROLL SN <u>850767</u> iPad # _____	Mid-Day pH	SmarTROLL SN <u>8627</u> iPad # <u>76</u>	Mid-Day pH
DO	% saturation	100	98.68	-----	99.07	-----
Conductivity	us/cm	4490	4696	-----	3967	-----
pH	S.U.	4.00	3.96		4.03	
pH	S.U.	7.00	7.08		7.08	7.07
pH	S.U.	10.00	10.10		10.18	
ORP	mV	228.00	229.0	-----	228.1	-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20 0.0			20.0	
	NTU	100 1.0			101	
	NTU	800 10.0			795	

		Date:	2-15-22		2-16-22	
		Time:	730	1205	0730	
Parameter	Units	Standard	SmarTROLL SN <u>850757</u> iPad # <u>76</u>	Mid-Day pH	SmarTROLL SN <u>850757</u> iPad # _____	Mid-Day pH
DO	% saturation	100	100.8	-----	100.21	-----
Conductivity	us/cm	4490	5424.3	-----	4549.2	-----
pH	S.U.	4.00	3.87		3.96	
pH	S.U.	7.00	7.06	7.36*	6.89	
pH	S.U.	10.00	10.09		9.74	
ORP	mV	228.00	226.4	-----	225.0	-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20 0.0	19.4		20.0	
	NTU	100 1.0	99.8		100.1	

800
800.1
800.0
recalibrated
7pH

Project Plant Scherer **Include daily mid-day pH check**
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date:	2/16/22			
		Time:	08:00			
Parameter	Units	Standard	SmarTROLL SN <u>843285</u> iPad # <u> </u>	Mid-Day pH	SmarTROLL SN <u> </u> iPad # <u> </u>	Mid-Day pH
DO	% saturation	100	100.92	-----		-----
Conductivity	us/cm	4490	4508.5	-----		-----
pH	S.U.	4.00	4.02			
pH	S.U.	7.00	7.03			
pH	S.U.	10.00	10.04			
ORP	mV	228.00	228.0	-----		-----

Hach

Turbidity	Units	Standard	LaMotte SN <u>11080 C011670</u>	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20.0	19.4			
	NTU	1.00.0	97.7			
	NTU	800.0 10.0	779 9.57			

		Date:				
		Time:				
Parameter	Units	Standard	SmarTROLL SN <u> </u> iPad # <u> </u>	Mid-Day pH	SmarTROLL SN <u> </u> iPad # <u> </u>	Mid-Day pH
DO	% saturation	100		-----		-----
Conductivity	us/cm	4490		-----		-----
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00		-----		-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Daily Calibration Log

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack / D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date:	2/8/22			
		Time:	14:14			
Parameter	Units	Standard	SmarTROLL SN <u>850751</u> iPad # <u>10</u>	Mid-Day pH	SmarTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100	<u>100.93</u>	-----		-----
Conductivity	us/cm	4490	<u>4528.0</u>	-----		-----
pH	S.U.	4.00	<u>3.82</u>			
pH	S.U.	7.00	<u>7.16</u>			
pH	S.U.	10.00	<u>10.32</u>			
ORP	mV	228.00	<u>248.1</u>	-----		-----

Turbidity	Units	Standard	LaMotte SN <u>118502009431</u>	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	<u>0.0 20</u>	<u>22.1 21.1</u>			
	NTU	<u>1.0 100</u>	<u>104 98.3</u>			
	NTU	<u>10.0 800</u> <u>10.0</u>	<u>814 804</u> <u>10.2</u>			

		Date:				
		Time:				
Parameter	Units	Standard	SmarTROLL SN _____ iPad # _____	Mid-Day pH	SmarTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100		-----		-----
Conductivity	us/cm	4490		-----		-----
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00		-----		-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	0.0				
	NTU	1.0				

Project Plant Scherer **Include daily mid-day pH check**
Field Staff J. Waguespack, D. Fulton, K. Minkara, J. Booth, C. Tidwell

Instrument Calibration

		Date:	2-8-22		2-9-22	
		Time:	1455		0800	1240
Parameter	Units	Standard	SmarTROLL SN <u>850767</u> iPad # <u>99</u>	Mid-Day pH	SmarTROLL SN <u>850767</u> iPad # <u>99</u>	Mid-Day pH
DO	% saturation	100	98.28	-----	98.68	-----
Conductivity	us/cm	4490	4347	-----	4696	-----
pH	S.U.	4.00	4.07		3.96	
pH	S.U.	7.00	6.98	N/A	7.08	7.03
pH	S.U.	10.00	10.05		10.10	
ORP	mV	228.00	222.2	-----	229.0	-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20.00		19.8		20.1
NTU	100.00		101		106	
NTU	800 10.0		794		806	

		Date:	2-10-22			
		Time:	800	1300		
Parameter	Units	Standard	SmarTROLL SN <u>850767</u> iPad # _____	Mid-Day pH	SmarTROLL SN <u>850767</u> iPad # <u>99</u>	Mid-Day pH
DO	% saturation	100	106.1	-----	94.68	-----
Conductivity	us/cm	4490	4199	-----	4475	-----
pH	S.U.	4.00	4.00		4.03	
pH	S.U.	7.00	7.03	6.99	6.99	
pH	S.U.	10.00	10.14		10.07	
ORP	mV	228.00	221	-----	226.0	-----

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	20.00		24.3		29.1
NTU	100.00		997		check	
NTU	800 10.0		806		passed	

10.2 ✓

10.1 ✓

APPENDIX B

**Instrument Calibration Forms
August 2022**

Daily Calibration Log

GL166235022-AP.02 & AP-1
GL166235022.02 & Landfill

Project Plant Scherer
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell
Include daily mid-day pH check

Instrument Calibration

Parameter	Units	Standard	Date: 08/17/2022		Date: 08/17/2022	
			Time: 11:15		Time: 11:40	
			AquaTROLL SN 851413 iPad # 80	Mid-Day pH	AquaTROLL SN 851413 iPad # 74	Mid-Day pH
DO	% saturation	100	109.32	-----	109.07	-----
Conductivity	us/cm	4490	5075.4	-----	4880.0	-----
pH	S.U.	4.00	4.19		4.08	
pH	S.U.	7.00	7.16		7.14	
pH	S.U.	10.00	10.12		10.27	
ORP	mV	228.00	225.8	-----	230.1	-----

Turbidity	Units	Standard	Hach SN 5040C04030	Hach SN 5030C039579	Hach SN	Hach SN
	NTU	20	19.0	19.9		
	NTU	100	93.1	99.8		
	NTU	800	751	798		
	NTU	10.0	9.72	11.3		

Parameter	Units	Standard	Date: 08/18/2022		Date: 08/19/2022	
			Time: 07:25	Time: 13:09	Time: 7:19	
			AquaTROLL SN 851413 iPad # 80	Mid-Day pH	AquaTROLL SN 851413 iPad # 80	Mid-Day pH
DO	% saturation	100	98.00	-----	99.25	-----
Conductivity	us/cm	4490	4574.6	-----	4433.7	-----
pH	S.U.	4.00	4.01	4.14	3.99	
pH	S.U.	7.00	7.06	7.05	6.87	
pH	S.U.	10.00	10.03	9.98	9.92	
ORP	mV	228.00	229.4	-----	229.1	-----

Turbidity	Units	Standard	Hach SN 15040C04030	Hach SN	Hach SN 15040C04030	Hach SN
	NTU	20	18.3		19.5	
	NTU	100	95.8		101	
	NTU	800	743		801	
	NTU	10.0	10.6		11.0	

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

August 2022

Daily Calibration Log

GL166235022-AP.02 & AP-1
GL166235022.02 & Landfill

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell

Instrument Calibration

Parameter	Units	Standard	Date: 08/22/2022		Date: 08/23/22	
			Time: 8:22		Time: 7:22	
			AquaTROLL SN 851413 iPad # 80	Mid-Day pH	AquaTROLL SN 851413 iPad # 80	Mid-Day pH
DO	% saturation	100	100.95	-----	98.86	-----
Conductivity	us/cm	4490	4464.0	-----	4002.8	-----
pH	S.U.	4.00	4.03		4.03	
pH	S.U.	7.00	7.02		7.01	
pH	S.U.	10.00	10.02		9.98	
ORP	mV	228.00	221.9	-----	221.0	-----

Turbidity	Units	Standard	Hach SN 14080 C03117	Hach SN 14080 C03117	Hach SN 14080 C03117	Hach SN
	NTU	20	14.3	21.2	21.2	
	NTU	100	101		99.1	
	NTU	800	803		808	
	NTU	10.0	11.5		11.5	

Parameter	Units	Standard	Date: 08/24/2022		Date: 08/25/22	
			Time: 7:31	Time: 1:42	Time: 7:21	Time: 11:26
			AquaTROLL SN 851413 iPad # 80	Mid-Day pH	AquaTROLL SN 851413 iPad # 80	Mid-Day pH
DO	% saturation	100	100.99	-----	100.36	-----
Conductivity	us/cm	4490	4473.1	-----	4484.8	-----
pH	S.U.	4.00	4.02	4.09	3.96	4.16
pH	S.U.	7.00	6.98	7.04	6.94	7.09
pH	S.U.	10.00	10.04	10.02	9.95	10.05
ORP	mV	228.00	220.5	-----	223.6	-----

Turbidity	Units	Standard	Hach SN 14080 C03117	Hach SN	Hach SN 15040 C040130	Hach SN
	NTU	20	19.9		19.7	
	NTU	100	102		95.5	
	NTU	800	774		794	
	NTU	10.0	12.0		10.7	

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Daily Calibration Log

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell

Instrument Calibration

Parameter	Units	Standard	Date: 08/24/22		Date: 08/29/22	
			Time: 06:15		Time: 06:45	
			AquaTROLL SN 883561 iPad # 74	Mid-Day pH	AquaTROLL SN 883561 iPad # 74	Mid-Day pH
DO	% saturation	100	101	-----	98.8	-----
Conductivity	us/cm	4490	4305.7	-----	4655.9	-----
pH	S.U.	4.00	4.00	---	4.03	---
pH	S.U.	7.00	6.98	---	6.97	---
pH	S.U.	10.00	9.97	---	9.96	---
ORP	mV	228.00	229	-----	217.1	-----

Turbidity	Units	Standard	L. Mann Hach SN 7007-1416	Hach SN	L. Mann Hach SN 7007-1416	Hach SN
		NTU	20 1	1.05	---	1.11
	NTU	100 10	10.02	---	10.07	---
	NTU	800	---	---	---	---
	NTU	1000	---	---	---	---

Parameter	Units	Standard	Date: 08/30/22		Date: 09/21/22	
			Time: 07:10		Time: 09:00 14:30	
			AquaTROLL SN 883561 iPad # 74	Mid-Day pH	AquaTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100	99.22	-----	96.68	-----
Conductivity	us/cm	4490	4352	-----	4329.1	-----
pH	S.U.	4.00	4.05	---	3.98	4.05
pH	S.U.	7.00	7.08	---	6.96	7.06
pH	S.U.	10.00	9.96	---	9.94	9.97
ORP	mV	228.00	232.6	-----	230.1	-----

Turbidity	Units	Standard	L. Mann Hach SN 7007-1416	Hach SN	L. Mann Hach SN 7007-1416	Hach SN
		NTU	20 0	0.95	---	0.01
	NTU	100 1	1.10	---	0.85	---
	NTU	800 10	9.79	---	7.99	---
	NTU	10.0	---	---	---	---

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nephelometric Turbidity Units; NC - Not calibrated

Daily Calibration Log

Project Plant Scherer
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell
Include daily mid-day pH check

Instrument Calibration

		Date:	08/22/22		08/23/22	
		Time:	07:30		11:00	
Parameter	Units	Standard	AquaTROLL SN <u>883561</u> iPad # <u>74</u>	Mid-Day pH	AquaTROLL SN <u>883561</u> iPad # <u>74</u>	Mid-Day pH
DO	% saturation	100	07.3	-----	102.58	-----
Conductivity	us/cm	4490	4459	-----	4175	-----
pH	S.U.	4.00	4.03	---	4.05	
pH	S.U.	7.00	7.03	---	7.03	
pH	S.U.	10.00	9.92	---	10.07	
ORP	mV	228.00	221.7	-----	231.4	-----

Turbidity	Units	Standard	Hach SN <u>39579</u>	Hach SN	Hach SN <u>39579</u>	Hach SN
	NTU	20	17.2	17.3		
	NTU	100	97.7	98.1		
	NTU	800	810			
	NTU	10.0	9.44			

		Date:	08/24/22		08/25/22	
		Time:	08:30	15:10	05:45	
Parameter	Units	Standard	AquaTROLL SN <u>883561</u> iPad # <u>74</u>	Mid-Day pH	AquaTROLL SN <u>883561</u> iPad # <u>74</u>	Mid-Day pH
DO	% saturation	100	99.58	-----	101.1	-----
Conductivity	us/cm	4490	4375	-----	4479.1	-----
pH	S.U.	4.00	3.92	4.05	4.01	---
pH	S.U.	7.00	6.94	7.00	6.96	---
pH	S.U.	10.00	9.92	10.02	9.98	---
ORP	mV	228.00	225.5	-----	229.4	-----

Turbidity	Units	Standard	Hach SN <u>39579</u>	Hach SN	Hach SN <u>39579</u>	Hach SN
	NTU	20	17.9	---	17.3	---
	NTU	100	98.4	---	98.1	---
	NTU	800	794	---	808	---
	NTU	10.0	10.4	---		---

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Daily Calibration Log

Include daily mid-day pH check

Project Plant Scherer
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell

Instrument Calibration

		Date: 8-22		Date: 8-23	
		Time: 07:30		Time: 15:30	
Parameter	Units	Standard	AquaTROLL SN 884187 iPad # 55	Mid-Day pH	AquaTROLL SN 884187 iPad # 55
DO	% saturation	100	100.57	-----	102.64
Conductivity	us/cm	4490	4396.2	-----	4397.7
pH	S.U.	4.00	4.05	4.07	4.03
pH	S.U.	7.00	7.03	7.06	7.00
pH	S.U.	10.00	10.04	10.02	10.02
ORP	mV	228.00	229.1	-----	231.8

Turbidity	Units	Standard	Hach SN 1504601080	Hach SN 1438-3911	Hach SN	Hach SN
	NTU	20		19.9	0.01 (0)	
NTU	100		100	1.00 (1)		
NTU	800		798	-----		
NTU	10.0		11.0	9.93		

		Date: 8-24-22		Date: 8-25-22	
		Time: 07:30		Time: 15:00	
Parameter	Units	Standard	AquaTROLL SN 884187 iPad # 55	Mid-Day pH	AquaTROLL SN 884187 iPad # 55
DO	% saturation	100	97.06	-----	100.80
Conductivity	us/cm	4490	4606	-----	4550.0
pH	S.U.	4.00	4.01	4.04	4.06
pH	S.U.	7.00	7.00	7.07	7.03
pH	S.U.	10.00	9.99	10.0	10.04
ORP	mV	228.00	227.9	-----	225.2

Turbidity	Units	Standard	Hach SN 1438-3911	Hach SN	Hach SN 1438-3911	Hach SN
	NTU	20		0.01 (0)	0	0.05
NTU	100		0.94 (1)		0.99	
NTU	800		-----		-----	
NTU	10.0		10.00		10.00	

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nephelometric Turbidity Units; NC - Not calibrated

Daily Calibration Log

Project Plant Scherer **Include daily mid-day pH check**
Field Staff J. Waguespack, M. Mann, A. Plowman, D. Fulton, T. Messier, C. Tidwell

Instrument Calibration

		Date:	8-26-22			
		Time:	07:40	10:00		
Parameter	Units	Standard	AquaTROLL SN <u>084187</u> iPad # <u>55</u>	Mid-Day pH	AquaTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100	102.78	-----		-----
Conductivity	us/cm	4490	4461.5	-----		-----
pH	S.U.	4.00	3.98	3.99		
pH	S.U.	7.00	7.00	7.01		
pH	S.U.	10.00	10.05	10.04		
ORP	mV	228.00	226.9	-----		-----

Turbidity	Units	Standard	^{Low} Hach SN <u>143-3911</u>	Hach SN	Hach SN	Hach SN
	NTU	20 0	0.01 (0)			
	NTU	100 1	0.91			
	NTU	800	-----			
	NTU	10.0	10.0			

		Date:				
		Time:				
Parameter	Units	Standard	AquaTROLL SN _____ iPad # _____	Mid-Day pH	AquaTROLL SN _____ iPad # _____	Mid-Day pH
DO	% saturation	100		-----		-----
Conductivity	us/cm	4490		-----		-----
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00		-----		-----

Turbidity	Units	Standard	Hach SN	Hach SN	Hach SN	Hach SN
	NTU	20				
	NTU	100				
	NTU	800				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

August ~~2021~~ 2022

Daily Calibration Log

GL166235021.100.02 - AP1, PZs, North Property
 GL 166235021.200.02 - Cell 1, PAC Ash, Cell 3

Project Plant Scherer
 Field Staff J. Waguespack / E. Rheams / D. Cox / N. Tejada

Include daily mid-day pH check

Instrument Calibration

Date: 8/30/22
 Time: 8:32

8/31/22
 7:52

Parameter	Units	Standard	SmarTROLL SN <u>851413</u> iPad # <u>55</u>	SmarTROLL SN <u>843285</u> iPad # <u>74</u>	SmarTROLL SN <u>851413</u> iPad # <u>55</u>	SmarTROLL SN _____ iPad # _____
DO	% saturation	100	95.14	96.93	100.16	
Conductivity	us/cm	4490	4412.2	4649.6	4448.7	
pH	S.U.	4.00	4.04	3.99	4.02	
pH	S.U.	7.00	6.97	6.99	7.04	
pH	S.U.	10.00	10.02	9.98	9.98	
ORP	mV	228.00	258.8	226.3	236.2	

Turbidity	Units	Standard	HACH LaMotte SN <u>150406040130</u>	HACH LaMotte SN <u>14080603447</u>	HACH LaMotte SN <u>14080603447</u>	LaMotte SN
	NTU	<u>0.0200</u>	16.4	16.4	19.6	20.7
NTU	<u>1.0100</u>	98.3	98.3	97.0	98.7	
NTU	<u>10.0800</u>	796	796	817	803	
	10.0	9.60	10.1	10.0		

Date:
 Time:

Parameter	Units	Standard	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN	LaMotte SN	LaMotte SN	LaMotte SN
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

August 2022

Daily Calibration Log

166235021.100.02 - AP1, PZs, North Property
166235021.200.02 - Cell 1, PAC Ash, Cell 3

Project Plant Scherer **Include daily mid-day pH check**
Field Staff J. Waguespack / E. Rheams / D. Cox / N. Tejada — M. MANN

Instrument Calibration

Date: 08/26/22 08/31/22
Time: 07:21 07:16

Parameter	Units	Standard	SmarTROLL SN 85143 iPad # 80	SmarTROLL SN _____ iPad # _____	SmarTROLL SN 843285 iPad # _____	SmarTROLL SN _____ iPad # _____
DO	% saturation	100	99.38		107.95	
Conductivity	us/cm	4490	4476.8		4385.0	
pH	S.U.	4.00	3.90		4.05	
pH	S.U.	7.00	6.90		7.03	
pH	S.U.	10.00	9.92		10.02	
ORP	mV	228.00	209.9		219.9	

HACH HACH

Turbidity	Units	Standard	LaMotte SN 15040C040130	LaMotte SN _____	LaMotte SN 15040C040130	LaMotte SN _____
	NTU	20.00	19.9			18.3
NTU	100.00	99.9			100	
NTU	800.00	801			820	
	10	10.9			10.3	

Date: _____
Time: _____

Parameter	Units	Standard	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____	SmarTROLL SN _____ iPad # _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

APPENDIX B

**Instrument Calibration Forms
October 2022**

Project Plant Scherer
 Field Staff C. Tidwell/Duane Fulton

Instrument Calibration

Date: 10-25-22 Time: 07:45

Parameter	Units	Standard	SmarTROLL SN 883546	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	107.31			
Conductivity	us/cm	4490	4753.3			
pH	S.U.	4.00	4.04			
pH	S.U.	7.00	7.03			
pH	S.U.	10.00	10.12			
ORP	mV	228.00	225.2			

Turbidity	Units	Standard	LaMotte SN 6405-1416	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	0.01			
	NTU	1.0	0.98			
	NTU	10.0	9.84			

Date: 10-26-22 Time: 08:40

Parameter	Units	Standard	SmarTROLL SN 883546	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	92.92			
Conductivity	us/cm	4490	4399			
pH	S.U.	4.00	4.06			
pH	S.U.	7.00	7.07			
pH	S.U.	10.00	10.12			
ORP	mV	228.00	220.4			

Turbidity	Units	Standard	LaMotte SN 6405-1416	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	0.10			
	NTU	1.0	0.93			
	NTU	10.0	10.0			

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Project Plant Scherer
 Field Staff C. Tidwell/Duane Fulton

Instrument Calibration

Date: 10/25/22 Time: 07:50

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	104.55			
Conductivity	us/cm	4490	7476.0			
pH	S.U.	4.00	4.06			
pH	S.U.	7.00	7.04			
pH	S.U.	10.00	10.14			
ORP	mV	228.00	224.0			

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
			2283-2412			
	NTU	0.0	0.30			
	NTU	1.0	0.58			
	NTU	10.0	10.99			

Date: Time:

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Project Plant Scherer
 Field Staff C. Tidwell/Duane Fulton

Instrument Calibration

Date: 10/31/22 Time: 08:10

Parameter	Units	Standard	SmarTROLL SN 883546	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	107.8%			
Conductivity	us/cm	4490	4498.3			
pH	S.U.	4.00	4.03			
pH	S.U.	7.00	7.02			
pH	S.U.	10.00	10.09			
ORP	mV	228.00	233.3			

Turbidity	Units	Standard	LaMotte SN 6405-1414	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	0.01			
	NTU	1.0	1.02			
	NTU	10.0	10.0			

Date: Time:

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Project Plant Scherer
Field Staff C. Tidwell/Duane Fulton M. MANN

Instrument Calibration

Date: 10/31/22 Time: 06:47 / 10:02

Parameter	Units	Standard	SmarTROLL SN <u>883536</u>	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	101.25			
Conductivity	us/cm	4490	4596.0			
pH	S.U.	4.00	4.08			
pH	S.U.	7.00	7.05			
pH	S.U.	10.00	9.95			
ORP	mV	228.00	225.1			

Turbidity	Units	Standard	LaMotte SN <u>2949-0413</u>	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	0.01			
	NTU	1.0	1.01			
	NTU	10.0	11.47			

Date: Time:

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Project Plant Scherer
 Field Staff C. Tidwell/Duane-Fulton

T. Fulton

Instrument Calibration

Date: _____ Time: _____

Parameter	Units	Standard	SmarTROLL SN <u>083533</u>	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	<u>101</u>			
Conductivity	us/cm	4490	<u>4431</u>			
pH	S.U.	4.00	<u>4.06</u>			
pH	S.U.	7.00	<u>7.06</u>			
pH	S.U.	10.00	<u>10.07</u>			
ORP	mV	228.00	<u>228.9</u>			

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Date: _____ Time: _____

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN <u>2283</u>	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	<u>0.67</u>			
	NTU	1.0	<u>1.9</u>			
	NTU	10.0	<u>10.74</u>			

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated



APPENDIX B

**Instrument Calibration Forms
November 2022**

Project Plant Scherer
 Field Staff C. Tidwell/C. Mikilitus

Instrument Calibration

Date: 11-16-22 Time: 8:16

Parameter	Units	Standard	SmarTROLL SN 850767	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	102.73			
Conductivity	us/cm	4490	4540.2			
pH	S.U.	4.00	4.05			
pH	S.U.	7.00	7.05			
pH	S.U.	10.00	10.08			
ORP	mV	228.00	246.5			

Turbidity	Units	Standard	LaMotte SN 2209012023	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0	100			
	NTU	4.0	20.5			
	NTU	10.0	10.1			

Date: Time:

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
	NTU	1.0				
	NTU	10.0				

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

Project Plant Scherer
 Field Staff C. Tidwell C. Mikilitus

Instrument Calibration

Date: 11/16/22 Time: 8:15

Parameter	Units	Standard	SmarTROLL SN 883530	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100	95.89%			
Conductivity	us/cm	4490	3616.5			
pH	S.U.	4.00	4.04			
pH	S.U.	7.00	7.08			
pH	S.U.	10.00	10.18			
ORP	mV	228.00	236.4			

HAH

Turbidity	Units	Standard	LaMotte SN 22090000337	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	20.00	20.3			
NTU	100.00	107				
NTU	800.00	780				

Date: Time:

Parameter	Units	Standard	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____	SmarTROLL SN _____
DO	% saturation	100				
Conductivity	us/cm	4490				
pH	S.U.	4.00				
pH	S.U.	7.00				
pH	S.U.	10.00				
ORP	mV	228.00				

Turbidity	Units	Standard	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____	LaMotte SN _____
	NTU	0.0				
NTU	1.0					
NTU	10.0					

Notes: DO - Dissolved Oxygen; us/cm - microsiemens/centimeter; ORP - oxidation-reduction potential; mV - millivolts; NTU - Nphelometric Turbidity Units; NC - Not calibrated

APPENDIX C

Analytical Results, Laboratory Accreditation, and Data
Validation Summaries

APPENDIX C

Laboratory Analytical Data
February 2022

ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-133602-1
Client Project/Site: Plant Scherer AP1

For:
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
3/9/2022 7:48:24 PM

Shali Brown, Project Manager II
(615)301-5031
Shali.Brown@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	6
Sample Summary	7
Method Summary	8
Lab Chronicle	9
Client Sample Results	28
QC Sample Results	59
QC Association Summary	86
Chain of Custody	101
Receipt Checklists	126

Case Narrative

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Job ID: 180-133602-1

Laboratory: Eurofins Pittsburgh

Narrative

**Job Narrative
180-133602-1**

Comments

No additional comments.

Receipt

The samples were received on 2/11/2022 9:30 AM, 2/12/2022 12:45 PM and 2/16/2022 4:45 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 20 coolers at receipt time were 1.7° C, 2.1° C, 2.1° C, 2.4° C, 2.4° C, 2.6° C, 2.6° C, 3.3° C, 3.3° C, 3.5° C, 3.5° C, 3.6° C, 3.8° C, 4.4° C, 4.4° C, 4.4° C, 4.5° C, 4.6° C, 4.6° C and 4.6° C.

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The COC was not relinquished for 180-133602-1

The following sample was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): DUP-2 (180-133602-11) The client was contacted but no response was received. The lab logged analysis based on bottled received.

GC Semi VOA

Method 300.0: The continuing calibration verification (CCV) associated with batch 180-388140 recovered above the upper control limit for <AffectedAnalytes>. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: SGWC-11 (180-133638-3), SGWC-22 (180-133638-7), EB-3 (180-133638-10), FB-3 (180-133638-11) and (CCV 180-388140/40).

Method 300.0: The matrix spike duplicate (MSD) recoveries for analytical batch 180-388140 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: SGWC-20 (180-133644-4). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Methods 6020B: The low level initial calibration verification (ICVL) associated with batch 180-389218 recovered above the upper control limit for tin. The samples associated with this ICVL were less than the RL for the affected analytes; therefore, the data have been reported.

Method 7470A: The continuing calibration verification (CCV), low level continuing calibration verification (CCVL) and the laboratory control samples (LCS) and MS/MSD associated with batch 180-389210 recovered above the upper control limit for mercury. The samples associated with these QC were below the reporting limit for the affected analyte; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Field Service / Mobile Lab

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

Method SM 2540C: Reanalysis of the following sample was performed outside of the analytical holding time because the initial results obtained within holding time were outside the range of conductivity, and reanalysis was not able to be performed within the holding time. : SGWA-5 (180-133602-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F3	Duplicate RPD exceeds the control limit
H	Sample was prepped or analyzed beyond the specified holding time
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Eurofins Pittsburgh

Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

1

2

3

4

5

6

7

8

9

10

11

12

13

Accreditation/Certification Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22
California	State	2891	04-30-22
Connecticut	State	PH-0688	09-30-22
Florida	NELAP	E871008	06-30-22
Georgia	State	PA 02-00416	04-30-22
Illinois	NELAP	004375	06-30-22
Kansas	NELAP	E-10350	03-31-22
Kentucky (UST)	State	162013	04-30-22
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22
Maine	State	PA00164	03-06-24
Minnesota	NELAP	042-999-482	12-31-22
Nevada	State	PA00164	08-31-22
New Hampshire	NELAP	2030	04-05-22
New Jersey	NELAP	PA005	06-30-23
New York	NELAP	11182	04-02-22
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	04-30-22
Oregon	NELAP	PA-2151	02-06-22 *
Pennsylvania	NELAP	02-00416	04-30-22
Rhode Island	State	LAO00362	12-31-21 *
South Carolina	State	89014	06-30-22
Texas	NELAP	T104704528	03-31-22
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-22
Virginia	NELAP	10043	09-15-22
West Virginia DEP	State	142	01-31-23
Wisconsin	State	998027800	08-31-22

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-22
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-23
Georgia	State	12028 (NJ)	06-30-22
Massachusetts	State	M-NJ312	06-30-22
New Jersey	NELAP	12028	06-30-22
New York	NELAP	11452	02-22-22
Pennsylvania	NELAP	68-00522	02-28-23
Rhode Island	State	LAO00376	12-31-22
USDA	US Federal Programs	P330-20-00244	11-03-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pittsburgh

Sample Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-133602-1	SGWA-1	Water	02/09/22 13:22	02/11/22 09:30
180-133602-2	SGWA-2	Water	02/09/22 14:03	02/11/22 09:30
180-133602-3	SGWA-3	Water	02/09/22 12:35	02/11/22 09:30
180-133602-4	SGWA-4	Water	02/09/22 11:10	02/11/22 09:30
180-133602-5	SGWA-5	Water	02/09/22 13:50	02/11/22 09:30
180-133602-6	SGWC-6	Water	02/09/22 16:00	02/11/22 09:30
180-133602-7	SGWC-7	Water	02/09/22 16:09	02/11/22 09:30
180-133602-8	FB-2	Water	02/09/22 12:10	02/11/22 09:30
180-133602-9	EB-2	Water	02/09/22 14:20	02/11/22 09:30
180-133602-10	SGWA-25	Water	02/09/22 15:02	02/11/22 09:30
180-133602-11	DUP-2	Water	02/09/22 00:00	02/11/22 09:30
180-133638-1	SGWC-8	Water	02/10/22 10:10	02/12/22 12:45
180-133638-2	SGWC-9	Water	02/10/22 11:25	02/12/22 12:45
180-133638-3	SGWC-11	Water	02/10/22 13:02	02/12/22 12:45
180-133638-4	SGWC-12	Water	02/10/22 15:30	02/12/22 12:45
180-133638-5	SGWC-16	Water	02/10/22 16:20	02/12/22 12:45
180-133638-6	SGWC-18	Water	02/10/22 15:25	02/12/22 12:45
180-133638-7	SGWC-22	Water	02/10/22 10:46	02/12/22 12:45
180-133638-8	SGWC-23	Water	02/10/22 09:40	02/12/22 12:45
180-133638-9	SGWA-24	Water	02/10/22 13:45	02/12/22 12:45
180-133638-10	EB-3	Water	02/10/22 16:50	02/12/22 12:45
180-133638-11	FB-3	Water	02/10/22 14:00	02/12/22 12:45
180-133638-12	DUP-3	Water	02/10/22 00:01	02/12/22 12:45
180-133644-1	SGWC-10	Water	02/11/22 09:24	02/12/22 12:45
180-133644-2	SGWC-17	Water	02/11/22 09:45	02/12/22 12:45
180-133644-3	SGWC-21	Water	02/11/22 09:30	02/12/22 12:45
180-133644-4	SGWC-20	Water	02/11/22 10:20	02/12/22 12:45
180-133644-5	SGWC-15	Water	02/11/22 11:06	02/12/22 12:45
180-133644-6	SGWC-13	Water	02/11/22 11:05	02/12/22 12:45
180-133644-7	SGWC-19	Water	02/11/22 11:06	02/12/22 12:45
180-133781-1	SGWC-14	Water	02/14/22 11:22	02/16/22 16:45

Method Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method	Method Description	Protocol	Laboratory
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	TAL PIT
EPA 6020B	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9034	Sulfide, Acid soluble and Insoluble (Titrimetric)	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
SM 3500	Iron, Ferric	SM	TAL EDI
SM 3500 FE D	Iron, Ferrous and Ferric	SM	TAL EDI
SM2320 B	Alkalinity, Total	SM18	TAL PIT
Field Sampling	Field Sampling	EPA	TAL PIT
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
9030B	Sulfide, Distillation (Acid Soluble and Insoluble)	SW846	TAL PIT

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SM18 = "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-1

Lab Sample ID: 180-133602-1

Date Collected: 02/09/22 13:22

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 16:16	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 15:27	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389466	02/24/22 13:53	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388385	02/15/22 14:29	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388388	02/15/22 16:29	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:41	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:41	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			388836	02/17/22 19:49	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			388952	02/09/22 13:22	FDS	TAL PIT

Client Sample ID: SGWA-2

Lab Sample ID: 180-133602-2

Date Collected: 02/09/22 14:03

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 17:01	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 15:30	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389466	02/24/22 13:54	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388385	02/15/22 14:38	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:41	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:41	HTV	TAL EDI

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-2

Lab Sample ID: 180-133602-2

Date Collected: 02/09/22 14:03

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:10	CMT	TAL PIT
Total/NA	Analysis	Field Sampling		1			388952	02/09/22 14:03	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-3

Lab Sample ID: 180-133602-3

Date Collected: 02/09/22 12:35

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388042	02/12/22 17:16	JRB	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:38	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:55	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 14:46	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:41	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:41	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:25	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388952	02/09/22 12:35	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-4

Lab Sample ID: 180-133602-4

Date Collected: 02/09/22 11:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388042	02/12/22 17:31	JRB	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:40	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:56	RJR	TAL PIT
Instrument ID: HGZ										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-4

Lab Sample ID: 180-133602-4

Date Collected: 02/09/22 11:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 14:55	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:41	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:41	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:32	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388952	02/09/22 11:10	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-5

Lab Sample ID: 180-133602-5

Date Collected: 02/09/22 13:50

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388042	02/12/22 17:46	JRB	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:43	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:57	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 15:03	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388814	02/18/22 15:20	JCR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:41	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:41	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:38	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388952	02/09/22 13:50	FDS	TAL PIT
Instrument ID: NOEQUIP										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-6
Date Collected: 02/09/22 16:00
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 18:01	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 15:45	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389466	02/24/22 13:58	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388385	02/15/22 15:29	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:41	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:41	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			388836	02/17/22 20:45	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			388952	02/09/22 16:00	FDS	TAL PIT

Client Sample ID: SGWC-7
Date Collected: 02/09/22 16:09
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 18:47	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 11:09	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389466	02/24/22 14:02	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388385	02/15/22 15:37	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:41	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:41	HTV	TAL EDI

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-7
Date Collected: 02/09/22 16:09
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:52	CMT	TAL PIT
Total/NA	Analysis	Field Sampling		1			388952	02/09/22 16:09	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: FB-2
Date Collected: 02/09/22 12:10
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388042	02/12/22 19:02	JRB	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 11:21	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 14:03	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 15:46	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:41	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:41	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 20:58	CMT	TAL PIT
Instrument ID: PCTITRATOR										

Client Sample ID: EB-2
Date Collected: 02/09/22 14:20
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388042	02/12/22 19:16	JRB	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 11:23	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 14:04	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 15:54	HEK	TAL PIT
Instrument ID: NOEQUIP										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: EB-2

Lab Sample ID: 180-133602-9

Date Collected: 02/09/22 14:20

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:46	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:46	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			388836	02/17/22 21:02	CMT	TAL PIT

Client Sample ID: SGWA-25

Lab Sample ID: 180-133602-10

Date Collected: 02/09/22 15:02

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 19:29	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 11:26	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389466	02/24/22 14:05	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388385	02/15/22 16:03	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829800	02/22/22 17:46	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829718	02/22/22 17:46	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			388836	02/17/22 21:08	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			388952	02/09/22 15:02	FDS	TAL PIT

Client Sample ID: DUP-2

Lab Sample ID: 180-133602-11

Date Collected: 02/09/22 00:00

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388042	02/12/22 19:43	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 11:37	RSK	TAL PIT

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: DUP-2

Lab Sample ID: 180-133602-11

Date Collected: 02/09/22 00:00

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			388686	02/17/22 14:33	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 16:11	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:46	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:46	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 21:49	CMT	TAL PIT
		Instrument ID: PCTITRATOR								

Client Sample ID: SGWC-8

Lab Sample ID: 180-133638-1

Date Collected: 02/10/22 10:10

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388140	02/15/22 01:05	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 300.0 R2.1		1			388265	02/15/22 16:10	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 12:08	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			388686	02/17/22 14:09	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 13:21	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:52	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:52	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 12:08	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389021	02/10/22 10:10	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-9

Lab Sample ID: 180-133638-2

Date Collected: 02/10/22 11:25

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 21:54	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388265	02/15/22 16:51	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 12:11	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			388686	02/17/22 14:14	KEM	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 13:35	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:52	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:52	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 12:28	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389021	02/10/22 11:25	FDS	TAL PIT

Client Sample ID: SGWC-11

Lab Sample ID: 180-133638-3

Date Collected: 02/10/22 13:02

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 22:08	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 12:13	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			388686	02/17/22 14:15	KEM	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 13:48	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:52	TJW	TAL EDI

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-11

Lab Sample ID: 180-133638-3

Date Collected: 02/10/22 13:02

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:52	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 12:35	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389021	02/10/22 13:02	FDS	TAL PIT

Client Sample ID: SGWC-12

Lab Sample ID: 180-133638-4

Date Collected: 02/10/22 15:30

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 22:22	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388265	02/15/22 17:05	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 12:16	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			388686	02/17/22 14:16	KEM	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 14:02	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:52	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:52	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 12:42	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389021	02/10/22 15:30	FDS	TAL PIT

Client Sample ID: SGWC-16

Lab Sample ID: 180-133638-5

Date Collected: 02/10/22 16:20

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 22:35	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388265	02/15/22 17:18	JRB	TAL PIT

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-16

Lab Sample ID: 180-133638-5

Date Collected: 02/10/22 16:20

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 12:19	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			388686	02/17/22 14:17	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 15:10	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:52	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:52	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 12:49	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389021	02/10/22 16:20	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-18

Lab Sample ID: 180-133638-6

Date Collected: 02/10/22 15:25

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388140	02/14/22 22:49	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 300.0 R2.1		10			388140	02/14/22 23:02	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 300.0 R2.1		1			388265	02/15/22 17:33	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 12:21	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389330	02/23/22 14:43	RJR	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 15:23	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:52	TJW	TAL EDI
		Instrument ID: Konelab1								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-18
Date Collected: 02/10/22 15:25
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:52	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 13:09	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389021	02/10/22 15:25	FDS	TAL PIT

Client Sample ID: SGWC-22
Date Collected: 02/10/22 10:46
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 23:16	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388279	02/15/22 10:02	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 12:32	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389210	02/22/22 13:11	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 15:37	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388397	02/15/22 18:10	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:52	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:52	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 13:23	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389021	02/10/22 10:46	FDS	TAL PIT

Client Sample ID: SGWC-23
Date Collected: 02/10/22 09:40
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/15/22 01:46	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388265	02/15/22 17:48	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 15:53	RSK	TAL PIT

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-23

Lab Sample ID: 180-133638-8

Date Collected: 02/10/22 09:40

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389210	02/22/22 13:12	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 15:50	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388388	02/15/22 16:29	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:59	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 13:30	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389021	02/10/22 09:40	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWA-24

Lab Sample ID: 180-133638-9

Date Collected: 02/10/22 13:45

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388140	02/14/22 23:57	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total/NA	Analysis	EPA 300.0 R2.1		1			388265	02/15/22 18:31	JRB	TAL PIT
		Instrument ID: CHICS2100B								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:56	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389210	02/22/22 13:13	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 16:04	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388388	02/15/22 16:29	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:59	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 13:37	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389021	02/10/22 13:45	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: EB-3

Lab Sample ID: 180-133638-10

Date Collected: 02/10/22 16:50

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 23:30	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 15:58	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389210	02/22/22 13:14	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 16:17	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388388	02/15/22 16:29	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:59	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:59	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 13:43	CMT	TAL PIT

Client Sample ID: FB-3

Lab Sample ID: 180-133638-11

Date Collected: 02/10/22 14:00

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/14/22 23:43	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 16:06	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:01	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			389210	02/22/22 13:15	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 16:31	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388541	02/16/22 16:17	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:59	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:59	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 13:47	CMT	TAL PIT

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: DUP-3
Date Collected: 02/10/22 00:01
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388140	02/15/22 02:00	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		10			388140	02/15/22 02:14	JRB	TAL PIT
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			388265	02/15/22 18:44	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 16:08	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:03	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			389330	02/23/22 14:44	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388646	02/17/22 16:45	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388541	02/16/22 16:17	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:59	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:59	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 13:53	CMT	TAL PIT

Client Sample ID: SGWC-10
Date Collected: 02/11/22 09:24
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1			388136	02/15/22 04:01	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 16:29	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			389330	02/23/22 13:23	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388648	02/17/22 15:51	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388543	02/16/22 16:25	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:59	TJW	TAL EDI

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-10

Lab Sample ID: 180-133644-1

Date Collected: 02/11/22 09:24

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 19:44	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 09:24	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-17

Lab Sample ID: 180-133644-2

Date Collected: 02/11/22 09:45

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 02:17	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:32	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389330	02/23/22 13:24	RJR	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388648	02/17/22 16:07	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:59	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 19:51	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 09:45	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-21

Lab Sample ID: 180-133644-3

Date Collected: 02/11/22 09:30

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 02:30	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:34	RSK	TAL PIT
		Instrument ID: NEMO								

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-21

Lab Sample ID: 180-133644-3

Date Collected: 02/11/22 09:30

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389330	02/23/22 13:25	RJR	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388648	02/17/22 16:22	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:59	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 19:59	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 09:30	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-20

Lab Sample ID: 180-133644-4

Date Collected: 02/11/22 10:20

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 03:11	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total/NA	Analysis	EPA 300.0 R2.1		5			388566	02/17/22 09:36	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:37	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389330	02/23/22 13:26	RJR	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388648	02/17/22 16:38	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 18:59	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 18:59	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 20:38	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 10:20	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-15

Lab Sample ID: 180-133644-5

Date Collected: 02/11/22 11:06

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1			388136	02/15/22 03:24	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 16:39	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			389330	02/23/22 13:27	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388648	02/17/22 16:53	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 18:59	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 18:59	HTV	TAL EDI
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			389075	02/19/22 20:49	CMT	TAL PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			389107	02/11/22 11:06	FDS	TAL PIT

Client Sample ID: SGWC-13

Lab Sample ID: 180-133644-6

Date Collected: 02/11/22 11:05

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1			388136	02/15/22 03:36	JRB	TAL PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			388563	02/16/22 16:47	RSK	TAL PIT
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			389330	02/23/22 13:28	RJR	TAL PIT
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034 Instrument ID: NOEQUIP		1			388648	02/17/22 17:09	HEK	TAL PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
Total/NA	Analysis	SM 3500 Instrument ID: Konelab1		1			829801	02/22/22 19:04	TJW	TAL EDI
Total/NA	Analysis	SM 3500 FE D Instrument ID: Konelab1		1			829723	02/22/22 19:04	HTV	TAL EDI

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-13
Date Collected: 02/11/22 11:05
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 20:56	CMT	TAL PIT
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 11:05	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-19
Date Collected: 02/11/22 11:06
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 04:38	JRB	TAL PIT
Instrument ID: CHIC2100A										
Total/NA	Analysis	EPA 300.0 R2.1		5			388136	02/15/22 04:50	JRB	TAL PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:50	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	389217	02/23/22 06:04	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389330	02/23/22 13:29	RJR	TAL PIT
Instrument ID: HGY										
Total/NA	Prep	9030B			50 mL	50 mL	388548	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388648	02/17/22 17:24	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388694	02/17/22 16:30	JCR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829801	02/22/22 19:04	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 19:04	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 21:05	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			389107	02/11/22 11:06	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-14
Date Collected: 02/14/22 11:22
Date Received: 02/16/22 16:45

Lab Sample ID: 180-133781-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			390650	03/07/22 17:02	M1D	TAL PIT
Instrument ID: CHICS2100B										
Total/NA	Analysis	EPA 300.0 R2.1		5			390803	03/08/22 12:43	M1D	TAL PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	388754	02/18/22 10:40	KFS	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			389218	02/22/22 13:54	RSK	TAL PIT
Instrument ID: A										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-14

Lab Sample ID: 180-133781-1

Date Collected: 02/14/22 11:22

Matrix: Water

Date Received: 02/16/22 16:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	389777	02/28/22 11:26	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389986	03/01/22 17:07	RJR	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388864	02/19/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388874	02/19/22 14:31	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388829	02/18/22 18:15	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 19:25	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 19:25	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389234	02/22/22 19:59	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389553	02/14/22 11:22	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Laboratory References:

TAL EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:

Lab: TAL EDI

Batch Type: Analysis

HTV = Huan Vu

TJW = Tiffany Wallace

Lab: TAL PIT

Batch Type: Prep

CMR = Carl Reagle

HEK = Hope Kiesling

KEM = Kimberly Mahoney

KFS = Kelly Shannon

RGM = Rebecca Manns

RJR = Ron Rosenbaum

Batch Type: Analysis

CMT = Cassandra Tlumac

FDS = Sampler Field

HEK = Hope Kiesling

JCR = Jessica Rodgers

JRB = James Burzio

KEM = Kimberly Mahoney

M1D = Maureen Donlin

RJR = Ron Rosenbaum

RSK = Robert Kurtz

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-1

Lab Sample ID: 180-133602-1

Date Collected: 02/09/22 13:22

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.0		1.0	0.71	mg/L			02/12/22 16:16	1
Fluoride	0.034	J	0.10	0.026	mg/L			02/12/22 16:16	1
Sulfate	1.0		1.0	0.76	mg/L			02/12/22 16:16	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:27	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:27	1
Barium	0.044		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:27	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:27	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:27	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:27	1
Calcium	1.8		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:27	1
Chromium	0.0017	J	0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:27	1
Cobalt	0.00089	J	0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:27	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:27	1
Lithium	0.0011	J	0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:27	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:27	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:27	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:27	1
Sodium	2.7		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:27	1
Potassium	0.63		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:27	1
Magnesium	0.85		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:27	1
Manganese	0.11		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:27	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.4	J	3.0	2.1	mg/L		02/15/22 12:00	02/15/22 14:29	1
Total Dissolved Solids	45		10	10	mg/L			02/15/22 16:29	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	11		5.0	5.0	mg/L			02/17/22 19:49	1
Bicarbonate Alkalinity as CaCO3	11		5.0	5.0	mg/L			02/17/22 19:49	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 19:49	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.28				SU			02/09/22 13:22	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-2

Lab Sample ID: 180-133602-2

Date Collected: 02/09/22 14:03

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.5		1.0	0.71	mg/L			02/12/22 17:01	1
Fluoride	0.11		0.10	0.026	mg/L			02/12/22 17:01	1
Sulfate	1.2		1.0	0.76	mg/L			02/12/22 17:01	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:30	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:30	1
Barium	0.039		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:30	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:30	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:30	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:30	1
Calcium	11		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:30	1
Chromium	0.014		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:30	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:30	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:30	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:30	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:30	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:30	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:30	1
Sodium	4.6		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:30	1
Potassium	0.90		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:30	1
Magnesium	5.9		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:30	1
Manganese	0.0013	J	0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:30	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.7	J	3.0	2.1	mg/L		02/15/22 12:00	02/15/22 14:38	1
Total Dissolved Solids	100		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	59		5.0	5.0	mg/L			02/17/22 20:10	1
Bicarbonate Alkalinity as CaCO3	59		5.0	5.0	mg/L			02/17/22 20:10	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:10	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.01				SU			02/09/22 14:03	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-3

Lab Sample ID: 180-133602-3

Date Collected: 02/09/22 12:35

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.3		1.0	0.71	mg/L			02/12/22 17:16	1
Fluoride	0.049	J	0.10	0.026	mg/L			02/12/22 17:16	1
Sulfate	1.3		1.0	0.76	mg/L			02/12/22 17:16	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:38	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:38	1
Barium	0.041		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:38	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:38	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:38	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:38	1
Calcium	6.0		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:38	1
Chromium	0.019		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:38	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:38	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:38	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:38	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:38	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:38	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:38	1
Sodium	4.7		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:38	1
Potassium	1.0		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:38	1
Magnesium	4.6		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:38	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:38	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 14:46	1
Total Dissolved Solids	54		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	41		5.0	5.0	mg/L			02/17/22 20:25	1
Bicarbonate Alkalinity as CaCO3	41		5.0	5.0	mg/L			02/17/22 20:25	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:25	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.84				SU			02/09/22 12:35	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-4

Lab Sample ID: 180-133602-4

Date Collected: 02/09/22 11:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.5		1.0	0.71	mg/L			02/12/22 17:31	1
Fluoride	0.083	J	0.10	0.026	mg/L			02/12/22 17:31	1
Sulfate	1.1		1.0	0.76	mg/L			02/12/22 17:31	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:40	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:40	1
Barium	0.069		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:40	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:40	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:40	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:40	1
Calcium	18		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:40	1
Chromium	0.0048		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:40	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:40	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:40	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:40	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:40	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:40	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:40	1
Sodium	8.3		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:40	1
Potassium	1.6		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:40	1
Magnesium	6.1		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:40	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:40	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 14:55	1
Total Dissolved Solids	110		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	89		5.0	5.0	mg/L			02/17/22 20:32	1
Bicarbonate Alkalinity as CaCO3	89		5.0	5.0	mg/L			02/17/22 20:32	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:32	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.38				SU			02/09/22 11:10	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-5

Lab Sample ID: 180-133602-5

Date Collected: 02/09/22 13:50

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.9		1.0	0.71	mg/L			02/12/22 17:46	1
Fluoride	0.044	J	0.10	0.026	mg/L			02/12/22 17:46	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 17:46	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:43	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:43	1
Barium	0.011		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:43	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:43	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:43	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:43	1
Calcium	1.8		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:43	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:43	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:43	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:43	1
Lithium	0.00094	J	0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:43	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:43	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:43	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:43	1
Sodium	9.9		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:43	1
Potassium	0.51		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:43	1
Magnesium	0.53		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:43	1
Manganese	0.0031	J	0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:43	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	3.3		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 15:03	1
Total Dissolved Solids	60	H	10	10	mg/L			02/18/22 15:20	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	28		5.0	5.0	mg/L			02/17/22 20:38	1
Bicarbonate Alkalinity as CaCO3	28		5.0	5.0	mg/L			02/17/22 20:38	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:38	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.56				SU			02/09/22 13:50	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-6

Lab Sample ID: 180-133602-6

Date Collected: 02/09/22 16:00

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.6		1.0	0.71	mg/L			02/12/22 18:01	1
Fluoride	0.19		0.10	0.026	mg/L			02/12/22 18:01	1
Sulfate	0.88	J	1.0	0.76	mg/L			02/12/22 18:01	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:45	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:45	1
Barium	0.13		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:45	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:45	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:45	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:45	1
Calcium	11		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:45	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:45	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:45	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:45	1
Lithium	0.0013	J	0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:45	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:45	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:45	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:45	1
Sodium	11		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:45	1
Potassium	0.93		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:45	1
Magnesium	4.5		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:45	1
Manganese	0.013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:45	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 15:29	1
Total Dissolved Solids	130		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	69		5.0	5.0	mg/L			02/17/22 20:45	1
Bicarbonate Alkalinity as CaCO3	69		5.0	5.0	mg/L			02/17/22 20:45	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:45	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.33				SU			02/09/22 16:00	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-7

Lab Sample ID: 180-133602-7

Date Collected: 02/09/22 16:09

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.71	mg/L			02/12/22 18:47	1
Fluoride	0.27		0.10	0.026	mg/L			02/12/22 18:47	1
Sulfate	7.1		1.0	0.76	mg/L			02/12/22 18:47	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 11:09	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 11:09	1
Barium	0.21		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 11:09	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 11:09	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 11:09	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 11:09	1
Calcium	16		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 11:09	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 11:09	1
Cobalt	0.0024	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 11:09	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 11:09	1
Lithium	0.0048	J	0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 11:09	1
Molybdenum	0.0012	J	0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 11:09	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 11:09	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 11:09	1
Sodium	28		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 11:09	1
Potassium	3.7		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 11:09	1
Magnesium	10		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 11:09	1
Manganese	0.12		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 11:09	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 14:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 15:37	1
Total Dissolved Solids	170		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.17		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	110		5.0	5.0	mg/L			02/17/22 20:52	1
Bicarbonate Alkalinity as CaCO3	110		5.0	5.0	mg/L			02/17/22 20:52	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:52	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.77				SU			02/09/22 16:09	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: FB-2

Lab Sample ID: 180-133602-8

Date Collected: 02/09/22 12:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 19:02	1
Fluoride	0.030	J	0.10	0.026	mg/L			02/12/22 19:02	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 19:02	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 11:21	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 11:21	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 11:21	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 11:21	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 11:21	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 11:21	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 11:21	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 11:21	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 11:21	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 11:21	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 11:21	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 11:21	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 11:21	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 11:21	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 11:21	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 11:21	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 11:21	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 11:21	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 14:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 15:46	1
Total Dissolved Solids	<10		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:41	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:41	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 20:58	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:58	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 20:58	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: EB-2

Lab Sample ID: 180-133602-9

Date Collected: 02/09/22 14:20

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 19:16	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 19:16	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 19:16	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 11:23	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 11:23	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 11:23	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 11:23	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 11:23	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 11:23	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 11:23	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 11:23	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 11:23	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 11:23	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 11:23	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 11:23	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 11:23	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 11:23	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 11:23	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 11:23	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 11:23	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 11:23	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 14:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.2	J	3.0	2.1	mg/L		02/15/22 12:00	02/15/22 15:54	1
Total Dissolved Solids	<10		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:46	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:46	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 21:02	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:02	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:02	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-25

Lab Sample ID: 180-133602-10

Date Collected: 02/09/22 15:02

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.8		1.0	0.71	mg/L			02/12/22 19:29	1
Fluoride	0.069	J	0.10	0.026	mg/L			02/12/22 19:29	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 19:29	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 11:26	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 11:26	1
Barium	0.026		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 11:26	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 11:26	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 11:26	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 11:26	1
Calcium	9.3		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 11:26	1
Chromium	0.0023		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 11:26	1
Cobalt	0.00045	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 11:26	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 11:26	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 11:26	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 11:26	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 11:26	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 11:26	1
Sodium	7.9		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 11:26	1
Potassium	0.60		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 11:26	1
Magnesium	6.1		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 11:26	1
Manganese	0.026		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 11:26	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 14:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 16:03	1
Total Dissolved Solids	93		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:46	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:46	1
Total Alkalinity as CaCO3 to pH 4.5	57		5.0	5.0	mg/L			02/17/22 21:08	1
Bicarbonate Alkalinity as CaCO3	57		5.0	5.0	mg/L			02/17/22 21:08	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:08	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.17				SU			02/09/22 15:02	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: DUP-2

Lab Sample ID: 180-133602-11

Date Collected: 02/09/22 00:00

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0	0.71	mg/L			02/12/22 19:43	1
Fluoride	0.27		0.10	0.026	mg/L			02/12/22 19:43	1
Sulfate	6.7		1.0	0.76	mg/L			02/12/22 19:43	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 11:37	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 11:37	1
Barium	0.21		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 11:37	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 11:37	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 11:37	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 11:37	1
Calcium	16		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 11:37	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 11:37	1
Cobalt	0.0023	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 11:37	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 11:37	1
Lithium	0.0050		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 11:37	1
Molybdenum	0.0012	J	0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 11:37	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 11:37	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 11:37	1
Sodium	17		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 11:37	1
Potassium	3.7		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 11:37	1
Magnesium	10		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 11:37	1
Manganese	0.13		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 11:37	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.3	J	3.0	2.1	mg/L		02/15/22 12:00	02/15/22 16:11	1
Total Dissolved Solids	180		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.17		0.10	0.10	mg/L			02/22/22 17:46	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:46	1
Total Alkalinity as CaCO3 to pH 4.5	120		5.0	5.0	mg/L			02/17/22 21:49	1
Bicarbonate Alkalinity as CaCO3	120		5.0	5.0	mg/L			02/17/22 21:49	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:49	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-8

Lab Sample ID: 180-133638-1

Date Collected: 02/10/22 10:10

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12	F1	1.0	0.71	mg/L			02/15/22 01:05	1
Fluoride	0.44		0.10	0.026	mg/L			02/15/22 16:10	1
Sulfate	80	F1	1.0	0.76	mg/L			02/15/22 01:05	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:08	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:08	1
Barium	0.18		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:08	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:08	1
Boron	0.16		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:08	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:08	1
Calcium	53		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:08	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:08	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:08	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:08	1
Lithium	0.0015	J	0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:08	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:08	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:08	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:08	1
Sodium	40		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:08	1
Potassium	1.2		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:08	1
Magnesium	30		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:08	1
Manganese	0.0016	J	0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:08	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.5	J B	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 13:21	1
Total Dissolved Solids	400		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	230		5.0	5.0	mg/L			02/19/22 12:08	1
Bicarbonate Alkalinity as CaCO3	230		5.0	5.0	mg/L			02/19/22 12:08	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:08	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.47				SU			02/10/22 10:10	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-9

Lab Sample ID: 180-133638-2

Date Collected: 02/10/22 11:25

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15		1.0	0.71	mg/L			02/14/22 21:54	1
Fluoride	0.098	J	0.10	0.026	mg/L			02/15/22 16:51	1
Sulfate	190		1.0	0.76	mg/L			02/14/22 21:54	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:11	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:11	1
Barium	0.047		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:11	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:11	1
Boron	1.3		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:11	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:11	1
Calcium	37		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:11	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:11	1
Cobalt	0.0022	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:11	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:11	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:11	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:11	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:11	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:11	1
Sodium	49		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:11	1
Potassium	0.48	J	0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:11	1
Magnesium	22		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:11	1
Manganese	0.22		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:11	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 13:35	1
Total Dissolved Solids	410		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.13		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	79		5.0	5.0	mg/L			02/19/22 12:28	1
Bicarbonate Alkalinity as CaCO3	79		5.0	5.0	mg/L			02/19/22 12:28	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:28	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.25				SU			02/10/22 11:25	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-11

Lab Sample ID: 180-133638-3

Date Collected: 02/10/22 13:02

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.8		1.0	0.71	mg/L			02/14/22 22:08	1
Fluoride	<0.026		0.10	0.026	mg/L			02/14/22 22:08	1
Sulfate	<0.76		1.0	0.76	mg/L			02/14/22 22:08	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:13	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:13	1
Barium	0.045		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:13	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:13	1
Boron	0.53		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:13	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:13	1
Calcium	1.9		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:13	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:13	1
Cobalt	0.021		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:13	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:13	1
Lithium	0.0022 J		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:13	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:13	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:13	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:13	1
Sodium	6.8		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:13	1
Potassium	0.32 J		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:13	1
Magnesium	1.5		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:13	1
Manganese	0.56		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:13	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 13:48	1
Total Dissolved Solids	39		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	0.091 J HF		0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	12		5.0	5.0	mg/L			02/19/22 12:35	1
Bicarbonate Alkalinity as CaCO3	12		5.0	5.0	mg/L			02/19/22 12:35	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:35	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.11				SU			02/10/22 13:02	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-12

Lab Sample ID: 180-133638-4

Date Collected: 02/10/22 15:30

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			02/14/22 22:22	1
Fluoride	0.060	J	0.10	0.026	mg/L			02/15/22 17:05	1
Sulfate	41		1.0	0.76	mg/L			02/14/22 22:22	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:16	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:16	1
Barium	0.057		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:16	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:16	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:16	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:16	1
Calcium	23		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:16	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:16	1
Cobalt	0.00079	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:16	1
Lead	0.00020	J	0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:16	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:16	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:16	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:16	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:16	1
Sodium	15		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:16	1
Potassium	0.72		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:16	1
Magnesium	12		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:16	1
Manganese	0.74		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:16	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:16	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 14:02	1
Total Dissolved Solids	210		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.32		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	0.56	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	100		5.0	5.0	mg/L			02/19/22 12:42	1
Bicarbonate Alkalinity as CaCO3	100		5.0	5.0	mg/L			02/19/22 12:42	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:42	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.19				SU			02/10/22 15:30	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-16

Lab Sample ID: 180-133638-5

Date Collected: 02/10/22 16:20

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.8		1.0	0.71	mg/L			02/14/22 22:35	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 17:18	1
Sulfate	45		1.0	0.76	mg/L			02/14/22 22:35	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:19	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:19	1
Barium	0.034		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:19	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:19	1
Boron	0.63		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:19	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:19	1
Calcium	1.2		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:19	1
Chromium	0.012		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:19	1
Cobalt	0.0049		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:19	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:19	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:19	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:19	1
Selenium	0.00092 J		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:19	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:19	1
Sodium	28		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:19	1
Potassium	0.55		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:19	1
Magnesium	0.71		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:19	1
Manganese	0.029		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:19	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:17	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 15:10	1
Total Dissolved Solids	100		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.18		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 12:49	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:49	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:49	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.21				SU			02/10/22 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-18

Lab Sample ID: 180-133638-6

Date Collected: 02/10/22 15:25

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19		1.0	0.71	mg/L			02/14/22 22:49	1
Fluoride	0.039	J	0.10	0.026	mg/L			02/15/22 17:33	1
Sulfate	890		10	7.6	mg/L			02/14/22 23:02	10

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:21	1
Arsenic	0.0043		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:21	1
Barium	0.013		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:21	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:21	1
Boron	6.4		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:21	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:21	1
Calcium	55		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:21	1
Chromium	0.010		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:21	1
Cobalt	0.090		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:21	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:21	1
Lithium	0.0039	J	0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:21	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:21	1
Selenium	0.0021	J	0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:21	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:21	1
Sodium	330		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:21	1
Potassium	3.4		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:21	1
Magnesium	24		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:21	1
Manganese	0.82		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:21	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/21/22 12:01	02/23/22 14:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 15:23	1
Total Dissolved Solids	1400		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.15		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 13:09	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:09	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:09	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.86				SU			02/10/22 15:25	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-22

Lab Sample ID: 180-133638-7

Date Collected: 02/10/22 10:46

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			02/14/22 23:16	1
Fluoride	<0.026		0.10	0.026	mg/L			02/14/22 23:16	1
Sulfate	100		1.0	0.76	mg/L			02/14/22 23:16	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 12:32	1
Arsenic	0.00031	J	0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 12:32	1
Barium	0.070		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 12:32	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 12:32	1
Boron	0.54		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 12:32	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 12:32	1
Calcium	27		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 12:32	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 12:32	1
Cobalt	0.0016	J	0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 12:32	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 12:32	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 12:32	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 12:32	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 12:32	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 12:32	1
Sodium	23		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 12:32	1
Potassium	2.8		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 12:32	1
Magnesium	12		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 12:32	1
Manganese	0.24		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 12:32	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ **	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 15:37	1
Total Dissolved Solids	250		10	10	mg/L			02/15/22 18:10	1
Ferric Iron	0.82		0.10	0.10	mg/L			02/22/22 18:52	1
Ferrous Iron	0.13	HF	0.10	0.081	mg/L			02/22/22 18:52	1
Total Alkalinity as CaCO3 to pH 4.5	43		5.0	5.0	mg/L			02/19/22 13:23	1
Bicarbonate Alkalinity as CaCO3	43		5.0	5.0	mg/L			02/19/22 13:23	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:23	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.78				SU			02/10/22 10:46	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-23

Lab Sample ID: 180-133638-8

Date Collected: 02/10/22 09:40

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			02/15/22 01:46	1
Fluoride	0.066	J	0.10	0.026	mg/L			02/15/22 17:48	1
Sulfate	73		1.0	0.76	mg/L			02/15/22 01:46	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 15:53	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 15:53	1
Barium	0.064		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 15:53	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 15:53	1
Boron	0.45		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 15:53	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 15:53	1
Calcium	23		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 15:53	1
Chromium	0.0015	J	0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 15:53	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 15:53	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 15:53	1
Lithium	0.0029	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 15:53	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 15:53	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 15:53	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 15:53	1
Sodium	19		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 15:53	1
Potassium	1.5		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 15:53	1
Magnesium	11		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 15:53	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 15:53	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ **	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 15:50	1
Total Dissolved Solids	230		10	10	mg/L			02/15/22 16:29	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	62		5.0	5.0	mg/L			02/19/22 13:30	1
Bicarbonate Alkalinity as CaCO3	62		5.0	5.0	mg/L			02/19/22 13:30	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:30	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.13				SU			02/10/22 09:40	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWA-24

Lab Sample ID: 180-133638-9

Date Collected: 02/10/22 13:45

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.4		1.0	0.71	mg/L			02/14/22 23:57	1
Fluoride	0.061	J	0.10	0.026	mg/L			02/15/22 18:31	1
Sulfate	<0.76		1.0	0.76	mg/L			02/14/22 23:57	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 15:56	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 15:56	1
Barium	0.025		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 15:56	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 15:56	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 15:56	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 15:56	1
Calcium	15		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 15:56	1
Chromium	0.0048		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 15:56	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 15:56	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 15:56	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 15:56	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 15:56	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 15:56	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 15:56	1
Sodium	6.3		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 15:56	1
Potassium	0.86		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 15:56	1
Magnesium	7.0		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 15:56	1
Manganese	0.011		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 15:56	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ **	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:04	1
Total Dissolved Solids	130		10	10	mg/L			02/15/22 16:29	1
Ferric Iron	0.19		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	76		5.0	5.0	mg/L			02/19/22 13:37	1
Bicarbonate Alkalinity as CaCO3	76		5.0	5.0	mg/L			02/19/22 13:37	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:37	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.38				SU			02/10/22 13:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: EB-3

Lab Sample ID: 180-133638-10

Date Collected: 02/10/22 16:50

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/14/22 23:30	1
Fluoride	<0.026		0.10	0.026	mg/L			02/14/22 23:30	1
Sulfate	<0.76		1.0	0.76	mg/L			02/14/22 23:30	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 15:58	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 15:58	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 15:58	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 15:58	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 15:58	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 15:58	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 15:58	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 15:58	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 15:58	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 15:58	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 15:58	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 15:58	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 15:58	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 15:58	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 15:58	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 15:58	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 15:58	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 15:58	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ **	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.2	J B	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:17	1
Total Dissolved Solids	<10		10	10	mg/L			02/15/22 16:29	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 13:43	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:43	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:43	1

Eurofins Pittsburgh

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: FB-3

Lab Sample ID: 180-133638-11

Date Collected: 02/10/22 14:00

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/14/22 23:43	1
Fluoride	<0.026		0.10	0.026	mg/L			02/14/22 23:43	1
Sulfate	<0.76		1.0	0.76	mg/L			02/14/22 23:43	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:06	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:06	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:06	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:06	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:06	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:06	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:06	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:06	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:06	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:06	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:06	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:06	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:06	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:06	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:06	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:06	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:06	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:06	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ **	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:31	1
Total Dissolved Solids	<10		10	10	mg/L			02/16/22 16:17	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 13:47	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:47	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:47	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: DUP-3

Lab Sample ID: 180-133638-12

Date Collected: 02/10/22 00:01

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19		1.0	0.71	mg/L			02/15/22 02:00	1
Fluoride	0.033	J	0.10	0.026	mg/L			02/15/22 18:44	1
Sulfate	890		10	7.6	mg/L			02/15/22 02:14	10

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:08	1
Arsenic	0.0041		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:08	1
Barium	0.013		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:08	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:08	1
Boron	5.9		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:08	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:08	1
Calcium	55		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:08	1
Chromium	0.0098		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:08	1
Cobalt	0.089		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:08	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:08	1
Lithium	0.0037	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:08	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:08	1
Selenium	0.0021	J	0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:08	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:08	1
Sodium	320		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:08	1
Potassium	3.4		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:08	1
Magnesium	24		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:08	1
Manganese	0.82		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:08	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/21/22 12:03	02/23/22 14:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:45	1
Total Dissolved Solids	1500		10	10	mg/L			02/16/22 16:17	1
Ferric Iron	0.27		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 13:53	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:53	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 13:53	1

Eurofins Pittsburgh

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-10

Lab Sample ID: 180-133644-1

Date Collected: 02/11/22 09:24

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.71	mg/L			02/15/22 04:01	1
Fluoride	0.030	J	0.10	0.026	mg/L			02/15/22 04:01	1
Sulfate	2.1		1.0	0.76	mg/L			02/15/22 04:01	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:29	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:29	1
Barium	0.025		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:29	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:29	1
Boron	0.090		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:29	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:29	1
Calcium	0.55		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:29	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:29	1
Cobalt	0.023		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:29	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:29	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:29	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:29	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:29	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:29	1
Sodium	12		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:29	1
Potassium	0.27	J	0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:29	1
Magnesium	4.2		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:29	1
Manganese	0.38		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:29	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:23	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 15:51	1
Total Dissolved Solids	44		10	10	mg/L			02/16/22 16:25	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	15		5.0	5.0	mg/L			02/19/22 19:44	1
Bicarbonate Alkalinity as CaCO3	15		5.0	5.0	mg/L			02/19/22 19:44	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 19:44	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.13				SU			02/11/22 09:24	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-17

Lab Sample ID: 180-133644-2

Date Collected: 02/11/22 09:45

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.4		1.0	0.71	mg/L			02/15/22 02:17	1
Fluoride	0.064	J	0.10	0.026	mg/L			02/15/22 02:17	1
Sulfate	190		1.0	0.76	mg/L			02/15/22 02:17	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:32	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:32	1
Barium	0.025		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:32	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:32	1
Boron	0.27		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:32	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:32	1
Calcium	58		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:32	1
Chromium	0.0079		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:32	1
Cobalt	0.00036	J	0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:32	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:32	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:32	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:32	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:32	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:32	1
Sodium	29		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:32	1
Potassium	0.43	J	0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:32	1
Magnesium	27		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:32	1
Manganese	0.023		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:32	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.2	J	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:07	1
Total Dissolved Solids	440		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	0.35		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	78		5.0	5.0	mg/L			02/19/22 19:51	1
Bicarbonate Alkalinity as CaCO3	78		5.0	5.0	mg/L			02/19/22 19:51	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 19:51	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.39				SU			02/11/22 09:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-21

Lab Sample ID: 180-133644-3

Date Collected: 02/11/22 09:30

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.71	mg/L			02/15/22 02:30	1
Fluoride	0.092	J	0.10	0.026	mg/L			02/15/22 02:30	1
Sulfate	120		1.0	0.76	mg/L			02/15/22 02:30	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:34	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:34	1
Barium	0.11		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:34	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:34	1
Boron	1.0		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:34	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:34	1
Calcium	36		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:34	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:34	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:34	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:34	1
Lithium	0.0011	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:34	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:34	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:34	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:34	1
Sodium	60		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:34	1
Potassium	1.4		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:34	1
Magnesium	12		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:34	1
Manganese	0.052		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:34	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	3.4		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:22	1
Total Dissolved Solids	350		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	0.17		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	130		5.0	5.0	mg/L			02/19/22 19:59	1
Bicarbonate Alkalinity as CaCO3	130		5.0	5.0	mg/L			02/19/22 19:59	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 19:59	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.31				SU			02/11/22 09:30	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-20

Lab Sample ID: 180-133644-4

Date Collected: 02/11/22 10:20

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.6		1.0	0.71	mg/L			02/15/22 03:11	1
Fluoride	0.14		0.10	0.026	mg/L			02/15/22 03:11	1
Sulfate	230		5.0	3.8	mg/L			02/17/22 09:36	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:37	1
Arsenic	0.00081	J	0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:37	1
Barium	0.022		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:37	1
Beryllium	0.00074	J	0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:37	1
Boron	1.5		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:37	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:37	1
Calcium	13		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:37	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:37	1
Cobalt	0.14		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:37	1
Lead	0.00021	J	0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:37	1
Lithium	0.0037	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:37	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:37	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:37	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:37	1
Sodium	60		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:37	1
Potassium	3.2		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:37	1
Magnesium	17		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:37	1
Manganese	1.5		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:37	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	3.9		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:38	1
Total Dissolved Solids	350		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 20:38	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:38	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:38	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.25				SU			02/11/22 10:20	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-15

Lab Sample ID: 180-133644-5

Date Collected: 02/11/22 11:06

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			02/15/22 03:24	1
Fluoride	0.14		0.10	0.026	mg/L			02/15/22 03:24	1
Sulfate	200		1.0	0.76	mg/L			02/15/22 03:24	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:39	1
Arsenic	0.0021		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:39	1
Barium	0.027		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:39	1
Beryllium	0.00040	J	0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:39	1
Boron	1.2		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:39	1
Cadmium	0.00024	J	0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:39	1
Calcium	16		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:39	1
Chromium	0.032		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:39	1
Cobalt	0.23		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:39	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:39	1
Lithium	0.0027	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:39	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:39	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:39	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:39	1
Sodium	43		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:39	1
Potassium	4.4		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:39	1
Magnesium	15		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:39	1
Manganese	3.4		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:39	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:53	1
Total Dissolved Solids	310		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	0.12		0.10	0.10	mg/L			02/22/22 18:59	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 18:59	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 20:49	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:49	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:49	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.59				SU			02/11/22 11:06	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-13

Lab Sample ID: 180-133644-6

Date Collected: 02/11/22 11:05

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			02/15/22 03:36	1
Fluoride	0.045	J	0.10	0.026	mg/L			02/15/22 03:36	1
Sulfate	94		1.0	0.76	mg/L			02/15/22 03:36	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:47	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:47	1
Barium	0.034		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:47	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:47	1
Boron	0.48		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:47	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:47	1
Calcium	19		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:47	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:47	1
Cobalt	0.0015	J	0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:47	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:47	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:47	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:47	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:47	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:47	1
Sodium	25		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:47	1
Potassium	1.1		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:47	1
Magnesium	7.5		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:47	1
Manganese	0.091		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:47	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.5	J	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 17:09	1
Total Dissolved Solids	200		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 19:04	1
Ferrous Iron	0.21	HF	0.10	0.081	mg/L			02/22/22 19:04	1
Total Alkalinity as CaCO3 to pH 4.5	28		5.0	5.0	mg/L			02/19/22 20:56	1
Bicarbonate Alkalinity as CaCO3	28		5.0	5.0	mg/L			02/19/22 20:56	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:56	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.02				SU			02/11/22 11:05	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-19

Lab Sample ID: 180-133644-7

Date Collected: 02/11/22 11:06

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			02/15/22 04:38	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 04:38	1
Sulfate	260		5.0	3.8	mg/L			02/15/22 04:50	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:50	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:50	1
Barium	0.032		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:50	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:50	1
Boron	1.7		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:50	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:50	1
Calcium	46		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:50	1
Chromium	0.015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:50	1
Cobalt	0.00045	J	0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:50	1
Lead	0.00033	J	0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:50	1
Lithium	0.0072		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:50	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:50	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:50	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:50	1
Sodium	45		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:50	1
Potassium	2.5		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:50	1
Magnesium	21		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:50	1
Manganese	0.10		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:50	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 13:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 17:24	1
Total Dissolved Solids	440		10	10	mg/L			02/17/22 16:30	1
Ferric Iron	0.49		0.10	0.10	mg/L			02/22/22 19:04	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 19:04	1
Total Alkalinity as CaCO3 to pH 4.5	10		5.0	5.0	mg/L			02/19/22 21:05	1
Bicarbonate Alkalinity as CaCO3	10		5.0	5.0	mg/L			02/19/22 21:05	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 21:05	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.65				SU			02/11/22 11:06	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Client Sample ID: SGWC-14

Lab Sample ID: 180-133781-1

Date Collected: 02/14/22 11:22

Matrix: Water

Date Received: 02/16/22 16:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.71	mg/L			03/07/22 17:02	1
Fluoride	0.035	J	0.10	0.026	mg/L			03/07/22 17:02	1
Sulfate	220		5.0	3.8	mg/L			03/08/22 12:43	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/18/22 10:40	02/22/22 13:54	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/18/22 10:40	02/22/22 13:54	1
Barium	0.047		0.010	0.0031	mg/L		02/18/22 10:40	02/22/22 13:54	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/18/22 10:40	02/22/22 13:54	1
Boron	1.5		0.080	0.060	mg/L		02/18/22 10:40	02/22/22 13:54	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/18/22 10:40	02/22/22 13:54	1
Calcium	41		0.50	0.13	mg/L		02/18/22 10:40	02/22/22 13:54	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/18/22 10:40	02/22/22 13:54	1
Cobalt	0.0065		0.0025	0.00026	mg/L		02/18/22 10:40	02/22/22 13:54	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/18/22 10:40	02/22/22 13:54	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/18/22 10:40	02/22/22 13:54	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/18/22 10:40	02/22/22 13:54	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/18/22 10:40	02/22/22 13:54	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/18/22 10:40	02/22/22 13:54	1
Sodium	26		0.50	0.18	mg/L		02/18/22 10:40	02/22/22 13:54	1
Potassium	1.9		0.50	0.16	mg/L		02/18/22 10:40	02/22/22 13:54	1
Magnesium	21		0.50	0.050	mg/L		02/18/22 10:40	02/22/22 13:54	1
Manganese	0.20	B	0.0050	0.0013	mg/L		02/18/22 10:40	02/22/22 13:54	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/28/22 11:26	03/01/22 17:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/19/22 12:00	02/19/22 14:31	1
Total Dissolved Solids	360		10	10	mg/L			02/18/22 18:15	1
Ferric Iron	0.18		0.10	0.10	mg/L			02/22/22 19:25	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 19:25	1
Total Alkalinity as CaCO3 to pH 4.5	15		5.0	5.0	mg/L			02/22/22 19:59	1
Bicarbonate Alkalinity as CaCO3	15		5.0	5.0	mg/L			02/22/22 19:59	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/22/22 19:59	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.77				SU			02/14/22 11:22	1

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 180-388042/7
Matrix: Water
Analysis Batch: 388042

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 16:03	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 16:03	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 16:03	1

Lab Sample ID: LCS 180-388042/6
Matrix: Water
Analysis Batch: 388042

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.0		mg/L		98	90 - 110
Fluoride	2.50	2.63		mg/L		105	90 - 110
Sulfate	50.0	49.1		mg/L		98	90 - 110

Lab Sample ID: 180-133602-1 MS
Matrix: Water
Analysis Batch: 388042

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	2.0		50.0	54.0		mg/L		104	90 - 110
Fluoride	0.034	J	2.50	2.74		mg/L		108	90 - 110
Sulfate	1.0		50.0	52.6		mg/L		103	90 - 110

Lab Sample ID: 180-133602-1 MSD
Matrix: Water
Analysis Batch: 388042

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	2.0		50.0	52.8		mg/L		102	90 - 110	2	20
Fluoride	0.034	J	2.50	2.69		mg/L		106	90 - 110	2	20
Sulfate	1.0		50.0	51.5		mg/L		101	90 - 110	2	20

Lab Sample ID: 180-133602-11 MS
Matrix: Water
Analysis Batch: 388042

Client Sample ID: DUP-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.7		50.0	51.8		mg/L		96	90 - 110
Fluoride	0.27		2.50	2.75		mg/L		100	90 - 110
Sulfate	6.7		50.0	54.2		mg/L		95	90 - 110

Lab Sample ID: 180-133602-11 MSD
Matrix: Water
Analysis Batch: 388042

Client Sample ID: DUP-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.7		50.0	51.4		mg/L		95	90 - 110	1	20
Fluoride	0.27		2.50	2.76		mg/L		100	90 - 110	0	20
Sulfate	6.7		50.0	53.9		mg/L		94	90 - 110	1	20

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 180-388136/51
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/15/22 00:41	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 00:41	1
Sulfate	<0.76		1.0	0.76	mg/L			02/15/22 00:41	1

Lab Sample ID: LCS 180-388136/50
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.7		mg/L		99	90 - 110
Fluoride	2.50	2.55		mg/L		102	90 - 110
Sulfate	50.0	47.8		mg/L		96	90 - 110

Lab Sample ID: 180-133644-1 MS
Matrix: Water
Analysis Batch: 388136

Client Sample ID: SGWC-10
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	11		50.0	65.3		mg/L		110	90 - 110
Fluoride	0.030	J	2.50	2.76		mg/L		109	90 - 110
Sulfate	2.1		50.0	54.7		mg/L		105	90 - 110

Lab Sample ID: 180-133644-1 MSD
Matrix: Water
Analysis Batch: 388136

Client Sample ID: SGWC-10
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	11		50.0	60.5		mg/L		100	90 - 110	8	20
Fluoride	0.030	J	2.50	2.55		mg/L		101	90 - 110	8	20
Sulfate	2.1		50.0	50.0		mg/L		96	90 - 110	9	20

Lab Sample ID: MB 180-388140/43
Matrix: Water
Analysis Batch: 388140

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/15/22 00:52	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 00:52	1
Sulfate	<0.76		1.0	0.76	mg/L			02/15/22 00:52	1

Lab Sample ID: MB 180-388140/7
Matrix: Water
Analysis Batch: 388140

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/14/22 15:41	1
Fluoride	<0.026		0.10	0.026	mg/L			02/14/22 15:41	1
Sulfate	<0.76		1.0	0.76	mg/L			02/14/22 15:41	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 180-388140/42
Matrix: Water
Analysis Batch: 388140

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	50.3		mg/L		101	90 - 110
Fluoride	2.50	2.67		mg/L		107	90 - 110
Sulfate	50.0	50.2		mg/L		100	90 - 110

Lab Sample ID: LCS 180-388140/6
Matrix: Water
Analysis Batch: 388140

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.3		mg/L		99	90 - 110
Fluoride	2.50	2.62		mg/L		105	90 - 110
Sulfate	50.0	49.3		mg/L		99	90 - 110

Lab Sample ID: 180-133638-1 MS
Matrix: Water
Analysis Batch: 388140

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	12	F1	50.0	62.0		mg/L		100	90 - 110
Sulfate	80	F1	50.0	127		mg/L		95	90 - 110

Lab Sample ID: 180-133638-1 MSD
Matrix: Water
Analysis Batch: 388140

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	12	F1	50.0	55.7	F1	mg/L		88	90 - 110	11	20
Sulfate	80	F1	50.0	114	F1	mg/L		69	90 - 110	11	20

Lab Sample ID: MB 180-388265/7
Matrix: Water
Analysis Batch: 388265

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/15/22 10:37	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 10:37	1
Sulfate	<0.76		1.0	0.76	mg/L			02/15/22 10:37	1

Lab Sample ID: LCS 180-388265/6
Matrix: Water
Analysis Batch: 388265

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.2		mg/L		98	90 - 110
Fluoride	2.50	2.61		mg/L		104	90 - 110
Sulfate	50.0	49.2		mg/L		98	90 - 110

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 180-133638-1 MS
Matrix: Water
Analysis Batch: 388265

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	0.44		2.50	3.01		mg/L		103	90 - 110

Lab Sample ID: 180-133638-1 MSD
Matrix: Water
Analysis Batch: 388265

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Fluoride	0.44		2.50	2.94		mg/L		100	90 - 110	2	20

Lab Sample ID: MB 180-388566/7
Matrix: Water
Analysis Batch: 388566

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/17/22 09:21	1
Fluoride	<0.026		0.10	0.026	mg/L			02/17/22 09:21	1
Sulfate	<0.76		1.0	0.76	mg/L			02/17/22 09:21	1

Lab Sample ID: LCS 180-388566/5
Matrix: Water
Analysis Batch: 388566

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	50.0	49.9		mg/L		100	90 - 110
Fluoride	2.50	2.58		mg/L		103	90 - 110
Sulfate	50.0	48.5		mg/L		97	90 - 110

Lab Sample ID: 180-133748-B-1 MS
Matrix: Water
Analysis Batch: 388566

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	15		50.0	61.4		mg/L		94	90 - 110

Lab Sample ID: 180-133748-B-1 MSD
Matrix: Water
Analysis Batch: 388566

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	15		50.0	66.6		mg/L		104	90 - 110	8	20

Method: EPA 6020B - Metals (ICP/MS)

Lab Sample ID: MB 180-388279/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:02	02/16/22 10:56	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:02	02/16/22 10:56	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-388279/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:02	02/16/22 10:56	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:02	02/16/22 10:56	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:02	02/16/22 10:56	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:02	02/16/22 10:56	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:02	02/16/22 10:56	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:02	02/16/22 10:56	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:02	02/16/22 10:56	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:02	02/16/22 10:56	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:02	02/16/22 10:56	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:02	02/16/22 10:56	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:02	02/16/22 10:56	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:02	02/16/22 10:56	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:02	02/16/22 10:56	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:02	02/16/22 10:56	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:02	02/16/22 10:56	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:02	02/16/22 10:56	1

Lab Sample ID: LCS 180-388279/2-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	0.250	0.244		mg/L		98	80 - 120
Arsenic	1.00	1.00		mg/L		100	80 - 120
Barium	1.00	1.04		mg/L		104	80 - 120
Beryllium	0.500	0.515		mg/L		103	80 - 120
Boron	1.25	1.22		mg/L		98	80 - 120
Cadmium	0.500	0.515		mg/L		103	80 - 120
Calcium	25.0	28.8		mg/L		115	80 - 120
Chromium	0.500	0.518		mg/L		104	80 - 120
Cobalt	0.500	0.501		mg/L		100	80 - 120
Lead	0.500	0.515		mg/L		103	80 - 120
Lithium	0.500	0.487		mg/L		97	80 - 120
Molybdenum	0.500	0.535		mg/L		107	80 - 120
Selenium	1.00	0.972		mg/L		97	80 - 120
Thallium	1.00	1.02		mg/L		102	80 - 120
Sodium	25.0	26.1		mg/L		105	80 - 120
Potassium	25.0	25.5		mg/L		102	80 - 120
Magnesium	25.0	25.8		mg/L		103	80 - 120
Manganese	0.500	0.482		mg/L		96	80 - 120

Lab Sample ID: 180-133602-7 MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: SGWC-7
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	<0.00051		0.250	0.239		mg/L		96	75 - 125
Arsenic	<0.00028		1.00	0.963		mg/L		96	75 - 125
Barium	0.21		1.00	1.23		mg/L		102	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133602-7 MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: SGWC-7
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Beryllium	<0.00027		0.500	0.501		mg/L		100	75 - 125
Boron	<0.060		1.25	1.20		mg/L		96	75 - 125
Cadmium	<0.00022		0.500	0.503		mg/L		101	75 - 125
Calcium	16		25.0	43.6		mg/L		111	75 - 125
Chromium	<0.0015		0.500	0.497		mg/L		99	75 - 125
Cobalt	0.0024	J	0.500	0.485		mg/L		97	75 - 125
Lead	<0.00017		0.500	0.496		mg/L		99	75 - 125
Lithium	0.0048	J	0.500	0.467		mg/L		93	75 - 125
Molybdenum	0.0012	J	0.500	0.502		mg/L		100	75 - 125
Selenium	<0.00074		1.00	0.921		mg/L		92	75 - 125
Thallium	<0.00047		1.00	0.975		mg/L		97	75 - 125
Sodium	28		25.0	51.6		mg/L		95	75 - 125
Potassium	3.7		25.0	28.0		mg/L		97	75 - 125
Magnesium	10		25.0	34.6		mg/L		98	75 - 125
Manganese	0.12		0.500	0.593		mg/L		94	75 - 125

Lab Sample ID: 180-133602-7 MSD
Matrix: Water
Analysis Batch: 388563

Client Sample ID: SGWC-7
Prep Type: Total Recoverable
Prep Batch: 388279

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Antimony	<0.00051		0.250	0.242		mg/L		97	75 - 125	1	20
Arsenic	<0.00028		1.00	0.984		mg/L		98	75 - 125	2	20
Barium	0.21		1.00	1.24		mg/L		102	75 - 125	1	20
Beryllium	<0.00027		0.500	0.485		mg/L		97	75 - 125	3	20
Boron	<0.060		1.25	1.24		mg/L		99	75 - 125	3	20
Cadmium	<0.00022		0.500	0.501		mg/L		100	75 - 125	0	20
Calcium	16		25.0	44.4		mg/L		115	75 - 125	2	20
Chromium	<0.0015		0.500	0.495		mg/L		99	75 - 125	0	20
Cobalt	0.0024	J	0.500	0.498		mg/L		99	75 - 125	3	20
Lead	<0.00017		0.500	0.502		mg/L		100	75 - 125	1	20
Lithium	0.0048	J	0.500	0.470		mg/L		93	75 - 125	0	20
Molybdenum	0.0012	J	0.500	0.531		mg/L		106	75 - 125	6	20
Selenium	<0.00074		1.00	0.932		mg/L		93	75 - 125	1	20
Thallium	<0.00047		1.00	0.994		mg/L		99	75 - 125	2	20
Sodium	28		25.0	53.0		mg/L		101	75 - 125	3	20
Potassium	3.7		25.0	28.5		mg/L		99	75 - 125	2	20
Magnesium	10		25.0	36.8		mg/L		106	75 - 125	6	20
Manganese	0.12		0.500	0.596		mg/L		94	75 - 125	0	20

Lab Sample ID: MB 180-388280/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:14	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:14	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:14	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:14	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-388280/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:14	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:14	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:14	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:14	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:14	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:14	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:14	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:14	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:14	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:14	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:14	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:14	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:14	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:14	1

Lab Sample ID: LCS 180-388280/2-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1.00	0.956		mg/L		96	80 - 120
Barium	1.00	0.995		mg/L		99	80 - 120
Beryllium	0.500	0.495		mg/L		99	80 - 120
Boron	1.25	1.12		mg/L		89	80 - 120
Cadmium	0.500	0.488		mg/L		98	80 - 120
Calcium	25.0	28.0		mg/L		112	80 - 120
Chromium	0.500	0.491		mg/L		98	80 - 120
Cobalt	0.500	0.471		mg/L		94	80 - 120
Lead	0.500	0.497		mg/L		99	80 - 120
Lithium	0.500	0.479		mg/L		96	80 - 120
Molybdenum	0.500	0.519		mg/L		104	80 - 120
Selenium	1.00	0.968		mg/L		97	80 - 120
Thallium	1.00	0.999		mg/L		100	80 - 120
Sodium	25.0	24.4		mg/L		97	80 - 120
Potassium	25.0	24.4		mg/L		98	80 - 120
Magnesium	25.0	24.0		mg/L		96	80 - 120
Manganese	0.500	0.468		mg/L		94	80 - 120

Lab Sample ID: 180-133600-F-1-B MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	<0.00028		1.00	0.954		mg/L		95	75 - 125
Barium	0.049		1.00	1.06		mg/L		101	75 - 125
Beryllium	<0.00027		0.500	0.509		mg/L		102	75 - 125
Boron	<0.060		1.25	1.16		mg/L		93	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133600-F-1-B MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cadmium	<0.00022		0.500	0.500		mg/L		100	75 - 125
Calcium	4.7		25.0	33.1		mg/L		113	75 - 125
Chromium	0.0030		0.500	0.501		mg/L		100	75 - 125
Cobalt	0.0052		0.500	0.475		mg/L		94	75 - 125
Lead	<0.00017		0.500	0.509		mg/L		102	75 - 125
Lithium	0.0025	J	0.500	0.484		mg/L		96	75 - 125
Molybdenum	<0.00061		0.500	0.510		mg/L		102	75 - 125
Selenium	<0.00074		1.00	0.964		mg/L		96	75 - 125
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125
Sodium	5.0		25.0	29.8		mg/L		99	75 - 125
Potassium	0.39	J	25.0	25.6		mg/L		101	75 - 125
Magnesium	1.6		25.0	25.9		mg/L		97	75 - 125
Manganese	0.051		0.500	0.519		mg/L		94	75 - 125

Lab Sample ID: 180-133600-F-1-C MSD
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Antimony	<0.00051		0.250	0.244		mg/L		97	75 - 125	1	20
Arsenic	<0.00028		1.00	0.993		mg/L		99	75 - 125	4	20
Barium	0.049		1.00	1.09		mg/L		104	75 - 125	2	20
Beryllium	<0.00027		0.500	0.516		mg/L		103	75 - 125	1	20
Boron	<0.060		1.25	1.23		mg/L		98	75 - 125	5	20
Cadmium	<0.00022		0.500	0.515		mg/L		103	75 - 125	3	20
Calcium	4.7		25.0	33.5		mg/L		115	75 - 125	1	20
Chromium	0.0030		0.500	0.513		mg/L		102	75 - 125	2	20
Cobalt	0.0052		0.500	0.495		mg/L		98	75 - 125	4	20
Lead	<0.00017		0.500	0.512		mg/L		102	75 - 125	1	20
Lithium	0.0025	J	0.500	0.477		mg/L		95	75 - 125	1	20
Molybdenum	<0.00061		0.500	0.525		mg/L		105	75 - 125	3	20
Selenium	<0.00074		1.00	1.01		mg/L		101	75 - 125	5	20
Thallium	<0.00047		1.00	1.03		mg/L		103	75 - 125	1	20
Sodium	5.0		25.0	30.2		mg/L		101	75 - 125	1	20
Potassium	0.39	J	25.0	25.8		mg/L		102	75 - 125	1	20
Magnesium	1.6		25.0	26.8		mg/L		101	75 - 125	3	20
Manganese	0.051		0.500	0.535		mg/L		97	75 - 125	3	20

Lab Sample ID: MB 180-388283/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 15:48	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 15:48	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 15:48	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 15:48	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 15:48	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 15:48	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-388283/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 15:48	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 15:48	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 15:48	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 15:48	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 15:48	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 15:48	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 15:48	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 15:48	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 15:48	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 15:48	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 15:48	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 15:48	1

Lab Sample ID: LCS 180-388283/2-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	0.250	0.243		mg/L		97	80 - 120
Arsenic	1.00	0.989		mg/L		99	80 - 120
Barium	1.00	1.05		mg/L		105	80 - 120
Beryllium	0.500	0.504		mg/L		101	80 - 120
Boron	1.25	1.12		mg/L		89	80 - 120
Cadmium	0.500	0.516		mg/L		103	80 - 120
Calcium	25.0	28.7		mg/L		115	80 - 120
Chromium	0.500	0.518		mg/L		104	80 - 120
Cobalt	0.500	0.493		mg/L		99	80 - 120
Lead	0.500	0.519		mg/L		104	80 - 120
Lithium	0.500	0.479		mg/L		96	80 - 120
Molybdenum	0.500	0.537		mg/L		107	80 - 120
Selenium	1.00	0.988		mg/L		99	80 - 120
Thallium	1.00	1.05		mg/L		105	80 - 120
Sodium	25.0	25.1		mg/L		100	80 - 120
Potassium	25.0	24.9		mg/L		100	80 - 120
Magnesium	25.0	25.0		mg/L		100	80 - 120
Manganese	0.500	0.495		mg/L		99	80 - 120

Lab Sample ID: 180-133461-K-5-B MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	<0.00051		0.250	0.246		mg/L		98	75 - 125
Arsenic	<0.00028		1.00	0.994		mg/L		99	75 - 125
Barium	0.098		1.00	1.19		mg/L		109	75 - 125
Beryllium	<0.00027		0.500	0.488		mg/L		98	75 - 125
Boron	<0.060		1.25	1.14		mg/L		91	75 - 125
Cadmium	<0.00022		0.500	0.518		mg/L		104	75 - 125
Calcium	91	F1	25.0	126	F1	mg/L		139	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133461-K-5-B MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium	<0.0015		0.500	0.510		mg/L		102	75 - 125
Cobalt	<0.00026		0.500	0.483		mg/L		97	75 - 125
Lead	0.00021	J	0.500	0.523		mg/L		104	75 - 125
Lithium	0.0049	J	0.500	0.507		mg/L		100	75 - 125
Molybdenum	<0.00061		0.500	0.558		mg/L		112	75 - 125
Selenium	<0.00074		1.00	1.01		mg/L		101	75 - 125
Thallium	<0.00047		1.00	1.04		mg/L		104	75 - 125
Sodium	3.6		25.0	29.3		mg/L		103	75 - 125
Potassium	1.6		25.0	27.3		mg/L		103	75 - 125
Magnesium	10		25.0	35.2		mg/L		100	75 - 125
Manganese	0.17		0.500	0.681		mg/L		102	75 - 125

Lab Sample ID: 180-133461-K-5-C MSD
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Antimony	<0.00051		0.250	0.240		mg/L		96	75 - 125	2	20
Arsenic	<0.00028		1.00	0.967		mg/L		97	75 - 125	3	20
Barium	0.098		1.00	1.14		mg/L		104	75 - 125	4	20
Beryllium	<0.00027		0.500	0.487		mg/L		97	75 - 125	0	20
Boron	<0.060		1.25	1.17		mg/L		93	75 - 125	3	20
Cadmium	<0.00022		0.500	0.499		mg/L		100	75 - 125	4	20
Calcium	91	F1	25.0	117		mg/L		102	75 - 125	8	20
Chromium	<0.0015		0.500	0.501		mg/L		100	75 - 125	2	20
Cobalt	<0.00026		0.500	0.472		mg/L		94	75 - 125	2	20
Lead	0.00021	J	0.500	0.504		mg/L		101	75 - 125	4	20
Lithium	0.0049	J	0.500	0.505		mg/L		100	75 - 125	0	20
Molybdenum	<0.00061		0.500	0.521		mg/L		104	75 - 125	7	20
Selenium	<0.00074		1.00	0.935		mg/L		94	75 - 125	7	20
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125	2	20
Sodium	3.6		25.0	28.2		mg/L		99	75 - 125	4	20
Potassium	1.6		25.0	26.4		mg/L		99	75 - 125	4	20
Magnesium	10		25.0	33.4		mg/L		93	75 - 125	5	20
Manganese	0.17		0.500	0.637		mg/L		93	75 - 125	7	20

Lab Sample ID: MB 180-388754/1-A
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/18/22 10:40	02/22/22 13:18	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/18/22 10:40	02/22/22 13:18	1
Barium	<0.0031		0.010	0.0031	mg/L		02/18/22 10:40	02/22/22 13:18	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/18/22 10:40	02/22/22 13:18	1
Boron	<0.060		0.080	0.060	mg/L		02/18/22 10:40	02/22/22 13:18	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/18/22 10:40	02/22/22 13:18	1
Calcium	<0.13		0.50	0.13	mg/L		02/18/22 10:40	02/22/22 13:18	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/18/22 10:40	02/22/22 13:18	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-388754/1-A
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/18/22 10:40	02/22/22 13:18	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/18/22 10:40	02/22/22 13:18	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/18/22 10:40	02/22/22 13:18	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/18/22 10:40	02/22/22 13:18	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/18/22 10:40	02/22/22 13:18	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/18/22 10:40	02/22/22 13:18	1
Sodium	<0.18		0.50	0.18	mg/L		02/18/22 10:40	02/22/22 13:18	1
Potassium	<0.16		0.50	0.16	mg/L		02/18/22 10:40	02/22/22 13:18	1
Magnesium	<0.050		0.50	0.050	mg/L		02/18/22 10:40	02/22/22 13:18	1
Manganese	0.00149	J	0.0050	0.0013	mg/L		02/18/22 10:40	02/22/22 13:18	1

Lab Sample ID: LCS 180-388754/2-A
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	0.250	0.250		mg/L		100	80 - 120
Arsenic	1.00	1.00		mg/L		100	80 - 120
Barium	1.00	1.02		mg/L		102	80 - 120
Beryllium	0.500	0.512		mg/L		102	80 - 120
Boron	1.25	1.20		mg/L		96	80 - 120
Cadmium	0.500	0.514		mg/L		103	80 - 120
Calcium	25.0	27.6		mg/L		110	80 - 120
Chromium	0.500	0.505		mg/L		101	80 - 120
Cobalt	0.500	0.508		mg/L		102	80 - 120
Lead	0.500	0.509		mg/L		102	80 - 120
Lithium	0.500	0.518		mg/L		104	80 - 120
Molybdenum	0.500	0.511		mg/L		102	80 - 120
Selenium	1.00	1.00		mg/L		100	80 - 120
Thallium	1.00	1.02		mg/L		102	80 - 120
Sodium	25.0	26.0		mg/L		104	80 - 120
Potassium	25.0	26.2		mg/L		105	80 - 120
Magnesium	25.0	25.5		mg/L		102	80 - 120
Manganese	0.500	0.501		mg/L		100	80 - 120

Lab Sample ID: 180-133800-E-3-B MS
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	<0.00051		0.250	0.253		mg/L		101	75 - 125
Arsenic	0.00042	J	1.00	1.05		mg/L		105	75 - 125
Barium	0.040		1.00	1.09		mg/L		105	75 - 125
Beryllium	0.00066	J	0.500	0.521		mg/L		104	75 - 125
Boron	0.076	J	1.25	1.26		mg/L		95	75 - 125
Cadmium	0.00065	J	0.500	0.533		mg/L		106	75 - 125
Calcium	20		25.0	48.4		mg/L		115	75 - 125
Chromium	<0.0015		0.500	0.516		mg/L		103	75 - 125
Cobalt	0.0076		0.500	0.532		mg/L		105	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133800-E-3-B MS
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	0.00049	J	0.500	0.523		mg/L		105	75 - 125
Lithium	0.0050		0.500	0.518		mg/L		103	75 - 125
Molybdenum	<0.00061		0.500	0.532		mg/L		106	75 - 125
Selenium	0.0010	J	1.00	1.03		mg/L		102	75 - 125
Thallium	<0.00047		1.00	1.05		mg/L		105	75 - 125
Sodium	12		25.0	36.6		mg/L		99	75 - 125
Potassium	1.9		25.0	27.8		mg/L		103	75 - 125
Magnesium	4.1		25.0	29.6		mg/L		102	75 - 125
Manganese	0.22	B	0.500	0.738		mg/L		104	75 - 125

Lab Sample ID: 180-133800-E-3-C MSD
Matrix: Water
Analysis Batch: 389218

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388754

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Antimony	<0.00051		0.250	0.244		mg/L		98	75 - 125	4	20
Arsenic	0.00042	J	1.00	1.01		mg/L		101	75 - 125	4	20
Barium	0.040		1.00	1.04		mg/L		100	75 - 125	4	20
Beryllium	0.00066	J	0.500	0.501		mg/L		100	75 - 125	4	20
Boron	0.076	J	1.25	1.29		mg/L		97	75 - 125	3	20
Cadmium	0.00065	J	0.500	0.509		mg/L		102	75 - 125	5	20
Calcium	20		25.0	46.7		mg/L		108	75 - 125	4	20
Chromium	<0.0015		0.500	0.499		mg/L		100	75 - 125	3	20
Cobalt	0.0076		0.500	0.514		mg/L		101	75 - 125	3	20
Lead	0.00049	J	0.500	0.508		mg/L		101	75 - 125	3	20
Lithium	0.0050		0.500	0.501		mg/L		99	75 - 125	3	20
Molybdenum	<0.00061		0.500	0.510		mg/L		102	75 - 125	4	20
Selenium	0.0010	J	1.00	0.983		mg/L		98	75 - 125	4	20
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125	3	20
Sodium	12		25.0	36.3		mg/L		98	75 - 125	1	20
Potassium	1.9		25.0	27.4		mg/L		102	75 - 125	1	20
Magnesium	4.1		25.0	29.1		mg/L		100	75 - 125	2	20
Manganese	0.22	B	0.500	0.715		mg/L		99	75 - 125	3	20

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-388493/1-A
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388493

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:35	1

Lab Sample ID: LCS 180-388493/2-A
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388493

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00254		mg/L		101	80 - 120

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 180-133600-F-1-E MS
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388493
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00022		0.00100	0.00122		mg/L		100	75 - 125

Lab Sample ID: 180-133600-F-1-F MSD
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388493
%Rec. RPD

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	0.00022		0.00100	0.00119		mg/L		97	75 - 125	2	20

Lab Sample ID: MB 180-388494/1-A
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388494

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:07	1

Lab Sample ID: LCS 180-388494/2-A
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388494
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00245		mg/L		98	80 - 120

Lab Sample ID: 180-133638-1 MS
Matrix: Water
Analysis Batch: 388686

Client Sample ID: SGWC-8
Prep Type: Total/NA
Prep Batch: 388494
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	<0.00013		0.00100	0.000896		mg/L		90	75 - 125

Lab Sample ID: 180-133638-1 MSD
Matrix: Water
Analysis Batch: 388686

Client Sample ID: SGWC-8
Prep Type: Total/NA
Prep Batch: 388494
%Rec. RPD

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	<0.00013		0.00100	0.000961		mg/L		96	75 - 125	7	20

Lab Sample ID: MB 180-388987/1-A
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388987

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:00	1

Lab Sample ID: MB 180-388987/1-A
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388987

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/21/22 12:01	02/23/22 14:41	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: LCS 180-388987/2-A
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388987
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00385	^3+ ^+ *+	mg/L		154	80 - 120

Lab Sample ID: LCS 180-388987/2-A
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388987
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00260		mg/L		104	80 - 120

Lab Sample ID: 680-211038-D-7-C MSD
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388987
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	<0.00013	F1 ^3+ ^+ *+	0.00100	0.00152	F1 ^3+ ^+ *+	mg/L		152	75 - 125	2	20

Lab Sample ID: 680-211038-D-7-D MS
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388987
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	<0.00013	F1 ^3+ ^+ *+	0.00100	0.00148	F1 ^3+ ^+ *+	mg/L		148	75 - 125

Lab Sample ID: MB 180-389217/1-A
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 389217

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/23/22 06:04	02/23/22 12:59	1

Lab Sample ID: LCS 180-389217/2-A
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 389217
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00250	0.00254		mg/L		102	80 - 120

Lab Sample ID: 180-133581-E-2-D MS
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 389217
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	<0.00013		0.00100	0.00101		mg/L		101	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 180-133581-E-2-E MSD
Matrix: Water
Analysis Batch: 389330

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 389217

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	<0.00013		0.00100	0.00101		mg/L		101	75 - 125	0	20

Lab Sample ID: MB 180-389777/1-A
Matrix: Water
Analysis Batch: 389986

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 389777

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/28/22 11:26	03/01/22 16:46	1

Lab Sample ID: LCS 180-389777/2-A
Matrix: Water
Analysis Batch: 389986

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 389777

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00259		mg/L		104	80 - 120

Lab Sample ID: 180-133800-E-3-E MS
Matrix: Water
Analysis Batch: 389986

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 389777

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	<0.00013		0.00100	0.00103		mg/L		103	75 - 125

Lab Sample ID: 180-133800-E-3-F MSD
Matrix: Water
Analysis Batch: 389986

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 389777

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	<0.00013		0.00100	0.00102		mg/L		102	75 - 125	0	20

Method: EPA 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 180-388278/1-A
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388278

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 13:47	1

Lab Sample ID: LCS 180-388278/2-A
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388278

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	13.1	12.6		mg/L		97	85 - 115

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric) (Continued)

Lab Sample ID: 180-133613-A-1-B MS
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388278
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Sulfide	<2.1		13.1	12.1		mg/L		93	75 - 125

Lab Sample ID: 180-133613-A-1-C MSD
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388278
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Sulfide	<2.1		13.1	12.4		mg/L		95	75 - 125	3	20

Lab Sample ID: MB 180-388545/1-A
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388545

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.44	J	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 12:27	1

Lab Sample ID: LCS 180-388545/2-A
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388545
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Sulfide	13.1	11.9		mg/L		91	85 - 115

Lab Sample ID: 180-133638-4 MS
Matrix: Water
Analysis Batch: 388646

Client Sample ID: SGWC-12
Prep Type: Total/NA
Prep Batch: 388545
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Sulfide	<2.1		13.1	13.8		mg/L		105	75 - 125

Lab Sample ID: 180-133638-4 MSD
Matrix: Water
Analysis Batch: 388646

Client Sample ID: SGWC-12
Prep Type: Total/NA
Prep Batch: 388545
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Sulfide	<2.1		13.1	14.3		mg/L		109	75 - 125	3	20

Lab Sample ID: MB 180-388548/1-A
Matrix: Water
Analysis Batch: 388648

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388548

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 12:30	1

Lab Sample ID: LCS 180-388548/2-A
Matrix: Water
Analysis Batch: 388648

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388548
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Sulfide	13.1	12.1		mg/L		92	85 - 115

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: EPA 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: 180-133020-J-11-B MS
Matrix: Water
Analysis Batch: 388648

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388548
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Sulfide	<2.1		13.1	14.0		mg/L		106	75 - 125

Lab Sample ID: 180-133020-J-11-C MSD
Matrix: Water
Analysis Batch: 388648

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388548
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Sulfide	<2.1		13.1	13.2		mg/L		101	75 - 125	6	20

Lab Sample ID: MB 180-388864/1-A
Matrix: Water
Analysis Batch: 388874

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388864

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/19/22 12:00	02/19/22 14:00	1

Lab Sample ID: LCS 180-388864/2-A
Matrix: Water
Analysis Batch: 388874

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388864
%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Sulfide	17.8	15.2		mg/L		86	85 - 115

Lab Sample ID: 180-133781-1 MS
Matrix: Water
Analysis Batch: 388874

Client Sample ID: SGWC-14
Prep Type: Total/NA
Prep Batch: 388864
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Sulfide	<2.1		17.8	15.3		mg/L		86	75 - 125

Lab Sample ID: 180-133781-1 MSD
Matrix: Water
Analysis Batch: 388874

Client Sample ID: SGWC-14
Prep Type: Total/NA
Prep Batch: 388864
%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Sulfide	<2.1		17.8	15.7		mg/L		88	75 - 125	2	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-388388/2
Matrix: Water
Analysis Batch: 388388

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/15/22 16:29	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 180-388388/1
Matrix: Water
Analysis Batch: 388388

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	150	132		mg/L		88	85 - 115

Lab Sample ID: 180-133504-C-6 DU
Matrix: Water
Analysis Batch: 388388

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	540		713	F3	mg/L		29	10

Lab Sample ID: 180-133602-1 DU
Matrix: Water
Analysis Batch: 388388

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	45		42.0		mg/L		7	10

Lab Sample ID: MB 180-388397/2
Matrix: Water
Analysis Batch: 388397

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/15/22 18:10	1

Lab Sample ID: LCS 180-388397/1
Matrix: Water
Analysis Batch: 388397

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	460		mg/L		98	85 - 115

Lab Sample ID: 180-133602-3 DU
Matrix: Water
Analysis Batch: 388397

Client Sample ID: SGWA-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	54		51.0		mg/L		6	10

Lab Sample ID: 180-133634-A-21 DU
Matrix: Water
Analysis Batch: 388397

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	36		38.0		mg/L		5	10

Lab Sample ID: MB 180-388541/2
Matrix: Water
Analysis Batch: 388541

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/16/22 16:17	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: LCS 180-388541/1
Matrix: Water
Analysis Batch: 388541

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	452		mg/L		96	85 - 115

Lab Sample ID: 180-133638-11 DU
Matrix: Water
Analysis Batch: 388541

Client Sample ID: FB-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	<10		<10		mg/L		NC	10

Lab Sample ID: MB 180-388543/2
Matrix: Water
Analysis Batch: 388543

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/16/22 16:25	1

Lab Sample ID: LCS 180-388543/1
Matrix: Water
Analysis Batch: 388543

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	452		mg/L		96	85 - 115

Lab Sample ID: 180-133612-U-4 DU
Matrix: Water
Analysis Batch: 388543

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	590		592		mg/L		0.5	10

Lab Sample ID: MB 180-388694/2
Matrix: Water
Analysis Batch: 388694

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/17/22 16:30	1

Lab Sample ID: LCS 180-388694/1
Matrix: Water
Analysis Batch: 388694

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	476		mg/L		101	85 - 115

Lab Sample ID: 180-133612-A-1 DU
Matrix: Water
Analysis Batch: 388694

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	10000		10000		mg/L		0.05	10

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-388814/2
Matrix: Water
Analysis Batch: 388814

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/18/22 15:20	1

Lab Sample ID: LCS 180-388814/1
Matrix: Water
Analysis Batch: 388814

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	422		mg/L		90	85 - 115

Lab Sample ID: 180-133777-C-1 DU
Matrix: Water
Analysis Batch: 388814

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	240		233		mg/L		0.9	10

Lab Sample ID: MB 180-388829/2
Matrix: Water
Analysis Batch: 388829

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/18/22 18:15	1

Lab Sample ID: LCS 180-388829/1
Matrix: Water
Analysis Batch: 388829

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	469	436		mg/L		93	85 - 115

Lab Sample ID: 180-133869-A-13 DU
Matrix: Water
Analysis Batch: 388829

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	79		74.0		mg/L		7	10

Method: SM 3500 FE D - Iron, Ferrous and Ferric

Lab Sample ID: MB 460-829718/37
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 17:41	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM 3500 FE D - Iron, Ferrous and Ferric (Continued)

Lab Sample ID: LCS 460-829718/38
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.500	0.494		mg/L		99	85 - 115

Lab Sample ID: MRL 460-829718/11
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.100	0.111		mg/L		111	50 - 150

Lab Sample ID: 180-133602-1 MS
Matrix: Water
Analysis Batch: 829718

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	<0.081	HF	2.00	2.19		mg/L		110	85 - 115

Lab Sample ID: 180-133602-1 MSD
Matrix: Water
Analysis Batch: 829718

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ferrous Iron	<0.081	HF	2.00	2.13		mg/L		106	85 - 115	3	12

Lab Sample ID: MB 460-829723/35
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 19:25	1

Lab Sample ID: MB 460-829723/4
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 18:52	1

Lab Sample ID: LCS 460-829723/36
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.500	0.456		mg/L		91	85 - 115

Lab Sample ID: LCS 460-829723/5
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.500	0.472		mg/L		94	85 - 115

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM 3500 FE D - Iron, Ferrous and Ferric

Lab Sample ID: MRL 460-829723/3
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.100	<0.081		mg/L		62	50 - 150

Lab Sample ID: 180-133638-1 MS
Matrix: Water
Analysis Batch: 829723

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	<0.081	HF	2.00	1.98		mg/L		99	85 - 115

Lab Sample ID: 180-133638-1 MSD
Matrix: Water
Analysis Batch: 829723

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ferrous Iron	<0.081	HF	2.00	1.99		mg/L		99	85 - 115	0	12

Lab Sample ID: 180-133781-1 MS
Matrix: Water
Analysis Batch: 829723

Client Sample ID: SGWC-14
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	<0.081	HF	2.00	1.98		mg/L		99	85 - 115

Lab Sample ID: 180-133781-1 MSD
Matrix: Water
Analysis Batch: 829723

Client Sample ID: SGWC-14
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ferrous Iron	<0.081	HF	2.00	2.00		mg/L		100	85 - 115	1	12

Method: SM2320 B - Alkalinity, Total

Lab Sample ID: MB 180-388836/29
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 16:11	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 16:11	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 16:11	1

Lab Sample ID: MB 180-388836/53
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: MB 180-388836/77
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1

Lab Sample ID: LCS 180-388836/52
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	259		mg/L		98	90 - 110

Lab Sample ID: LCS 180-388836/76
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	242		mg/L		91	90 - 110

Lab Sample ID: LLCS 180-388836/51
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	14.3		mg/L		90	75 - 125

Lab Sample ID: LLCS 180-388836/75
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	14.6		mg/L		92	75 - 125

Lab Sample ID: 180-133602-2 DU
Matrix: Water
Analysis Batch: 388836

Client Sample ID: SGWA-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	59		59.0		mg/L		0.8	20
Bicarbonate Alkalinity as CaCO3	59		59.0		mg/L		0.8	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: 180-133602-11 DU
Matrix: Water
Analysis Batch: 388836

Client Sample ID: DUP-2
Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Alkalinity as CaCO3 to pH 4.5	120		118		mg/L		0.05	20
Bicarbonate Alkalinity as CaCO3	120		118		mg/L		0.05	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

Lab Sample ID: MB 180-389075/30
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 14:42	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 14:42	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 14:42	1

Lab Sample ID: MB 180-389075/54
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 17:39	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 17:39	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 17:39	1

Lab Sample ID: MB 180-389075/6
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1

Lab Sample ID: MB 180-389075/78
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 20:34	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:34	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 20:34	1

Lab Sample ID: LCS 180-389075/5
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: LCS 180-389075/53
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	244		mg/L		92	90 - 110

Lab Sample ID: LCS 180-389075/77
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	250		mg/L		95	90 - 110

Lab Sample ID: LLCS 180-389075/4
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	15.4		mg/L		97	75 - 125

Lab Sample ID: LLCS 180-389075/52
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	15.0		mg/L		94	75 - 125

Lab Sample ID: LLCS 180-389075/76
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	14.4		mg/L		91	75 - 125

Lab Sample ID: 180-133638-1 DU
Matrix: Water
Analysis Batch: 389075

Client Sample ID: SGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Alkalinity as CaCO3 to pH 4.5	230		230		mg/L		1	20
Bicarbonate Alkalinity as CaCO3	230		230		mg/L		1	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

Lab Sample ID: 180-133638-6 DU
Matrix: Water
Analysis Batch: 389075

Client Sample ID: SGWC-18
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Alkalinity as CaCO3 to pH 4.5	<5.0		<5.0		mg/L		NC	20

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: 180-133638-6 DU
Matrix: Water
Analysis Batch: 389075

Client Sample ID: SGWC-18
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Bicarbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

Lab Sample ID: 180-133644-4 DU
Matrix: Water
Analysis Batch: 389075

Client Sample ID: SGWC-20
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	<5.0		<5.0		mg/L		NC	20
Bicarbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

Lab Sample ID: MB 180-389234/30
Matrix: Water
Analysis Batch: 389234

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/22/22 18:58	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/22/22 18:58	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/22/22 18:58	1

Lab Sample ID: MB 180-389234/6
Matrix: Water
Analysis Batch: 389234

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/22/22 16:08	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/22/22 16:08	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/22/22 16:08	1

Lab Sample ID: LCS 180-389234/29
Matrix: Water
Analysis Batch: 389234

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	265	260		mg/L		98	90 - 110

Lab Sample ID: LLCS 180-389234/28
Matrix: Water
Analysis Batch: 389234

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	14.9		mg/L		94	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: 180-133781-1 DU
Matrix: Water
Analysis Batch: 389234

Client Sample ID: SGWC-14
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Alkalinity as CaCO3 to pH 4.5	15		14.9		mg/L		3	20
Bicarbonate Alkalinity as CaCO3	15		14.9		mg/L		3	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

HPLC/IC

Analysis Batch: 388042

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	EPA 300.0 R2.1	
180-133602-2	SGWA-2	Total/NA	Water	EPA 300.0 R2.1	
180-133602-3	SGWA-3	Total/NA	Water	EPA 300.0 R2.1	
180-133602-4	SGWA-4	Total/NA	Water	EPA 300.0 R2.1	
180-133602-5	SGWA-5	Total/NA	Water	EPA 300.0 R2.1	
180-133602-6	SGWC-6	Total/NA	Water	EPA 300.0 R2.1	
180-133602-7	SGWC-7	Total/NA	Water	EPA 300.0 R2.1	
180-133602-8	FB-2	Total/NA	Water	EPA 300.0 R2.1	
180-133602-9	EB-2	Total/NA	Water	EPA 300.0 R2.1	
180-133602-10	SGWA-25	Total/NA	Water	EPA 300.0 R2.1	
180-133602-11	DUP-2	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388042/7	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388042/6	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133602-1 MS	SGWA-1	Total/NA	Water	EPA 300.0 R2.1	
180-133602-1 MSD	SGWA-1	Total/NA	Water	EPA 300.0 R2.1	
180-133602-11 MS	DUP-2	Total/NA	Water	EPA 300.0 R2.1	
180-133602-11 MSD	DUP-2	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 388136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	EPA 300.0 R2.1	
180-133644-2	SGWC-17	Total/NA	Water	EPA 300.0 R2.1	
180-133644-3	SGWC-21	Total/NA	Water	EPA 300.0 R2.1	
180-133644-4	SGWC-20	Total/NA	Water	EPA 300.0 R2.1	
180-133644-5	SGWC-15	Total/NA	Water	EPA 300.0 R2.1	
180-133644-6	SGWC-13	Total/NA	Water	EPA 300.0 R2.1	
180-133644-7	SGWC-19	Total/NA	Water	EPA 300.0 R2.1	
180-133644-7	SGWC-19	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388136/51	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388136/50	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133644-1 MS	SGWC-10	Total/NA	Water	EPA 300.0 R2.1	
180-133644-1 MSD	SGWC-10	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 388140

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	
180-133638-2	SGWC-9	Total/NA	Water	EPA 300.0 R2.1	
180-133638-3	SGWC-11	Total/NA	Water	EPA 300.0 R2.1	
180-133638-4	SGWC-12	Total/NA	Water	EPA 300.0 R2.1	
180-133638-5	SGWC-16	Total/NA	Water	EPA 300.0 R2.1	
180-133638-6	SGWC-18	Total/NA	Water	EPA 300.0 R2.1	
180-133638-6	SGWC-18	Total/NA	Water	EPA 300.0 R2.1	
180-133638-7	SGWC-22	Total/NA	Water	EPA 300.0 R2.1	
180-133638-8	SGWC-23	Total/NA	Water	EPA 300.0 R2.1	
180-133638-9	SGWA-24	Total/NA	Water	EPA 300.0 R2.1	
180-133638-10	EB-3	Total/NA	Water	EPA 300.0 R2.1	
180-133638-11	FB-3	Total/NA	Water	EPA 300.0 R2.1	
180-133638-12	DUP-3	Total/NA	Water	EPA 300.0 R2.1	
180-133638-12	DUP-3	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388140/43	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388140/7	Method Blank	Total/NA	Water	EPA 300.0 R2.1	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

HPLC/IC (Continued)

Analysis Batch: 388140 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 180-388140/42	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388140/6	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133638-1 MS	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	
180-133638-1 MSD	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 388265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	
180-133638-2	SGWC-9	Total/NA	Water	EPA 300.0 R2.1	
180-133638-4	SGWC-12	Total/NA	Water	EPA 300.0 R2.1	
180-133638-5	SGWC-16	Total/NA	Water	EPA 300.0 R2.1	
180-133638-6	SGWC-18	Total/NA	Water	EPA 300.0 R2.1	
180-133638-8	SGWC-23	Total/NA	Water	EPA 300.0 R2.1	
180-133638-9	SGWA-24	Total/NA	Water	EPA 300.0 R2.1	
180-133638-12	DUP-3	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388265/7	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388265/6	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133638-1 MS	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	
180-133638-1 MSD	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 388566

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-4	SGWC-20	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388566/7	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388566/5	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133748-B-1 MS	Matrix Spike	Total/NA	Water	EPA 300.0 R2.1	
180-133748-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 390650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 390803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	EPA 300.0 R2.1	

Metals

Prep Batch: 388279

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-7	SGWC-7	Total Recoverable	Water	3005A	
180-133602-8	FB-2	Total Recoverable	Water	3005A	
180-133602-9	EB-2	Total Recoverable	Water	3005A	
180-133602-10	SGWA-25	Total Recoverable	Water	3005A	
180-133602-11	DUP-2	Total Recoverable	Water	3005A	
180-133638-1	SGWC-8	Total Recoverable	Water	3005A	
180-133638-2	SGWC-9	Total Recoverable	Water	3005A	
180-133638-3	SGWC-11	Total Recoverable	Water	3005A	
180-133638-4	SGWC-12	Total Recoverable	Water	3005A	
180-133638-5	SGWC-16	Total Recoverable	Water	3005A	
180-133638-6	SGWC-18	Total Recoverable	Water	3005A	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Metals (Continued)

Prep Batch: 388279 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-7	SGWC-22	Total Recoverable	Water	3005A	
MB 180-388279/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388279/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133602-7 MS	SGWC-7	Total Recoverable	Water	3005A	
180-133602-7 MSD	SGWC-7	Total Recoverable	Water	3005A	

Prep Batch: 388280

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total Recoverable	Water	3005A	
180-133602-2	SGWA-2	Total Recoverable	Water	3005A	
180-133602-3	SGWA-3	Total Recoverable	Water	3005A	
180-133602-4	SGWA-4	Total Recoverable	Water	3005A	
180-133602-5	SGWA-5	Total Recoverable	Water	3005A	
180-133602-6	SGWC-6	Total Recoverable	Water	3005A	
MB 180-388280/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388280/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133600-F-1-B MS	Matrix Spike	Total Recoverable	Water	3005A	
180-133600-F-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Prep Batch: 388283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-8	SGWC-23	Total Recoverable	Water	3005A	
180-133638-9	SGWA-24	Total Recoverable	Water	3005A	
180-133638-10	EB-3	Total Recoverable	Water	3005A	
180-133638-11	FB-3	Total Recoverable	Water	3005A	
180-133638-12	DUP-3	Total Recoverable	Water	3005A	
180-133644-1	SGWC-10	Total Recoverable	Water	3005A	
180-133644-2	SGWC-17	Total Recoverable	Water	3005A	
180-133644-3	SGWC-21	Total Recoverable	Water	3005A	
180-133644-4	SGWC-20	Total Recoverable	Water	3005A	
180-133644-5	SGWC-15	Total Recoverable	Water	3005A	
180-133644-6	SGWC-13	Total Recoverable	Water	3005A	
180-133644-7	SGWC-19	Total Recoverable	Water	3005A	
MB 180-388283/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388283/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133461-K-5-B MS	Matrix Spike	Total Recoverable	Water	3005A	
180-133461-K-5-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Prep Batch: 388493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	7470A	
180-133602-2	SGWA-2	Total/NA	Water	7470A	
180-133602-3	SGWA-3	Total/NA	Water	7470A	
180-133602-4	SGWA-4	Total/NA	Water	7470A	
180-133602-5	SGWA-5	Total/NA	Water	7470A	
180-133602-6	SGWC-6	Total/NA	Water	7470A	
180-133602-7	SGWC-7	Total/NA	Water	7470A	
180-133602-8	FB-2	Total/NA	Water	7470A	
180-133602-9	EB-2	Total/NA	Water	7470A	
180-133602-10	SGWA-25	Total/NA	Water	7470A	
MB 180-388493/1-A	Method Blank	Total/NA	Water	7470A	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Metals (Continued)

Prep Batch: 388493 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 180-388493/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133600-F-1-E MS	Matrix Spike	Total/NA	Water	7470A	
180-133600-F-1-F MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Prep Batch: 388494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-11	DUP-2	Total/NA	Water	7470A	
180-133638-1	SGWC-8	Total/NA	Water	7470A	
180-133638-2	SGWC-9	Total/NA	Water	7470A	
180-133638-3	SGWC-11	Total/NA	Water	7470A	
180-133638-4	SGWC-12	Total/NA	Water	7470A	
180-133638-5	SGWC-16	Total/NA	Water	7470A	
MB 180-388494/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-388494/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133638-1 MS	SGWC-8	Total/NA	Water	7470A	
180-133638-1 MSD	SGWC-8	Total/NA	Water	7470A	

Analysis Batch: 388563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total Recoverable	Water	EPA 6020B	388280
180-133602-2	SGWA-2	Total Recoverable	Water	EPA 6020B	388280
180-133602-3	SGWA-3	Total Recoverable	Water	EPA 6020B	388280
180-133602-4	SGWA-4	Total Recoverable	Water	EPA 6020B	388280
180-133602-5	SGWA-5	Total Recoverable	Water	EPA 6020B	388280
180-133602-6	SGWC-6	Total Recoverable	Water	EPA 6020B	388280
180-133602-7	SGWC-7	Total Recoverable	Water	EPA 6020B	388279
180-133602-8	FB-2	Total Recoverable	Water	EPA 6020B	388279
180-133602-9	EB-2	Total Recoverable	Water	EPA 6020B	388279
180-133602-10	SGWA-25	Total Recoverable	Water	EPA 6020B	388279
180-133602-11	DUP-2	Total Recoverable	Water	EPA 6020B	388279
180-133638-1	SGWC-8	Total Recoverable	Water	EPA 6020B	388279
180-133638-2	SGWC-9	Total Recoverable	Water	EPA 6020B	388279
180-133638-3	SGWC-11	Total Recoverable	Water	EPA 6020B	388279
180-133638-4	SGWC-12	Total Recoverable	Water	EPA 6020B	388279
180-133638-5	SGWC-16	Total Recoverable	Water	EPA 6020B	388279
180-133638-6	SGWC-18	Total Recoverable	Water	EPA 6020B	388279
180-133638-7	SGWC-22	Total Recoverable	Water	EPA 6020B	388279
180-133638-8	SGWC-23	Total Recoverable	Water	EPA 6020B	388283
180-133638-9	SGWA-24	Total Recoverable	Water	EPA 6020B	388283
180-133638-10	EB-3	Total Recoverable	Water	EPA 6020B	388283
180-133638-11	FB-3	Total Recoverable	Water	EPA 6020B	388283
180-133638-12	DUP-3	Total Recoverable	Water	EPA 6020B	388283
180-133644-1	SGWC-10	Total Recoverable	Water	EPA 6020B	388283
180-133644-2	SGWC-17	Total Recoverable	Water	EPA 6020B	388283
180-133644-3	SGWC-21	Total Recoverable	Water	EPA 6020B	388283
180-133644-4	SGWC-20	Total Recoverable	Water	EPA 6020B	388283
180-133644-5	SGWC-15	Total Recoverable	Water	EPA 6020B	388283
180-133644-6	SGWC-13	Total Recoverable	Water	EPA 6020B	388283
180-133644-7	SGWC-19	Total Recoverable	Water	EPA 6020B	388283
MB 180-388279/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388279
MB 180-388280/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388280

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Metals (Continued)

Analysis Batch: 388563 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 180-388283/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388283
LCS 180-388279/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388279
LCS 180-388280/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388280
LCS 180-388283/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388283
180-133461-K-5-B MS	Matrix Spike	Total Recoverable	Water	EPA 6020B	388283
180-133461-K-5-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	EPA 6020B	388283
180-133600-F-1-B MS	Matrix Spike	Total Recoverable	Water	EPA 6020B	388280
180-133600-F-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	EPA 6020B	388280
180-133602-7 MS	SGWC-7	Total Recoverable	Water	EPA 6020B	388279
180-133602-7 MSD	SGWC-7	Total Recoverable	Water	EPA 6020B	388279

Analysis Batch: 388686

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-11	DUP-2	Total/NA	Water	EPA 7470A	388494
180-133638-1	SGWC-8	Total/NA	Water	EPA 7470A	388494
180-133638-2	SGWC-9	Total/NA	Water	EPA 7470A	388494
180-133638-3	SGWC-11	Total/NA	Water	EPA 7470A	388494
180-133638-4	SGWC-12	Total/NA	Water	EPA 7470A	388494
180-133638-5	SGWC-16	Total/NA	Water	EPA 7470A	388494
MB 180-388494/1-A	Method Blank	Total/NA	Water	EPA 7470A	388494
LCS 180-388494/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388494
180-133638-1 MS	SGWC-8	Total/NA	Water	EPA 7470A	388494
180-133638-1 MSD	SGWC-8	Total/NA	Water	EPA 7470A	388494

Prep Batch: 388754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total Recoverable	Water	3005A	
MB 180-388754/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388754/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133800-E-3-B MS	Matrix Spike	Total Recoverable	Water	3005A	
180-133800-E-3-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Prep Batch: 388987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-6	SGWC-18	Total/NA	Water	7470A	
180-133638-7	SGWC-22	Total/NA	Water	7470A	
180-133638-8	SGWC-23	Total/NA	Water	7470A	
180-133638-9	SGWA-24	Total/NA	Water	7470A	
180-133638-10	EB-3	Total/NA	Water	7470A	
180-133638-11	FB-3	Total/NA	Water	7470A	
180-133638-12	DUP-3	Total/NA	Water	7470A	
MB 180-388987/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-388987/2-A	Lab Control Sample	Total/NA	Water	7470A	
680-211038-D-7-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	
680-211038-D-7-D MS	Matrix Spike	Total/NA	Water	7470A	

Analysis Batch: 389210

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-7	SGWC-22	Total/NA	Water	EPA 7470A	388987
180-133638-8	SGWC-23	Total/NA	Water	EPA 7470A	388987
180-133638-9	SGWA-24	Total/NA	Water	EPA 7470A	388987

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Metals (Continued)

Analysis Batch: 389210 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-10	EB-3	Total/NA	Water	EPA 7470A	388987
180-133638-11	FB-3	Total/NA	Water	EPA 7470A	388987
MB 180-388987/1-A	Method Blank	Total/NA	Water	EPA 7470A	388987
LCS 180-388987/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388987
680-211038-D-7-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	388987
680-211038-D-7-D MS	Matrix Spike	Total/NA	Water	EPA 7470A	388987

Prep Batch: 389217

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	7470A	
180-133644-2	SGWC-17	Total/NA	Water	7470A	
180-133644-3	SGWC-21	Total/NA	Water	7470A	
180-133644-4	SGWC-20	Total/NA	Water	7470A	
180-133644-5	SGWC-15	Total/NA	Water	7470A	
180-133644-6	SGWC-13	Total/NA	Water	7470A	
180-133644-7	SGWC-19	Total/NA	Water	7470A	
MB 180-389217/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-389217/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133581-E-2-D MS	Matrix Spike	Total/NA	Water	7470A	
180-133581-E-2-E MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 389218

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total Recoverable	Water	EPA 6020B	388754
MB 180-388754/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388754
LCS 180-388754/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388754
180-133800-E-3-B MS	Matrix Spike	Total Recoverable	Water	EPA 6020B	388754
180-133800-E-3-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	EPA 6020B	388754

Analysis Batch: 389330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-6	SGWC-18	Total/NA	Water	EPA 7470A	388987
180-133638-12	DUP-3	Total/NA	Water	EPA 7470A	388987
180-133644-1	SGWC-10	Total/NA	Water	EPA 7470A	389217
180-133644-2	SGWC-17	Total/NA	Water	EPA 7470A	389217
180-133644-3	SGWC-21	Total/NA	Water	EPA 7470A	389217
180-133644-4	SGWC-20	Total/NA	Water	EPA 7470A	389217
180-133644-5	SGWC-15	Total/NA	Water	EPA 7470A	389217
180-133644-6	SGWC-13	Total/NA	Water	EPA 7470A	389217
180-133644-7	SGWC-19	Total/NA	Water	EPA 7470A	389217
MB 180-388987/1-A	Method Blank	Total/NA	Water	EPA 7470A	388987
MB 180-389217/1-A	Method Blank	Total/NA	Water	EPA 7470A	389217
LCS 180-388987/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388987
LCS 180-389217/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	389217
180-133581-E-2-D MS	Matrix Spike	Total/NA	Water	EPA 7470A	389217
180-133581-E-2-E MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	389217

Analysis Batch: 389466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	EPA 7470A	388493
180-133602-2	SGWA-2	Total/NA	Water	EPA 7470A	388493

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Metals (Continued)

Analysis Batch: 389466 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-3	SGWA-3	Total/NA	Water	EPA 7470A	388493
180-133602-4	SGWA-4	Total/NA	Water	EPA 7470A	388493
180-133602-5	SGWA-5	Total/NA	Water	EPA 7470A	388493
180-133602-6	SGWC-6	Total/NA	Water	EPA 7470A	388493
180-133602-7	SGWC-7	Total/NA	Water	EPA 7470A	388493
180-133602-8	FB-2	Total/NA	Water	EPA 7470A	388493
180-133602-9	EB-2	Total/NA	Water	EPA 7470A	388493
180-133602-10	SGWA-25	Total/NA	Water	EPA 7470A	388493
MB 180-388493/1-A	Method Blank	Total/NA	Water	EPA 7470A	388493
LCS 180-388493/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388493
180-133600-F-1-E MS	Matrix Spike	Total/NA	Water	EPA 7470A	388493
180-133600-F-1-F MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	388493

Prep Batch: 389777

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	7470A	
MB 180-389777/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-389777/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133800-E-3-E MS	Matrix Spike	Total/NA	Water	7470A	
180-133800-E-3-F MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 389986

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	EPA 7470A	389777
MB 180-389777/1-A	Method Blank	Total/NA	Water	EPA 7470A	389777
LCS 180-389777/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	389777
180-133800-E-3-E MS	Matrix Spike	Total/NA	Water	EPA 7470A	389777
180-133800-E-3-F MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	389777

General Chemistry

Prep Batch: 388278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	9030B	
180-133602-2	SGWA-2	Total/NA	Water	9030B	
180-133602-3	SGWA-3	Total/NA	Water	9030B	
180-133602-4	SGWA-4	Total/NA	Water	9030B	
180-133602-5	SGWA-5	Total/NA	Water	9030B	
180-133602-6	SGWC-6	Total/NA	Water	9030B	
180-133602-7	SGWC-7	Total/NA	Water	9030B	
180-133602-8	FB-2	Total/NA	Water	9030B	
180-133602-9	EB-2	Total/NA	Water	9030B	
180-133602-10	SGWA-25	Total/NA	Water	9030B	
180-133602-11	DUP-2	Total/NA	Water	9030B	
MB 180-388278/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388278/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133613-A-1-B MS	Matrix Spike	Total/NA	Water	9030B	
180-133613-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	9030B	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry

Analysis Batch: 388385

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	EPA 9034	388278
180-133602-2	SGWA-2	Total/NA	Water	EPA 9034	388278
180-133602-3	SGWA-3	Total/NA	Water	EPA 9034	388278
180-133602-4	SGWA-4	Total/NA	Water	EPA 9034	388278
180-133602-5	SGWA-5	Total/NA	Water	EPA 9034	388278
180-133602-6	SGWC-6	Total/NA	Water	EPA 9034	388278
180-133602-7	SGWC-7	Total/NA	Water	EPA 9034	388278
180-133602-8	FB-2	Total/NA	Water	EPA 9034	388278
180-133602-9	EB-2	Total/NA	Water	EPA 9034	388278
180-133602-10	SGWA-25	Total/NA	Water	EPA 9034	388278
180-133602-11	DUP-2	Total/NA	Water	EPA 9034	388278
MB 180-388278/1-A	Method Blank	Total/NA	Water	EPA 9034	388278
LCS 180-388278/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388278
180-133613-A-1-B MS	Matrix Spike	Total/NA	Water	EPA 9034	388278
180-133613-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 9034	388278

Analysis Batch: 388388

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	SM 2540C	
180-133638-8	SGWC-23	Total/NA	Water	SM 2540C	
180-133638-9	SGWA-24	Total/NA	Water	SM 2540C	
180-133638-10	EB-3	Total/NA	Water	SM 2540C	
MB 180-388388/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388388/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133504-C-6 DU	Duplicate	Total/NA	Water	SM 2540C	
180-133602-1 DU	SGWA-1	Total/NA	Water	SM 2540C	

Analysis Batch: 388397

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-2	SGWA-2	Total/NA	Water	SM 2540C	
180-133602-3	SGWA-3	Total/NA	Water	SM 2540C	
180-133602-4	SGWA-4	Total/NA	Water	SM 2540C	
180-133602-6	SGWC-6	Total/NA	Water	SM 2540C	
180-133602-7	SGWC-7	Total/NA	Water	SM 2540C	
180-133602-8	FB-2	Total/NA	Water	SM 2540C	
180-133602-9	EB-2	Total/NA	Water	SM 2540C	
180-133602-10	SGWA-25	Total/NA	Water	SM 2540C	
180-133602-11	DUP-2	Total/NA	Water	SM 2540C	
180-133638-1	SGWC-8	Total/NA	Water	SM 2540C	
180-133638-2	SGWC-9	Total/NA	Water	SM 2540C	
180-133638-3	SGWC-11	Total/NA	Water	SM 2540C	
180-133638-4	SGWC-12	Total/NA	Water	SM 2540C	
180-133638-5	SGWC-16	Total/NA	Water	SM 2540C	
180-133638-6	SGWC-18	Total/NA	Water	SM 2540C	
180-133638-7	SGWC-22	Total/NA	Water	SM 2540C	
MB 180-388397/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388397/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133602-3 DU	SGWA-3	Total/NA	Water	SM 2540C	
180-133634-A-21 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry

Analysis Batch: 388541

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-11	FB-3	Total/NA	Water	SM 2540C	
180-133638-12	DUP-3	Total/NA	Water	SM 2540C	
MB 180-388541/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388541/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133638-11 DU	FB-3	Total/NA	Water	SM 2540C	

Analysis Batch: 388543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	SM 2540C	
MB 180-388543/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388543/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133612-U-4 DU	Duplicate	Total/NA	Water	SM 2540C	

Prep Batch: 388545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	9030B	
180-133638-2	SGWC-9	Total/NA	Water	9030B	
180-133638-3	SGWC-11	Total/NA	Water	9030B	
180-133638-4	SGWC-12	Total/NA	Water	9030B	
180-133638-5	SGWC-16	Total/NA	Water	9030B	
180-133638-6	SGWC-18	Total/NA	Water	9030B	
180-133638-7	SGWC-22	Total/NA	Water	9030B	
180-133638-8	SGWC-23	Total/NA	Water	9030B	
180-133638-9	SGWA-24	Total/NA	Water	9030B	
180-133638-10	EB-3	Total/NA	Water	9030B	
180-133638-11	FB-3	Total/NA	Water	9030B	
180-133638-12	DUP-3	Total/NA	Water	9030B	
MB 180-388545/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388545/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133638-4 MS	SGWC-12	Total/NA	Water	9030B	
180-133638-4 MSD	SGWC-12	Total/NA	Water	9030B	

Prep Batch: 388548

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	9030B	
180-133644-2	SGWC-17	Total/NA	Water	9030B	
180-133644-3	SGWC-21	Total/NA	Water	9030B	
180-133644-4	SGWC-20	Total/NA	Water	9030B	
180-133644-5	SGWC-15	Total/NA	Water	9030B	
180-133644-6	SGWC-13	Total/NA	Water	9030B	
180-133644-7	SGWC-19	Total/NA	Water	9030B	
MB 180-388548/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388548/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133020-J-11-B MS	Matrix Spike	Total/NA	Water	9030B	
180-133020-J-11-C MSD	Matrix Spike Duplicate	Total/NA	Water	9030B	

Analysis Batch: 388646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	EPA 9034	388545
180-133638-2	SGWC-9	Total/NA	Water	EPA 9034	388545
180-133638-3	SGWC-11	Total/NA	Water	EPA 9034	388545

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry (Continued)

Analysis Batch: 388646 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-4	SGWC-12	Total/NA	Water	EPA 9034	388545
180-133638-5	SGWC-16	Total/NA	Water	EPA 9034	388545
180-133638-6	SGWC-18	Total/NA	Water	EPA 9034	388545
180-133638-7	SGWC-22	Total/NA	Water	EPA 9034	388545
180-133638-8	SGWC-23	Total/NA	Water	EPA 9034	388545
180-133638-9	SGWA-24	Total/NA	Water	EPA 9034	388545
180-133638-10	EB-3	Total/NA	Water	EPA 9034	388545
180-133638-11	FB-3	Total/NA	Water	EPA 9034	388545
180-133638-12	DUP-3	Total/NA	Water	EPA 9034	388545
MB 180-388545/1-A	Method Blank	Total/NA	Water	EPA 9034	388545
LCS 180-388545/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388545
180-133638-4 MS	SGWC-12	Total/NA	Water	EPA 9034	388545
180-133638-4 MSD	SGWC-12	Total/NA	Water	EPA 9034	388545

Analysis Batch: 388648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	EPA 9034	388548
180-133644-2	SGWC-17	Total/NA	Water	EPA 9034	388548
180-133644-3	SGWC-21	Total/NA	Water	EPA 9034	388548
180-133644-4	SGWC-20	Total/NA	Water	EPA 9034	388548
180-133644-5	SGWC-15	Total/NA	Water	EPA 9034	388548
180-133644-6	SGWC-13	Total/NA	Water	EPA 9034	388548
180-133644-7	SGWC-19	Total/NA	Water	EPA 9034	388548
MB 180-388548/1-A	Method Blank	Total/NA	Water	EPA 9034	388548
LCS 180-388548/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388548
180-133020-J-11-B MS	Matrix Spike	Total/NA	Water	EPA 9034	388548
180-133020-J-11-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 9034	388548

Analysis Batch: 388694

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-2	SGWC-17	Total/NA	Water	SM 2540C	
180-133644-3	SGWC-21	Total/NA	Water	SM 2540C	
180-133644-4	SGWC-20	Total/NA	Water	SM 2540C	
180-133644-5	SGWC-15	Total/NA	Water	SM 2540C	
180-133644-6	SGWC-13	Total/NA	Water	SM 2540C	
180-133644-7	SGWC-19	Total/NA	Water	SM 2540C	
MB 180-388694/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388694/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133612-A-1 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 388814

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-5	SGWA-5	Total/NA	Water	SM 2540C	
MB 180-388814/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388814/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133777-C-1 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 388829

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	SM 2540C	
MB 180-388829/2	Method Blank	Total/NA	Water	SM 2540C	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry (Continued)

Analysis Batch: 388829 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 180-388829/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133869-A-13 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 388836

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	SM2320 B	
180-133602-2	SGWA-2	Total/NA	Water	SM2320 B	
180-133602-3	SGWA-3	Total/NA	Water	SM2320 B	
180-133602-4	SGWA-4	Total/NA	Water	SM2320 B	
180-133602-5	SGWA-5	Total/NA	Water	SM2320 B	
180-133602-6	SGWC-6	Total/NA	Water	SM2320 B	
180-133602-7	SGWC-7	Total/NA	Water	SM2320 B	
180-133602-8	FB-2	Total/NA	Water	SM2320 B	
180-133602-9	EB-2	Total/NA	Water	SM2320 B	
180-133602-10	SGWA-25	Total/NA	Water	SM2320 B	
180-133602-11	DUP-2	Total/NA	Water	SM2320 B	
MB 180-388836/29	Method Blank	Total/NA	Water	SM2320 B	
MB 180-388836/53	Method Blank	Total/NA	Water	SM2320 B	
MB 180-388836/77	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-388836/52	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-388836/76	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-388836/51	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-388836/75	Lab Control Sample	Total/NA	Water	SM2320 B	
180-133602-2 DU	SGWA-2	Total/NA	Water	SM2320 B	
180-133602-11 DU	DUP-2	Total/NA	Water	SM2320 B	

Prep Batch: 388864

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	9030B	
MB 180-388864/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388864/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133781-1 MS	SGWC-14	Total/NA	Water	9030B	
180-133781-1 MSD	SGWC-14	Total/NA	Water	9030B	

Analysis Batch: 388874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	EPA 9034	388864
MB 180-388864/1-A	Method Blank	Total/NA	Water	EPA 9034	388864
LCS 180-388864/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388864
180-133781-1 MS	SGWC-14	Total/NA	Water	EPA 9034	388864
180-133781-1 MSD	SGWC-14	Total/NA	Water	EPA 9034	388864

Analysis Batch: 389075

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	SM2320 B	
180-133638-2	SGWC-9	Total/NA	Water	SM2320 B	
180-133638-3	SGWC-11	Total/NA	Water	SM2320 B	
180-133638-4	SGWC-12	Total/NA	Water	SM2320 B	
180-133638-5	SGWC-16	Total/NA	Water	SM2320 B	
180-133638-6	SGWC-18	Total/NA	Water	SM2320 B	
180-133638-7	SGWC-22	Total/NA	Water	SM2320 B	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry (Continued)

Analysis Batch: 389075 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-8	SGWC-23	Total/NA	Water	SM2320 B	
180-133638-9	SGWA-24	Total/NA	Water	SM2320 B	
180-133638-10	EB-3	Total/NA	Water	SM2320 B	
180-133638-11	FB-3	Total/NA	Water	SM2320 B	
180-133638-12	DUP-3	Total/NA	Water	SM2320 B	
180-133644-1	SGWC-10	Total/NA	Water	SM2320 B	
180-133644-2	SGWC-17	Total/NA	Water	SM2320 B	
180-133644-3	SGWC-21	Total/NA	Water	SM2320 B	
180-133644-4	SGWC-20	Total/NA	Water	SM2320 B	
180-133644-5	SGWC-15	Total/NA	Water	SM2320 B	
180-133644-6	SGWC-13	Total/NA	Water	SM2320 B	
180-133644-7	SGWC-19	Total/NA	Water	SM2320 B	
MB 180-389075/30	Method Blank	Total/NA	Water	SM2320 B	
MB 180-389075/54	Method Blank	Total/NA	Water	SM2320 B	
MB 180-389075/6	Method Blank	Total/NA	Water	SM2320 B	
MB 180-389075/78	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-389075/5	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-389075/53	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-389075/77	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-389075/4	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-389075/52	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-389075/76	Lab Control Sample	Total/NA	Water	SM2320 B	
180-133638-1 DU	SGWC-8	Total/NA	Water	SM2320 B	
180-133638-6 DU	SGWC-18	Total/NA	Water	SM2320 B	
180-133644-4 DU	SGWC-20	Total/NA	Water	SM2320 B	

Analysis Batch: 389234

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	SM2320 B	
MB 180-389234/30	Method Blank	Total/NA	Water	SM2320 B	
MB 180-389234/6	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-389234/29	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-389234/28	Lab Control Sample	Total/NA	Water	SM2320 B	
180-133781-1 DU	SGWC-14	Total/NA	Water	SM2320 B	

Analysis Batch: 829718

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	SM 3500 FE D	
180-133602-2	SGWA-2	Total/NA	Water	SM 3500 FE D	
180-133602-3	SGWA-3	Total/NA	Water	SM 3500 FE D	
180-133602-4	SGWA-4	Total/NA	Water	SM 3500 FE D	
180-133602-5	SGWA-5	Total/NA	Water	SM 3500 FE D	
180-133602-6	SGWC-6	Total/NA	Water	SM 3500 FE D	
180-133602-7	SGWC-7	Total/NA	Water	SM 3500 FE D	
180-133602-8	FB-2	Total/NA	Water	SM 3500 FE D	
180-133602-9	EB-2	Total/NA	Water	SM 3500 FE D	
180-133602-10	SGWA-25	Total/NA	Water	SM 3500 FE D	
180-133602-11	DUP-2	Total/NA	Water	SM 3500 FE D	
MB 460-829718/37	Method Blank	Total/NA	Water	SM 3500 FE D	
LCS 460-829718/38	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
MRL 460-829718/11	Lab Control Sample	Total/NA	Water	SM 3500 FE D	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry (Continued)

Analysis Batch: 829718 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1 MS	SGWA-1	Total/NA	Water	SM 3500 FE D	
180-133602-1 MSD	SGWA-1	Total/NA	Water	SM 3500 FE D	

Analysis Batch: 829723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	SM 3500 FE D	
180-133638-2	SGWC-9	Total/NA	Water	SM 3500 FE D	
180-133638-3	SGWC-11	Total/NA	Water	SM 3500 FE D	
180-133638-4	SGWC-12	Total/NA	Water	SM 3500 FE D	
180-133638-5	SGWC-16	Total/NA	Water	SM 3500 FE D	
180-133638-6	SGWC-18	Total/NA	Water	SM 3500 FE D	
180-133638-7	SGWC-22	Total/NA	Water	SM 3500 FE D	
180-133638-8	SGWC-23	Total/NA	Water	SM 3500 FE D	
180-133638-9	SGWA-24	Total/NA	Water	SM 3500 FE D	
180-133638-10	EB-3	Total/NA	Water	SM 3500 FE D	
180-133638-11	FB-3	Total/NA	Water	SM 3500 FE D	
180-133638-12	DUP-3	Total/NA	Water	SM 3500 FE D	
180-133644-1	SGWC-10	Total/NA	Water	SM 3500 FE D	
180-133644-2	SGWC-17	Total/NA	Water	SM 3500 FE D	
180-133644-3	SGWC-21	Total/NA	Water	SM 3500 FE D	
180-133644-4	SGWC-20	Total/NA	Water	SM 3500 FE D	
180-133644-5	SGWC-15	Total/NA	Water	SM 3500 FE D	
180-133644-6	SGWC-13	Total/NA	Water	SM 3500 FE D	
180-133644-7	SGWC-19	Total/NA	Water	SM 3500 FE D	
180-133781-1	SGWC-14	Total/NA	Water	SM 3500 FE D	
MB 460-829723/35	Method Blank	Total/NA	Water	SM 3500 FE D	
MB 460-829723/4	Method Blank	Total/NA	Water	SM 3500 FE D	
LCS 460-829723/36	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
LCS 460-829723/5	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
MRL 460-829723/3	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
180-133638-1 MS	SGWC-8	Total/NA	Water	SM 3500 FE D	
180-133638-1 MSD	SGWC-8	Total/NA	Water	SM 3500 FE D	
180-133781-1 MS	SGWC-14	Total/NA	Water	SM 3500 FE D	
180-133781-1 MSD	SGWC-14	Total/NA	Water	SM 3500 FE D	

Analysis Batch: 829800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	SM 3500	
180-133602-2	SGWA-2	Total/NA	Water	SM 3500	
180-133602-3	SGWA-3	Total/NA	Water	SM 3500	
180-133602-4	SGWA-4	Total/NA	Water	SM 3500	
180-133602-5	SGWA-5	Total/NA	Water	SM 3500	
180-133602-6	SGWC-6	Total/NA	Water	SM 3500	
180-133602-7	SGWC-7	Total/NA	Water	SM 3500	
180-133602-8	FB-2	Total/NA	Water	SM 3500	
180-133602-9	EB-2	Total/NA	Water	SM 3500	
180-133602-10	SGWA-25	Total/NA	Water	SM 3500	
180-133602-11	DUP-2	Total/NA	Water	SM 3500	

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

General Chemistry

Analysis Batch: 829801

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	SM 3500	
180-133638-2	SGWC-9	Total/NA	Water	SM 3500	
180-133638-3	SGWC-11	Total/NA	Water	SM 3500	
180-133638-4	SGWC-12	Total/NA	Water	SM 3500	
180-133638-5	SGWC-16	Total/NA	Water	SM 3500	
180-133638-6	SGWC-18	Total/NA	Water	SM 3500	
180-133638-7	SGWC-22	Total/NA	Water	SM 3500	
180-133638-8	SGWC-23	Total/NA	Water	SM 3500	
180-133638-9	SGWA-24	Total/NA	Water	SM 3500	
180-133638-10	EB-3	Total/NA	Water	SM 3500	
180-133638-11	FB-3	Total/NA	Water	SM 3500	
180-133638-12	DUP-3	Total/NA	Water	SM 3500	
180-133644-1	SGWC-10	Total/NA	Water	SM 3500	
180-133644-2	SGWC-17	Total/NA	Water	SM 3500	
180-133644-3	SGWC-21	Total/NA	Water	SM 3500	
180-133644-4	SGWC-20	Total/NA	Water	SM 3500	
180-133644-5	SGWC-15	Total/NA	Water	SM 3500	
180-133644-6	SGWC-13	Total/NA	Water	SM 3500	
180-133644-7	SGWC-19	Total/NA	Water	SM 3500	
180-133781-1	SGWC-14	Total/NA	Water	SM 3500	

Field Service / Mobile Lab

Analysis Batch: 388952

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	Field Sampling	
180-133602-2	SGWA-2	Total/NA	Water	Field Sampling	
180-133602-3	SGWA-3	Total/NA	Water	Field Sampling	
180-133602-4	SGWA-4	Total/NA	Water	Field Sampling	
180-133602-5	SGWA-5	Total/NA	Water	Field Sampling	
180-133602-6	SGWC-6	Total/NA	Water	Field Sampling	
180-133602-7	SGWC-7	Total/NA	Water	Field Sampling	
180-133602-10	SGWA-25	Total/NA	Water	Field Sampling	

Analysis Batch: 389021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-1	SGWC-8	Total/NA	Water	Field Sampling	
180-133638-2	SGWC-9	Total/NA	Water	Field Sampling	
180-133638-3	SGWC-11	Total/NA	Water	Field Sampling	
180-133638-4	SGWC-12	Total/NA	Water	Field Sampling	
180-133638-5	SGWC-16	Total/NA	Water	Field Sampling	
180-133638-6	SGWC-18	Total/NA	Water	Field Sampling	
180-133638-7	SGWC-22	Total/NA	Water	Field Sampling	
180-133638-8	SGWC-23	Total/NA	Water	Field Sampling	
180-133638-9	SGWA-24	Total/NA	Water	Field Sampling	

Analysis Batch: 389107

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-1	SGWC-10	Total/NA	Water	Field Sampling	
180-133644-2	SGWC-17	Total/NA	Water	Field Sampling	
180-133644-3	SGWC-21	Total/NA	Water	Field Sampling	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-1

Field Service / Mobile Lab (Continued)

Analysis Batch: 389107 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133644-4	SGWC-20	Total/NA	Water	Field Sampling	
180-133644-5	SGWC-15	Total/NA	Water	Field Sampling	
180-133644-6	SGWC-13	Total/NA	Water	Field Sampling	
180-133644-7	SGWC-19	Total/NA	Water	Field Sampling	

Analysis Batch: 389553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133781-1	SGWC-14	Total/NA	Water	Field Sampling	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

TestAmerica Pittsburgh

301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell				Site Contact: Dawn Prell				Date: 2/10/2022				COC No:				
Joju Abraham		Tel/Fax: 248-536-5445				Lab Contact: Shali Brown				Carrier:				1 of 1 COCs				
Southern Company		Analysis Turnaround Time																
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS																
Atlanta, GA 30308		TAT if different from Below 3-5 days																
JAbraham@southernco.com		<input type="checkbox"/> 2 weeks																
Project Name: CCR - Plant Scherer AP1		<input type="checkbox"/> 1 week																
Site: Georgia		<input type="checkbox"/> 2 days																
P O #		<input type="checkbox"/> 1 day																
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	244-ATLANTA	Sample Specific Notes:	
SGWA-1		2/9/2022	13:22	G	GW	6			X	X	X	X	X	X	X		pH= 5.28	
SGWA-2		2/9/2022	14:03	G	GW	6			X	X	X	X	X	X	X		pH= 7.01	
SGWA-3		2/9/2022	12:35	G	GW	6			X	X	X	X	X	X	X		pH= 5.84	
SGWA-4		2/9/2022	11:10	G	GW	6			X	X	X	X	X	X	X		pH= 6.38	
SGWA-5		2/9/2022	13:50	G	GW	6			X	X	X	X	X	X	X		pH= 5.56	
SGWC-6		2/9/2022	16:00	G	GW	6			X	X	X	X	X	X	X		pH= 6.33	
SGWC-7		2/9/2022	16:09	G	GW	6			X	X	X	X	X	X	X		pH= 6.77	
FB-2		2/9/2022	12:10	G	GW	6			X	X	X	X	X	X	X			
EB-2		2/9/2022	14:20	G	GW	6			X	X	X	X	X	X	X			
SGWA-25		2/9/2022	15:02	G	GW	6			X	X	X	X	X	X	X		pH= 6.17	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							4	4										
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.							Sample Dis:		longer than 1 month)									
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							<input type="checkbox"/> Return to		Archive for _____ Months									
Special Instructions/QC Requirements & Comments:																		
180-133602 Chain of Custody																		
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:				Cooler Temp. (°C): Obs'd:				Corr'd:				Therm ID No.:				
Relinquished by: <i>[Signature]</i>		Company: <i>USE-6A09A</i>		Date/Time: <i>02/10/22 08:20</i>		Received by: <i>Flaine Coolc</i>				Company: <i>Courier NW</i>		Date/Time: <i>2/10/22</i>						
Relinquished by: <i>[Signature]</i>		Company:		Date/Time: <i>2/10/22 1009</i>		Received by: <i>Flaine Coolc</i>				Company:		Date/Time: <i>2/10/22 1009</i>						
Relinquished by:		Company:		Date/Time:		Received in Laboratory by: <i>[Signature]</i>				Company: <i>ESTAR</i>		Date/Time: <i>2-11-22</i>						

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 2/11/2022		COC No:							
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: Shali Brown		Carrier:		1 of 1 COCs							
Southern Company		Analysis Turnaround Time						Sampler:							
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS						For Lab Use Only:							
Atlanta, GA 30308		TAT if different from Below ___ 3-5 days ___						Walk-in Client:							
JAbraham@southernco.com		<input type="checkbox"/> 2 weeks						Lab Sampling:							
Project Name: CCR - Plant Scherer AP1		<input type="checkbox"/> 1 week						Job / SDG No.:							
Site: Georgia		<input type="checkbox"/> 2 days													
P O #		<input type="checkbox"/> 1 day													
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	Sample Specific Notes:
SGWC-8	2/10/2022	10:10	G	GW	6		X	X	X	X	X	X	X	X	pH= 6.47
SGWC-9	2/10/2022	11:25	G	GW	6		X	X	X	X	X	X	X	X	pH= 6.25
SGWC-11	2/10/2022	13:02	G	GW	8		X	X	X	X	X	X	X	X	pH= 5.11
SGWC-12	2/10/2022	15:30	G	GW	6		X	X	X	X	X	X	X	X	pH= 6.19
SGWC-16	2/10/2022	16:20	G	GW	6		X	X	X	X	X	X	X	X	pH= 5.21
SGWC-18	2/10/2022	15:25	G	GW	6		X	X	X	X	X	X	X	X	pH= 4.86
SGWC-22	2/10/2022	10:46	G	GW	6		X	X	X	X	X	X	X	X	pH= 5.78
SGWC-23	2/10/2022	09:40	G	GW	6		X	X	X	X	X	X	X	X	pH= 6.13
SGWA-24	2/10/2022	13:45	G	GW	6		X	X	X	X	X	X	X	X	pH= 6.38
EB-3	2/10/2022	16:50	G	GW	6		X	X	X	X	X	X	X	X	
FB-3	2/10/2022	14:00	G	GW	6		X	X	X	X	X	X	X	X	
DUP-3	2/10/2022	--	G	GW	6		X	X	X	X	X	X	X	X	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						4	1	4	4	1	5	1			
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> S <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months									
Special Instructions/QC Requirements & Comments:															
Custody Seals Intact: <input type="checkbox"/> Yes		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.: _____							
Relinquished by: <i>[Signature]</i>		Company: <i>Goldor</i>		Date/Time: <i>16:03 2/11/22</i>		Received by: <i>[Signature]</i>		Company: <i>ETA</i>		Date/Time: <i>2/11/22 16:03</i>					
Relinquished by: <i>[Signature]</i>		Company: <i>ETA</i>		Date/Time: <i>16:30 2/11/22</i>		Received by: <i>[Signature]</i>		Company: <i>BETH P IV</i>		Date/Time: <i>2/11/22 12:45</i>					
Relinquished by: <i>[Signature]</i>		Company:		Date/Time:		Received in Laboratory by:		Company:		Date/Time:					



TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 2/11/2022		COC No:							
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: Shali Brown		Carrier:		1 of 1 COCs							
Southern Company		Analysis Turnaround Time						Sampler:							
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS						For Lab Use Only:							
Atlanta, GA 30308		TAT if different from Below ___3-5 days___						Walk-in Client:							
JAbraham@southernco.com		<input type="checkbox"/> 2 weeks						Lab Sampling:							
Project Name: CCR - Plant Scherer AP1		<input type="checkbox"/> 1 week						Job / SDG No.:							
Site: Georgia		<input type="checkbox"/> 2 days													
P O #		<input type="checkbox"/> 1 day													
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y / N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	Sample Specific Notes:
SGWC-10	2/11/2022	09:24	G	GW	6			X	X	X	X	X	X	X	pH= 5.13
SGWC-17	2/11/2022	09:45	G	GW	6			X	X	X	X	X	X	X	pH= 6.39
SGWC-21	2/11/2022	9:30	G	GW	6			X	X	X	X	X	X	X	pH= 6.31
SGWC-20	2/11/2022	10:20	G	GW	6			X	X	X	X	X	X	X	pH= 4.25
SGWC-15	2/11/2022	11:06	G	GW	8			X	X	X	X	X	X	X	pH= 4.59
SGWC-13	2/11/2022	11:05	G	GW	6			X	X	X	X	X	X	X	pH= 6.02
SGWC-19	2/11/2022	11:06	G	GW	6			X	X	X	X	X	X	X	pH= 5.65
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						4	1	4	4	1	5	1			
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> S <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months									
Special Instructions/QC Requirements & Comments:															
Custody Seals Intact: <input type="checkbox"/> Yes		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.:							
Relinquished by: <i>[Signature]</i>		Company: <i>Golden</i>		Date/Time: <i>16:03 2/11/22</i>		Received by: <i>[Signature]</i>		Company: <i>ETA</i>		Date/Time: <i>2/11/22 16:03</i>					
Relinquished by: <i>[Signature]</i>		Company: <i>ETA</i>		Date/Time: <i>16:30 2/11/22</i>		Received by: <i>[Signature]</i>		Company: <i>2/11/22 1245</i>		Date/Time: <i>ETA</i>					
Relinquished by: <i>[Signature]</i>		Company: _____		Date/Time: _____		Received in Laboratory by: _____		Company: _____		Date/Time: _____					



TestAmerica Pittsburgh

301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 JAbraham@southernco.com Project Name: CCR - Plant Scherer AP1 Site: Georgia P O #		Project Manager: Dawn Prell Tel/Fax: 248-536-5445		Site Contact: Dawn Prell Lab Contact: Shali Brown		Date: 2/15/2022 Carrier:		COC No: 1 of 1 COCs								
		Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below ___3-5 days___ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:								
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium, 226/228	Mg, Ni, Mn	Alkalinity (total, CO3, HCO3)	Sulfide #	Fe2, Fe	Specific Notes:
SGWC-14		2/14/2022	11:22	G	GW	6			X	X	X	X	X	X	X	pH= 5.77

244 ATLANTA



180-133781 Chain of Custody

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other _____

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable S Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: <input type="checkbox"/> Yes		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Therm ID No.:	
Relinquished by: <u>[Signature]</u>	Company: <u>WSP-BAOAN</u>	Date/Time: <u>2/15/22 7:55</u>	Received by: <u>Blaine Cook</u>	Company: <u>Courier Now</u>	Date/Time: <u>2/15/22</u>		
Relinquished by: <u>[Signature]</u>	Company: _____	Date/Time: _____	Received by: <u>Michael Meckel</u>	Company: <u>WHS</u>	Date/Time: <u>2-15-22 9:50</u>		
Relinquished by: <u>Michael Meckel</u>	Company: _____	Date/Time: <u>2/15/22 9:50</u>	Received in Laboratory by: <u>[Signature]</u>	Company: <u>2/16/22</u>	Date/Time: <u>FEB 14</u>		

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

2/21/22

FedEx

eurofins

Environment Testing
TestAmerica

RT 98
10:30
1080
02:11
FZ


ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NIA
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACT WT: 59.25 LB
CAD: 859116/CAFE3510

BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7066
REF: 1
DEPT: 1



FedEx
Express
E



FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

1 of 6
TRK# 5220 7116 1680
MASTER

NA AGCA

15238
PIT

PA-US

3.5 °C

Uncorrected temp

Thermometer ID

CF Initials

PT-WI-SR-001 effective 11/8/19



180-133602 Waybill





Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22



86
N

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CAD: 859116/CAFE3510
BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7066
REF: 1907
DEPT:



FedEx
Express



J27102021211014

2 of 6

MPS# 5220 7116 1690

Mst# 5220 7116 1680

0201

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

NA AGCA

Uncorrected temp
Thermometer ID

15238
PA-US PIT

CF 0 Initials 0
PT-VI-SR-001 effective 1/18/18

2.1 °C
16



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Do not lift using this tail.



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

RT 98
FZ
A
1
10:30
1705
02:11

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CAD: 859116/QQFE9510

BILL THIRD PARTY

TO **SAMPLE RECIEVING**

EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068 REF: INVT: PO:

DEPT:



FedEx
Express



12110201211017

Uncorrected temp
Thermometer ID

2.7
16
8

CF O Initials

PT-WI-SR-001 effective 11/08/18

11 FEB 10:30A

MPS# 5220 7116 1705

PRIORITY OVERNIGHT

Mstr# 5220 7116 1680

0201

NA AGCA

15238

PA-US PIT



FedEx



eurofins

Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATE SC
8219 REGENCY PARKWAY NW
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CAD: 859116/CAFE3510

BILL- THIRD PARTY


TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 863-7058
REF: 0201

DEPT:



Uncorrected temp
Thermometer ID



FedEx
Express



12110201211019

CF
#SR-001 effective 1/1/11

4 of 6

MPS# 5220 7116 1716

Mstr# 5220 7116 1680


NA AGCA

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

15238

PA-US

PIT



FE

Part # 159469-434 MTW EXP 09/22

eurofins



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING: EG SC LE
CAD: 859116/CAFE3510
BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7059
REF: 1
DEPT: 1



FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

5 of 6
MPS# 5220 7116 1727
Met# 5220 7116 1680

NA AGCA

15238
PA-US PIT

Uncorrected temp
Thermometer ID
CF 0 Initials EG
PT-MI-SR-001 effective 11/16/18

44
16
°C

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

eurofins

**Environment Testing
TestAmerica**

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA -ATL SC
6215 REGENCY PARKWAY, NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING: 56.25 LB
CAD: 959116/CAF3510
BILL THIRD PARTY

TO
**SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238**

REF: (412) 9637-7058

DEPT:



Unconnected temp
Thermometer ID
Initials
in 15 min
effective 3/18/16

FedEx
Express



2710201217014

**FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT**


5220 7116 1738

Mstr# 5220 7116 1680

0201

NA-AGCA

**15238
PA-US PIT**



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LLYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWT: 51.15 LB.
CAD: 859116/CAFEC3510


BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 988-7088
REF: GOLDR - SCHERER

184972609/C2025



180-133638 Waybill




AN1011210201127

6 of 6
MPS# 5220 7116 2285
0263
Mat# 5220 7116 2230

SATURDAY 12:00P
PRIORITY OVERNIGHT
0201

NO AGCA

15238
PA-US PIT




Uncorrected temp
Thermometer ID

CF 0 Initials

PT-W-SR-001 effective 11/8/18



Environment Testing
TestAmerica




Part # 159469-434 MTW EXP 09/22

ORIGIN ID: L1YA (678) SE
GEORGE TAYLOR
EUROFINS TESTING AMERICA AIL SE
6215 REGENCY PARKWAY NM
SUITE 900
NORCROSS, GA 90071
UNITED STATES US
DATE: 11FEB22
WT: 15.15 LB
#559116/DATE3510

BILL RECIPIENT

TO **SAMPLE RECEIVING**
EUROFINS TESTING AMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238
(412) 988-7068
REF: **GOLDER SCHERER**



1 of 6
TRK# 5220 7116 2230
0201
MASTER ##
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
15238
PA-US PIT

Uncorrected temp 3.3 °C
Thermometer ID 10
CF 0 Initials 8
PT-M-SR-001 effective 11/8/18

PT 639
Environment
TestAmerica
12:00 2241
02:12



Environment
TestAmerica
Testing


Part # 159469-434 MTW EXP 022

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NM
SUITE 900
NORCROSS, GA 30071
UNITED STATES US
SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 863-7068
REF: GOLDER - SCHERER



AM1011210201127

2 of 6
MRS# 5220 7116 2241 SATURDAY 12:00P
0263
Mstr# 5220 7116 2230 PRIORITY OVERNIGHT
0201

NO AGCA 15238
Uncooled temp
Thermometer ID
PA-US PIT

CF
Initials
35
36
PT-M-SR-001 effective 1/8/18

COEXX®



Environment Testing
TestAmerica


Part # 159469-434 MTW EXP 09/22

ORIGIN ID:LIYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CWD: 859116/CWF B9510
BILL RECIPIENT

10 SAMPLE RECEIVING

EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 963-7068
REF: GOLDER - SCHERER



SATURDAY 12:00P

PRIORITY OVERNIGHT

MPS# 5220 7116 2252
0263
Mstr# 5220 7116 2230

0201

NO AGCA

15238
PA-US PIT

Uncorrected temp

4.6 °C

Thermometer ID



CF

Initials

PT-WA-SR-001 effective 11/8/18



1
2
3
4
5
6
7
8
9
10
11
12
13



Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LYA (A7B) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACT WT: 51.15 LB
CAD: B 0116/CAT#E3510

BILL RECEIPT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: GOLDER - SCHERER



MPS# 5220 7116 2263
[0263]
Mstr# 5220 7116 2230
[0201]


SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
PA-US **PIT**
15238

Uncorrected temp 24 °C
Thermometer ID 16
CF 0 Initials B
PT-MI-SR-001 effect: 11/8/15



1
2
3
4
5
6
7
8
9
10
11
12
13



eurofins
Arrangement Testing
TestAmerica


Part # 159469-494 MTW EXP 09/22

ORIGIN ID: L1YA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CDB: 859116/CAFE3510

BILL RECIPIENT


TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 989-7088
REF: GOLDR - SCHERER



J211020121211014

5 of 6
MPS# 5220 7116 2274 SATURDAY 12:00P
0263
Mstr# 5220 7116 2230 PRIORITY OVERNIGHT
0201
NO AGCA 15238
PA-US PIT

Uncorrected temp _____
Thermometer ID _____
CF 0 Initials ST
PT-W-SR-001 effective 11/9/18





Environment Testing
TestAmerica




Part # 159469-434 MTW EXP 09/22



ORIGIN ID: ILIYA (678) 968
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL
6215 AGENCY PARKWAY NM
SUITE 800
NORCROSS, GA 30071
UNITED STATES US
DATE: 11FEB22
GT: SI, US, LB
959116/CATE3510
BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDER - SCHERER



SATURDAY 12:00P
PRIORITY OVERNIGHT

1 of 6
TRK# 5220 7116 2230
MASTER


NO AGCA

15238
PA-US PIT

Uncorrected temp 3.3 °C
Thermometer ID 16

CF 0 Initials 8

PT-WI-SR-001 effective 11/6/18



Do not lift using this tag

Part # 159469-434 MTW EXP 03/22

eur **639** **resting**
estamerica


ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACT WT: 5.15 LB
CAD: 859116/CAF3510

BILL RECIPIENT

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238

(412) 863-7068
REF: GORDER - SCHERER



2 of 6
MRS# 5220 7116 2241
0263
Mstr# 5220 7116 2230 0201
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
15238
PA-US PIT

Uncorrected temp
Thermometer ID

CF 35 °C
 16

Initials

PT-WI-SR-001 effective 11/8/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

FedEx



Environment Testing
TestAmerica



Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11 FEB 22
ACTING: 15 FEB 22
CAD: 659116/CAF8510
BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
307 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 863-7068

REF: **GOLDER - SCHERER**



FedEx Express
E
101201217101

3 of 6

MPS# **5220 7116 2252**

SATURDAY 12:00P

Mstr# 5220 7116 2230

0201

NO AGCA

15238
PA-US PIT

Uncorrected temp

4.4 °C

Thermometer ID

16

CF

Initials

B


PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Part # 159469-434 MTW EXP 09/22

eurofins




ORIGIN ID: LVA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTN: 0151 US EB22
CRD: 8 116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 968-7068
REF: GOLDR - SCHERER



4 of 6
MPS# **5220 7116 2263**
Mstr# 5220 7116 2230

NO AGCA
SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PA-US PIT

Uncorrected temp 29 °C
Thermometer ID 16
CF 0 Initials B
PT-WI-SR-001 effect 11/8/16



639



Environment Testing
Eurofins Testamerica

Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWT: 51.15 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDER - SCHERER



FedEx
Express
E

5 of 6

MPS# 5220 7116 2274

SATURDAY 12:00P
PRIORITY OVERNIGHT

Mstr# 5220 7116 2230

NO AGCA

15238
PA-US PIT

Uncorrected temp
Thermometer ID



CF O Initials S

24 °C

PT-WI-SR-001 effective 11/8/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8219 REGENCY PARKWAY NW
SUITE 500
NORCROSS, GA 30071
UNITED STATES US

SUITE DATE: 11FEB22
ACTWGT: 51.15 LB
CAD: 859118/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: GOLDR - SCHERER




SATURDAY 12:00P
PRIORITY OVERNIGHT

6 of 6
MPS# 5220 7116 2285
Met# 5220 7116 2230

0201

NO AGCA

15238
PA-US PIT



Uncorrected temp
Thermometer ID

CF 0 Initials S

PT-WI-SR-001 effective 11/8/18





Environment Testing
TestAmerica



ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 15FEB22
ACTWGT: 56.95 LB
CAD: 859116/CAFE3510

BILL RECIPIENT


TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068

REF: GOLDER - PLT SCHERERE



FedEx
Express



180-133781 Waybill

MPS# 5220 7116 2399

0263
Mstr# 5220 7116 2388

NA AGCA

15238
PA-US PIT

Uncorrected temp
Thermometer ID

4.5 °C
16

CF D Initials S

PT-WI-SR-001 effective 11/8/18



Part # 151469-434 M/TW EXP 09/22

57002/027C/AF43



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 15FEB22
ACTWGT: 56.95 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068

REF: GOLDER - PLT SCHERERE



FedEx
Express



4211020121101 US

1 of 2
TRK# 5220 7116 2388

0201
MASTER

NA AGCA

WED - 16 FEB 10:30A
PRIORITY OVERNIGHT


15238
-us PIT

Uncorrected temp
Thermometer ID

5.6 °C
16

CF O Initials S

PT-WI-SR-001 effective 11/8/18



Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Brown, Shali		Carrier Tracking No(s): 180-454808-1	
Client Contact: Edison		E-Mail: Shali.Brown@Eurofinset.com		Page: Page 1 of 2	
Shipping/Receiving		State of Origin: Georgia		Job #: 180-133602-1	
Company: Eurofins Environment Testing Northeast,		Accreditations Required (See note):		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Address: 777 New Durham Road,		Due Date Requested: 2/24/2022		Analysis Requested	
City: Edison		TAT Requested (days):		Total Number of Containers	
State, Zip: NJ, 08817		PO #:		Field Filtered Sample (Yes or No)	
Phone: 732-549-3900(Tel) 732-549-3679(Fax)		WO #:		Perform MS/MSD (Yes or No)	
Email:		Project #: 18019884		3500_Fe+3_D_Cal/Iron, Ferric	
Plant Scherer AP-1		SSOW#:		3500_Fe_D/Iron, Ferrous	
Site: CCR Plant Scherer		Sample Date		Sample Time	
Sample Identification - Client ID (Lab ID)		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=wastewater, AT=Tissue, A=Air)	
SGWA-1 (180-133602-1)		2/9/22		Water	
SGWA-2 (180-133602-2)		2/9/22		Water	
SGWA-3 (180-133602-3)		2/9/22		Water	
SGWA-4 (180-133602-4)		2/9/22		Water	
SGWA-5 (180-133602-5)		2/9/22		Water	
SGWC-6 (180-133602-6)		2/9/22		Water	
SGWC-7 (180-133602-7)		2/9/22		Water	
FB-2 (180-133602-8)		2/9/22		Water	
EB-2 (180-133602-9)		2/9/22		Water	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of the sample upon subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.</p>					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 2					
Special Instructions/QC Requirements:					
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Empty Kit Relinquished by:					
Relinquished by: [Signature]		Date/Time: 2/14/22 17:00		Company: FEI/ADA	
Relinquished by: [Signature]		Date/Time: 2/15/22 10:05		Company: [Blank]	
Relinquished by: [Signature]		Date/Time: [Blank]		Company: [Blank]	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: 10		Cooler Temperature(s) °C and Other Remarks: 1.5/1.4, 2.4/2.3°C	



Eurofins Pittsburgh
 301 Alpha Drive RIDC Park
 Pittsburgh, PA 15238
 Phone: 412-963-7058 Fax: 412-963-2468

Chain of Custody Record



Client Information (Sub Contract Lab)				Lab PM: Brown, Shali		Carrier Tracking No(s): 180-454808.2																																																																																																																										
Client Contact: Shipping/Receiving				E-Mail: Shali.Brown@Eurofinset.com		Page: Page 2 of 2																																																																																																																										
Company: Eurofins Environment Testing Northeast,				Accreditations Required (See note): 180-133602-1																																																																																																																												
Address: 777 New Durham Road,				Analysis Requested																																																																																																																												
City: Edison																																																																																																																																
State: NJ																																																																																																																																
Zip: 08817																																																																																																																																
Phone: 732-549-3900(Tel) 732-549-3679(Fax)																																																																																																																																
Email:				Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify) Other:																																																																																																																												
Project #: 18019884																																																																																																																																
Plant Name: Plant Scherer AP-1																																																																																																																																
Site: CCR Plant Scherer																																																																																																																																
Due Date Requested: 2/24/2022				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Sample Identification - Client ID (Lab ID)</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=Comp, G=grab)</th> <th>Matrix (W=water, S=solid, O=wastliq, BT=Tissue, A=Air)</th> <th>Field Filtered Sample (Yes or No)</th> <th>Perform MS/MSD (Yes or No)</th> <th>3500_Fe+3_D_Cal/Iron, Ferric</th> <th>3500_FE_D/Iron, Ferrus</th> <th>Total Number of containers</th> <th>Special Instructions/Note:</th> </tr> </thead> <tbody> <tr> <td>SGWA-25 (180-133602-10)</td> <td>2/9/22</td> <td>15:02 Eastern</td> <td>Water</td> <td>Water</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>DUP-2 (180-133602-11)</td> <td>2/9/22</td> <td>Eastern</td> <td>Water</td> <td>Water</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>				Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastliq, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	3500_Fe+3_D_Cal/Iron, Ferric	3500_FE_D/Iron, Ferrus	Total Number of containers	Special Instructions/Note:	SGWA-25 (180-133602-10)	2/9/22	15:02 Eastern	Water	Water	X	X	X	X	1		DUP-2 (180-133602-11)	2/9/22	Eastern	Water	Water	X	X	X	X	1																																																																																									
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)					Matrix (W=water, S=solid, O=wastliq, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	3500_Fe+3_D_Cal/Iron, Ferric	3500_FE_D/Iron, Ferrus	Total Number of containers	Special Instructions/Note:																																																																																																																		
SGWA-25 (180-133602-10)	2/9/22	15:02 Eastern	Water					Water	X	X	X	X	1																																																																																																																			
DUP-2 (180-133602-11)	2/9/22	Eastern	Water					Water	X	X	X	X	1																																																																																																																			
TAT Requested (days):																																																																																																																																
PO #:																																																																																																																																
WO #:																																																																																																																																
Project #: 18019884																																																																																																																																
Site: CCR Plant Scherer																																																																																																																																

Sample Identification - Client ID (Lab ID)

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastliq, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	3500_Fe+3_D_Cal/Iron, Ferric	3500_FE_D/Iron, Ferrus	Total Number of containers	Special Instructions/Note:
SGWA-25 (180-133602-10)	2/9/22	15:02 Eastern	Water	Water	X	X	X	X	1	
DUP-2 (180-133602-11)	2/9/22	Eastern	Water	Water	X	X	X	X	1	

Sample Identification - Client ID (Lab ID)

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysts/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Ver: 06/08/2021

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133602

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133602

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/15/22 12:01 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4, 2.3°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133638

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Jodis, Matthew V

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133638

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/15/22 12:01 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4, 2.3°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133644

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Jodis, Matthew V

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133644

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/15/22 12:01 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4, 2.3°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133781

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Abernathy, Eric L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-1

Login Number: 133781

List Number: 3

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/21/22 12:15 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	Cooler temperature outside required temperature criteria.
Cooler Temperature is recorded.	True	6.4°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-133602-2
Client Project/Site: Plant Scherer AP1

For:
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
3/21/2022 6:56:27 PM

Shali Brown, Project Manager II
(615)301-5031
Shali.Brown@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	5
Certification Summary	6
Sample Summary	7
Method Summary	8
Lab Chronicle	9
Client Sample Results	19
QC Sample Results	50
QC Association Summary	55
Chain of Custody	57
Receipt Checklists	85

Case Narrative

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Job ID: 180-133602-2

Laboratory: Eurofins Pittsburgh

Narrative

Job Narrative 180-133602-2

Receipt

The samples were received on 2/11/2022 9:30 AM, 2/12/2022 12:45 PM and 2/16/2022 4:45 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 14 coolers at receipt time were 1.7°C, 2.1°C, 2.1°C, 2.4°C, 2.6°C, 3.3°C, 3.5°C, 3.6°C, 3.8°C, 4.4°C, 4.4°C, 4.5°C, 4.6°C and 4.6°C

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The COC was not relinquished for 180-133602-1

The following sample was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): DUP-2 (180-133602-11) The client was contacted but no response was received. The lab logged analysis based on bottles received.

Gas Flow Proportional Counter

Method 9315_Ra226: Radium-226 Prep Batch 160-552009The following samples were prepared at a reduced aliquot due to Matrix: SGWC-7 (180-133602-7), SGWA-25 (180-133602-10), DUP-2 (180-133602-11), SGWC-12 (180-133638-4), SGWC-16 (180-133638-5), SGWC-18 (180-133638-6) and SGWC-22 (180-133638-7). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method 9315_Ra226: Radium 226 batch 551849: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.EB-3 (180-133638-10), FB-3 (180-133638-11), DUP-3 (180-133638-12), SGWC-10 (180-133644-1), SGWC-17 (180-133644-2), SGWC-21 (180-133644-3), SGWC-20 (180-133644-4), SGWC-15 (180-133644-5), SGWC-13 (180-133644-6), SGWC-19 (180-133644-7), SGWC-14 (180-133781-1), (LCS 160-551849/1-A), (MB 160-551849/23-A), (500-212081-F-15-A) and (500-212081-H-15-A DU)

Method 9315_Ra226: Radium 226 batch 552009Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.SGWA-1 (180-133602-1), SGWA-2 (180-133602-2), SGWA-3 (180-133602-3), SGWA-4 (180-133602-4), SGWA-5 (180-133602-5), SGWC-6 (180-133602-6), SGWC-7 (180-133602-7), FB-2 (180-133602-8), EB-2 (180-133602-9), SGWA-25 (180-133602-10), DUP-2 (180-133602-11), SGWC-8 (180-133638-1), SGWC-9 (180-133638-2), SGWC-11 (180-133638-3), SGWC-12 (180-133638-4), SGWC-16 (180-133638-5), SGWC-18 (180-133638-6), SGWC-22 (180-133638-7), (LCS 160-552009/1-A), (LCSD 160-552009/2-A) and (MB 160-552009/23-A)

Method 9315_Ra226: Radium 226 batch 552246Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.SGWC-23 (180-133638-8), SGWA-24 (180-133638-9), (LCS 160-552246/1-A), (MB 160-552246/22-A), (160-44660-B-27-A), (160-44660-A-27-E MS) and (160-44660-B-27-B MSD)

Method 9320_Ra228: Radium-228 Prep Batch 160-552011The following samples were prepared at a reduced aliquot due to Matrix: SGWC-7 (180-133602-7), SGWA-25 (180-133602-10), DUP-2 (180-133602-11), SGWC-12 (180-133638-4), SGWC-16 (180-133638-5) and SGWC-18 (180-133638-6). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method 9320_Ra228: Radium 228 batch 551852Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.EB-3 (180-133638-10), FB-3 (180-133638-11), DUP-3 (180-133638-12), SGWC-10 (180-133644-1), SGWC-17 (180-133644-2), SGWC-21 (180-133644-3), SGWC-20 (180-133644-4), SGWC-15 (180-133644-5), SGWC-13 (180-133644-6), SGWC-19 (180-133644-7), SGWC-14 (180-133781-1), (LCS 160-551852/1-A), (MB 160-551852/23-A), (500-212081-F-15-B) and (500-212081-H-15-B DU)

Method 9320_Ra228: Radium 228 Batch 160-552011:Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking

Case Narrative

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Job ID: 180-133602-2 (Continued)

Laboratory: Eurofins Pittsburgh (Continued)

Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWA-1 (180-133602-1), SGWA-2 (180-133602-2), SGWA-3 (180-133602-3), SGWA-4 (180-133602-4), SGWA-5 (180-133602-5), SGWC-6 (180-133602-6), SGWC-7 (180-133602-7), FB-2 (180-133602-8), EB-2 (180-133602-9), SGWA-25 (180-133602-10), DUP-2 (180-133602-11), SGWC-8 (180-133638-1), SGWC-9 (180-133638-2), SGWC-11 (180-133638-3), SGWC-12 (180-133638-4), SGWC-16 (180-133638-5), SGWC-18 (180-133638-6), SGWC-22 (180-133638-7), (LCS 160-552011/1-A), (LCS 160-552011/2-A) and (MB 160-552011/23-A)

Method 9320_Ra228: Radium 228 batch 552250 The LCS recovered at (64%). The limits in our LIMS system at 75-125 reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS are not from this agency and are therefore held to our in-house statistical limits of (61-138%) per method requirements. The LCS passes, no further action is required (LCS 160-552250/1-A)

Method 9320_Ra228: Radium 228 batch 552250 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-23 (180-133638-8), SGWA-24 (180-133638-9), (LCS 160-552250/1-A), (MB 160-552250/22-A), (160-44660-B-27-C), (160-44660-A-27-F MS) and (160-44660-B-27-D MSD)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-07-23
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22
California	State	2886	06-30-21 *
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-22
HI - RadChem Recognition	State	n/a	06-30-22
Illinois	NELAP	200023	11-30-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana	NELAP	04080	06-30-22
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-22
MI - RadChem Recognition	State	9005	06-30-22
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-22
New Jersey	NELAP	MO002	06-30-22
New York	NELAP	11616	04-01-22
North Dakota	State	R-207	06-30-22
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-22
Oregon	NELAP	4157	09-01-22
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22
Texas	NELAP	T104704193	07-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	08-01-22
Virginia	NELAP	10310	06-14-22
Washington	State	C592	08-30-22
West Virginia DEP	State	381	10-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-133602-1	SGWA-1	Water	02/09/22 13:22	02/11/22 09:30
180-133602-2	SGWA-2	Water	02/09/22 14:03	02/11/22 09:30
180-133602-3	SGWA-3	Water	02/09/22 12:35	02/11/22 09:30
180-133602-4	SGWA-4	Water	02/09/22 11:10	02/11/22 09:30
180-133602-5	SGWA-5	Water	02/09/22 13:50	02/11/22 09:30
180-133602-6	SGWC-6	Water	02/09/22 16:00	02/11/22 09:30
180-133602-7	SGWC-7	Water	02/09/22 16:09	02/11/22 09:30
180-133602-8	FB-2	Water	02/09/22 12:10	02/11/22 09:30
180-133602-9	EB-2	Water	02/09/22 14:20	02/11/22 09:30
180-133602-10	SGWA-25	Water	02/09/22 15:02	02/11/22 09:30
180-133602-11	DUP-2	Water	02/09/22 00:00	02/11/22 09:30
180-133638-1	SGWC-8	Water	02/10/22 10:10	02/12/22 12:45
180-133638-2	SGWC-9	Water	02/10/22 11:25	02/12/22 12:45
180-133638-3	SGWC-11	Water	02/10/22 13:02	02/12/22 12:45
180-133638-4	SGWC-12	Water	02/10/22 15:30	02/12/22 12:45
180-133638-5	SGWC-16	Water	02/10/22 16:20	02/12/22 12:45
180-133638-6	SGWC-18	Water	02/10/22 15:25	02/12/22 12:45
180-133638-7	SGWC-22	Water	02/10/22 10:46	02/12/22 12:45
180-133638-8	SGWC-23	Water	02/10/22 09:40	02/12/22 12:45
180-133638-9	SGWA-24	Water	02/10/22 13:45	02/12/22 12:45
180-133638-10	EB-3	Water	02/10/22 16:50	02/12/22 12:45
180-133638-11	FB-3	Water	02/10/22 14:00	02/12/22 12:45
180-133638-12	DUP-3	Water	02/10/22 00:01	02/12/22 12:45
180-133644-1	SGWC-10	Water	02/11/22 09:24	02/12/22 12:45
180-133644-2	SGWC-17	Water	02/11/22 09:45	02/12/22 12:45
180-133644-3	SGWC-21	Water	02/11/22 09:30	02/12/22 12:45
180-133644-4	SGWC-20	Water	02/11/22 10:20	02/12/22 12:45
180-133644-5	SGWC-15	Water	02/11/22 11:06	02/12/22 12:45
180-133644-6	SGWC-13	Water	02/11/22 11:05	02/12/22 12:45
180-133644-7	SGWC-19	Water	02/11/22 11:06	02/12/22 12:45
180-133781-1	SGWC-14	Water	02/14/22 11:22	02/16/22 16:45

Method Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-1

Lab Sample ID: 180-133602-1

Date Collected: 02/09/22 13:22

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1005.69 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:40	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1005.69 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:13	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-2

Lab Sample ID: 180-133602-2

Date Collected: 02/09/22 14:03

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1003.71 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:41	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1003.71 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:13	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-3

Lab Sample ID: 180-133602-3

Date Collected: 02/09/22 12:35

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.86 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:41	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			997.86 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:13	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-4

Lab Sample ID: 180-133602-4

Date Collected: 02/09/22 11:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1001.31 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:41	FLC	TAL SL
Instrument ID: GFPCRED										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-4

Date Collected: 02/09/22 11:10

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1001.31 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:13	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-5

Date Collected: 02/09/22 13:50

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			998.87 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:41	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			998.87 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:14	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-6

Date Collected: 02/09/22 16:00

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1002.53 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:41	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1002.53 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555482	03/15/22 13:14	CLP	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-7

Date Collected: 02/09/22 16:09

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			748.05 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:42	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			748.05 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:22	FLC	TAL SL
Instrument ID: GFPCBLUE										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-7

Lab Sample ID: 180-133602-7

Date Collected: 02/09/22 16:09

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL

Client Sample ID: FB-2

Lab Sample ID: 180-133602-8

Date Collected: 02/09/22 12:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1005.34 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:38	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1005.34 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:22	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: EB-2

Lab Sample ID: 180-133602-9

Date Collected: 02/09/22 14:20

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1008.09 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 07:38	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1008.09 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-25

Lab Sample ID: 180-133602-10

Date Collected: 02/09/22 15:02

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			758.34 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:43	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			758.34 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: DUP-2
Date Collected: 02/09/22 00:00
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			745.92 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:43	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			745.92 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555720	03/17/22 14:31	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-8
Date Collected: 02/10/22 10:10
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			991.17 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:43	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			991.17 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-9
Date Collected: 02/10/22 11:25
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			995.83 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:44	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			995.83 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-11
Date Collected: 02/10/22 13:02
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.17 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:44	FLC	TAL SL
Instrument ID: GFPCRED										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-11

Lab Sample ID: 180-133638-3

Date Collected: 02/10/22 13:02

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			997.17 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555441	03/15/22 13:40	CLP	TAL SL
Instrument ID: GFPCRED										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-12

Lab Sample ID: 180-133638-4

Date Collected: 02/10/22 15:30

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			755.00 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:44	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			755.00 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555441	03/15/22 13:40	CLP	TAL SL
Instrument ID: GFPCRED										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-16

Lab Sample ID: 180-133638-5

Date Collected: 02/10/22 16:20

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.79 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:44	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			750.79 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:38	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-18

Lab Sample ID: 180-133638-6

Date Collected: 02/10/22 15:25

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			753.54 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:45	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			753.54 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:23	FLC	TAL SL
Instrument ID: GFPCBLUE										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-18
Date Collected: 02/10/22 15:25
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL

Client Sample ID: SGWC-22
Date Collected: 02/10/22 10:46
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.13 mL	1.0 g	552009	02/23/22 09:00	LPS	TAL SL
Total/NA	Analysis	9315		1			555701	03/17/22 09:45	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			993.13 mL	1.0 g	552011	02/23/22 09:24	LPS	TAL SL
Total/NA	Analysis	9320		1			555442	03/15/22 13:24	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-23
Date Collected: 02/10/22 09:40
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.48 mL	1.0 g	552246	02/25/22 12:58	LPS	TAL SL
Total/NA	Analysis	9315		1			556272	03/21/22 13:38	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			997.48 mL	1.0 g	552250	02/25/22 13:48	LPS	TAL SL
Total/NA	Analysis	9320		1			555897	03/18/22 12:38	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-24
Date Collected: 02/10/22 13:45
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			994.25 mL	1.0 g	552246	02/25/22 12:58	LPS	TAL SL
Total/NA	Analysis	9315		1			556277	03/21/22 13:39	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			994.25 mL	1.0 g	552250	02/25/22 13:48	LPS	TAL SL
Total/NA	Analysis	9320		1			555898	03/18/22 12:39	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			556424	03/21/22 16:37	CAH	TAL SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: EB-3

Lab Sample ID: 180-133638-10

Date Collected: 02/10/22 16:50

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.12 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:52	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			993.12 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553908	03/07/22 13:20	JCB	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: FB-3

Lab Sample ID: 180-133638-11

Date Collected: 02/10/22 14:00

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			991.61 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:52	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			991.61 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553908	03/07/22 13:21	JCB	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: DUP-3

Lab Sample ID: 180-133638-12

Date Collected: 02/10/22 00:01

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			745.38 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:57	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			745.38 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553908	03/07/22 13:21	JCB	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-10

Lab Sample ID: 180-133644-1

Date Collected: 02/11/22 09:24

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.81 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:57	FLC	TAL SL
Instrument ID: GFPCRED										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-10
Date Collected: 02/11/22 09:24
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			993.81 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-17
Date Collected: 02/11/22 09:45
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			996.66 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:58	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			996.66 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-21
Date Collected: 02/11/22 09:30
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			745.81 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:54	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			745.81 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-20
Date Collected: 02/11/22 10:20
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			995.13 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:54	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			995.13 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-20
Date Collected: 02/11/22 10:20
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL

Client Sample ID: SGWC-15
Date Collected: 02/11/22 11:06
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			751.82 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:54	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			751.82 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-13
Date Collected: 02/11/22 11:05
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.66 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:54	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			999.66 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-19
Date Collected: 02/11/22 11:06
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133644-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			746.62 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:54	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			746.62 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:30	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-14

Lab Sample ID: 180-133781-1

Date Collected: 02/14/22 11:22

Matrix: Water

Date Received: 02/16/22 16:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			745.32 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 11:55	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			745.32 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:30	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Analyst References:

Lab: TAL SL

Batch Type: Prep

LPS = Lauren Szostak

Batch Type: Analysis

CAH = Chris Hough

CLP = Cassandra Park

EMH = Elizabeth Hoerchler

FLC = Fernando Cruz

JCB = Jacob Boyd

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-1

Lab Sample ID: 180-133602-1

Date Collected: 02/09/22 13:22

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0533	U	0.110	0.110	1.00	0.198	pCi/L	02/23/22 09:00	03/17/22 07:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					02/23/22 09:00	03/17/22 07:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0941	U	0.272	0.272	1.00	0.470	pCi/L	02/23/22 09:24	03/15/22 13:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					02/23/22 09:24	03/15/22 13:13	1
Y Carrier	82.2		40 - 110					02/23/22 09:24	03/15/22 13:13	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.147	U	0.293	0.293	5.00	0.470	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-2

Lab Sample ID: 180-133602-2

Date Collected: 02/09/22 14:03

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0638	U	0.0946	0.0948	1.00	0.163	pCi/L	02/23/22 09:00	03/17/22 07:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					02/23/22 09:00	03/17/22 07:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.244	U	0.247	0.248	1.00	0.402	pCi/L	02/23/22 09:24	03/15/22 13:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					02/23/22 09:24	03/15/22 13:13	1
Y Carrier	84.1		40 - 110					02/23/22 09:24	03/15/22 13:13	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.307	U	0.264	0.266	5.00	0.402	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-3

Lab Sample ID: 180-133602-3

Date Collected: 02/09/22 12:35

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0329	U	0.0948	0.0949	1.00	0.180	pCi/L	02/23/22 09:00	03/17/22 07:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					02/23/22 09:00	03/17/22 07:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.165	U	0.212	0.213	1.00	0.353	pCi/L	02/23/22 09:24	03/15/22 13:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					02/23/22 09:24	03/15/22 13:13	1
Y Carrier	84.5		40 - 110					02/23/22 09:24	03/15/22 13:13	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.198	U	0.232	0.233	5.00	0.353	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-4

Lab Sample ID: 180-133602-4

Date Collected: 02/09/22 11:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0400	U	0.0990	0.0991	1.00	0.185	pCi/L	02/23/22 09:00	03/17/22 07:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					02/23/22 09:00	03/17/22 07:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0115	U	0.213	0.213	1.00	0.387	pCi/L	02/23/22 09:24	03/15/22 13:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					02/23/22 09:24	03/15/22 13:13	1
Y Carrier	83.7		40 - 110					02/23/22 09:24	03/15/22 13:13	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0285	U	0.235	0.235	5.00	0.387	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-5

Lab Sample ID: 180-133602-5

Date Collected: 02/09/22 13:50

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.121	U	0.115	0.116	1.00	0.175	pCi/L	02/23/22 09:00	03/17/22 07:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		40 - 110					02/23/22 09:00	03/17/22 07:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.295	U	0.225	0.227	1.00	0.353	pCi/L	02/23/22 09:24	03/15/22 13:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		40 - 110					02/23/22 09:24	03/15/22 13:14	1
Y Carrier	87.5		40 - 110					02/23/22 09:24	03/15/22 13:14	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.416		0.253	0.255	5.00	0.353	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-6
Date Collected: 02/09/22 16:00
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00584	U	0.0865	0.0865	1.00	0.183	pCi/L	02/23/22 09:00	03/17/22 07:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/23/22 09:00	03/17/22 07:41	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.140	U	0.257	0.258	1.00	0.437	pCi/L	02/23/22 09:24	03/15/22 13:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/23/22 09:24	03/15/22 13:14	1
Y Carrier	87.5		40 - 110					02/23/22 09:24	03/15/22 13:14	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.145	U	0.271	0.272	5.00	0.437	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-7

Lab Sample ID: 180-133602-7

Date Collected: 02/09/22 16:09

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.132	U	0.177	0.177	1.00	0.297	pCi/L	02/23/22 09:00	03/17/22 07:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.5		40 - 110					02/23/22 09:00	03/17/22 07:42	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.527	U	0.365	0.368	1.00	0.567	pCi/L	02/23/22 09:24	03/15/22 13:22	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.5		40 - 110					02/23/22 09:24	03/15/22 13:22	1
Y Carrier	85.6		40 - 110					02/23/22 09:24	03/15/22 13:22	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.659		0.406	0.408	5.00	0.567	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: FB-2

Lab Sample ID: 180-133602-8

Date Collected: 02/09/22 12:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00934	U	0.108	0.108	1.00	0.214	pCi/L	02/23/22 09:00	03/17/22 07:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					02/23/22 09:00	03/17/22 07:38	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.299	U	0.231	0.232	1.00	0.363	pCi/L	02/23/22 09:24	03/15/22 13:22	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					02/23/22 09:24	03/15/22 13:22	1
Y Carrier	87.9		40 - 110					02/23/22 09:24	03/15/22 13:22	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.308	U	0.255	0.256	5.00	0.363	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: EB-2

Lab Sample ID: 180-133602-9

Date Collected: 02/09/22 14:20

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0280	U	0.150	0.150	1.00	0.302	pCi/L	02/23/22 09:00	03/17/22 07:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.6		40 - 110					02/23/22 09:00	03/17/22 07:38	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.138	U	0.280	0.280	1.00	0.479	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.6		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	85.2		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.110	U	0.318	0.318	5.00	0.479	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-25

Lab Sample ID: 180-133602-10

Date Collected: 02/09/22 15:02

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.130	U	0.104	0.104	1.00	0.287	pCi/L	02/23/22 09:00	03/17/22 09:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		40 - 110					02/23/22 09:00	03/17/22 09:43	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.280	U	0.325	0.326	1.00	0.535	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	86.4		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.150	U	0.341	0.342	5.00	0.535	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: DUP-2
Date Collected: 02/09/22 00:00
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133602-11
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0202	U	0.173	0.173	1.00	0.328	pCi/L	02/23/22 09:00	03/17/22 09:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	101		40 - 110					02/23/22 09:00	03/17/22 09:43	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0447	U	0.283	0.283	1.00	0.500	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	101		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	87.5		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0649	U	0.332	0.332	5.00	0.500	pCi/L		03/17/22 14:31	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-8

Lab Sample ID: 180-133638-1

Date Collected: 02/10/22 10:10

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.377		0.176	0.179	1.00	0.214	pCi/L	02/23/22 09:00	03/17/22 09:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.3		40 - 110					02/23/22 09:00	03/17/22 09:43	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.71		0.336	0.371	1.00	0.362	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.3		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	88.6		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.08		0.379	0.412	5.00	0.362	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-9

Lab Sample ID: 180-133638-2

Date Collected: 02/10/22 11:25

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.104	U	0.115	0.116	1.00	0.185	pCi/L	02/23/22 09:00	03/17/22 09:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.8		40 - 110					02/23/22 09:00	03/17/22 09:44	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0750	U	0.210	0.210	1.00	0.365	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.8		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	86.4		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.179	U	0.239	0.240	5.00	0.365	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-11

Lab Sample ID: 180-133638-3

Date Collected: 02/10/22 13:02

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0174	U	0.0934	0.0934	1.00	0.183	pCi/L	02/23/22 09:00	03/17/22 09:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.5		40 - 110					02/23/22 09:00	03/17/22 09:44	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0925	U	0.189	0.189	1.00	0.326	pCi/L	02/23/22 09:24	03/15/22 13:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.5		40 - 110					02/23/22 09:24	03/15/22 13:40	1
Y Carrier	88.2		40 - 110					02/23/22 09:24	03/15/22 13:40	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.110	U	0.211	0.211	5.00	0.326	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-12

Lab Sample ID: 180-133638-4

Date Collected: 02/10/22 15:30

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0225	U	0.121	0.121	1.00	0.247	pCi/L	02/23/22 09:00	03/17/22 09:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.3		40 - 110					02/23/22 09:00	03/17/22 09:44	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.257	U	0.328	0.329	1.00	0.545	pCi/L	02/23/22 09:24	03/15/22 13:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.3		40 - 110					02/23/22 09:24	03/15/22 13:40	1
Y Carrier	90.1		40 - 110					02/23/22 09:24	03/15/22 13:40	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.279	U	0.350	0.351	5.00	0.545	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-16

Lab Sample ID: 180-133638-5

Date Collected: 02/10/22 16:20

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0192	U	0.116	0.116	1.00	0.253	pCi/L	02/23/22 09:00	03/17/22 09:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		40 - 110					02/23/22 09:00	03/17/22 09:44	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.615		0.311	0.316	1.00	0.450	pCi/L	02/23/22 09:24	03/15/22 13:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		40 - 110					02/23/22 09:24	03/15/22 13:38	1
Y Carrier	90.1		40 - 110					02/23/22 09:24	03/15/22 13:38	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.595		0.332	0.337	5.00	0.450	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-18

Lab Sample ID: 180-133638-6

Date Collected: 02/10/22 15:25

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0263	U	0.0892	0.0892	1.00	0.220	pCi/L	02/23/22 09:00	03/17/22 09:45	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					02/23/22 09:00	03/17/22 09:45	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.270	U	0.399	0.400	1.00	0.668	pCi/L	02/23/22 09:24	03/15/22 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					02/23/22 09:24	03/15/22 13:23	1
Y Carrier	84.9		40 - 110					02/23/22 09:24	03/15/22 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.244	U	0.409	0.410	5.00	0.668	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-22
Date Collected: 02/10/22 10:46
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0372	U	0.0838	0.0839	1.00	0.203	pCi/L	02/23/22 09:00	03/17/22 09:45	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.3		40 - 110					02/23/22 09:00	03/17/22 09:45	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.383	U	0.260	0.263	1.00	0.399	pCi/L	02/23/22 09:24	03/15/22 13:24	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	81.3		40 - 110					02/23/22 09:24	03/15/22 13:24	1
Y Carrier	86.0		40 - 110					02/23/22 09:24	03/15/22 13:24	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.346	U	0.273	0.276	5.00	0.399	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-23

Lab Sample ID: 180-133638-8

Date Collected: 02/10/22 09:40

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0594	U	0.0816	0.0817	1.00	0.138	pCi/L	02/25/22 12:58	03/21/22 13:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		40 - 110					02/25/22 12:58	03/21/22 13:38	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.145	U	0.268	0.269	1.00	0.454	pCi/L	02/25/22 13:48	03/18/22 12:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		40 - 110					02/25/22 13:48	03/18/22 12:38	1
Y Carrier	85.2		40 - 110					02/25/22 13:48	03/18/22 12:38	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.204	U	0.280	0.281	5.00	0.454	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWA-24

Lab Sample ID: 180-133638-9

Date Collected: 02/10/22 13:45

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0468	U	0.111	0.111	1.00	0.200	pCi/L	02/25/22 12:58	03/21/22 13:39	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		40 - 110					02/25/22 12:58	03/21/22 13:39	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.00438	U	0.235	0.235	1.00	0.418	pCi/L	02/25/22 13:48	03/18/22 12:39	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		40 - 110					02/25/22 13:48	03/18/22 12:39	1
Y Carrier	84.9		40 - 110					02/25/22 13:48	03/18/22 12:39	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0512	U	0.260	0.260	5.00	0.418	pCi/L		03/21/22 16:37	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: EB-3

Lab Sample ID: 180-133638-10

Date Collected: 02/10/22 16:50

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0299	U	0.0631	0.0631	1.00	0.116	pCi/L	02/22/22 15:12	03/16/22 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	67.6		40 - 110					02/22/22 15:12	03/16/22 11:52	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.455	U	0.329	0.332	1.00	0.512	pCi/L	02/22/22 15:42	03/07/22 13:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	67.6		40 - 110					02/22/22 15:42	03/07/22 13:20	1
Y Carrier	84.5		40 - 110					02/22/22 15:42	03/07/22 13:20	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.485	U	0.335	0.338	5.00	0.512	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: FB-3

Lab Sample ID: 180-133638-11

Date Collected: 02/10/22 14:00

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0106	U	0.0853	0.0853	1.00	0.171	pCi/L	02/22/22 15:12	03/16/22 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	53.4		40 - 110					02/22/22 15:12	03/16/22 11:52	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0416	U	0.358	0.358	1.00	0.638	pCi/L	02/22/22 15:42	03/07/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	53.4		40 - 110					02/22/22 15:42	03/07/22 13:21	1
Y Carrier	86.0		40 - 110					02/22/22 15:42	03/07/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0522	U	0.368	0.368	5.00	0.638	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: DUP-3
Date Collected: 02/10/22 00:01
Date Received: 02/12/22 12:45

Lab Sample ID: 180-133638-12
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0374	U	0.0678	0.0679	1.00	0.122	pCi/L	02/22/22 15:12	03/16/22 11:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/22/22 15:12	03/16/22 11:57	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.174	U	0.332	0.333	1.00	0.566	pCi/L	02/22/22 15:42	03/07/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/22/22 15:42	03/07/22 13:21	1
Y Carrier	84.9		40 - 110					02/22/22 15:42	03/07/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.211	U	0.339	0.340	5.00	0.566	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-10

Lab Sample ID: 180-133644-1

Date Collected: 02/11/22 09:24

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0434	U	0.0596	0.0597	1.00	0.101	pCi/L	02/22/22 15:12	03/16/22 11:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.3		40 - 110					02/22/22 15:12	03/16/22 11:57	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.393	U	0.270	0.272	1.00	0.416	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.3		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	84.1		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.436		0.276	0.278	5.00	0.416	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-17

Lab Sample ID: 180-133644-2

Date Collected: 02/11/22 09:45

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00841	U	0.0558	0.0558	1.00	0.118	pCi/L	02/22/22 15:12	03/16/22 11:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		40 - 110					02/22/22 15:12	03/16/22 11:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.241	U	0.250	0.251	1.00	0.408	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.0		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	86.0		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.233	U	0.256	0.257	5.00	0.408	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-21

Lab Sample ID: 180-133644-3

Date Collected: 02/11/22 09:30

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.129	U	0.113	0.114	1.00	0.175	pCi/L	02/22/22 15:12	03/16/22 11:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.8		40 - 110					02/22/22 15:12	03/16/22 11:54	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.561		0.348	0.352	1.00	0.532	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.8		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	85.2		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.689		0.366	0.370	5.00	0.532	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-20

Lab Sample ID: 180-133644-4

Date Collected: 02/11/22 10:20

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00221	U	0.0657	0.0657	1.00	0.131	pCi/L	02/22/22 15:12	03/16/22 11:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					02/22/22 15:12	03/16/22 11:54	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.261	U	0.250	0.251	1.00	0.403	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	88.2		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.259	U	0.258	0.259	5.00	0.403	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-15

Lab Sample ID: 180-133644-5

Date Collected: 02/11/22 11:06

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0361	U	0.0774	0.0775	1.00	0.171	pCi/L	02/22/22 15:12	03/16/22 11:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.3		40 - 110					02/22/22 15:12	03/16/22 11:54	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.536		0.322	0.325	1.00	0.486	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.3		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	88.2		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.500		0.331	0.334	5.00	0.486	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-13

Lab Sample ID: 180-133644-6

Date Collected: 02/11/22 11:05

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0595	U	0.0712	0.0714	1.00	0.117	pCi/L	02/22/22 15:12	03/16/22 11:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.3		40 - 110					02/22/22 15:12	03/16/22 11:54	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.572		0.265	0.270	1.00	0.383	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.3		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	87.1		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.631		0.274	0.279	5.00	0.383	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-19

Lab Sample ID: 180-133644-7

Date Collected: 02/11/22 11:06

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0146	U	0.0941	0.0941	1.00	0.189	pCi/L	02/22/22 15:12	03/16/22 11:54	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					02/22/22 15:12	03/16/22 11:54	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.471	U	0.317	0.320	1.00	0.491	pCi/L	02/22/22 15:42	03/07/22 13:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					02/22/22 15:42	03/07/22 13:30	1
Y Carrier	93.5		40 - 110					02/22/22 15:42	03/07/22 13:30	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.456	U	0.331	0.334	5.00	0.491	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Client Sample ID: SGWC-14

Lab Sample ID: 180-133781-1

Date Collected: 02/14/22 11:22

Matrix: Water

Date Received: 02/16/22 16:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0224	U	0.0925	0.0925	1.00	0.174	pCi/L	02/22/22 15:12	03/16/22 11:55	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					02/22/22 15:12	03/16/22 11:55	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.354	U	0.307	0.309	1.00	0.491	pCi/L	02/22/22 15:42	03/07/22 13:30	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.8		40 - 110					02/22/22 15:42	03/07/22 13:30	1
Y Carrier	91.2		40 - 110					02/22/22 15:42	03/07/22 13:30	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.377	U	0.321	0.323	5.00	0.491	pCi/L		03/16/22 17:45	1

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-551849/23-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551849

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.05818	U	0.0636	0.0638	1.00	0.149	pCi/L	02/22/22 15:12	03/16/22 11:48	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	40 - 110					02/22/22 15:12	03/16/22 11:48	1
	95.8									

Lab Sample ID: LCS 160-551849/1-A
Matrix: Water
Analysis Batch: 555611

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551849

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec. Limits
	Result	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-226			11.3	11.25	1.15	1.00	0.117	pCi/L	99	75 - 125
Carrier	LCS		Limits							
Ba Carrier	%Yield	LCS Qualifier	40 - 110							
	92.5									

Lab Sample ID: 500-212081-H-15-A DU
Matrix: Water
Analysis Batch: 555632

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 551849

Analyte	Sample		DU		Total	RL	MDC	Unit	RER	RER Limit
	Result	Sample Qual	Result	DU Qual	Uncert. (2σ+/-)					
Radium-226	0.195		0.05380	U	0.0758	1.00	0.128	pCi/L	0.74	1
Carrier	DU		Limits							
Ba Carrier	%Yield	DU Qualifier	40 - 110							
	84.3									

Lab Sample ID: MB 160-552009/23-A
Matrix: Water
Analysis Batch: 555701

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 552009

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.1802	U	0.151	0.152	1.00	0.222	pCi/L	02/23/22 09:00	03/17/22 09:45	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	40 - 110					02/23/22 09:00	03/17/22 09:45	1
	71.3									

Lab Sample ID: LCS 160-552009/1-A
Matrix: Water
Analysis Batch: 555701

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 552009

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec. Limits
	Result	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-226			11.3	11.43	1.30	1.00	0.226	pCi/L	101	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-552009/1-A
Matrix: Water
Analysis Batch: 555701

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 552009

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	90.0		40 - 110

Lab Sample ID: LCSD 160-552009/2-A
Matrix: Water
Analysis Batch: 555701

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 552009

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
Radium-226	11.3	10.48		1.22	1.00	0.206	pCi/L	92	75 - 125	0.37	1

Carrier	LCSD %Yield	LCSD Qualifier	Limits
Ba Carrier	88.8		40 - 110

Lab Sample ID: MB 160-552246/22-A
Matrix: Water
Analysis Batch: 556277

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 552246

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.04109	U	0.0922	0.0923	1.00	0.168	pCi/L	02/25/22 12:58	03/21/22 13:39	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110	02/25/22 12:58	03/21/22 13:39	1

Lab Sample ID: LCS 160-552246/1-A
Matrix: Water
Analysis Batch: 556272

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 552246

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	11.3	9.765		1.10	1.00	0.159	pCi/L	86	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	93.8		40 - 110

Lab Sample ID: 160-44660-A-27-E MS
Matrix: Water
Analysis Batch: 556272

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 552246

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-226	1.35		11.3	10.38		1.16	1.00	0.166	pCi/L	80	60 - 140

Carrier	MS %Yield	MS Qualifier	Limits
Ba Carrier	88.5		40 - 110

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: 160-44660-B-27-B MSD
Matrix: Water
Analysis Batch: 556272

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 552246

Analyte	Sample	Sample	Spike	MSD	MSD	Total	RL	MDC	Unit	%Rec	%Rec.	RER	RER
	Result	Qual		Result	Qual	Uncert.					Limits		Limit
Radium-226	1.35		11.3	10.72		1.18	1.00	0.159	pCi/L	83	60 - 140	0.14	1
MSD MSD													
Carrier	%Yield	Qualifier	Limits										
Ba Carrier	91.8		40 - 110										

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-551852/23-A
Matrix: Water
Analysis Batch: 553855

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551852

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	-0.01687	U	0.178	0.178	1.00	0.327	pCi/L	02/22/22 15:42	03/07/22 13:30	1
MB MB										
Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac				
Ba Carrier	95.8		40 - 110	02/22/22 15:42	03/07/22 13:30	1				
Y Carrier	87.9		40 - 110	02/22/22 15:42	03/07/22 13:30	1				

Lab Sample ID: LCS 160-551852/1-A
Matrix: Water
Analysis Batch: 553908

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551852

Analyte	Spike	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec.
		Result	Qual	Uncert.					Limits
Radium-228	8.81	9.582		1.11	1.00	0.375	pCi/L	109	75 - 125
LCS LCS									
Carrier	%Yield	Qualifier	Limits						
Ba Carrier	92.5		40 - 110						
Y Carrier	86.4		40 - 110						

Lab Sample ID: 500-212081-H-15-B DU
Matrix: Water
Analysis Batch: 553908

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 551852

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER	
	Result	Qual			Uncert.					Limit	
Radium-228	-0.0813	U	0.2437	U	0.221	1.00	0.351	pCi/L		0.79	1
DU DU											
Carrier	%Yield	Qualifier	Limits								
Ba Carrier	84.3		40 - 110								
Y Carrier	85.6		40 - 110								

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: MB 160-552011/23-A
Matrix: Water
Analysis Batch: 555442

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 552011

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.01200	U	0.367	0.367	1.00	0.648	pCi/L	02/23/22 09:24	03/15/22 13:24	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	71.3		40 - 110				02/23/22 09:24		03/15/22 13:24	1
Y Carrier	83.7		40 - 110				02/23/22 09:24		03/15/22 13:24	1

Lab Sample ID: LCS 160-552011/1-A
Matrix: Water
Analysis Batch: 555482

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 552011

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec. Limits
	%Yield	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-228			8.79	9.294	1.09	1.00	0.331	pCi/L	106	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits							
Ba Carrier	90.0		40 - 110							
Y Carrier	86.7		40 - 110							

Lab Sample ID: LCSD 160-552011/2-A
Matrix: Water
Analysis Batch: 555482

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 552011

Analyte	LCSD		Spike	LCSD	Total	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
	%Yield	LCSD Qualifier	Added	Result	Uncert. (2σ+/-)							
Radium-228			8.79	10.17	1.18	1.00	0.378	pCi/L	116	75 - 125	0.39	1
Carrier	LCSD %Yield	LCSD Qualifier	Limits									
Ba Carrier	88.8		40 - 110									
Y Carrier	86.0		40 - 110									

Lab Sample ID: MB 160-552250/22-A
Matrix: Water
Analysis Batch: 555898

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 552250

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.2678	U	0.234	0.235	1.00	0.375	pCi/L	02/25/22 13:48	03/18/22 12:39	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110				02/25/22 13:48		03/18/22 12:39	1
Y Carrier	87.1		40 - 110				02/25/22 13:48		03/18/22 12:39	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-552250/1-A
Matrix: Water
Analysis Batch: 555897

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 552250

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
									64	75 - 125
Radium-228	8.78	5.619		0.750	1.00	0.395	pCi/L	64	75 - 125	
LCS LCS										
Carrier	%Yield	Qualifier	Limits							
Ba Carrier	93.8		40 - 110							
Y Carrier	81.1		40 - 110							

Lab Sample ID: 160-44660-A-27-F MS
Matrix: Water
Analysis Batch: 555897

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 552250

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
											93	60 - 140
Radium-228	0.270	U	8.78	8.393		1.02	1.00	0.420	pCi/L	93	60 - 140	
MS MS												
Carrier	%Yield	Qualifier	Limits									
Ba Carrier	88.5		40 - 110									
Y Carrier	83.4		40 - 110									

Lab Sample ID: 160-44660-B-27-D MSD
Matrix: Water
Analysis Batch: 555897

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 552250

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		RER	RER Limit
											77	60 - 140	0.72	1
Radium-228	0.270	U	8.77	7.020		0.874	1.00	0.356	pCi/L	77	60 - 140	0.72	1	
MSD MSD														
Carrier	%Yield	Qualifier	Limits											
Ba Carrier	91.8		40 - 110											
Y Carrier	83.7		40 - 110											

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Rad

Prep Batch: 551849

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-10	EB-3	Total/NA	Water	PrecSep-21	
180-133638-11	FB-3	Total/NA	Water	PrecSep-21	
180-133638-12	DUP-3	Total/NA	Water	PrecSep-21	
180-133644-1	SGWC-10	Total/NA	Water	PrecSep-21	
180-133644-2	SGWC-17	Total/NA	Water	PrecSep-21	
180-133644-3	SGWC-21	Total/NA	Water	PrecSep-21	
180-133644-4	SGWC-20	Total/NA	Water	PrecSep-21	
180-133644-5	SGWC-15	Total/NA	Water	PrecSep-21	
180-133644-6	SGWC-13	Total/NA	Water	PrecSep-21	
180-133644-7	SGWC-19	Total/NA	Water	PrecSep-21	
180-133781-1	SGWC-14	Total/NA	Water	PrecSep-21	
MB 160-551849/23-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-551849/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-212081-H-15-A DU	Duplicate	Total/NA	Water	PrecSep-21	

Prep Batch: 551852

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-10	EB-3	Total/NA	Water	PrecSep_0	
180-133638-11	FB-3	Total/NA	Water	PrecSep_0	
180-133638-12	DUP-3	Total/NA	Water	PrecSep_0	
180-133644-1	SGWC-10	Total/NA	Water	PrecSep_0	
180-133644-2	SGWC-17	Total/NA	Water	PrecSep_0	
180-133644-3	SGWC-21	Total/NA	Water	PrecSep_0	
180-133644-4	SGWC-20	Total/NA	Water	PrecSep_0	
180-133644-5	SGWC-15	Total/NA	Water	PrecSep_0	
180-133644-6	SGWC-13	Total/NA	Water	PrecSep_0	
180-133644-7	SGWC-19	Total/NA	Water	PrecSep_0	
180-133781-1	SGWC-14	Total/NA	Water	PrecSep_0	
MB 160-551852/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-551852/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-212081-H-15-B DU	Duplicate	Total/NA	Water	PrecSep_0	

Prep Batch: 552009

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	PrecSep-21	
180-133602-2	SGWA-2	Total/NA	Water	PrecSep-21	
180-133602-3	SGWA-3	Total/NA	Water	PrecSep-21	
180-133602-4	SGWA-4	Total/NA	Water	PrecSep-21	
180-133602-5	SGWA-5	Total/NA	Water	PrecSep-21	
180-133602-6	SGWA-6	Total/NA	Water	PrecSep-21	
180-133602-7	SGWC-7	Total/NA	Water	PrecSep-21	
180-133602-8	FB-2	Total/NA	Water	PrecSep-21	
180-133602-9	EB-2	Total/NA	Water	PrecSep-21	
180-133602-10	SGWA-25	Total/NA	Water	PrecSep-21	
180-133602-11	DUP-2	Total/NA	Water	PrecSep-21	
180-133638-1	SGWC-8	Total/NA	Water	PrecSep-21	
180-133638-2	SGWC-9	Total/NA	Water	PrecSep-21	
180-133638-3	SGWC-11	Total/NA	Water	PrecSep-21	
180-133638-4	SGWC-12	Total/NA	Water	PrecSep-21	
180-133638-5	SGWC-16	Total/NA	Water	PrecSep-21	
180-133638-6	SGWC-18	Total/NA	Water	PrecSep-21	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1

Job ID: 180-133602-2

Rad (Continued)

Prep Batch: 552009 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-7	SGWC-22	Total/NA	Water	PrecSep-21	
MB 160-552009/23-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-552009/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-552009/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 552011

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133602-1	SGWA-1	Total/NA	Water	PrecSep_0	
180-133602-2	SGWA-2	Total/NA	Water	PrecSep_0	
180-133602-3	SGWA-3	Total/NA	Water	PrecSep_0	
180-133602-4	SGWA-4	Total/NA	Water	PrecSep_0	
180-133602-5	SGWA-5	Total/NA	Water	PrecSep_0	
180-133602-6	SGWC-6	Total/NA	Water	PrecSep_0	
180-133602-7	SGWC-7	Total/NA	Water	PrecSep_0	
180-133602-8	FB-2	Total/NA	Water	PrecSep_0	
180-133602-9	EB-2	Total/NA	Water	PrecSep_0	
180-133602-10	SGWA-25	Total/NA	Water	PrecSep_0	
180-133602-11	DUP-2	Total/NA	Water	PrecSep_0	
180-133638-1	SGWC-8	Total/NA	Water	PrecSep_0	
180-133638-2	SGWC-9	Total/NA	Water	PrecSep_0	
180-133638-3	SGWC-11	Total/NA	Water	PrecSep_0	
180-133638-4	SGWC-12	Total/NA	Water	PrecSep_0	
180-133638-5	SGWC-16	Total/NA	Water	PrecSep_0	
180-133638-6	SGWC-18	Total/NA	Water	PrecSep_0	
180-133638-7	SGWC-22	Total/NA	Water	PrecSep_0	
MB 160-552011/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-552011/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-552011/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

Prep Batch: 552246

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-8	SGWC-23	Total/NA	Water	PrecSep-21	
180-133638-9	SGWA-24	Total/NA	Water	PrecSep-21	
MB 160-552246/22-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-552246/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
160-44660-A-27-E MS	Matrix Spike	Total/NA	Water	PrecSep-21	
160-44660-B-27-B MSD	Matrix Spike Duplicate	Total/NA	Water	PrecSep-21	

Prep Batch: 552250

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133638-8	SGWC-23	Total/NA	Water	PrecSep_0	
180-133638-9	SGWA-24	Total/NA	Water	PrecSep_0	
MB 160-552250/22-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-552250/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
160-44660-A-27-F MS	Matrix Spike	Total/NA	Water	PrecSep_0	
160-44660-B-27-D MSD	Matrix Spike Duplicate	Total/NA	Water	PrecSep_0	

TestAmerica Pittsburgh


301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell				Site Contact: Dawn Prell				Date: 2/10/2022				COC No:	
Joju Abraham		Tel/Fax: 248-536-5445				Lab Contact: Shali Brown				Carrier:				1 of 1 COCs	
Southern Company		Analysis Turnaround Time													
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS													
Atlanta, GA 30308		TAT if different from Below ___3-5 days___													
JAbraham@southernco.com		<input type="checkbox"/> 2 weeks													
Project Name: CCR - Plant Scherer AP1		<input type="checkbox"/> 1 week													
Site: Georgia		<input type="checkbox"/> 2 days													
P O #		<input type="checkbox"/> 1 day													
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	Sample Specific Notes:
SGWA-1	2/9/2022	13:22	G	GW	6			X	X	X	X	X	X	X	pH= 5.28
SGWA-2	2/9/2022	14:03	G	GW	6			X	X	X	X	X	X	X	pH= 7.01
SGWA-3	2/9/2022	12:35	G	GW	6			X	X	X	X	X	X	X	pH= 5.84
SGWA-4	2/9/2022	11:10	G	GW	6			X	X	X	X	X	X	X	pH= 6.38
SGWA-5	2/9/2022	13:50	G	GW	6			X	X	X	X	X	X	X	pH= 5.56
SGWC-6	2/9/2022	16:00	G	GW	6			X	X	X	X	X	X	X	pH= 6.33
SGWC-7	2/9/2022	16:09	G	GW	6			X	X	X	X	X	X	X	pH= 6.77
FB-2	2/9/2022	12:10	G	GW	6			X	X	X	X	X	X	X	
EB-2	2/9/2022	14:20	G	GW	6			X	X	X	X	X	X	X	
SGWA-25	2/9/2022	15:02	G	GW	6			X	X	X	X	X	X	X	pH= 6.17
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						4		4							
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Dis:						onger than 1 month)			
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input type="checkbox"/> Return to						Archive for _____ Months			
Special Instructions/QC Requirements & Comments:															
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No						Custody Seal No.:				Cooler Temp. (°C): Obs'd: _____				Therm ID No.:	
Relinquished by: <i>[Signature]</i>		Company: <i>USE-6A09n</i>		Date/Time: <i>02/10/22 08:20</i>		Received by: <i>Flaine Coolc</i>				Company: <i>Courier New</i>		Date/Time: <i>2/10/22</i>			
Relinquished by: <i>[Signature]</i>		Company: _____		Date/Time: <i>2/10/22 1009</i>		Received by: <i>Flaine Coolc</i>				Company: _____		Date/Time: <i>2/10/22 1009</i>			
Relinquished by: _____		Company: _____		Date/Time: _____		Received in Laboratory by: <i>[Signature]</i>				Company: <i>ESTARH</i>		Date/Time: <i>2-11-22</i>			

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019



TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 2/11/2022		COC No:					
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: Shali Brown		Carrier:		1 of 1 COCs					
Southern Company		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS/MSD (Y/N) App III/IV Total Metals Cl, F, SO4, TDS Radium 226/228 Mg, Na, K, Mn Alkalinity (total, CO3, HCO3) Sulfide Fe2, Fe3		Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.: Sample Specific Notes:		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below 3-5 days					
241 Ralph McGill Blvd SE B10185		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						JAbraham@southernco.com Project Name: CCR - Plant Scherer AP1 Site: Georgia P O #					
Atlanta, GA 30308													
Sample Identification		Sample Date	Sample Time					Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.			
SGWC-8		2/10/2022	10:10					G	GW	6	X	X	X
SGWC-9		2/10/2022	11:25	G	GW	6	X	X	X				
SGWC-11		2/10/2022	13:02	G	GW	8	X	X	X				
SGWC-12		2/10/2022	15:30	G	GW	6	X	X	X				
SGWC-16		2/10/2022	16:20	G	GW	6	X	X	X				
SGWC-18		2/10/2022	15:25	G	GW	6	X	X	X				
SGWC-22		2/10/2022	10:46	G	GW	6	X	X	X				
SGWC-23		2/10/2022	09:40	G	GW	6	X	X	X				
SGWA-24		2/10/2022	13:45	G	GW	6	X	X	X				
EB-3		2/10/2022	16:50	G	GW	6	X	X	X				
FB-3		2/10/2022	14:00	G	GW	6	X	X	X				
DUP-3		2/10/2022	--	G	GW	6	X	X	X				
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							4	1	4	4	1	5	1
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.							Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)						
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> S <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months						
Special Instructions/QC Requirements & Comments:													
Custody Seals Intact: <input type="checkbox"/> Yes			Custody Seal No.:			Cooler Temp. (°C): Obs'd:		Corr'd:		Therm ID No.:			
Relinquished by: [Signature]			Company: Golden 16:03			Date/Time: 2/11/22		Received by: [Signature]		Company: [Signature]			
Relinquished by: [Signature]			Company: GTR 16:30			Date/Time: 2/11/22		Received by: [Signature]		Company: [Signature]			
Relinquished by: [Signature]			Company:			Date/Time:		Received in Laboratory by:		Company:			



TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 JAbraham@southernco.com		Project Manager: Dawn Prell Tel/Fax: 248-536-5445		Site Contact: Dawn Prell Lab Contact: Shali Brown		Date: 2/11/2022 Carrier:		COC No: _1_ of _1_ COCs						
Project Name: CCR - Plant Scherer AP1 Site: Georgia P O #		Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below ___3-5 days___ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Filtered Sample (Y/N)		Perform MS / MSD (Y / N)		Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:						
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	Sample Specific Notes:
SGWC-10		2/11/2022	09:24	G	GW	6	X	X	X	X	X	X	X	pH= 5.13
SGWC-17		2/11/2022	09:45	G	GW	6	X	X	X	X	X	X	X	pH= 6.39
SGWC-21		2/11/2022	9:30	G	GW	6	X	X	X	X	X	X	X	pH= 6.31
SGWC-20		2/11/2022	10:20	G	GW	6	X	X	X	X	X	X	X	pH= 4.25
SGWC-15		2/11/2022	11:06	G	GW	8	X	X	X	X	X	X	X	pH= 4.59
SGWC-13		2/11/2022	11:05	G	GW	6	X	X	X	X	X	X	X	pH= 6.02
SGWC-19		2/11/2022	11:06	G	GW	6	X	X	X	X	X	X	X	pH= 5.65
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							4	1	4	4	1	5	1	
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> S <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months							
Special Instructions/QC Requirements & Comments:														
Custody Seals Intact: <input type="checkbox"/> Yes		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.:						
Relinquished by:		Company: Golden		Date/Time: 16:03 2/11/22		Received by:		Company: ETR		Date/Time: 2/11/22 16:03				
Relinquished by:		Company: ETR		Date/Time: 16:30 2/11/22		Received by:		Company: 2/11/22 1245		Date/Time: ETRP:11				
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:		Date/Time:				



TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record




TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 JAbraham@southernco.com Project Name: CCR - Plant Scherer AP1 Site: Georgia P O #	Project Manager: Dawn Prell Tel/Fax: 248-536-5445	Site Contact: Dawn Prell Lab Contact: Shali Brown	Date: 2/15/2022 Carrier:	COC No: 1 of 1 COCs Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:
---	---	---	------------------------------------	--

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium, 226/228	Mg, Ni, Mn	Alkalinity (total, CO3, HCO3)	Sulfide #	Fe2, Fe3	pH	Specific Notes
SGWC-14	2/14/2022	11:22	G	GW	6			X	X	X	X	X	X	X		pH= 5.77



Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification:
 Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable S Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: Yes

Custody Seal No.: _____ Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ Therm ID No.: _____

Relinquished by: <i>[Signature]</i>	Company: <i>WSP-baron</i>	Date/Time: <i>2/15/22 7:55</i>	Received by: <i>Blaine Cook</i>	Company: <i>Courier Now</i>	Date/Time: <i>2/15/22</i>
Relinquished by: <i>[Signature]</i>	Company: <i>[Signature]</i>	Date/Time: <i>[Signature]</i>	Received by: <i>Michael Meckel</i>	Company: <i>WHS</i>	Date/Time: <i>2-15-22 9:50</i>
Relinquished by: <i>Michael Meckel</i>	Company: <i>[Signature]</i>	Date/Time: <i>2/15/22 9:50</i>	Received in Laboratory by: <i>[Signature]</i>	Company: <i>2/16/22 [Signature]</i>	Date/Time: <i>2/16/22</i>

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019
2/21/22

FedEx

eurofins

Environment Testing
TestAmerica

RT 98
10:30
1080
02:11
FZ

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NIA
SUITE 900
NORCROSS, GA 30071
UNITED STATES US



SHIP DATE: 10FEB22
ACT WT: 59.25 LB
CAD: 859116/CAFE3510

BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7066
REF: 1
RPT: 1

DEPT: 1



FedEx
Express
E

12110201231019V



180-133602 Waybill

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

1 of 6
TRK# 5220 7116 1680
MASTER

NA AGCA

15238
PIT

PA-US


3.5 °C

Uncorrected temp

Thermometer ID

CF Initials

PT-WI-SR-001 effective 11/8/19



1
2
3
4
5
6
7
8
9
10
11
12
13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22


86
N

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CAD: 859116/CAFE3510
BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7066
REF: 1907
DEPT: 2



DEPT:



FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

2 of 6
MPS# 5220 7116 1690
Mst# 5220 7116 1680

0201

NA AGCA

Uncorrected temp
Thermometer ID

15238
PA-US PIT

CF 0 Initials 0
2.1 °C
16



PT-VI-SR-001 effective 1/18/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Do not lift using this tail.



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

RT 98
FZ
A
1
10:30
1705
02:11

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CAD: 859116/QQFE9510

BILL THIRD PARTY

TO **SAMPLE RECIEVING**

EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068 REF: INVT: PO:

DEPT:



FedEx
Express



Uncorrected temp
Thermometer ID

2.7
16
8

CF 0 Initials

PT-WI-SR-001 effective 11/08/18

11 FEB 10:30A

MPS# 5220 7116 1705

PRIORITY OVERNIGHT


Mstr# 5220 7116 1680

0201

NA AGCA

15238

PA-US PIT



FedEx



eurofins

Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATE SC
8219 REGENCY PARKWAY NW
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CAD: 859116/CAFE3510
BILL- THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 863-7058
REF: 0201


DEPT:



Uncorrected temp
Thermometer ID

CF

SR-001 effective 1/1/11



FedEx
Express



12110201211019

4 of 6

MPS# 5220 7116 1716

Mstr# 5220 7116 1680


NA AGCA

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

15238

PA-US

PIT



FE



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING: EG SC LE
CAD: 859116/CAFE3510
BILL THIRD PARTY

TO **SAMPLE RECIEVING**

EUROFINS TESTAMERICA PITTSBURGH


301 ALPHA DR.

RIDC PARK

PITTSBURGH PA 15238

(412) 963-7059
REF: 1
PDI

DEPT:



FedEx
Express



127110207171018

5 of 6

MPS# 5220 7116 1727


Mstr# 5220 7116 1680

0201

NA AGCA

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

15238
PA-US PIT



Uncorrected temp

Thermometer ID

CF 0 Initials EG

44

PT-MI-SR-001 effective 11/16/18

°C

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

eurofins

Environment Testing
TestAmerica

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA -ATL SC
6215 REGENCY PARKWAY, NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING: 56.25 LB
CAD: 959116/CAF3510
BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 9637-7058
DEPT: 0201

Unconnected temp
Thermometer ID
Initials

FedEx
Express


FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

5220 7116 1738

Mstr# 5220 7116 1680

NA-AGCA

15238
PA-US PIT





Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LLYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 11FEB22
ACTWT: 51.15 LB
CAD: 859116/CAFE3510
BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 988-7088
REF: GOLDER - SCHERER



180-133638 Waybill




AN1011210201127

6 of 6
MPS# 5220 7116 2285
0263
Mat# 5220 7116 2230

SATURDAY 12:00P
PRIORITY OVERNIGHT
0201

NO AGCA

15238
PA-US PIT




Uncorrected temp
Thermometer ID

CF 0 Initials

PT-W-SR-001 effective 11/8/18




Environment Testing
TestAmerica



Part # 159469-434 MTW EXP 09/22

ORIGIN ID: L1YA (678) SE
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SE
6215 REGENCY PARKWAY NM
SUITE 900
NORCROSS, GA 30071
UNITED STATES US
DATE: 11FEB22
WT: 15.15 LB
#559116/DATE3510
BILL RECIPIENT

10 **SAMPLE RECEIVING**
EUROFINS TESTING AMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238
(412) 988-7068
REF: **GOLDER SCHERER**



1 of 6
TRK# 5220 7116 2230
0201
MASTER ##
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
15238
PA-US PIT

Uncorrected temp 3.3 °C
Thermometer ID 10
CF 0 Initials 8
PT-M-SR-001 effective 11/8/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Environment TestAmerica
 RT 639
 12:00 2241
 02.12
 Testing

Part # 159469-434 MTW EXP 022


ORIGIN ID: LIYA (678) 966-9991
 GEORGE TAYLOR
 EUROFINS TESTING AMERICA ATL SC
 6215 REGENCY PARKWAY NM
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

SHIP DATE: 11FEB22
 ACTWGT: 51.15 LB
 CAD: 859116/CAFE3510

BILL RECIPIENT

TO SAMPLE RECEIVING
 EUROFINS TESTAMERICA PITTSBURGH
 301 ALPHA DR.
 RIDC PARK
 PITTSBURGH PA 15238

(412) 863-7068
 REF: GOLDER - SCHERER



2 of 6
 MRS# 5220 7116 2241 SATURDAY 12:00P
 0263
 Mstr# 5220 7116 2230 PRIORITY OVERNIGHT
 0201
NO AGCA 15238
 Uncorrected temp
 Thermometer ID
 CF G
 Initials
 PA-US PIT

PT-M-SR-001 effective 1/18/18
 35
 16
 C

1
2
3
4
5
6
7
8
9
10
11
12
13



Environment Testing
TestAmerica


Part # 159469-434 MTW EXP 09/22

ORIGIN ID:LIYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CWD: 859116/CFR B9510
BILL RECIPIENT

10 SAMPLE RECEIVING

EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 963-7068
REF: GOLDER - SCHERER



SATURDAY 12:00P
PRIORITY OVERNIGHT

3 of 6
MPS# 5220 7116 2252
0263
Mstr# 5220 7116 2230
0201



15238
PA-US PIT

NO AGCA

Uncorrected temp 4.5 °C
Thermometer ID 16
CF Q Initials RB
PT-WA-SR-001 effective 11/8/18



1
2
3
4
5
6
7
8
9
10
11
12
13



Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LYA (A7B) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACT WT: 51.15 LB
CAD: B 0116/CAT#E3510

BILL RECEIPT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 983-7058
REF: GOLDER - SCHERER



MPS# 5220 7116 2263
[0263]
Mstr# 5220 7116 2230
[0201]

SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
PA-US **PIT 15238**

Uncorrected temp 24 °C
Thermometer ID 16
CF 0 Initials B
PT-MI-SR-001 effect: 11/8/15



1
2
3
4
5
6
7
8
9
10
11
12
13



eurofins

Environmental Testing
TestAmerica


Part # 159469-494 MTW EXP 09/22

ORIGIN ID: L1YA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CDB: 859116/CAFE3510

BILL RECIPIENT


TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 989-7088
REF: GOLDR - SCHERER



J2110201211014

5 of 6
MPS# 5220 7116 2274 SATURDAY 12:00P
0263
Mstr# 5220 7116 2230 PRIORITY OVERNIGHT
0201
NO AGCA 15238
PA-US PIT

Uncorrected temp _____
Thermometer ID _____
CF 0 Initials ST
PT-W-SR-001 effective 11/9/18





Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22





ORIGIN ID: ILIYA (678) 958
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL
6215 AGENCY PARKWAY NM
SUITE 800
NORCROSS, GA 30071
UNITED STATES US
DATE: 11FEB22
WT: 51.15 LB
959116/CATE3510
BILL RECIPIENT

70 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDER - SCHERER



180-133644 Waybill




1 of 6
TRK# 5220 7116 2230
0201
MASTER ##
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
15238
PA-US PIT

Uncorrected temp 3.3 °C
Thermometer ID 16

CF 0 Initials 8

PT-WI-SR-001 effective 11/6/18



Do not lift using this tag

Part # 159469-434 MTW EXP 03/22

eur **639** **resting**
estamerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 11FEB22
ACT WT: 5.15 LB
CAD: 859116/CAF3510

BILL RECIPIENT

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238

(412) 863-7068

REF: GORDER - SCHERER



FedEx Express **E**

2 of 6
SATURDAY 12:00P
PRIORITY OVERNIGHT

MRS# 5220 7116 2241

Mstr# 5220 7116 2230

0201

NO AGCA

15238

PA-US

PIT


Uncorrected temp
Thermometer ID

CF

35 °C
16

Initials

PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

FedEx



Environment Testing
TestAmerica



Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA A TL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11 FEB 22
ACTING: 15 FEB 22
CAD: 659116/CAF8510
BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 863-7068

REF: **GOLDER - SCHERER**



3 of 6

MPS# **5220 7116 2252**

Mstr# **5220 7116 2230**

0201

SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
PA-US PIT

Uncorrected temp 4.4 °C

Thermometer ID 16

CF 0 Initials B


PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Part # 159469-434 MTW EXP 09/22

eurofins




ORIGIN ID: LVA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTN: 0151 US EB22
CRD: 8 116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 968-7068
REF: GOLDR - SCHERER



4 of 6
MPS# **5220 7116 2263**
Mstr# 5220 7116 2230

NO AGCA
SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PA-US PIT

Uncorrected temp 29 °C
Thermometer ID 16
CF 0 Initials B
PT-WI-SR-001 effect 11/8/16



Part # 159469-434 MTW EXP 09/22

639
1300
Environment Testing
ESTAMERICA



eurofins



ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACTWGT: 51.15 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDR - SCHERER



SATURDAY 12:00P
PRIORITY OVERNIGHT

5 of 6
MPS# 5220 7116 2274
Mstr# 5220 7116 2230

NO AGCA
15238
PA-US PIT

Uncorrected temp _____ °C
Thermometer ID _____

CF O Initials S

PT-WI-SR-001 effective 11/8/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8219 REGENCY PARKWAY NW
SUITE 500
NORCROSS, GA 30071
UNITED STATES US

SUITE DATE: 11FEB22
ACTWGT: 51.15 LB
CAD: 859118/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: GOLDR - SCHERER



SATURDAY 12:00P
PRIORITY OVERNIGHT

6 of 6


MPS# 5220 7116 2285

Met# 5220 7116 2230

0201

NO AGCA

15238
PA-US PIT



Uncorrected temp

Thermometer ID

CF O Initials S

PT-WI-SR-001 effective 11/8/18





Environment Testing
TestAmerica





ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 15FEB22
ACTWGT: 56.95 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDER - PLT SCHERERE



180-133781 Waybill

2 of 2
MPS# 5220 7116 2399
0263
Mstr# 5220 7116 2388


NA AGCA

15238
PA-US PIT

Uncorrected temp Thermometer ID	4.5 °C
CF	D
Initials	S
PT-WI-SR-001 effective 11/8/18	



Environment Testing
TestAmerica




ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 15FEB22
ACTWGT: 56.95 LB
CAD: 859116/CAFE3510

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDER - PLT SCHERERE



1 of 2
TRK# 5220 7116 2388
0201
MASTER

NA AGCA

WED - 16 FEB 10:30A
PRIORITY OVERNIGHT

15238
-us PIT

Uncorrected temp Thermometer ID	8.6 °C
CF	O
Initials	S
PT-WI-SR-001 effective 11/8/18	

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM Brown, Shali	Carrier Tracking No(s)		GOC No 180-454880-1						
Client Contact Shipping/Receiving		E-Mail Shali.Brown@Eurofinset.com	State of Origin Georgia		Page Page 1 of 2						
Company TestAmerica Laboratories, Inc.		Accreditations Required (See note)		Job # 180-133602-2							
Address 13715 Rider Trail North,		Due Date Requested: 3/17/2022		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - NaZSO3 R - NaZSO3 S - HZSO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 L - EDTA Z - other (specify)							
City Earth City		TAT Requested (days):		Analysis Requested							
State, Zip MO, 63045		PO #									
Phone 314-298-8566(Tel) 314-298-8757(Fax)		WO #									
Email:		Project # 18019884									
Project Name Plant Scherer AP-1		SSOW#									
Site CCR Plant Scherer											
Sample Identification - Client ID (Lab ID)											
Sample ID	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/oil, BT=Tissue, AA=)	Field Filtered Sample (Yes or No)	Performs MS/MSD (Yes or No)	9315 Ra226/Precep_21 Standard Target List	9320 Ra226/Precep_0 Standard Target List	Ra226Ra228_GFPc	Total Number of containers	Special Instructions/Note:
SGWA-1 (180-133602-1)	2/9/22	13:22 Eastern	Water	Water	X	X	X	X		2	
SGWA-2 (180-133602-2)	2/9/22	14:03 Eastern	Water	Water	X	X	X	X		2	
SGWA-3 (180-133602-3)	2/9/22	12:35 Eastern	Water	Water	X	X	X	X		2	
SGWA-4 (180-133602-4)	2/9/22	11:10 Eastern	Water	Water	X	X	X	X		2	
SGWA-5 (180-133602-5)	2/9/22	13:50 Eastern	Water	Water	X	X	X	X		2	
SGWC-6 (180-133602-6)	2/9/22	16:00 Eastern	Water	Water	X	X	X	X		2	
SGWC-7 (180-133602-7)	2/9/22	16:09 Eastern	Water	Water	X	X	X	X		2	
FB-2 (180-133602-8)	2/9/22	12:10 Eastern	Water	Water	X	X	X	X		2	
EB-2 (180-133602-9)	2/9/22	14:20 Eastern	Water	Water	X	X	X	X		2	

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analysis & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Special Instructions/QC Requirements: Return To Client Disposal By Lab Archive For Months

Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____

Relinquished by: / Date/Time: 2-14-22 1700 Company: ert

Relinquished by: _____ Date/Time: _____ Company: _____

Relinquished by: _____ Date/Time: _____ Company: _____

Received by: _____ Date/Time: _____ Company: _____

Received by: Suna Worthington Date/Time: 0910 215-22 Company: GAASR

Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks: _____

Custody Seals Intact: Yes No (Custody Seal No.: _____)



Chain of Custody Record

Client Information (Sub Contract Lab) Client Contact: Shipping/Receiving Company: TestAmerica Laboratories, Inc. Address: 13715 Rider Trail North, City: Earth City State, Zip: MO, 63045 Phone: 314-298-8566(Tel) 314-298-8757(Fax) Email:		Lab PM: Brown, Shall E-Mail: Shall.Brown@Eurofins.com Accreditations Required (See note):		Camer Tracking No(s): 180-454880.2 State of Origin: Georgia Page: Page 2 of 2 Job #: 180-133602-2	
Due Date Requested: 3/17/2022 TAT Requested (days): PO #: WO #: Project # 18019884 SOW#:		Analysis Requested Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)			
Sample Identification - Client ID (Lab ID) SGWA-25 (180-133602-10) DUP-2 (180-133602-11)		Total Number of containers: 2 Special Instructions/Note:			
Sample Date: 2/9/22 Sample Time: 15:02 Eastern Matrix (W=water, S=solid, O=soil, BT=Issue, A=Air) Sample Type (C=comp, G=grab) Preservation Code:		Field Filtered Sample (Yes or No): X Perform MS/MSD (Yes or No): X 9315_Ra226/PreSep_21 Standard Target List: X 9320_Ra226/PreSep_0 Standard Target List: X Ra226Ra228_GFPc:			
Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.					
Possible Hazard Identification Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify)					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:					
Primary Deliverable Rank: 2 Date: 3-14-22 17:00 Date/Time: 2-14-22 17:00 Received by: [Signature] Company: [Signature] Date/Time: 2-14-22 17:00 Received by: [Signature] Company: [Signature]					
Empty Kit Relinquished by: [Signature] Date: 3-14-22 17:00 Date/Time: 3-14-22 17:00 Received by: [Signature] Company: [Signature]					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) °C and Other Remarks:					

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Brown, Shali	Carrier Tracking No(s): 180-454880-1
Client Contact: Shipping/Receiving		E-Mail: Shali.Brown@Eurofinset.com	State of Origin: Georgia
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note):	Job #: 180-133638-2
Address: 13715 Rider Trail North,		Due Date Requested: 3/20/2022	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - H2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)
City: Earth City		TAT Requested (days):	Analysis Requested
State, Zip: MO, 63045		PO #:	9315_Ra226/PreSep_21 Standard Target List
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		WO #:	9320_Ra226/PreSep_0 Standard Target List
Email:		Project #: 18019884	9315_Ra226/PreSep_21 Standard Target List
Project Name: Plant Scherer AP1		SSOW#:	9320_Ra226/PreSep_0 Standard Target List
Site: CCR Plant Scherer		Field Filled Sample (Yes or No)	9315_Ra226/PreSep_21 Standard Target List
Sample Identification - Client ID (Lab ID)		Form MS/MSD (Yes or No)	9320_Ra226/PreSep_0 Standard Target List
Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/oil, BT=Tissue, AA=)
2/10/22	10:10 Eastern		Water
2/10/22	11:25 Eastern		Water
2/10/22	13:02 Eastern		Water
2/10/22	15:30 Eastern		Water
2/10/22	16:20 Eastern		Water
2/10/22	15:25 Eastern		Water
2/10/22	10:46 Eastern		Water
2/10/22	09:40 Eastern		Water
2/10/22	13:45 Eastern		Water
SGWC-8 (180-133638-1)			
SGWC-9 (180-133638-2)			
SGWC-11 (180-133638-3)			
SGWC-12 (180-133638-4)			
SGWC-16 (180-133638-5)			
SGWC-18 (180-133638-6)			
SGWC-22 (180-133638-7)			
SGWC-23 (180-133638-8)			
SGWC-24 (180-133638-9)			
Total Number of containers			
Special Instructions/Note:			

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte, & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date/Time: 2-14-22 1700
 Relinquished by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____
 Custody Seals Intact: _____ Custody Seal No.: _____
 Δ Yes Δ No

Special Instructions/QC Requirements:
 Return To Client Disposal By Lab Archive For _____ Months
 Received by: _____ Date/Time: _____
 Received by: *Sana Washington* Date/Time: 2-15-22 0910
 Received by: _____ Date/Time: _____
 Cooler Temperature(s) °C and Other Remarks



Chain of Custody Record



Environment Testing
 America

Client Information (Sub Contract Lab)		Lab PM: Brown, Shali		Carrier Tracking No(s):		GOC No: 180-454880.2				
Client Contact: Shali Brown@Eurofinset.com		E-Mail: Shali Brown@Eurofinset.com		State of Origin: Georgia		Page: Page 2 of 2				
Company: TestAmerica Laboratories, Inc.		Address: 13715 Rider Trail North, MO, 63045		Phone: 314-298-8566(Tel) 314-298-8757(Fax)		Job #: 180-133638-2				
City: Earth City		State, Zip: MO, 63045		PO #: 314-298-8566(Tel) 314-298-8757(Fax)		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDTA Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecylhydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)				
Project Name: Plant Scherer AP1		Project #: 18019884		Due Date Requested: 3/20/2022		Analysis Requested:				
Site: CCR Plant Scherer		SSOW#:		TAT Requested (days):		Total Number of containers:				
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/oil, BT=TRASH, AA=AI)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9315_Ra226/PreSep_21 Standard Target List	9320_Ra228/PreSep_0 Standard Target List	9326Ra228_GFPc	Special Instructions/Note:
EB-3 (180-133638-10)	2/10/22	16:50 Eastern	Water	Water	X	X	X	X	X	
FB-3 (180-133638-11)	2/10/22	14:00 Eastern	Water	Water	X	X	X	X	X	
DUP-3 (180-133638-12)	2/10/22	00:01 Eastern	Water	Water	X	X	X	X	X	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/ests/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.</p>										
<p>Possible Hazard Identification</p> <p>Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2</p> <p>Empty Kit Relinquished by: _____ Date: _____ Time: _____</p> <p>Relinquished by: _____ Date/Time: 2-14-22 17:00 Company: FEDEX</p> <p>Relinquished by: _____ Date/Time: _____ Company: FEDEX</p> <p>Relinquished by: _____ Date/Time: _____ Company: FEDEX</p> <p>Custody Seals Intact: _____ Custody Seal No.: _____</p> <p>Δ Yes Δ No</p>										
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p>Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p> <p>Special Instructions/QC Requirements: _____</p> <p>Method of Shipment: _____</p> <p>Received by: _____ Date/Time: 2-15-22 09:10 Company: EMSR</p> <p>Received by: _____ Date/Time: _____ Company: _____</p> <p>Cooler Temperature(s) °C and Other Remarks: _____</p>										



Eurofins Pittsburgh

301 Alpha Drive RIDC Park
Pittsburgh, PA 15238
Phone: 412-963-7058 Fax: 412-963-2468

Chain of Custody Record



Environment Testing
America

Client Information (Sub Contract Lab) Client Contact: Brown, Shali Shipping/Receiving: Shali.Brown@Eurofinset.com State of Origin: Georgia Carrier Tracking No(s): Lab PM: Brown, Shali E-Mail: Shali.Brown@Eurofinset.com State of Origin: Georgia Job #: 180-133644-2		COC No: 180-454880.1 Page: Page 1 of 1	
Company: TestAmerica Laboratories, Inc. Address: 13715 Rider Trail North, City: Earth City State, Zip: MO, 63045 Phone: 314-298-8566(Tel) 314-298-8757(Fax) Email: Project Name: Plant Scherer AP1 Plant Scherer AP1 Site: CCR Plant Scherer Project #: 18019884 SSO#:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDTA Z - other (specify) Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Y - EDTA	
Due Date Requested: 3/20/2022 TAT Requested (days): PO #: WO #: Analysis Requested:			
Accreditations Required (See note): Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 9315_Ra226/PreSep_21 Standard Target List 9320_Ra226/PreSep_0 Standard Target List Ra226Ra228_GFPC			
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)
Matrix (W=water, S=solid, D=wastebotl, BT=Tissue, AA=)	Preservation Code:		
Total Number of containers	Special Instructions/Note:		
SGWC-10 (180-133644-1)	2/11/22	09:24 Eastern	Water
SGWC-17 (180-133644-2)	2/11/22	09:45 Eastern	Water
SGWC-21 (180-133644-3)	2/11/22	09:30 Eastern	Water
SGWC-20 (180-133644-4)	2/11/22	10:20 Eastern	Water
SGWC-15 (180-133644-5)	2/11/22	11:06 Eastern	Water
SGWC-13 (180-133644-6)	2/11/22	11:05 Eastern	Water
SGWC-19 (180-133644-7)	2/11/22	11:06 Eastern	Water

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above, for analysis/ests/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification
 Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Empty Kit Relinquished by: Date:
 Relinquished by: Date: 2/14/22 17:00
 Relinquished by: Date: FEDEX
 Relinquished by: Date: FEDEX
 Relinquished by: Date: FEDEX
 Custody Seals Intact: Yes No
 Cooler Temperature(s) °C and Other Remarks:
 Received by: SUMA Wethington
 Received by: Date/Time: 2/15-22 0910
 Received by: Date/Time:
 Received by: Date/Time:
 Received by: Date/Time:
 Method of Shipment: FEDEX
 Special Instructions/QC Requirements:
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For Months
 Ver: 06/08/2021



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133602

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133602

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 02/15/22 12:23 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133638

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Jodis, Matthew V

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133638

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 02/15/22 12:23 PM

Question	Answer	Comment
Radioactivity wasn't checked or is < /= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is < 6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133644

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Jodis, Matthew V

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133644

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 02/15/22 01:44 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133781

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Abernathy, Eric L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133602-2

Login Number: 133781

List Number: 2

Creator: Johnson, Autumn R

List Source: Eurofins St. Louis

List Creation: 02/19/22 10:59 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-133600-1

Client Project/Site: Plant Scherer AP1 Assessment

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
2/28/2022 5:01:07 PM

Shali Brown, Project Manager II
(615)301-5031
Shali.Brown@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	17
QC Sample Results	30
QC Association Summary	43
Chain of Custody	50
Receipt Checklists	66

Case Narrative

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Job ID: 180-133600-1

Laboratory: Eurofins Pittsburgh

Narrative

**Job Narrative
180-133600-1**

Receipt

The samples were received on 2/11/2022 9:30 AM and 2/12/2022 12:45 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 12 coolers at receipt time were 1.7°C, 2.1°C, 2.1°C, 2.4°C, 2.6°C, 3.3°C, 3.5°C, 3.8°C, 4.4°C, 4.4°C, 4.6°C and 4.6°C

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.
The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The COC was not relinquished.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 7470A: The continuing calibration verification (CCV), low level continuing calibration verification (CCVL) and the laboratory control samples (LCS) and MS/MSD associated with batch 180-389210 recovered above the upper control limit for mercury. The samples associated with these QC were below the reporting limit for the affected analyte; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Field Service / Mobile Lab

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22
California	State	2891	04-30-22
Connecticut	State	PH-0688	09-30-22
Florida	NELAP	E871008	06-30-22
Georgia	State	PA 02-00416	04-30-22
Illinois	NELAP	004375	06-30-22
Kansas	NELAP	E-10350	01-31-22 *
Kentucky (UST)	State	162013	04-30-22
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-22
Nevada	State	PA00164	08-31-22
New Hampshire	NELAP	2030	04-05-22
New Jersey	NELAP	PA005	06-30-23
New York	NELAP	11182	04-02-22
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	04-30-22
Oregon	NELAP	PA-2151	02-06-22 *
Pennsylvania	NELAP	02-00416	04-30-22
Rhode Island	State	LAO00362	12-31-21 *
South Carolina	State	89014	06-30-22
Texas	NELAP	T104704528	03-31-22
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-22
Virginia	NELAP	10043	09-15-22
West Virginia DEP	State	142	01-31-23
Wisconsin	State	998027800	08-31-22

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-22
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-23
Georgia	State	12028 (NJ)	06-30-22
Massachusetts	State	M-NJ312	06-30-22
New Jersey	NELAP	12028	07-01-23
New York	NELAP	11452	04-01-22
Pennsylvania	NELAP	68-00522	02-28-23
Rhode Island	State	LAO00376	12-31-22
USDA	US Federal Programs	P330-20-00244	11-03-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-133600-1	PZ-13S	Water	02/08/22 16:20	02/11/22 09:30
180-133600-2	PZ-14S	Water	02/08/22 16:50	02/11/22 09:30
180-133600-3	PZ-17I	Water	02/09/22 13:10	02/11/22 09:30
180-133600-4	PZ-39S	Water	02/09/22 10:15	02/11/22 09:30
180-133600-5	PZ-41S	Water	02/09/22 15:25	02/11/22 09:30
180-133600-6	PZ-42I	Water	02/09/22 13:10	02/11/22 09:30
180-133600-7	PZ-43S	Water	02/09/22 10:30	02/11/22 09:30
180-133600-8	PZ-44I	Water	02/09/22 15:45	02/11/22 09:30
180-133600-9	FB-1	Water	02/09/22 13:35	02/11/22 09:30
180-133600-10	EB-1	Water	02/09/22 16:30	02/11/22 09:30
180-133600-11	DUP-1	Water	02/09/22 00:00	02/11/22 09:30
180-133641-1	PZ-40I	Water	02/10/22 11:27	02/12/22 12:45
180-133641-2	PZ-69I	Water	02/10/22 11:27	02/12/22 12:45



Method Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method	Method Description	Protocol	Laboratory
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	TAL PIT
EPA 6020B	Metals (ICP/MS)	SW846	TAL PIT
EPA 7470A	Mercury (CVAA)	SW846	TAL PIT
EPA 9034	Sulfide, Acid soluble and Insoluble (Titrimetric)	SW846	TAL PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PIT
SM 3500	Iron, Ferric	SM	TAL EDI
SM 3500 FE D	Iron, Ferrous and Ferric	SM	TAL EDI
SM2320 B	Alkalinity, Total	SM18	TAL PIT
Field Sampling	Field Sampling	EPA	TAL PIT
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT
7470A	Preparation, Mercury	SW846	TAL PIT
9030B	Sulfide, Distillation (Acid Soluble and Insoluble)	SW846	TAL PIT

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SM18 = "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-13S

Lab Sample ID: 180-133600-1

Date Collected: 02/08/22 16:20

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 15:48	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 14:29	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:37	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 16:28	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:05	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:05	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 22:19	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388945	02/08/22 16:20	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-14S

Lab Sample ID: 180-133600-2

Date Collected: 02/08/22 16:50

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 16:53	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 14:41	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:40	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 16:37	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:05	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:05	HTV	TAL EDI
Instrument ID: Konelab1										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-14S

Lab Sample ID: 180-133600-2

Date Collected: 02/08/22 16:50

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 22:26	CMT	TAL PIT
Total/NA	Analysis	Field Sampling		1			388945	02/08/22 16:50	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-17I

Lab Sample ID: 180-133600-3

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 17:36	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 14:43	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:41	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388278	02/15/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388385	02/15/22 16:45	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:05	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:05	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 22:33	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 13:10	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-39S

Lab Sample ID: 180-133600-4

Date Collected: 02/09/22 10:15

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 17:51	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 14:46	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:42	RJR	TAL PIT
Instrument ID: HGZ										

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-39S

Lab Sample ID: 180-133600-4

Date Collected: 02/09/22 10:15

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 13:58	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 22:53	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 10:15	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-41S

Lab Sample ID: 180-133600-5

Date Collected: 02/09/22 15:25

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 18:05	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 14:54	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:43	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 14:19	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:08	CMT	TAL PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 15:25	FDS	TAL PIT
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-42I

Lab Sample ID: 180-133600-6

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 18:34	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total/NA	Analysis	EPA 300.0 R2.1		5			388044	02/12/22 18:48	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:01	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:44	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 14:26	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:15	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 13:10	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: PZ-43S

Lab Sample ID: 180-133600-7

Date Collected: 02/09/22 10:30

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 19:03	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:09	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:48	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 14:33	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
		Instrument ID: Konelab1								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-43S

Lab Sample ID: 180-133600-7

Date Collected: 02/09/22 10:30

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:22	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 10:30	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: PZ-44I

Lab Sample ID: 180-133600-8

Date Collected: 02/09/22 15:45

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 19:46	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:12	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:49	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 14:40	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:29	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			388945	02/09/22 15:45	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: FB-1

Lab Sample ID: 180-133600-9

Date Collected: 02/09/22 13:35

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 20:01	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:14	RSK	TAL PIT
		Instrument ID: NEMO								

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: FB-1

Lab Sample ID: 180-133600-9

Date Collected: 02/09/22 13:35

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:50	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 14:47	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:34	CMT	TAL PIT
Instrument ID: PCTITRATOR										

Client Sample ID: EB-1

Lab Sample ID: 180-133600-10

Date Collected: 02/09/22 16:30

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 20:15	JRB	TAL PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:17	RSK	TAL PIT
Instrument ID: NEMO										
Total/NA	Prep	7470A			25 mL	25 mL	388493	02/16/22 11:34	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389466	02/24/22 13:52	RJR	TAL PIT
Instrument ID: HGZ										
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 15:08	HEK	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
Instrument ID: Konelab1										
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:39	CMT	TAL PIT
Instrument ID: PCTITRATOR										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: DUP-1

Lab Sample ID: 180-133600-11

Date Collected: 02/09/22 00:00

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388044	02/12/22 20:29	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total/NA	Analysis	EPA 300.0 R2.1		5			388044	02/12/22 20:44	JRB	TAL PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	388280	02/15/22 10:05	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 15:20	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388494	02/16/22 11:35	RJR	TAL PIT
Total/NA	Analysis	EPA 7470A		1			388686	02/17/22 14:32	KEM	TAL PIT
		Instrument ID: HGY								
Total/NA	Prep	9030B			50 mL	50 mL	388282	02/16/22 12:00	HEK	TAL PIT
Total/NA	Analysis	EPA 9034		1			388532	02/16/22 15:15	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388075	02/12/22 14:58	SNR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829800	02/22/22 17:13	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829718	02/22/22 17:13	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			388836	02/17/22 23:46	CMT	TAL PIT
		Instrument ID: PCTITRATOR								

Client Sample ID: PZ-401

Lab Sample ID: 180-133641-1

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 05:27	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total/NA	Analysis	EPA 300.0 R2.1		5			388136	02/15/22 05:40	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:19	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:03	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389210	02/22/22 13:19	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 16:58	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388541	02/16/22 16:17	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 19:25	TJW	TAL EDI
		Instrument ID: Konelab1								

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-40I

Lab Sample ID: 180-133641-1

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 19:25	HTV	TAL EDI
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 14:00	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389113	02/10/22 11:27	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: PZ-69I

Lab Sample ID: 180-133641-2

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			388136	02/15/22 03:48	JRB	TAL PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	388283	02/15/22 10:07	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388563	02/16/22 16:27	RSK	TAL PIT
		Instrument ID: NEMO								
Total/NA	Prep	7470A			25 mL	25 mL	388987	02/21/22 12:03	KEM	TAL PIT
Total/NA	Analysis	EPA 7470A		1			389210	02/22/22 13:20	RJR	TAL PIT
		Instrument ID: HGZ								
Total/NA	Prep	9030B			50 mL	50 mL	388545	02/17/22 10:30	CMR	TAL PIT
Total/NA	Analysis	EPA 9034		1			388646	02/17/22 17:12	HEK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	388541	02/16/22 16:17	JCR	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			829801	02/22/22 19:25	TJW	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM 3500 FE D		1			829723	02/22/22 19:25	HTV	TAL EDI
		Instrument ID: Konelab1								
Total/NA	Analysis	SM2320 B		1			389075	02/19/22 14:06	CMT	TAL PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			389113	02/10/22 11:27	FDS	TAL PIT
		Instrument ID: NOEQUIP								

Laboratory References:

TAL EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900
 TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Analyst References:

Lab: TAL EDI

Batch Type: Analysis

HTV = Huan Vu

TJW = Tiffany Wallace

Lab: TAL PIT

Batch Type: Prep

CMR = Carl Reagle

HEK = Hope Kiesling

KEM = Kimberly Mahoney

RGM = Rebecca Manns

RJR = Ron Rosenbaum

Batch Type: Analysis

CMT = Cassandra Tlumac

FDS = Sampler Field

HEK = Hope Kiesling

JCR = Jessica Rodgers

JRB = James Burzio

KEM = Kimberly Mahoney

RJR = Ron Rosenbaum

RSK = Robert Kurtz

SNR = Sabra Richart

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-13S

Lab Sample ID: 180-133600-1

Date Collected: 02/08/22 16:20

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.9		1.0	0.71	mg/L			02/12/22 15:48	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 15:48	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 15:48	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:29	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:29	1
Barium	0.049		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:29	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:29	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:29	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:29	1
Calcium	4.7		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:29	1
Chromium	0.0030		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:29	1
Cobalt	0.0052		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:29	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:29	1
Lithium	0.0025 J		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:29	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:29	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:29	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:29	1
Sodium	5.0		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:29	1
Potassium	0.39 J		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:29	1
Magnesium	1.6		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:29	1
Manganese	0.051		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:29	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00022		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.7 J		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 16:28	1
Total Dissolved Solids	37		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	0.22		0.10	0.10	mg/L			02/22/22 17:05	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:05	1
Total Alkalinity as CaCO3 to pH 4.5	16		5.0	5.0	mg/L			02/17/22 22:19	1
Bicarbonate Alkalinity as CaCO3	16		5.0	5.0	mg/L			02/17/22 22:19	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 22:19	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.92				SU			02/08/22 16:20	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-14S

Lab Sample ID: 180-133600-2

Date Collected: 02/08/22 16:50

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.1		1.0	0.71	mg/L			02/12/22 16:53	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 16:53	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 16:53	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:41	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:41	1
Barium	0.033		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:41	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:41	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:41	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:41	1
Calcium	4.0		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:41	1
Chromium	0.0018 J		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:41	1
Cobalt	0.00028 J		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:41	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:41	1
Lithium	0.0015 J		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:41	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:41	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:41	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:41	1
Sodium	1.9		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:41	1
Potassium	0.60		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:41	1
Magnesium	2.5		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:41	1
Manganese	0.0097		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:41	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:40	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 16:37	1
Total Dissolved Solids	48		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:05	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:05	1
Total Alkalinity as CaCO3 to pH 4.5	22		5.0	5.0	mg/L			02/17/22 22:26	1
Bicarbonate Alkalinity as CaCO3	22		5.0	5.0	mg/L			02/17/22 22:26	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 22:26	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.42				SU			02/08/22 16:50	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-171

Lab Sample ID: 180-133600-3

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.9		1.0	0.71	mg/L			02/12/22 17:36	1
Fluoride	0.028	J	0.10	0.026	mg/L			02/12/22 17:36	1
Sulfate	100		1.0	0.76	mg/L			02/12/22 17:36	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00061	J	0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:43	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:43	1
Barium	0.060		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:43	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:43	1
Boron	0.16		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:43	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:43	1
Calcium	35		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:43	1
Chromium	0.0036		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:43	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:43	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:43	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:43	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:43	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:43	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:43	1
Sodium	11		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:43	1
Potassium	2.0		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:43	1
Magnesium	15		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:43	1
Manganese	0.0016	J	0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:43	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 16:45	1
Total Dissolved Solids	240		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:05	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:05	1
Total Alkalinity as CaCO3 to pH 4.5	62		5.0	5.0	mg/L			02/17/22 22:33	1
Bicarbonate Alkalinity as CaCO3	62		5.0	5.0	mg/L			02/17/22 22:33	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 22:33	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.71				SU			02/09/22 13:10	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-39S

Lab Sample ID: 180-133600-4

Date Collected: 02/09/22 10:15

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.8		1.0	0.71	mg/L			02/12/22 17:51	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 17:51	1
Sulfate	38		1.0	0.76	mg/L			02/12/22 17:51	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:46	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:46	1
Barium	0.040		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:46	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:46	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:46	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:46	1
Calcium	22		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:46	1
Chromium	0.028		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:46	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:46	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:46	1
Lithium	0.012		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:46	1
Molybdenum	0.0011 J		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:46	1
Selenium	0.0022 J		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:46	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:46	1
Sodium	6.6		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:46	1
Potassium	1.6		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:46	1
Magnesium	9.1		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:46	1
Manganese	0.14		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:46	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:42	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 13:58	1
Total Dissolved Solids	150		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	75		5.0	5.0	mg/L			02/17/22 22:53	1
Bicarbonate Alkalinity as CaCO3	75		5.0	5.0	mg/L			02/17/22 22:53	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 22:53	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.55				SU			02/09/22 10:15	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-41S

Lab Sample ID: 180-133600-5

Date Collected: 02/09/22 15:25

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		1.0	0.71	mg/L			02/12/22 18:05	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 18:05	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 18:05	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:54	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:54	1
Barium	0.026		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:54	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:54	1
Boron	3.2		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:54	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:54	1
Calcium	120		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:54	1
Chromium	0.0058		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:54	1
Cobalt	0.00093	J	0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:54	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:54	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:54	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:54	1
Selenium	0.0061		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:54	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:54	1
Sodium	45		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:54	1
Potassium	3.7		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:54	1
Magnesium	42		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:54	1
Manganese	0.011		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:54	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.3	J	3.0	2.1	mg/L		02/16/22 12:00	02/16/22 14:19	1
Total Dissolved Solids	820		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	0.21		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	21		5.0	5.0	mg/L			02/17/22 23:08	1
Bicarbonate Alkalinity as CaCO3	21		5.0	5.0	mg/L			02/17/22 23:08	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:08	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.95				SU			02/09/22 15:25	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-42I

Lab Sample ID: 180-133600-6

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.71	mg/L			02/12/22 18:34	1
Fluoride	0.033	J	0.10	0.026	mg/L			02/12/22 18:34	1
Sulfate	240		5.0	3.8	mg/L			02/12/22 18:48	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:01	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:01	1
Barium	0.056		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:01	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:01	1
Boron	2.7		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:01	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:01	1
Calcium	68		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:01	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:01	1
Cobalt	0.00061	J	0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:01	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:01	1
Lithium	0.0026	J	0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:01	1
Molybdenum	0.0057	J	0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:01	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:01	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:01	1
Sodium	27		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:01	1
Potassium	3.5		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:01	1
Magnesium	27		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:01	1
Manganese	0.14		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:01	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.3	J	3.0	2.1	mg/L		02/16/22 12:00	02/16/22 14:26	1
Total Dissolved Solids	470		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	0.24	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	76		5.0	5.0	mg/L			02/17/22 23:15	1
Bicarbonate Alkalinity as CaCO3	76		5.0	5.0	mg/L			02/17/22 23:15	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:15	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.25				SU			02/09/22 13:10	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-43S

Lab Sample ID: 180-133600-7

Date Collected: 02/09/22 10:30

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.5		1.0	0.71	mg/L			02/12/22 19:03	1
Fluoride	0.028	J	0.10	0.026	mg/L			02/12/22 19:03	1
Sulfate	150		1.0	0.76	mg/L			02/12/22 19:03	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:09	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:09	1
Barium	0.085		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:09	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:09	1
Boron	0.90		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:09	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:09	1
Calcium	54		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:09	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:09	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:09	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:09	1
Lithium	0.0031	J	0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:09	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:09	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:09	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:09	1
Sodium	10		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:09	1
Potassium	3.4		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:09	1
Magnesium	15		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:09	1
Manganese	0.025		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:09	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	4.9		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 14:33	1
Total Dissolved Solids	310		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	54		5.0	5.0	mg/L			02/17/22 23:22	1
Bicarbonate Alkalinity as CaCO3	54		5.0	5.0	mg/L			02/17/22 23:22	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:22	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.66				SU			02/09/22 10:30	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-441

Lab Sample ID: 180-133600-8

Date Collected: 02/09/22 15:45

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.5		1.0	0.71	mg/L			02/12/22 19:46	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 19:46	1
Sulfate	0.76	J	1.0	0.76	mg/L			02/12/22 19:46	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:12	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:12	1
Barium	0.0078	J	0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:12	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:12	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:12	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:12	1
Calcium	20		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:12	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:12	1
Cobalt	0.0024	J	0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:12	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:12	1
Lithium	0.010		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:12	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:12	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:12	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:12	1
Sodium	5.5		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:12	1
Potassium	1.9		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:12	1
Magnesium	9.7		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:12	1
Manganese	0.20		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:12	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:49	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 14:40	1
Total Dissolved Solids	120		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	0.31		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	0.28	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	100		5.0	5.0	mg/L			02/17/22 23:29	1
Bicarbonate Alkalinity as CaCO3	100		5.0	5.0	mg/L			02/17/22 23:29	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:29	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.57				SU			02/09/22 15:45	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: FB-1

Lab Sample ID: 180-133600-9

Date Collected: 02/09/22 13:35

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 20:01	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 20:01	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 20:01	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:14	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:14	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:14	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:14	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:14	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:14	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:14	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:14	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:14	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:14	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:14	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:14	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:14	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:14	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:14	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:14	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:14	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:14	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 14:47	1
Total Dissolved Solids	<10		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 23:34	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:34	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:34	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: EB-1

Lab Sample ID: 180-133600-10

Date Collected: 02/09/22 16:30

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 20:15	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 20:15	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 20:15	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:17	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:17	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:17	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:17	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:17	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:17	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:17	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:17	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:17	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:17	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:17	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:17	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:17	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:17	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:17	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:17	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:17	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:17	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 15:08	1
Total Dissolved Solids	<10		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	<0.10		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	0.14	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 23:39	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:39	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:39	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: DUP-1

Lab Sample ID: 180-133600-11

Date Collected: 02/09/22 00:00

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.7		1.0	0.71	mg/L			02/12/22 20:29	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 20:29	1
Sulfate	520		5.0	3.8	mg/L			02/12/22 20:44	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 15:20	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 15:20	1
Barium	0.026		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 15:20	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 15:20	1
Boron	3.2		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 15:20	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 15:20	1
Calcium	120		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 15:20	1
Chromium	0.0053		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 15:20	1
Cobalt	0.00090	J	0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 15:20	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 15:20	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 15:20	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 15:20	1
Selenium	0.0060		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 15:20	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 15:20	1
Sodium	45		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 15:20	1
Potassium	3.7		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 15:20	1
Magnesium	42		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 15:20	1
Manganese	0.012		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 15:20	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 15:15	1
Total Dissolved Solids	790		10	10	mg/L			02/12/22 14:58	1
Ferric Iron	0.22		0.10	0.10	mg/L			02/22/22 17:13	1
Ferrous Iron	<0.081	HF	0.10	0.081	mg/L			02/22/22 17:13	1
Total Alkalinity as CaCO3 to pH 4.5	22		5.0	5.0	mg/L			02/17/22 23:46	1
Bicarbonate Alkalinity as CaCO3	22		5.0	5.0	mg/L			02/17/22 23:46	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 23:46	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-40I

Lab Sample ID: 180-133641-1

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			02/15/22 05:27	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 05:27	1
Sulfate	720		5.0	3.8	mg/L			02/15/22 05:40	5

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:19	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:19	1
Barium	0.042		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:19	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:19	1
Boron	4.1		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:19	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:19	1
Calcium	150		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:19	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:19	1
Cobalt	0.0025		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:19	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:19	1
Lithium	0.010		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:19	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:19	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:19	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:19	1
Sodium	56		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:19	1
Potassium	8.1		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:19	1
Magnesium	60		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:19	1
Manganese	0.38		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:19	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ *+	0.00020	0.00013	mg/L		02/21/22 12:03	02/22/22 13:19	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/17/22 10:30	02/17/22 16:58	1
Total Dissolved Solids	1200		10	10	mg/L			02/16/22 16:17	1
Ferric Iron	0.43		0.10	0.10	mg/L			02/22/22 19:25	1
Ferrous Iron	0.97	HF	0.10	0.081	mg/L			02/22/22 19:25	1
Total Alkalinity as CaCO3 to pH 4.5	33		5.0	5.0	mg/L			02/19/22 14:00	1
Bicarbonate Alkalinity as CaCO3	33		5.0	5.0	mg/L			02/19/22 14:00	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 14:00	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.11				SU			02/10/22 11:27	1

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Client Sample ID: PZ-69I

Lab Sample ID: 180-133641-2

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			02/15/22 03:48	1
Fluoride	0.15		0.10	0.026	mg/L			02/15/22 03:48	1
Sulfate	110		1.0	0.76	mg/L			02/15/22 03:48	1

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 16:27	1
Arsenic	0.00059	J	0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 16:27	1
Barium	0.14		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 16:27	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 16:27	1
Boron	0.44		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 16:27	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 16:27	1
Calcium	46		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 16:27	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 16:27	1
Cobalt	0.0020	J	0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 16:27	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 16:27	1
Lithium	0.0029	J	0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 16:27	1
Molybdenum	0.0017	J	0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 16:27	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 16:27	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 16:27	1
Sodium	20		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 16:27	1
Potassium	5.8		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 16:27	1
Magnesium	12		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 16:27	1
Manganese	1.4		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 16:27	1

Method: EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+ *+	0.00020	0.00013	mg/L		02/21/22 12:03	02/22/22 13:20	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.1	J B	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 17:12	1
Total Dissolved Solids	320		10	10	mg/L			02/16/22 16:17	1
Ferric Iron	0.71		0.10	0.10	mg/L			02/22/22 19:25	1
Ferrous Iron	0.29	HF	0.10	0.081	mg/L			02/22/22 19:25	1
Total Alkalinity as CaCO3 to pH 4.5	94		5.0	5.0	mg/L			02/19/22 14:06	1
Bicarbonate Alkalinity as CaCO3	94		5.0	5.0	mg/L			02/19/22 14:06	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 14:06	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.61				SU			02/10/22 11:27	1

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 180-388044/7
Matrix: Water
Analysis Batch: 388044

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.71		1.0	0.71	mg/L			02/12/22 08:55	1
Fluoride	<0.026		0.10	0.026	mg/L			02/12/22 08:55	1
Sulfate	<0.76		1.0	0.76	mg/L			02/12/22 08:55	1

Lab Sample ID: LCS 180-388044/6
Matrix: Water
Analysis Batch: 388044

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	2.50	2.64		mg/L		106	90 - 110
Sulfate	50.0	49.8		mg/L		100	90 - 110

Lab Sample ID: 180-133600-2 MS
Matrix: Water
Analysis Batch: 388044

Client Sample ID: PZ-14S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	<0.026		2.50	2.59		mg/L		104	90 - 110
Sulfate	<0.76		50.0	50.2		mg/L		100	90 - 110

Lab Sample ID: 180-133600-2 MSD
Matrix: Water
Analysis Batch: 388044

Client Sample ID: PZ-14S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Fluoride	<0.026		2.50	2.60		mg/L		104	90 - 110	0	20
Sulfate	<0.76		50.0	50.2		mg/L		100	90 - 110	0	20

Lab Sample ID: MB 180-388136/51
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.71		1.0	0.71	mg/L			02/15/22 00:41	1
Fluoride	<0.026		0.10	0.026	mg/L			02/15/22 00:41	1
Sulfate	<0.76		1.0	0.76	mg/L			02/15/22 00:41	1

Lab Sample ID: LCS 180-388136/50
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	2.50	2.55		mg/L		102	90 - 110
Sulfate	50.0	47.8		mg/L		96	90 - 110

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 180-133644-C-1 MS
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
Chloride	11		50.0	65.3		mg/L		110		90 - 110
Fluoride	0.030	J	2.50	2.76		mg/L		109		90 - 110
Sulfate	2.1		50.0	54.7		mg/L		105		90 - 110

Lab Sample ID: 180-133644-C-1 MSD
Matrix: Water
Analysis Batch: 388136

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Chloride	11		50.0	60.5		mg/L		100		90 - 110	8	20
Fluoride	0.030	J	2.50	2.55		mg/L		101		90 - 110	8	20
Sulfate	2.1		50.0	50.0		mg/L		96		90 - 110	9	20

Method: EPA 6020B - Metals (ICP/MS)

Lab Sample ID: MB 180-388280/1-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:05	02/16/22 14:14	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:05	02/16/22 14:14	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:05	02/16/22 14:14	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:05	02/16/22 14:14	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:05	02/16/22 14:14	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:05	02/16/22 14:14	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:05	02/16/22 14:14	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:05	02/16/22 14:14	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:05	02/16/22 14:14	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:05	02/16/22 14:14	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:05	02/16/22 14:14	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:05	02/16/22 14:14	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:05	02/16/22 14:14	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:05	02/16/22 14:14	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:05	02/16/22 14:14	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:05	02/16/22 14:14	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:05	02/16/22 14:14	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:05	02/16/22 14:14	1

Lab Sample ID: LCS 180-388280/2-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388280

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
		Result	Qualifier					
Antimony	0.250	0.235		mg/L		94		80 - 120
Arsenic	1.00	0.956		mg/L		96		80 - 120
Barium	1.00	0.995		mg/L		99		80 - 120
Beryllium	0.500	0.495		mg/L		99		80 - 120
Boron	1.25	1.12		mg/L		89		80 - 120

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 180-388280/2-A

Matrix: Water

Analysis Batch: 388563

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 388280

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	
							Limits	
Cadmium	0.500	0.488		mg/L		98	80 - 120	
Calcium	25.0	28.0		mg/L		112	80 - 120	
Chromium	0.500	0.491		mg/L		98	80 - 120	
Cobalt	0.500	0.471		mg/L		94	80 - 120	
Lead	0.500	0.497		mg/L		99	80 - 120	
Lithium	0.500	0.479		mg/L		96	80 - 120	
Molybdenum	0.500	0.519		mg/L		104	80 - 120	
Selenium	1.00	0.968		mg/L		97	80 - 120	
Thallium	1.00	0.999		mg/L		100	80 - 120	
Sodium	25.0	24.4		mg/L		97	80 - 120	
Potassium	25.0	24.4		mg/L		98	80 - 120	
Magnesium	25.0	24.0		mg/L		96	80 - 120	
Manganese	0.500	0.468		mg/L		94	80 - 120	

Lab Sample ID: 180-133600-1 MS

Matrix: Water

Analysis Batch: 388563

Client Sample ID: PZ-13S

Prep Type: Total Recoverable

Prep Batch: 388280

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	
									Limits	
Antimony	<0.00051		0.250	0.240		mg/L		96	75 - 125	
Arsenic	<0.00028		1.00	0.954		mg/L		95	75 - 125	
Barium	0.049		1.00	1.06		mg/L		101	75 - 125	
Beryllium	<0.00027		0.500	0.509		mg/L		102	75 - 125	
Boron	<0.060		1.25	1.16		mg/L		93	75 - 125	
Cadmium	<0.00022		0.500	0.500		mg/L		100	75 - 125	
Calcium	4.7		25.0	33.1		mg/L		113	75 - 125	
Chromium	0.0030		0.500	0.501		mg/L		100	75 - 125	
Cobalt	0.0052		0.500	0.475		mg/L		94	75 - 125	
Lead	<0.00017		0.500	0.509		mg/L		102	75 - 125	
Lithium	0.0025	J	0.500	0.484		mg/L		96	75 - 125	
Molybdenum	<0.00061		0.500	0.510		mg/L		102	75 - 125	
Selenium	<0.00074		1.00	0.964		mg/L		96	75 - 125	
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125	
Sodium	5.0		25.0	29.8		mg/L		99	75 - 125	
Potassium	0.39	J	25.0	25.6		mg/L		101	75 - 125	
Magnesium	1.6		25.0	25.9		mg/L		97	75 - 125	
Manganese	0.051		0.500	0.519		mg/L		94	75 - 125	

Lab Sample ID: 180-133600-1 MSD

Matrix: Water

Analysis Batch: 388563

Client Sample ID: PZ-13S

Prep Type: Total Recoverable

Prep Batch: 388280

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.		RPD Limit
									Limits		
Antimony	<0.00051		0.250	0.244		mg/L		97	75 - 125	1	20
Arsenic	<0.00028		1.00	0.993		mg/L		99	75 - 125	4	20
Barium	0.049		1.00	1.09		mg/L		104	75 - 125	2	20
Beryllium	<0.00027		0.500	0.516		mg/L		103	75 - 125	1	20
Boron	<0.060		1.25	1.23		mg/L		98	75 - 125	5	20
Cadmium	<0.00022		0.500	0.515		mg/L		103	75 - 125	3	20

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133600-1 MSD

Matrix: Water

Analysis Batch: 388563

Client Sample ID: PZ-13S

Prep Type: Total Recoverable

Prep Batch: 388280

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Calcium	4.7		25.0	33.5		mg/L		115	75 - 125	1	20
Chromium	0.0030		0.500	0.513		mg/L		102	75 - 125	2	20
Cobalt	0.0052		0.500	0.495		mg/L		98	75 - 125	4	20
Lead	<0.00017		0.500	0.512		mg/L		102	75 - 125	1	20
Lithium	0.0025	J	0.500	0.477		mg/L		95	75 - 125	1	20
Molybdenum	<0.00061		0.500	0.525		mg/L		105	75 - 125	3	20
Selenium	<0.00074		1.00	1.01		mg/L		101	75 - 125	5	20
Thallium	<0.00047		1.00	1.03		mg/L		103	75 - 125	1	20
Sodium	5.0		25.0	30.2		mg/L		101	75 - 125	1	20
Potassium	0.39	J	25.0	25.8		mg/L		102	75 - 125	1	20
Magnesium	1.6		25.0	26.8		mg/L		101	75 - 125	3	20
Manganese	0.051		0.500	0.535		mg/L		97	75 - 125	3	20

Lab Sample ID: MB 180-388283/1-A

Matrix: Water

Analysis Batch: 388563

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 388283

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.00051		0.0020	0.00051	mg/L		02/15/22 10:07	02/16/22 15:48	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		02/15/22 10:07	02/16/22 15:48	1
Barium	<0.0031		0.010	0.0031	mg/L		02/15/22 10:07	02/16/22 15:48	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		02/15/22 10:07	02/16/22 15:48	1
Boron	<0.060		0.080	0.060	mg/L		02/15/22 10:07	02/16/22 15:48	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		02/15/22 10:07	02/16/22 15:48	1
Calcium	<0.13		0.50	0.13	mg/L		02/15/22 10:07	02/16/22 15:48	1
Chromium	<0.0015		0.0020	0.0015	mg/L		02/15/22 10:07	02/16/22 15:48	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/15/22 10:07	02/16/22 15:48	1
Lead	<0.00017		0.0010	0.00017	mg/L		02/15/22 10:07	02/16/22 15:48	1
Lithium	<0.00083		0.0050	0.00083	mg/L		02/15/22 10:07	02/16/22 15:48	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		02/15/22 10:07	02/16/22 15:48	1
Selenium	<0.00074		0.0050	0.00074	mg/L		02/15/22 10:07	02/16/22 15:48	1
Thallium	<0.00047		0.0010	0.00047	mg/L		02/15/22 10:07	02/16/22 15:48	1
Sodium	<0.18		0.50	0.18	mg/L		02/15/22 10:07	02/16/22 15:48	1
Potassium	<0.16		0.50	0.16	mg/L		02/15/22 10:07	02/16/22 15:48	1
Magnesium	<0.050		0.50	0.050	mg/L		02/15/22 10:07	02/16/22 15:48	1
Manganese	<0.0013		0.0050	0.0013	mg/L		02/15/22 10:07	02/16/22 15:48	1

Lab Sample ID: LCS 180-388283/2-A

Matrix: Water

Analysis Batch: 388563

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 388283

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
Antimony	0.250	0.243		mg/L		97	80 - 120
Arsenic	1.00	0.989		mg/L		99	80 - 120
Barium	1.00	1.05		mg/L		105	80 - 120
Beryllium	0.500	0.504		mg/L		101	80 - 120
Boron	1.25	1.12		mg/L		89	80 - 120
Cadmium	0.500	0.516		mg/L		103	80 - 120
Calcium	25.0	28.7		mg/L		115	80 - 120

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 180-388283/2-A
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Chromium	0.500	0.518		mg/L		104	80 - 120
Cobalt	0.500	0.493		mg/L		99	80 - 120
Lead	0.500	0.519		mg/L		104	80 - 120
Lithium	0.500	0.479		mg/L		96	80 - 120
Molybdenum	0.500	0.537		mg/L		107	80 - 120
Selenium	1.00	0.988		mg/L		99	80 - 120
Thallium	1.00	1.05		mg/L		105	80 - 120
Sodium	25.0	25.1		mg/L		100	80 - 120
Potassium	25.0	24.9		mg/L		100	80 - 120
Magnesium	25.0	25.0		mg/L		100	80 - 120
Manganese	0.500	0.495		mg/L		99	80 - 120

Lab Sample ID: 180-133461-K-5-B MS
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
Antimony	<0.00051		0.250	0.246		mg/L		98	75 - 125
Arsenic	<0.00028		1.00	0.994		mg/L		99	75 - 125
Barium	0.098		1.00	1.19		mg/L		109	75 - 125
Beryllium	<0.00027		0.500	0.488		mg/L		98	75 - 125
Boron	<0.060		1.25	1.14		mg/L		91	75 - 125
Cadmium	<0.00022		0.500	0.518		mg/L		104	75 - 125
Calcium	91	F1	25.0	126	F1	mg/L		139	75 - 125
Chromium	<0.0015		0.500	0.510		mg/L		102	75 - 125
Cobalt	<0.00026		0.500	0.483		mg/L		97	75 - 125
Lead	0.00021	J	0.500	0.523		mg/L		104	75 - 125
Lithium	0.0049	J	0.500	0.507		mg/L		100	75 - 125
Molybdenum	<0.00061		0.500	0.558		mg/L		112	75 - 125
Selenium	<0.00074		1.00	1.01		mg/L		101	75 - 125
Thallium	<0.00047		1.00	1.04		mg/L		104	75 - 125
Sodium	3.6		25.0	29.3		mg/L		103	75 - 125
Potassium	1.6		25.0	27.3		mg/L		103	75 - 125
Magnesium	10		25.0	35.2		mg/L		100	75 - 125
Manganese	0.17		0.500	0.681		mg/L		102	75 - 125

Lab Sample ID: 180-133461-K-5-C MSD
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec. Limits	RPD	
				Result	Qualifier					RPD	Limit
Antimony	<0.00051		0.250	0.240		mg/L		96	75 - 125	2	20
Arsenic	<0.00028		1.00	0.967		mg/L		97	75 - 125	3	20
Barium	0.098		1.00	1.14		mg/L		104	75 - 125	4	20
Beryllium	<0.00027		0.500	0.487		mg/L		97	75 - 125	0	20
Boron	<0.060		1.25	1.17		mg/L		93	75 - 125	3	20
Cadmium	<0.00022		0.500	0.499		mg/L		100	75 - 125	4	20
Calcium	91	F1	25.0	117		mg/L		102	75 - 125	8	20
Chromium	<0.0015		0.500	0.501		mg/L		100	75 - 125	2	20

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-133461-K-5-C MSD
Matrix: Water
Analysis Batch: 388563

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388283

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD	Limit
Cobalt	<0.00026		0.500	0.472		mg/L		94	75 - 125	2	20
Lead	0.00021	J	0.500	0.504		mg/L		101	75 - 125	4	20
Lithium	0.0049	J	0.500	0.505		mg/L		100	75 - 125	0	20
Molybdenum	<0.00061		0.500	0.521		mg/L		104	75 - 125	7	20
Selenium	<0.00074		1.00	0.935		mg/L		94	75 - 125	7	20
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125	2	20
Sodium	3.6		25.0	28.2		mg/L		99	75 - 125	4	20
Potassium	1.6		25.0	26.4		mg/L		99	75 - 125	4	20
Magnesium	10		25.0	33.4		mg/L		93	75 - 125	5	20
Manganese	0.17		0.500	0.637		mg/L		93	75 - 125	7	20

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-388493/1-A
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388493

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:34	02/24/22 13:35	1

Lab Sample ID: LCS 180-388493/2-A
Matrix: Water
Analysis Batch: 389466

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388493

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
Mercury	0.00250	0.00254		mg/L		101	80 - 120

Lab Sample ID: 180-133600-1 MS
Matrix: Water
Analysis Batch: 389466

Client Sample ID: PZ-13S
Prep Type: Total/NA
Prep Batch: 388493

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				Limits
Mercury	0.00022		0.00100	0.00122		mg/L		100	75 - 125

Lab Sample ID: 180-133600-1 MSD
Matrix: Water
Analysis Batch: 389466

Client Sample ID: PZ-13S
Prep Type: Total/NA
Prep Batch: 388493

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD	Limit
Mercury	0.00022		0.00100	0.00119		mg/L		97	75 - 125	2	20

Lab Sample ID: MB 180-388494/1-A
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388494

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.00013		0.00020	0.00013	mg/L		02/16/22 11:35	02/17/22 14:07	1

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 180-388494/2-A
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388494

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00245		mg/L		98	80 - 120

Lab Sample ID: 180-133638-F-1-C MS
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388494

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	<0.00013		0.00100	0.000896		mg/L		90	75 - 125

Lab Sample ID: 180-133638-F-1-D MSD
Matrix: Water
Analysis Batch: 388686

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388494

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	<0.00013		0.00100	0.000961		mg/L		96	75 - 125	7	20

Lab Sample ID: MB 180-388987/1-A
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388987

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013	^3+ ^+	0.00020	0.00013	mg/L		02/21/22 12:01	02/22/22 13:00	1

Lab Sample ID: LCS 180-388987/2-A
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388987

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00250	0.00385	^3+ ^+ **	mg/L		154	80 - 120

Lab Sample ID: 680-211038-D-7-C MSD
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388987

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	<0.00013	F1 ^3+ ^+ **	0.00100	0.00152	F1 ^3+ ^+	mg/L		152	75 - 125	2	20

Lab Sample ID: 680-211038-D-7-D MS
Matrix: Water
Analysis Batch: 389210

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388987

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	<0.00013	F1 ^3+ ^+ **	0.00100	0.00148	F1 ^3+ ^+	mg/L		148	75 - 125

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 180-388278/1-A
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388278

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/15/22 12:00	02/15/22 13:47	1

Lab Sample ID: LCS 180-388278/2-A
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388278

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	13.1	12.6		mg/L		97	85 - 115

Lab Sample ID: 180-133613-A-1-B MS
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388278

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	<2.1		13.1	12.1		mg/L		93	75 - 125

Lab Sample ID: 180-133613-A-1-C MSD
Matrix: Water
Analysis Batch: 388385

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388278

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfide	<2.1		13.1	12.4		mg/L		95	75 - 125	3	20

Lab Sample ID: MB 180-388282/1-A
Matrix: Water
Analysis Batch: 388532

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388282

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<2.1		3.0	2.1	mg/L		02/16/22 12:00	02/16/22 13:44	1

Lab Sample ID: LCS 180-388282/2-A
Matrix: Water
Analysis Batch: 388532

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388282

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	12.8	12.7		mg/L		99	85 - 115

Lab Sample ID: 180-133600-4 MS
Matrix: Water
Analysis Batch: 388532

Client Sample ID: PZ-39S
Prep Type: Total/NA
Prep Batch: 388282

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	<2.1		12.8	12.9		mg/L		101	75 - 125

Lab Sample ID: 180-133600-4 MSD
Matrix: Water
Analysis Batch: 388532

Client Sample ID: PZ-39S
Prep Type: Total/NA
Prep Batch: 388282

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfide	<2.1		12.8	13.6		mg/L		106	75 - 125	5	20

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: EPA 9034 - Sulfide, Acid soluble and Insoluble (Titrimetric)

Lab Sample ID: MB 180-388545/1-A
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 388545

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	2.44	J	3.0	2.1	mg/L		02/17/22 10:30	02/17/22 12:27	1

Lab Sample ID: LCS 180-388545/2-A
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 388545

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	13.1	11.9		mg/L		91	85 - 115

Lab Sample ID: 180-133638-E-4-B MS
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 388545

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	<2.1		13.1	13.8		mg/L		105	75 - 125

Lab Sample ID: 180-133638-E-4-C MSD
Matrix: Water
Analysis Batch: 388646

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 388545

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfide	<2.1		13.1	14.3		mg/L		109	75 - 125	3	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-388075/2
Matrix: Water
Analysis Batch: 388075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			02/12/22 14:58	1

Lab Sample ID: LCS 180-388075/1
Matrix: Water
Analysis Batch: 388075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	150	130		mg/L		87	85 - 115

Lab Sample ID: 180-133600-1 DU
Matrix: Water
Analysis Batch: 388075

Client Sample ID: PZ-13S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	37		37.0		mg/L		0	10

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: 180-133600-11 DU
Matrix: Water
Analysis Batch: 388075

Client Sample ID: DUP-1
Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Dissolved Solids	790		826		mg/L		4	10

Lab Sample ID: MB 180-388541/2
Matrix: Water
Analysis Batch: 388541

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<10		10	10	mg/L			02/16/22 16:17	1

Lab Sample ID: LCS 180-388541/1
Matrix: Water
Analysis Batch: 388541

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Total Dissolved Solids	469	452		mg/L		96	85 - 115

Lab Sample ID: 180-133538-AO-2 DU
Matrix: Water
Analysis Batch: 388541

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Dissolved Solids	130		124		mg/L		4	10

Method: SM 3500 FE D - Iron, Ferrous and Ferric

Lab Sample ID: MB 460-829718/12
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 17:05	1

Lab Sample ID: LCS 460-829718/13
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Ferrous Iron	0.500	0.496		mg/L		99	85 - 115

Lab Sample ID: MRL 460-829718/11
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL	MRL	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Ferrous Iron	0.100	0.111		mg/L		111	50 - 150

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: SM 3500 FE D - Iron, Ferrous and Ferric (Continued)

Lab Sample ID: 460-252723-E-1 MS
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.31		2.00	2.01		mg/L		85	85 - 115

Lab Sample ID: 460-252723-E-1 MSD
Matrix: Water
Analysis Batch: 829718

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ferrous Iron	0.31		2.00	2.13		mg/L		91	85 - 115	6	12

Lab Sample ID: MB 460-829723/35
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 19:25	1

Lab Sample ID: MB 460-829723/4
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ferrous Iron	<0.081		0.10	0.081	mg/L			02/22/22 18:52	1

Lab Sample ID: LCS 460-829723/36
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.500	0.456		mg/L		91	85 - 115

Lab Sample ID: LCS 460-829723/5
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.500	0.472		mg/L		94	85 - 115

Lab Sample ID: MRL 460-829723/3
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	0.100	<0.081		mg/L		62	50 - 150

Lab Sample ID: 180-133638-D-1 MS
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ferrous Iron	<0.081		2.00	1.98		mg/L		99	85 - 115

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: SM 3500 FE D - Iron, Ferrous and Ferric

Lab Sample ID: 180-133638-D-1 MSD
Matrix: Water
Analysis Batch: 829723

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ferrous Iron	<0.081		2.00	1.99		mg/L		99	85 - 115	0	12

Method: SM2320 B - Alkalinity, Total

Lab Sample ID: MB 180-388836/53
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 18:59	1

Lab Sample ID: MB 180-388836/77
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/17/22 21:41	1

Lab Sample ID: LCS 180-388836/76
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	242		mg/L		91	90 - 110

Lab Sample ID: LLCS 180-388836/75
Matrix: Water
Analysis Batch: 388836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	14.6		mg/L		92	75 - 125

Lab Sample ID: 180-133600-4 DU
Matrix: Water
Analysis Batch: 388836

Client Sample ID: PZ-39S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	75		75.1		mg/L		0.2	20
Bicarbonate Alkalinity as CaCO3	75		75.1		mg/L		0.2	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: MB 180-389075/6
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			02/19/22 12:01	1

Lab Sample ID: LCS 180-389075/5
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	265	258		mg/L		98	90 - 110

Lab Sample ID: LLCS 180-389075/4
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	15.4		mg/L		97	75 - 125

Lab Sample ID: 180-133638-C-6 DU
Matrix: Water
Analysis Batch: 389075

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Alkalinity as CaCO3 to pH 4.5	<5.0		<5.0		mg/L		NC	20
Bicarbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

HPLC/IC

Analysis Batch: 388044

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-2	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-3	PZ-17I	Total/NA	Water	EPA 300.0 R2.1	
180-133600-4	PZ-39S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-5	PZ-41S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-6	PZ-42I	Total/NA	Water	EPA 300.0 R2.1	
180-133600-6	PZ-42I	Total/NA	Water	EPA 300.0 R2.1	
180-133600-7	PZ-43S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-8	PZ-44I	Total/NA	Water	EPA 300.0 R2.1	
180-133600-9	FB-1	Total/NA	Water	EPA 300.0 R2.1	
180-133600-10	EB-1	Total/NA	Water	EPA 300.0 R2.1	
180-133600-11	DUP-1	Total/NA	Water	EPA 300.0 R2.1	
180-133600-11	DUP-1	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388044/7	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388044/6	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133600-2 MS	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	
180-133600-2 MSD	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 388136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	EPA 300.0 R2.1	
180-133641-1	PZ-40I	Total/NA	Water	EPA 300.0 R2.1	
180-133641-2	PZ-69I	Total/NA	Water	EPA 300.0 R2.1	
MB 180-388136/51	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-388136/50	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
180-133644-C-1 MS	Matrix Spike	Total/NA	Water	EPA 300.0 R2.1	
180-133644-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 300.0 R2.1	

Metals

Prep Batch: 388280

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total Recoverable	Water	3005A	
180-133600-2	PZ-14S	Total Recoverable	Water	3005A	
180-133600-3	PZ-17I	Total Recoverable	Water	3005A	
180-133600-4	PZ-39S	Total Recoverable	Water	3005A	
180-133600-5	PZ-41S	Total Recoverable	Water	3005A	
180-133600-6	PZ-42I	Total Recoverable	Water	3005A	
180-133600-7	PZ-43S	Total Recoverable	Water	3005A	
180-133600-8	PZ-44I	Total Recoverable	Water	3005A	
180-133600-9	FB-1	Total Recoverable	Water	3005A	
180-133600-10	EB-1	Total Recoverable	Water	3005A	
180-133600-11	DUP-1	Total Recoverable	Water	3005A	
MB 180-388280/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388280/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133600-1 MS	PZ-13S	Total Recoverable	Water	3005A	
180-133600-1 MSD	PZ-13S	Total Recoverable	Water	3005A	

Prep Batch: 388283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total Recoverable	Water	3005A	

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Metals (Continued)

Prep Batch: 388283 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-2	PZ-69I	Total Recoverable	Water	3005A	
MB 180-388283/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388283/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133461-K-5-B MS	Matrix Spike	Total Recoverable	Water	3005A	
180-133461-K-5-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Prep Batch: 388493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	7470A	
180-133600-2	PZ-14S	Total/NA	Water	7470A	
180-133600-3	PZ-17I	Total/NA	Water	7470A	
180-133600-4	PZ-39S	Total/NA	Water	7470A	
180-133600-5	PZ-41S	Total/NA	Water	7470A	
180-133600-6	PZ-42I	Total/NA	Water	7470A	
180-133600-7	PZ-43S	Total/NA	Water	7470A	
180-133600-8	PZ-44I	Total/NA	Water	7470A	
180-133600-9	FB-1	Total/NA	Water	7470A	
180-133600-10	EB-1	Total/NA	Water	7470A	
MB 180-388493/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-388493/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133600-1 MS	PZ-13S	Total/NA	Water	7470A	
180-133600-1 MSD	PZ-13S	Total/NA	Water	7470A	

Prep Batch: 388494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-11	DUP-1	Total/NA	Water	7470A	
MB 180-388494/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-388494/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-133638-F-1-C MS	Matrix Spike	Total/NA	Water	7470A	
180-133638-F-1-D MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 388563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total Recoverable	Water	EPA 6020B	388280
180-133600-2	PZ-14S	Total Recoverable	Water	EPA 6020B	388280
180-133600-3	PZ-17I	Total Recoverable	Water	EPA 6020B	388280
180-133600-4	PZ-39S	Total Recoverable	Water	EPA 6020B	388280
180-133600-5	PZ-41S	Total Recoverable	Water	EPA 6020B	388280
180-133600-6	PZ-42I	Total Recoverable	Water	EPA 6020B	388280
180-133600-7	PZ-43S	Total Recoverable	Water	EPA 6020B	388280
180-133600-8	PZ-44I	Total Recoverable	Water	EPA 6020B	388280
180-133600-9	FB-1	Total Recoverable	Water	EPA 6020B	388280
180-133600-10	EB-1	Total Recoverable	Water	EPA 6020B	388280
180-133600-11	DUP-1	Total Recoverable	Water	EPA 6020B	388280
180-133641-1	PZ-40I	Total Recoverable	Water	EPA 6020B	388283
180-133641-2	PZ-69I	Total Recoverable	Water	EPA 6020B	388283
MB 180-388280/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388280
MB 180-388283/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388283
LCS 180-388280/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388280
LCS 180-388283/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388283
180-133461-K-5-B MS	Matrix Spike	Total Recoverable	Water	EPA 6020B	388283

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

Metals (Continued)

Analysis Batch: 388563 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133461-K-5-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	EPA 6020B	388283
180-133600-1 MS	PZ-13S	Total Recoverable	Water	EPA 6020B	388280
180-133600-1 MSD	PZ-13S	Total Recoverable	Water	EPA 6020B	388280

Analysis Batch: 388686

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-11	DUP-1	Total/NA	Water	EPA 7470A	388494
MB 180-388494/1-A	Method Blank	Total/NA	Water	EPA 7470A	388494
LCS 180-388494/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388494
180-133638-F-1-C MS	Matrix Spike	Total/NA	Water	EPA 7470A	388494
180-133638-F-1-D MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	388494

Prep Batch: 388987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	7470A	
180-133641-2	PZ-69I	Total/NA	Water	7470A	
MB 180-388987/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-388987/2-A	Lab Control Sample	Total/NA	Water	7470A	
680-211038-D-7-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	
680-211038-D-7-D MS	Matrix Spike	Total/NA	Water	7470A	

Analysis Batch: 389210

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	EPA 7470A	388987
180-133641-2	PZ-69I	Total/NA	Water	EPA 7470A	388987
MB 180-388987/1-A	Method Blank	Total/NA	Water	EPA 7470A	388987
LCS 180-388987/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388987
680-211038-D-7-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	388987
680-211038-D-7-D MS	Matrix Spike	Total/NA	Water	EPA 7470A	388987

Analysis Batch: 389466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	EPA 7470A	388493
180-133600-2	PZ-14S	Total/NA	Water	EPA 7470A	388493
180-133600-3	PZ-17I	Total/NA	Water	EPA 7470A	388493
180-133600-4	PZ-39S	Total/NA	Water	EPA 7470A	388493
180-133600-5	PZ-41S	Total/NA	Water	EPA 7470A	388493
180-133600-6	PZ-42I	Total/NA	Water	EPA 7470A	388493
180-133600-7	PZ-43S	Total/NA	Water	EPA 7470A	388493
180-133600-8	PZ-44I	Total/NA	Water	EPA 7470A	388493
180-133600-9	FB-1	Total/NA	Water	EPA 7470A	388493
180-133600-10	EB-1	Total/NA	Water	EPA 7470A	388493
MB 180-388493/1-A	Method Blank	Total/NA	Water	EPA 7470A	388493
LCS 180-388493/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	388493
180-133600-1 MS	PZ-13S	Total/NA	Water	EPA 7470A	388493
180-133600-1 MSD	PZ-13S	Total/NA	Water	EPA 7470A	388493

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

General Chemistry

Analysis Batch: 388075

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	SM 2540C	
180-133600-2	PZ-14S	Total/NA	Water	SM 2540C	
180-133600-3	PZ-17I	Total/NA	Water	SM 2540C	
180-133600-4	PZ-39S	Total/NA	Water	SM 2540C	
180-133600-5	PZ-41S	Total/NA	Water	SM 2540C	
180-133600-6	PZ-42I	Total/NA	Water	SM 2540C	
180-133600-7	PZ-43S	Total/NA	Water	SM 2540C	
180-133600-8	PZ-44I	Total/NA	Water	SM 2540C	
180-133600-9	FB-1	Total/NA	Water	SM 2540C	
180-133600-10	EB-1	Total/NA	Water	SM 2540C	
180-133600-11	DUP-1	Total/NA	Water	SM 2540C	
MB 180-388075/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388075/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133600-1 DU	PZ-13S	Total/NA	Water	SM 2540C	
180-133600-11 DU	DUP-1	Total/NA	Water	SM 2540C	

Prep Batch: 388278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	9030B	
180-133600-2	PZ-14S	Total/NA	Water	9030B	
180-133600-3	PZ-17I	Total/NA	Water	9030B	
MB 180-388278/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388278/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133613-A-1-B MS	Matrix Spike	Total/NA	Water	9030B	
180-133613-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	9030B	

Prep Batch: 388282

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-4	PZ-39S	Total/NA	Water	9030B	
180-133600-5	PZ-41S	Total/NA	Water	9030B	
180-133600-6	PZ-42I	Total/NA	Water	9030B	
180-133600-7	PZ-43S	Total/NA	Water	9030B	
180-133600-8	PZ-44I	Total/NA	Water	9030B	
180-133600-9	FB-1	Total/NA	Water	9030B	
180-133600-10	EB-1	Total/NA	Water	9030B	
180-133600-11	DUP-1	Total/NA	Water	9030B	
MB 180-388282/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388282/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133600-4 MS	PZ-39S	Total/NA	Water	9030B	
180-133600-4 MSD	PZ-39S	Total/NA	Water	9030B	

Analysis Batch: 388385

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	EPA 9034	388278
180-133600-2	PZ-14S	Total/NA	Water	EPA 9034	388278
180-133600-3	PZ-17I	Total/NA	Water	EPA 9034	388278
MB 180-388278/1-A	Method Blank	Total/NA	Water	EPA 9034	388278
LCS 180-388278/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388278
180-133613-A-1-B MS	Matrix Spike	Total/NA	Water	EPA 9034	388278
180-133613-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 9034	388278

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

General Chemistry

Analysis Batch: 388532

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-4	PZ-39S	Total/NA	Water	EPA 9034	388282
180-133600-5	PZ-41S	Total/NA	Water	EPA 9034	388282
180-133600-6	PZ-42I	Total/NA	Water	EPA 9034	388282
180-133600-7	PZ-43S	Total/NA	Water	EPA 9034	388282
180-133600-8	PZ-44I	Total/NA	Water	EPA 9034	388282
180-133600-9	FB-1	Total/NA	Water	EPA 9034	388282
180-133600-10	EB-1	Total/NA	Water	EPA 9034	388282
180-133600-11	DUP-1	Total/NA	Water	EPA 9034	388282
MB 180-388282/1-A	Method Blank	Total/NA	Water	EPA 9034	388282
LCS 180-388282/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388282
180-133600-4 MS	PZ-39S	Total/NA	Water	EPA 9034	388282
180-133600-4 MSD	PZ-39S	Total/NA	Water	EPA 9034	388282

Analysis Batch: 388541

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	SM 2540C	
180-133641-2	PZ-69I	Total/NA	Water	SM 2540C	
MB 180-388541/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-388541/1	Lab Control Sample	Total/NA	Water	SM 2540C	
180-133538-AO-2 DU	Duplicate	Total/NA	Water	SM 2540C	

Prep Batch: 388545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	9030B	
180-133641-2	PZ-69I	Total/NA	Water	9030B	
MB 180-388545/1-A	Method Blank	Total/NA	Water	9030B	
LCS 180-388545/2-A	Lab Control Sample	Total/NA	Water	9030B	
180-133638-E-4-B MS	Matrix Spike	Total/NA	Water	9030B	
180-133638-E-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	9030B	

Analysis Batch: 388646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	EPA 9034	388545
180-133641-2	PZ-69I	Total/NA	Water	EPA 9034	388545
MB 180-388545/1-A	Method Blank	Total/NA	Water	EPA 9034	388545
LCS 180-388545/2-A	Lab Control Sample	Total/NA	Water	EPA 9034	388545
180-133638-E-4-B MS	Matrix Spike	Total/NA	Water	EPA 9034	388545
180-133638-E-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 9034	388545

Analysis Batch: 388836

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	SM2320 B	
180-133600-2	PZ-14S	Total/NA	Water	SM2320 B	
180-133600-3	PZ-17I	Total/NA	Water	SM2320 B	
180-133600-4	PZ-39S	Total/NA	Water	SM2320 B	
180-133600-5	PZ-41S	Total/NA	Water	SM2320 B	
180-133600-6	PZ-42I	Total/NA	Water	SM2320 B	
180-133600-7	PZ-43S	Total/NA	Water	SM2320 B	
180-133600-8	PZ-44I	Total/NA	Water	SM2320 B	
180-133600-9	FB-1	Total/NA	Water	SM2320 B	
180-133600-10	EB-1	Total/NA	Water	SM2320 B	

Eurofins Pittsburgh

QC Association Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

General Chemistry (Continued)

Analysis Batch: 388836 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-11	DUP-1	Total/NA	Water	SM2320 B	
MB 180-388836/53	Method Blank	Total/NA	Water	SM2320 B	
MB 180-388836/77	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-388836/76	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-388836/75	Lab Control Sample	Total/NA	Water	SM2320 B	
180-133600-4 DU	PZ-39S	Total/NA	Water	SM2320 B	

Analysis Batch: 389075

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	SM2320 B	
180-133641-2	PZ-69I	Total/NA	Water	SM2320 B	
MB 180-389075/6	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-389075/5	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-389075/4	Lab Control Sample	Total/NA	Water	SM2320 B	
180-133638-C-6 DU	Duplicate	Total/NA	Water	SM2320 B	

Analysis Batch: 829718

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	SM 3500 FE D	
180-133600-2	PZ-14S	Total/NA	Water	SM 3500 FE D	
180-133600-3	PZ-17I	Total/NA	Water	SM 3500 FE D	
180-133600-4	PZ-39S	Total/NA	Water	SM 3500 FE D	
180-133600-5	PZ-41S	Total/NA	Water	SM 3500 FE D	
180-133600-6	PZ-42I	Total/NA	Water	SM 3500 FE D	
180-133600-7	PZ-43S	Total/NA	Water	SM 3500 FE D	
180-133600-8	PZ-44I	Total/NA	Water	SM 3500 FE D	
180-133600-9	FB-1	Total/NA	Water	SM 3500 FE D	
180-133600-10	EB-1	Total/NA	Water	SM 3500 FE D	
180-133600-11	DUP-1	Total/NA	Water	SM 3500 FE D	
MB 460-829718/12	Method Blank	Total/NA	Water	SM 3500 FE D	
LCS 460-829718/13	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
MRL 460-829718/11	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
460-252723-E-1 MS	Matrix Spike	Total/NA	Water	SM 3500 FE D	
460-252723-E-1 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 3500 FE D	

Analysis Batch: 829723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	SM 3500 FE D	
180-133641-2	PZ-69I	Total/NA	Water	SM 3500 FE D	
MB 460-829723/35	Method Blank	Total/NA	Water	SM 3500 FE D	
MB 460-829723/4	Method Blank	Total/NA	Water	SM 3500 FE D	
LCS 460-829723/36	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
LCS 460-829723/5	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
MRL 460-829723/3	Lab Control Sample	Total/NA	Water	SM 3500 FE D	
180-133638-D-1 MS	Matrix Spike	Total/NA	Water	SM 3500 FE D	
180-133638-D-1 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 3500 FE D	

Analysis Batch: 829800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	SM 3500	
180-133600-2	PZ-14S	Total/NA	Water	SM 3500	

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-1

General Chemistry (Continued)

Analysis Batch: 829800 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-3	PZ-17I	Total/NA	Water	SM 3500	
180-133600-4	PZ-39S	Total/NA	Water	SM 3500	
180-133600-5	PZ-41S	Total/NA	Water	SM 3500	
180-133600-6	PZ-42I	Total/NA	Water	SM 3500	
180-133600-7	PZ-43S	Total/NA	Water	SM 3500	
180-133600-8	PZ-44I	Total/NA	Water	SM 3500	
180-133600-9	FB-1	Total/NA	Water	SM 3500	
180-133600-10	EB-1	Total/NA	Water	SM 3500	
180-133600-11	DUP-1	Total/NA	Water	SM 3500	

Analysis Batch: 829801

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	SM 3500	
180-133641-2	PZ-69I	Total/NA	Water	SM 3500	

Field Service / Mobile Lab

Analysis Batch: 388945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	Field Sampling	
180-133600-2	PZ-14S	Total/NA	Water	Field Sampling	
180-133600-3	PZ-17I	Total/NA	Water	Field Sampling	
180-133600-4	PZ-39S	Total/NA	Water	Field Sampling	
180-133600-5	PZ-41S	Total/NA	Water	Field Sampling	
180-133600-6	PZ-42I	Total/NA	Water	Field Sampling	
180-133600-7	PZ-43S	Total/NA	Water	Field Sampling	
180-133600-8	PZ-44I	Total/NA	Water	Field Sampling	

Analysis Batch: 389113

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	Field Sampling	
180-133641-2	PZ-69I	Total/NA	Water	Field Sampling	

TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 2/10/2022		COC No:				
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: Shali Brown		Carrier:		_1_ of _1_ COCs				
Southern Company		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS/MSD (Y/N) App III/IV Total Metals Cl, F, SO4, TDS Radium 226/228 Mg, Na, K, Mn Alkalinity (total, CO3, HCO3) Sulfide Fe2, Fe3		244-ATLANTA		Sampler:				
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below ___3-5 days___						For Lab Use Only:				
Atlanta, GA 30308		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Walk-in Client:				
JAbraham@southernco.com								Lab Sampling:				
Project Name: CCR - Plant Scherer AP1 Assessment								Job / SDG No.:				
Site: Georgia												
P O #												
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes:					
PZ-13S	2/8/2022	16:20	G	GW	6	X	X	X	X	X	X	pH= 4.92
PZ-14S	2/8/2022	16:50	G	GW	6	X	X	X	X	X	X	pH= 5.42
PZ-17I	2/9/2022	13:10	G	GW	6	X	X	X	X	X	X	pH= 6.71
PZ-39S	2/9/2022	10:15	G	GW	6	X	X	X	X	X	X	pH= 6.55
PZ-41S	2/9/2022	15:25	G	GW	6	X	X	X	X	X	X	pH= 5.95
PZ-42I	2/9/2022	13:10	G	GW	6	X	X	X	X	X	X	pH= 6.25
PZ-43S	2/9/2022	10:30	G	GW	8	X	X	X	X	X	X	pH= 6.66
PZ-44I	2/9/2022	15:45	G	GW	6	X	X	X	X	X	X	pH= 6.57
FB-1	2/9/2022	13:35	G	GW	6	X	X	X	X	X	X	
EB-1	2/9/2022	16:30	G	GW	6	X	X	X	X	X	X	
DUP-1	2/9/2022	-	G	GW	6	X	X	X	X	X	X	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						4	4	4	1	1	5	1
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Disposal (A fee may be assessed if samples are) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months						
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown												
Special Instructions/QC Requirements & Comments:												
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____		Cor'd: _____		Therm ID No.:				
Relinquished by: <i>Dawn Prell</i>		Company: <i>WSP-602022</i>		Date/Time: <i>2/10/22 8:25</i>		Received by: <i>Elaine Cook</i>		Company: <i>Courier Nav</i>				
Relinquished by: <i>Dora Moore</i>		Company:		Date/Time: <i>2/10/22 10:09</i>		Received by: <i>Dora Moore</i>		Company:				
Relinquished by:		Company:		Date/Time:		Received in Laboratory by: <i>D. Waters</i>		Company: <i>TestAmerica</i>				



Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

TestAmerica Pittsburgh

301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412.963.7058 fax 412.963.2468


Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 JAbraham@southernco.com		Project Manager: Dawn Prell Tel/Fax: 248-536-5445		Site Contact: Dawn Prell Lab Contact: Shali Brown			Date: 2/11/2022 Carrier:			COC No: __1__ of __1__ COCs																																											
Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below __3-5 days__ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Filtered Sample (Y/N)</th> <th>Perform MS/MSD (Y/N)</th> <th>App III/IV Total Metals</th> <th>Cl, F, SO4, TDS</th> <th>Radium 226/228</th> <th>Mg, Na, K, Mn</th> <th>Alkalinity (total, CO3, HCO3)</th> <th>Sulfide</th> <th>Fe2, Fe3</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td><td></td><td></td> </tr> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td><td></td><td></td> </tr> </table>											Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3					X	X	X	X	X	X	X	X	X					X	X	X	X	X	X	X	X	X					Sampler: For Lab Use Only: Walk-in Client: Lab Sampling:	
Filtered Sample (Y/N)	Perform MS/MSD (Y/N)												App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3																																		
X	X	X	X	X	X	X	X	X																																													
X	X	X	X	X	X	X	X	X																																													
Project Name: CCR - Plant Scherer AP1 Assessment Site: Georgia P O #		Job / SDG No.:											Sample Specific Notes:																																								
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.																																																
PZ-40I	2/10/2022	11:27	G	GW	6												pH= 6.11																																				
PZ-69I	2/10/2022	11:27	G	GW	6												pH= 6.61																																				
 <p>180-133641 Chain of Custody</p>																																																					
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>4</td><td>1</td><td>4</td><td>1</td><td>1</td><td>5</td><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>												4	1	4	1	1	5	4																													
4	1	4	1	1	5	4																																															
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months																																															
Special Instructions/QC Requirements & Comments:																																																					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No						Custody Seal No.:						Cooler Temp. (°C): Obs'd:						Therm ID No.:																																			
Relinquished by: <i>[Signature]</i>			Company: Golden			Date/Time: 16:03 2/11/22			Received by: 3			Company: ETA			Date/Time: 2/11/22 16:03																																						
Relinquished by: <i>[Signature]</i>			Company: ETA			Date/Time: 16:30 2/11/22			Received by: <i>[Signature]</i>			Company: ETA P18			Date/Time: 2/11/22 1245																																						
Relinquished by:			Company:			Date/Time:			Received in Laboratory by:			Company:			Date/Time:																																						

1
2
3
4
5
6
7
8
9
10
11
12
13



eurofins

Environment Test
TestAmerica


RT 98
FZ
1 10:30
A .1680
02.11

ORIGIN ID: LTYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
RCMGT: 59.25 LB
CRD: 859116/CH-E3510
BILL THIRD PARTY

10 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 968-7068
REF: PO: DEPT:



1 of 6
TRK# 5220 7116 1680
0201
FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

MASTER ##
NA AGCA
15238
PA-US PIT

Uncorrected temp 3.5 °C
Thermometer ID 114
CF Initials S
PT-M-SR-001 effective 1/18/18



570C2/027C/6F4B



 eurofins

Environment Testing
TestAmerica


Part # 159469-434 MTW EXP 09/22

ORIGIN 10:11YA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 NEBECKY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CHD: 859152/PFE3S10
BILL THRO: PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238

(412) 983-7058
REF: 5
DEPT: 1



MPS# 5220 7116 1690
0263
Mstr# 5220 7116 1680


2 of 6
FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

NA AGCA

15238
PA-US PIT

Uncorrected temp
Thermometer ID


CF 8 Initials 8
PT-M-SR-Q01 effective 1/18/18



Do not lift using this tag.



Equipment Testing
TestAmerica



Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LTYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TEST AMERICA
6215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CND: 8591167GDFE3510
BILL THIRD PARTY

0 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
REF: (412) 963-7058
DEPT: POC




Am1011210201121

Uncorrected temp _____ °C
Thermometer ID _____
CF Initials 8

PT-W-SR-001 effective 11/8/18
11 FEB 10:30A
PRIORITY OVERNIGHT

MPS# 5220 7116 1705
0263
Mstr# 5220 7116 1680
0201
NA AGCA
15238
PA-US PIT



1
2
3
4
5
6
7
8
9
10
11
12
13

FedEx

RT 98
10:30
A
tag.

 eurofins

Environment Testing
TestAmerica

Part # 159469-434 MATW EXP 09/22


ORIGIN ID: L1YA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CND: 859116/CARE3510
BILL THIRD PARTY

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
REF: (412) 983-7068
NO: 101
DEPT: 101

Uncorrected temp
Thermometer ID

CF *B* Initials
IPF-MSR-001 effective 1/16/18




FedEx
Express


4 of 6
MPS# 5220 7116 1716
02631
Mstr# 5220 7116 1680

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT
0201

NA AGCA
PA-US PIT 15238






Environment Testing
TestAmerica

Part # 159469494 MTW EXP 09/22

ORIGIN AD: IYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTUET: 59 25 LB
CND: 85918/CHE/ES10
BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 983-7058
PO1 DEPT1



5 of 6
MPS# 5220 7116 1727
Mstr# 5220 7116 1680
FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT
NA AGCA
15238
PA-US
PIT

Uncorrected temp
Thermometer ID
CF 0 Initials GT
PT-M-SR-001 effective 11/8/18

eurofins

Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA - ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING T: 55.25 LB
CAD: 959116/CAFE3510
BILL THIRD PARTY

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: DEPT: 201

Unconnected temp
Temperature is correct
Initials
SP-01 effective 1/16/18
SP-01 of 6





FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

5220 7116 1738

Mstr #: 5220 7116 1680

0201

NA-AGCA

15238
PA-US PIT



1
2
3
4
5
6
7
8
9
10
11
12
13



Environment Testing
TestAmerica


12.20
0220
12.00
639
RT
Z

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LTYA (678) S...
GEORGE TAYLOR
EUROFINS TESTING AMERICA
6215 REGENDY PARKWAY NM
SUITE 900
NORCROSS GA 30071
UNITED STATES US
DATE: 11FEB22
GT: 5:15:18
REF: 659116/CALFEAS10

BILL RECIPIENT

to **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238
(412) 863-7068
REF: **GOLDER - SCHERER**



1 of 6
TRAK# 5220 7116 2230
0201
SATURDAY 12:00P
PRIORITY OVERNIGHT


MASTER ##
NO AGCA
15238
PA-US PIT

Uncorrected temp
Thermometer ID

3.3 °C

CF Q Initials 8

PT-WI-SR-001 effective 11/8/18




180-133641 Waybill

Don't lift this tag



639
Eurofins
America
resting



Part # 159469434 MTW EXP 03/22

ORIGIN: ID-LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
NORCROSS, GA 30071
UNITED STATES US
SHIP DATE: 11FEB22
POL: 5115LEB
CMD: 855116/CH/E3510

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 883-7068
REF: GOLDER SCHERER



11271020121011

MRS# 5220 7116 2241
Mstr# 5220 7116 2230


2 of 6
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
PA-US PIT


Uncorrected temp
Thermometer ID
CF
Initials
PT-M,SR-001 effective 11/8/18

35
16
C
Initials





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
 GEORGE TAYLOR
 EUROFINS TESTING AMERICA ATL SC
 6215 REGENCY PARKWAY NM
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US


SHIP DATE: 11FEB22
 ACTWT: 51.15 LB
 CRD: 85916/CaF85510

BILL RECIPIENT

10 **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
307 ALPHA DR.
RIDC PARK

PITTSBURGH PA 15238

(412) 963-7058
 REF: GOLDER - SCHERER



AP101121021212F

MPS# 3 of 6
 0263 5220 7116 2252

Mstr# 5220 7116 2230

0201

SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
 PA-US PIT

Uncorrected temp
 Thermometer ID

4.6 °C

CF

Q

Initials

He

PT-MI-SR-001 effective 11/9/18



1
2
3
4
5
6
7
8
9
10
11
12
13




Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LYA (478) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NM
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACT WT: 51.15 LB
CNO: B01167CAFE3510
BILL RECIP:
M

10 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 983-7068
REF: GOLDR - SCHERER



MPS# 4 o/b
0263 5220 7116 2263
Mstr# 5220 7116 2230

0201 SATURDAY 12:00P
PRIORITY OVERNIGHT


NO AGCA

15238
PA-US PIT

Uncorrected temp 22 °C
Thermometer ID 16
CF 0 Initials B
PT-M-SR-001 effect 11/8/16



1
2
3
4
5
6
7
8
9
10
11
12
13



eurofin
Eurofin Instant Testing

Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LIYA / (678) 966-9991
GEORGE TAYLOR /
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11 FEB 22
ACTING SITE ID: CAFE5510
CWD: 859116/CNFE5510

BILL RECEIPT

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDR - SCHERER




5 of 6
SATURDAY 12:00P
PRIORITY OVERNIGHT

MPS# 5220 7116 2274
0263
Mstr# 5220 7116 2230
0201
NO AGCA
15238
PA-US PIT

Uncorrected temp
Thermometer ID

CF ① Initials §



PT-MI-SR-001 effective 11/8/18




Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: IYA (678) 968-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
RTWGT: 51.15 LB
CAD: 859116/CAFE3510
BILL RECIPIENT

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 968-7068
REF: GOLDR - SCHERER




MPS# 8 of 8
5220 7116 2285
Mstr# 5220 7116 2230

0201 SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
PA-US
PIT



Uncorrected temp
Thermometer ID

CF 0 Initials S

PT-M-SR-001 effective 11/8/18

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Brown, Shali		Carrier Tracking No(s): 180-454808.1	
Client Contact: Edison		E-Mail: Shali.Brown@Eurofinset.com		Page: 1 of 2	
Shipping/Receiving		State of Origin: Georgia		Job #: 180-133600-1	
Company: Eurofins Environment Testing Northeast,		Accreditations Required (See note):		Preservation Codes:	
Address: 777 New Durham Road,		Due Date Requested: 2/24/2022		A - HCL	
City: Edison		TAT Requested (days):		M - Hexane	
State: Zin		PO #:		N - None	
NJ, 08817		WO #:		B - NaOH	
Phone: 732-549-3900(Tel) 732-549-3679(Fax)		Project #: 18019884		C - Zn Acetate	
Email:		SSOW#:		D - Nitric Acid	
Project Name: Plant Scherer AP1 Assessment		Sample Date		E - NaHSO4	
Site: CCR Plant Scherer		Sample Time		F - MeOH	
		Sample Type (C=Comp, G=grab)		G - Anichlor	
		Matrix (W=water, S=solid, O=wastewater, BT=Tissue, A=Air)		H - Ascorbic Acid	
		Preservation Code:		I - Ice	
				J - DI Water	
				K - EDTA	
				L - EDA	
				Other:	
				Total Number of Containers	
				Field Filtered Sample (Yes or No)	
				Perform MS/MSD (Yes or No)	
				3500_Fe+3_D_Cal/ Iron, Ferric	
				3500_FE_D/ Iron, Ferrous	
				Special Instructions/Note:	
				PZ-13S (180-133600-1)	
				PZ-14S (180-133600-2)	
				PZ-17I (180-133600-3)	
				PZ-39S (180-133600-4)	
				PZ-41S (180-133600-5)	
				PZ-42I (180-133600-6)	
				PZ-43S (180-133600-7)	
				PZ-44I (180-133600-8)	
				FB-1 (180-133600-9)	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.</p>					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 2					
Empty Kit Relinquished by:					
Relinquished by: [Signature]					
Relinquished by: [Signature]					
Relinquished by:					
Custody Seal No.: 10 CS					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No					
Cooler Temperature(s) °C and Other Remarks: 1.5/1.4 2.4/2.3 °C					
Received by: v. Felix					
Date/Time: 2/15/22 1005					
Company: Eurofins					
Received by:					
Date/Time:					
Company:					
Received by:					
Date/Time:					
Company:					
Method of Shipment:					
Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months					
Special Instructions/QC Requirements:					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					



Chain of Custody Record

Eurofins Pittsburgh
301 Alpha Drive RIDC Park
Pittsburgh, PA 15238
Phone: 412-963-7058 Fax: 412-963-2468

Client Information (Sub Contract Lab)		Lab PM: Brown, Shali	Carrier Tracking No(s): 180-454808.2	COC No: 180-454808.2
Client Contact: Shali Brown@Eurofins.com		E-Mail: Shali.Brown@Eurofins.com	State of Origin: Georgia	Page: Page 2 of 2
Shipping/Receiving		Job #: 180-133600-1		
Company: Eurofins Environment Testing Northeast, 777 New Durham Road,		Accreditations Required (See note):		
Address: City: Edison		Analysis Requested		
State, Zip: NJ, 08817		M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - NaHSO4 S - H2SO4 T - TSP Dodecahydrate U - Ice V - MCAA W - pH 4-5 Z - other (specify)		
Phone: 732-549-3900(Tel) 732-549-3679(Fax)		Preservation Codes:		
Email:		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		
Project Name: Plant Scherer AP1 Assessment		Total Number of Containers		
Site: CCR Plant Scherer		3500_Fe+3 D.Cal/ Iron, Ferric		
		3500_FE_D/ Iron, Ferrous		
		Perform MS/MSD (Yes or No)		
		Field Filtered Sample (Yes or No)		
		Total Number of Containers		
		Special Instructions/Note:		

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification
 Unconfirmed
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=water/oil, BT=TISSUE, AS=AK)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	3500_Fe+3 D.Cal/ Iron, Ferric	3500_FE_D/ Iron, Ferrous	Total Number of Containers
EB-1 (180-133600-10)	2/9/22	16:30 Eastern	Water	Water		X	X	X	X	1
DUP-1 (180-133600-11)	2/9/22	Eastern	Water	Water		X	X	X	X	1

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Received by: _____ Date: 2/15/22
 Company: **ETA**
 Received by: _____ Date: _____
 Company: _____
 Received by: _____ Date: _____
 Company: _____
 Cooler Temperature(s) °C and Other Remarks:
 Δ Yes Δ No **Custody Seal No.:**

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-1

Login Number: 133600

List Number: 1

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-1

Login Number: 133600

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/15/22 12:01 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4, 2.3°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-1

Login Number: 133641

List Number: 1

Creator: Jodis, Matthew V

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-1

Login Number: 133641

List Number: 2

Creator: Armbruster, Chris

List Source: Eurofins Edison

List Creation: 02/15/22 12:01 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4, 2.3°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-133600-2

Client Project/Site: Plant Scherer AP1 Assessment

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
3/18/2022 4:47:17 PM

Shali Brown, Project Manager II
(615)301-5031
Shali.Brown@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	13
QC Sample Results	26
QC Association Summary	29
Chain of Custody	30
Receipt Checklists	49



Case Narrative

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Job ID: 180-133600-2

Laboratory: Eurofins Pittsburgh

Narrative

Job Narrative 180-133600-2

Comments

No additional comments.

Receipt

The samples were received on 2/11/2022 9:30 AM and 2/12/2022 12:45 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 12 coolers at receipt time were 1.7° C, 2.1° C, 2.1° C, 2.4° C, 2.6° C, 3.3° C, 3.5° C, 3.8° C, 4.4° C, 4.4° C, 4.6° C and 4.6° C.

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The COC was not relinquished. 180-133600

RAD

Methods 903.0, 9315: Radium 226 batch 551849:

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-40I (180-133641-1), PZ-69I (180-133641-2), (LCS 160-551849/1-A) and (MB 160-551849/23-A)

Method 9315: Radium 226 batch 551854

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-13S (180-133600-1), PZ-14S (180-133600-2), PZ-17I (180-133600-3), PZ-39S (180-133600-4), PZ-41S (180-133600-5), PZ-42I (180-133600-6), PZ-43S (180-133600-7), PZ-44I (180-133600-8), FB-1 (180-133600-9), EB-1 (180-133600-10), DUP-1 (180-133600-11), (LCS 160-551854/1-A), (LCSD 160-551854/2-A) and (MB 160-551854/21-A)

Methods 904.0, 9320: Radium 228 batch 551852

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-40I (180-133641-1), PZ-69I (180-133641-2), (LCS 160-551852/1-A), (MB 160-551852/23-A) and (500-212081-H-15-B DU)

Method 9320: Radium 228 batch 551857

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-13S (180-133600-1), PZ-14S (180-133600-2), PZ-17I (180-133600-3), PZ-39S (180-133600-4), PZ-41S (180-133600-5), PZ-42I (180-133600-6), PZ-43S (180-133600-7), PZ-44I (180-133600-8), FB-1 (180-133600-9), EB-1 (180-133600-10), DUP-1 (180-133600-11), (LCS 160-551857/1-A), (LCSD 160-551857/2-A) and (MB 160-551857/21-A)

Method PrecSep_0: Radium-228 Prep Batch 160-551857

The following samples were prepared at a reduced aliquot due to Matrix: PZ-13S (180-133600-1), PZ-17I (180-133600-3), PZ-39S (180-133600-4), PZ-41S (180-133600-5) and PZ-42I (180-133600-6). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method PrecSep-21: Radium-226 Prep Batch 160-551854

The following samples were prepared at a reduced aliquot due to Matrix: PZ-13S (180-133600-1), PZ-17I (180-133600-3), PZ-39S (180-133600-4), PZ-41S (180-133600-5) and PZ-42I (180-133600-6). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-22
ANAB	Dept. of Defense ELAP	L2305	04-06-22
ANAB	Dept. of Energy	L2305.01	04-06-22
ANAB	ISO/IEC 17025	L2305	04-07-23
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22
California	State	2886	06-30-21 *
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-22
HI - RadChem Recognition	State	n/a	06-30-22
Illinois	NELAP	200023	11-30-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana	NELAP	04080	06-30-22
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-22
MI - RadChem Recognition	State	9005	06-30-22
Missouri	State	780	06-30-22
Nevada	State	MO000542020-1	07-31-22
New Jersey	NELAP	MO002	06-30-22
New York	NELAP	11616	04-01-22
North Dakota	State	R-207	06-30-22
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-22
Oklahoma	State	9997	03-17-22
Oregon	NELAP	4157	09-01-22
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22
Texas	NELAP	T104704193	07-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	08-01-22
Virginia	NELAP	10310	06-14-22
Washington	State	C592	08-30-22
West Virginia DEP	State	381	10-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-133600-1	PZ-13S	Water	02/08/22 16:20	02/11/22 09:30
180-133600-2	PZ-14S	Water	02/08/22 16:50	02/11/22 09:30
180-133600-3	PZ-17I	Water	02/09/22 13:10	02/11/22 09:30
180-133600-4	PZ-39S	Water	02/09/22 10:15	02/11/22 09:30
180-133600-5	PZ-41S	Water	02/09/22 15:25	02/11/22 09:30
180-133600-6	PZ-42I	Water	02/09/22 13:10	02/11/22 09:30
180-133600-7	PZ-43S	Water	02/09/22 10:30	02/11/22 09:30
180-133600-8	PZ-44I	Water	02/09/22 15:45	02/11/22 09:30
180-133600-9	FB-1	Water	02/09/22 13:35	02/11/22 09:30
180-133600-10	EB-1	Water	02/09/22 16:30	02/11/22 09:30
180-133600-11	DUP-1	Water	02/09/22 00:00	02/11/22 09:30
180-133641-1	PZ-40I	Water	02/10/22 11:27	02/12/22 12:45
180-133641-2	PZ-69I	Water	02/10/22 11:27	02/12/22 12:45



Method Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-13S

Lab Sample ID: 180-133600-1

Date Collected: 02/08/22 16:20

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			753.11 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555612	03/16/22 17:40	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			753.11 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554507	03/09/22 13:21	FLC	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-14S

Lab Sample ID: 180-133600-2

Date Collected: 02/08/22 16:50

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			998.24 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			998.24 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554507	03/09/22 13:21	FLC	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-17I

Lab Sample ID: 180-133600-3

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			743.76 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			743.76 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554507	03/09/22 13:21	FLC	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-39S

Lab Sample ID: 180-133600-4

Date Collected: 02/09/22 10:15

Matrix: Water

Date Received: 02/11/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			753.82 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-39S

Date Collected: 02/09/22 10:15

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			753.82 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-41S

Date Collected: 02/09/22 15:25

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			749.18 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			749.18 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-42I

Date Collected: 02/09/22 13:10

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			753.96 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			753.96 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-43S

Date Collected: 02/09/22 10:30

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			992.97 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555611	03/16/22 17:37	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Prep	PrecSep_0			992.97 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										

Eurofins Pittsburgh

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-43S
Date Collected: 02/09/22 10:30
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL

Client Sample ID: PZ-44I
Date Collected: 02/09/22 15:45
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			998.18 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555612	03/16/22 19:26	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			998.18 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: FB-1
Date Collected: 02/09/22 13:35
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1006.19 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555612	03/16/22 19:26	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1006.19 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: EB-1
Date Collected: 02/09/22 16:30
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.97 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555612	03/16/22 19:26	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			999.97 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: DUP-1

Date Collected: 02/09/22 00:00

Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1009.81 mL	1.0 g	551854	02/22/22 15:45	LPS	TAL SL
Total/NA	Analysis	9315		1			555612	03/16/22 19:26	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1009.81 mL	1.0 g	551857	02/22/22 16:25	LPS	TAL SL
Total/NA	Analysis	9320		1			554308	03/09/22 13:25	FLC	TAL SL
Instrument ID: GFPCPURPLE										
Total/NA	Analysis	Ra226_Ra228		1			555865	03/17/22 16:33	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-401

Date Collected: 02/10/22 11:27

Date Received: 02/12/22 12:45

Lab Sample ID: 180-133641-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1001.40 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:57	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1001.40 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553908	03/07/22 13:21	JCB	TAL SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-691

Date Collected: 02/10/22 11:27

Date Received: 02/12/22 12:45

Lab Sample ID: 180-133641-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			751.06 mL	1.0 g	551849	02/22/22 15:12	LPS	TAL SL
Total/NA	Analysis	9315		1			555632	03/16/22 11:57	FLC	TAL SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			751.06 mL	1.0 g	551852	02/22/22 15:42	LPS	TAL SL
Total/NA	Analysis	9320		1			553855	03/07/22 13:29	FLC	TAL SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			555655	03/16/22 17:45	EMH	TAL SL
Instrument ID: NOEQUIP										

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Lab Chronicle

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Analyst References:

Lab: TAL SL

Batch Type: Prep

LPS = Lauren Szostak

Batch Type: Analysis

EMH = Elizabeth Hoerchler

FLC = Fernando Cruz

JCB = Jacob Boyd

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-13S

Lab Sample ID: 180-133600-1

Date Collected: 02/08/22 16:20

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0867	U	0.0948	0.0951	1.00	0.221	pCi/L	02/22/22 15:45	03/16/22 17:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					02/22/22 15:45	03/16/22 17:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0303	U	0.287	0.287	1.00	0.512	pCi/L	02/22/22 16:25	03/09/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.0		40 - 110					02/22/22 16:25	03/09/22 13:21	1
Y Carrier	84.5		40 - 110					02/22/22 16:25	03/09/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0564	U	0.302	0.302	5.00	0.512	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-14S

Lab Sample ID: 180-133600-2

Date Collected: 02/08/22 16:50

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0257	U	0.0784	0.0785	1.00	0.144	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.3		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0371	U	0.220	0.220	1.00	0.391	pCi/L	02/22/22 16:25	03/09/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.3		40 - 110					02/22/22 16:25	03/09/22 13:21	1
Y Carrier	84.1		40 - 110					02/22/22 16:25	03/09/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0627	U	0.234	0.234	5.00	0.391	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-171

Lab Sample ID: 180-133600-3

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0385	U	0.102	0.102	1.00	0.185	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.0		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.272	U	0.342	0.343	1.00	0.567	pCi/L	02/22/22 16:25	03/09/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.0		40 - 110					02/22/22 16:25	03/09/22 13:21	1
Y Carrier	84.1		40 - 110					02/22/22 16:25	03/09/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.310	U	0.357	0.358	5.00	0.567	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-39S

Lab Sample ID: 180-133600-4

Date Collected: 02/09/22 10:15

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0571	U	0.107	0.107	1.00	0.189	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.275	U	0.345	0.345	1.00	0.571	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	87.5		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.332	U	0.361	0.361	5.00	0.571	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-41S

Lab Sample ID: 180-133600-5

Date Collected: 02/09/22 15:25

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00206	U	0.0893	0.0893	1.00	0.179	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.8		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.231	U	0.353	0.353	1.00	0.593	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.8		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	84.9		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.229	U	0.364	0.364	5.00	0.593	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-421

Lab Sample ID: 180-133600-6

Date Collected: 02/09/22 13:10

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0273	U	0.103	0.103	1.00	0.211	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.0		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.301	U	0.308	0.309	1.00	0.501	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.0		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	87.1		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.274	U	0.325	0.326	5.00	0.501	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-43S

Lab Sample ID: 180-133600-7

Date Collected: 02/09/22 10:30

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0511	U	0.0818	0.0820	1.00	0.141	pCi/L	02/22/22 15:45	03/16/22 17:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		40 - 110					02/22/22 15:45	03/16/22 17:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.361	U	0.268	0.270	1.00	0.421	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	84.5		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.412	U	0.280	0.282	5.00	0.421	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-441

Lab Sample ID: 180-133600-8

Date Collected: 02/09/22 15:45

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0687	U	0.0816	0.0818	1.00	0.134	pCi/L	02/22/22 15:45	03/16/22 19:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.5		40 - 110					02/22/22 15:45	03/16/22 19:26	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.169	U	0.235	0.235	1.00	0.392	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.5		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	84.5		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.237	U	0.249	0.249	5.00	0.392	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: FB-1

Lab Sample ID: 180-133600-9

Date Collected: 02/09/22 13:35

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0292	U	0.0750	0.0750	1.00	0.159	pCi/L	02/22/22 15:45	03/16/22 19:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.3		40 - 110					02/22/22 15:45	03/16/22 19:26	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.109	U	0.236	0.236	1.00	0.406	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.3		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	80.0		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0798	U	0.248	0.248	5.00	0.406	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: EB-1

Lab Sample ID: 180-133600-10

Date Collected: 02/09/22 16:30

Matrix: Water

Date Received: 02/11/22 09:30

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00937	U	0.0615	0.0616	1.00	0.129	pCi/L	02/22/22 15:45	03/16/22 19:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					02/22/22 15:45	03/16/22 19:26	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.162	U	0.226	0.227	1.00	0.378	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	86.7		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.153	U	0.234	0.235	5.00	0.378	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: DUP-1
Date Collected: 02/09/22 00:00
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133600-11
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0200	U	0.0802	0.0802	1.00	0.149	pCi/L	02/22/22 15:45	03/16/22 19:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		40 - 110					02/22/22 15:45	03/16/22 19:26	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.309	U	0.227	0.229	1.00	0.351	pCi/L	02/22/22 16:25	03/09/22 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.5		40 - 110					02/22/22 16:25	03/09/22 13:25	1
Y Carrier	83.7		40 - 110					02/22/22 16:25	03/09/22 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.329	U	0.241	0.243	5.00	0.351	pCi/L		03/17/22 16:33	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-401

Lab Sample ID: 180-133641-1

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0445	U	0.0602	0.0603	1.00	0.101	pCi/L	02/22/22 15:12	03/16/22 11:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.0		40 - 110					02/22/22 15:12	03/16/22 11:57	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.322	U	0.271	0.272	1.00	0.432	pCi/L	02/22/22 15:42	03/07/22 13:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.0		40 - 110					02/22/22 15:42	03/07/22 13:21	1
Y Carrier	84.9		40 - 110					02/22/22 15:42	03/07/22 13:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.366	U	0.278	0.279	5.00	0.432	pCi/L		03/16/22 17:45	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Client Sample ID: PZ-69I

Lab Sample ID: 180-133641-2

Date Collected: 02/10/22 11:27

Matrix: Water

Date Received: 02/12/22 12:45

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0306	U	0.0726	0.0727	1.00	0.135	pCi/L	02/22/22 15:12	03/16/22 11:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/22/22 15:12	03/16/22 11:57	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.387	U	0.365	0.367	1.00	0.590	pCi/L	02/22/22 15:42	03/07/22 13:29	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.5		40 - 110					02/22/22 15:42	03/07/22 13:29	1
Y Carrier	83.4		40 - 110					02/22/22 15:42	03/07/22 13:29	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.418	U	0.372	0.374	5.00	0.590	pCi/L		03/16/22 17:45	1

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-551849/23-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551849

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.05818	U	0.0636	0.0638	1.00	0.149	pCi/L	02/22/22 15:12	03/16/22 11:48	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	40 - 110					02/22/22 15:12	03/16/22 11:48	1
	95.8									

Lab Sample ID: LCS 160-551849/1-A
Matrix: Water
Analysis Batch: 555611

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551849

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	11.25		1.15	1.00	0.117	pCi/L	99	75 - 125
Carrier	LCS	LCS	Limits						
Ba Carrier	%Yield	Qualifier	40 - 110						
	92.5								

Lab Sample ID: 500-212081-H-15-A DU
Matrix: Water
Analysis Batch: 555632

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 551849

Analyte	Sample		DU	DU	Total	RL	MDC	Unit	RER	Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.195		0.05380	U	0.0758	1.00	0.128	pCi/L	0.74	1
Carrier	DU	DU	Limits							
Ba Carrier	%Yield	Qualifier	40 - 110							
	84.3									

Lab Sample ID: MB 160-551854/21-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551854

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.05472	U	0.0743	0.0745	1.00	0.125	pCi/L	02/22/22 15:45	03/16/22 19:26	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	40 - 110					02/22/22 15:45	03/16/22 19:26	1
	93.3									

Lab Sample ID: LCS 160-551854/1-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551854

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	10.34		1.09	1.00	0.119	pCi/L	91	75 - 125

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-551854/1-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551854

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	95.5		40 - 110

Lab Sample ID: LCSD 160-551854/2-A
Matrix: Water
Analysis Batch: 555612

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 551854

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
Radium-226	11.3	10.95		1.15	1.00	0.116	pCi/L	97	75 - 125	0.27	1

Carrier	LCSD %Yield	LCSD Qualifier	Limits
Ba Carrier	91.3		40 - 110

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-551852/23-A
Matrix: Water
Analysis Batch: 553855

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551852

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.01687	U	0.178	0.178	1.00	0.327	pCi/L	02/22/22 15:42	03/07/22 13:30	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	95.8		40 - 110	02/22/22 15:42	03/07/22 13:30	1
Y Carrier	87.9		40 - 110	02/22/22 15:42	03/07/22 13:30	1

Lab Sample ID: LCS 160-551852/1-A
Matrix: Water
Analysis Batch: 553908

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551852

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Radium-228	8.81	9.582		1.11	1.00	0.375	pCi/L	109	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	92.5		40 - 110
Y Carrier	86.4		40 - 110

Lab Sample ID: 500-212081-H-15-B DU
Matrix: Water
Analysis Batch: 553908

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 551852

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Radium-228	-0.0813	U	0.2437	U	0.221	1.00	0.351	pCi/L	0.79	1

Eurofins Pittsburgh

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: 500-212081-H-15-B DU
Matrix: Water
Analysis Batch: 553908

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 551852

	DU	DU	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	84.3		40 - 110
Y Carrier	85.6		40 - 110

Lab Sample ID: MB 160-551857/21-A
Matrix: Water
Analysis Batch: 554308

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 551857

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.4240		0.264	0.267	1.00	0.403	pCi/L	02/22/22 16:25	03/09/22 13:25	1

Carrier	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	93.3		40 - 110	02/22/22 16:25	03/09/22 13:25	1
Y Carrier	83.7		40 - 110	02/22/22 16:25	03/09/22 13:25	1

Lab Sample ID: LCS 160-551857/1-A
Matrix: Water
Analysis Batch: 554507

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 551857

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
Radium-228	8.81	9.313		1.08	1.00	0.373	pCi/L	106	75 - 125	

Carrier	LCS	LCS	Limits
	%Yield	Qualifier	
Ba Carrier	95.5		40 - 110
Y Carrier	84.9		40 - 110

Lab Sample ID: LCSD 160-551857/2-A
Matrix: Water
Analysis Batch: 554507

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 551857

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits		RER	Limit
Radium-228	8.81	9.732		1.13	1.00	0.378	pCi/L	110	75 - 125	0.19	1	

Carrier	LCSD	LCSD	Limits
	%Yield	Qualifier	
Ba Carrier	91.3		40 - 110
Y Carrier	85.2		40 - 110

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer AP1 Assessment

Job ID: 180-133600-2

Rad

Prep Batch: 551849

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	PrecSep-21	
180-133641-2	PZ-69I	Total/NA	Water	PrecSep-21	
MB 160-551849/23-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-551849/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-212081-H-15-A DU	Duplicate	Total/NA	Water	PrecSep-21	

Prep Batch: 551852

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133641-1	PZ-40I	Total/NA	Water	PrecSep_0	
180-133641-2	PZ-69I	Total/NA	Water	PrecSep_0	
MB 160-551852/23-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-551852/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-212081-H-15-B DU	Duplicate	Total/NA	Water	PrecSep_0	

Prep Batch: 551854

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	PrecSep-21	
180-133600-2	PZ-14S	Total/NA	Water	PrecSep-21	
180-133600-3	PZ-17I	Total/NA	Water	PrecSep-21	
180-133600-4	PZ-39S	Total/NA	Water	PrecSep-21	
180-133600-5	PZ-41S	Total/NA	Water	PrecSep-21	
180-133600-6	PZ-42I	Total/NA	Water	PrecSep-21	
180-133600-7	PZ-43S	Total/NA	Water	PrecSep-21	
180-133600-8	PZ-44I	Total/NA	Water	PrecSep-21	
180-133600-9	FB-1	Total/NA	Water	PrecSep-21	
180-133600-10	EB-1	Total/NA	Water	PrecSep-21	
180-133600-11	DUP-1	Total/NA	Water	PrecSep-21	
MB 160-551854/21-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-551854/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-551854/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 551857

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133600-1	PZ-13S	Total/NA	Water	PrecSep_0	
180-133600-2	PZ-14S	Total/NA	Water	PrecSep_0	
180-133600-3	PZ-17I	Total/NA	Water	PrecSep_0	
180-133600-4	PZ-39S	Total/NA	Water	PrecSep_0	
180-133600-5	PZ-41S	Total/NA	Water	PrecSep_0	
180-133600-6	PZ-42I	Total/NA	Water	PrecSep_0	
180-133600-7	PZ-43S	Total/NA	Water	PrecSep_0	
180-133600-8	PZ-44I	Total/NA	Water	PrecSep_0	
180-133600-9	FB-1	Total/NA	Water	PrecSep_0	
180-133600-10	EB-1	Total/NA	Water	PrecSep_0	
180-133600-11	DUP-1	Total/NA	Water	PrecSep_0	
MB 160-551857/21-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-551857/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-551857/2-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412.963.7058 fax 412.963.2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 2/10/2022		COC No:									
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: Shali Brown		Carrier:		_1_ of _1_ COCs									
Southern Company		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS/MSD (Y/N) App III/IV Total Metals Cl, F, SO4, TDS Radium 226/228 Mg, Na, K, Mn Alkalinity (total, CO3, HCO3) Sulfide Fe2, Fe3		244-ATLANTA		Sampler:									
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below ___3-5 days___						For Lab Use Only:									
Atlanta, GA 30308		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Walk-in Client:									
JAbraham@southernco.com								Lab Sampling:									
Project Name: CCR - Plant Scherer AP1 Assessment								Job / SDG No.:									
Site: Georgia																	
P O #																	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe2, Fe3	Sample Specific Notes:	
PZ-13S		2/8/2022	16:20	G	GW	6			X	X	X	X	X	X	X	pH= 4.92	
PZ-14S		2/8/2022	16:50	G	GW	6			X	X	X	X	X	X	X	pH= 5.42	
PZ-17I		2/9/2022	13:10	G	GW	6			X	X	X	X	X	X	X	pH= 6.71	
PZ-39S		2/9/2022	10:15	G	GW	6			X	X	X	X	X	X	X	pH= 6.55	
PZ-41S		2/9/2022	15:25	G	GW	6			X	X	X	X	X	X	X	pH= 5.95	
PZ-42I		2/9/2022	13:10	G	GW	6			X	X	X	X	X	X	X	pH= 6.25	
PZ-43S		2/9/2022	10:30	G	GW	8			X	X	X	X	X	X	X	pH= 6.66	
PZ-44I		2/9/2022	15:45	G	GW	6			X	X	X	X	X	X	X	pH= 6.57	
FB-1		2/9/2022	13:35	G	GW	6			X	X	X	X	X	X	X		
EB-1		2/9/2022	16:30	G	GW	6			X	X	X	X	X	X	X		
DUP-1		2/9/2022	-	G	GW	6			X	X	X	X	X	X	X		
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							4	4	4	1	1	5	1				
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.							Sample Disposal (A fee may be assessed if samples are)										
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months										
Special Instructions/QC Requirements & Comments:																	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:				Cooler Temp. (°C): Obs'd: _____				Cor'd: _____		Therm ID No.:					
Relinquished by: <i>Dawn Prell</i>		Company: <i>WSP-60202</i>		Date/Time: <i>2/10/22 8:25</i>		Received by: <i>Elaine Cook</i>		Company: <i>Courier Nav</i>		Date/Time: <i>2/10/22</i>							
Relinquished by: <i>Dora Moore</i>		Company:		Date/Time: <i>2/10/22 10:09</i>		Received by: <i>Dora Moore</i>		Company:		Date/Time: <i>2/10/22 10:09</i>							
Relinquished by:		Company:		Date/Time:		Received in Laboratory by: <i>D. Waters</i>		Company: <i>TestAmerica</i>		Date/Time: <i>2-11-22</i>							



Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

1
2
3
4
5
6
7
8
9
10
11
12
13



eurofins

Environment Test
TestAmerica

RT 98
FZ
1 10:30
A .1680
02.11


ORIGIN ID: LTYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
RCMGT: 5925 LB
CRD: 859116/CH-E3510
BILL THIRD PARTY

10 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
(412) 968-7068
REF: PO: DEPT:

180-133600 Waybill

570C2/027C/6F4B



1 of 6
TRK# 5220 7116 1680
0201
FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

MASTER ##
NA AGCA
15238
PA-US PIT

Uncorrected temp 3.5 °C
Thermometer ID 14
CF 0 Initials S
PT-M-SR-001 effective 1/18/18



Environment Testing
TestAmerica


Part # 159469-434 MTW EXP 09/22

ORIGIN 10:11YA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 NEBECKY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWT: 59.25 LB
CHD: 85915A/PFE3S10
BILL THRO: PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238

(412) 983-7058
REF: 5
DEPT: 5



MPS# 5220 7116 1690
0263


FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

NA AGCA

15238
PA-US PIT

Uncorrected temp
Thermometer ID


CF B Initials B
PT-M-SR-Q01 effective 1/18/18



Do not lift using this tag.



Equipment Testing
TestAmerica



Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LTYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TEST AMERICA
6215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CND: 8591167GDFE3510
BILL THIRD PARTY

0 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
REF: (412) 963-7058
DEPT:
PTC:




Uncorrected temp _____ °C
Thermometer ID _____
CF Initials 8


11 FEB 10:30A
PRIORITY OVERNIGHT

MPS# 5220 7116 1705
0263
Mstr# 5220 7116 1680
0201


NA AGCA

15238
PA-US PIT





Drop off in the morning




Environment Testing
TestAmerica

Part # 159469-434 MATW EXP 09/22

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTWGT: 59.25 LB
CND: 859116/CARE3510
BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238
REF: (412) 983-7068
NO: 101
DEPT: 101



Uncorrected temp
Thermometer ID


CF *B* *Initials*
IPF-MSR-001 effective 1/16/18



4 of 6
MPS# 5220 7116 1716
02631
Mstr# 5220 7116 1680

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT
0201

NA AGCA 15238
PA-US PIT



1
2
3
4
5
6
7
8
9
10
11
12
13

02-11-2022

eurofins

Environment Testing
TestAmerica


Part # 159469494 MTW EXP 09/22

ORIGIN ID: IYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTUET: 59 25 LB
CND: 85916/CHE/ES10

BILL THIRD PARTY

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 983-7058
PO1 DEPT:



5 of 6
MPS# 5220 7116 1727
Mstr# 5220 7116 1680
0263
0201
FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT
15238
PA-US
PIT

NA AGCA

Uncorrected temp
Thermometer ID
CF 0 Initials HT
PT-M-SR-001 effective 11/8/18

eurofins

Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA - ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 10FEB22
ACTING T: 55.25 LB
CAD: 959116/CAFE3510
BILL THIRD PARTY

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(712) 963-7058
REF: DEPT: 201

Unconnected temp
Temperature is correct
Initials
0201

DEPT: 201

FedEx
Express

15238

PA-US

PIT

15238

PA-US


PIT

FRI - 11 FEB 10:30A
PRIORITY OVERNIGHT

5220 7116 1738

Mstr #: 5220 7116 1680


NA-AGCA



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13




Environment Testing
TestAmerica



ORIGIN ID: LTYA (678) S...
 GEORGE TAYLOR
 EUROFINS TESTING AMERICA
 6215 REGENDY PARKWAY NM
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

DATE: 11FEB22
 GT: 511518
 001: 659116/CAFEAS10
 BILL RECIPIENT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG. PARK
PITTSBURGH PA 15238
 (412) 863-7068
 REF: **GOLDER - SCHERER**




1 of 6
 TRAK# 5220 7116 2230
 #0201
 # MASTER #
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA
 15238
 PA-US PIT

Uncorrected temp
 Thermometer ID

CF 0 Initials 8

PT-WI-SR-001 effective 11/8/18



180-133641 Waybill


Part # 159469-434 MTW EXP 09/22

43732607C3025

Don't lift this tag



639
Eurofins
America
Testing




Part # 159469434 MTW EXP 03/22

ORIGIN: ID-LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
NORCROSS, GA 30071
UNITED STATES US
SHIP DATE: 11FEB22
POL: 5115LEB
CMD: 855116/CH/E3510

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238

(412) 983-7068
REF: GOLDER SCHERER



ML1011210201127

MRS# 5220 7116 2241
Mstr# 5220 7116 2230

0201


2 of 6
SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
PA-US PIT


Uncorrected temp
Thermometer ID
CF
Initials
PT-M,SR-001 effective 11/8/18

35
16
C
Initials





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LIYA (678) 966-9991
 GEORGE TAYLOR
 EUROFINS TESTING AMERICA ATL SC
 6215 REGENCY PARKWAY NW
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US


SHIP DATE: 11FEB22
 ACTWT: 51.15 LB
 CRD: 85916/CaF85510

BILL RECIPIENT

10 **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
307 ALPHA DR.
RIDC PARK

PITTSBURGH PA 15238

(412) 963-7058
 REF: GOLDER - SCHERER



AP101121021212F

3 of 6

MPS# 5220 7116 2252
 0263
 Mstr# 5220 7116 2230

0201

SATURDAY 12:00P
PRIORITY OVERNIGHT

NO AGCA

15238
 PA-US PIT

Uncorrected temp
 Thermometer ID

4.6 °C

CF

Q

Initials

He
R

PT-MI-SR-001 effective 11/9/18






Part # 159469-434 MTW EXP 09/22

ORIGIN ID: LYA (478) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NM
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
ACT WT: 51.15 LB
CNO: B01167CAFE3510
BILL RECIP:
M

10 SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 983-7068
REF: GOLDR - SCHERER



MPS# 4 o/b
0263 5220 7116 2263
Mstr# 5220 7116 2230

0201

SATURDAY 12:00P
PRIORITY OVERNIGHT


NO AGCA

15238
PA-US PIT

Uncorrected temp 22.63 °C
Thermometer ID 16
CF 0 Initials B
PT-M-SR-001 effect 11/8/16



1
2
3
4
5
6
7
8
9
10
11
12
13



eurofins **Environment Testing**

Part # 159469-434 MTW EXP 09/22


ORIGIN ID: LIYA / (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11 FEB 22
ACTING S115
CAD: 859116/CAFE5510

BILL RECEIPT

TO **SAMPLE RECEIVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7068
REF: GOLDR - SCHERER



5 of 6
MPS# 5220 7116 2274
0263
Mstr# 5220 7116 2230
0201
SATURDAY 12:00P
PRIORITY OVERNIGHT


NO AGCA
15238
PA-US PIT

Uncorrected temp
Thermometer ID

24
C

CF ① Initials

§



PT-MI-SR-001 effective 11/8/18




Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 09/22

ORIGIN ID: IYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 11FEB22
RTWGT: 51.15 LB
CAD: 859116/CAFE3510
BILL RECIPIENT

TO
SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDG PARK
PITTSBURGH PA 15238
(412) 966-7068
REF: GOLDR - SCHERER



SATURDAY 12:00P


PRIORITY OVERNIGHT

MPS# 5220 7116 2285
Mstr# 5220 7116 2230

0201

NO AGCA

15238
PA-US
PIT



Uncorrected temp
Thermometer ID

CF 0 Initials S

PT-M-SR-001 effective 11/8/18

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Brown, Shali	Carrier Tracking No(s): COC No: 180-454880-1
Client Contact: Shipping/Receiving		E-Mail: Shali.Brown@Eurofinset.com	Page Page 1 of 2
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note):	Job # 180-133600-2
Address: 13715 Rider Trail North,		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
City: Earth City		Analysis Requested	
State, Zip MO, 63045		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		Total Number of containers	
PO #:		9315_Ra226/PreSep_21 Standard Target List	
WO #:		9320_Ra226/PreSep_0 Standard Target List	
Project # 18019884		Perform MS/MSD (Yes or No)	
Site: CCR Plant Scherer		Field Filtered Sample (Yes or No)	
		R2226Ra226_GFPc	
		Special Instructions/Note:	
Sample Identification - Client ID (Lab ID)			
PZ-13S (180-133600-1)	2/8/22	16:20 Eastern	Water
PZ-14S (180-133600-2)	2/8/22	16:50 Eastern	Water
PZ-17I (180-133600-3)	2/9/22	13:10 Eastern	Water
PZ-39S (180-133600-4)	2/9/22	10:15 Eastern	Water
PZ-41S (180-133600-5)	2/9/22	15:25 Eastern	Water
PZ-42I (180-133600-6)	2/9/22	13:10 Eastern	Water
PZ-43S (180-133600-7)	2/9/22	10:30 Eastern	Water
PZ-44I (180-133600-8)	2/9/22	15:45 Eastern	Water
FB-1 (180-133600-9)	2/9/22	13:35 Eastern	Water
<p>Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.</p>			
Possible Hazard Identification			
Unconfirmed			
Deliverable Requested: I, II, III, IV, Other (specify)			
Primary Deliverable Rank: 2			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Special Instructions/QC Requirements:			
Method of Shipment:			
Relinquished by: <i>MO</i>		Date: 2-14-22 1700	
Relinquished by: <i>MO</i>		Date: 2-15-22 0910	
Relinquished by: <i>MO</i>		Date: _____	
Custody Seals Intact: Δ Yes Δ No		Cooler Temperature(s) °C and Other Remarks	



Chain of Custody Record

Client Information (Sub Contract Lab)		Smaller:	Lab PM	Carrier Tracking No(s):	COC No:							
Client Contact: Tes/America Laboratories, Inc.		Brown, Shali	Brown, Shali		180-454880-2							
Shipping/Receiving		Phone:	E-Mail:	State of Origin:	Page							
Company: 13715 Rider Trail North,			Shali.Brown@Eurofinset.com	Georgia	Page 2 of 2							
Address: 13715 Rider Trail North,		Due Date Requested:	Job #									
City: Earth City		3/17/2022	180-133600-2									
State/Zip: MO, 63045		TAT Requested (days):	Preservation Codes:									
Phone: 314-298-8566(Tel) 314-298-8757(Fax)			A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:									
Email:		PO #:	M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)									
Project Name: Plant Scherer AP1 Assessment		WO #:										
Site: CCR Plant Scherer		Project #: 18019884										
		SSOW#:										
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil/soil, BT=Issue, AA=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9315_Ra226/PrecSep_21 Standard Target List	9320_Ra226/PrecSep_0 Standard Target List	Ra226Ra228_GFPc	Analysis Requested	Total Number of Containers	Special Instructions/Note:
EB-1 (180-133600-10)	2/9/22	16:30 Eastern	Water	Water	X	X	X	X	X		2	
DUP-1 (180-133600-11)	2/9/22	Eastern	Water	Water	X	X	X	X	X		2	

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte, & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification

Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) **Primary Deliverable Rank: 2**

Empty Kit Relinquished by: _____ Date: _____ Method of Shipment: _____

Relinquished by: *me* Date: 2-14-22 17:00 Received by: _____ Date/Time: _____ Company: *FEDEX*

Relinquished by: _____ Date/Time: _____ Received by: *Sima Worthington* Date/Time: 2-15-22 09:10 Company: *EPHSA*

Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No Cooler Temperature(s) °C and Other Remarks: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements: _____

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Brown, Shali	Carrier Tracking No(s): 180-454880.1
Client Contact: Shali Brown@Eurofins.com		E-Mail: Shali.Brown@Eurofins.com	State of Origin: Georgia
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): 180-133600-2	
Address: 13715 Rider Trail North, Earth City, MO, 63045		Due Date Requested: 3/17/2022	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		TAT Requested (days):	
Email:		PO #:	
Project Name: Plant Scherer AP1 Assessment		WO #:	
Site: CCR Plant Scherer		Project #: 18019684	
		SSOW#:	

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Swallow, On-site/Off-site)	Field Filtered Sample (Yes or No)	Perfom MS/MSD (Yes or No)	9315_Raz26/PreSep_21 Standard Target List	9320_Raz28/PreSep_0 Standard Target List	Raz26Raz28_GFPc	Total Number of Containers	Special Instructions/Note:
PZ-13S (180-133600-1)	2/8/22	16:20 Eastern	Water	Water	X	X	X	X		2	
PZ-14S (180-133600-2)	2/8/22	16:50 Eastern	Water	Water	X	X	X	X		2	
PZ-17I (180-133600-3)	2/9/22	13:10 Eastern	Water	Water	X	X	X	X		2	
PZ-39S (180-133600-4)	2/9/22	10:15 Eastern	Water	Water	X	X	X	X		2	
PZ-41S (180-133600-5)	2/9/22	15:25 Eastern	Water	Water	X	X	X	X		2	
PZ-42I (180-133600-6)	2/9/22	13:10 Eastern	Water	Water	X	X	X	X		2	
PZ-43S (180-133600-7)	2/9/22	10:30 Eastern	Water	Water	X	X	X	X		4	
PZ-44I (180-133600-8)	2/9/22	15:45 Eastern	Water	Water	X	X	X	X		2	
FB-1 (180-133600-9)	2/9/22	13:35 Eastern	Water	Water	X	X	X	X		2	

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Unconfirmed		Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months	
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: <i>MO</i>	Date: 2-14-22 17:00	Received by: FED EX	Date/Time: 2-15-22 0910
Relinquished by:	Date/Time:	Received by: <i>Sara Wodington</i>	Date/Time: 2-15-22 0910
Relinquished by:	Date/Time:	Received by:	Date/Time:
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:	



Eurofins Pittsburgh

301 Alpha Drive RIDC Park
Pittsburgh, PA 15238

Phone: 412-963-7058 Fax: 412-963-2468

Chain of Custody Record



Environment Testing
America

Client Information (Sub Contract Lab)
 Client Contact: Brown, Shali
 Shipping/Receiving: Shali.Brown@Eurofins.com
 Company: TestAmerica Laboratories, Inc.
 Address: 13715 Rider Trail North, MO, 63045
 City: Earth City
 State: MO, Zip: 63045
 Phone: 314-298-8566 (Tel) / 314-298-8757 (Fax)
 Email:
 Project Name: Plant Scherer AP1 Assessment
 Site: CCR Plant Scherer

Sampler: Lab PM Brown, Shali
 Phone: E-Mail Shali.Brown@Eurofins.com
 Carrier Tracking No(s):
 State of Origin: Georgia

COC No: 180-454880.2
 Page: Page 2 of 2
 Job #: 180-133600-2
 Preservation Codes:
 M - Hexane, N - None, O - AsNaO2, P - Na2SO4, Q - Na2SO3, R - Na2SO3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, L - EDTA, Z - other (specify)
 Other:

Analysis Requested: 9315, 9320, Ra226/PreSep, 21 Standard Target List; Ra226/Ra228, G-PPC
 Perform MS/MSD (Yes or No):
 Field Filtered Sample (Yes or No):
 Total Number of Containers: 2

Due Date Requested: 3/17/2022
 TAT Requested (days):
 PO #: WO #:
 Project #: 18019884
 SSOW#:
 Matrix (W=Water, S=Solid, O= wastewater, BT=Tissue, ANAL):
 Sample Type (C=Comp, G=grab):
 Sample Date: 2/9/22
 Sample Time: 16:30 Eastern
 Preservation Code:
 Sample Date: 2/9/22
 Sample Time: Eastern
 Preservation Code:
 Sample Date: 2/9/22
 Sample Time: Eastern
 Preservation Code:

Sample Identification - Client ID (Lab ID):
 EB-1 (180-133600-10)
 DUP-1 (180-133600-11)

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify)
 Primary Deliverable Rank: 2
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month):
 Return To Client, Disposal By Lab, Archive For Months
 Special Instructions/QC Requirements:

Relinquished by: [Signature]
 Date/Time: 2-14-22 1700
 Company: [Signature]
 Relinquished by: [Signature]
 Date/Time: [Signature]
 Company: [Signature]
 Relinquished by: [Signature]
 Date/Time: [Signature]
 Company: [Signature]

Received by: [Signature]
 Date/Time: 2-15-22 0910
 Company: [Signature]

Received by: [Signature]
 Date/Time: [Signature]
 Company: [Signature]

Custody Seals Intact:
 Yes No
 Cooler Temperature(s) °C and Other Remarks:

Empty Kit Relinquished by: [Signature]
 Date: [Signature]
 Time: [Signature]
 Method of Shipment: [Signature]



CONDITION UPON RECEIPT FORM

Client: Xenco - El Paso

Initiated by: aj Date: 2-15-22 Time: 0910 Shipper: FE Package Quantity: _____

Completed by: _____

Sample must be received at < 6°C for Wet Chem and Mercury. If not, note temp below.
Metal soil samples must be refrigerated upon receipt.
If samples are from West Virginia, please fill out form ADMIN-0031.

Thermometer ID (°C): **IR-2**

Thermometer CF (°C): **+0.4**

	Shipping #(s)	Package Temp (°C)	Document #:
1.	7760 4198 86 70	4.9	water no ice
2.			
3.			
4.			
5.			
6.			
7.			

Condition (Circle "Y" for yes, "N" for no and "N/A" for not applicable):

1.	<input checked="" type="radio"/> N	Are there custody seals present on the cooler?	8.	Y N	Are there custody seals present on bottles?
2.	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/> N/A	Do custody seals on cooler appear to be tampered with?	9.	Y N N/A	Do custody seals on bottles appear to be tampered with?
3.	<input checked="" type="radio"/> N	Were contents of cooler frisked after opening, but before unpacking?	10.	Y N N/A	Was sample received with proper pH? ¹ (If not, make note below) pH strip lot #:
4.	Y N	Sample received with Chain of Custody?	11.	Y N N/A	Containers for Rn-222, C-14, Cl-36, H-3 & I-129/131 marked with "Do Not Preserve" label?
5.	Y N N/A	Does the Chain of Custody match sample ID's on the container(s)?	12.	Y N	Sample received in proper containers?
6.	Y N	Was sample received broken?	13.	Y N N/A	Headspace in VOA, or Rn-222 liquid samples? (>6mm) (If Yes, note sample ID's below)
7.	Y N	Is sample volume sufficient for analysis?	14.	Y N N/A	Soil containers for C-14, H-3, Tc-99 & I-129/131 marked with "Do Not Dry" label?

¹ For DOE-AL (Pantex, LANL, Sandia) sites, pH of ALL containers received must be verified, EXCEPT VOA, Rn-222 and soils.

Notes:

pH Adjustment (if needed)	Date/Time of Preservation:
Initial pH and pH strip lot#:	Preservative and lot#:
Final pH and pH strip lot#:	Amount of Preservative:

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-2

Login Number: 133600

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-2

Login Number: 133600

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 02/15/22 11:49 AM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-2

Login Number: 133641

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Jodis, Matthew V

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133600-2

Login Number: 133641

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 02/15/22 01:44 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-133608-1

Client Project/Site: Plant Scherer PZ-25S and PZ-25I

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
2/22/2022 11:44:06 AM

Shali Brown, Project Manager II
(615)301-5031
Shali.Brown@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	9
QC Sample Results	11
QC Association Summary	12
Chain of Custody	13
Receipt Checklists	14

Case Narrative

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Job ID: 180-133608-1

Laboratory: Eurofins Pittsburgh

Narrative

**Job Narrative
180-133608-1**

Receipt

The samples were received on 2/11/2022 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.8°C

Receipt Exceptions

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The COC was not relinquished. The Field Sampler was not listed on the Chain of Custody.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Field Service / Mobile Lab

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Definitions/Glossary

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22
California	State	2891	04-30-22
Connecticut	State	PH-0688	09-30-22
Florida	NELAP	E871008	06-30-22
Georgia	State	PA 02-00416	04-30-22
Illinois	NELAP	004375	06-30-22
Kansas	NELAP	E-10350	01-31-22 *
Kentucky (UST)	State	162013	04-30-22
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-22
Nevada	State	PA00164	08-31-22
New Hampshire	NELAP	2030	04-05-22
New Jersey	NELAP	PA005	06-30-23
New York	NELAP	11182	04-02-22
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	04-30-22
Oregon	NELAP	PA-2151	02-06-22 *
Pennsylvania	NELAP	02-00416	04-30-22
Rhode Island	State	LAO00362	12-31-21 *
South Carolina	State	89014	06-30-22
Texas	NELAP	T104704528	03-31-22
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-22
Virginia	NELAP	10043	09-15-22
West Virginia DEP	State	142	01-31-23
Wisconsin	State	998027800	08-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Sample Summary

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-133608-1	PZ-25S	Water	02/08/22 16:30	02/11/22 09:30
180-133608-2	PZ-25I	Water	02/08/22 16:20	02/11/22 09:30

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Method	Method Description	Protocol	Laboratory
EPA 6020B	Metals (ICP/MS)	SW846	TAL PIT
Field Sampling	Field Sampling	EPA	TAL PIT
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL PIT

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Southern Company
 Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Client Sample ID: PZ-25S
Date Collected: 02/08/22 16:30
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133608-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	388187	02/14/22 13:56	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388561	02/16/22 12:07	RSK	TAL PIT
Instrument ID: A										
Total/NA	Analysis	Field Sampling		1			389001	02/08/22 16:30	FDS	TAL PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-25I
Date Collected: 02/08/22 16:20
Date Received: 02/11/22 09:30

Lab Sample ID: 180-133608-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	388187	02/14/22 13:56	RGM	TAL PIT
Total Recoverable	Analysis	EPA 6020B		1			388561	02/16/22 12:15	RSK	TAL PIT
Instrument ID: A										
Total/NA	Analysis	Field Sampling		1			389001	02/08/22 16:20	FDS	TAL PIT
Instrument ID: NOEQUIP										

Laboratory References:

TAL PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:

- Lab: TAL PIT
- Batch Type: Prep
 - RGM = Rebecca Manns
- Batch Type: Analysis
 - FDS = Sampler Field
 - RSK = Robert Kurtz

Client Sample Results

Client: Southern Company
 Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Client Sample ID: PZ-25S

Lab Sample ID: 180-133608-1

Date Collected: 02/08/22 16:30

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.022		0.0025	0.00026	mg/L		02/14/22 13:56	02/16/22 12:07	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.86				SU			02/08/22 16:30	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Client Sample ID: PZ-25I

Lab Sample ID: 180-133608-2

Date Collected: 02/08/22 16:20

Matrix: Water

Date Received: 02/11/22 09:30

Method: EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.0012	J	0.0025	0.00026	mg/L		02/14/22 13:56	02/16/22 12:15	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.64				SU			02/08/22 16:20	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: Southern Company
 Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Method: EPA 6020B - Metals (ICP/MS)

Lab Sample ID: MB 180-388187/1-A
Matrix: Water
Analysis Batch: 388561

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 388187

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	<0.00026		0.0025	0.00026	mg/L		02/14/22 13:56	02/16/22 11:46	1

Lab Sample ID: LCS 180-388187/2-A
Matrix: Water
Analysis Batch: 388561

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 388187

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cobalt	0.500	0.496		mg/L		99	80 - 120

Lab Sample ID: 180-133584-B-2-A MS
Matrix: Water
Analysis Batch: 388561

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 388187

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Cobalt	0.00037	J	0.500	0.503		mg/L		100	75 - 125

Lab Sample ID: 180-133584-B-2-B MSD
Matrix: Water
Analysis Batch: 388561

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 388187

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Cobalt	0.00037	J	0.500	0.488		mg/L		98	75 - 125	3	20

QC Association Summary

Client: Southern Company
Project/Site: Plant Scherer PZ-25S and PZ-25I

Job ID: 180-133608-1

Metals

Prep Batch: 388187

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133608-1	PZ-25S	Total Recoverable	Water	3005A	
180-133608-2	PZ-25I	Total Recoverable	Water	3005A	
MB 180-388187/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-388187/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
180-133584-B-2-A MS	Matrix Spike	Total Recoverable	Water	3005A	
180-133584-B-2-B MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 388561

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133608-1	PZ-25S	Total Recoverable	Water	EPA 6020B	388187
180-133608-2	PZ-25I	Total Recoverable	Water	EPA 6020B	388187
MB 180-388187/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	388187
LCS 180-388187/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	388187
180-133584-B-2-A MS	Matrix Spike	Total Recoverable	Water	EPA 6020B	388187
180-133584-B-2-B MSD	Matrix Spike Duplicate	Total Recoverable	Water	EPA 6020B	388187

Field Service / Mobile Lab

Analysis Batch: 389001

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-133608-1	PZ-25S	Total/NA	Water	Field Sampling	
180-133608-2	PZ-25I	Total/NA	Water	Field Sampling	

TestAmerica Pittsburgh
1 Alpha Drive
JC Park
Pittsburgh, PA 15238-2907
Phone 412.963.7058 fax 412.963.2468

Chain of Custody

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact: ju Abraham, Southern Company
Project Manager: Dawn Prell
Site Contact: Dawn Prell
Date: 2/10/2022
COC No: 1 of 1 COCs

Analysis Turnaround Time: CALENDAR DAYS WORKING DAYS
TAT if different from Below:
 2 weeks
 1 week
 2 days
 1 day
Sampler: For Lab Use Only
Walk-in Client
Lab Sampling
Job / SDG No.:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	Cobalt	Sample Specific Notes:
PZ-25S	2/8/2022	16:30	G	Water	1			X	pH = 4.86
PZ-25I	2/8/2022	16:20	G	Water	1			X	pH = 6.64

244-ATLANIA



Preservation: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temp. (°C): Obs'd:	Cor'd:	Therm ID No.:
Relinquished by: [Signature]	Company: WSP-BOWEN	Date/Time: 2/10/22 8:25	Received by: Elaine COOK	Company: Courier Now
Relinquished by: [Signature]	Company:	Date/Time: 2/10/22 1009	Received by: Brock Moore	Company:
Relinquished by: [Signature]	Company:	Date/Time:	Received in Laboratory by: [Signature]	Company: [Signature]

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 180-133608-1

Login Number: 133608

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



APPENDIX C

Laboratory Analytical Data
August 2022

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Joju Abraham
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Generated 12/26/2022 10:17:07 AM Revision 1

JOB DESCRIPTION

CCR - Plant Scherer AP1

JOB NUMBER

680-219964-1

Eurofins Savannah

Job Notes

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

Generated
12/26/2022 10:17:07 AM
Revision 1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.
B	Compound was found in the blank and sample.
H	Sample was prepped or analyzed beyond the specified holding time
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Savannah

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-219964-1	SGWA-1	Water	08/17/22 15:13	08/19/22 09:00
680-219964-2	SGWA-2	Water	08/17/22 14:45	08/19/22 09:00
680-219967-1	SGWA-3	Water	08/18/22 09:49	08/20/22 09:00
680-219967-2	SGWA-4	Water	08/18/22 15:20	08/20/22 09:00
680-219967-3	SGWA-5	Water	08/18/22 12:45	08/20/22 09:00
680-219967-4	SGWA-24	Water	08/18/22 15:25	08/20/22 09:00
680-219967-5	SGWA-25	Water	08/18/22 10:10	08/20/22 09:00
680-219967-6	SGWC-7	Water	08/18/22 10:00	08/20/22 09:00
680-219967-7	SGWC-8	Water	08/18/22 12:15	08/20/22 09:00
680-219967-8	SGWC-9	Water	08/18/22 13:55	08/20/22 09:00
680-219967-9	SGWC-11	Water	08/18/22 12:08	08/20/22 09:00
680-219967-10	SGWC-12	Water	08/18/22 13:10	08/20/22 09:00
680-219967-11	SGWC-13	Water	08/18/22 14:34	08/20/22 09:00
680-219967-12	FB-1	Water	08/18/22 16:40	08/20/22 09:00
680-219967-13	EB-1	Water	08/18/22 16:30	08/20/22 09:00
680-219967-14	DUP-1	Water	08/18/22 00:00	08/20/22 09:00
680-219967-15	SGWC-6	Water	08/19/22 10:10	08/20/22 09:00
680-219967-16	SGWC-10	Water	08/19/22 09:30	08/20/22 09:00
680-219967-17	SGWC-14	Water	08/19/22 09:22	08/20/22 09:00
680-219967-18	SGWC-15	Water	08/19/22 10:15	08/20/22 09:00
680-220073-3	SGWC-19	Water	08/22/22 10:40	08/24/22 09:00
680-220073-4	SGWC-20	Water	08/22/22 12:41	08/24/22 09:00
680-220073-5	SGWC-21	Water	08/22/22 14:00	08/24/22 09:00
680-220073-6	SGWC-22	Water	08/22/22 12:35	08/24/22 09:00
680-220073-7	SGWC-23	Water	08/22/22 10:25	08/24/22 09:00
680-220073-9	FB-2	Water	08/22/22 15:00	08/24/22 09:00
680-220076-1	PZ-42I	Water	08/22/22 17:00	08/24/22 09:00
680-220188-1	PZ-14S	Water	08/23/22 16:09	08/26/22 11:52
680-220188-2	PZ-39S	Water	08/23/22 09:45	08/26/22 11:52
680-220188-3	PZ-40I	Water	08/23/22 15:05	08/26/22 11:52
680-220188-4	DUP-3	Water	08/23/22 00:00	08/26/22 11:52
680-220188-5	EB-3	Water	08/23/22 09:45	08/26/22 11:52
680-220188-6	FB-3	Water	08/23/22 15:45	08/26/22 11:52
680-220188-7	SGWC-18	Water	08/23/22 11:01	08/26/22 11:52
680-220188-8	EB-2	Water	08/23/22 11:01	08/26/22 11:52
680-220258-1	PZ-13S	Water	08/24/22 11:35	08/26/22 09:00
680-220258-2	PZ-17I	Water	08/24/22 10:30	08/26/22 09:00
680-220258-3	PZ-25I	Water	08/24/22 14:05	08/26/22 09:00
680-220258-4	PZ-25S	Water	08/24/22 14:45	08/26/22 09:00
680-220258-5	PZ-41S	Water	08/24/22 10:07	08/26/22 09:00
680-220258-6	PZ-43S	Water	08/24/22 11:56	08/26/22 09:00
680-220258-7	PZ-44I	Water	08/24/22 11:50	08/26/22 09:00
680-220258-8	PZ-69I	Water	08/24/22 14:10	08/26/22 09:00
680-220489-1	SGWC-16	Water	08/31/22 14:27	09/02/22 09:00
680-220489-2	SGWC-17	Water	08/31/22 12:46	09/02/22 09:00
680-220489-3	DUP-2	Water	08/31/22 00:00	09/02/22 09:00



Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Job ID: 680-219964-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-219964-1**

Revision

The report being provided is a revision of the original report sent on 10/24/2022. The report (revision 1) is being revised in order to add ferrous iron for PZ-42I sample so that Ferric iron can be reported for this sample.

Receipt

The samples were received on 8/19/2022 9:00 AM, 8/20/2022 9:00 AM, 8/24/2022 9:00 AM, 8/26/2022 9:00 AM, 8/26/2022 11:52 AM and 9/2/2022 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 17 coolers at receipt time were 1.1°C, 1.4°C, 1.6°C, 1.6°C, 2.0°C, 2.2°C, 2.2°C, 2.6°C, 3.3°C, 4.4°C, 4.9°C, 5.3°C, 5.7°C, 5.8°C, 5.8°C, 5.9°C and 5.9°C

Receipt Exceptions

The following samples were listed on the Chain of Custody (COC); however, no samples were received: there is a missing cooler from this shipment SGWC-16 (680-220073-1), SGWC-17 (680-220073-2) and DUP-2 (680-220073-8).

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) (MS) recoveries for analytical batch 180-409987 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300_ORGFM_28D: The method blank for analytical batch 180-409987 contained Fluoride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 6020B: This sample was in a prep batch with 6010 samples. The batch QC was on the 6010 sample therefore only a method blank and LCS are reported with this sample PZ-42I (680-220076-1)

Method 6020B: The following sample was diluted to bring the concentration of target analytes within the calibration range: SGWC-18 (680-220188-7). Elevated reporting limits (RLs) are provided.

Method 6020B: The following sample was diluted to bring the concentration of target analytes within the calibration range: PZ-40I (680-220188-3). Elevated reporting limits (RLs) are provided.

Method 6020B: The post digestion spike % recovery for chromium and lithium associated with batch 180-413603 was outside of control limits. The associated sample is: PZ-25I (680-220258-3).

Method 6020B: The serial dilution performed for the following sample associated with batch 180-413603 was outside control limits for multiple analytes: PZ-25I (680-220258-3)

Method 6020B: The continuing calibration verification (CCV) associated with batch 180-413603 recovered above the upper control limit for beryllium. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: PZ-39S (680-220188-2), PZ-40I (680-220188-3), DUP-3 (680-220188-4), EB-3 (680-220188-5), FB-3 (680-220188-6), SGWC-18 (680-220188-7), (CCV 180-413603/54), (LCS 180-413041/2-A) and (MB 180-413041/1-A).

Method 6020B: The post digestion spike % recovery for barium associated with batch 180-414488 was outside of control limits. The associated sample is: SGWA-25 (680-219967-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Job ID: 680-219964-1 (Continued)

Laboratory: Eurofins Savannah (Continued)

General Chemistry

Method 2320B: Reanalysis of the majority of samples in this report were performed outside of the analytical holding time due to mechanical and technical difficulties.

Method 2320B: The method blank for analytical batch 180-414457 contained alkalinity above the reporting limit (RL). Associated sample(s) were not re-analyzed because results were greater than 10X the value found in the method blank.

Method 2320B: The method blank for analytical batch 180-414815 contained Total Alkalinity and Bicarbonate Alkalinity above the reporting limit (RL). Associated sample(s) were not re-extracted and/or re-analyzed because results were greater than 10X the value found in the method blank.

Method 2320B: The lower laboratory control sample (LLCS) for analytical batch 180-414815 recovered outside control limits for the following analytes: Alkalinity. These analytes were biased high in the LLCS. All samples associated with this LLCS were either ND or contained results greater than 20 mg/L; therefore, re-analysis of samples was not performed.

Method 2320B: The laboratory control sample duplicate (LCSD) for analytical batch 180-414404 recovered outside control limits for the following analytes: Alkalinity. These analytes were biased high in the LCSD and were not detected in the associated samples; therefore, the data have been reported.

Method 2320B: Sample data was entered into the 2320_LL method in batch 414123 due to error in upload program. These were cross linked with the 2320 method in batch 414062SGWC-19 (680-220073-3), SGWC-20 (680-220073-4), FB-2 (680-220073-9), SGWC-18 (680-220188-7), EB-2 (680-220188-8), PZ-41S (680-220258-5), (CCB 180-414123/13), (CCB 180-414123/14), (CCB 180-414123/16), (CCB 180-414123/20), (CCB 180-414123/23), (CCB 180-414123/25), (CCB 180-414123/5), (CCB 180-414123/8), (LLCS 180-414123/17), (MB 180-414123/10), (MB 180-414123/15), (MB 180-414123/2), (MB 180-414123/22) and (680-220073-C-4 DU)

Method 2320B: The continuing calibration blank (CCB) for analytical batch 180-414815 contained Total Alkalinity and Bicarbonate Alkalinity above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

Method 2320B: Elevated reporting limits are provided for the following samples due to insufficient sample remaining for preparation/analysis: SGWC-11 (680-219967-9), SGWC-13 (680-219967-11), FB-1 (680-219967-12), EB-1 (680-219967-13), DUP-1 (680-219967-14), SGWC-10 (680-219967-16), SGWC-14 (680-219967-17), SGWC-15 (680-219967-18), SGWC-19 (680-220073-3), SGWC-20 (680-220073-4), FB-2 (680-220073-9), SGWC-18 (680-220188-7), EB-2 (680-220188-8), PZ-41S (680-220258-5), (180-145143-C-2), (180-145143-C-2 DU), (240-173773-C-1), (240-173773-C-1 DU), (680-220073-H-4 DU) and (680-220258-D-5 DU).

Method 2320B: The continuing calibration blank (CCB) for analytical batch 180-414457 contained alkalinity above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

Method 2540C_Calcd: The following samples were analyzed outside of analytical holding time due to lab error: SGWC-16 (680-220489-1), SGWC-17 (680-220489-2) and DUP-2 (680-220489-3).

Method 2540C_Calcd: The method blank associated with analytical batch 180-409807 contained total dissolved solids (TDS) greater than one-half the reporting limit (RL). The samples could not be re-analyzed because of holding time conflict. The sample results have been qualified and reported per project manager request.

Method 2540C_Calcd: The method blank for analytical batch 180-409807 contained Total Dissolved Solids (TDS) above the reporting limit (RL). Associated sample(s) were not re-analyzed because results were greater than 10X the value found in the method blank.

Method 2540C_Calcd: The method blank associated with analytical batch 180-409810 contained total dissolved solids (TDS) greater than one-half the reporting limit (RL). The samples could not be re-analyzed because of holding time conflict. The sample results have been

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Job ID: 680-219964-1 (Continued)

Laboratory: Eurofins Savannah (Continued)

qualified and reported per project manager request.

Method 2540C_Calcd: The method blank for analytical batch 180-409810 contained Total Dissolved Solids (TDS) above the reporting limit (RL). Associated sample(s) were not reanalyzed because results were greater than 10X the value found in the method blank.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-1

Lab Sample ID: 680-219964-1

Date Collected: 08/17/22 15:13

Matrix: Water

Date Received: 08/19/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.0		1.0	0.71	mg/L			08/22/22 19:05	1
Fluoride	0.088	J	0.10	0.026	mg/L			08/22/22 19:05	1
Sulfate	0.94	J	1.0	0.76	mg/L			08/22/22 19:05	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00052	J	0.0020	0.00051	mg/L		09/08/22 15:09	09/22/22 21:58	1
Arsenic	0.00028	J	0.0010	0.00028	mg/L		09/08/22 15:09	09/22/22 21:58	1
Barium	0.046		0.010	0.0031	mg/L		09/08/22 15:09	09/22/22 21:58	1
Beryllium	0.00027	J	0.0025	0.00027	mg/L		09/08/22 15:09	09/22/22 21:58	1
Boron	<0.060		0.080	0.060	mg/L		09/08/22 15:09	09/23/22 14:59	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/08/22 15:09	09/22/22 21:58	1
Calcium	1.9		0.50	0.13	mg/L		09/08/22 15:09	09/22/22 21:58	1
Chromium	0.0016	J	0.0020	0.0015	mg/L		09/08/22 15:09	09/22/22 21:58	1
Cobalt	0.00055	J	0.0025	0.00026	mg/L		09/08/22 15:09	09/22/22 21:58	1
Iron	0.037	J	0.050	0.028	mg/L		09/08/22 15:09	09/22/22 21:58	1
Lead	0.00018	J	0.0010	0.00017	mg/L		09/08/22 15:09	09/22/22 21:58	1
Lithium	0.0035	J B	0.0050	0.00083	mg/L		09/08/22 15:09	09/22/22 21:58	1
Magnesium	0.93		0.50	0.050	mg/L		09/08/22 15:09	09/22/22 21:58	1
Manganese	0.081		0.0050	0.0013	mg/L		09/08/22 15:09	09/22/22 21:58	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/08/22 15:09	09/22/22 21:58	1
Potassium	0.74		0.50	0.16	mg/L		09/08/22 15:09	09/22/22 21:58	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/08/22 15:09	09/22/22 21:58	1
Sodium	16		0.50	0.18	mg/L		09/08/22 15:09	09/22/22 21:58	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/08/22 15:09	09/22/22 21:58	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		08/23/22 08:09	08/23/22 15:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	82	B	10	10	mg/L			08/24/22 09:14	1
Ferric Iron (SM 3500)	0.037	J	0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	11		5.0	5.0	mg/L			08/31/22 19:42	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	11		5.0	5.0	mg/L			08/31/22 19:42	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0		5.0	5.0	mg/L			08/31/22 19:42	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.16				SU			08/17/22 15:13	1
Ferrous Iron	0				mg/L			08/17/22 15:13	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-2

Lab Sample ID: 680-219964-2

Date Collected: 08/17/22 14:45

Matrix: Water

Date Received: 08/19/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.5		1.0	0.71	mg/L			08/22/22 19:20	1
Fluoride	0.076	J	0.10	0.026	mg/L			08/22/22 19:20	1
Sulfate	0.87	J	1.0	0.76	mg/L			08/22/22 19:20	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/08/22 15:09	09/22/22 22:21	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/08/22 15:09	09/22/22 22:21	1
Barium	0.040		0.010	0.0031	mg/L		09/08/22 15:09	09/22/22 22:21	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/08/22 15:09	09/22/22 22:21	1
Boron	<0.060		0.080	0.060	mg/L		09/08/22 15:09	09/23/22 15:21	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/08/22 15:09	09/22/22 22:21	1
Calcium	11		0.50	0.13	mg/L		09/08/22 15:09	09/22/22 22:21	1
Chromium	0.013		0.0020	0.0015	mg/L		09/08/22 15:09	09/22/22 22:21	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/08/22 15:09	09/22/22 22:21	1
Iron	<0.028		0.050	0.028	mg/L		09/08/22 15:09	09/22/22 22:21	1
Lead	0.00044	J	0.0010	0.00017	mg/L		09/08/22 15:09	09/22/22 22:21	1
Lithium	0.0016	J B	0.0050	0.00083	mg/L		09/08/22 15:09	09/22/22 22:21	1
Magnesium	6.3		0.50	0.050	mg/L		09/08/22 15:09	09/22/22 22:21	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/08/22 15:09	09/22/22 22:21	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/08/22 15:09	09/22/22 22:21	1
Potassium	0.92		0.50	0.16	mg/L		09/08/22 15:09	09/22/22 22:21	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/08/22 15:09	09/22/22 22:21	1
Sodium	4.9		0.50	0.18	mg/L		09/08/22 15:09	09/22/22 22:21	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/08/22 15:09	09/22/22 22:21	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		08/23/22 08:09	08/23/22 16:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	130	B	10	10	mg/L			08/24/22 09:17	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	60	H	5.0	5.0	mg/L			09/16/22 00:11	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	60	H	5.0	5.0	mg/L			09/16/22 00:11	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/16/22 00:11	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.79				SU			08/17/22 14:45	1
Ferrous Iron	0.50				mg/L			08/17/22 14:45	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-3

Lab Sample ID: 680-219967-1

Date Collected: 08/18/22 09:49

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.4		1.0	0.71	mg/L			08/25/22 20:13	1
Fluoride	0.034	J B	0.10	0.026	mg/L			08/25/22 20:13	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 20:13	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:32	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:32	1
Barium	0.035		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:32	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:32	1
Boron	0.072	J	0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:32	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:32	1
Calcium	5.9		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:32	1
Chromium	0.018		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:32	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:32	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:32	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:32	1
Lithium	0.0012	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:32	1
Magnesium	4.6		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:32	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:32	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:32	1
Potassium	1.1		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:32	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:32	1
Sodium	3.6		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:32	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:32	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	64	B	10	10	mg/L			08/24/22 09:17	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	41	H	5.0	5.0	mg/L			10/06/22 17:41	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	41	H	5.0	5.0	mg/L			10/06/22 17:41	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/06/22 17:41	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.64				SU			08/18/22 09:49	1
Ferrous Iron	0.0				mg/L			08/18/22 09:49	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-4

Lab Sample ID: 680-219967-2

Date Collected: 08/18/22 15:20

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.6		1.0	0.71	mg/L			08/25/22 20:27	1
Fluoride	0.056	J B	0.10	0.026	mg/L			08/25/22 20:27	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 20:27	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:35	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:35	1
Barium	0.071		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:35	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:35	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:35	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:35	1
Calcium	20		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:35	1
Chromium	0.0064		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:35	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:35	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:35	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:35	1
Lithium	0.00086	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:35	1
Magnesium	7.1		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:35	1
Manganese	0.0018	J	0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:35	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:35	1
Potassium	1.7		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:35	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:35	1
Sodium	9.0		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:35	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:35	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	140		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	110		5.0	5.0	mg/L			10/08/22 17:06	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	110	H B ^2	5.0	5.0	mg/L			10/08/22 17:06	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/08/22 17:06	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.35				SU			08/18/22 15:20	1
Ferrous Iron	0.0				mg/L			08/18/22 15:20	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-5

Lab Sample ID: 680-219967-3

Date Collected: 08/18/22 12:45

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.1		1.0	0.71	mg/L			08/25/22 20:41	1
Fluoride	0.036	J B	0.10	0.026	mg/L			08/25/22 20:41	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 20:41	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:39	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:39	1
Barium	0.011		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:39	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:39	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:39	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:39	1
Calcium	1.7		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:39	1
Chromium	0.0022		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:39	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:39	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:39	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:39	1
Lithium	0.0019	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:39	1
Magnesium	0.54		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:39	1
Manganese	0.0036	J	0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:39	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:39	1
Potassium	0.48	J	0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:39	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:39	1
Sodium	10		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:39	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:39	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	94	B	10	10	mg/L			08/24/22 09:17	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	48	H	5.0	5.0	mg/L			10/22/22 08:00	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	48	H	5.0	5.0	mg/L			10/22/22 08:00	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/22/22 08:00	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.43				SU			08/18/22 12:45	1
Ferrous Iron	0.25				mg/L			08/18/22 12:45	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-24

Lab Sample ID: 680-219967-4

Date Collected: 08/18/22 15:25

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.1		1.0	0.71	mg/L			08/25/22 20:55	1
Fluoride	0.051	J B	0.10	0.026	mg/L			08/25/22 20:55	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 20:55	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:42	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:42	1
Barium	0.023		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:42	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:42	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:42	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:42	1
Calcium	16		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:42	1
Chromium	0.0040		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:42	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:42	1
Iron	0.10		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:42	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:42	1
Lithium	0.0015	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:42	1
Magnesium	7.4		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:42	1
Manganese	0.0064		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:42	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:42	1
Potassium	0.85		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:42	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:42	1
Sodium	6.2		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:42	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:42	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	170		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	0.10		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	94		5.0	5.0	mg/L			10/08/22 17:16	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	94	H B ^2	5.0	5.0	mg/L			10/08/22 17:16	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/08/22 17:16	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.32				SU			08/18/22 15:25	1
Ferrous Iron	0.0				mg/L			08/18/22 15:25	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-25

Lab Sample ID: 680-219967-5

Date Collected: 08/18/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.9		1.0	0.71	mg/L			08/25/22 21:09	1
Fluoride	0.044	J F1 B	0.10	0.026	mg/L			08/25/22 21:09	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 21:09	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:46	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:46	1
Barium	0.022		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:46	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:46	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:46	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:46	1
Calcium	9.1		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:46	1
Chromium	0.0028		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:46	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:46	1
Iron	0.030	J	0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:46	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:46	1
Lithium	0.0014	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:46	1
Magnesium	6.1		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:46	1
Manganese	0.013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:46	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:46	1
Potassium	0.56		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:46	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:46	1
Sodium	4.1		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:46	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:46	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	88		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	0.030	J	0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	62	H B ^2	5.0	5.0	mg/L			10/07/22 10:04	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	62	H B ^2	5.0	5.0	mg/L			10/07/22 10:04	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 10:04	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.03				SU			08/18/22 10:10	1
Ferrous Iron	0.0				mg/L			08/18/22 10:10	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-7

Lab Sample ID: 680-219967-6

Date Collected: 08/18/22 10:00

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.5		1.0	0.71	mg/L			08/25/22 21:51	1
Fluoride	0.14	B	0.10	0.026	mg/L			08/25/22 21:51	1
Sulfate	5.3		1.0	0.76	mg/L			08/25/22 21:51	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:09	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:09	1
Barium	0.20		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:09	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:09	1
Boron	0.10		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:09	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:09	1
Calcium	15		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:09	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:09	1
Cobalt	0.0012	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:09	1
Iron	0.060		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:09	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:09	1
Lithium	0.0061		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:09	1
Magnesium	10		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:09	1
Manganese	0.072		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:09	1
Molybdenum	0.0011	J	0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:09	1
Potassium	3.5		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:09	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:09	1
Sodium	20		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:09	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:09	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	200	B	10	10	mg/L			08/24/22 09:17	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	110	H B ^2	5.0	5.0	mg/L			10/07/22 10:15	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	110	H B ^2	5.0	5.0	mg/L			10/07/22 10:15	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 10:15	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.77				SU			08/18/22 10:00	1
Ferrous Iron	0.5				mg/L			08/18/22 10:00	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-8

Lab Sample ID: 680-219967-7

Date Collected: 08/18/22 12:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.71	mg/L			08/25/22 22:05	1
Fluoride	0.54	B	0.10	0.026	mg/L			08/25/22 22:05	1
Sulfate	78		1.0	0.76	mg/L			08/25/22 22:05	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:12	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:12	1
Barium	0.16		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:12	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:12	1
Boron	0.14		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:12	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:12	1
Calcium	50		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:12	1
Chromium	0.055		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:12	1
Cobalt	0.00075	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:12	1
Iron	0.27		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:12	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:12	1
Lithium	0.0025	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:12	1
Magnesium	29		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:12	1
Manganese	0.0072		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:12	1
Molybdenum	0.00073	J	0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:12	1
Potassium	1.1		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:12	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:12	1
Sodium	45		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:12	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:12	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	420		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	250	H B ^2	5.0	5.0	mg/L			10/07/22 10:21	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	250	H B ^2	5.0	5.0	mg/L			10/07/22 10:21	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 10:21	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.80				SU			08/18/22 12:15	1
Ferrous Iron	0.3				mg/L			08/18/22 12:15	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-9

Lab Sample ID: 680-219967-8

Date Collected: 08/18/22 13:55

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17		1.0	0.71	mg/L			08/25/22 22:19	1
Fluoride	0.51	B	0.10	0.026	mg/L			08/25/22 22:19	1
Sulfate	200		1.0	0.76	mg/L			08/25/22 22:19	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:16	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:16	1
Barium	0.050		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:16	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:16	1
Boron	1.4		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:16	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:16	1
Calcium	44		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:16	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:16	1
Cobalt	0.00084	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:16	1
Iron	0.035	J	0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:16	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:16	1
Lithium	0.0014	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:16	1
Magnesium	27		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:16	1
Manganese	0.056		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:16	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:16	1
Potassium	0.56		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:16	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:16	1
Sodium	50		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:16	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:16	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	470	B	10	10	mg/L			08/24/22 09:14	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	230	H B ^2	5.0	5.0	mg/L			10/07/22 10:27	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	72	H B ^2	5.0	5.0	mg/L			10/07/22 10:27	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	160	H	5.0	5.0	mg/L			10/07/22 10:27	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.52				SU			08/18/22 13:55	1
Ferrous Iron	0.2				mg/L			08/18/22 13:55	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-11

Lab Sample ID: 680-219967-9

Date Collected: 08/18/22 12:08

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.9		1.0	0.71	mg/L			08/25/22 23:01	1
Fluoride	0.034	J B	0.10	0.026	mg/L			08/25/22 23:01	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 23:01	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:19	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:19	1
Barium	0.044		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:19	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:19	1
Boron	0.57		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:19	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:19	1
Calcium	1.8		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:19	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:19	1
Cobalt	0.012		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:19	1
Iron	0.033	J	0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:19	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:19	1
Lithium	0.0033	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:19	1
Magnesium	1.5		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:19	1
Manganese	0.34		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:19	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:19	1
Potassium	0.30	J	0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:19	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:19	1
Sodium	7.1		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:19	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:19	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	54		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	0.033	J	0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	21	H	10	10	mg/L			10/14/22 13:22	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	21	H	10	10	mg/L			10/14/22 13:22	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:22	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.06				SU			08/18/22 12:08	1
Ferrous Iron	0.0				mg/L			08/18/22 12:08	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-12

Lab Sample ID: 680-219967-10

Date Collected: 08/18/22 13:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.5		1.0	0.71	mg/L			08/25/22 23:15	1
Fluoride	0.052	J B	0.10	0.026	mg/L			08/25/22 23:15	1
Sulfate	50		1.0	0.76	mg/L			08/25/22 23:15	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:22	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:22	1
Barium	0.056		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:22	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:22	1
Boron	0.061	J	0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:22	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:22	1
Calcium	22		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:22	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:22	1
Cobalt	0.0010	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:22	1
Iron	1.2		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:22	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:22	1
Lithium	0.0012	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:22	1
Magnesium	12		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:22	1
Manganese	0.63		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:22	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:22	1
Potassium	0.66		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:22	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:22	1
Sodium	16		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:22	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:22	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	230	B	10	10	mg/L			08/24/22 09:14	1
Ferric Iron (SM 3500)	0.70		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	81	H B ^2	5.0	5.0	mg/L			10/07/22 10:39	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	81	H B ^2	5.0	5.0	mg/L			10/07/22 10:39	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 10:39	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.12				SU			08/18/22 13:10	1
Ferrous Iron	0.5				mg/L			08/18/22 13:10	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-13

Lab Sample ID: 680-219967-11

Date Collected: 08/18/22 14:34

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			08/25/22 23:28	1
Fluoride	0.038	J B	0.10	0.026	mg/L			08/25/22 23:28	1
Sulfate	95		1.0	0.76	mg/L			08/25/22 23:28	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:26	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:26	1
Barium	0.036		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:26	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:26	1
Boron	0.55		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:26	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:26	1
Calcium	21		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:26	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:26	1
Cobalt	0.0019	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:26	1
Iron	0.33		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:26	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:26	1
Lithium	0.0012	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:26	1
Magnesium	8.3		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:26	1
Manganese	0.099		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:26	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:26	1
Potassium	1.1		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:26	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:26	1
Sodium	27		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:26	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:26	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	240	B	10	10	mg/L			08/24/22 09:17	1
Ferric Iron (SM 3500)	0.33		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	21	H	10	10	mg/L			10/14/22 13:45	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	21	H	10	10	mg/L			10/14/22 13:45	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:45	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.78				SU			08/18/22 14:34	1
Ferrous Iron	0.0				mg/L			08/18/22 14:34	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: FB-1

Lab Sample ID: 680-219967-12

Date Collected: 08/18/22 16:40

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/25/22 23:42	1
Fluoride	0.032	J B	0.10	0.026	mg/L			08/25/22 23:42	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 23:42	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:29	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:29	1
Barium	<0.0031		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:29	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:29	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:29	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:29	1
Calcium	<0.13		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:29	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:29	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:29	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:29	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:29	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:29	1
Magnesium	<0.050		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:29	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:29	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:29	1
Potassium	<0.16		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:29	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:29	1
Sodium	<0.18		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:29	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:29	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	11	B	10	10	mg/L			08/24/22 09:17	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	15	H	10	10	mg/L			10/14/22 14:07	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	15	H	10	10	mg/L			10/14/22 14:07	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:07	1

Client Sample ID: EB-1

Lab Sample ID: 680-219967-13

Date Collected: 08/18/22 16:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/25/22 23:56	1
Fluoride	0.033	J B	0.10	0.026	mg/L			08/25/22 23:56	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 23:56	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: EB-1

Lab Sample ID: 680-219967-13

Date Collected: 08/18/22 16:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:39	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:39	1
Barium	<0.0031		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:39	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:39	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:39	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:39	1
Calcium	<0.13		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:39	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:39	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:39	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:39	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:39	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:39	1
Magnesium	<0.050		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:39	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:39	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:39	1
Potassium	<0.16		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:39	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:39	1
Sodium	<0.18		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:39	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:39	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	11		10	10	mg/L			08/24/22 09:21	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:11	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:11	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:11	1

Client Sample ID: DUP-1

Lab Sample ID: 680-219967-14

Date Collected: 08/18/22 00:00

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.3		1.0	0.71	mg/L			08/26/22 00:10	1
Fluoride	0.033	J B	0.10	0.026	mg/L			08/26/22 00:10	1
Sulfate	<0.76		1.0	0.76	mg/L			08/26/22 00:10	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:42	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:42	1
Barium	0.042		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:42	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:42	1
Boron	0.48		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:42	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: DUP-1

Lab Sample ID: 680-219967-14

Date Collected: 08/18/22 00:00

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:42	1
Calcium	1.7		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:42	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:42	1
Cobalt	0.012		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:42	1
Iron	0.035	J	0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:42	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:42	1
Lithium	0.0032	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:42	1
Magnesium	1.5		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:42	1
Manganese	0.33		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:42	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:42	1
Potassium	0.32	J	0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:42	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:42	1
Sodium	23		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:42	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:42	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	67	B	10	10	mg/L			08/24/22 09:14	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:49	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:49	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:49	1

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.6		1.0	0.71	mg/L			08/27/22 01:23	1
Fluoride	0.12		0.10	0.026	mg/L			08/27/22 01:23	1
Sulfate	<0.76		1.0	0.76	mg/L			08/27/22 01:23	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:46	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:46	1
Barium	0.15		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:46	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:46	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:46	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:46	1
Calcium	12		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:46	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:46	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:46	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:46	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:46	1
Lithium	0.0023	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:46	1
Magnesium	5.3		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:46	1
Manganese	0.023		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:46	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:46	1
Potassium	1.0		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:46	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:46	1
Sodium	12		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:46	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:46	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	150		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	78	H B ^2	5.0	5.0	mg/L			10/07/22 12:14	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	78	H B ^2	5.0	5.0	mg/L			10/07/22 12:14	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 12:14	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.24				SU			08/19/22 10:10	1
Ferrous Iron	0.0				mg/L			08/19/22 10:10	1

Client Sample ID: SGWC-10

Lab Sample ID: 680-219967-16

Date Collected: 08/19/22 09:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.2		1.0	0.71	mg/L			08/27/22 01:38	1
Fluoride	<0.026		0.10	0.026	mg/L			08/27/22 01:38	1
Sulfate	4.5		1.0	0.76	mg/L			08/27/22 01:38	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:49	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:49	1
Barium	0.027		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:49	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:49	1
Boron	0.083		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:49	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:49	1
Calcium	0.78		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:49	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:49	1
Cobalt	0.022		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:49	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:49	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-10

Lab Sample ID: 680-219967-16

Date Collected: 08/19/22 09:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:49	1
Lithium	0.0011	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:49	1
Magnesium	4.8		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:49	1
Manganese	0.36		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:49	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:49	1
Potassium	0.28	J	0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:49	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:49	1
Sodium	4.6		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:49	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:49	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	63		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	15	H	10	10	mg/L			10/14/22 14:41	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	15	H	10	10	mg/L			10/14/22 14:41	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:41	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.22				SU			08/19/22 09:30	1
Ferrous Iron	0.3				mg/L			08/19/22 09:30	1

Client Sample ID: SGWC-14

Lab Sample ID: 680-219967-17

Date Collected: 08/19/22 09:22

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.71	mg/L			08/27/22 01:53	1
Fluoride	<0.026		0.10	0.026	mg/L			08/27/22 01:53	1
Sulfate	200		1.0	0.76	mg/L			08/27/22 01:53	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:52	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:52	1
Barium	0.048		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:52	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:52	1
Boron	1.4		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:52	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:52	1
Calcium	39		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:52	1
Chromium	0.0066		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:52	1
Cobalt	0.010		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:52	1
Iron	0.73		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:52	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-14

Lab Sample ID: 680-219967-17

Date Collected: 08/19/22 09:22

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.00028	J	0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:52	1
Lithium	0.0015	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:52	1
Magnesium	21		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:52	1
Manganese	0.26		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:52	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:52	1
Potassium	1.9		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:52	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:52	1
Sodium	29		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:52	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:52	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	370		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	0.73		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	17	H	10	10	mg/L			10/14/22 15:22	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	17	H	10	10	mg/L			10/14/22 15:22	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:22	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.62				SU			08/19/22 09:22	1
Ferrous Iron	0.0				mg/L			08/19/22 09:22	1

Client Sample ID: SGWC-15

Lab Sample ID: 680-219967-18

Date Collected: 08/19/22 10:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.71	mg/L			08/27/22 02:37	1
Fluoride	0.11		0.10	0.026	mg/L			08/27/22 02:37	1
Sulfate	180		1.0	0.76	mg/L			08/27/22 02:37	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 20:56	1
Arsenic	0.00066	J	0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 20:56	1
Barium	0.025		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 20:56	1
Beryllium	0.00039	J	0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 20:56	1
Boron	1.3		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 20:56	1
Cadmium	0.00024	J	0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 20:56	1
Calcium	17		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 20:56	1
Chromium	0.032		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 20:56	1
Cobalt	0.25		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:56	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 20:56	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-15

Lab Sample ID: 680-219967-18

Date Collected: 08/19/22 10:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 20:56	1
Lithium	0.0038	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 20:56	1
Magnesium	16		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 20:56	1
Manganese	3.5		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 20:56	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 20:56	1
Potassium	4.8		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 20:56	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 20:56	1
Sodium	47		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 20:56	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 20:56	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 15:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	320		10	10	mg/L			08/24/22 09:21	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:26	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:26	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:26	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.61				SU			08/19/22 10:15	1
Ferrous Iron	0.0				mg/L			08/19/22 10:15	1

Client Sample ID: SGWC-19

Lab Sample ID: 680-220073-3

Date Collected: 08/22/22 10:40

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.6		1.0	0.71	mg/L			08/30/22 15:43	1
Fluoride	0.041	J	0.10	0.026	mg/L			08/30/22 15:43	1
Sulfate	260		1.0	0.76	mg/L			08/30/22 15:43	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.0021	B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:03	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:03	1
Barium	0.023		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:03	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:03	1
Boron	1.7		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:03	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:03	1
Calcium	42		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:03	1
Chromium	0.013		0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:03	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:03	1
Iron	<0.028		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:03	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-19

Lab Sample ID: 680-220073-3

Date Collected: 08/22/22 10:40

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.00017		0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:03	1
Lithium	0.0012	J	0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:03	1
Magnesium	20		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:03	1
Manganese	0.023		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:03	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:03	1
Potassium	1.7		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:03	1
Selenium	0.00099	J	0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:03	1
Sodium	45		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:03	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	450		10	10	mg/L			08/29/22 08:46	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	26	H	25	25	mg/L			10/14/22 13:56	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	26	H	25	25	mg/L			10/14/22 13:56	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<25	H	25	25	mg/L			10/14/22 13:56	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.54				SU			08/22/22 10:40	1
Ferrous Iron	0.0				mg/L			08/22/22 10:40	1

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.4		1.0	0.71	mg/L			08/30/22 16:01	1
Fluoride	0.22		0.10	0.026	mg/L			08/30/22 16:01	1
Sulfate	220		1.0	0.76	mg/L			08/30/22 16:01	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.0019	J B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:06	1
Arsenic	0.00042	J	0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:06	1
Barium	0.021		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:06	1
Beryllium	0.00062	J	0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:06	1
Boron	1.6		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:06	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:06	1
Calcium	13		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:06	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:06	1
Cobalt	0.11		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:06	1
Iron	<0.028		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:06	1
Lead	0.00028	J B	0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:06	1
Lithium	0.0030	J	0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:06	1
Magnesium	15		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:06	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	1.3		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:06	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:06	1
Potassium	3.4		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:06	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:06	1
Sodium	65		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:06	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	370		10	10	mg/L			08/29/22 10:30	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:37	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:37	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:37	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.30				SU			08/22/22 12:41	1
Ferrous Iron	0.0				mg/L			08/22/22 12:41	1

Client Sample ID: SGWC-21

Lab Sample ID: 680-220073-5

Date Collected: 08/22/22 14:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			08/30/22 16:15	1
Fluoride	0.090	J	0.10	0.026	mg/L			08/30/22 16:15	1
Sulfate	130		1.0	0.76	mg/L			08/30/22 16:15	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.0019	J B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:10	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:10	1
Barium	0.10		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:10	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:10	1
Boron	1.2		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:10	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:10	1
Calcium	36		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:10	1
Chromium	0.0016	J	0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:10	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:10	1
Iron	0.48		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:10	1
Lead	0.00020	J B	0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:10	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:10	1
Magnesium	13		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:10	1
Manganese	0.047		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:10	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:10	1
Potassium	1.6		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:10	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-21

Lab Sample ID: 680-220073-5

Date Collected: 08/22/22 14:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:10	1
Sodium	56		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:10	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	380		10	10	mg/L			08/29/22 08:46	1
Ferric Iron (SM 3500)	0.48		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	120	H	5.0	5.0	mg/L			09/15/22 22:02	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	120	H	5.0	5.0	mg/L			09/15/22 22:02	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 22:02	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.17				SU			08/22/22 14:00	1
Ferrous Iron	0.0				mg/L			08/22/22 14:00	1

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.71	mg/L			08/30/22 16:29	1
Fluoride	0.038	J	0.10	0.026	mg/L			08/30/22 16:29	1
Sulfate	110		1.0	0.76	mg/L			08/30/22 16:29	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.0022	B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:13	1
Arsenic	0.00044	J	0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:13	1
Barium	0.075		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:13	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:13	1
Boron	0.57		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:13	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:13	1
Calcium	28		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:13	1
Chromium	0.0022		0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:13	1
Cobalt	0.0010	J	0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:13	1
Iron	0.78		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:13	1
Lead	0.00017	J B	0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:13	1
Lithium	0.00087	J	0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:13	1
Magnesium	13		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:13	1
Manganese	0.17		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:13	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:13	1
Potassium	2.6		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:13	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:13	1
Sodium	20		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:13	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:13	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	3400		1000	1000	mg/L			08/29/22 08:46	1
Ferric Iron (SM 3500)	0.78		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	42	H	5.0	5.0	mg/L			09/28/22 15:23	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	42	H	5.0	5.0	mg/L			09/28/22 15:23	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 15:23	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.62				SU			08/22/22 12:35	1
Ferrous Iron	0.0				mg/L			08/22/22 12:35	1

Client Sample ID: SGWC-23

Lab Sample ID: 680-220073-7

Date Collected: 08/22/22 10:25

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			08/30/22 16:43	1
Fluoride	0.052	J	0.10	0.026	mg/L			08/30/22 16:43	1
Sulfate	61		1.0	0.76	mg/L			08/30/22 16:43	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00098	J B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:16	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:16	1
Barium	0.056		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:16	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:16	1
Boron	0.46		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:16	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:16	1
Calcium	22		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:16	1
Chromium	0.0017	J	0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:16	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:16	1
Iron	<0.028		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:16	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:16	1
Lithium	0.0020	J	0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:16	1
Magnesium	11		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:16	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:16	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:16	1
Potassium	1.3		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:16	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:16	1
Sodium	19		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:16	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:16	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	220		10	10	mg/L			08/29/22 10:30	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	70	H	5.0	5.0	mg/L			09/28/22 14:10	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-23

Lab Sample ID: 680-220073-7

Date Collected: 08/22/22 10:25

Matrix: Water

Date Received: 08/24/22 09:00

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	70	H	5.0	5.0	mg/L			09/28/22 14:10	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 14:10	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.91				SU			08/22/22 10:25	1
Ferrous Iron	0.0				mg/L			08/22/22 10:25	1

Client Sample ID: FB-2

Lab Sample ID: 680-220073-9

Date Collected: 08/22/22 15:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 16:58	1
Fluoride	<0.026		0.10	0.026	mg/L			08/30/22 16:58	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 16:58	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.0019	J B	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 15:20	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 15:20	1
Barium	<0.0031		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 15:20	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 15:20	1
Boron	0.071	J	0.080	0.060	mg/L		09/09/22 17:22	09/22/22 15:20	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 15:20	1
Calcium	<0.13		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 15:20	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 15:20	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 15:20	1
Iron	<0.028		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 15:20	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 15:20	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 15:20	1
Magnesium	<0.050		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 15:20	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 15:20	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 15:20	1
Potassium	<0.16		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 15:20	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 15:20	1
Sodium	<0.18		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 15:20	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 15:20	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	<10		10	10	mg/L			08/29/22 08:46	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:52	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:52	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:52	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.71	mg/L			08/30/22 17:13	1
Fluoride	0.043	J	0.10	0.026	mg/L			08/30/22 17:13	1
Sulfate	240		1.0	0.76	mg/L			08/30/22 17:13	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 13:15	10/05/22 18:45	1
Arsenic	0.00049	J B	0.0010	0.00028	mg/L		09/27/22 13:15	10/05/22 18:45	1
Barium	0.052		0.010	0.0031	mg/L		09/27/22 13:15	10/19/22 16:33	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 13:15	10/05/22 18:45	1
Boron	2.7		0.080	0.060	mg/L		09/27/22 13:15	10/19/22 16:33	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 13:15	10/05/22 18:45	1
Calcium	64		0.50	0.13	mg/L		09/27/22 13:15	10/19/22 16:33	1
Chromium	0.0030		0.0020	0.0015	mg/L		09/27/22 13:15	10/05/22 18:45	1
Cobalt	0.0012	J	0.0025	0.00026	mg/L		09/27/22 13:15	10/05/22 18:45	1
Iron	0.78		0.050	0.028	mg/L		09/27/22 13:15	10/05/22 18:45	1
Lead	0.00019	J	0.0010	0.00017	mg/L		09/27/22 13:15	10/05/22 18:45	1
Lithium	0.0036	J	0.0050	0.00083	mg/L		09/27/22 13:15	10/05/22 18:45	1
Magnesium	27		0.50	0.050	mg/L		09/27/22 13:15	10/05/22 18:45	1
Manganese	0.17		0.0050	0.0013	mg/L		09/27/22 13:15	10/05/22 18:45	1
Molybdenum	0.0062	J	0.015	0.00061	mg/L		09/27/22 13:15	10/05/22 18:45	1
Potassium	3.5		0.50	0.16	mg/L		09/27/22 13:15	10/05/22 18:45	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 13:15	10/05/22 18:45	1
Sodium	27		0.50	0.18	mg/L		09/27/22 13:15	10/19/22 16:33	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 13:15	10/05/22 18:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	500		10	10	mg/L			08/29/22 08:46	1
Ferric Iron (SM 3500)	0.78		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	85	H B ^2	5.0	5.0	mg/L			10/07/22 11:08	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	85	H B ^2	5.0	5.0	mg/L			10/07/22 11:08	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/07/22 11:08	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.27				SU			08/22/22 17:00	1
Ferrous Iron	0.0				mg/L			08/22/22 17:00	1

Client Sample ID: PZ-14S

Lab Sample ID: 680-220188-1

Date Collected: 08/23/22 16:09

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.9		1.0	0.71	mg/L			08/30/22 17:57	1
Fluoride	0.029	J	0.10	0.026	mg/L			08/30/22 17:57	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 17:57	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-14S

Lab Sample ID: 680-220188-1

Date Collected: 08/23/22 16:09

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 19:59	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 19:59	1
Barium	0.034		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 19:59	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 19:59	1
Boron	<0.060		0.080	0.060	mg/L		10/08/22 10:24	10/11/22 23:42	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 19:59	1
Calcium	4.6		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 19:59	1
Chromium	0.0024		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 19:59	1
Cobalt	0.00046	J	0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 19:59	1
Iron	0.096		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 19:59	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 19:59	1
Lithium	0.0011	J	0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 19:59	1
Magnesium	2.9		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 19:59	1
Manganese	0.019		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 19:59	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 19:59	1
Potassium	0.72		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 19:59	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 19:59	1
Sodium	2.0		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 19:59	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 19:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	65		10	10	mg/L			08/29/22 16:30	1
Ferric Iron (SM 3500)	0.096		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	25	H	5.0	5.0	mg/L			09/13/22 22:25	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	25	H	5.0	5.0	mg/L			09/13/22 22:25	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 22:25	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.39				SU			08/23/22 16:09	1
Ferrous Iron	0.0				mg/L			08/23/22 16:09	1

Client Sample ID: PZ-39S

Lab Sample ID: 680-220188-2

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.1		1.0	0.71	mg/L			08/30/22 19:12	1
Fluoride	0.043	J	0.10	0.026	mg/L			08/30/22 19:12	1
Sulfate	36		1.0	0.76	mg/L			08/30/22 19:12	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:03	1
Arsenic	0.00028	J	0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:03	1
Barium	0.039		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:03	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-39S

Lab Sample ID: 680-220188-2

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:03	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:19	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:03	1
Calcium	24		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:03	1
Chromium	0.014		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:03	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:03	1
Iron	0.074		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:03	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:03	1
Lithium	0.022		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:03	1
Magnesium	8.7		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:03	1
Manganese	0.15		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:03	1
Molybdenum	0.0013	J	0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:03	1
Potassium	1.9		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:03	1
Selenium	0.0014	J	0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:03	1
Sodium	7.4		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:03	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	170		10	10	mg/L			08/29/22 16:30	1
Ferric Iron (SM 3500)	0.074		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	69	H	5.0	5.0	mg/L			09/13/22 21:54	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	69	H	5.0	5.0	mg/L			09/13/22 21:54	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 21:54	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.75				SU			08/23/22 09:45	1
Ferrous Iron	0.0				mg/L			08/23/22 09:45	1

Client Sample ID: PZ-40I

Lab Sample ID: 680-220188-3

Date Collected: 08/23/22 15:05

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.7		1.0	0.71	mg/L			08/30/22 19:27	1
Fluoride	0.036	J	0.10	0.026	mg/L			08/30/22 19:27	1
Sulfate	640		1.0	0.76	mg/L			08/30/22 19:27	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00089	J	0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:06	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:06	1
Barium	0.055		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:06	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:06	1
Boron	4.8		0.16	0.12	mg/L		09/23/22 14:25	09/30/22 14:11	2
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:06	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-40I

Lab Sample ID: 680-220188-3

Date Collected: 08/23/22 15:05

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	150		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:06	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:06	1
Cobalt	0.0029		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:06	1
Iron	1.2		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:06	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:06	1
Lithium	0.010		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:06	1
Magnesium	61		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:06	1
Manganese	0.43		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:06	1
Molybdenum	0.00079	J	0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:06	1
Potassium	9.4		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:06	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:06	1
Sodium	63		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:06	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	100		10	10	mg/L			08/29/22 16:30	1
Ferric Iron (SM 3500)	1.2		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	33	H	5.0	5.0	mg/L			09/13/22 21:48	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	33	H	5.0	5.0	mg/L			09/13/22 21:48	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 21:48	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.14				SU			08/23/22 15:05	1
Ferrous Iron	0.0				mg/L			08/23/22 15:05	1

Client Sample ID: DUP-3

Lab Sample ID: 680-220188-4

Date Collected: 08/23/22 00:00

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.71	mg/L			08/30/22 19:41	1
Fluoride	0.031	J	0.10	0.026	mg/L			08/30/22 19:41	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 19:41	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:21	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:21	1
Barium	0.032		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:21	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:21	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:30	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:21	1
Calcium	4.5		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:21	1
Chromium	0.0026		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:21	1
Cobalt	0.00035	J	0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:21	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: DUP-3

Lab Sample ID: 680-220188-4

Date Collected: 08/23/22 00:00

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.091		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:21	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:21	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:21	1
Magnesium	3.0		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:21	1
Manganese	0.017		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:21	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:21	1
Potassium	0.74		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:21	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:21	1
Sodium	2.0		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:21	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	57		10	10	mg/L			08/30/22 10:39	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	25	H	5.0	5.0	mg/L			09/13/22 22:14	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	25	H	5.0	5.0	mg/L			09/13/22 22:14	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 22:14	1

Client Sample ID: EB-3

Lab Sample ID: 680-220188-5

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 19:56	1
Fluoride	0.026	J	0.10	0.026	mg/L			08/30/22 19:56	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 19:56	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:25	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:25	1
Barium	<0.0031		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:25	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:25	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:33	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:25	1
Calcium	0.15	J	0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:25	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:25	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:25	1
Iron	<0.028		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:25	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:25	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:25	1
Magnesium	<0.050		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:25	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:25	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:25	1
Potassium	<0.16		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:25	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:25	1
Sodium	<0.18		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:25	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: EB-3

Lab Sample ID: 680-220188-5

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	10		10	10	mg/L			08/29/22 16:30	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 21:30	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 21:30	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/13/22 21:30	1

Client Sample ID: FB-3

Lab Sample ID: 680-220188-6

Date Collected: 08/23/22 15:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 20:11	1
Fluoride	0.029	J	0.10	0.026	mg/L			08/30/22 20:11	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 20:11	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:28	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:28	1
Barium	<0.0031		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:28	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:28	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:36	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:28	1
Calcium	0.14	J	0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:28	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:28	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:28	1
Iron	<0.028		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:28	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:28	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:28	1
Magnesium	<0.050		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:28	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:28	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:28	1
Potassium	<0.16		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:28	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:28	1
Sodium	<0.18		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:28	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	14		10	10	mg/L			08/30/22 10:39	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 23:28	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 23:28	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: FB-3

Lab Sample ID: 680-220188-6

Date Collected: 08/23/22 15:45

Matrix: Water

Date Received: 08/26/22 11:52

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbonate Alkalinity as CaCO ₃ (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 23:28	1

Client Sample ID: SGWC-18

Lab Sample ID: 680-220188-7

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		2.5	1.8	mg/L			08/30/22 20:26	2.5
Fluoride	0.10	J	0.25	0.065	mg/L			08/30/22 20:26	2.5
Sulfate	910		2.5	1.9	mg/L			08/30/22 20:26	2.5

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:32	1
Arsenic	0.0021		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:32	1
Barium	0.012		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:32	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:32	1
Boron	6.8		0.16	0.12	mg/L		09/23/22 14:25	09/30/22 10:39	2
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:32	1
Calcium	52		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:32	1
Chromium	0.0095		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:32	1
Cobalt	0.088		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:32	1
Iron	0.16		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:32	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:32	1
Lithium	0.0032	J	0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:32	1
Magnesium	24		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:32	1
Manganese	0.84		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:32	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:32	1
Potassium	3.5		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:32	1
Selenium	0.00085	J	0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:32	1
Sodium	340		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:32	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1300		10	10	mg/L			08/30/22 10:39	1
Ferric Iron (SM 3500)	0.16		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO ₃ to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:15	1
Bicarbonate Alkalinity as CaCO ₃ (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:15	1
Carbonate Alkalinity as CaCO ₃ (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 15:15	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.80				SU			08/23/22 11:01	1
Ferrous Iron	0.0				mg/L			08/23/22 11:01	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: EB-2

Lab Sample ID: 680-220188-8

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 20:41	1
Fluoride	0.029	J	0.10	0.026	mg/L			08/30/22 20:41	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 20:41	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:54	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:54	1
Barium	<0.0031		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:54	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:54	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:47	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:54	1
Calcium	0.19	J	0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:54	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:54	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:54	1
Iron	<0.028		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:54	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:54	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:54	1
Magnesium	<0.050		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:54	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:54	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:54	1
Potassium	<0.16		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:54	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:54	1
Sodium	<0.18		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:54	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	<10		10	10	mg/L			08/29/22 16:30	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:48	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:48	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 14:48	1

Client Sample ID: PZ-13S

Lab Sample ID: 680-220258-1

Date Collected: 08/24/22 11:35

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.3		1.0	0.71	mg/L			08/31/22 18:41	1
Fluoride	0.069	J	0.10	0.026	mg/L			08/31/22 18:41	1
Sulfate	<0.76		1.0	0.76	mg/L			08/31/22 18:41	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 20:57	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 20:57	1
Barium	0.046		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 20:57	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-13S

Lab Sample ID: 680-220258-1

Date Collected: 08/24/22 11:35

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 20:57	1
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:56	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 20:57	1
Calcium	5.0		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 20:57	1
Chromium	0.0034		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 20:57	1
Cobalt	0.0059		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 20:57	1
Iron	0.27		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 20:57	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 20:57	1
Lithium	0.0023	J	0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 20:57	1
Magnesium	1.7		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 20:57	1
Manganese	0.081		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 20:57	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 20:57	1
Potassium	0.56		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 20:57	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 20:57	1
Sodium	5.3		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 20:57	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 20:57	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00024		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 09:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	86		10	10	mg/L			08/31/22 13:43	1
Ferric Iron (SM 3500)	0.27		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	43	H	5.0	5.0	mg/L			09/28/22 20:27	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	43	H	5.0	5.0	mg/L			09/28/22 20:27	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 20:27	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.09				SU			08/24/22 11:35	1
Ferrous Iron	0.0				mg/L			08/24/22 11:35	1

Client Sample ID: PZ-17I

Lab Sample ID: 680-220258-2

Date Collected: 08/24/22 10:30

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.0		1.0	0.71	mg/L			08/31/22 19:26	1
Fluoride	0.046	J	0.10	0.026	mg/L			08/31/22 19:26	1
Sulfate	100		1.0	0.76	mg/L			08/31/22 19:26	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 21:01	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 21:01	1
Barium	0.058		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 21:01	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-171

Lab Sample ID: 680-220258-2

Date Collected: 08/24/22 10:30

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 21:01	1
Boron	0.20		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 10:58	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 21:01	1
Calcium	35		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 21:01	1
Chromium	0.0037		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 21:01	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 21:01	1
Iron	0.072		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 21:01	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 21:01	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 21:01	1
Magnesium	15		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 21:01	1
Manganese	0.0034	J	0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 21:01	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 21:01	1
Potassium	2.1		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 21:01	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 21:01	1
Sodium	12		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 21:01	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 21:01	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 09:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	280		10	10	mg/L			08/31/22 13:46	1
Ferric Iron (SM 3500)	0.072		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	56	H	5.0	5.0	mg/L			09/28/22 18:23	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	56	H	5.0	5.0	mg/L			09/28/22 18:23	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 18:23	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.74				SU			08/24/22 10:30	1
Ferrous Iron	0.0				mg/L			08/24/22 10:30	1

Client Sample ID: PZ-251

Lab Sample ID: 680-220258-3

Date Collected: 08/24/22 14:05

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.0012	J	0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 21:05	1

Client Sample ID: PZ-25S

Lab Sample ID: 680-220258-4

Date Collected: 08/24/22 14:45

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt	0.025		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 20:59	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-41S

Lab Sample ID: 680-220258-5

Date Collected: 08/24/22 10:07

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.0		1.0	0.71	mg/L			08/31/22 19:41	1
Fluoride	0.035	J	0.10	0.026	mg/L			08/31/22 19:41	1
Sulfate	540		1.0	0.76	mg/L			08/31/22 19:41	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 21:02	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 21:02	1
Barium	0.025		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 21:02	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 21:02	1
Boron	3.2		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 21:02	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 21:02	1
Calcium	120		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 21:02	1
Chromium	0.0051		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 21:02	1
Cobalt	0.0010	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 21:02	1
Iron	0.23		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 21:02	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 21:02	1
Lithium	0.00099	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 21:02	1
Magnesium	46		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 21:02	1
Manganese	0.013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 21:02	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 21:02	1
Potassium	3.8		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 21:02	1
Selenium	0.0062		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 21:02	1
Sodium	51		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 21:02	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 21:02	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 09:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	920		10	10	mg/L			08/31/22 13:43	1
Ferric Iron (SM 3500)	0.23		0.050	0.0061	mg/L			10/20/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	35	H	10	10	mg/L			10/14/22 13:04	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	35	H	10	10	mg/L			10/14/22 13:04	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<10	H	10	10	mg/L			10/14/22 13:04	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.87				SU			08/24/22 10:07	1
Ferrous Iron	0.0				mg/L			08/24/22 10:07	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-43S

Lab Sample ID: 680-220258-6

Date Collected: 08/24/22 11:56

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.2		1.0	0.71	mg/L			08/31/22 19:55	1
Fluoride	0.037	J	0.10	0.026	mg/L			08/31/22 19:55	1
Sulfate	170		1.0	0.76	mg/L			08/31/22 19:55	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:19	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:19	1
Barium	0.070		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:19	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:19	1
Boron	1.1		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:19	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:19	1
Calcium	54		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:19	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:19	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:19	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:19	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:19	1
Lithium	0.0032	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:19	1
Magnesium	16		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:19	1
Manganese	0.0061		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:19	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:19	1
Potassium	3.6		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:19	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:19	1
Sodium	12		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:19	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:19	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 10:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	350		10	10	mg/L			08/31/22 13:43	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	29	H	5.0	5.0	mg/L			09/28/22 20:17	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	29	H	5.0	5.0	mg/L			09/28/22 20:17	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 20:17	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	9.96				SU			08/24/22 11:56	1
Ferrous Iron	0.0				mg/L			08/24/22 11:56	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-44I

Lab Sample ID: 680-220258-7

Date Collected: 08/24/22 11:50

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.7		1.0	0.71	mg/L			08/31/22 20:13	1
Fluoride	0.031	J	0.10	0.026	mg/L			08/31/22 20:13	1
Sulfate	0.78	J	1.0	0.76	mg/L			08/31/22 20:13	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:22	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:22	1
Barium	0.0079	J	0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:22	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:22	1
Boron	0.083		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:22	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:22	1
Calcium	21		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:22	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:22	1
Cobalt	0.0016	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:22	1
Iron	0.91		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:22	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:22	1
Lithium	0.011		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:22	1
Magnesium	10		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:22	1
Manganese	0.21		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:22	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:22	1
Potassium	1.9		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:22	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:22	1
Sodium	15		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:22	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:22	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 10:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	200		10	10	mg/L			08/31/22 13:43	1
Ferric Iron (SM 3500)	0.51		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	120		5.0	5.0	mg/L			10/08/22 16:54	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	120	H B ^2	5.0	5.0	mg/L			10/08/22 16:54	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			10/08/22 16:54	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.61				SU			08/24/22 11:50	1
Ferrous Iron	0.4				mg/L			08/24/22 11:50	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-69I

Lab Sample ID: 680-220258-8

Date Collected: 08/24/22 14:10

Matrix: Water

Date Received: 08/26/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.71	mg/L			08/31/22 20:27	1
Fluoride	0.21		0.10	0.026	mg/L			08/31/22 20:27	1
Sulfate	100		1.0	0.76	mg/L			08/31/22 20:27	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:25	1
Arsenic	0.00074	J	0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:25	1
Barium	0.13		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:25	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:25	1
Boron	0.43		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:25	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:25	1
Calcium	47		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:25	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:25	1
Cobalt	0.0013	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:25	1
Iron	1.5		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:25	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:25	1
Lithium	0.0025	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:25	1
Magnesium	13		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:25	1
Manganese	1.9		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:25	1
Molybdenum	0.00081	J	0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:25	1
Potassium	5.7		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:25	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:25	1
Sodium	21		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:25	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:25	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 10:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	290		10	10	mg/L			08/31/22 13:43	1
Ferric Iron (SM 3500)	1.5		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	100	H	5.0	5.0	mg/L			09/28/22 19:28	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	100	H	5.0	5.0	mg/L			09/28/22 19:28	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/28/22 19:28	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.86				SU			08/24/22 14:10	1
Ferrous Iron	0.0				mg/L			08/24/22 14:10	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-16

Lab Sample ID: 680-220489-1

Date Collected: 08/31/22 14:27

Matrix: Water

Date Received: 09/02/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.6		1.0	0.71	mg/L			09/04/22 02:35	1
Fluoride	0.058	J	0.10	0.026	mg/L			09/04/22 02:35	1
Sulfate	49		1.0	0.76	mg/L			09/04/22 02:35	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:29	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:29	1
Barium	0.033		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:29	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:29	1
Boron	0.67		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:29	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:29	1
Calcium	1.2		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:29	1
Chromium	0.012		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:29	1
Cobalt	0.0054		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:29	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:29	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:29	1
Lithium	0.0012	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:29	1
Magnesium	0.75		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:29	1
Manganese	0.029		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:29	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:29	1
Potassium	0.56		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:29	1
Selenium	0.0010	J	0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:29	1
Sodium	30		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:29	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:29	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/16/22 16:05	09/20/22 13:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	120	H	10	10	mg/L			09/09/22 12:50	1
Ferric Iron (SM 3500)	<0.0061		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	8.7	H	5.0	5.0	mg/L			09/15/22 19:20	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	8.7	H	5.0	5.0	mg/L			09/15/22 19:20	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 19:20	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.10				SU			08/31/22 14:27	1
Ferrous Iron	0.0				mg/L			08/31/22 14:27	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-17

Lab Sample ID: 680-220489-2

Date Collected: 08/31/22 12:46

Matrix: Water

Date Received: 09/02/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.0		1.0	0.71	mg/L			09/04/22 02:53	1
Fluoride	0.058	J	0.10	0.026	mg/L			09/04/22 02:53	1
Sulfate	220		1.0	0.76	mg/L			09/04/22 02:53	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:32	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:32	1
Barium	0.033		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:32	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:32	1
Boron	0.31		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:32	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:32	1
Calcium	58		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:32	1
Chromium	0.0088		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:32	1
Cobalt	0.00045	J	0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:32	1
Iron	0.38		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:32	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:32	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:32	1
Magnesium	29		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:32	1
Manganese	0.030		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:32	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:32	1
Potassium	0.41	J	0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:32	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:32	1
Sodium	25		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:32	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:32	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00013	J	0.00020	0.00013	mg/L		09/16/22 16:05	09/20/22 13:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	470	H	10	10	mg/L			09/09/22 12:41	1
Ferric Iron (SM 3500)	0.38		0.050	0.0061	mg/L			10/17/22 09:18	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	73	H	5.0	5.0	mg/L			09/15/22 19:12	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	73	H	5.0	5.0	mg/L			09/15/22 19:12	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 19:12	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.26				SU			08/31/22 12:46	1
Ferrous Iron	0.0				mg/L			08/31/22 12:46	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.6		1.0	0.71	mg/L			09/04/22 03:12	1
Fluoride	0.065	J	0.10	0.026	mg/L			09/04/22 03:12	1
Sulfate	48		1.0	0.76	mg/L			09/04/22 03:12	1

Method: SW846 EPA 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:35	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:35	1
Barium	0.034		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:35	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:35	1
Boron	0.69		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:35	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:35	1
Calcium	1.3		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:35	1
Chromium	0.012		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:35	1
Cobalt	0.0057		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:35	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:35	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:35	1
Lithium	0.0010	J	0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:35	1
Magnesium	0.78		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:35	1
Manganese	0.031		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:35	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:35	1
Potassium	0.58		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:35	1
Selenium	0.0010	J	0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:35	1
Sodium	31		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:35	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:35	1

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/16/22 16:05	09/20/22 13:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	120	H	10	10	mg/L			09/09/22 12:33	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	17	H	5.0	5.0	mg/L			09/15/22 19:05	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	17	H	5.0	5.0	mg/L			09/15/22 19:05	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0	H	5.0	5.0	mg/L			09/15/22 19:05	1

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 180-409558/6
Matrix: Water
Analysis Batch: 409558

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/22/22 14:27	1
Fluoride	<0.026		0.10	0.026	mg/L			08/22/22 14:27	1
Sulfate	<0.76		1.0	0.76	mg/L			08/22/22 14:27	1

Lab Sample ID: LCS 180-409558/7
Matrix: Water
Analysis Batch: 409558

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	50.3		mg/L		101	90 - 110
Fluoride	2.50	2.57		mg/L		103	90 - 110
Sulfate	50.0	48.9		mg/L		98	90 - 110

Lab Sample ID: MB 180-409987/22
Matrix: Water
Analysis Batch: 409987

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/25/22 17:26	1
Fluoride	0.0315	J	0.10	0.026	mg/L			08/25/22 17:26	1
Sulfate	<0.76		1.0	0.76	mg/L			08/25/22 17:26	1

Lab Sample ID: LCS 180-409987/23
Matrix: Water
Analysis Batch: 409987

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	48.8		mg/L		98	90 - 110
Fluoride	2.50	2.69		mg/L		108	90 - 110
Sulfate	50.0	47.7		mg/L		95	90 - 110

Lab Sample ID: 680-219967-5 MS
Matrix: Water
Analysis Batch: 409987

Client Sample ID: SGWA-25
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	1.9		50.0	49.1		mg/L		94	90 - 110
Fluoride	0.044	J F1 B	2.50	2.73		mg/L		108	90 - 110
Sulfate	<0.76		50.0	46.7		mg/L		93	90 - 110

Lab Sample ID: 680-219967-5 MSD
Matrix: Water
Analysis Batch: 409987

Client Sample ID: SGWA-25
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1.9		50.0	52.7		mg/L		102	90 - 110	7	20
Fluoride	0.044	J F1 B	2.50	2.94	F1	mg/L		116	90 - 110	7	20
Sulfate	<0.76		50.0	50.5		mg/L		101	90 - 110	8	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 180-410173/31
Matrix: Water
Analysis Batch: 410173

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/26/22 23:09	1
Fluoride	<0.026		0.10	0.026	mg/L			08/26/22 23:09	1
Sulfate	<0.76		1.0	0.76	mg/L			08/26/22 23:09	1

Lab Sample ID: LCS 180-410173/32
Matrix: Water
Analysis Batch: 410173

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	50.9		mg/L		102	90 - 110
Fluoride	2.50	2.72		mg/L		109	90 - 110
Sulfate	50.0	50.4		mg/L		101	90 - 110

Lab Sample ID: MB 180-410481/36
Matrix: Water
Analysis Batch: 410481

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 17:27	1
Fluoride	<0.026		0.10	0.026	mg/L			08/30/22 17:27	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 17:27	1

Lab Sample ID: MB 180-410481/6
Matrix: Water
Analysis Batch: 410481

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/30/22 10:47	1
Fluoride	<0.026		0.10	0.026	mg/L			08/30/22 10:47	1
Sulfate	<0.76		1.0	0.76	mg/L			08/30/22 10:47	1

Lab Sample ID: LCS 180-410481/37
Matrix: Water
Analysis Batch: 410481

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	50.8		mg/L		102	90 - 110
Fluoride	2.50	2.74		mg/L		110	90 - 110
Sulfate	50.0	51.7		mg/L		103	90 - 110

Lab Sample ID: LCS 180-410481/7
Matrix: Water
Analysis Batch: 410481

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	52.9		mg/L		106	90 - 110
Fluoride	2.50	2.73		mg/L		109	90 - 110
Sulfate	50.0	53.9		mg/L		108	90 - 110

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 680-220188-1 MS
Matrix: Water
Analysis Batch: 410481

Client Sample ID: PZ-14S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	3.9		50.0	52.7		mg/L		98	90 - 110
Fluoride	0.029	J	2.50	2.73		mg/L		108	90 - 110
Sulfate	<0.76		50.0	51.6		mg/L		103	90 - 110

Lab Sample ID: 680-220188-1 MSD
Matrix: Water
Analysis Batch: 410481

Client Sample ID: PZ-14S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	3.9		50.0	52.7		mg/L		98	90 - 110	0	20
Fluoride	0.029	J	2.50	2.75		mg/L		109	90 - 110	1	20
Sulfate	<0.76		50.0	50.4		mg/L		101	90 - 110	2	20

Lab Sample ID: MB 180-410668/6
Matrix: Water
Analysis Batch: 410668

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			08/31/22 13:47	1
Fluoride	<0.026		0.10	0.026	mg/L			08/31/22 13:47	1
Sulfate	<0.76		1.0	0.76	mg/L			08/31/22 13:47	1

Lab Sample ID: LCS 180-410668/7
Matrix: Water
Analysis Batch: 410668

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	50.2		mg/L		100	90 - 110
Fluoride	2.50	2.74		mg/L		110	90 - 110
Sulfate	50.0	48.3		mg/L		97	90 - 110

Lab Sample ID: 680-220258-1 MS
Matrix: Water
Analysis Batch: 410668

Client Sample ID: PZ-13S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	9.3		50.0	58.8		mg/L		99	90 - 110
Fluoride	0.069	J	2.50	2.68		mg/L		104	90 - 110
Sulfate	<0.76		50.0	49.9		mg/L		100	90 - 110

Lab Sample ID: 680-220258-1 MSD
Matrix: Water
Analysis Batch: 410668

Client Sample ID: PZ-13S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	9.3		50.0	58.4		mg/L		98	90 - 110	1	20
Fluoride	0.069	J	2.50	2.66		mg/L		104	90 - 110	1	20
Sulfate	<0.76		50.0	49.7		mg/L		99	90 - 110	0	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 300.0 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 180-411021/45
Matrix: Water
Analysis Batch: 411021

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.71		1.0	0.71	mg/L			09/03/22 23:48	1
Fluoride	<0.026		0.10	0.026	mg/L			09/03/22 23:48	1
Sulfate	<0.76		1.0	0.76	mg/L			09/03/22 23:48	1

Lab Sample ID: LCS 180-411021/46
Matrix: Water
Analysis Batch: 411021

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	51.7		mg/L		103	90 - 110
Fluoride	2.50	2.57		mg/L		103	90 - 110
Sulfate	50.0	51.1		mg/L		102	90 - 110

Method: EPA 6020B - Metals (ICP/MS)

Lab Sample ID: MB 180-411448/1-A
Matrix: Water
Analysis Batch: 412994

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/08/22 15:09	09/22/22 21:51	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/08/22 15:09	09/22/22 21:51	1
Barium	<0.0031		0.010	0.0031	mg/L		09/08/22 15:09	09/22/22 21:51	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/08/22 15:09	09/22/22 21:51	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/08/22 15:09	09/22/22 21:51	1
Calcium	<0.13		0.50	0.13	mg/L		09/08/22 15:09	09/22/22 21:51	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/08/22 15:09	09/22/22 21:51	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/08/22 15:09	09/22/22 21:51	1
Iron	<0.028		0.050	0.028	mg/L		09/08/22 15:09	09/22/22 21:51	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/08/22 15:09	09/22/22 21:51	1
Lithium	0.00124	J	0.0050	0.00083	mg/L		09/08/22 15:09	09/22/22 21:51	1
Magnesium	<0.050		0.50	0.050	mg/L		09/08/22 15:09	09/22/22 21:51	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/08/22 15:09	09/22/22 21:51	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/08/22 15:09	09/22/22 21:51	1
Potassium	<0.16		0.50	0.16	mg/L		09/08/22 15:09	09/22/22 21:51	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/08/22 15:09	09/22/22 21:51	1
Sodium	<0.18		0.50	0.18	mg/L		09/08/22 15:09	09/22/22 21:51	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/08/22 15:09	09/22/22 21:51	1

Lab Sample ID: MB 180-411448/1-A
Matrix: Water
Analysis Batch: 413078

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.060		0.080	0.060	mg/L		09/08/22 15:09	09/23/22 14:50	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 180-411448/2-A
Matrix: Water
Analysis Batch: 412994

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.250	0.273		mg/L		109	80 - 120
Arsenic	1.00	0.957		mg/L		96	80 - 120
Barium	1.00	0.990		mg/L		99	80 - 120
Beryllium	0.500	0.497		mg/L		99	80 - 120
Cadmium	0.500	0.500		mg/L		100	80 - 120
Calcium	25.0	27.7		mg/L		111	80 - 120
Chromium	0.500	0.500		mg/L		100	80 - 120
Cobalt	0.500	0.476		mg/L		95	80 - 120
Iron	5.00	5.23		mg/L		105	80 - 120
Lead	0.500	0.505		mg/L		101	80 - 120
Lithium	0.500	0.506		mg/L		101	80 - 120
Magnesium	25.0	25.1		mg/L		101	80 - 120
Manganese	0.500	0.496		mg/L		99	80 - 120
Molybdenum	0.500	0.505		mg/L		101	80 - 120
Potassium	25.0	24.8		mg/L		99	80 - 120
Selenium	1.00	0.977		mg/L		98	80 - 120
Sodium	25.0	25.6		mg/L		103	80 - 120
Thallium	1.00	1.01		mg/L		101	80 - 120

Lab Sample ID: LCS 180-411448/2-A
Matrix: Water
Analysis Batch: 413078

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1.25	1.27		mg/L		102	80 - 120

Lab Sample ID: 680-219964-1 MS
Matrix: Water
Analysis Batch: 412994

Client Sample ID: SGWA-1
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.00052	J	0.250	0.271		mg/L		108	75 - 125
Arsenic	0.00028	J	1.00	0.951		mg/L		95	75 - 125
Barium	0.046		1.00	1.03		mg/L		98	75 - 125
Beryllium	0.00027	J	0.500	0.499		mg/L		100	75 - 125
Cadmium	<0.00022		0.500	0.502		mg/L		100	75 - 125
Calcium	1.9		25.0	29.2		mg/L		109	75 - 125
Chromium	0.0016	J	0.500	0.503		mg/L		100	75 - 125
Cobalt	0.00055	J	0.500	0.478		mg/L		96	75 - 125
Iron	0.037	J	5.00	5.23		mg/L		104	75 - 125
Lead	0.00018	J	0.500	0.515		mg/L		103	75 - 125
Lithium	0.0035	J B	0.500	0.511		mg/L		102	75 - 125
Magnesium	0.93		25.0	26.1		mg/L		101	75 - 125
Manganese	0.081		0.500	0.574		mg/L		98	75 - 125
Molybdenum	<0.00061		0.500	0.509		mg/L		102	75 - 125
Potassium	0.74		25.0	25.1		mg/L		97	75 - 125
Selenium	<0.00074		1.00	0.980		mg/L		98	75 - 125
Sodium	16		25.0	40.9		mg/L		99	75 - 125
Thallium	<0.00047		1.00	1.02		mg/L		102	75 - 125

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS)

Lab Sample ID: 680-219964-1 MS
Matrix: Water
Analysis Batch: 413078

Client Sample ID: SGWA-1
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	<0.060		1.25	1.30		mg/L		104	75 - 125

Lab Sample ID: 680-219964-1 MSD
Matrix: Water
Analysis Batch: 412994

Client Sample ID: SGWA-1
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	0.00052	J	0.250	0.283		mg/L		113	75 - 125	4	20
Arsenic	0.00028	J	1.00	0.974		mg/L		97	75 - 125	2	20
Barium	0.046		1.00	1.07		mg/L		102	75 - 125	4	20
Beryllium	0.00027	J	0.500	0.511		mg/L		102	75 - 125	2	20
Cadmium	<0.00022		0.500	0.522		mg/L		104	75 - 125	4	20
Calcium	1.9		25.0	30.7		mg/L		115	75 - 125	5	20
Chromium	0.0016	J	0.500	0.522		mg/L		104	75 - 125	4	20
Cobalt	0.00055	J	0.500	0.490		mg/L		98	75 - 125	2	20
Iron	0.037	J	5.00	5.49		mg/L		109	75 - 125	5	20
Lead	0.00018	J	0.500	0.526		mg/L		105	75 - 125	2	20
Lithium	0.0035	J B	0.500	0.521		mg/L		104	75 - 125	2	20
Magnesium	0.93		25.0	27.4		mg/L		106	75 - 125	5	20
Manganese	0.081		0.500	0.598		mg/L		103	75 - 125	4	20
Molybdenum	<0.00061		0.500	0.522		mg/L		104	75 - 125	2	20
Potassium	0.74		25.0	26.4		mg/L		103	75 - 125	5	20
Selenium	<0.00074		1.00	1.02		mg/L		102	75 - 125	4	20
Sodium	16		25.0	42.6		mg/L		105	75 - 125	4	20
Thallium	<0.00047		1.00	1.04		mg/L		104	75 - 125	1	20

Lab Sample ID: 680-219964-1 MSD
Matrix: Water
Analysis Batch: 413078

Client Sample ID: SGWA-1
Prep Type: Total Recoverable
Prep Batch: 411448

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Boron	<0.060		1.25	1.37		mg/L		110	75 - 125	5	20

Lab Sample ID: MB 180-411603/1-A
Matrix: Water
Analysis Batch: 412994

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 411603

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00153	J	0.0020	0.00051	mg/L		09/09/22 17:22	09/22/22 14:20	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/09/22 17:22	09/22/22 14:20	1
Barium	<0.0031		0.010	0.0031	mg/L		09/09/22 17:22	09/22/22 14:20	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/09/22 17:22	09/22/22 14:20	1
Boron	<0.060		0.080	0.060	mg/L		09/09/22 17:22	09/22/22 14:20	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/09/22 17:22	09/22/22 14:20	1
Calcium	<0.13		0.50	0.13	mg/L		09/09/22 17:22	09/22/22 14:20	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/09/22 17:22	09/22/22 14:20	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/09/22 17:22	09/22/22 14:20	1
Iron	<0.028		0.050	0.028	mg/L		09/09/22 17:22	09/22/22 14:20	1
Lead	0.000244	J	0.0010	0.00017	mg/L		09/09/22 17:22	09/22/22 14:20	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-411603/1-A
Matrix: Water
Analysis Batch: 412994

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 411603

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.00083		0.0050	0.00083	mg/L		09/09/22 17:22	09/22/22 14:20	1
Magnesium	<0.050		0.50	0.050	mg/L		09/09/22 17:22	09/22/22 14:20	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/09/22 17:22	09/22/22 14:20	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/09/22 17:22	09/22/22 14:20	1
Potassium	<0.16		0.50	0.16	mg/L		09/09/22 17:22	09/22/22 14:20	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/09/22 17:22	09/22/22 14:20	1
Sodium	<0.18		0.50	0.18	mg/L		09/09/22 17:22	09/22/22 14:20	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/09/22 17:22	09/22/22 14:20	1

Lab Sample ID: LCS 180-411603/2-A
Matrix: Water
Analysis Batch: 412994

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 411603

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.250	0.280		mg/L		112	80 - 120
Arsenic	1.00	0.969		mg/L		97	80 - 120
Barium	1.00	0.980		mg/L		98	80 - 120
Beryllium	0.500	0.507		mg/L		101	80 - 120
Boron	1.25	1.19		mg/L		95	80 - 120
Cadmium	0.500	0.510		mg/L		102	80 - 120
Calcium	25.0	28.3		mg/L		113	80 - 120
Chromium	0.500	0.506		mg/L		101	80 - 120
Cobalt	0.500	0.482		mg/L		96	80 - 120
Iron	5.00	5.30		mg/L		106	80 - 120
Lead	0.500	0.510		mg/L		102	80 - 120
Lithium	0.500	0.486		mg/L		97	80 - 120
Magnesium	25.0	25.9		mg/L		103	80 - 120
Manganese	0.500	0.501		mg/L		100	80 - 120
Molybdenum	0.500	0.510		mg/L		102	80 - 120
Potassium	25.0	25.4		mg/L		101	80 - 120
Selenium	1.00	0.996		mg/L		100	80 - 120
Sodium	25.0	26.3		mg/L		105	80 - 120
Thallium	1.00	1.02		mg/L		102	80 - 120

Lab Sample ID: MB 180-413041/1-A
Matrix: Water
Analysis Batch: 413603

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/23/22 14:25	09/28/22 19:12	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/23/22 14:25	09/28/22 19:12	1
Barium	<0.0031		0.010	0.0031	mg/L		09/23/22 14:25	09/28/22 19:12	1
Beryllium	<0.00027	^+	0.0025	0.00027	mg/L		09/23/22 14:25	09/28/22 19:12	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/23/22 14:25	09/28/22 19:12	1
Calcium	<0.13		0.50	0.13	mg/L		09/23/22 14:25	09/28/22 19:12	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/23/22 14:25	09/28/22 19:12	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/23/22 14:25	09/28/22 19:12	1
Iron	<0.028		0.050	0.028	mg/L		09/23/22 14:25	09/28/22 19:12	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/23/22 14:25	09/28/22 19:12	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-413041/1-A
Matrix: Water
Analysis Batch: 413603

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.00083		0.0050	0.00083	mg/L		09/23/22 14:25	09/28/22 19:12	1
Magnesium	<0.050		0.50	0.050	mg/L		09/23/22 14:25	09/28/22 19:12	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/23/22 14:25	09/28/22 19:12	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/23/22 14:25	09/28/22 19:12	1
Potassium	<0.16		0.50	0.16	mg/L		09/23/22 14:25	09/28/22 19:12	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/23/22 14:25	09/28/22 19:12	1
Sodium	<0.18		0.50	0.18	mg/L		09/23/22 14:25	09/28/22 19:12	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/23/22 14:25	09/28/22 19:12	1

Lab Sample ID: MB 180-413041/1-A
Matrix: Water
Analysis Batch: 413758

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.060		0.080	0.060	mg/L		09/23/22 14:25	09/30/22 09:00	1

Lab Sample ID: LCS 180-413041/2-A
Matrix: Water
Analysis Batch: 413603

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.250	0.269		mg/L		108	80 - 120
Arsenic	1.00	0.991		mg/L		99	80 - 120
Barium	1.00	0.986		mg/L		99	80 - 120
Cadmium	0.500	0.508		mg/L		102	80 - 120
Calcium	25.0	27.1		mg/L		108	80 - 120
Chromium	0.500	0.517		mg/L		103	80 - 120
Cobalt	0.500	0.499		mg/L		100	80 - 120
Iron	5.00	5.24		mg/L		105	80 - 120
Lead	0.500	0.510		mg/L		102	80 - 120
Lithium	0.500	0.522		mg/L		104	80 - 120
Magnesium	25.0	25.7		mg/L		103	80 - 120
Manganese	0.500	0.500		mg/L		100	80 - 120
Molybdenum	0.500	0.515		mg/L		103	80 - 120
Potassium	25.0	25.4		mg/L		102	80 - 120
Selenium	1.00	0.998		mg/L		100	80 - 120
Sodium	25.0	26.6		mg/L		106	80 - 120
Thallium	1.00	1.02		mg/L		102	80 - 120

Lab Sample ID: LCS 180-413041/2-A
Matrix: Water
Analysis Batch: 413758

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1.25	1.36		mg/L		109	80 - 120

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 680-220258-3 MS
Matrix: Water
Analysis Batch: 413603

Client Sample ID: PZ-251
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	<0.51		0.250	0.268		mg/L		107	75 - 125
Arsenic	<0.28		1.00	1.01		mg/L		101	75 - 125
Barium	61		1.00	1.05	4	mg/L		-6014	75 - 125
Beryllium	<0.27		0.500	0.531		mg/L		106	75 - 125
Cadmium	<0.22		0.500	0.504		mg/L		101	75 - 125
Calcium	23000		25.0	49.7	4	mg/L		-9061	75 - 125
Chromium	4.9		0.500	0.518	4	mg/L		-868	75 - 125
Cobalt	0.0012	J	0.500	0.510		mg/L		102	75 - 125
Iron	240		5.00	5.37	4	mg/L		-4618	75 - 125
Lead	<0.17		0.500	0.515		mg/L		103	75 - 125
Lithium	2.1	J	0.500	0.523	4	mg/L		-309	75 - 125
Magnesium	13000		25.0	37.9	4	mg/L		-5010	75 - 125
Manganese	75		0.500	0.585	4	mg/L		-1490	75 - 125
Molybdenum	<0.61		0.500	0.520		mg/L		104	75 - 125
Potassium	1100		25.0	26.6	4	mg/L		-4133	75 - 125
Selenium	<0.74		1.00	0.981		mg/L		98	75 - 125
Sodium	4600		25.0	30.8	4	mg/L		-1808	75 - 125
Thallium	<0.47		1.00	1.02		mg/L		102	75 - 125

Lab Sample ID: 680-220258-3 MSD
Matrix: Water
Analysis Batch: 413603

Client Sample ID: PZ-251
Prep Type: Total Recoverable
Prep Batch: 413041

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	<0.51		0.250	0.271		mg/L		109	75 - 125	1	20
Arsenic	<0.28		1.00	1.03		mg/L		103	75 - 125	1	20
Barium	61		1.00	1.08	4	mg/L		-6012	75 - 125	2	20
Beryllium	<0.27		0.500	0.543		mg/L		109	75 - 125	2	20
Cadmium	<0.22		0.500	0.518		mg/L		104	75 - 125	3	20
Calcium	23000		25.0	50.9	4	mg/L		-9061	75 - 125	2	20
Chromium	4.9		0.500	0.521	4	mg/L		-867	75 - 125	1	20
Cobalt	0.0012	J	0.500	0.522		mg/L		104	75 - 125	2	20
Iron	240		5.00	5.45	4	mg/L		-4617	75 - 125	2	20
Lead	<0.17		0.500	0.525		mg/L		105	75 - 125	2	20
Lithium	2.1	J	0.500	0.532	4	mg/L		-307	75 - 125	2	20
Magnesium	13000		25.0	39.2	4	mg/L		-5009	75 - 125	3	20
Manganese	75		0.500	0.599	4	mg/L		-1489	75 - 125	2	20
Molybdenum	<0.61		0.500	0.531		mg/L		106	75 - 125	2	20
Potassium	1100		25.0	27.2	4	mg/L		-4131	75 - 125	2	20
Selenium	<0.74		1.00	1.00		mg/L		100	75 - 125	2	20
Sodium	4600		25.0	31.9	4	mg/L		-1808	75 - 125	4	20
Thallium	<0.47		1.00	1.05		mg/L		105	75 - 125	4	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-413313/1-A
Matrix: Water
Analysis Batch: 414488

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413313

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 19:02	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 19:02	1
Barium	<0.0031		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 19:02	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 19:02	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 19:02	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 19:02	1
Calcium	<0.13		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 19:02	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 19:02	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 19:02	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 19:02	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 19:02	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 19:02	1
Magnesium	<0.050		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 19:02	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 19:02	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 19:02	1
Potassium	<0.16		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 19:02	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 19:02	1
Sodium	<0.18		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 19:02	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 19:02	1

Lab Sample ID: LCS 180-413313/2-A
Matrix: Water
Analysis Batch: 414488

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 413313

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.250	0.282		mg/L		113	80 - 120
Arsenic	1.00	1.02		mg/L		102	80 - 120
Barium	1.00	0.929		mg/L		93	80 - 120
Beryllium	0.500	0.535		mg/L		107	80 - 120
Boron	1.25	1.25		mg/L		100	80 - 120
Cadmium	0.500	0.508		mg/L		102	80 - 120
Calcium	25.0	29.7		mg/L		119	80 - 120
Chromium	0.500	0.497		mg/L		99	80 - 120
Cobalt	0.500	0.516		mg/L		103	80 - 120
Iron	5.00	5.53		mg/L		111	80 - 120
Lead	0.500	0.512		mg/L		102	80 - 120
Lithium	0.500	0.510		mg/L		102	80 - 120
Magnesium	25.0	27.7		mg/L		111	80 - 120
Manganese	0.500	0.491		mg/L		98	80 - 120
Molybdenum	0.500	0.520		mg/L		104	80 - 120
Potassium	25.0	27.4		mg/L		110	80 - 120
Selenium	1.00	0.973		mg/L		97	80 - 120
Sodium	25.0	28.2		mg/L		113	80 - 120
Thallium	1.00	1.03		mg/L		103	80 - 120

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 680-219967-5 MS
Matrix: Water
Analysis Batch: 414488

Client Sample ID: SGWA-25
Prep Type: Total Recoverable
Prep Batch: 413313

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	<0.00051		0.250	0.278		mg/L		111	75 - 125
Arsenic	<0.00028		1.00	0.996		mg/L		100	75 - 125
Barium	0.022		1.00	0.964		mg/L		94	75 - 125
Beryllium	<0.00027		0.500	0.529		mg/L		106	75 - 125
Boron	<0.060		1.25	1.22		mg/L		98	75 - 125
Cadmium	<0.00022		0.500	0.503		mg/L		101	75 - 125
Calcium	9.1		25.0	38.4		mg/L		117	75 - 125
Chromium	0.0028		0.500	0.500		mg/L		100	75 - 125
Cobalt	<0.00026		0.500	0.505		mg/L		101	75 - 125
Iron	0.030	J	5.00	5.47		mg/L		109	75 - 125
Lead	<0.00017		0.500	0.509		mg/L		102	75 - 125
Lithium	0.0014	J	0.500	0.515		mg/L		103	75 - 125
Magnesium	6.1		25.0	33.5		mg/L		110	75 - 125
Manganese	0.013		0.500	0.494		mg/L		96	75 - 125
Molybdenum	<0.00061		0.500	0.516		mg/L		103	75 - 125
Potassium	0.56		25.0	27.3		mg/L		107	75 - 125
Selenium	<0.00074		1.00	0.962		mg/L		96	75 - 125
Sodium	4.1		25.0	32.1		mg/L		112	75 - 125
Thallium	<0.00047		1.00	1.03		mg/L		103	75 - 125

Lab Sample ID: 680-219967-5 MSD
Matrix: Water
Analysis Batch: 414488

Client Sample ID: SGWA-25
Prep Type: Total Recoverable
Prep Batch: 413313

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Antimony	<0.00051		0.250	0.282		mg/L		113	75 - 125	1	20
Arsenic	<0.00028		1.00	1.00		mg/L		100	75 - 125	1	20
Barium	0.022		1.00	0.989		mg/L		97	75 - 125	3	20
Beryllium	<0.00027		0.500	0.531		mg/L		106	75 - 125	0	20
Boron	<0.060		1.25	1.22		mg/L		98	75 - 125	0	20
Cadmium	<0.00022		0.500	0.517		mg/L		103	75 - 125	3	20
Calcium	9.1		25.0	38.8		mg/L		119	75 - 125	1	20
Chromium	0.0028		0.500	0.507		mg/L		101	75 - 125	1	20
Cobalt	<0.00026		0.500	0.510		mg/L		102	75 - 125	1	20
Iron	0.030	J	5.00	5.51		mg/L		110	75 - 125	1	20
Lead	<0.00017		0.500	0.515		mg/L		103	75 - 125	1	20
Lithium	0.0014	J	0.500	0.520		mg/L		104	75 - 125	1	20
Magnesium	6.1		25.0	34.0		mg/L		111	75 - 125	1	20
Manganese	0.013		0.500	0.508		mg/L		99	75 - 125	3	20
Molybdenum	<0.00061		0.500	0.519		mg/L		104	75 - 125	1	20
Potassium	0.56		25.0	27.6		mg/L		108	75 - 125	1	20
Selenium	<0.00074		1.00	0.978		mg/L		98	75 - 125	2	20
Sodium	4.1		25.0	32.4		mg/L		113	75 - 125	1	20
Thallium	<0.00047		1.00	1.04		mg/L		104	75 - 125	1	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-413316/1-A
Matrix: Water
Analysis Batch: 414488

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413316

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.00051		0.0020	0.00051	mg/L		09/27/22 12:30	10/07/22 17:12	1
Arsenic	<0.00028		0.0010	0.00028	mg/L		09/27/22 12:30	10/07/22 17:12	1
Barium	<0.0031		0.010	0.0031	mg/L		09/27/22 12:30	10/07/22 17:12	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 12:30	10/07/22 17:12	1
Boron	<0.060		0.080	0.060	mg/L		09/27/22 12:30	10/07/22 17:12	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 12:30	10/07/22 17:12	1
Calcium	<0.13		0.50	0.13	mg/L		09/27/22 12:30	10/07/22 17:12	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 12:30	10/07/22 17:12	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 12:30	10/07/22 17:12	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 12:30	10/07/22 17:12	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 12:30	10/07/22 17:12	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 12:30	10/07/22 17:12	1
Magnesium	<0.050		0.50	0.050	mg/L		09/27/22 12:30	10/07/22 17:12	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 12:30	10/07/22 17:12	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 12:30	10/07/22 17:12	1
Potassium	<0.16		0.50	0.16	mg/L		09/27/22 12:30	10/07/22 17:12	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 12:30	10/07/22 17:12	1
Sodium	<0.18		0.50	0.18	mg/L		09/27/22 12:30	10/07/22 17:12	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 12:30	10/07/22 17:12	1

Lab Sample ID: LCS 180-413316/2-A
Matrix: Water
Analysis Batch: 414488

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 413316

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.250	0.281		mg/L		112	80 - 120
Arsenic	1.00	1.04		mg/L		104	80 - 120
Barium	1.00	0.915		mg/L		92	80 - 120
Beryllium	0.500	0.539		mg/L		108	80 - 120
Boron	1.25	1.24		mg/L		100	80 - 120
Cadmium	0.500	0.512		mg/L		102	80 - 120
Calcium	25.0	29.1		mg/L		116	80 - 120
Chromium	0.500	0.498		mg/L		100	80 - 120
Cobalt	0.500	0.519		mg/L		104	80 - 120
Iron	5.00	5.48		mg/L		110	80 - 120
Lead	0.500	0.516		mg/L		103	80 - 120
Lithium	0.500	0.501		mg/L		100	80 - 120
Magnesium	25.0	26.7		mg/L		107	80 - 120
Manganese	0.500	0.487		mg/L		97	80 - 120
Molybdenum	0.500	0.523		mg/L		105	80 - 120
Potassium	25.0	26.7		mg/L		107	80 - 120
Selenium	1.00	0.985		mg/L		99	80 - 120
Sodium	25.0	27.3		mg/L		109	80 - 120
Thallium	1.00	1.04		mg/L		104	80 - 120

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 180-413336/1-A
Matrix: Water
Analysis Batch: 414243

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 413336

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	0.000524	J	0.0020	0.00051	mg/L		09/27/22 13:15	10/05/22 18:22	1
Arsenic	0.000282	J	0.0010	0.00028	mg/L		09/27/22 13:15	10/05/22 18:22	1
Beryllium	<0.00027		0.0025	0.00027	mg/L		09/27/22 13:15	10/05/22 18:22	1
Cadmium	<0.00022		0.0025	0.00022	mg/L		09/27/22 13:15	10/05/22 18:22	1
Chromium	<0.0015		0.0020	0.0015	mg/L		09/27/22 13:15	10/05/22 18:22	1
Cobalt	<0.00026		0.0025	0.00026	mg/L		09/27/22 13:15	10/05/22 18:22	1
Iron	<0.028		0.050	0.028	mg/L		09/27/22 13:15	10/05/22 18:22	1
Lead	<0.00017		0.0010	0.00017	mg/L		09/27/22 13:15	10/05/22 18:22	1
Lithium	<0.00083		0.0050	0.00083	mg/L		09/27/22 13:15	10/05/22 18:22	1
Magnesium	<0.050		0.50	0.050	mg/L		09/27/22 13:15	10/05/22 18:22	1
Manganese	<0.0013		0.0050	0.0013	mg/L		09/27/22 13:15	10/05/22 18:22	1
Molybdenum	<0.00061		0.015	0.00061	mg/L		09/27/22 13:15	10/05/22 18:22	1
Potassium	<0.16		0.50	0.16	mg/L		09/27/22 13:15	10/05/22 18:22	1
Selenium	<0.00074		0.0050	0.00074	mg/L		09/27/22 13:15	10/05/22 18:22	1
Thallium	<0.00047		0.0010	0.00047	mg/L		09/27/22 13:15	10/05/22 18:22	1

Lab Sample ID: LCS 180-413336/2-A
Matrix: Water
Analysis Batch: 414243

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 413336

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	1.00	0.956		mg/L		96	80 - 120
Beryllium	0.500	0.518		mg/L		104	80 - 120
Cadmium	0.500	0.490		mg/L		98	80 - 120
Chromium	0.500	0.487		mg/L		97	80 - 120
Cobalt	0.500	0.481		mg/L		96	80 - 120
Iron	5.00	5.02		mg/L		100	80 - 120
Lead	0.500	0.495		mg/L		99	80 - 120
Lithium	0.500	0.490		mg/L		98	80 - 120
Magnesium	25.0	24.4		mg/L		98	80 - 120
Manganese	0.500	0.480		mg/L		96	80 - 120
Molybdenum	0.500	0.499		mg/L		100	80 - 120
Potassium	25.0	24.0		mg/L		96	80 - 120
Selenium	1.00	0.938		mg/L		94	80 - 120
Thallium	1.00	0.992		mg/L		99	80 - 120

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-409655/1-A
Matrix: Water
Analysis Batch: 409736

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 409655

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.00013		0.00020	0.00013	mg/L		08/23/22 08:09	08/23/22 15:43	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 180-409655/2-A
Matrix: Water
Analysis Batch: 409736

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 409655

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00250	0.00232		mg/L		93	80 - 120

Lab Sample ID: MB 180-410892/1-A
Matrix: Water
Analysis Batch: 411008

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 410892

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/02/22 06:01	09/02/22 14:43	1

Lab Sample ID: LCS 180-410892/2-A
Matrix: Water
Analysis Batch: 411008

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 410892

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00250	0.00246		mg/L		99	80 - 120

Lab Sample ID: 680-219967-1 MS
Matrix: Water
Analysis Batch: 411008

Client Sample ID: SGWA-3
Prep Type: Total/NA
Prep Batch: 410892

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	<0.00013		0.00100	0.000935		mg/L		94	75 - 125

Lab Sample ID: 680-219967-1 MSD
Matrix: Water
Analysis Batch: 411008

Client Sample ID: SGWA-3
Prep Type: Total/NA
Prep Batch: 410892

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00013		0.00100	0.000968		mg/L		97	75 - 125	3	20

Lab Sample ID: MB 180-412047/1-A
Matrix: Water
Analysis Batch: 412331

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 412047

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/14/22 15:40	09/16/22 09:50	1

Lab Sample ID: LCS 180-412047/2-A
Matrix: Water
Analysis Batch: 412331

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 412047

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00250	0.00223		mg/L		89	80 - 120

Lab Sample ID: MB 180-412348/1-A
Matrix: Water
Analysis Batch: 412640

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 412348

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		09/16/22 16:05	09/20/22 12:41	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: LCS 180-412348/2-A
Matrix: Water
Analysis Batch: 412640

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 412348

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00250	0.00275		mg/L		110	80 - 120

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-409807/2
Matrix: Water
Analysis Batch: 409807

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	13.0		10	10	mg/L			08/24/22 09:14	1

Lab Sample ID: LCS 180-409807/1
Matrix: Water
Analysis Batch: 409807

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	208		mg/L		112	85 - 115

Lab Sample ID: MB 180-409810/2
Matrix: Water
Analysis Batch: 409810

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	11.0		10	10	mg/L			08/24/22 09:17	1

Lab Sample ID: LCS 180-409810/1
Matrix: Water
Analysis Batch: 409810

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	204		mg/L		110	85 - 115

Lab Sample ID: MB 180-409812/2
Matrix: Water
Analysis Batch: 409812

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/24/22 09:21	1

Lab Sample ID: LCS 180-409812/1
Matrix: Water
Analysis Batch: 409812

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	212		mg/L		114	85 - 115

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 180-410311/2
Matrix: Water
Analysis Batch: 410311

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/29/22 08:46	1

Lab Sample ID: LCS 180-410311/1
Matrix: Water
Analysis Batch: 410311

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	200		mg/L		108	85 - 115

Lab Sample ID: MB 180-410324/2
Matrix: Water
Analysis Batch: 410324

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/29/22 10:30	1

Lab Sample ID: LCS 180-410324/1
Matrix: Water
Analysis Batch: 410324

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	178		mg/L		96	85 - 115

Lab Sample ID: MB 180-410401/2
Matrix: Water
Analysis Batch: 410401

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/29/22 16:30	1

Lab Sample ID: LCS 180-410401/1
Matrix: Water
Analysis Batch: 410401

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	194		mg/L		104	85 - 115

Lab Sample ID: MB 180-410494/2
Matrix: Water
Analysis Batch: 410494

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/30/22 10:39	1

Lab Sample ID: LCS 180-410494/1
Matrix: Water
Analysis Batch: 410494

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	192		mg/L		103	85 - 115

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-410686/2
Matrix: Water
Analysis Batch: 410686

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/31/22 13:43	1

Lab Sample ID: LCS 180-410686/1
Matrix: Water
Analysis Batch: 410686

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	214		mg/L		115	85 - 115

Lab Sample ID: MB 180-410687/2
Matrix: Water
Analysis Batch: 410687

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/31/22 13:46	1

Lab Sample ID: LCS 180-410687/1
Matrix: Water
Analysis Batch: 410687

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	198		mg/L		106	85 - 115

Lab Sample ID: MB 180-411559/2
Matrix: Water
Analysis Batch: 411559

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			09/09/22 12:33	1

Lab Sample ID: LCS 180-411559/1
Matrix: Water
Analysis Batch: 411559

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	200		mg/L		108	85 - 115

Lab Sample ID: MB 180-411561/2
Matrix: Water
Analysis Batch: 411561

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			09/09/22 12:41	1

Lab Sample ID: LCS 180-411561/1
Matrix: Water
Analysis Batch: 411561

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	208		mg/L		112	85 - 115

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-411564/2
Matrix: Water
Analysis Batch: 411564

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			09/09/22 12:50	1

Lab Sample ID: LCS 180-411564/1
Matrix: Water
Analysis Batch: 411564

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	186	202		mg/L		109	85 - 115

Method: SM2320 B - Alkalinity, Total

Lab Sample ID: MB 180-410767/30
Matrix: Water
Analysis Batch: 410767

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			08/31/22 18:31	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			08/31/22 18:31	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			08/31/22 18:31	1

Lab Sample ID: MB 180-410767/6
Matrix: Water
Analysis Batch: 410767

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	8.57		5.0	5.0	mg/L			08/31/22 15:42	1
Bicarbonate Alkalinity as CaCO3	8.57		5.0	5.0	mg/L			08/31/22 15:42	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			08/31/22 15:42	1

Lab Sample ID: LCS 180-410767/29
Matrix: Water
Analysis Batch: 410767

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	265	248		mg/L		94	90 - 110

Lab Sample ID: LLCS 180-410767/28
Matrix: Water
Analysis Batch: 410767

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.9	16.4		mg/L		103	75 - 125

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: 680-219964-1 DU
Matrix: Water
Analysis Batch: 410767

Client Sample ID: SGWA-1
Prep Type: Total/NA

Analyte	Sample	Sample	DU		Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Alkalinity as CaCO3 to pH 4.5	11		12.6		mg/L		13	20
Bicarbonate Alkalinity as CaCO3	11		12.6		mg/L		13	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

Lab Sample ID: MB 180-412004/30
Matrix: Water
Analysis Batch: 412004

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/13/22 18:32	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/13/22 18:32	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/13/22 18:32	1

Lab Sample ID: MB 180-412004/54
Matrix: Water
Analysis Batch: 412004

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/13/22 21:10	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/13/22 21:10	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/13/22 21:10	1

Lab Sample ID: LCS 180-412004/53
Matrix: Water
Analysis Batch: 412004

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Lab Sample ID: LLCS 180-412004/52
Matrix: Water
Analysis Batch: 412004

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits

Lab Sample ID: 680-220188-4 DU
Matrix: Water
Analysis Batch: 412004

Client Sample ID: DUP-3
Prep Type: Total/NA

Analyte	Sample	Sample	DU		Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Alkalinity as CaCO3 to pH 4.5	25	H	23.3		mg/L		9	20
Bicarbonate Alkalinity as CaCO3	25	H	23.3		mg/L		9	20
Carbonate Alkalinity as CaCO3	<5.0	H	<5.0		mg/L		NC	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: MB 180-412271/32
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/15/22 16:42	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 16:42	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 16:42	1

Lab Sample ID: MB 180-412271/56
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/15/22 19:52	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 19:52	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 19:52	1

Lab Sample ID: MB 180-412271/80
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/15/22 22:37	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 22:37	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/15/22 22:37	1

Lab Sample ID: LCS 180-412271/31
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Lab Sample ID: LCS 180-412271/55
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Lab Sample ID: LCS 180-412271/79
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: LLCS 180-412271/30
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	14.6		mg/L		94	75 - 125

Lab Sample ID: LLCS 180-412271/54
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	15.9		mg/L		102	75 - 125

Lab Sample ID: LLCS 180-412271/78
Matrix: Water
Analysis Batch: 412271

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	15.2		mg/L		97	75 - 125

Lab Sample ID: LCS 180-414062/28
Matrix: Water
Analysis Batch: 414062

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	245		mg/L		94	90 - 110

Lab Sample ID: LCS 180-414062/4
Matrix: Water
Analysis Batch: 414062

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	240		mg/L		92	90 - 110

Lab Sample ID: LCS 180-414062/48
Matrix: Water
Analysis Batch: 414062

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	248		mg/L		95	90 - 110

Lab Sample ID: LCS 180-414062/73
Matrix: Water
Analysis Batch: 414062

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	241		mg/L		93	90 - 110

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: MB 180-414123/10
Matrix: Water
Analysis Batch: 414123

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/28/22 14:53	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 14:53	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 14:53	1

Lab Sample ID: MB 180-414123/15
Matrix: Water
Analysis Batch: 414123

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/28/22 16:41	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 16:41	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 16:41	1

Lab Sample ID: MB 180-414123/2
Matrix: Water
Analysis Batch: 414123

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/28/22 12:50	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 12:50	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 12:50	1

Lab Sample ID: MB 180-414123/22
Matrix: Water
Analysis Batch: 414123

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			09/28/22 18:48	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 18:48	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			09/28/22 18:48	1

Lab Sample ID: LLCS 180-414123/17
Matrix: Water
Analysis Batch: 414123

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	13.1		mg/L		84	75 - 125

Lab Sample ID: MB 180-414404/29
Matrix: Water
Analysis Batch: 414404

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			10/06/22 14:01	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/06/22 14:01	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/06/22 14:01	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: MB 180-414404/53
Matrix: Water
Analysis Batch: 414404

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			10/06/22 16:08	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/06/22 16:08	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/06/22 16:08	1

Lab Sample ID: LCS 180-414404/52
Matrix: Water
Analysis Batch: 414404

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	245		mg/L		94	90 - 110

Lab Sample ID: MB 180-414457/29
Matrix: Water
Analysis Batch: 414457

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	5.13		5.0	5.0	mg/L			10/07/22 12:00	1
Bicarbonate Alkalinity as CaCO3	5.13		5.0	5.0	mg/L			10/07/22 12:00	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/07/22 12:00	1

Lab Sample ID: MB 180-414457/5
Matrix: Water
Analysis Batch: 414457

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	5.16		5.0	5.0	mg/L			10/07/22 09:59	1
Bicarbonate Alkalinity as CaCO3	5.16		5.0	5.0	mg/L			10/07/22 09:59	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/07/22 09:59	1

Lab Sample ID: LCS 180-414457/28
Matrix: Water
Analysis Batch: 414457

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	258		mg/L		99	90 - 110

Lab Sample ID: LCS 180-414457/4
Matrix: Water
Analysis Batch: 414457

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	250		mg/L		96	90 - 110

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: 680-219967-5 DU
Matrix: Water
Analysis Batch: 414457

Client Sample ID: SGWA-25
Prep Type: Total/NA

Analyte	Sample	Sample	DU		Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Alkalinity as CaCO3 to pH 4.5	62	H B ^2	63.2		mg/L		2	20
Bicarbonate Alkalinity as CaCO3	62	H B ^2	63.2		mg/L		2	20
Carbonate Alkalinity as CaCO3	<5.0	H	<5.0		mg/L		NC	20

Lab Sample ID: MB 180-414815/32
Matrix: Water
Analysis Batch: 414815

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	8.32		5.0	5.0	mg/L			10/08/22 15:33	1
Bicarbonate Alkalinity as CaCO3	8.32		5.0	5.0	mg/L			10/08/22 15:33	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/08/22 15:33	1

Lab Sample ID: LCS 180-414815/31
Matrix: Water
Analysis Batch: 414815

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Lab Sample ID: MB 180-415157/27
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			10/14/22 14:30	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/14/22 14:30	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/14/22 14:30	1

Lab Sample ID: MB 180-415157/3
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			10/14/22 13:00	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/14/22 13:00	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/14/22 13:00	1

Lab Sample ID: LCS 180-415157/1
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: LCS 180-415157/25
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	252		mg/L		97	90 - 110

Lab Sample ID: LLCS 180-415157/2
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	14.6		mg/L		93	75 - 125

Lab Sample ID: LLCS 180-415157/26
Matrix: Water
Analysis Batch: 415157

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.6	13.5		mg/L		87	75 - 125

Lab Sample ID: 680-220073-4 DU
Matrix: Water
Analysis Batch: 415157

Client Sample ID: SGWC-20
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	<10	H	<10		mg/L		NC	20
Bicarbonate Alkalinity as CaCO3	<10	H	<10		mg/L		NC	20
Carbonate Alkalinity as CaCO3	<10	H	<10		mg/L		NC	20

Lab Sample ID: 680-220258-5 DU
Matrix: Water
Analysis Batch: 415157

Client Sample ID: PZ-41S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	35	H	35.4		mg/L		0	20
Bicarbonate Alkalinity as CaCO3	35	H	35.4		mg/L		0	20
Carbonate Alkalinity as CaCO3	<10	H	<10		mg/L		NC	20

Lab Sample ID: MB 180-415916/2
Matrix: Water
Analysis Batch: 415916

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			10/22/22 08:00	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/22/22 08:00	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			10/22/22 08:00	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: LCS 180-415916/1
Matrix: Water
Analysis Batch: 415916

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	260	254		mg/L		98	90 - 110

Lab Sample ID: 680-219967-3 DU
Matrix: Water
Analysis Batch: 415916

Client Sample ID: SGWA-5
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	48	H	47.8		mg/L		0	20
Bicarbonate Alkalinity as CaCO3	48	H	47.8		mg/L		0	20
Carbonate Alkalinity as CaCO3	<5.0	H	<5.0		mg/L		NC	20

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

HPLC/IC

Analysis Batch: 409558

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	EPA 300.0 R2.1	
680-219964-2	SGWA-2	Total/NA	Water	EPA 300.0 R2.1	
MB 180-409558/6	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-409558/7	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 409987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total/NA	Water	EPA 300.0 R2.1	
680-219967-2	SGWA-4	Total/NA	Water	EPA 300.0 R2.1	
680-219967-3	SGWA-5	Total/NA	Water	EPA 300.0 R2.1	
680-219967-4	SGWA-24	Total/NA	Water	EPA 300.0 R2.1	
680-219967-5	SGWA-25	Total/NA	Water	EPA 300.0 R2.1	
680-219967-6	SGWC-7	Total/NA	Water	EPA 300.0 R2.1	
680-219967-7	SGWC-8	Total/NA	Water	EPA 300.0 R2.1	
680-219967-8	SGWC-9	Total/NA	Water	EPA 300.0 R2.1	
680-219967-9	SGWC-11	Total/NA	Water	EPA 300.0 R2.1	
680-219967-10	SGWC-12	Total/NA	Water	EPA 300.0 R2.1	
680-219967-11	SGWC-13	Total/NA	Water	EPA 300.0 R2.1	
680-219967-12	FB-1	Total/NA	Water	EPA 300.0 R2.1	
680-219967-13	EB-1	Total/NA	Water	EPA 300.0 R2.1	
680-219967-14	DUP-1	Total/NA	Water	EPA 300.0 R2.1	
MB 180-409987/22	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-409987/23	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
680-219967-5 MS	SGWA-25	Total/NA	Water	EPA 300.0 R2.1	
680-219967-5 MSD	SGWA-25	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 410173

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-15	SGWC-6	Total/NA	Water	EPA 300.0 R2.1	
680-219967-16	SGWC-10	Total/NA	Water	EPA 300.0 R2.1	
680-219967-17	SGWC-14	Total/NA	Water	EPA 300.0 R2.1	
680-219967-18	SGWC-15	Total/NA	Water	EPA 300.0 R2.1	
MB 180-410173/31	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-410173/32	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 410481

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total/NA	Water	EPA 300.0 R2.1	
680-220073-4	SGWC-20	Total/NA	Water	EPA 300.0 R2.1	
680-220073-5	SGWC-21	Total/NA	Water	EPA 300.0 R2.1	
680-220073-6	SGWC-22	Total/NA	Water	EPA 300.0 R2.1	
680-220073-7	SGWC-23	Total/NA	Water	EPA 300.0 R2.1	
680-220073-9	FB-2	Total/NA	Water	EPA 300.0 R2.1	
680-220076-1	PZ-42I	Total/NA	Water	EPA 300.0 R2.1	
680-220188-1	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	
680-220188-2	PZ-39S	Total/NA	Water	EPA 300.0 R2.1	
680-220188-3	PZ-40I	Total/NA	Water	EPA 300.0 R2.1	
680-220188-4	DUP-3	Total/NA	Water	EPA 300.0 R2.1	
680-220188-5	EB-3	Total/NA	Water	EPA 300.0 R2.1	
680-220188-6	FB-3	Total/NA	Water	EPA 300.0 R2.1	
680-220188-7	SGWC-18	Total/NA	Water	EPA 300.0 R2.1	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

HPLC/IC (Continued)

Analysis Batch: 410481 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-8	EB-2	Total/NA	Water	EPA 300.0 R2.1	
MB 180-410481/36	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
MB 180-410481/6	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-410481/37	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-410481/7	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
680-220188-1 MS	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	
680-220188-1 MSD	PZ-14S	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 410668

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-1	PZ-13S	Total/NA	Water	EPA 300.0 R2.1	
680-220258-2	PZ-17I	Total/NA	Water	EPA 300.0 R2.1	
680-220258-5	PZ-41S	Total/NA	Water	EPA 300.0 R2.1	
680-220258-6	PZ-43S	Total/NA	Water	EPA 300.0 R2.1	
680-220258-7	PZ-44I	Total/NA	Water	EPA 300.0 R2.1	
680-220258-8	PZ-69I	Total/NA	Water	EPA 300.0 R2.1	
MB 180-410668/6	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-410668/7	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	
680-220258-1 MS	PZ-13S	Total/NA	Water	EPA 300.0 R2.1	
680-220258-1 MSD	PZ-13S	Total/NA	Water	EPA 300.0 R2.1	

Analysis Batch: 411021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	EPA 300.0 R2.1	
680-220489-2	SGWC-17	Total/NA	Water	EPA 300.0 R2.1	
680-220489-3	DUP-2	Total/NA	Water	EPA 300.0 R2.1	
MB 180-411021/45	Method Blank	Total/NA	Water	EPA 300.0 R2.1	
LCS 180-411021/46	Lab Control Sample	Total/NA	Water	EPA 300.0 R2.1	

Metals

Prep Batch: 409655

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	7470A	
680-219964-2	SGWA-2	Total/NA	Water	7470A	
MB 180-409655/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-409655/2-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 409736

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	EPA 7470A	409655
680-219964-2	SGWA-2	Total/NA	Water	EPA 7470A	409655
MB 180-409655/1-A	Method Blank	Total/NA	Water	EPA 7470A	409655
LCS 180-409655/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	409655

Prep Batch: 410892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total/NA	Water	7470A	
680-219967-2	SGWA-4	Total/NA	Water	7470A	
680-219967-3	SGWA-5	Total/NA	Water	7470A	
680-219967-4	SGWA-24	Total/NA	Water	7470A	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals (Continued)

Prep Batch: 410892 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-5	SGWA-25	Total/NA	Water	7470A	
680-219967-6	SGWC-7	Total/NA	Water	7470A	
680-219967-7	SGWC-8	Total/NA	Water	7470A	
680-219967-8	SGWC-9	Total/NA	Water	7470A	
680-219967-9	SGWC-11	Total/NA	Water	7470A	
680-219967-10	SGWC-12	Total/NA	Water	7470A	
680-219967-11	SGWC-13	Total/NA	Water	7470A	
680-219967-12	FB-1	Total/NA	Water	7470A	
680-219967-13	EB-1	Total/NA	Water	7470A	
680-219967-14	DUP-1	Total/NA	Water	7470A	
680-219967-15	SGWC-6	Total/NA	Water	7470A	
680-219967-16	SGWC-10	Total/NA	Water	7470A	
680-219967-17	SGWC-14	Total/NA	Water	7470A	
680-219967-18	SGWC-15	Total/NA	Water	7470A	
MB 180-410892/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-410892/2-A	Lab Control Sample	Total/NA	Water	7470A	
680-219967-1 MS	SGWA-3	Total/NA	Water	7470A	
680-219967-1 MSD	SGWA-3	Total/NA	Water	7470A	

Analysis Batch: 411008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total/NA	Water	EPA 7470A	410892
680-219967-2	SGWA-4	Total/NA	Water	EPA 7470A	410892
680-219967-3	SGWA-5	Total/NA	Water	EPA 7470A	410892
680-219967-4	SGWA-24	Total/NA	Water	EPA 7470A	410892
680-219967-5	SGWA-25	Total/NA	Water	EPA 7470A	410892
680-219967-6	SGWC-7	Total/NA	Water	EPA 7470A	410892
680-219967-7	SGWC-8	Total/NA	Water	EPA 7470A	410892
680-219967-8	SGWC-9	Total/NA	Water	EPA 7470A	410892
680-219967-9	SGWC-11	Total/NA	Water	EPA 7470A	410892
680-219967-10	SGWC-12	Total/NA	Water	EPA 7470A	410892
680-219967-11	SGWC-13	Total/NA	Water	EPA 7470A	410892
680-219967-12	FB-1	Total/NA	Water	EPA 7470A	410892
680-219967-13	EB-1	Total/NA	Water	EPA 7470A	410892
680-219967-14	DUP-1	Total/NA	Water	EPA 7470A	410892
680-219967-15	SGWC-6	Total/NA	Water	EPA 7470A	410892
680-219967-16	SGWC-10	Total/NA	Water	EPA 7470A	410892
680-219967-17	SGWC-14	Total/NA	Water	EPA 7470A	410892
680-219967-18	SGWC-15	Total/NA	Water	EPA 7470A	410892
MB 180-410892/1-A	Method Blank	Total/NA	Water	EPA 7470A	410892
LCS 180-410892/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	410892
680-219967-1 MS	SGWA-3	Total/NA	Water	EPA 7470A	410892
680-219967-1 MSD	SGWA-3	Total/NA	Water	EPA 7470A	410892

Prep Batch: 411448

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total Recoverable	Water	3005A	
680-219964-2	SGWA-2	Total Recoverable	Water	3005A	
MB 180-411448/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-411448/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-219964-1 MS	SGWA-1	Total Recoverable	Water	3005A	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals (Continued)

Prep Batch: 411448 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1 MSD	SGWA-1	Total Recoverable	Water	3005A	

Prep Batch: 411603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total Recoverable	Water	3005A	
680-220073-4	SGWC-20	Total Recoverable	Water	3005A	
680-220073-5	SGWC-21	Total Recoverable	Water	3005A	
680-220073-6	SGWC-22	Total Recoverable	Water	3005A	
680-220073-7	SGWC-23	Total Recoverable	Water	3005A	
680-220073-9	FB-2	Total Recoverable	Water	3005A	
MB 180-411603/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-411603/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 412047

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-1	PZ-13S	Total/NA	Water	7470A	
680-220258-2	PZ-17I	Total/NA	Water	7470A	
680-220258-5	PZ-41S	Total/NA	Water	7470A	
680-220258-6	PZ-43S	Total/NA	Water	7470A	
680-220258-7	PZ-44I	Total/NA	Water	7470A	
680-220258-8	PZ-69I	Total/NA	Water	7470A	
MB 180-412047/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-412047/2-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 412331

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-1	PZ-13S	Total/NA	Water	EPA 7470A	412047
680-220258-2	PZ-17I	Total/NA	Water	EPA 7470A	412047
680-220258-5	PZ-41S	Total/NA	Water	EPA 7470A	412047
680-220258-6	PZ-43S	Total/NA	Water	EPA 7470A	412047
680-220258-7	PZ-44I	Total/NA	Water	EPA 7470A	412047
680-220258-8	PZ-69I	Total/NA	Water	EPA 7470A	412047
MB 180-412047/1-A	Method Blank	Total/NA	Water	EPA 7470A	412047
LCS 180-412047/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	412047

Prep Batch: 412348

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	7470A	
680-220489-2	SGWC-17	Total/NA	Water	7470A	
680-220489-3	DUP-2	Total/NA	Water	7470A	
MB 180-412348/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-412348/2-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 412640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	EPA 7470A	412348
680-220489-2	SGWC-17	Total/NA	Water	EPA 7470A	412348
680-220489-3	DUP-2	Total/NA	Water	EPA 7470A	412348
MB 180-412348/1-A	Method Blank	Total/NA	Water	EPA 7470A	412348
LCS 180-412348/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	412348

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals

Analysis Batch: 412994

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total Recoverable	Water	EPA 6020B	411448
680-219964-2	SGWA-2	Total Recoverable	Water	EPA 6020B	411448
680-220073-3	SGWC-19	Total Recoverable	Water	EPA 6020B	411603
680-220073-4	SGWC-20	Total Recoverable	Water	EPA 6020B	411603
680-220073-5	SGWC-21	Total Recoverable	Water	EPA 6020B	411603
680-220073-6	SGWC-22	Total Recoverable	Water	EPA 6020B	411603
680-220073-7	SGWC-23	Total Recoverable	Water	EPA 6020B	411603
680-220073-9	FB-2	Total Recoverable	Water	EPA 6020B	411603
MB 180-411448/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	411448
MB 180-411603/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	411603
LCS 180-411448/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	411448
LCS 180-411603/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	411603
680-219964-1 MS	SGWA-1	Total Recoverable	Water	EPA 6020B	411448
680-219964-1 MSD	SGWA-1	Total Recoverable	Water	EPA 6020B	411448

Prep Batch: 413041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total Recoverable	Water	3005A	
680-220188-2	PZ-39S	Total Recoverable	Water	3005A	
680-220188-3	PZ-40I	Total Recoverable	Water	3005A	
680-220188-4	DUP-3	Total Recoverable	Water	3005A	
680-220188-5	EB-3	Total Recoverable	Water	3005A	
680-220188-6	FB-3	Total Recoverable	Water	3005A	
680-220188-7	SGWC-18	Total Recoverable	Water	3005A	
680-220188-8	EB-2	Total Recoverable	Water	3005A	
680-220258-1	PZ-13S	Total Recoverable	Water	3005A	
680-220258-2	PZ-17I	Total Recoverable	Water	3005A	
680-220258-3	PZ-25I	Total Recoverable	Water	3005A	
MB 180-413041/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-413041/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-220258-3 MS	PZ-25I	Total Recoverable	Water	3005A	
680-220258-3 MSD	PZ-25I	Total Recoverable	Water	3005A	

Analysis Batch: 413078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total Recoverable	Water	EPA 6020B	411448
680-219964-2	SGWA-2	Total Recoverable	Water	EPA 6020B	411448
MB 180-411448/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	411448
LCS 180-411448/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	411448
680-219964-1 MS	SGWA-1	Total Recoverable	Water	EPA 6020B	411448
680-219964-1 MSD	SGWA-1	Total Recoverable	Water	EPA 6020B	411448

Prep Batch: 413313

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total Recoverable	Water	3005A	
680-219967-2	SGWA-4	Total Recoverable	Water	3005A	
680-219967-3	SGWA-5	Total Recoverable	Water	3005A	
680-219967-4	SGWA-24	Total Recoverable	Water	3005A	
680-219967-5	SGWA-25	Total Recoverable	Water	3005A	
680-219967-6	SGWC-7	Total Recoverable	Water	3005A	
680-219967-7	SGWC-8	Total Recoverable	Water	3005A	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals (Continued)

Prep Batch: 413313 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-8	SGWC-9	Total Recoverable	Water	3005A	
680-219967-9	SGWC-11	Total Recoverable	Water	3005A	
680-219967-10	SGWC-12	Total Recoverable	Water	3005A	
680-219967-11	SGWC-13	Total Recoverable	Water	3005A	
680-219967-12	FB-1	Total Recoverable	Water	3005A	
680-219967-13	EB-1	Total Recoverable	Water	3005A	
680-219967-14	DUP-1	Total Recoverable	Water	3005A	
680-219967-15	SGWC-6	Total Recoverable	Water	3005A	
680-219967-16	SGWC-10	Total Recoverable	Water	3005A	
680-219967-17	SGWC-14	Total Recoverable	Water	3005A	
680-219967-18	SGWC-15	Total Recoverable	Water	3005A	
680-220258-4	PZ-25S	Total Recoverable	Water	3005A	
680-220258-5	PZ-41S	Total Recoverable	Water	3005A	
MB 180-413313/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-413313/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-219967-5 MS	SGWA-25	Total Recoverable	Water	3005A	
680-219967-5 MSD	SGWA-25	Total Recoverable	Water	3005A	

Prep Batch: 413316

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-6	PZ-43S	Total Recoverable	Water	3005A	
680-220258-7	PZ-44I	Total Recoverable	Water	3005A	
680-220258-8	PZ-69I	Total Recoverable	Water	3005A	
680-220489-1	SGWC-16	Total Recoverable	Water	3005A	
680-220489-2	SGWC-17	Total Recoverable	Water	3005A	
680-220489-3	DUP-2	Total Recoverable	Water	3005A	
MB 180-413316/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-413316/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 413336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total Recoverable	Water	3005A	
MB 180-413336/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 180-413336/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 413603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total Recoverable	Water	EPA 6020B	413041
680-220188-2	PZ-39S	Total Recoverable	Water	EPA 6020B	413041
680-220188-3	PZ-40I	Total Recoverable	Water	EPA 6020B	413041
680-220188-4	DUP-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-5	EB-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-6	FB-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-7	SGWC-18	Total Recoverable	Water	EPA 6020B	413041
680-220188-8	EB-2	Total Recoverable	Water	EPA 6020B	413041
680-220258-1	PZ-13S	Total Recoverable	Water	EPA 6020B	413041
680-220258-2	PZ-17I	Total Recoverable	Water	EPA 6020B	413041
680-220258-3	PZ-25I	Total Recoverable	Water	EPA 6020B	413041
MB 180-413041/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	413041
LCS 180-413041/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	413041
680-220258-3 MS	PZ-25I	Total Recoverable	Water	EPA 6020B	413041

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals (Continued)

Analysis Batch: 413603 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-3 MSD	PZ-25I	Total Recoverable	Water	EPA 6020B	413041

Analysis Batch: 413758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-2	PZ-39S	Total Recoverable	Water	EPA 6020B	413041
680-220188-4	DUP-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-5	EB-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-6	FB-3	Total Recoverable	Water	EPA 6020B	413041
680-220188-7	SGWC-18	Total Recoverable	Water	EPA 6020B	413041
680-220188-8	EB-2	Total Recoverable	Water	EPA 6020B	413041
680-220258-1	PZ-13S	Total Recoverable	Water	EPA 6020B	413041
680-220258-2	PZ-17I	Total Recoverable	Water	EPA 6020B	413041
MB 180-413041/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	413041
LCS 180-413041/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	413041

Analysis Batch: 413810

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-3	PZ-40I	Total Recoverable	Water	EPA 6020B	413041

Analysis Batch: 414243

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total Recoverable	Water	EPA 6020B	413336
MB 180-413336/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	413336
LCS 180-413336/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	413336

Analysis Batch: 414488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total Recoverable	Water	EPA 6020B	413313
680-219967-2	SGWA-4	Total Recoverable	Water	EPA 6020B	413313
680-219967-3	SGWA-5	Total Recoverable	Water	EPA 6020B	413313
680-219967-4	SGWA-24	Total Recoverable	Water	EPA 6020B	413313
680-219967-5	SGWA-25	Total Recoverable	Water	EPA 6020B	413313
680-219967-6	SGWC-7	Total Recoverable	Water	EPA 6020B	413313
680-219967-7	SGWC-8	Total Recoverable	Water	EPA 6020B	413313
680-219967-8	SGWC-9	Total Recoverable	Water	EPA 6020B	413313
680-219967-9	SGWC-11	Total Recoverable	Water	EPA 6020B	413313
680-219967-10	SGWC-12	Total Recoverable	Water	EPA 6020B	413313
680-219967-11	SGWC-13	Total Recoverable	Water	EPA 6020B	413313
680-219967-12	FB-1	Total Recoverable	Water	EPA 6020B	413313
680-219967-13	EB-1	Total Recoverable	Water	EPA 6020B	413313
680-219967-14	DUP-1	Total Recoverable	Water	EPA 6020B	413313
680-219967-15	SGWC-6	Total Recoverable	Water	EPA 6020B	413313
680-219967-16	SGWC-10	Total Recoverable	Water	EPA 6020B	413313
680-219967-17	SGWC-14	Total Recoverable	Water	EPA 6020B	413313
680-219967-18	SGWC-15	Total Recoverable	Water	EPA 6020B	413313
680-220258-4	PZ-25S	Total Recoverable	Water	EPA 6020B	413313
680-220258-5	PZ-41S	Total Recoverable	Water	EPA 6020B	413313
680-220258-6	PZ-43S	Total Recoverable	Water	EPA 6020B	413316
680-220258-7	PZ-44I	Total Recoverable	Water	EPA 6020B	413316
680-220258-8	PZ-69I	Total Recoverable	Water	EPA 6020B	413316
680-220489-1	SGWC-16	Total Recoverable	Water	EPA 6020B	413316

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Metals (Continued)

Analysis Batch: 414488 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-2	SGWC-17	Total Recoverable	Water	EPA 6020B	413316
680-220489-3	DUP-2	Total Recoverable	Water	EPA 6020B	413316
MB 180-413313/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	413313
MB 180-413316/1-A	Method Blank	Total Recoverable	Water	EPA 6020B	413316
LCS 180-413313/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	413313
LCS 180-413316/2-A	Lab Control Sample	Total Recoverable	Water	EPA 6020B	413316
680-219967-5 MS	SGWA-25	Total Recoverable	Water	EPA 6020B	413313
680-219967-5 MSD	SGWA-25	Total Recoverable	Water	EPA 6020B	413313

Prep Batch: 414497

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total Recoverable	Water	3005A	

Analysis Batch: 414780

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total Recoverable	Water	EPA 6020B	414497

Analysis Batch: 415622

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total Recoverable	Water	EPA 6020B	413336

General Chemistry

Analysis Batch: 409807

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	SM 2540C	
680-219967-8	SGWC-9	Total/NA	Water	SM 2540C	
680-219967-10	SGWC-12	Total/NA	Water	SM 2540C	
680-219967-14	DUP-1	Total/NA	Water	SM 2540C	
MB 180-409807/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-409807/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 409810

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-2	SGWA-2	Total/NA	Water	SM 2540C	
680-219967-1	SGWA-3	Total/NA	Water	SM 2540C	
680-219967-3	SGWA-5	Total/NA	Water	SM 2540C	
680-219967-6	SGWC-7	Total/NA	Water	SM 2540C	
680-219967-11	SGWC-13	Total/NA	Water	SM 2540C	
680-219967-12	FB-1	Total/NA	Water	SM 2540C	
MB 180-409810/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-409810/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 409812

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-2	SGWA-4	Total/NA	Water	SM 2540C	
680-219967-4	SGWA-24	Total/NA	Water	SM 2540C	
680-219967-5	SGWA-25	Total/NA	Water	SM 2540C	
680-219967-7	SGWC-8	Total/NA	Water	SM 2540C	
680-219967-9	SGWC-11	Total/NA	Water	SM 2540C	
680-219967-13	EB-1	Total/NA	Water	SM 2540C	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

General Chemistry (Continued)

Analysis Batch: 409812 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-15	SGWC-6	Total/NA	Water	SM 2540C	
680-219967-16	SGWC-10	Total/NA	Water	SM 2540C	
680-219967-17	SGWC-14	Total/NA	Water	SM 2540C	
680-219967-18	SGWC-15	Total/NA	Water	SM 2540C	
MB 180-409812/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-409812/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410311

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total/NA	Water	SM 2540C	
680-220073-5	SGWC-21	Total/NA	Water	SM 2540C	
680-220073-6	SGWC-22	Total/NA	Water	SM 2540C	
680-220073-9	FB-2	Total/NA	Water	SM 2540C	
680-220076-1	PZ-42I	Total/NA	Water	SM 2540C	
MB 180-410311/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410311/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410324

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-4	SGWC-20	Total/NA	Water	SM 2540C	
680-220073-7	SGWC-23	Total/NA	Water	SM 2540C	
MB 180-410324/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410324/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410401

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total/NA	Water	SM 2540C	
680-220188-2	PZ-39S	Total/NA	Water	SM 2540C	
680-220188-3	PZ-40I	Total/NA	Water	SM 2540C	
680-220188-5	EB-3	Total/NA	Water	SM 2540C	
680-220188-8	EB-2	Total/NA	Water	SM 2540C	
MB 180-410401/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410401/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-4	DUP-3	Total/NA	Water	SM 2540C	
680-220188-6	FB-3	Total/NA	Water	SM 2540C	
680-220188-7	SGWC-18	Total/NA	Water	SM 2540C	
MB 180-410494/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410494/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410686

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-1	PZ-13S	Total/NA	Water	SM 2540C	
680-220258-5	PZ-41S	Total/NA	Water	SM 2540C	
680-220258-6	PZ-43S	Total/NA	Water	SM 2540C	
680-220258-7	PZ-44I	Total/NA	Water	SM 2540C	
680-220258-8	PZ-69I	Total/NA	Water	SM 2540C	
MB 180-410686/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410686/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

General Chemistry

Analysis Batch: 410687

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-2	PZ-17I	Total/NA	Water	SM 2540C	
MB 180-410687/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-410687/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 410767

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	SM2320 B	
MB 180-410767/30	Method Blank	Total/NA	Water	SM2320 B	
MB 180-410767/6	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-410767/29	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-410767/28	Lab Control Sample	Total/NA	Water	SM2320 B	
680-219964-1 DU	SGWA-1	Total/NA	Water	SM2320 B	

Analysis Batch: 411559

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-3	DUP-2	Total/NA	Water	SM 2540C	
MB 180-411559/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-411559/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 411561

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-2	SGWC-17	Total/NA	Water	SM 2540C	
MB 180-411561/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-411561/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 411564

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	SM 2540C	
MB 180-411564/2	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-411564/1	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 412004

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total/NA	Water	SM2320 B	
680-220188-2	PZ-39S	Total/NA	Water	SM2320 B	
680-220188-3	PZ-40I	Total/NA	Water	SM2320 B	
680-220188-4	DUP-3	Total/NA	Water	SM2320 B	
680-220188-5	EB-3	Total/NA	Water	SM2320 B	
MB 180-412004/30	Method Blank	Total/NA	Water	SM2320 B	
MB 180-412004/54	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-412004/53	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-412004/52	Lab Control Sample	Total/NA	Water	SM2320 B	
680-220188-4 DU	DUP-3	Total/NA	Water	SM2320 B	

Analysis Batch: 412271

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-2	SGWA-2	Total/NA	Water	SM2320 B	
680-220073-5	SGWC-21	Total/NA	Water	SM2320 B	
680-220188-6	FB-3	Total/NA	Water	SM2320 B	
680-220489-1	SGWC-16	Total/NA	Water	SM2320 B	
680-220489-2	SGWC-17	Total/NA	Water	SM2320 B	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

General Chemistry (Continued)

Analysis Batch: 412271 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-3	DUP-2	Total/NA	Water	SM2320 B	
MB 180-412271/32	Method Blank	Total/NA	Water	SM2320 B	
MB 180-412271/56	Method Blank	Total/NA	Water	SM2320 B	
MB 180-412271/80	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-412271/31	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-412271/55	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-412271/79	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-412271/30	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-412271/54	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-412271/78	Lab Control Sample	Total/NA	Water	SM2320 B	

Analysis Batch: 414062

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-6	SGWC-22	Total/NA	Water	SM2320 B	
680-220073-7	SGWC-23	Total/NA	Water	SM2320 B	
680-220258-1	PZ-13S	Total/NA	Water	SM2320 B	
680-220258-2	PZ-17I	Total/NA	Water	SM2320 B	
680-220258-6	PZ-43S	Total/NA	Water	SM2320 B	
680-220258-8	PZ-69I	Total/NA	Water	SM2320 B	
LCS 180-414062/28	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-414062/4	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-414062/48	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-414062/73	Lab Control Sample	Total/NA	Water	SM2320 B	

Analysis Batch: 414123

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 180-414123/10	Method Blank	Total/NA	Water	SM2320 B	
MB 180-414123/15	Method Blank	Total/NA	Water	SM2320 B	
MB 180-414123/2	Method Blank	Total/NA	Water	SM2320 B	
MB 180-414123/22	Method Blank	Total/NA	Water	SM2320 B	
LLCS 180-414123/17	Lab Control Sample	Total/NA	Water	SM2320 B	

Analysis Batch: 414404

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total/NA	Water	SM2320 B	
MB 180-414404/29	Method Blank	Total/NA	Water	SM2320 B	
MB 180-414404/53	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-414404/52	Lab Control Sample	Total/NA	Water	SM2320 B	

Analysis Batch: 414457

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-5	SGWA-25	Total/NA	Water	SM2320 B	
680-219967-6	SGWC-7	Total/NA	Water	SM2320 B	
680-219967-7	SGWC-8	Total/NA	Water	SM2320 B	
680-219967-8	SGWC-9	Total/NA	Water	SM2320 B	
680-219967-10	SGWC-12	Total/NA	Water	SM2320 B	
680-219967-15	SGWC-6	Total/NA	Water	SM2320 B	
680-220076-1	PZ-42I	Total/NA	Water	SM2320 B	
MB 180-414457/29	Method Blank	Total/NA	Water	SM2320 B	
MB 180-414457/5	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-414457/28	Lab Control Sample	Total/NA	Water	SM2320 B	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

General Chemistry (Continued)

Analysis Batch: 414457 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 180-414457/4	Lab Control Sample	Total/NA	Water	SM2320 B	
680-219967-5 DU	SGWA-25	Total/NA	Water	SM2320 B	

Analysis Batch: 414815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-2	SGWA-4	Total/NA	Water	SM2320 B	
680-219967-4	SGWA-24	Total/NA	Water	SM2320 B	
680-220258-7	PZ-44I	Total/NA	Water	SM2320 B	
MB 180-414815/32	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-414815/31	Lab Control Sample	Total/NA	Water	SM2320 B	

Analysis Batch: 415157

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-9	SGWC-11	Total/NA	Water	SM2320 B	
680-219967-11	SGWC-13	Total/NA	Water	SM2320 B	
680-219967-12	FB-1	Total/NA	Water	SM2320 B	
680-219967-13	EB-1	Total/NA	Water	SM2320 B	
680-219967-14	DUP-1	Total/NA	Water	SM2320 B	
680-219967-16	SGWC-10	Total/NA	Water	SM2320 B	
680-219967-17	SGWC-14	Total/NA	Water	SM2320 B	
680-219967-18	SGWC-15	Total/NA	Water	SM2320 B	
680-220073-3	SGWC-19	Total/NA	Water	SM2320 B	
680-220073-4	SGWC-20	Total/NA	Water	SM2320 B	
680-220073-9	FB-2	Total/NA	Water	SM2320 B	
680-220188-7	SGWC-18	Total/NA	Water	SM2320 B	
680-220188-8	EB-2	Total/NA	Water	SM2320 B	
680-220258-5	PZ-41S	Total/NA	Water	SM2320 B	
MB 180-415157/27	Method Blank	Total/NA	Water	SM2320 B	
MB 180-415157/3	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-415157/1	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-415157/25	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-415157/2	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-415157/26	Lab Control Sample	Total/NA	Water	SM2320 B	
680-220073-4 DU	SGWC-20	Total/NA	Water	SM2320 B	
680-220258-5 DU	PZ-41S	Total/NA	Water	SM2320 B	

Analysis Batch: 415260

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	SM 3500	
680-219964-2	SGWA-2	Total/NA	Water	SM 3500	
680-219967-1	SGWA-3	Total/NA	Water	SM 3500	
680-219967-2	SGWA-4	Total/NA	Water	SM 3500	
680-219967-3	SGWA-5	Total/NA	Water	SM 3500	
680-219967-4	SGWA-24	Total/NA	Water	SM 3500	
680-219967-5	SGWA-25	Total/NA	Water	SM 3500	
680-219967-6	SGWC-7	Total/NA	Water	SM 3500	
680-219967-7	SGWC-8	Total/NA	Water	SM 3500	
680-219967-8	SGWC-9	Total/NA	Water	SM 3500	
680-219967-9	SGWC-11	Total/NA	Water	SM 3500	
680-219967-10	SGWC-12	Total/NA	Water	SM 3500	
680-219967-11	SGWC-13	Total/NA	Water	SM 3500	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

General Chemistry (Continued)

Analysis Batch: 415260 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-15	SGWC-6	Total/NA	Water	SM 3500	
680-219967-16	SGWC-10	Total/NA	Water	SM 3500	
680-219967-17	SGWC-14	Total/NA	Water	SM 3500	
680-219967-18	SGWC-15	Total/NA	Water	SM 3500	
680-220073-3	SGWC-19	Total/NA	Water	SM 3500	
680-220073-4	SGWC-20	Total/NA	Water	SM 3500	
680-220073-5	SGWC-21	Total/NA	Water	SM 3500	
680-220073-6	SGWC-22	Total/NA	Water	SM 3500	
680-220073-7	SGWC-23	Total/NA	Water	SM 3500	
680-220076-1	PZ-42I	Total/NA	Water	SM 3500	
680-220188-1	PZ-14S	Total/NA	Water	SM 3500	
680-220188-2	PZ-39S	Total/NA	Water	SM 3500	
680-220188-3	PZ-40I	Total/NA	Water	SM 3500	
680-220188-7	SGWC-18	Total/NA	Water	SM 3500	
680-220258-1	PZ-13S	Total/NA	Water	SM 3500	
680-220258-2	PZ-17I	Total/NA	Water	SM 3500	
680-220258-5	PZ-41S	Total/NA	Water	SM 3500	
680-220258-6	PZ-43S	Total/NA	Water	SM 3500	
680-220258-7	PZ-44I	Total/NA	Water	SM 3500	
680-220258-8	PZ-69I	Total/NA	Water	SM 3500	
680-220489-1	SGWC-16	Total/NA	Water	SM 3500	
680-220489-2	SGWC-17	Total/NA	Water	SM 3500	

Analysis Batch: 415916

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-3	SGWA-5	Total/NA	Water	SM2320 B	
MB 180-415916/2	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-415916/1	Lab Control Sample	Total/NA	Water	SM2320 B	
680-219967-3 DU	SGWA-5	Total/NA	Water	SM2320 B	

Field Service / Mobile Lab

Analysis Batch: 410672

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	Field Sampling	
680-219964-2	SGWA-2	Total/NA	Water	Field Sampling	

Analysis Batch: 410712

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total/NA	Water	Field Sampling	
680-220073-4	SGWC-20	Total/NA	Water	Field Sampling	
680-220073-5	SGWC-21	Total/NA	Water	Field Sampling	
680-220073-6	SGWC-22	Total/NA	Water	Field Sampling	
680-220073-7	SGWC-23	Total/NA	Water	Field Sampling	

Analysis Batch: 410713

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-1	PZ-14S	Total/NA	Water	Field Sampling	
680-220188-2	PZ-39S	Total/NA	Water	Field Sampling	
680-220188-3	PZ-40I	Total/NA	Water	Field Sampling	
680-220188-7	SGWC-18	Total/NA	Water	Field Sampling	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Field Service / Mobile Lab

Analysis Batch: 410796

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220258-1	PZ-13S	Total/NA	Water	Field Sampling	
680-220258-2	PZ-17I	Total/NA	Water	Field Sampling	
680-220258-5	PZ-41S	Total/NA	Water	Field Sampling	
680-220258-6	PZ-43S	Total/NA	Water	Field Sampling	
680-220258-7	PZ-44I	Total/NA	Water	Field Sampling	
680-220258-8	PZ-69I	Total/NA	Water	Field Sampling	

Analysis Batch: 410815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total/NA	Water	Field Sampling	

Analysis Batch: 411136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	Field Sampling	
680-220489-2	SGWC-17	Total/NA	Water	Field Sampling	

Analysis Batch: 413632

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-1	SGWA-3	Total/NA	Water	Field Sampling	
680-219967-2	SGWA-4	Total/NA	Water	Field Sampling	
680-219967-3	SGWA-5	Total/NA	Water	Field Sampling	
680-219967-4	SGWA-24	Total/NA	Water	Field Sampling	
680-219967-5	SGWA-25	Total/NA	Water	Field Sampling	
680-219967-6	SGWC-7	Total/NA	Water	Field Sampling	
680-219967-7	SGWC-8	Total/NA	Water	Field Sampling	
680-219967-8	SGWC-9	Total/NA	Water	Field Sampling	
680-219967-9	SGWC-11	Total/NA	Water	Field Sampling	
680-219967-10	SGWC-12	Total/NA	Water	Field Sampling	
680-219967-11	SGWC-13	Total/NA	Water	Field Sampling	
680-219967-15	SGWC-6	Total/NA	Water	Field Sampling	
680-219967-16	SGWC-10	Total/NA	Water	Field Sampling	
680-219967-17	SGWC-14	Total/NA	Water	Field Sampling	
680-219967-18	SGWC-15	Total/NA	Water	Field Sampling	

Analysis Batch: 417314

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-1

Lab Sample ID: 680-219964-1

Date Collected: 08/17/22 15:13

Matrix: Water

Date Received: 08/19/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			409558	08/22/22 19:05	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	411448	09/08/22 15:09	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			412994	09/22/22 21:58	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	411448	09/08/22 15:09	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413078	09/23/22 14:59	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	409655	08/23/22 08:09	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			409736	08/23/22 15:59	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409807	08/24/22 09:14	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			410767	08/31/22 19:42	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410672	08/17/22 15:13	AW	EET PIT

Client Sample ID: SGWA-2

Lab Sample ID: 680-219964-2

Date Collected: 08/17/22 14:45

Matrix: Water

Date Received: 08/19/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1			409558	08/22/22 19:20	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	411448	09/08/22 15:09	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			412994	09/22/22 22:21	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	411448	09/08/22 15:09	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413078	09/23/22 15:21	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	409655	08/23/22 08:09	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGZ		1			409736	08/23/22 16:00	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			412271	09/16/22 00:11	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410672	08/17/22 14:45	AW	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-3
Date Collected: 08/18/22 09:49
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 20:13	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 19:32	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:45	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/20/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414404	10/06/22 17:41	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 09:49	FDS	EET PIT

Client Sample ID: SGWA-4
Date Collected: 08/18/22 15:20
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 20:27	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 19:35	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:48	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	10 mL	10 mL	414815	10/08/22 17:06	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 15:20	FDS	EET PIT

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-5

Lab Sample ID: 680-219967-3

Date Collected: 08/18/22 12:45

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 20:41	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 19:39	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:52	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415916	10/22/22 08:00	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 12:45	FDS	EET PIT

Client Sample ID: SGWA-24

Lab Sample ID: 680-219967-4

Date Collected: 08/18/22 15:25

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 20:55	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 19:42	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:53	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	10 mL	10 mL	414815	10/08/22 17:16	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 15:25	FDS	EET PIT

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWA-25
Date Collected: 08/18/22 10:10
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 21:09	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 19:46	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:54	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414457	10/07/22 10:04	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 10:10	FDS	EET PIT

Client Sample ID: SGWC-7
Date Collected: 08/18/22 10:00
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 21:51	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:09	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:55	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414457	10/07/22 10:15	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 10:00	FDS	EET PIT

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-8

Lab Sample ID: 680-219967-7

Date Collected: 08/18/22 12:15

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 22:05	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:12	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:56	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414457	10/07/22 10:21	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 12:15	FDS	EET PIT

Client Sample ID: SGWC-9

Lab Sample ID: 680-219967-8

Date Collected: 08/18/22 13:55

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 22:19	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:16	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:57	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409807	08/24/22 09:14	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414457	10/07/22 10:27	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 13:55	FDS	EET PIT

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-11

Lab Sample ID: 680-219967-9

Date Collected: 08/18/22 12:08

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 23:01	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:19	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:58	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 13:22	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 12:08	FDS	EET PIT

Client Sample ID: SGWC-12

Lab Sample ID: 680-219967-10

Date Collected: 08/18/22 13:10

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 23:15	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:22	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 14:59	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409807	08/24/22 09:14	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			414457	10/07/22 10:39	MAM	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 13:10	FDS	EET PIT

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-13
Date Collected: 08/18/22 14:34
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 23:28	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:26	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 15:00	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 13:45	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/18/22 14:34	FDS	EET PIT

Client Sample ID: FB-1
Date Collected: 08/18/22 16:40
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 23:42	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:29	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 15:02	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409810	08/24/22 09:17	DOM	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 14:07	ELS	EET PIT

Client Sample ID: EB-1
Date Collected: 08/18/22 16:30
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	409987	08/25/22 23:56	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:39	RSK	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: EB-1

Date Collected: 08/18/22 16:30

Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			411008	09/02/22 15:06	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 14:11	ELS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: DUP-1

Date Collected: 08/18/22 00:00

Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	409987	08/26/22 00:10	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 20:42	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			411008	09/02/22 15:07	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	409807	08/24/22 09:14	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 13:49	ELS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-6

Date Collected: 08/19/22 10:10

Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-15

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410173	08/27/22 01:23	SNL	EET PIT
Instrument ID: CHICS2100B										
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 20:46	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			411008	09/02/22 15:08	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			414457	10/07/22 12:14	MAM	EET PIT
Instrument ID: PCTITRATOR										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-6
Date Collected: 08/19/22 10:10
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Field Sampling		1			413632	08/19/22 10:10	FDS	EET PIT

Client Sample ID: SGWC-10
Date Collected: 08/19/22 09:30
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1	0 mL	0 mL	410173	08/27/22 01:38	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:49	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 15:09	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 14:41	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/19/22 09:30	FDS	EET PIT

Client Sample ID: SGWC-14
Date Collected: 08/19/22 09:22
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-17
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1	0 mL	0 mL	410173	08/27/22 01:53	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:52	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 15:10	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 15:22	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/19/22 09:22	FDS	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-15

Lab Sample ID: 680-219967-18

Date Collected: 08/19/22 10:15

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHICS2100B		1	0 mL	0 mL	410173	08/27/22 02:37	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			414488	10/07/22 20:56	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	410892	09/02/22 06:01	RJR	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			411008	09/02/22 15:12	RJR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	409812	08/24/22 09:21	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	50 mL	50 mL	415157	10/14/22 15:26	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			413632	08/19/22 10:15	FDS	EET PIT

Client Sample ID: SGWC-19

Lab Sample ID: 680-220073-3

Date Collected: 08/22/22 10:40

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 15:43	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: DORY		1			412994	09/22/22 15:03	RSK	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410311	08/29/22 08:46	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: NOEQUIP		1	20 mL	20 mL	415157	10/14/22 13:56	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410712	08/22/22 10:40	FDS	EET PIT

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 16:01	SNL	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			412994	09/22/22 15:06	RSK	EET PIT
	Instrument ID: DORY									
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410324	08/29/22 10:30	DOM	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 13:37	ELS	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	Field Sampling		1			410712	08/22/22 12:41	FDS	EET PIT
	Instrument ID: NOEQUIP									

Client Sample ID: SGWC-21

Lab Sample ID: 680-220073-5

Date Collected: 08/22/22 14:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 16:15	SNL	EET PIT
	Instrument ID: CHIC2100A									
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			412994	09/22/22 15:10	RSK	EET PIT
	Instrument ID: DORY									
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410311	08/29/22 08:46	DOM	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM2320 B		1			412271	09/15/22 22:02	ELS	EET PIT
	Instrument ID: PCTITRATOR									
Total/NA	Analysis	Field Sampling		1			410712	08/22/22 14:00	FDS	EET PIT
	Instrument ID: NOEQUIP									

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 16:29	SNL	EET PIT
	Instrument ID: CHIC2100A									
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			412994	09/22/22 15:13	RSK	EET PIT
	Instrument ID: DORY									
Total/NA	Analysis	SM 2540C		1	1 mL	100 mL	410311	08/29/22 08:46	DOM	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
	Instrument ID: NOEQUIP									

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM2320 B		1	10 mL	10 mL	414062	09/28/22 15:23	RSR	EET PIT
Total/NA	Analysis	Field Sampling		1			410712	08/22/22 12:35	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-23

Lab Sample ID: 680-220073-7

Date Collected: 08/22/22 10:25

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 16:43	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			412994	09/22/22 15:16	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410324	08/29/22 10:30	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	10 mL	10 mL	414062	09/28/22 14:10	RSR	EET PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			410712	08/22/22 10:25	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: FB-2

Lab Sample ID: 680-220073-9

Date Collected: 08/22/22 15:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 16:58	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	411603	09/09/22 17:22	NAF	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			412994	09/22/22 15:20	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410311	08/29/22 08:46	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 13:52	ELS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 17:13	SNL	EET PIT
Instrument ID: CHIC2100A										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	413336	09/27/22 13:15	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			415622	10/19/22 16:33	RSK	EET PIT
	Instrument ID: A									
Total Recoverable	Prep	3005A			25 mL	25 mL	413336	09/27/22 13:15	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414243	10/05/22 18:45	RSK	EET PIT
	Instrument ID: DORY									
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410311	08/29/22 08:46	DOM	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM2320 B		1			414457	10/07/22 11:08	MAM	EET PIT
	Instrument ID: PCTITRATOR									
Total/NA	Analysis	Field Sampling		1			410815	08/22/22 17:00	FDS	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	Field Sampling		1			417314	08/22/22 17:00	FDS	EET PIT
	Instrument ID: NOEQUIP									

Client Sample ID: PZ-14S

Lab Sample ID: 680-220188-1

Date Collected: 08/23/22 16:09

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 17:57	SNL	EET PIT
	Instrument ID: CHIC2100A									
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			413603	09/28/22 19:59	RSK	EET PIT
	Instrument ID: A									
Total Recoverable	Prep	3005A			25 mL	25 mL	414497	10/08/22 10:24	KWP	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414780	10/11/22 23:42	RSK	EET PIT
	Instrument ID: DORY									
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410401	08/29/22 16:30	DOM	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM 3500		1			415260	10/20/22 09:18	DLL	EET PIT
	Instrument ID: NOEQUIP									
Total/NA	Analysis	SM2320 B		1			412004	09/13/22 22:25	ELS	EET PIT
	Instrument ID: PCTITRATOR									
Total/NA	Analysis	Field Sampling		1			410713	08/23/22 16:09	FDS	EET PIT
	Instrument ID: NOEQUIP									

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-39S

Lab Sample ID: 680-220188-2

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 19:12	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:03	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:19	RSK	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410401	08/29/22 16:30	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/20/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			412004	09/13/22 21:54	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410713	08/23/22 09:45	FDS	EET PIT

Client Sample ID: PZ-40I

Lab Sample ID: 680-220188-3

Date Collected: 08/23/22 15:05

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 19:27	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:06	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		2			413810	09/30/22 14:11	RSK	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410401	08/29/22 16:30	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/20/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			412004	09/13/22 21:48	ELS	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410713	08/23/22 15:05	FDS	EET PIT

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: DUP-3
Date Collected: 08/23/22 00:00
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 19:41	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:21	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:30	RSK	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410494	08/30/22 10:39	DOM	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			412004	09/13/22 22:14	ELS	EET PIT

Client Sample ID: EB-3
Date Collected: 08/23/22 09:45
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 19:56	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:25	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:33	RSK	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410401	08/29/22 16:30	DOM	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1			412004	09/13/22 21:30	ELS	EET PIT

Client Sample ID: FB-3
Date Collected: 08/23/22 15:45
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1	0 mL	0 mL	410481	08/30/22 20:11	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:28	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:36	RSK	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: FB-3

Lab Sample ID: 680-220188-6

Date Collected: 08/23/22 15:45

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410494	08/30/22 10:39	DOM	EET PIT
Total/NA	Analysis	SM2320 B		1			412271	09/15/22 23:28	ELS	EET PIT
Instrument ID: PCTITRATOR										

Client Sample ID: SGWC-18

Lab Sample ID: 680-220188-7

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		2.5	0 mL	0 mL	410481	08/30/22 20:26	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			413603	09/28/22 20:32	RSK	EET PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		2			413758	09/30/22 10:39	RSK	EET PIT
Instrument ID: NEMO										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410494	08/30/22 10:39	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			415260	10/20/22 09:18	DLL	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 15:15	ELS	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	Field Sampling		1			410713	08/23/22 11:01	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: EB-2

Lab Sample ID: 680-220188-8

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	0 mL	0 mL	410481	08/30/22 20:41	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			413603	09/28/22 20:54	RSK	EET PIT
Instrument ID: A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			413758	09/30/22 10:47	RSK	EET PIT
Instrument ID: NEMO										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410401	08/29/22 16:30	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 14:48	ELS	EET PIT
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-13S
Date Collected: 08/24/22 11:35
Date Received: 08/26/22 09:00

Lab Sample ID: 680-220258-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1			410668	08/31/22 18:41	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 20:57	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:56	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			412331	09/16/22 09:57	SNR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410686	08/31/22 13:43	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/20/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1	10 mL	10 mL	414062	09/28/22 20:27	RSR	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410796	08/24/22 11:35	FDS	EET PIT

Client Sample ID: PZ-17I
Date Collected: 08/24/22 10:30
Date Received: 08/26/22 09:00

Lab Sample ID: 680-220258-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1 Instrument ID: CHIC2100A		1			410668	08/31/22 19:26	SNL	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: A		1			413603	09/28/22 21:01	RSK	EET PIT
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B Instrument ID: NEMO		1			413758	09/30/22 10:58	RSK	EET PIT
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A Instrument ID: HGY		1			412331	09/16/22 09:58	SNR	EET PIT
Total/NA	Analysis	SM 2540C Instrument ID: NOEQUIP		1	100 mL	100 mL	410687	08/31/22 13:46	DOM	EET PIT
Total/NA	Analysis	SM 3500 Instrument ID: NOEQUIP		1			415260	10/17/22 09:18	DLL	EET PIT
Total/NA	Analysis	SM2320 B Instrument ID: PCTITRATOR		1	10 mL	10 mL	414062	09/28/22 18:23	RSR	EET PIT
Total/NA	Analysis	Field Sampling Instrument ID: NOEQUIP		1			410796	08/24/22 10:30	FDS	EET PIT

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-25I

Lab Sample ID: 680-220258-3

Date Collected: 08/24/22 14:05

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	413041	09/23/22 14:25	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			413603	09/28/22 21:05	RSK	EET PIT
Instrument ID: A										

Client Sample ID: PZ-25S

Lab Sample ID: 680-220258-4

Date Collected: 08/24/22 14:45

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 20:59	RSK	EET PIT
Instrument ID: DORY										

Client Sample ID: PZ-41S

Lab Sample ID: 680-220258-5

Date Collected: 08/24/22 10:07

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			410668	08/31/22 19:41	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413313	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 21:02	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412331	09/16/22 09:59	SNR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410686	08/31/22 13:43	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			415260	10/20/22 09:18	DLL	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1	50 mL	50 mL	415157	10/14/22 13:04	ELS	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	Field Sampling		1			410796	08/24/22 10:07	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-43S

Lab Sample ID: 680-220258-6

Date Collected: 08/24/22 11:56

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			410668	08/31/22 19:55	SNL	EET PIT
Instrument ID: CHIC2100A										
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:19	RSK	EET PIT
Instrument ID: DORY										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-43S

Lab Sample ID: 680-220258-6

Date Collected: 08/24/22 11:56

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412331	09/16/22 10:03	SNR	EET PIT
		Instrument ID: HGY								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410686	08/31/22 13:43	DOM	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM2320 B		1	10 mL	10 mL	414062	09/28/22 20:17	RSR	EET PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			410796	08/24/22 11:56	FDS	EET PIT
		Instrument ID: NOEQUIP								

Client Sample ID: PZ-44I

Lab Sample ID: 680-220258-7

Date Collected: 08/24/22 11:50

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			410668	08/31/22 20:13	SNL	EET PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:22	RSK	EET PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412331	09/16/22 10:04	SNR	EET PIT
		Instrument ID: HGY								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410686	08/31/22 13:43	DOM	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM2320 B		1	10 mL	10 mL	414815	10/08/22 16:54	MAM	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	Field Sampling		1			410796	08/24/22 11:50	FDS	EET PIT
		Instrument ID: NOEQUIP								

Client Sample ID: PZ-69I

Lab Sample ID: 680-220258-8

Date Collected: 08/24/22 14:10

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1			410668	08/31/22 20:27	SNL	EET PIT
		Instrument ID: CHIC2100A								
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:25	RSK	EET PIT
		Instrument ID: DORY								

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: PZ-69I

Lab Sample ID: 680-220258-8

Date Collected: 08/24/22 14:10

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	412047	09/14/22 15:40	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412331	09/16/22 10:05	SNR	EET PIT
		Instrument ID: HGY								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	410686	08/31/22 13:43	DOM	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM2320 B		1	10 mL	10 mL	414062	09/28/22 19:28	RSR	EET PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			410796	08/24/22 14:10	FDS	EET PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-16

Lab Sample ID: 680-220489-1

Date Collected: 08/31/22 14:27

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	1 mL	1 mL	411021	09/04/22 02:35	M1D	EET PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:29	RSK	EET PIT
		Instrument ID: DORY								
Total/NA	Prep	7470A			25 mL	25 mL	412348	09/16/22 16:05	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412640	09/20/22 13:06	RJR	EET PIT
		Instrument ID: HGY								
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	411564	09/09/22 12:50	DOM	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM2320 B		1			412271	09/15/22 19:20	ELS	EET PIT
		Instrument ID: PCTITRATOR								
Total/NA	Analysis	Field Sampling		1			411136	08/31/22 14:27	FDS	EET PIT
		Instrument ID: NOEQUIP								

Client Sample ID: SGWC-17

Lab Sample ID: 680-220489-2

Date Collected: 08/31/22 12:46

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	1 mL	1 mL	411021	09/04/22 02:53	M1D	EET PIT
		Instrument ID: INTEGRION								
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:32	RSK	EET PIT
		Instrument ID: DORY								

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Client Sample ID: SGWC-17

Lab Sample ID: 680-220489-2

Date Collected: 08/31/22 12:46

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	412348	09/16/22 16:05	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412640	09/20/22 13:07	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	411561	09/09/22 12:41	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM 3500		1			415260	10/17/22 09:18	DLL	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			412271	09/15/22 19:12	ELS	EET PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			411136	08/31/22 12:46	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	EPA 300.0 R2.1		1	1 mL	1 mL	411021	09/04/22 03:12	M1D	EET PIT
Instrument ID: INTEGRION										
Total Recoverable	Prep	3005A			25 mL	25 mL	413316	09/27/22 12:30	HCY	EET PIT
Total Recoverable	Analysis	EPA 6020B		1			414488	10/07/22 17:35	RSK	EET PIT
Instrument ID: DORY										
Total/NA	Prep	7470A			25 mL	25 mL	412348	09/16/22 16:05	HCY	EET PIT
Total/NA	Analysis	EPA 7470A		1			412640	09/20/22 13:08	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	411559	09/09/22 12:33	DOM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			412271	09/15/22 19:05	ELS	EET PIT
Instrument ID: PCTITRATOR										

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22 *
California	State	2891	04-30-23
Connecticut	State	PH-0688	09-30-22 *
Florida	NELAP	E871008	10-23-22
Georgia	State	PA 02-00416	10-23-22
Illinois	NELAP	004375	10-23-22
Kansas	NELAP	E-10350	10-23-22
Kentucky (UST)	State	162013	04-30-23
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22 *
Louisiana (All)	NELAP	04041	10-23-22
Maine	State	PA00164	03-06-24
Minnesota	NELAP	042-999-482	10-23-22
New Hampshire	NELAP	2030	10-23-22
New Jersey	NELAP	PA005	10-23-22
New York	NELAP	11182	10-23-22
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	10-23-22
Oregon	NELAP	PA-2151	10-23-22
Pennsylvania	NELAP	02-00416	10-23-22
Rhode Island	State	LAO00362	12-31-22
South Carolina	State	89014	04-20-23
Texas	NELAP	T104704528	10-23-22
US Fish & Wildlife	US Federal Programs	058448	03-31-23
USDA	US Federal Programs	P330-16-00211	06-21-24
Utah	NELAP	PA001462019-8	10-23-22
Virginia	NELAP	10043	10-23-22
West Virginia DEP	State	142	10-23-22
Wisconsin	State	998027800	08-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Method Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-1

Method	Method Description	Protocol	Laboratory
EPA 300.0 R2.1	Anions, Ion Chromatography	EPA	EET PIT
EPA 6020B	Metals (ICP/MS)	SW846	EET PIT
EPA 7470A	Mercury (CVAA)	SW846	EET PIT
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET PIT
SM 3500	Iron, Ferric	SM	EET PIT
SM2320 B	Alkalinity, Total	SM18	EET PIT
Field Sampling	Field Sampling	EPA	EET PIT
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET PIT
7470A	Preparation, Mercury	SW846	EET PIT

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SM18 = "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

estAmerica Pittsburgh
 31 Alpha Drive
 IDC Park
 Pittsburgh, PA 15238-2907
 Phone 412.963.7058 fax 412.963.2468

Chain of Custody Record




TestAmerica Laboratories, Inc.
 COC No: 1 of 1 COCs

Regulatory Program: DW NPDES RCRA Other:
 Project Manager: Dawn Prell Site Contact: Dawn Prell
 Tel/Fax: 248-538-5445 Lab Contact: Shall Brown

Client Contact
 Jiu Abraham
 Southern Company
 11 Ralph McGill Blvd SE B10185
 Atlanta, GA 30308
 j.abraham@southern.com
 Project Name: CCR - Plant Scherer AP-1
 Job #: GL168236021-Y-9-100-02

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
 TAT if different from Below
 2 weeks
 1 week
 2 days
 1 day

Sample Identification	Sample Date	Sample Time	Sample Type (C-Comb, G-Gras)	Matrix	# of Cont.	Filtered Sample (Y/N)		Perform MS / MSD (Y/N)		App HWY Total Metals		Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	T total, Fe3+	Sample Specific Notes:
						Y	N	Y	N	Y	N							
SGWA-1	8/17/2022	15:13	G	WG	99	N	N	N	N	X	X	X	X	X	X	X	X	pH= 5.16, Fe2= 0.1mg/L pH= 6.79, Fe2= 0.5 mg/L
SGWA-2	8/17/2022	14:45	G	WG	99	N	N	N	N	X	X	X	X	X	X	X	X	



Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return to Client Disposal by Lab Archive for _____ Months

possible Hazard Identification: _____
 every samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments: _____

Custody Seals Intact: Yes / No
 Acquired by: *James Cook*
 Released by: *Michael Mackey*
 Date/Time: 8/18/22 10:59
 Date/Time: 8/18/22 10:59

Company: *WSP - 620502*
 Company: _____
 Company: _____

Therm ID No.: _____
 Cooler Temp. (°C): Obs'd: _____
 Corrd: _____

5X HOURS
563
14AT
1059
1059

TestAmerica Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412 963 7058 fax 412 963 2488

Chain of Custody R



680-219967 Chain of Custody

estAmerica
LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Client Contact
Joju Abraham
Southern Company
241 Ralph McGill Blvd SE B10185
Atlanta, GA 30308
J.Abram@southernco.com
Project Name: CCR - Plant Scherer AP1
Site Georgia
PO#: GL166235021-Y-9-100 02

Regulatory Program: DW NPDES RCRA Other:

Project Manager: Dawn Prell
Tel/Fax: 248-536-5445

Site Contact: Dawn Prell
Lab Contact: ~~Shari Brown~~ **David Fuller**

Date: 08/19/2022
Carrier:

COC No: 1 of 2 COCs

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Analysis Turnaround Time										Sample Specific Notes
						App III/IV Total Metals	Perform MS / MSD (Y / N)	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Mg, Na, K, Mn	Radium 226/228	Cl, F, SO4, TDS	Other		
SGWA-3	8/18/2022	9 49	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=5.64, Fe2=0.0 mg/L
SGWA-4	8/18/2022	15 20	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.35, Fe2=0.0 mg/L
SGWA-5	8/18/2022	12 45	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=5.43, Fe2=0.25 mg/L
SGWA-24	8/18/2022	15 25	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.32, Fe2=0.0 mg/L
SGWA-25	8/18/2022	10 10	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.03, Fe2=0.0 mg/L
SGWC-7	8/18/2022	10 00	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.77, Fe2=0.5 mg/L
SGWC-8	8/18/2022	12 15	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.80, Fe2=0.3 mg/L
SGWC-9	8/18/2022	13 55	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.52, Fe2=0.2 mg/L
SGWC-11	8/18/2022	12 08	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=5.06, Fe2=0.0 mg/L
SGWC-12	8/18/2022	13 10	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=6.12, Fe2=0.5 mg/L
SGWC-13	8/18/2022	14 34	G	WG	9	X	N	X	X	X	X	X	X	X	X	pH=5.78, Fe2=0.0 mg/L

Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other

Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/OC Requirements & Comments:

Return to Client Disposal by Lab Archive for _____ Months

Custody Seals Intact: Yes No

Relinquished by: **Aimee Plannan, Analytical WSP-Colder** Company: **WSP-Colder** Date/Time: **8/18/2022 11:00**

Relinquished by: **[Signature]** Company: **WSP-Colder** Date/Time: **8/19/2022 10:00**

Relinquished by: **[Signature]** Company: **WSP-Colder** Date/Time: **8/19/2022 9:00**

Therm ID No: _____

Cooler Temp (°C) Obs'd: _____

Company: _____

Date/Time: _____

Received by: **[Signature]** Date/Time: **8/19/2022 10:00**

Received in Laboratory by: **[Signature]** Date/Time: **8/19/2022 9:00**

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

TestAmerica Pittsburgh
 301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


TestAmerica Laboratories, Inc.

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 jabraham@southernco.com Project Name: CCR - Plant Scherer AP1 Site: Georgia PO# GL166235021-Y-9-100 02				Regulatory Program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other: _____ Project Manager: Dawn Prell Tel/Fax: 248-536-5445 Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from below _____ <input type="checkbox"/> 3-5 days <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input checked="" type="checkbox"/> 2 days <input type="checkbox"/> 1 day				Site Contact: Dawn Prell Lab Contact: Shell Brown Date: 08/19/2022 Carrier: Aimee Plowman				COC No 2 of 2 COCs Sampler: AP /MM / TM For Lab Use Only: Walk-in Client Lab Sampling Job / SDG No Sample Specific Notes			
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y / N)	Perform MS / MSD (Y / N)	App III/IV Total Metals	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO ₃ , HCO ₃)	Sulfide	Fe total, Fe ₃ ⁺		
FB-1	8/18/2022	16:40	G	WQ	9	N	N	X	X	X	X	X	X		
EB-1	8/18/2022	16:30	G	WQ	9	N	N	X	X	X	X	X	X		
DUP-1	8/18/2022	-	G	WG	9	N	N	X	X	X	X	X	X		
SGWC-6	8/19/2022	10:10	G	WG	9	N	N	X	X	X	X	X	X		pH=6.24, Fe2=0 mg/L
SGWC-10	8/19/2022	9:30	G	WG	11	N	N	X	X	X	X	X	X		pH=5.22, Fe2=0.3 mg/L
SGWC-14	8/19/2022	9:22	G	WG	9	N	N	X	X	X	X	X	X		pH=5.62, Fe2=0 mg/L
SGWC-15	8/19/2022	10:15	G	WG	9	N	N	X	X	X	X	X	X		pH=4.61, Fe2=0 mg/L
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other												Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months			

Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Relinquished by: <u>Aimee Plowman</u> Date/Time: <u>8/19/2022 16:00</u>	Custody Seal No: <u>WSP-6108</u> Company: _____	Cooler Temp (°C): _____ Cor'd: _____ Therm ID No: _____	Date/Time: <u>8/19/2022 16:00</u>
Relinquished by: <u>R</u>	Company: _____	Received by: <u>Wanda</u> Date/Time: <u>8/20/2022 9:00</u>	Date/Time: <u>8/19/2022 16:00</u>
Relinquished by: _____	Company: _____	Received in Laboratory by: <u>Wanda</u>	Date/Time: _____



Environment Testing
Uncorrected temp
Thermometer ID

CF 0

PT-WI-SR-001 effective 11/8/18


Initials DW

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERIC
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 863-7058

DEPT:



7 of 7
MPS# 5220 7120 5351
Mstr# 5220 7120 5292

XO AGCA

Uncorrected temp
Thermometer ID


CF 0

Initials DW

PT-WI-SR-001 effective 11/8/18

SATURDAY 12:00P
PRIORITY OVERNIGHT

15238
PA-US
PIT



Environment Testing
Uncorrected temp
Thermometer ID

CF 0

PT-WI-SR-001 effective 11/8/18


Initials DW

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 863-7058

DEPT:




2 of 7
MPS# 5220 7120 5307
Mstr# 5220 7120 5292

XO AGCA

Uncorrected temp
Thermometer ID

CF 0

Initials DW



SATURDAY 12:00P
PRIORITY OVERNIGHT


15238
PA-US
PIT



Do not lift using

ag.

Part # 159469-434 MTW EXP 01/23



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 19AUG22
ACTWGT: 54.05 LB
CAD: 859.16/CAFE3612

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 49


Thermometer ID
Uncorrected temp
CF 0 Initials DW



1 of 7
TRK# 5220 7120 5292
MASTER

XO AGCA

15238
PA-US PIT



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

404-86
5
7

Part # 159469-434 MTW EXP 01/23



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 19AUG22
ACTWGT: 54.05 LB
CAD: 859.16/CAFE3612

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 49

Thermometer ID
Uncorrected temp
CF 0 Initials DW



3 of 7
TRK# 5220 7120 5318
MASTER

XO AGCA

15238
PA-US PIT



Do not reuse

159469-434 MTW EXP 01/23

eurofins | Environment Testing
TestAmerica

SHIP DATE: 19AUG22
ACTWG: 54.05 LB
CAD: 859116/CAFE3612

ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR TESTING AMERICA ATL SC
EUROFINS REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238



Thermometer ID
Uncorrected temp
CF
Initials
PT-MR-001 effective 11/8/18

SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PIT

6 of 7
MPS# 5220 7120 5340
Mstr# 5220 7120 5292
XO AGCA




169-434 MTW EXP 01/23

Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR TESTING AMERICA ATL SC
EUROFINS REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 19AUG22
ACTWG: 54.05 LB
CAD: 859116/CAFE3612

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238



Thermometer ID
Uncorrected temp
CF
Initials
PT-MR-001 effective 11/8/18


SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PIT

5 of 7
MPS# 5220 7120 5330
Mstr# 5220 7120 5292
XO AGCA



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

not lift using this tag.



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 800
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACT WGT: 64.20 LB
CAD: 859116/CAFE3616

E RECIEVING
NS TESTAMERICA PITTSBURGH
HA DR.
GH PA 15238

Uncorrected temp 7.9 °C
Thermometer ID OC


CF 0.1 Initials OC
1 effective 11/8/18

edEx
Express



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

0201



Environment Testing
TestAmerica


ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 800
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACT WGT: 64.20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECIEVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 963-7068
THU: PBI
DEPT: 1




2 of 4
MPS# 5220 7120 6050
0263
Mstr# 5220 7120 6049
0201

NA AGCA

15238
PA-US
PIT

Uncorrected temp 7.9 °C
Thermometer ID OC

CF 0.1 Initials OC
PT-WI-SR-001 effective 11/8/18



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT



Do not lift using this tag.



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 01/23

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACTWGT: 64.20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA

(412) 963-7058
INU:
PO:

RT **98**

1
10:30

A

6049
08 24

edEx
Express



1 of 4

WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

TRK# 5220 7120 6049
0201

MASTER

NA AGCA

15238


PA-US PIT

Uncorrected temp
Thermometer ID

2.7 °C
8

CF-0.7 Initials OC

PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Do not lift using this tag.



Environment Testing
TestAmerica

Part # 159469-434 NTW EXP 01/23

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACTWGT: 64.20 LB
CAD: 8591167/CAFE3616

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA

(412) 963-7068
INV:
PO:

RT **98**

1
10:30

6049
08 24

Ex
Express



680-220076 Waybill



1 of 4

WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

TRK# 5220 7120 6049
0201

MASTER

NA AGCA

15238

PA-US PIT

Uncorrected temp
Thermometer ID


2.7 °C
8

CF. -0.7 Initials OC

PT-WI-SR-001 effective 11/8/18



not lift using this tag.



Environment Testing
TestAmerica

ORIGIN ID: ILIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACT/MGT: 64,20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

UNCORRECTED TEMP
2.9 °C

Thermometer ID
0.7 Initials OC


1 effective 11/8/18

edEx
Express



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

0201



Environment Testing
TestAmerica

ORIGIN ID: ILIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 23AUG22
ACT/MGT: 64,20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 0263
MPS# 5220 7120 6050
Mstr# 5220 7120 6049

DEPT:



FedEx
Express



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

MPS# 5220 7120 6050
Mstr# 5220 7120 6049

0201

NA AGCA

15238
PA-US
PIT

Uncorrected temp
1.9 °C

Thermometer ID
0.7 Initials OC

1 effective 11/8/18



0201





1 of 5
5220 7120 6440
ASTER ##

P.


A AGCA

Uncorrected temp
Thermometer ID

PA-US
2-2
19

CF 0 Initials D

PT-WI-SR-001 effective 11/8/18



680-220188 Waybill

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12



Envir RT 98
TestA FZ

1. A
10:30 6483
08.25


Part # 151

ORIGIN ID:LIYA (678) 966-9991 SHIP DATE: 24AUG22
GEORGE TAYLOR ACTWGT: 46.40 L3
EUROFINS TESTING AMERICA ATL SC CAD: 859116/CAF3616
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES#US BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 983-7068
INU: PO:

REF: DEPT:



FedEx
Express



57762/JR/RL/45PA


5 of 5
MPS# 5220 7120 6483
0263
Mstr# 5220 7120 6440

0201

THU - 25 AUG 10:30A
PRIORITY OVERNIGHT

NA AGCA

15238
PA-US PIT



3.3
Uncorrected temp _____ °C
Thermometer ID 19
CF 0 Initials Dr

PT-WI-SR-001 effective 11/8/18

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DAT
ACTWGT:
CAD: 859
BILL REC

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSB
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 968-7058

REF:

THU:

DEPT:

Uncorrected temp
Thermometer ID

CF

Initials

PT-WESTMOD effective 10/20/11

3 of 3


FRI - 26
PRIORITY

MPS# 5220 7120 7229

Mstr# 5220 7120 7207

0201

NA AGCA



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12



Environment Testing
TestAmerica

ORIGIN ID: LLYA (678) 966-9991
 GEORGE TAYLOR
 6215 REGENCY TESTING AMERICA
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

TO SAMPLE RECEIVING
 EUROFINS TESTAMERICA
 301 ALPHA DR.
 RIDG PARK
 PITTSBURGH PA 15238

REF: (412) 988-7058

SHIP DATE: 25AUG22
 ACTWGT: 66.10 LB
 CND: 859116/CAFE3616

BILL RECIPIENT

Part # 159469-434 MTW EXP 01/23



RT 98

1 10:30
 7207
 08:26
 A sting

ORIGIN ID: LLYA (678) 966-9991
 GEORGE TAYLOR
 6215 REGENCY TESTING AMERICA
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

TO SAMPLE RECEIVING
 EUROFINS TESTAMERICA
 301 ALPHA DR.
 RIDG PARK
 PITTSBURGH PA 15238

REF: (412) 988-7058

SHIP DATE: 25AUG22
 ACTWGT: 66.10 LB
 CND: 859116/CAFE3616

BILL RECIPIENT

Part # 159469-434 MTW EXP 01/23

PS# 5220 7120 7218
 2 of 3
 Tr# 5220 7120 7207

A AGCA

FRI - 26 AUG 10:30A
 PRIORITY OVERNIGHT

0201

FedEx Express

Uncorrected temp
 Thermometer ID
 PA-US 15238
 PIT

CF

Initials *DLW*

TRK# 5220 7120 7207
 1 of 3
 # MASTER #

NA AGCA

FRI - 26 AUG 10:30A
 PRIORITY OVERNIGHT

0201

FedEx Express

Uncorrected temp
 Thermometer ID
 PA-US 15238
 PIT

CF

Initials *DLW*

Chain of Custody Record

ATLANTA - ~~Atlanta~~ America

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Project Manager: Dawn Prell

Site Contact: Dawn Prell

Lab Contact: David Fuller

Date: 08/23/2022

COC No. 1 of 1 COCs

Carrier: Home Cook

Sampler: DF / MM / AP / CT

For Lab Use Only:
Walk-in Client:
Lab Sampling:
Job / SDG No.:

Sample Identification	Sample Date	Sample Time	Sample Type (C-Comp, G-Grab)	Matrix	# of Cont.	Analysis Turnaround Time							Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Sample Specific Notes
						CALENDAR DAYS	WORKING DAYS	TAT if different from Below	2 weeks	1 week	2 days	1 day									
SGWC-16	8/22/2022	10:33	G	WG	9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3-5 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=5.09, Fe2=0.0 mg/L	
SGWC-17	8/22/2022	12:59	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>	2 weeks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=6.18, Fe2=0.0 mg/L		
SGWC-19	8/22/2022	10:40	G	WG	11	<input type="checkbox"/>	<input type="checkbox"/>	1 week	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=5.54, Fe2=0.0 mg/L		
SGWC-20	8/22/2022	12:41	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>	2 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=4.30, Fe2=0.0 mg/L		
SGWC-21	8/22/2022	14:00	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>	1 day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=6.17, Fe2=0.0 mg/L		
SGWC-22	8/22/2022	12:35	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=5.62, Fe2=0.0 mg/L		
SGWC-23	8/22/2022	10:25	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X	pH=5.91, Fe2=0.0 mg/L		
DUP-2	8/22/2022	-	G	WG	9	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X			
FB-2	8/22/2022	15:00	G	WQ	9	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N	X	X	X	X	X	X			



Preservation Used: Ca, HCl, H2SO4, HNO3, NaOH, Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Return to Client Disposal by Lab Archive for _____ Months

Relinquished by: <u>Dawn Prell</u>	Company: <u>WSP-6000</u>	Date/Time: <u>08/23/22 08:30</u>	Received by: <u>David Fuller</u>	Company: <u>Home Cook</u>	Date/Time: <u>8/23/22 8:30</u>
Relinquished by: <u>David Fuller</u>	Company: <u>Home Cook</u>	Date/Time: <u>8/23/22 10:30</u>	Received by: <u>David Fuller</u>	Company: <u>Home Cook</u>	Date/Time: <u>8/23/22 10:30</u>
Relinquished by: <u>David Fuller</u>	Company: <u>Home Cook</u>	Date/Time: <u>8/23/22 16:00</u>	Received in Laboratory by: <u>David Fuller</u>	Company: <u>Home Cook</u>	Date/Time: <u>8/24/22 9:00</u>

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019



Chain of Custody Record

ATLANTA - TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.
 Regulatory Program: DW NPDES RCRA Other:

Project Manager: Dawn Prell
 Tel/Fax: 248-536-5445
 Site Contact: Dawn Prell
 Lab Contact: David Fuller
 Date: 08/23/2022
 Carrier: Elaine Cook
 COC No: 1 of 1 COCs

Client Contact:
 Joju Abraham
 Southern Company
 241 Ralph McGill Blvd SE B10185
 Atlanta, GA 30308
 JAbraham@southernco.com
 Project Name: CCR - Plant Scherer AP1
 Site Georgia
 PO#: GL166235021-Y-9-100 02

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
 TAT if different from Below: 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Sample Specific Notes
8/22/2022	17:00	G	WG	9	N	N	X	X	X	X	X	X	X	ph=6.27, Fe2= 0.0 mg/L

Preservation Used: 1- Ice, 2- HCl, 3- H2SO4, 4- HNO3, 5- NaOH, 6- Other
 Possible Hazard Identification: Please List any EPA Hazardous Waste for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazardous Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Return to Client Disposal by Lab Archive for

Relinquished by: *Wans Fung*
 Relinquished by: *Elaine Cook*
 Relinquished by: *Elaine Cook*
 Date/Time: 8/23/22 05:30
 Date/Time: 8/23/22 16:00
 Date/Time: 8/23/22 9:00
 Company: *Wans Fung*
 Company: *Elaine Cook*
 Company: *Elaine Cook*
 Cooler Temp. (°C): Obs'd: _____
 Custody Seal No.: _____
 Therm ID No.: _____



Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

TestAmerica Pittsburgh
301 Alpha Drive
RDC Park
Pittsburgh, PA 15238-2907
phone 412 963 7058 fax 412 963 2468

Chain of Custody Record 244-ATLANTA America

THE LEADER IN ENVIRONMENTAL TESTING


TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other: _____

Project Manager: Dawn Prell
Tel/Fax: 248-536-5445
Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
TAT if different from Below _____ 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Client Contact
Joju Abraham
Southern Company
241 Ralph McGill Blvd SE B10185
Atlanta, GA 30308
j.abraham@southernco.com
Project Name: CCR - Plant Scherer AP1
Site Georgia
PO#: GL166235021-Y-9-100 02

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Carrier	Date: 08/24/2022	COC No	Sampler	CT/MM/AP	For Lab Use Only: Walk-in Client: Lab Sampling	Job / SDG No	Sample Specific Notes	
																							Sample Date
PZ-14S	8/23/2022	16 09	G	WG	9	N	N	X	X	X	X	X	X	X									pH=5.39, Fe2= 0.0 mg/L
PZ-39S	8/23/2022	9 45	G	WG	9	N	N	X	X	X	X	X	X	X									pH=6.75, Fe2= 0.0 mg/L
PZ-40I	8/23/2022	15 05	G	WG	9	N	N	X	X	X	X	X	X	X									pH=6.14, Fe2= 0.5 mg/L
DUP-3	8/23/2022	-	G	WG	9	N	N	X	X	X	X	X	X	X									
EB-3	8/23/2022	9 45	G	WQ	9	N	N	X	X	X	X	X	X	X									
FB-3	8/23/2022	15 45	G	WQ	9	N	N	X	X	X	X	X	X	X									



680-220188 Chain of Custody

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal by Lab Archive for _____ Months

Relinquished by: Dawn Prell Date/Time: 08/24/22 07:45
 Relinquished by: WSP Gordon Date/Time: 08/24/22 07:45
 Relinquished by: Blaine Cook Date/Time: 08/24/22 10:10
 Relinquished by: Blaine Cook Date/Time: 08/24/22 10:10

TestAmerica Pittsburgh
 301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other: _____

Project Manager: Dawn Prell **Site Contact:** Dawn Prell **Date:** 08/24/2022

Tel/Fax: 248-536-5445 **Lab Contact:** David Fuller **Carrier:** _____

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS

TAT if different from Below _____ 3-5 days _____
 2 weeks
 1 week
 2 days
 1 day

Sample Identification	Sample Date	Sample Time	Sample Type (C-comp, G-grab)	Matrix	# of Cont.	Analytes																		
						Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Other									
SGWC-18	8/23/2022	11 01	G	WG	9	N	N	X	X	X	X	X	X											
EB-2	8/23/2022	11 01	G	WQ	9	N	N	X	X	X	X	X	X											

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other


Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Relinquished by	Relinquished by Company	Date/Time	Received by	Received by Company	Date/Time	Cooler Temp (°C)	Obs'd	Therm ID No.
<i>Dawn Fuller</i>	WSP - WORM	08/23/22	<i>Elaine Cook</i>	Company	8/23/22 7:45			
<i>Elaine Cook</i>	Company	8/23/22	<i>Elaine Cook</i>	Company	8/23/22 9:00			
<i>Elaine Cook</i>	Company	8/23/22	<i>Elaine Cook</i>	Company	8/23/22 10:10			



Environment Testing
TestAmerica

RT **yo**
FZ

10:30 **A**
6472
08.25

159469-434 NTW EXP 01/23

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 24AUG22
ACTWT: 46.40 LB
CAD: 859116/CAFE3616


BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 983-7058
INU:
PO:

REF:

DEPT:



FedEx
Express



JJ221022032801UY

4 of 5
MPS# 5220 7120 6472
0263
Mstr# 5220 7120 6440

0201

NA AGCA


THU - 25 AUG 10:30A
PRIORITY OVERNIGHT

15238
PA-US PIT

Uncorrected temp
Thermometer ID

CF D Initials W

PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

TestAmerica Pittsburgh
 301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Record



America
 ENVIRONMENTAL TESTING

ica Laboratories, Inc.

680-220258 Chain of Custody

Client Contact		Regulatory Program:		Site Contact:		Lab Contact:		Carrier:		Sample Specific Notes					
Project Manager: Dawn Prell Tel/Fax: 248-536-5445 Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below 3-5 days <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input checked="" type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other:		Lab Contact: Dawn Prell		Carrier:		Sampler: CT/MM/AP/DF For Lab Use Only: Walk-In Client: Lab Sampling Job / SDG No		UOU No: 1 of 1 COCs					
Sample Identification	Sample Date	Sample Time	Sample Type (C=Com, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO ₄ , TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO ₃ , HCO ₃)	Sulfide	Fe total, Fe ₃ +	Cobalt
PZ-13S	8/24/2022	11 35	G	WG	9	N	N	X	X	X	X	X	X	X	
PZ-171	8/24/2022	10 30	G	WG	9	N	N	X	X	X	X	X	X	X	
PZ-251	8/24/2022	14 05	G	WG	1	N	N							X	
PZ-25S	8/24/2022	14 45	G	WG	1	N	N							X	
PZ-41S	8/24/2022	10 07	G	WG	9	N	N	X	X	X	X	X	X	X	
PZ-43S	8/24/2022	11 56	G	WG	9	N	N	X	X	X	X	X	X	X	
PZ-441	8/24/2022	11 50	G	WG	9	N	N	X	X	X	X	X	X	X	
PZ-691	8/24/2022	14 10	G	WG	9	N	N	X	X	X	X	X	X	X	

Preservation Used: 1=Ice, 2=HCl, 3=H₂SO₄, 4=HNO₃, 5=NaOH, 6=Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazardous Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal by Lab Archive for _____ Months

Relinquished by	Date/Time	Relinquished by	Date/Time	Relinquished by	Date/Time	Company	Therm ID No
Dwane Fulton / Elaine Cook	8/25/22 08:05	Elaine Cook	8/28/22 8:05	Elaine Cook	8/28/22 8:05	Courier Now Company	
Michael Mackel	8/25/22 10:10	Michael Mackel	8/25/22 10:10	Michael Mackel	8/25/22 10:10	Company	
Michael Mackel	8/25/22 10:10	Michael Mackel	8/25/22 10:10	Michael Mackel	8/25/22 10:10	Company	



Client Contact: _____
 Project Manager: Dawn Prell
 Regulatory Program: DW NPDES RCRA Other: _____
 Tel/Fax: 248-536-5445
 Date: 09/01/22
 Carrier: _____
 COC No: _____ of _____ COCs

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Analysis Turnaround Time																
						Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	C1, T1 SO4, TDS	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Fe total, Fe3+	Other	RCRA	NPDES	DW						
SGWC-16	8/31/2022	14:27	G	WG	9	N	X	X	X	X	X	X										
SGWC-17	8/31/2022	12:46	G	WG	9	N	X	X	X	X	X	X										
DUP-2	8/31/2022	-	G	WG	9	N	X	X	X	X	X	X										

Walk-in Client: _____
 Lab Sampling: _____
 Job / SDG No: _____
 Sample Specific Notes: **ROAD TO ST. LOUIS**
 pH=5.10, Fe2= 0.0 mg/L
 pH=6.26, Fe2= 0.0 mg/L

244-ATLANTA
 680-220489 Chain of Custody

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4=HNO3; 5=NaOH; 6= Other
 Possible Hazard Identification: _____
 Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments: _____

Received by	Date/Time	Company	Received by	Date/Time	Company
Mark MAA	09/01/22	WSP/ Galder	DW	09/01/22	WSP/ Galder
Received by	09/01/22	Company	Received by	09/01/22	Company
Received by	09/01/22	Company	Received in Laboratory by	09/01/22	Company

Cooler Temp (°C) Obs'd _____
 Return to Client Disposal by Lab Archive for _____ Months

Date/Time: 09/01/22 10:35
 Date/Time: 09/01/22 10:35



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 219964

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

List Creation: 08/19/22 07:51 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 219967

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 219967

List Number: 3

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

List Creation: 08/20/22 02:10 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 219967

List Number: 5

Creator: Martin, Matthew A

List Source: Eurofins Pittsburgh

List Creation: 09/29/22 08:28 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220073

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220076

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220076

List Number: 4

Creator: Reagle, Carl M

List Source: Eurofins Pittsburgh

List Creation: 10/06/22 12:12 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220188

List Number: 3

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220258

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-1

Login Number: 220489

List Source: Eurofins Pittsburgh

List Number: 2

Creator: Watson, Debbie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

Laboratory Job ID: 680-219964-2
Client Project/Site: CCR - Plant Scherer AP1

For:
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:
10/17/2022 5:17:48 PM

David Fuller, Project Manager
(770)344-8986
David.Fuller@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-219964-1	SGWA-1	Water	08/17/22 15:13	08/19/22 09:00
680-219964-2	SGWA-2	Water	08/17/22 14:45	08/19/22 09:00
680-219967-1	SGWA-3	Water	08/18/22 09:49	08/20/22 09:00
680-219967-2	SGWA-4	Water	08/18/22 15:20	08/20/22 09:00
680-219967-3	SGWA-5	Water	08/18/22 12:45	08/20/22 09:00
680-219967-4	SGWA-24	Water	08/18/22 15:25	08/20/22 09:00
680-219967-5	SGWA-25	Water	08/18/22 10:10	08/20/22 09:00
680-219967-6	SGWC-7	Water	08/18/22 10:00	08/20/22 09:00
680-219967-7	SGWC-8	Water	08/18/22 12:15	08/20/22 09:00
680-219967-8	SGWC-9	Water	08/18/22 13:55	08/20/22 09:00
680-219967-9	SGWC-11	Water	08/18/22 12:08	08/20/22 09:00
680-219967-10	SGWC-12	Water	08/18/22 13:10	08/20/22 09:00
680-219967-11	SGWC-13	Water	08/18/22 14:34	08/20/22 09:00
680-219967-12	FB-1	Water	08/18/22 16:40	08/20/22 09:00
680-219967-13	EB-1	Water	08/18/22 16:30	08/20/22 09:00
680-219967-14	DUP-1	Water	08/18/22 00:00	08/20/22 09:00
680-219967-15	SGWC-6	Water	08/19/22 10:10	08/20/22 09:00
680-219967-16	SGWC-10	Water	08/19/22 09:30	08/20/22 09:00
680-219967-17	SGWC-14	Water	08/19/22 09:22	08/20/22 09:00
680-219967-18	SGWC-15	Water	08/19/22 10:15	08/20/22 09:00
680-220073-3	SGWC-19	Water	08/22/22 10:40	08/24/22 09:00
680-220073-4	SGWC-20	Water	08/22/22 12:41	08/24/22 09:00
680-220073-5	SGWC-21	Water	08/22/22 14:00	08/24/22 09:00
680-220073-6	SGWC-22	Water	08/22/22 12:35	08/24/22 09:00
680-220073-7	SGWC-23	Water	08/22/22 10:25	08/24/22 09:00
680-220073-9	FB-2	Water	08/22/22 15:00	08/24/22 09:00
680-220076-1	PZ-42I	Water	08/22/22 17:00	08/24/22 09:00
680-220188-1	PZ-14S	Water	08/23/22 16:09	08/26/22 11:52
680-220188-2	PZ-39S	Water	08/23/22 09:45	08/26/22 11:52
680-220188-3	PZ-40I	Water	08/23/22 15:05	08/26/22 11:52
680-220188-4	DUP-3	Water	08/23/22 00:00	08/26/22 11:52
680-220188-5	EB-3	Water	08/23/22 09:45	08/26/22 11:52
680-220188-6	FB-3	Water	08/23/22 15:45	08/26/22 11:52
680-220188-7	SGWC-18	Water	08/23/22 11:01	08/26/22 11:52
680-220188-8	EB-2	Water	08/23/22 11:01	08/26/22 11:52
680-220258-1	PZ-13S	Water	08/24/22 11:35	08/26/22 09:00
680-220258-2	PZ-17I	Water	08/24/22 10:30	08/26/22 09:00
680-220258-5	PZ-41S	Water	08/24/22 10:07	08/26/22 09:00
680-220258-6	PZ-43S	Water	08/24/22 11:56	08/26/22 09:00
680-220258-7	PZ-44I	Water	08/24/22 11:50	08/26/22 09:00
680-220258-8	PZ-69I	Water	08/24/22 14:10	08/26/22 09:00
680-220489-1	SGWC-16	Water	08/31/22 14:27	09/02/22 09:00
680-220489-2	SGWC-17	Water	08/31/22 12:46	09/02/22 09:00
680-220489-3	DUP-2	Water	08/31/22 00:00	09/02/22 09:00



Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Job ID: 680-219964-2

Laboratory: Eurofins Savannah

Narrative

Job Narrative 680-219964-2

Receipt

The samples were received on 8/19/2022 9:00 AM, 8/20/2022 9:00 AM, 8/24/2022 9:00 AM, 8/26/2022 9:00 AM, 8/26/2022 11:52 AM and 9/2/2022 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 17 coolers at receipt time were 1.1°C, 1.4°C, 1.6°C, 1.6°C, 2.0°C, 2.2°C, 2.2°C, 2.6°C, 3.3°C, 4.4°C, 4.9°C, 5.3°C, 5.7°C, 5.8°C, 5.8°C, 5.9°C and 5.9°C

Receipt Exceptions

The following samples were listed on the Chain of Custody (COC); however, no samples were received: there is a missing cooler from this shipment SGWC-16 (680-220073-1), SGWC-17 (680-220073-2) and DUP-2 (680-220073-8).

We received container K-3 with a pH>2 SU while the requested analysis require a pH<2 SU. So, with permission we added 2mL of nitric to the bottle which resolved this issue. SGWC-19 (680-220073-3).

Gas Flow Proportional Counter

Method 9315_Ra226: Radium-226 Prep Batch 160-581063 The following samples were prepared at a reduced aliquot due to Matrix: SGWC-21 (680-220073-5), PZ-40I (680-220188-3), DUP-3 (680-220188-4), PZ-13S (680-220258-1) and PZ-69I (680-220258-8). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method 9315_Ra226: Radium-226 batch 581008 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-18 (680-220188-7), (LCS 160-581008/2-A), (MB 160-581008/1-A), (500-221556-F-1-A) and (500-221556-E-1-A DU)

Method 9315_Ra226: Radium-226 batch 581063 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-19 (680-220073-3), SGWC-20 (680-220073-4), SGWC-21 (680-220073-5), SGWC-22 (680-220073-6), SGWC-23 (680-220073-7), FB-2 (680-220073-9), PZ-14S (680-220188-1), PZ-39S (680-220188-2), PZ-40I (680-220188-3), DUP-3 (680-220188-4), EB-3 (680-220188-5), FB-3 (680-220188-6), EB-2 (680-220188-8), PZ-13S (680-220258-1), PZ-17I (680-220258-2), PZ-41S (680-220258-5), PZ-43S (680-220258-6), PZ-44I (680-220258-7), PZ-69I (680-220258-8), (LCS 160-581063/2-A), (LCSD 160-581063/3-A) and (MB 160-581063/1-A)

Method 9315_Ra226: Radium-226 batch 581312 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-42I (680-220076-1), (LCS 160-581312/2-A), (LCSD 160-581312/3-A) and (MB 160-581312/1-A)

Method 9315_Ra226: Radium-226 batch 581278 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWA-1 (680-219964-1), SGWA-2 (680-219964-2), SGWA-3 (680-219967-1), SGWA-4 (680-219967-2), SGWA-5 (680-219967-3), SGWA-24 (680-219967-4), SGWA-25 (680-219967-5), SGWC-7 (680-219967-6), SGWC-8 (680-219967-7), SGWC-9 (680-219967-8), SGWC-11 (680-219967-9), SGWC-12 (680-219967-10), SGWC-13 (680-219967-11), FB-1 (680-219967-12), EB-1 (680-219967-13), DUP-1 (680-219967-14), SGWC-6 (680-219967-15), SGWC-10 (680-219967-16), SGWC-14 (680-219967-17), SGWC-15 (680-219967-18), (LCS 160-581278/2-A), (LCSD 160-581278/3-A) and (MB 160-581278/1-A)

Method 9315_Ra226: Radium-226 batch 581325 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-16 (680-220489-1), SGWC-17 (680-220489-2), DUP-2 (680-220489-3), (LCS 160-581325/2-A), (LCSD 160-581325/3-A) and (MB 160-581325/1-A)

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Job ID: 680-219964-2 (Continued)

Laboratory: Eurofins Savannah (Continued)

Method 9320_Ra228: Radium 228 Batch 160-581314: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. PZ-42I (680-220076-1), (LCS 160-581314/2-A), (LCSD 160-581314/3-A) and (MB 160-581314/1-A)

Method 9320_Ra228: Radium 228 Batch 160-581384: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-16 (680-220489-1), SGWC-17 (680-220489-2), DUP-2 (680-220489-3), (LCS 160-581384/2-A), (LCSD 160-581384/3-A) and (MB 160-581384/1-A)

Method 9320_Ra228: Radium-228 batch 582886 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-18 (680-220188-7), (LCS 160-582886/2-A), (MB 160-582886/1-A), (500-221556-F-2-A) and (500-221556-E-2-A DU)

Method 9320_Ra228: Radium 228 batch 160-583327: Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWA-1 (680-219964-1), SGWA-2 (680-219964-2), SGWA-3 (680-219967-1), SGWA-4 (680-219967-2), SGWA-5 (680-219967-3), SGWA-24 (680-219967-4), SGWA-25 (680-219967-5), SGWC-7 (680-219967-6), SGWC-8 (680-219967-7), SGWC-9 (680-219967-8), SGWC-11 (680-219967-9), SGWC-12 (680-219967-10), SGWC-13 (680-219967-11), FB-1 (680-219967-12), EB-1 (680-219967-13), DUP-1 (680-219967-14), SGWC-6 (680-219967-15), SGWC-10 (680-219967-16), SGWC-14 (680-219967-17), SGWC-15 (680-219967-18), (LCS 160-583327/2-A), (LCSD 160-583327/3-A) and (MB 160-583327/1-A)

Method 9320_Ra228: Radium-228 batch 583207 Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. SGWC-19 (680-220073-3), SGWC-20 (680-220073-4), SGWC-21 (680-220073-5), SGWC-22 (680-220073-6), SGWC-23 (680-220073-7), FB-2 (680-220073-9), PZ-14S (680-220188-1), PZ-39S (680-220188-2), PZ-40I (680-220188-3), DUP-3 (680-220188-4), EB-3 (680-220188-5), FB-3 (680-220188-6), EB-2 (680-220188-8), PZ-13S (680-220258-1), PZ-17I (680-220258-2), PZ-41S (680-220258-5), PZ-43S (680-220258-6), PZ-44I (680-220258-7), PZ-69I (680-220258-8), (LCS 160-583207/2-A), (LCSD 160-583207/3-A) and (MB 160-583207/1-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-1

Lab Sample ID: 680-219964-1

Date Collected: 08/17/22 15:13

Matrix: Water

Date Received: 08/19/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0772	U	0.0624	0.0628	1.00	0.0881	pCi/L	09/08/22 12:28	09/30/22 09:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.3		40 - 110					09/08/22 12:28	09/30/22 09:10	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.674		0.344	0.349	1.00	0.484	pCi/L	09/23/22 11:23	10/03/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.6		40 - 110					09/23/22 11:23	10/03/22 12:52	1
Y Carrier	89.0		40 - 110					09/23/22 11:23	10/03/22 12:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.751		0.350	0.355	5.00	0.484	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWA-2

Lab Sample ID: 680-219964-2

Date Collected: 08/17/22 14:45

Matrix: Water

Date Received: 08/19/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00748	U	0.0705	0.0705	1.00	0.141	pCi/L	09/08/22 12:28	09/30/22 09:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	74.6		40 - 110					09/08/22 12:28	09/30/22 09:11	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.137	U	0.252	0.252	1.00	0.510	pCi/L	09/23/22 11:23	10/03/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.9		40 - 110					09/23/22 11:23	10/03/22 12:52	1
Y Carrier	86.7		40 - 110					09/23/22 11:23	10/03/22 12:52	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-2

Lab Sample ID: 680-219964-2

Date Collected: 08/17/22 14:45

Matrix: Water

Date Received: 08/19/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.129	U	0.262	0.262	5.00	0.510	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWA-3

Lab Sample ID: 680-219967-1

Date Collected: 08/18/22 09:49

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.145		0.0982	0.0991	1.00	0.132	pCi/L	09/08/22 12:28	09/30/22 09:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	66.9		40 - 110					09/08/22 12:28	09/30/22 09:11	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.704		0.327	0.333	1.00	0.436	pCi/L	09/23/22 11:23	10/03/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.1		40 - 110					09/23/22 11:23	10/03/22 12:52	1
Y Carrier	88.6		40 - 110					09/23/22 11:23	10/03/22 12:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.849		0.341	0.347	5.00	0.436	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWA-4

Lab Sample ID: 680-219967-2

Date Collected: 08/18/22 15:20

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0820	U	0.0737	0.0741	1.00	0.112	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.6		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-4

Lab Sample ID: 680-219967-2

Date Collected: 08/18/22 15:20

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.565	U	0.380	0.383	1.00	0.578	pCi/L	09/23/22 11:23	10/03/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.6		40 - 110					09/23/22 11:23	10/03/22 12:53	1
Y Carrier	87.9		40 - 110					09/23/22 11:23	10/03/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.647		0.387	0.390	5.00	0.578	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWA-5

Lab Sample ID: 680-219967-3

Date Collected: 08/18/22 12:45

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0418	U	0.0712	0.0713	1.00	0.124	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.1		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.550		0.312	0.316	1.00	0.445	pCi/L	09/23/22 11:23	10/03/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.6		40 - 110					09/23/22 11:23	10/03/22 12:53	1
Y Carrier	90.8		40 - 110					09/23/22 11:23	10/03/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.592		0.320	0.324	5.00	0.445	pCi/L		10/04/22 20:26	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-24

Lab Sample ID: 680-219967-4

Date Collected: 08/18/22 15:25

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0257	U	0.0706	0.0707	1.00	0.130	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.237	U	0.295	0.296	1.00	0.490	pCi/L	09/23/22 11:23	10/03/22 12:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.0		40 - 110					09/23/22 11:23	10/03/22 12:50	1
Y Carrier	92.0		40 - 110					09/23/22 11:23	10/03/22 12:50	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.263	U	0.303	0.304	5.00	0.490	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWA-25

Lab Sample ID: 680-219967-5

Date Collected: 08/18/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0385	U	0.0717	0.0718	1.00	0.126	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.3		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.333	U	0.331	0.333	1.00	0.534	pCi/L	09/23/22 11:23	10/03/22 12:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.6		40 - 110					09/23/22 11:23	10/03/22 12:50	1
Y Carrier	85.2		40 - 110					09/23/22 11:23	10/03/22 12:50	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-25

Lab Sample ID: 680-219967-5

Date Collected: 08/18/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.371	U	0.339	0.341	5.00	0.534	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-7

Lab Sample ID: 680-219967-6

Date Collected: 08/18/22 10:00

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0861	U	0.0846	0.0849	1.00	0.133	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.6		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.223	U	0.274	0.275	1.00	0.453	pCi/L	09/23/22 11:23	10/03/22 12:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.0		40 - 110					09/23/22 11:23	10/03/22 12:57	1
Y Carrier	90.8		40 - 110					09/23/22 11:23	10/03/22 12:57	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.309	U	0.287	0.288	5.00	0.453	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-8

Lab Sample ID: 680-219967-7

Date Collected: 08/18/22 12:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.610		0.150	0.160	1.00	0.127	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-8

Lab Sample ID: 680-219967-7

Date Collected: 08/18/22 12:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.97		0.433	0.470	1.00	0.388	pCi/L	09/23/22 11:23	10/03/22 12:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.8		40 - 110					09/23/22 11:23	10/03/22 12:57	1
Y Carrier	90.5		40 - 110					09/23/22 11:23	10/03/22 12:57	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.58		0.458	0.496	5.00	0.388	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-9

Lab Sample ID: 680-219967-8

Date Collected: 08/18/22 13:55

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0560	U	0.0593	0.0595	1.00	0.0930	pCi/L	09/08/22 12:28	09/30/22 09:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.5		40 - 110					09/08/22 12:28	09/30/22 09:15	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.219	U	0.267	0.268	1.00	0.442	pCi/L	09/23/22 11:23	10/03/22 12:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.6		40 - 110					09/23/22 11:23	10/03/22 12:57	1
Y Carrier	91.2		40 - 110					09/23/22 11:23	10/03/22 12:57	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.275	U	0.274	0.275	5.00	0.442	pCi/L		10/04/22 20:26	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-11

Lab Sample ID: 680-219967-9

Date Collected: 08/18/22 12:08

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0460	U	0.0667	0.0668	1.00	0.114	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.1		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.347	U	0.321	0.323	1.00	0.512	pCi/L	09/23/22 11:23	10/03/22 12:57	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					09/23/22 11:23	10/03/22 12:57	1
Y Carrier	89.7		40 - 110					09/23/22 11:23	10/03/22 12:57	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.393	U	0.328	0.330	5.00	0.512	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-12

Lab Sample ID: 680-219967-10

Date Collected: 08/18/22 13:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0454	U	0.0667	0.0668	1.00	0.114	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.1		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.339	U	0.308	0.310	1.00	0.489	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.4		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	89.3		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-12

Lab Sample ID: 680-219967-10

Date Collected: 08/18/22 13:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.384	U	0.315	0.317	5.00	0.489	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-13

Lab Sample ID: 680-219967-11

Date Collected: 08/18/22 14:34

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0215	U	0.0576	0.0576	1.00	0.108	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.1		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.355	U	0.292	0.294	1.00	0.454	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.6		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	91.2		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.377	U	0.298	0.300	5.00	0.454	pCi/L		10/04/22 20:26	1

Client Sample ID: FB-1

Lab Sample ID: 680-219967-12

Date Collected: 08/18/22 16:40

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0130	U	0.0777	0.0777	1.00	0.148	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: FB-1

Lab Sample ID: 680-219967-12

Date Collected: 08/18/22 16:40

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.535		0.328	0.331	1.00	0.473	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.0		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	90.8		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.548		0.337	0.340	5.00	0.473	pCi/L		10/04/22 20:26	1

Client Sample ID: EB-1

Lab Sample ID: 680-219967-13

Date Collected: 08/18/22 16:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0460	U	0.0640	0.0641	1.00	0.108	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.277	U	0.286	0.287	1.00	0.463	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.6		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	91.6		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.323	U	0.293	0.294	5.00	0.463	pCi/L		10/04/22 20:26	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: DUP-1

Lab Sample ID: 680-219967-14

Date Collected: 08/18/22 00:00

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0350	U	0.0856	0.0857	1.00	0.156	pCi/L	09/08/22 12:28	09/30/22 09:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.8		40 - 110					09/08/22 12:28	09/30/22 09:16	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.155	U	0.281	0.281	1.00	0.484	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.7		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	90.1		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.190	U	0.294	0.294	5.00	0.484	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00151	U	0.0527	0.0527	1.00	0.110	pCi/L	09/08/22 12:28	09/30/22 11:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.6		40 - 110					09/08/22 12:28	09/30/22 11:07	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.245	U	0.266	0.266	1.00	0.432	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.6		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	93.5		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.243	U	0.271	0.271	5.00	0.432	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-10

Lab Sample ID: 680-219967-16

Date Collected: 08/19/22 09:30

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.00598	U	0.0519	0.0519	1.00	0.105	pCi/L	09/08/22 12:28	09/30/22 11:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.8		40 - 110					09/08/22 12:28	09/30/22 11:07	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.600		0.310	0.315	1.00	0.429	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.1		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	91.2		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.606		0.314	0.319	5.00	0.429	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-14

Lab Sample ID: 680-219967-17

Date Collected: 08/19/22 09:22

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00166	U	0.0493	0.0493	1.00	0.107	pCi/L	09/08/22 12:28	09/30/22 11:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.0		40 - 110					09/08/22 12:28	09/30/22 11:07	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-14

Lab Sample ID: 680-219967-17

Date Collected: 08/19/22 09:22

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.379	U	0.264	0.267	1.00	0.395	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.8		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	94.2		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.378	U	0.269	0.272	5.00	0.395	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-15

Lab Sample ID: 680-219967-18

Date Collected: 08/19/22 10:15

Matrix: Water

Date Received: 08/20/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0728	U	0.0797	0.0800	1.00	0.129	pCi/L	09/08/22 12:28	09/30/22 11:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.6		40 - 110					09/08/22 12:28	09/30/22 11:07	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.386	U	0.263	0.266	1.00	0.388	pCi/L	09/23/22 11:23	10/03/22 12:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.6		40 - 110					09/23/22 11:23	10/03/22 12:58	1
Y Carrier	92.3		40 - 110					09/23/22 11:23	10/03/22 12:58	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.459		0.275	0.278	5.00	0.388	pCi/L		10/04/22 20:26	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-19

Lab Sample ID: 680-220073-3

Date Collected: 08/22/22 10:40

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0392	U	0.0631	0.0632	1.00	0.110	pCi/L	09/07/22 11:34	09/29/22 08:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					09/07/22 11:34	09/29/22 08:13	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.317	U	0.368	0.369	1.00	0.605	pCi/L	09/22/22 15:55	10/04/22 12:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		40 - 110					09/22/22 15:55	10/04/22 12:50	1
Y Carrier	84.1		40 - 110					09/22/22 15:55	10/04/22 12:50	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.356	U	0.373	0.374	5.00	0.605	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0224	U	0.0732	0.0732	1.00	0.137	pCi/L	09/07/22 11:34	09/29/22 08:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.6		40 - 110					09/07/22 11:34	09/29/22 08:13	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.453	U	0.345	0.348	1.00	0.533	pCi/L	09/22/22 15:55	10/04/22 12:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.3		40 - 110					09/22/22 15:55	10/04/22 12:50	1
Y Carrier	82.2		40 - 110					09/22/22 15:55	10/04/22 12:50	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.475	U	0.353	0.356	5.00	0.533	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-21

Lab Sample ID: 680-220073-5

Date Collected: 08/22/22 14:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0582	U	0.0772	0.0774	1.00	0.129	pCi/L	09/07/22 11:34	09/29/22 08:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.3		40 - 110					09/07/22 11:34	09/29/22 08:14	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.507	U	0.366	0.369	1.00	0.560	pCi/L	09/22/22 15:55	10/04/22 12:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.6		40 - 110					09/22/22 15:55	10/04/22 12:50	1
Y Carrier	85.6		40 - 110					09/22/22 15:55	10/04/22 12:50	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.565		0.374	0.377	5.00	0.560	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0279	U	0.0720	0.0721	1.00	0.131	pCi/L	09/07/22 11:34	09/29/22 08:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.3		40 - 110					09/07/22 11:34	09/29/22 08:14	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.604		0.348	0.353	1.00	0.502	pCi/L	09/22/22 15:55	10/04/22 12:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					09/22/22 15:55	10/04/22 12:51	1
Y Carrier	86.7		40 - 110					09/22/22 15:55	10/04/22 12:51	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.632		0.355	0.360	5.00	0.502	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-23

Lab Sample ID: 680-220073-7

Date Collected: 08/22/22 10:25

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0577	U	0.0904	0.0906	1.00	0.155	pCi/L	09/07/22 11:34	09/29/22 08:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.8		40 - 110					09/07/22 11:34	09/29/22 08:14	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0161	U	0.279	0.279	1.00	0.516	pCi/L	09/22/22 15:55	10/04/22 12:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.6		40 - 110					09/22/22 15:55	10/04/22 12:51	1
Y Carrier	88.2		40 - 110					09/22/22 15:55	10/04/22 12:51	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0738	U	0.293	0.293	5.00	0.516	pCi/L		10/04/22 20:26	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: FB-2

Lab Sample ID: 680-220073-9

Date Collected: 08/22/22 15:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0528	U	0.0587	0.0589	1.00	0.0933	pCi/L	09/07/22 11:34	09/29/22 10:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		40 - 110					09/07/22 11:34	09/29/22 10:00	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.788		0.371	0.378	1.00	0.509	pCi/L	09/22/22 15:55	10/04/22 12:51	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					09/22/22 15:55	10/04/22 12:51	1
Y Carrier	91.2		40 - 110					09/22/22 15:55	10/04/22 12:51	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.841		0.376	0.383	5.00	0.509	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0224	U	0.0622	0.0622	1.00	0.116	pCi/L	09/08/22 17:12	09/30/22 07:17	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		40 - 110					09/08/22 17:12	09/30/22 07:17	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.379	U	0.309	0.311	1.00	0.480	pCi/L	09/08/22 17:40	09/23/22 11:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		40 - 110					09/08/22 17:40	09/23/22 11:02	1
Y Carrier	82.6		40 - 110					09/08/22 17:40	09/23/22 11:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.401	U	0.315	0.317	5.00	0.480	pCi/L		09/30/22 14:22	1

Client Sample ID: PZ-14S

Lab Sample ID: 680-220188-1

Date Collected: 08/23/22 16:09

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0637	U	0.0843	0.0845	1.00	0.141	pCi/L	09/07/22 11:34	09/29/22 10:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	57.3		40 - 110					09/07/22 11:34	09/29/22 10:00	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.369	U	0.517	0.518	1.00	0.869	pCi/L	09/22/22 15:55	10/04/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	49.6		40 - 110					09/22/22 15:55	10/04/22 12:52	1
Y Carrier	87.9		40 - 110					09/22/22 15:55	10/04/22 12:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.432	U	0.524	0.525	5.00	0.869	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-39S

Lab Sample ID: 680-220188-2

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0482	U	0.126	0.126	1.00	0.228	pCi/L	09/07/22 11:34	09/29/22 10:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	52.3		40 - 110					09/07/22 11:34	09/29/22 10:00	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-39S

Date Collected: 08/23/22 09:45

Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-2

Matrix: Water

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.517	U	0.360	0.364	1.00	0.538	pCi/L	09/22/22 15:55	10/04/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.1		40 - 110					09/22/22 15:55	10/04/22 12:52	1
Y Carrier	89.0		40 - 110					09/22/22 15:55	10/04/22 12:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.565		0.381	0.385	5.00	0.538	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-40I

Date Collected: 08/23/22 15:05

Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-3

Matrix: Water

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.112	U	0.114	0.115	1.00	0.181	pCi/L	09/07/22 11:34	09/29/22 10:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.9		40 - 110					09/07/22 11:34	09/29/22 10:00	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.874		0.357	0.366	1.00	0.450	pCi/L	09/22/22 15:55	10/04/22 12:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.1		40 - 110					09/22/22 15:55	10/04/22 12:52	1
Y Carrier	87.5		40 - 110					09/22/22 15:55	10/04/22 12:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.986		0.375	0.384	5.00	0.450	pCi/L		10/04/22 20:26	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: DUP-3

Lab Sample ID: 680-220188-4

Date Collected: 08/23/22 00:00

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0199	U	0.0829	0.0829	1.00	0.165	pCi/L	09/07/22 11:34	09/29/22 10:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	64.9		40 - 110					09/07/22 11:34	09/29/22 10:02	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0472	U	0.338	0.338	1.00	0.622	pCi/L	09/22/22 15:55	10/04/22 12:55	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.5		40 - 110					09/22/22 15:55	10/04/22 12:55	1
Y Carrier	89.3		40 - 110					09/22/22 15:55	10/04/22 12:55	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0671	U	0.348	0.348	5.00	0.622	pCi/L		10/04/22 20:26	1

Client Sample ID: EB-3

Lab Sample ID: 680-220188-5

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0146	U	0.0480	0.0481	1.00	0.0940	pCi/L	09/07/22 11:34	09/29/22 10:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.1		40 - 110					09/07/22 11:34	09/29/22 10:02	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.347	U	0.312	0.313	1.00	0.492	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.6		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	86.7		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: EB-3

Lab Sample ID: 680-220188-5

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.361	U	0.316	0.317	5.00	0.492	pCi/L		10/04/22 20:26	1

Client Sample ID: FB-3

Lab Sample ID: 680-220188-6

Date Collected: 08/23/22 15:45

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0354	U	0.0591	0.0591	1.00	0.103	pCi/L	09/07/22 11:34	09/29/22 10:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.0		40 - 110					09/07/22 11:34	09/29/22 10:02	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.635		0.393	0.397	1.00	0.568	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	76.9		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	84.9		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.670		0.397	0.401	5.00	0.568	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-18

Lab Sample ID: 680-220188-7

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0102	U	0.0378	0.0378	1.00	0.0902	pCi/L	09/06/22 15:03	09/28/22 17:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.6		40 - 110					09/06/22 15:03	09/28/22 17:06	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-18

Lab Sample ID: 680-220188-7

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.355	U	0.353	0.354	1.00	0.569	pCi/L	09/20/22 15:24	09/30/22 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					09/20/22 15:24	09/30/22 12:11	1
Y Carrier	84.9		40 - 110					09/20/22 15:24	09/30/22 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.345	U	0.355	0.356	5.00	0.569	pCi/L		10/04/22 20:26	1

Client Sample ID: EB-2

Lab Sample ID: 680-220188-8

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0142	U	0.0541	0.0541	1.00	0.105	pCi/L	09/07/22 11:34	09/29/22 10:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					09/07/22 11:34	09/29/22 10:02	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.414	U	0.338	0.340	1.00	0.521	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.3		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	88.6		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.428	U	0.342	0.344	5.00	0.521	pCi/L		10/04/22 20:26	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-13S

Lab Sample ID: 680-220258-1

Date Collected: 08/24/22 11:35

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0219	U	0.0498	0.0498	1.00	0.123	pCi/L	09/07/22 11:34	09/29/22 10:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.8		40 - 110					09/07/22 11:34	09/29/22 10:03	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.256	U	0.304	0.305	1.00	0.501	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.9		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	89.3		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.234	U	0.308	0.309	5.00	0.501	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-17I

Lab Sample ID: 680-220258-2

Date Collected: 08/24/22 10:30

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.0240	U	0.0413	0.0414	1.00	0.103	pCi/L	09/07/22 11:34	09/29/22 10:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.0		40 - 110					09/07/22 11:34	09/29/22 10:03	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.149	U	0.328	0.328	1.00	0.568	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.5		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	90.8		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-171

Date Collected: 08/24/22 10:30

Date Received: 08/26/22 09:00

Lab Sample ID: 680-220258-2

Matrix: Water

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.125	U	0.331	0.331	5.00	0.568	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-41S

Date Collected: 08/24/22 10:07

Date Received: 08/26/22 09:00

Lab Sample ID: 680-220258-5

Matrix: Water

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00372	U	0.0384	0.0384	1.00	0.0877	pCi/L	09/07/22 11:34	09/29/22 10:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.8		40 - 110					09/07/22 11:34	09/29/22 10:03	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.460		0.304	0.307	1.00	0.450	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.5		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	90.1		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.456		0.306	0.309	5.00	0.450	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-43S

Date Collected: 08/24/22 11:56

Date Received: 08/26/22 09:00

Lab Sample ID: 680-220258-6

Matrix: Water

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0210	U	0.0515	0.0515	1.00	0.0965	pCi/L	09/07/22 11:34	09/29/22 10:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.3		40 - 110					09/07/22 11:34	09/29/22 10:03	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-43S

Lab Sample ID: 680-220258-6

Date Collected: 08/24/22 11:56

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.220	U	0.262	0.262	1.00	0.431	pCi/L	09/22/22 15:55	10/04/22 12:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.8		40 - 110					09/22/22 15:55	10/04/22 12:53	1
Y Carrier	89.7		40 - 110					09/22/22 15:55	10/04/22 12:53	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.241	U	0.267	0.267	5.00	0.431	pCi/L		10/04/22 20:26	1

Client Sample ID: PZ-44I

Lab Sample ID: 680-220258-7

Date Collected: 08/24/22 11:50

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0536	U	0.0554	0.0556	1.00	0.0859	pCi/L	09/07/22 11:34	09/29/22 10:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110					09/07/22 11:34	09/29/22 10:04	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0445	U	0.266	0.266	1.00	0.484	pCi/L	09/22/22 15:55	10/04/22 12:55	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.5		40 - 110					09/22/22 15:55	10/04/22 12:55	1
Y Carrier	87.5		40 - 110					09/22/22 15:55	10/04/22 12:55	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0981	U	0.272	0.272	5.00	0.484	pCi/L		10/04/22 20:26	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-69I

Lab Sample ID: 680-220258-8

Date Collected: 08/24/22 14:10

Matrix: Water

Date Received: 08/26/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0533	U	0.0948	0.0949	1.00	0.167	pCi/L	09/07/22 11:34	09/29/22 10:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.7		40 - 110					09/07/22 11:34	09/29/22 10:04	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.405	U	0.286	0.288	1.00	0.426	pCi/L	09/22/22 15:55	10/04/22 12:55	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.1		40 - 110					09/22/22 15:55	10/04/22 12:55	1
Y Carrier	89.7		40 - 110					09/22/22 15:55	10/04/22 12:55	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.458		0.301	0.303	5.00	0.426	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-16

Lab Sample ID: 680-220489-1

Date Collected: 08/31/22 14:27

Matrix: Water

Date Received: 09/02/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-0.00952	U	0.0444	0.0444	1.00	0.102	pCi/L	09/08/22 18:47	09/30/22 14:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.9		40 - 110					09/08/22 18:47	09/30/22 14:06	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.320	U	0.351	0.352	1.00	0.573	pCi/L	09/08/22 19:08	09/23/22 11:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.9		40 - 110					09/08/22 19:08	09/23/22 11:13	1
Y Carrier	80.4		40 - 110					09/08/22 19:08	09/23/22 11:13	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-16

Lab Sample ID: 680-220489-1

Date Collected: 08/31/22 14:27

Matrix: Water

Date Received: 09/02/22 09:00

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.310	U	0.354	0.355	5.00	0.573	pCi/L		10/04/22 20:26	1

Client Sample ID: SGWC-17

Lab Sample ID: 680-220489-2

Date Collected: 08/31/22 12:46

Matrix: Water

Date Received: 09/02/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0440	U	0.0580	0.0581	1.00	0.0967	pCi/L	09/08/22 18:47	09/30/22 14:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.6		40 - 110					09/08/22 18:47	09/30/22 14:06	1

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.390	U	0.318	0.320	1.00	0.492	pCi/L	09/08/22 19:08	09/23/22 11:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.6		40 - 110					09/08/22 19:08	09/23/22 11:13	1
Y Carrier	80.7		40 - 110					09/08/22 19:08	09/23/22 11:13	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.434	U	0.323	0.325	5.00	0.492	pCi/L		10/04/22 20:26	1

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Method: SW846 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0217	U	0.0624	0.0625	1.00	0.117	pCi/L	09/08/22 18:47	09/30/22 14:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.8		40 - 110					09/08/22 18:47	09/30/22 14:06	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Method: SW846 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.287	U	0.305	0.307	1.00	0.495	pCi/L	09/08/22 19:08	09/23/22 11:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.8		40 - 110					09/08/22 19:08	09/23/22 11:13	1
Y Carrier	80.4		40 - 110					09/08/22 19:08	09/23/22 11:13	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.309	U	0.311	0.313	5.00	0.495	pCi/L		10/04/22 20:26	1



Tracer/Carrier Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)			
Lab Sample ID	Client Sample ID	Ba (40-110)			
500-221556-E-1-A DU	Duplicate	88.9			
680-219964-1	SGWA-1	98.3			
680-219964-2	SGWA-2	74.6			
680-219967-1	SGWA-3	66.9			
680-219967-2	SGWA-4	94.6			
680-219967-3	SGWA-5	91.1			
680-219967-4	SGWA-24	96.0			
680-219967-5	SGWA-25	97.3			
680-219967-6	SGWC-7	92.6			
680-219967-7	SGWC-8	96.0			
680-219967-8	SGWC-9	97.5			
680-219967-9	SGWC-11	90.1			
680-219967-10	SGWC-12	90.1			
680-219967-11	SGWC-13	93.1			
680-219967-12	FB-1	96.3			
680-219967-13	EB-1	96.3			
680-219967-14	DUP-1	79.8			
680-219967-15	SGWC-6	93.6			
680-219967-16	SGWC-10	97.8			
680-219967-17	SGWC-14	84.0			
680-219967-18	SGWC-15	95.6			
680-220073-3	SGWC-19	94.3			
680-220073-4	SGWC-20	94.6			
680-220073-5	SGWC-21	95.3			
680-220073-6	SGWC-22	92.3			
680-220073-7	SGWC-23	92.8			
680-220073-9	FB-2	94.8			
680-220076-1	PZ-42I	93.8			
680-220188-1	PZ-14S	57.3			
680-220188-2	PZ-39S	52.3			
680-220188-3	PZ-40I	85.9			
680-220188-4	DUP-3	64.9			
680-220188-5	EB-3	92.1			
680-220188-6	FB-3	96.0			
680-220188-7	SGWC-18	95.6			
680-220188-8	EB-2	94.1			
680-220258-1	PZ-13S	99.8			
680-220258-2	PZ-17I	97.0			
680-220258-5	PZ-41S	98.8			
680-220258-6	PZ-43S	93.3			
680-220258-7	PZ-44I	102			
680-220258-8	PZ-69I	84.7			
680-220489-1	SGWC-16	91.9			
680-220489-2	SGWC-17	93.6			
680-220489-3	DUP-2	97.8			
LCS 160-581008/2-A	Lab Control Sample	98.0			
LCS 160-581063/2-A	Lab Control Sample	97.8			
LCS 160-581278/2-A	Lab Control Sample	95.6			
LCS 160-581312/2-A	Lab Control Sample	97.3			

Tracer/Carrier Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	
LCS 160-581325/2-A	Lab Control Sample	94.3	
LCSD 160-581063/3-A	Lab Control Sample Dup	97.0	
LCSD 160-581278/3-A	Lab Control Sample Dup	92.3	
LCSD 160-581312/3-A	Lab Control Sample Dup	95.1	
LCSD 160-581325/3-A	Lab Control Sample Dup	95.6	
MB 160-581008/1-A	Method Blank	99.0	
MB 160-581063/1-A	Method Blank	102	
MB 160-581278/1-A	Method Blank	94.3	
MB 160-581312/1-A	Method Blank	95.6	
MB 160-581325/1-A	Method Blank	92.3	
Tracer/Carrier Legend			
Ba = Ba Carrier			

Method: 9320 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
500-221556-E-2-A DU	Duplicate	98.0	85.6
680-219964-1	SGWA-1	96.6	89.0
680-219964-2	SGWA-2	93.9	86.7
680-219967-1	SGWA-3	95.1	88.6
680-219967-2	SGWA-4	96.6	87.9
680-219967-3	SGWA-5	94.6	90.8
680-219967-4	SGWA-24	99.0	92.0
680-219967-5	SGWA-25	95.6	85.2
680-219967-6	SGWC-7	98.0	90.8
680-219967-7	SGWC-8	97.8	90.5
680-219967-8	SGWC-9	96.6	91.2
680-219967-9	SGWC-11	90.9	89.7
680-219967-10	SGWC-12	91.4	89.3
680-219967-11	SGWC-13	95.6	91.2
680-219967-12	FB-1	87.0	90.8
680-219967-13	EB-1	93.6	91.6
680-219967-14	DUP-1	90.7	90.1
680-219967-15	SGWC-6	95.6	93.5
680-219967-16	SGWC-10	96.1	91.2
680-219967-17	SGWC-14	98.8	94.2
680-219967-18	SGWC-15	96.6	92.3
680-220073-3	SGWC-19	89.2	84.1
680-220073-4	SGWC-20	98.3	82.2
680-220073-5	SGWC-21	94.6	85.6
680-220073-6	SGWC-22	94.1	86.7
680-220073-7	SGWC-23	94.6	88.2
680-220073-9	FB-2	96.3	91.2
680-220076-1	PZ-42I	93.8	82.6
680-220188-1	PZ-14S	49.6	87.9
680-220188-2	PZ-39S	79.1	89.0
680-220188-3	PZ-40I	93.1	87.5

Eurofins Savannah

Tracer/Carrier Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
680-220188-4	DUP-3	72.5	89.3
680-220188-5	EB-3	93.6	86.7
680-220188-6	FB-3	76.9	84.9
680-220188-7	SGWC-18	90.9	84.9
680-220188-8	EB-2	84.3	88.6
680-220258-1	PZ-13S	91.9	89.3
680-220258-2	PZ-17I	98.5	90.8
680-220258-5	PZ-41S	97.5	90.1
680-220258-6	PZ-43S	96.8	89.7
680-220258-7	PZ-44I	98.5	87.5
680-220258-8	PZ-69I	95.1	89.7
680-220489-1	SGWC-16	91.9	80.4
680-220489-2	SGWC-17	93.6	80.7
680-220489-3	DUP-2	97.8	80.4
LCS 160-581314/2-A	Lab Control Sample	97.3	81.1
LCS 160-581384/2-A	Lab Control Sample	94.3	81.1
LCS 160-582886/2-A	Lab Control Sample	83.0	86.4
LCS 160-583207/2-A	Lab Control Sample	97.5	87.5
LCS 160-583327/2-A	Lab Control Sample	91.6	88.6
LCSD 160-581314/3-A	Lab Control Sample Dup	95.1	80.4
LCSD 160-581384/3-A	Lab Control Sample Dup	95.6	80.7
LCSD 160-583207/3-A	Lab Control Sample Dup	95.6	86.0
LCSD 160-583327/3-A	Lab Control Sample Dup	89.2	86.7
MB 160-581314/1-A	Method Blank	95.6	80.4
MB 160-581384/1-A	Method Blank	92.3	80.7
MB 160-582886/1-A	Method Blank	88.0	86.4
MB 160-583207/1-A	Method Blank	95.6	84.5
MB 160-583327/1-A	Method Blank	77.4	89.3

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-581008/1-A
Matrix: Water
Analysis Batch: 583796

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581008

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.02655	U	0.0369	0.0370	1.00	0.0964	pCi/L	09/06/22 15:03	09/28/22 14:43	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	99.0		40 - 110				09/06/22 15:03		09/28/22 14:43	1

Lab Sample ID: LCS 160-581008/2-A
Matrix: Water
Analysis Batch: 583796

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581008

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	9.855		1.03	1.00	0.0904	pCi/L	87	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	98.0		40 - 110						

Lab Sample ID: 500-221556-E-1-A DU
Matrix: Water
Analysis Batch: 583796

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 581008

Analyte	Sample		DU		Total	RL	MDC	Unit	RER	RER Limit
	Result	Sample Qual	Result	DU Qual	Uncert. (2σ+/-)					
Radium-226	0.0340	U	0.06580	U	0.0615	1.00	0.0913	pCi/L	0.27	1
Carrier	DU %Yield	DU Qualifier	Limits							
Ba Carrier	88.9		40 - 110							

Lab Sample ID: MB 160-581063/1-A
Matrix: Water
Analysis Batch: 584004

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581063

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.01285	U	0.0537	0.0537	1.00	0.104	pCi/L	09/07/22 11:34	09/29/22 08:13	1
Carrier	MB %Yield	MB Qualifier	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	102		40 - 110				09/07/22 11:34		09/29/22 08:13	1

Lab Sample ID: LCS 160-581063/2-A
Matrix: Water
Analysis Batch: 584004

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581063

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	9.973		1.05	1.00	0.105	pCi/L	88	75 - 125

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-581063/2-A
Matrix: Water
Analysis Batch: 584004

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581063

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	97.8		40 - 110

Lab Sample ID: LCSD 160-581063/3-A
Matrix: Water
Analysis Batch: 584004

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581063

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	RER	RER Limit
Radium-226	11.3	9.540		1.03	1.00	0.147	pCi/L	84	75 - 125	0.21	1

Carrier	LCSD %Yield	LCSD Qualifier	Limits
Ba Carrier	97.0		40 - 110

Lab Sample ID: MB 160-581278/1-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581278

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.05000	U	0.0634	0.0635	1.00	0.105	pCi/L	09/08/22 12:28	09/30/22 09:10	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110	09/08/22 12:28	09/30/22 09:10	1

Lab Sample ID: LCS 160-581278/2-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581278

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Radium-226	11.3	10.71		1.12	1.00	0.0902	pCi/L	94	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	95.6		40 - 110

Lab Sample ID: LCSD 160-581278/3-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581278

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	RER	RER Limit
Radium-226	11.3	10.11		1.07	1.00	0.0981	pCi/L	89	75 - 125	0.27	1

Carrier	LCSD %Yield	LCSD Qualifier	Limits
Ba Carrier	92.3		40 - 110

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: MB 160-581312/1-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581312

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.1140		0.0792	0.0798	1.00	0.109	pCi/L	09/08/22 17:12	09/30/22 07:10	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	95.6		40 - 110					09/08/22 17:12	09/30/22 07:10	1

Lab Sample ID: LCS 160-581312/2-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581312

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	11.03		1.16	1.00	0.0934	pCi/L	97	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits		Prepared	Analyzed	Dil Fac		
Ba Carrier	97.3		40 - 110					09/08/22 17:12	09/30/22 07:10

Lab Sample ID: LCSD 160-581312/3-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581312

Analyte	Spike Added	LCSD Result	LCSD Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits	RER	Limit
				Uncert. (2σ+/-)							
Radium-226	11.3	9.792		1.04	1.00	0.101	pCi/L	86	75 - 125	0.56	1
Carrier	LCSD %Yield	LCSD Qualifier	Limits		Prepared	Analyzed	Dil Fac				
Ba Carrier	95.1		40 - 110					09/08/22 18:47	09/30/22 11:11	1	

Lab Sample ID: MB 160-581325/1-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581325

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.02325	U	0.0525	0.0525	1.00	0.0978	pCi/L	09/08/22 18:47	09/30/22 11:11	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	92.3		40 - 110					09/08/22 18:47	09/30/22 11:11	1

Lab Sample ID: LCS 160-581325/2-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581325

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	10.23		1.08	1.00	0.109	pCi/L	90	75 - 125

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9315 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-581325/2-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581325

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	94.3		40 - 110

Lab Sample ID: LCSD 160-581325/3-A
Matrix: Water
Analysis Batch: 584224

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581325

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec		RER	RER Limit
									Limits	RER	Limit	
Radium-226	11.3	10.51		1.11	1.00	0.108	pCi/L	93	75 - 125	0.13		1

	LCSD	LCSD	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	95.6		40 - 110

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-581314/1-A
Matrix: Water
Analysis Batch: 583352

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581314

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared		Analyzed	Dil Fac
								Time	Time	Time	
Radium-228	0.4134	U	0.317	0.319	1.00	0.486	pCi/L	09/08/22 17:40	09/23/22 10:56		1

	MB	MB	Limits	Prepared	Analyzed	Dil Fac
Carrier	%Yield	Qualifier	Limits	Time	Time	
Ba Carrier	95.6		40 - 110	09/08/22 17:40	09/23/22 10:56	1
Y Carrier	80.4		40 - 110	09/08/22 17:40	09/23/22 10:56	1

Lab Sample ID: LCS 160-581314/2-A
Matrix: Water
Analysis Batch: 583352

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581314

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec	
									Limits	RER
Radium-228	8.25	9.441		1.25	1.00	0.479	pCi/L	114	75 - 125	

	LCS	LCS	Limits
Carrier	%Yield	Qualifier	Limits
Ba Carrier	97.3		40 - 110
Y Carrier	81.1		40 - 110

Lab Sample ID: LCSD 160-581314/3-A
Matrix: Water
Analysis Batch: 583352

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581314

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec		RER	RER Limit
									Limits	RER	Limit	
Radium-228	8.25	8.984		1.22	1.00	0.502	pCi/L	109	75 - 125	0.19		1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCSD 160-581314/3-A
Matrix: Water
Analysis Batch: 583352

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581314

Carrier	LCSD		Limits
	%Yield	Qualifier	
Ba Carrier	95.1		40 - 110
Y Carrier	80.4		40 - 110

Lab Sample ID: MB 160-581384/1-A
Matrix: Water
Analysis Batch: 583224

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 581384

Analyte	MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared		Analyzed		Dil Fac
	Result	Qualifier										
Radium-228	0.1785	U	0.329	0.330	1.00	0.566	pCi/L	09/08/22 19:08	09/23/22 11:06		1	
Carrier	MB		Limits					Prepared		Analyzed		Dil Fac
%Yield	Qualifier											
Ba Carrier	92.3		40 - 110					09/08/22 19:08	09/23/22 11:06		1	
Y Carrier	80.7		40 - 110					09/08/22 19:08	09/23/22 11:06		1	

Lab Sample ID: LCS 160-581384/2-A
Matrix: Water
Analysis Batch: 583224

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 581384

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-228	8.25	9.648		1.29	1.00	0.505	pCi/L	117	75 - 125	
Carrier	LCS		Limits							
%Yield	Qualifier									
Ba Carrier	94.3		40 - 110							
Y Carrier	81.1		40 - 110							

Lab Sample ID: LCSD 160-581384/3-A
Matrix: Water
Analysis Batch: 583224

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 581384

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		RER	Limit
Radium-228	8.25	9.599		1.29	1.00	0.513	pCi/L	116	75 - 125	0.02	1	
Carrier	LCSD		Limits									
%Yield	Qualifier											
Ba Carrier	95.6		40 - 110									
Y Carrier	80.7		40 - 110									

Lab Sample ID: MB 160-582886/1-A
Matrix: Water
Analysis Batch: 584234

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 582886

Analyte	MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared		Analyzed		Dil Fac
	Result	Qualifier										
Radium-228	0.4739	U	0.321	0.324	1.00	0.476	pCi/L	09/20/22 15:24	09/30/22 12:03		1	

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: MB 160-582886/1-A
Matrix: Water
Analysis Batch: 584234

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 582886

Carrier	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	88.0		40 - 110	09/20/22 15:24	09/30/22 12:03	1
Y Carrier	86.4		40 - 110	09/20/22 15:24	09/30/22 12:03	1

Lab Sample ID: LCS 160-582886/2-A
Matrix: Water
Analysis Batch: 584234

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 582886

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	83.0		40 - 110
Y Carrier	86.4		40 - 110

Lab Sample ID: 500-221556-E-2-A DU
Matrix: Water
Analysis Batch: 584234

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 582886

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit

Carrier	DU DU		Limits
	%Yield	Qualifier	
Ba Carrier	98.0		40 - 110
Y Carrier	85.6		40 - 110

Lab Sample ID: MB 160-583207/1-A
Matrix: Water
Analysis Batch: 584568

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 583207

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac

Carrier	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	95.6		40 - 110	09/22/22 15:55	10/04/22 12:47	1
Y Carrier	84.5		40 - 110	09/22/22 15:55	10/04/22 12:47	1

Lab Sample ID: LCS 160-583207/2-A
Matrix: Water
Analysis Batch: 584571

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 583207

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-583207/2-A
Matrix: Water
Analysis Batch: 584571

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 583207

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	97.5		40 - 110
Y Carrier	87.5		40 - 110

Lab Sample ID: LCSD 160-583207/3-A
Matrix: Water
Analysis Batch: 584571

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 583207

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec		RER	Limit
									Limits	RER		
Radium-228	8.22	8.403		1.16	1.00	0.473	pCi/L	102	75 - 125	0.01		1

	LCSD	LCSD	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	95.6		40 - 110
Y Carrier	86.0		40 - 110

Lab Sample ID: MB 160-583327/1-A
Matrix: Water
Analysis Batch: 584464

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 583327

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared		Analyzed		Dil Fac
								Prepared	Analyzed	Prepared	Analyzed	
Radium-228	0.9260		0.435	0.444	1.00	0.599	pCi/L	09/23/22 11:23	10/03/22 12:52	10/03/22 12:52		1

	MB	MB	Limits	Prepared	Analyzed	Dil Fac
Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	77.4		40 - 110	09/23/22 11:23	10/03/22 12:52	1
Y Carrier	89.3		40 - 110	09/23/22 11:23	10/03/22 12:52	1

Lab Sample ID: LCS 160-583327/2-A
Matrix: Water
Analysis Batch: 584464

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 583327

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec	
									Limits	RER
Radium-228	8.23	8.151		1.14	1.00	0.537	pCi/L	99	75 - 125	

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	91.6		40 - 110
Y Carrier	88.6		40 - 110

Lab Sample ID: LCSD 160-583327/3-A
Matrix: Water
Analysis Batch: 584464

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 583327

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec		RER	Limit
									Limits	RER		
Radium-228	8.23	8.795		1.21	1.00	0.509	pCi/L	107	75 - 125	0.27		1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCSD 160-583327/3-A
Matrix: Water
Analysis Batch: 584464

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 583327

Carrier	LCSD		Limits
	%Yield	Qualifier	
Ba Carrier	89.2		40 - 110
Y Carrier	86.7		40 - 110

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Rad

Prep Batch: 581008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-7	SGWC-18	Total/NA	Water	PrecSep-21	
MB 160-581008/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-581008/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-221556-E-1-A DU	Duplicate	Total/NA	Water	PrecSep-21	

Prep Batch: 581063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total/NA	Water	PrecSep-21	
680-220073-4	SGWC-20	Total/NA	Water	PrecSep-21	
680-220073-5	SGWC-21	Total/NA	Water	PrecSep-21	
680-220073-6	SGWC-22	Total/NA	Water	PrecSep-21	
680-220073-7	SGWC-23	Total/NA	Water	PrecSep-21	
680-220073-9	FB-2	Total/NA	Water	PrecSep-21	
680-220188-1	PZ-14S	Total/NA	Water	PrecSep-21	
680-220188-2	PZ-39S	Total/NA	Water	PrecSep-21	
680-220188-3	PZ-40I	Total/NA	Water	PrecSep-21	
680-220188-4	DUP-3	Total/NA	Water	PrecSep-21	
680-220188-5	EB-3	Total/NA	Water	PrecSep-21	
680-220188-6	FB-3	Total/NA	Water	PrecSep-21	
680-220188-8	EB-2	Total/NA	Water	PrecSep-21	
680-220258-1	PZ-13S	Total/NA	Water	PrecSep-21	
680-220258-2	PZ-17I	Total/NA	Water	PrecSep-21	
680-220258-5	PZ-41S	Total/NA	Water	PrecSep-21	
680-220258-6	PZ-43S	Total/NA	Water	PrecSep-21	
680-220258-7	PZ-44I	Total/NA	Water	PrecSep-21	
680-220258-8	PZ-69I	Total/NA	Water	PrecSep-21	
MB 160-581063/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-581063/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-581063/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 581278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	PrecSep-21	
680-219964-2	SGWA-2	Total/NA	Water	PrecSep-21	
680-219967-1	SGWA-3	Total/NA	Water	PrecSep-21	
680-219967-2	SGWA-4	Total/NA	Water	PrecSep-21	
680-219967-3	SGWA-5	Total/NA	Water	PrecSep-21	
680-219967-4	SGWA-24	Total/NA	Water	PrecSep-21	
680-219967-5	SGWA-25	Total/NA	Water	PrecSep-21	
680-219967-6	SGWC-7	Total/NA	Water	PrecSep-21	
680-219967-7	SGWC-8	Total/NA	Water	PrecSep-21	
680-219967-8	SGWC-9	Total/NA	Water	PrecSep-21	
680-219967-9	SGWC-11	Total/NA	Water	PrecSep-21	
680-219967-10	SGWC-12	Total/NA	Water	PrecSep-21	
680-219967-11	SGWC-13	Total/NA	Water	PrecSep-21	
680-219967-12	FB-1	Total/NA	Water	PrecSep-21	
680-219967-13	EB-1	Total/NA	Water	PrecSep-21	
680-219967-14	DUP-1	Total/NA	Water	PrecSep-21	
680-219967-15	SGWC-6	Total/NA	Water	PrecSep-21	
680-219967-16	SGWC-10	Total/NA	Water	PrecSep-21	
680-219967-17	SGWC-14	Total/NA	Water	PrecSep-21	

Eurofins Savannah



QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Rad (Continued)

Prep Batch: 581278 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219967-18	SGWC-15	Total/NA	Water	PrecSep-21	
MB 160-581278/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-581278/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-581278/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 581312

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total/NA	Water	PrecSep-21	
MB 160-581312/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-581312/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-581312/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 581314

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220076-1	PZ-42I	Total/NA	Water	PrecSep_0	
MB 160-581314/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-581314/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-581314/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

Prep Batch: 581325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	PrecSep-21	
680-220489-2	SGWC-17	Total/NA	Water	PrecSep-21	
680-220489-3	DUP-2	Total/NA	Water	PrecSep-21	
MB 160-581325/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-581325/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-581325/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 581384

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220489-1	SGWC-16	Total/NA	Water	PrecSep_0	
680-220489-2	SGWC-17	Total/NA	Water	PrecSep_0	
680-220489-3	DUP-2	Total/NA	Water	PrecSep_0	
MB 160-581384/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-581384/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-581384/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

Prep Batch: 582886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220188-7	SGWC-18	Total/NA	Water	PrecSep_0	
MB 160-582886/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-582886/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-221556-E-2-A DU	Duplicate	Total/NA	Water	PrecSep_0	

Prep Batch: 583207

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-3	SGWC-19	Total/NA	Water	PrecSep_0	
680-220073-4	SGWC-20	Total/NA	Water	PrecSep_0	
680-220073-5	SGWC-21	Total/NA	Water	PrecSep_0	
680-220073-6	SGWC-22	Total/NA	Water	PrecSep_0	
680-220073-7	SGWC-23	Total/NA	Water	PrecSep_0	

Eurofins Savannah

QC Association Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Rad (Continued)

Prep Batch: 583207 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-220073-9	FB-2	Total/NA	Water	PrecSep_0	
680-220188-1	PZ-14S	Total/NA	Water	PrecSep_0	
680-220188-2	PZ-39S	Total/NA	Water	PrecSep_0	
680-220188-3	PZ-40I	Total/NA	Water	PrecSep_0	
680-220188-4	DUP-3	Total/NA	Water	PrecSep_0	
680-220188-5	EB-3	Total/NA	Water	PrecSep_0	
680-220188-6	FB-3	Total/NA	Water	PrecSep_0	
680-220188-8	EB-2	Total/NA	Water	PrecSep_0	
680-220258-1	PZ-13S	Total/NA	Water	PrecSep_0	
680-220258-2	PZ-17I	Total/NA	Water	PrecSep_0	
680-220258-5	PZ-41S	Total/NA	Water	PrecSep_0	
680-220258-6	PZ-43S	Total/NA	Water	PrecSep_0	
680-220258-7	PZ-44I	Total/NA	Water	PrecSep_0	
680-220258-8	PZ-69I	Total/NA	Water	PrecSep_0	
MB 160-583207/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-583207/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-583207/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

Prep Batch: 583327

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-219964-1	SGWA-1	Total/NA	Water	PrecSep_0	
680-219964-2	SGWA-2	Total/NA	Water	PrecSep_0	
680-219967-1	SGWA-3	Total/NA	Water	PrecSep_0	
680-219967-2	SGWA-4	Total/NA	Water	PrecSep_0	
680-219967-3	SGWA-5	Total/NA	Water	PrecSep_0	
680-219967-4	SGWA-24	Total/NA	Water	PrecSep_0	
680-219967-5	SGWA-25	Total/NA	Water	PrecSep_0	
680-219967-6	SGWC-7	Total/NA	Water	PrecSep_0	
680-219967-7	SGWC-8	Total/NA	Water	PrecSep_0	
680-219967-8	SGWC-9	Total/NA	Water	PrecSep_0	
680-219967-9	SGWC-11	Total/NA	Water	PrecSep_0	
680-219967-10	SGWC-12	Total/NA	Water	PrecSep_0	
680-219967-11	SGWC-13	Total/NA	Water	PrecSep_0	
680-219967-12	FB-1	Total/NA	Water	PrecSep_0	
680-219967-13	EB-1	Total/NA	Water	PrecSep_0	
680-219967-14	DUP-1	Total/NA	Water	PrecSep_0	
680-219967-15	SGWC-6	Total/NA	Water	PrecSep_0	
680-219967-16	SGWC-10	Total/NA	Water	PrecSep_0	
680-219967-17	SGWC-14	Total/NA	Water	PrecSep_0	
680-219967-18	SGWC-15	Total/NA	Water	PrecSep_0	
MB 160-583327/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-583327/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-583327/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-1

Date Collected: 08/17/22 15:13

Date Received: 08/19/22 09:00

Lab Sample ID: 680-219964-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1003.43 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 09:10	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			994.43 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584464	10/03/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-2

Date Collected: 08/17/22 14:45

Date Received: 08/19/22 09:00

Lab Sample ID: 680-219964-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			990.40 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 09:11	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			995.33 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584464	10/03/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-3

Date Collected: 08/18/22 09:49

Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1002.90 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 09:11	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			990.46 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584464	10/03/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-4

Date Collected: 08/18/22 15:20

Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.55 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-4

Lab Sample ID: 680-219967-2

Date Collected: 08/18/22 15:20

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			990.90 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584464	10/03/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-5

Lab Sample ID: 680-219967-3

Date Collected: 08/18/22 12:45

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			994.23 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			990.99 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584464	10/03/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-24

Lab Sample ID: 680-219967-4

Date Collected: 08/18/22 15:25

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			994.15 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1001.14 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584285	10/03/22 12:50	CLP	EET SL
Instrument ID: GFPCPROTEAN										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWA-25

Lab Sample ID: 680-219967-5

Date Collected: 08/18/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1005.76 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			994.13 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584285	10/03/22 12:50	CLP	EET SL
Instrument ID: GFPCPROTEAN										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWA-25
Date Collected: 08/18/22 10:10
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL

Client Sample ID: SGWC-7
Date Collected: 08/18/22 10:00
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1002.54 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			995.76 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:57	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-8
Date Collected: 08/18/22 12:15
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.27 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			994.10 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:57	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-9
Date Collected: 08/18/22 13:55
Date Received: 08/20/22 09:00

Lab Sample ID: 680-219967-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			996.65 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:15	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			997.87 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:57	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-11

Lab Sample ID: 680-219967-9

Date Collected: 08/18/22 12:08

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.37 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			992.89 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:57	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-12

Lab Sample ID: 680-219967-10

Date Collected: 08/18/22 13:10

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1003.16 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			994.40 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-13

Lab Sample ID: 680-219967-11

Date Collected: 08/18/22 14:34

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1008.31 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			996.98 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: FB-1

Lab Sample ID: 680-219967-12

Date Collected: 08/18/22 16:40

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1001.82 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: FB-1

Lab Sample ID: 680-219967-12

Date Collected: 08/18/22 16:40

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			978.39 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: EB-1

Lab Sample ID: 680-219967-13

Date Collected: 08/18/22 16:30

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			994.52 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			996.46 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: DUP-1

Lab Sample ID: 680-219967-14

Date Collected: 08/18/22 00:00

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.82 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 09:16	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			997.64 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1004.00 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 11:07	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1008.42 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-6

Lab Sample ID: 680-219967-15

Date Collected: 08/19/22 10:10

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL

Client Sample ID: SGWC-10

Lab Sample ID: 680-219967-16

Date Collected: 08/19/22 09:30

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.49 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 11:07	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1001.33 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-14

Lab Sample ID: 680-219967-17

Date Collected: 08/19/22 09:22

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1002.36 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 11:07	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			995.30 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-15

Lab Sample ID: 680-219967-18

Date Collected: 08/19/22 10:15

Matrix: Water

Date Received: 08/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			989.98 mL	1.0 g	581278	09/08/22 12:28	TJ	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 11:07	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			993.12 mL	1.0 g	583327	09/23/22 11:23	ASG	EET SL
Total/NA	Analysis	9320		1			584291	10/03/22 12:58	CLP	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-19

Lab Sample ID: 680-220073-3

Date Collected: 08/22/22 10:40

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.53 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			584004	09/29/22 08:13	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			999.31 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:50	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-20

Lab Sample ID: 680-220073-4

Date Collected: 08/22/22 12:41

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			996.73 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			584004	09/29/22 08:13	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			999.95 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:50	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-21

Lab Sample ID: 680-220073-5

Date Collected: 08/22/22 14:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			753.25 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			584004	09/29/22 08:14	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1000.34 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:50	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.52 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			584004	09/29/22 08:14	FLC	EET SL
Instrument ID: GFPCBLUE										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-22

Lab Sample ID: 680-220073-6

Date Collected: 08/22/22 12:35

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000.56 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:51	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-23

Lab Sample ID: 680-220073-7

Date Collected: 08/22/22 10:25

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1001.73 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			584004	09/29/22 08:14	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			1000.65 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:51	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: FB-2

Lab Sample ID: 680-220073-9

Date Collected: 08/22/22 15:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			975.63 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:00	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			964.23 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:51	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.11 mL	1.0 g	581312	09/08/22 17:12	BMP	EET SL
Total/NA	Analysis	9315		1			584236	09/30/22 07:17	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Prep	PrecSep_0			999.11 mL	1.0 g	581314	09/08/22 17:40	BMP	EET SL
Total/NA	Analysis	9320		1			583224	09/23/22 11:02	FLC	EET SL
Instrument ID: GFPCRED										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-42I

Lab Sample ID: 680-220076-1

Date Collected: 08/22/22 17:00

Matrix: Water

Date Received: 08/24/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			584255	09/30/22 14:22	SCB	EET SL

Client Sample ID: PZ-14S

Lab Sample ID: 680-220188-1

Date Collected: 08/23/22 16:09

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			997.76 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:00	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.46 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-39S

Lab Sample ID: 680-220188-2

Date Collected: 08/23/22 09:45

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.74 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:00	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.17 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-40I

Lab Sample ID: 680-220188-3

Date Collected: 08/23/22 15:05

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.42 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:00	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1002.00 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:52	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: DUP-3
Date Collected: 08/23/22 00:00
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.43 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:02	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			999.92 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584570	10/04/22 12:55	FLC	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: EB-3
Date Collected: 08/23/22 09:45
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.03 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:02	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1001.70 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: FB-3
Date Collected: 08/23/22 15:45
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			998.29 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:02	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			998.49 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-18
Date Collected: 08/23/22 11:01
Date Received: 08/26/22 11:52

Lab Sample ID: 680-220188-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1001.57 mL	1.0 g	581008	09/06/22 15:03	TJ	EET SL
Total/NA	Analysis	9315		1			583796	09/28/22 17:06	CLP	EET SL
Instrument ID: GFPCRED										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: SGWC-18

Lab Sample ID: 680-220188-7

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1002.80 mL	1.0 g	582886	09/20/22 15:24	MLK	EET SL
Total/NA	Analysis	9320		1			584273	09/30/22 12:11	FLC	EET SL
Instrument ID: GFPCPROTEAN										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: EB-2

Lab Sample ID: 680-220188-8

Date Collected: 08/23/22 11:01

Matrix: Water

Date Received: 08/26/22 11:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1002.60 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:02	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.16 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-13S

Lab Sample ID: 680-220258-1

Date Collected: 08/24/22 11:35

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			752.39 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:03	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.71 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-17I

Lab Sample ID: 680-220258-2

Date Collected: 08/24/22 10:30

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			999.87 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:03	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.29 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-17I

Lab Sample ID: 680-220258-2

Date Collected: 08/24/22 10:30

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL

Client Sample ID: PZ-41S

Lab Sample ID: 680-220258-5

Date Collected: 08/24/22 10:07

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.28 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:03	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.36 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-43S

Lab Sample ID: 680-220258-6

Date Collected: 08/24/22 11:56

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1006.89 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:03	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.31 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584571	10/04/22 12:53	CLP	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: PZ-44I

Lab Sample ID: 680-220258-7

Date Collected: 08/24/22 11:50

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000.51 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:04	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			999.93 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584570	10/04/22 12:55	FLC	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: PZ-69I

Lab Sample ID: 680-220258-8

Date Collected: 08/24/22 14:10

Matrix: Water

Date Received: 08/26/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.22 mL	1.0 g	581063	09/07/22 11:34	TJ	EET SL
Total/NA	Analysis	9315		1			583994	09/29/22 10:04	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			1000.16 mL	1.0 g	583207	09/22/22 15:55	ASG	EET SL
Total/NA	Analysis	9320		1			584570	10/04/22 12:55	FLC	EET SL
Instrument ID: GFPCORANGE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-16

Lab Sample ID: 680-220489-1

Date Collected: 08/31/22 14:27

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			998.87 mL	1.0 g	581325	09/08/22 18:47	BMP	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 14:06	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			998.87 mL	1.0 g	581384	09/08/22 19:08	BMP	EET SL
Total/NA	Analysis	9320		1			583225	09/23/22 11:13	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-17

Lab Sample ID: 680-220489-2

Date Collected: 08/31/22 12:46

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			984.06 mL	1.0 g	581325	09/08/22 18:47	BMP	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 14:06	FLC	EET SL
Instrument ID: GFPCRED										
Total/NA	Prep	PrecSep_0			984.06 mL	1.0 g	581384	09/08/22 19:08	BMP	EET SL
Total/NA	Analysis	9320		1			583225	09/23/22 11:13	FLC	EET SL
Instrument ID: GFPCBLUE										
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			993.43 mL	1.0 g	581325	09/08/22 18:47	BMP	EET SL
Total/NA	Analysis	9315		1			584224	09/30/22 14:06	FLC	EET SL
Instrument ID: GFPCRED										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Client Sample ID: DUP-2

Lab Sample ID: 680-220489-3

Date Collected: 08/31/22 00:00

Matrix: Water

Date Received: 09/02/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			993.43 mL	1.0 g	581384	09/08/22 19:08	BMP	EET SL
Total/NA	Analysis	9320		1			583225	09/23/22 11:13	FLC	EET SL
		Instrument ID: GFPCBLUE								
Total/NA	Analysis	Ra226_Ra228		1			584615	10/04/22 20:26	CLP	EET SL
		Instrument ID: NOEQUIP								

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-22
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	07-01-22 *
Connecticut	State	PH-0241	03-31-23
Florida	NELAP	E87689	06-30-23
HI - RadChem Recognition	State	n/a	06-30-23
Illinois	NELAP	200023	10-04-22
Iowa	State	373	12-01-22
Kansas	NELAP	E-10236	10-31-22
Kentucky (DW)	State	KY90125	12-31-22
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-22
Louisiana (All)	NELAP	04080	06-30-23
Louisiana (DW)	State	LA011	12-31-22
Maryland	State	310	09-30-23
MI - RadChem Recognition	State	9005	06-30-23
Missouri	State	780	06-30-25
Nevada	State	MO000542020-1	07-31-23
New Jersey	NELAP	MO002	06-30-23
New York	NELAP	11616	04-01-23
North Dakota	State	R-207	06-30-23
NRC	NRC	24-24817-01	12-31-22
Oklahoma	NELAP	9997	08-31-23
Oregon	NELAP	4157	09-01-23
Pennsylvania	NELAP	68-00540	02-28-23
South Carolina	State	85002001	06-30-22 *
Texas	NELAP	T104704193	07-31-23
US Fish & Wildlife	US Federal Programs	058448	07-31-23
USDA	US Federal Programs	P330-17-00028	03-11-23
Utah	NELAP	MO000542021-14	07-31-23
Virginia	NELAP	10310	06-14-23
Washington	State	C592	08-30-23
West Virginia DEP	State	381	10-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1

Job ID: 680-219964-2

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	EET SL
9320	Radium-228 (GFPC)	SW846	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

estAmerica Pittsburgh

31 Alpha Drive
 IDC Park
 Pittsburgh, PA 15238-2907
 Phone 412.963.7058 fax 412.963.2468

Client Contact

Ju Abraham
 Southern Company
 11 Rabh, McGill Blvd SE B10185
 Atlanta, GA 30308
 juabraham@southerncompany.com
 Project Name: CCR - Plant Scherer AP-1
 Site: Georgia
 Job #: GL168236021-Y-9-100-02

Regulatory Program:

Project Manager: Dawn Prell
 Tel/Fax: 248-538-5445

Analysis Turnaround Time

CALENDAR DAYS WORKING DAYS
 TAT if different from Below
 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Regulatory Program:

Site Contact: Dawn Prell
 Lab Contact: Shall Brown

Filtered Sample (Y/N)

Perform MS / MSD (Y/N)

App HWY Total Metals

Cl, F, SO4, TDS

Radium 226/228

Mg, Na, K, Mn

Alkalinity (total, CO3/HCO3)

Sulfide

Total Fe3+

TestAmerica Laboratories, Inc
 COC No: 1 of 1 COCs

Sampler AP / MM / TM

For Lab Use Only:

Walk-in Client:

Lab Sampling:

Job / SDG No.:

Sample Specific Notes:

pH= 5.16, Fe2= 0.1mg/L
 pH= 6.79, Fe2= 0.5 mg/L

Chain of Custody Record



TestAmerica Laboratories, Inc
 THE LEADER IN ENVIRONMENTAL TESTING

Carrier: 244-ATLANTA

Date: 08/17/2022

Other:

RCRA

NPDDES

DW

Site Contact: Dawn Prell

Lab Contact: Shall Brown

Therm ID No:

Corrd:

Company: Superior Now

Date/Time: 8/18/22 8:45

Company:

Date/Time: 8-18-22 10:54

Company:

Company:

Received by: Dawn Prell

Received by: Michael Mackey

Received in Laboratory by: Michael Mackey

10:54

8/18/22 9:00

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:

Company:



5X HOURS
S 6:30 AM - 1:45 PM
T 8:00 AM - 5:00 PM
F 8:00 AM - 5:00 PM
S 8:00 AM - 5:00 PM

TestAmerica Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412 963 7058 fax 412 963 2488

Chain of Custody R



680-219967 Chain of Custody

estAmerica
LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 J.Abram@southernco.com Project Name: CCR - Plant Scherer AP1 Site Georgia PO# GL166235021-Y-9-100 02		Regulatory Program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other:		Project Manager: Dawn Prell Tel/Fax: 248-536-5445		Site Contact: Dawn Prell Lab Contact: Shari Brown David Fuller		Date: 08/19/2022 Carrier:		COC No: 1 of 2 COCs					
Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below _____ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input checked="" type="checkbox"/> 2 days <input type="checkbox"/> 1 day															
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS (MSD) (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Sample Specific Notes
SGWA-3	8/18/2022	9 49	G	WG	9	N	N	X	X	X	X	X	X	X	pH=5.64, Fe2=0.0 mg/L
SGWA-4	8/18/2022	15 20	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.35, Fe2=0.0 mg/L
SGWA-5	8/18/2022	12 45	G	WG	9	N	N	X	X	X	X	X	X	X	pH=5.43, Fe2=0.25 mg/L
SGWA-24	8/18/2022	15 25	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.32, Fe2=0.0 mg/L
SGWA-25	8/18/2022	10 10	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.03, Fe2=0.0 mg/L
SGWC-7	8/18/2022	10 00	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.77, Fe2=0.5 mg/L
SGWC-8	8/18/2022	12 15	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.80, Fe2=0.3 mg/L
SGWC-9	8/18/2022	13 55	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.52, Fe2=0.2 mg/L
SGWC-11	8/18/2022	12 08	G	WG	9	N	N	X	X	X	X	X	X	X	pH=5.06, Fe2=0.0 mg/L
SGWC-12	8/18/2022	13 10	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.12, Fe2=0.5 mg/L
SGWC-13	8/18/2022	14 34	G	WG	9	N	N	X	X	X	X	X	X	X	pH=5.78, Fe2=0.0 mg/L

Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other
Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/OC Requirements & Comments:

Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Relinquished by: Aimee Plannan, Analytical WSP-Colder Relinquished by: [Signature] Relinquished by: [Signature]	Company: WSP-Colder Company: [Signature] Company: [Signature]	Date/Time: 8/18/2022 11:00 Date/Time: 8/18/2022 11:00 Date/Time: 8/19/2022 9:00	Therm ID No.: _____ Cooler Temp (°C) Obs'd: _____ Cor'd: _____
--	--	--	--

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019



TestAmerica Pittsburgh

301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412 963 7058 fax 412 963 2468

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Project Manager: Dawn Prell
Tel/Fax: 248-536-5445

Site Contact: Dawn Prell

Date: 08/19/2022

Carrier: Aimee Plowman

COC No: _____

Sampler: AP / MM / TM

Walk-in Client: _____

Lab Sampling: _____

Job / SDG No: _____

Sample Specific Notes: _____

Sample Identification	Sample Date	Sample Type (C=Comp, G=Grab)	Sample Time	Matrix	# of Cont.	Analysis Turnaround Time				Filtered Sample (Y / N)	Perform MS / MSD (Y / N)	App III/IV Total Metals	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO ₃ , HCO ₃)	Sulfide	Fe total, Fe ₃ +	COC No
						CALENDAR DAYS	WORKING DAYS	TAT if different from Below	3-5 days									

FB-1	8/18/2022	G	16:40	WQ	9	N	N	X	X	X	X	X	X	X	X	X	X	pH=6.24, Fe2=0.0 mg/L
EB-1	8/18/2022	G	16:30	WQ	9	N	N	X	X	X	X	X	X	X	X	X	X	pH=5.22, Fe2=0.3 mg/L
DUP-1	8/18/2022	G	-	WG	9	N	N	X	X	X	X	X	X	X	X	X	X	pH=5.62, Fe2=0.0 mg/L
SGWC-6	8/19/2022	G	10:10	WG	9	N	N	X	X	X	X	X	X	X	X	X	X	pH=4.61, Fe2=0.0 mg/L
SGWC-10	8/19/2022	G	9:30	WG	11	N	N	X	X	X	X	X	X	X	X	X	X	
SGWC-14	8/19/2022	G	9:22	WG	9	N	N	X	X	X	X	X	X	X	X	X	X	
SGWC-15	8/19/2022	G	10:15	WG	9	N	N	X	X	X	X	X	X	X	X	X	X	

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other

Possible Hazard Identification: _____

Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments: _____

Return to Client Disposal by Lab Archive for _____ Months

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Client Contact	Joju Abraham	Southern Company	241 Ralph McGill Blvd SE B10185	Atlanta, GA 30308	j.abraham@southern.com	Project Name: CCR - Plant Scherer AP1	Site: Georgia	PO#: GL166235021-Y-9-100 02
----------------	--------------	------------------	---------------------------------	-------------------	------------------------	---------------------------------------	---------------	-----------------------------

Relinquished by:	Aimee Plowman	Company:	NSD - eorder	Date/Time:	8/19/2022 16:00	Received by:	[Signature]
Relinquished by:	R	Company:		Date/Time:	8/19/2022 16:00	Received by:	[Signature]
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:	[Signature]

ST. Louis

TestAmerica
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238-2907
phone 412.963.7058 fax 412.963.2468

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact: Jojo Abraham, Southern Company, 241 Ralph McGill Blvd SE B10185, Atlanta, GA 30308, JAbraham@southernco.com, Project Name: CCR - Plant Scherer AP1, Site: Georgia, PO#: GL166235021-Y-9-100.02

Project Manager: Dawn Prell, Tel/Fax: 248-536-5445

Analysis Turnaround Time: CALENDAR DAYS WORKING DAYS

TAT if different from Below: 3-5 days, 2 weeks, 1 week, 2 days, 1 day

Site Contact: Dawn Prell, Lab Contact: David Fuller

Date: 09/01/22, Carrier: _____

COC No: _____ of _____ COCs

Sampler: JW

For Lab Use Only: Walk-in Client: _____, Lab Sampling: _____, Job / SDG No.: _____

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Fe total, Fe3+	Sample Specific Notes:
SGWC-16	8/31/2022	14:27	G	WG	9	N	N	X	X	X	X	X	X	pH=5.10, Fe2= 0.0 mg/L
SGWC-17	8/31/2022	12:46	G	WG	9	N	N	X	X	X	X	X	X	pH=6.26, Fe2= 0.0 mg/L
DUP-2	8/31/2022	-	G	WG	9	N	N	X	X	X	X	X	X	



244-ATLANTA

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification: _____

Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return to Client Disposal by Lab Archive for _____ Months

Custody Seal No.: _____

Relinquished by: Mark Mann, gmm@stlouis.com, Date/Time: 09/01/22

Relinquished by: WSP/Golder, Date/Time: 9/1/22

Relinquished by: _____, Date/Time: _____

Received by: _____, Date/Time: 9/1/22

Received in Laboratory: _____, Date/Time: 9/1/22

Company: WSP/Golder, Company: _____, Company: _____

Therm ID No.: _____, Cooler Temp. (°C): _____, Obs'd: _____

FED EX


FED EX

11/17/2022

Autumn R. Johnson

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019





Environment Testing
Uncorrected temp
Thermometer ID

CF 0

PT-WI-SR-001 effective 11/8/18
Initials 519
DW

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERIC
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 863-7058

DEPT:



FedEx Express
E

680-219967 Waybill

7 of 7
MPS# 5220 7120 5351
Mstr# 5220 7120 5292

0201

XO AGCA

PA-US


15238
PIT

Uncorrected temp
Thermometer ID

CF 0

Initials 519
DW

PT-WI-SR-001 effective 11/8/18



Environment Testing
Uncorrected temp
Thermometer ID

CF 0


PT-WI-SR-001 effective 11/8/18
Initials 519
DW

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 863-7058

DEPT:



FedEx Express
E

2 of 7


MPS# 5220 7120 5307
Mstr# 5220 7120 5292

0201

XO AGCA

PA-US


15238
PIT



Do not lift using

ag.

Part # 159469-434 MTW EXP 01/23



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 19AUG22
ACTWGT: 54.05 LB
CAD: 859116/CAFE3612

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 49


Thermometer ID
Uncorrected temp
CF 0 Initials DW
PT-WI-SR-001 effective 11/8/18



1 of 7
TRK# 5220 7120 5292
MASTER

XO AGCA

15238
PA-US PIT



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Part # 159469-434 MTW EXP 01/23



Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 19AUG22
ACTWGT: 54.05 LB
CAD: 859116/CAFE3612

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS
301 ALPHA DR
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 49

Thermometer ID
Uncorrected temp
CF 0 Initials DW
PT-WI-SR-001 effective 11/8/18



3 of 7
TRK# 5220 7120 5318
MASTER

XO AGCA



Do not reuse

159469-434 MTW EXP 01/23

eurofins Environment Testing TestAmerica

SHIP DATE: 19AUG22
ACTWG: 54.05 LB
CAD: 859116/CAFE3612

ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR TESTING AMERICA ATL SC
EUROFINS REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238



1222022032801 4V
Unrecorded Temp
Thermometer ID
CF
Initials
PT-MR-001 effective 11/8/18

SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PIT

6 of 7
MPS# 5220 7120 5340
Mstr# 5220 7120 5292
XO AGCA



0201

PA-US


169-434 MTW EXP 01/23

Environment Testing TestAmerica

ORIGIN ID: LIYA (678) 968-9991
GEORGE TAYLOR TESTING AMERICA ATL SC
EUROFINS REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 19AUG22
ACTWG: 54.05 LB
CAD: 859116/CAFE3612

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238



1222022032801 4V
Unrecorded Temp
Thermometer ID
CF
Initials
PT-MR-001 effective 11/8/18

SATURDAY 12:00P
PRIORITY OVERNIGHT
15238
PIT

5 of 7
MPS# 5220 7120 5330
Mstr# 5220 7120 5292
XO AGCA



Unrecorded Temp
Thermometer ID
CF
Initials
PT-MR-001 effective 11/8/18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

eurofins
Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 800
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 23AUG22
ACTWGT: 64.20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 963-7068
INVT: 110
PBT: 110

DEPT: 1



2 of 4
MPS# 5220 7120 6050
0263
Mstr# 5220 7120 6049
0201

NA AGCA

15238
PA-US
PIT

Uncorrected temp 1.9 °C
Thermometer ID 110
CF -0.1 Initials OC
PT-WI-SR-001 effective 11/8/18



not lift using this tag.

eurofins
Environment Testing
TestAmerica

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 800
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACTWGT: 64.20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

REF: (412) 963-7068
INVT: 110
PBT: 110

Uncorrected temp 2.9 °C
Thermometer ID 110
CF -0.1 Initials OC
PT-WI-SR-001 effective 11/8/18



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT
0201



Do not lift using this tag.



Environment Testing
TestAmerica

Part # 159469-434 MTW EXP 01/23

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACTWGT: 64.20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA

(412) 963-7058
INU:
PO:

RT **98**

1
10:30

A

6049
08 24

edEx
Express



1 of 4

WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

TRK#
0201 5220 7120 6049

MASTER

NA AGCA

15238


PA-US PIT

Uncorrected temp
Thermometer ID

2.7 °C
8

CF-0.7 Initials OC

PT-WI-SR-001 effective 11/8/18



Do not lift using this tag.



Environment Testing
TestAmerica

Part # 159469-434 NTW EXP 01/23

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACTWTG: 64.20 LB
CAD: 8591167/CAFE3616

BILL RECIPIENT

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA

(412) 963-7068
INV:
PO:

RT 98

1 10:30 A

6049
08 24

edEx
Express



680-220076 Waybill



1 of 4

TRK# 5220 7120 6049
0201

MASTER

NA AGCA

WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

15238

PA-US PIT

Uncorrected temp
Thermometer ID

2.7 °C
8

CF. -0.7 Initials OC

PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

not lift using this tag.



Environment Testing
TestAmerica

ORIGIN ID: ILIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 23AUG22
ACT/MGT: 64,20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

Uncorrected temp 2.9 °C
Thermometer ID 8

CF -0.7 Initials OC
PT-WI-SR-001 effective 11/8/18

edEx Express




WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

0201

10/17/2022

Page 73

Part # 159469-434 MTW EXP 01/23



Environment Testing
TestAmerica

ORIGIN ID: ILIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
8215 REGENCY PARKWAY NW
SUITE 300
NORCROSS, GA 30071
UNITED STATES US


SHIP DATE: 23AUG22
ACT/MGT: 64,20 LB
CAD: 859116/CAFE3616

BILL RECIPIENT

TO SAMPLE RECEIVING
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 963-7058
REF: 0263
MPS# 5220 7120 6050
Mstr# 5220 7120 6049

DEPT:



FedEx Express



WED - 24 AUG 10:30A
PRIORITY OVERNIGHT

2 of 4
MPS# 5220 7120 6050
Mstr# 5220 7120 6049

NA AGCA 15238
PA-US PIT

Uncorrected temp 1.9 °C
Thermometer ID 8

CF -0.7 Initials OC
PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



1 of 5
5220 7120 6440
ASTER ##

P.


A AGCA

Uncorrected temp
Thermometer ID

PA-US
2-2
19

CF 0 Initials D

PT-WI-SR-001 effective 11/8/18



680-220188 Waybill

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Envir RT 98
TestA FZ

1. A
10:30 6483
08.25

Part # 151

ORIGIN ID:LIYA (678) 966-9991 SHIP DATE: 24AUG22
GEORGE TAYLOR ACTWGT: 46.40 L3
EUROFINS TESTING AMERICA ATL SC CAD: 859116/CAF3616
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES#US

BILL THIRD PARTY


TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

57762/JR/RL/45PA

(412) 983-7068
INU:
PO:

REF:

DEPT:



FedEx
Express



J22210720828031V

5 of 5

MPS# 5220 7120 6483

Mstr# 5220 7120 6440


0201

THU - 25 AUG 10:30A
PRIORITY OVERNIGHT

NA AGCA

15238

PA-US PIT



3.3

Uncorrected temp _____ °C
Thermometer ID 19

CF 0 Initials Dr

PT-WI-SR-001 effective 11/8/18

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DAT
ACTWGT:
CAD: 859
BILL REC


TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSB
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 968-7058 REF:
THU: DEPT:
PO:

Uncorrected temp	DEPT:
Thermometer ID	
CF	Initials
PT-TEST MOD effective 10/20/11	

3 of 3
MPS# 5220 7120 7229 FRI - 26
0263
Mstr# 5220 7120 7207 0201 PRIORITY

NA AGCA



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



Environment Testing
TestAmerica

ORIGIN ID: LLYA (678) 966-9991
 GEORGE TAYLOR
 6215 REGENCY TESTING AMERICA
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

TO SAMPLE RECEIVING
 EUROFINS TESTING
 301 ALPHA DR.
 RIDG PARK
 PITTSBURGH PA 15238

SHIP DATE: 25AUG22
 ACTWGT: 66.10 LB
 CND: 859116/CAFE3616
 BILL RECIPIENT

REF: (412) 988-7058
 DEPT: 577C2/FRRB/4324

PS# 5220 7120 7218
 2 of 3
 Tr# 5220 7120 7207
 A AGCA

FRI - 26 AUG 10:30A
 PRIORITY OVERNIGHT

Uncorrected temp
 Thermometer ID
 PA-US 15238
 PIT

CF
 Initials DLW
 PT-M-SR-001 effective 11/8/16



RT 98

1 10:30
 7207
 08:26
 A sting

ORIGIN ID: LLYA (678) 966-9991
 GEORGE TAYLOR
 6215 REGENCY TESTING AMERICA
 SUITE 900
 NORCROSS, GA 30071
 UNITED STATES US

TO SAMPLE RECEIVING
 EUROFINS TESTING
 301 ALPHA DR.
 RIDG PARK
 PITTSBURGH PA 15238

SHIP DATE: 25AUG22
 ACTWGT: 66.10 LB
 CND: 859116/CAFE3616
 BILL RECIPIENT

REF: (412) 988-7058
 DEPT: 577C2/FRRB/4324

TRK# 5220 7120 7207
 1 of 3
 # MASTER #
 NA AGCA

FRI - 26 AUG 10:30A
 PRIORITY OVERNIGHT

Uncorrected temp
 Thermometer ID
 PA-US 15238
 PIT

CF
 Initials DLW
 PT-M-SR-001 effective 11/8/16

Eurofins Pittsburgh
 301 Alpha Drive RIDC Park
 Pittsburgh, PA 15238
 Phone: 412-963-7058 Fax: 412-963-2468

Chain of Custody Record



Environment Testing
 America



Client Information (Sub Contract Lab)		Lab PM Fuller, David	Carrier Tracking No(s)	COC No 180-469182.1		
Client Contact Shipping/Receiving		E-Mail David.Fuller@eurofins.com	State of Origin Georgia	Page Page 1 of 1		
Company TestAmerica Laboratories, Inc.		Accreditations Required (See note)				
Address 13715 Rider Trail North,		Job # 680-219964-2				
City Earth City		Preservation Codes:				
State, Zip MO, 63045		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)				
Phone 314-298-8566(Tel) 314-298-8757(Fax)		Other:				
Email						
Project Name CCR - Plant Scherer AP1						
Site 68027798						
SSOW#						
Due Date Requested: 10/3/2022						
TAT Requested (days):						
PO #						
WO #						
Field Filtered Sample (Yes or No)						
Perform MS/MSD (Yes or No)						
9315_Ra226/PreSep_21 Radium-226 (GFC) - 21 day decay						
9320_Ra226/PreSep_0 Radium-226 (GFC)						
Ra226Ra228_GFFC/Combined Radium-226 and Radium-228						
Analysis Requested		Total Number of Containers				
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil, I=issue, A=air)	Preservation Code	Special Instructions/Note:
SGWA-1 (680-219964-1)	8/17/22	15:13 Eastern	Water	Water		1
SGWA-1 (680-219964-1)	8/31/22	12:35 Eastern	Water	Water		1
SGWA-2 (680-219964-2)	8/17/22	14:45 Eastern	Water	Water		1
SGWA-2 (680-219964-2)	8/31/22	12:35 Eastern	Water	Water		1

Note: Since laboratory accreditations are subject to change, Eurofins Pittsburgh places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Pittsburgh laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Pittsburgh attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Pittsburgh.

Possible Hazard Identification

Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____
 Primary Deliverable Rank: 2

Empty Kit Relinquished by: _____ Date: _____ Time: _____
 Relinquished by: *MD* Date/Time: 9-6-22 1700 Company: *EPFA*
 Relinquished by: _____ Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements: _____

Method of Shipment: _____ Date/Time: _____
 Received by: _____ Date/Time: _____
 Received by: *Sarah Weatherington* Date/Time: *SEP 07 2022 0655* Company: *EMBR*
 Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks: _____



Chain of Custody Record ATLANTA - TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Project Manager: Dawn Prell

Site Contact: Dawn Prell

Date: 08/23/2022

Carrier: Hanna Cook

COC No. 1 of 1 COCs

Sampler: DF / MM / AP / CT

For Lab Use Only:
Walk-in Client:
Lab Sampling:
Job / SDG No.:

Sample Identification	Sample Date	Sample Time	Sample Type (C-Comp, G-Grab)	Matrix	# of Cont.	Analysis Turnaround Time										Sample Specific Notes
						Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+		
SGWC-16	8/22/2022	10:33	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=5.09, Fe2=0.0 mg/L
SGWC-17	8/22/2022	12:59	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=6.18, Fe2=0.0 mg/L
SGWC-19	8/22/2022	10:40	G	WG	11	N	N	X	X	X	X	X	X	X	X	pH=5.54, Fe2=0.0 mg/L
SGWC-20	8/22/2022	12:41	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=4.30, Fe2=0.0 mg/L
SGWC-21	8/22/2022	14:00	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=6.17, Fe2=0.0 mg/L
SGWC-22	8/22/2022	12:35	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=5.62, Fe2=0.0 mg/L
SGWC-23	8/22/2022	10:25	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=5.91, Fe2=0.0 mg/L
DUP-2	8/22/2022	-	G	WG	9	N	N	X	X	X	X	X	X	X	X	
FB-2	8/22/2022	15:00	G	WQ	9	N	N	X	X	X	X	X	X	X	X	



Preservation Used: Ice, HCl, H2SO4, HNO3, NaOH, Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Non-Hazard Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Sample Disposal (A fee may be assessed if samples are returned): Return to Client Disposal by Lab Archive for _____ Months

Relinquished by: <u>Dawn Prell</u>	Company: <u>WSP-6000</u>	Date/Time: <u>08/22/2022 08:30</u>	Received by: <u>Hanna Cook</u>	Company: <u>WSP-6000</u>	Date/Time: <u>8/23/22 8:30</u>
Relinquished by: <u>Hanna Cook</u>	Company: <u>WSP-6000</u>	Date/Time: <u>8/23/22</u>	Received by: <u>Seoyun Park</u>	Company: <u>WSP-6000</u>	Date/Time: <u>8/23/22 10:30</u>
Relinquished by: <u>Seoyun Park</u>	Company: <u>WSP-6000</u>	Date/Time: <u>8/23/22</u>	Received in Laboratory by: <u>Seoyun Park</u>	Company: <u>WSP-6000</u>	Date/Time: <u>8/24/22 9:00</u>



Chain of Custody Record

ATLANTA - TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

phone 412.963.7088 fax 412.963.2468

Regulatory Program: DW NPDES RCRA Other: _____
Project Manager: Dawn Prell **Site Contact:** Dawn Prell
Tel/Fax: 248-536-5445 **Lab Contact:** David Fuller
Client Contact: Joju Abraham
 Southern Company
 241 Ralph McGill Blvd SE B10185
 Atlanta, GA 30308
 JAbraham@southern.com
Project Name: CCR - Plant Scherer AP1
 Site Georgia
 PO#: GL166235021-Y-9-100 02

Date: 08/23/2022 **COC No.:** _____
Carrier: Elaine Cook **Sampler:** CT
For Lab Use Only: Walk-in Client Lab Sampling
Job / SDG No.: _____

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
 TAT if different from Below: 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	App III/IV Total Metals	Cl, F, SO4, TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Sample Specific Notes
8/22/2022	17:00	G	WG	9	N	N	X	X	X	X	X	X	X	pH=6.27, Fe2= 0.0 mg/L

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other _____
Possible Hazard Identification: Please List any EPA Hazardous Waste for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazard Flammable Skin Irritant Poison B Unknown
 Return to Client Disposal by Lab Archive for _____

Special Instructions/QC Requirements & Comments:
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Custody Seal No.: _____ **Therm ID No.:** _____
Relinquished by: Dawn Prell **Received by:** Elaine Cook
Relinquished by: Elaine Cook **Received by:** Dawn Prell
Relinquished by: Elaine Cook **Received by:** Dawn Prell
Date/Time: 8/23/22 16:00 **Date/Time:** 8/23/22 8:30
Company: Southern Company **Company:** Southern Company
Date/Time: 8/23/22 9:00



TestAmerica Pittsburgh
301 Alpha Drive
RDC Park
Pittsburgh, PA 15238-2907
phone 412 963 7058 fax 412 963 2468


Chain of Custody Record 244-ATLANTA America

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other: _____

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell		Date: 08/24/2022		COC No	
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: David Fuller		Carrier:		1 of 1 COCs	
Southern Company		Analysis Turnaround Time		Filtered Sample (Y/N)		Perform MS/MSD (Y/N)		App III/IV Total Metals	
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS		Sample Date		Sample Time		Sample Type (C=Comp, G=Grab)	
Atlanta, GA 30308		TAT if different from Below 3-5 days		Sample Date		Sample Time		Sample Matrix	
JAbraham@southernco.com		<input type="checkbox"/> 2 weeks		8/23/2022		16 09		WG	
Project Name: CCR - Plant Scherer AP1		<input type="checkbox"/> 1 week		8/23/2022		9 45		WG	
Site Georgia		<input checked="" type="checkbox"/> 2 days		8/23/2022		15 05		WG	
PO#: GL166235021-Y-9-100 02		<input type="checkbox"/> 1 day		8/23/2022		-		WG	
				8/23/2022		9 45		WQ	
				8/23/2022		15 45		WQ	



680-220188 Chain of Custody

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other

Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Custody Seal No: 07:45

Relinquished by: DWAN FULTON

Relinquished by: DWAN FULTON

Relinquished by: DWAN FULTON

Company: WSP GARDEN

Company: COURIER NOW

Company: COURIER NOW

Date/Time: 08/24/22

Date/Time: 08/24/22

Date/Time: 08/24/22

Received by: CLARE COOK

Received by: CLARE COOK

Received in Laboratory by: DWAN FULTON

Therm ID No: 8/24/22 7:45

Company: COURIER NOW

Company: COURIER NOW

Company: COURIER NOW



TestAmerica Pittsburgh
 301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Record



TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other: _____

Client Contact: Joju Abraham
 Project Manager: Dawn Prell
 Tel/Fax: 248-536-5445
 Date: 08/24/2022
 Carrier: _____
 COC No: _____ of _____ COCs


Site Contact: Dawn Prell
 Lab Contact: David Fuller
 Analysis Turnaround Time: CALENDAR DAYS WORKING DAYS
 TAT if different from Below: _____ 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Sample Identification	Sample Date	Sample Time	Sample Type (C-comp, G-grab)	Matrix	# of Cont.	Analytes										
						Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals	Cl, F, SO ₄ , TDS	Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO ₃ , HCO ₃)	Sulfide	Fe total, Fe ³⁺	Sample Specific Notes	
SGWC-18	8/23/2022	11 01	G	WG	9	N	N	X	X	X	X	X	X	X	X	pH=4.80, Fe ²⁺ =0.0 mg/L
EB-2	8/23/2022	11 01	G	WQ	9	N	N	X	X	X	X	X	X	X	X	

Preservation Used: 1=Ice, 2=HCl, 3=H₂SO₄, 4=HNO₃, 5=NaOH, 6=Other
 Possible Hazard Identification: _____
 Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazard Flammable Skin Irritant Poison B Unknown
 Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments: _____

Relinquished by	Relinquished by Company	Date/Time	Received by	Received by Company	Date/Time	Relinquished by	Relinquished by Company	Date/Time
Dawn Fuller	WSP - WQWR	8/23/22 11:01	Blaine Cook	Blaine Cook	8/23/22 7:45			
Blaine Cook	Blaine Cook	8/23/22						



Environment Testing
TestAmerica

RT **yo**
FZ

10:30 **A**
6472
08.25

159469-434 NTW EXP 01/23

ORIGIN ID: LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 24AUG22
ACTWGT: 46.40 LB
CAD: 859116/CAFE3616


BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238

(412) 983-7058
INU:
PG:

REF:

DEPT:



FedEx
Express



JJ221022032801UY

4 of 5
MPS# 5220 7120 6472
0263
Mstr# 5220 7120 6440

0201

NA AGCA

THU - 25 AUG 10:30A
PRIORITY OVERNIGHT

15238
PA-US PIT

Uncorrected temp
Thermometer ID

CF D Initials W

PT-WI-SR-001 effective 11/8/18



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

TestAmerica Pittsburgh
 301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Record



ica Laboratories, Inc.
 680-220258 Chain of Custody

Regulatory Program: DW NPDES RCRA Other: _____

Project Manager: Dawn Prell **Site Contact:** Dawn Prell

Tel/Fax: 248-536-5445 **Lab Contact:** David Fuller

Carrier: _____

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
 TAT if different from Below 3-5 days _____
 2 weeks
 1 week
 2 days
 1 day

Sample Identification	Sample Date	Sample Type (C-Comb, G-Swab)	Sample Time	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	App III/IV Total Metals			Radium 226/228	Mg, Na, K, Mn	Alkalinity (total, CO3, HCO3)	Sulfide	Fe total, Fe3+	Cobalt	Sample Specific Notes
								Cl, F, SO4, TDS	As	Pb							
PZ-13S	8/24/2022	G	11 35	WG	9	N	N	X	X	X	X	X	X	X		pH=5.09, Fe2= 0.0 mg/L	
PZ-171	8/24/2022	G	10 30	WG	9	N	N	X	X	X	X	X	X	X		pH=6.74, Fe2= 0.0 mg/L	
PZ-251	8/24/2022	G	14 05	WG	1	N	N							X		pH=6.64, Fe2= 0.0 mg/L	
PZ-25S	8/24/2022	G	14 45	WG	1	N	N							X		pH=4.75, Fe2= 0.0 mg/L	
PZ-41S	8/24/2022	G	10 07	WG	9	N	N	X	X	X	X	X	X	X		pH=5.87, Fe2= 0.0 mg/L	
PZ-43S	8/24/2022	G	11 56	WG	9	N	N	X	X	X	X	X	X	X		pH=9.96, Fe2= 0.0 mg/L	
PZ-441	8/24/2022	G	11 50	WG	9	N	N	X	X	X	X	X	X	X		pH=6.61, Fe2= 0.4 mg/L	
PZ-691	8/24/2022	G	14 10	WG	9	N	N	X	X	X	X	X	X	X		pH=6.96, Fe2= 0.0 mg/L	

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
 Non-Hazardous Flammable Skin Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Company: Southern Company
Received by: Duane Fulton
Received in Laboratory by: Elaine Cook
Company: CWI & NWS
Received by: Michael Meeker
Company: BOTA/ATLANTA
Received in Laboratory by: Michael Meeker

Therm ID No: _____ **Cooler Temp. (°C):** Obs'd: _____

Date/Time: 8/28/22 8:05
Date/Time: 8-25-22 10:10
Date/Time: 8-25-22 10:10

Return to Client: **Disposal by Lab:** **Archive for:** _____ Months

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month):



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 219964

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 09/07/22 10:20 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 219967

List Number: 4

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 09/07/22 10:13 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 220073

List Number: 3

Creator: Booker, Autumn R

List Source: Eurofins St. Louis

List Creation: 09/01/22 11:04 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	False	container k-3 was received with a pH>2 SU
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 220076

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 09/07/22 10:20 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 220188

List Number: 4

Creator: Booker, Autumn R

List Source: Eurofins St. Louis

List Creation: 09/01/22 11:04 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-219964-2

Login Number: 220258

List Number: 3

Creator: Booker, Autumn R

List Source: Eurofins St. Louis

List Creation: 09/01/22 11:04 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



APPENDIX C

Laboratory Analytical Data
October 2022

ANALYTICAL REPORT

Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

Laboratory Job ID: 680-224500-1

Client Project/Site: CCR Plant Scherer AP1 Resample 10-2022

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

11/8/2022 2:41:00 PM

David Fuller, Project Manager
(770)344-8986

David.Fuller@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Definitions/Glossary

Client: Southern Company
Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-224500-1	SGWC-18	Water	10/31/22 12:33	11/02/22 09:30
680-224500-2	SGWC-19	Water	10/31/22 15:09	11/02/22 09:30
680-224500-3	SGWC-20	Water	10/31/22 11:00	11/02/22 09:30
680-224500-4	SGWC-21	Water	10/31/22 14:10	11/02/22 09:30
680-224500-5	SGWC-22	Water	10/31/22 12:18	11/02/22 09:30
680-224500-6	SGWC-23	Water	10/31/22 13:22	11/02/22 09:30
680-224500-7	PZ-14S	Water	10/31/22 10:43	11/02/22 09:30
680-224500-8	PZ-39S	Water	10/31/22 14:27	11/02/22 09:30
680-224500-9	PZ-40I	Water	10/31/22 13:27	11/02/22 09:30
680-224500-10	PZ-42I	Water	10/31/22 12:55	11/02/22 09:30

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Southern Company
Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Job ID: 680-224500-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-224500-1**

Receipt

The samples were received on 11/2/2022 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

Client Sample Results

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Client Sample ID: SGWC-18

Lab Sample ID: 680-224500-1

Date Collected: 10/31/22 12:33

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:07	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.89				SU			10/31/22 12:33	1

Client Sample ID: SGWC-19

Lab Sample ID: 680-224500-2

Date Collected: 10/31/22 15:09

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:08	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.53				SU			10/31/22 15:09	1

Client Sample ID: SGWC-20

Lab Sample ID: 680-224500-3

Date Collected: 10/31/22 11:00

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:09	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	4.32				SU			10/31/22 11:00	1

Client Sample ID: SGWC-21

Lab Sample ID: 680-224500-4

Date Collected: 10/31/22 14:10

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:10	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.29				SU			10/31/22 14:10	1

Client Sample ID: SGWC-22

Lab Sample ID: 680-224500-5

Date Collected: 10/31/22 12:18

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:11	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.72				SU			10/31/22 12:18	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Client Sample ID: SGWC-23

Lab Sample ID: 680-224500-6

Date Collected: 10/31/22 13:22

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:12	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.00				SU			10/31/22 13:22	1

Client Sample ID: PZ-14S

Lab Sample ID: 680-224500-7

Date Collected: 10/31/22 10:43

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:13	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.46				SU			10/31/22 10:43	1

Client Sample ID: PZ-39S

Lab Sample ID: 680-224500-8

Date Collected: 10/31/22 14:27

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:18	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.69				SU			10/31/22 14:27	1

Client Sample ID: PZ-40I

Lab Sample ID: 680-224500-9

Date Collected: 10/31/22 13:27

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:19	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.96				SU			10/31/22 13:27	1

Client Sample ID: PZ-42I

Lab Sample ID: 680-224500-10

Date Collected: 10/31/22 12:55

Matrix: Water

Date Received: 11/02/22 09:30

Method: SW846 EPA 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 14:20	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.48				SU			10/31/22 12:55	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Method: EPA 7470A - Mercury (CVAA)

Lab Sample ID: MB 180-417102/1-A
Matrix: Water
Analysis Batch: 417201

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 417102

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00013		0.00020	0.00013	mg/L		11/03/22 06:55	11/03/22 13:50	1

Lab Sample ID: LCS 180-417102/2-A
Matrix: Water
Analysis Batch: 417201

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 417102

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00250	0.00238		mg/L		95	80 - 120

Lab Sample ID: 180-147100-A-3-B MS
Matrix: Water
Analysis Batch: 417201

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 417102

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	<0.00013		0.00100	0.000918		mg/L		92	75 - 125

Lab Sample ID: 180-147100-A-3-C MSD
Matrix: Water
Analysis Batch: 417201

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 417102

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00013		0.00100	0.000936		mg/L		94	75 - 125	2	20

QC Association Summary

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Metals

Prep Batch: 417102

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224500-1	SGWC-18	Total/NA	Water	7470A	
680-224500-2	SGWC-19	Total/NA	Water	7470A	
680-224500-3	SGWC-20	Total/NA	Water	7470A	
680-224500-4	SGWC-21	Total/NA	Water	7470A	
680-224500-5	SGWC-22	Total/NA	Water	7470A	
680-224500-6	SGWC-23	Total/NA	Water	7470A	
680-224500-7	PZ-14S	Total/NA	Water	7470A	
680-224500-8	PZ-39S	Total/NA	Water	7470A	
680-224500-9	PZ-40I	Total/NA	Water	7470A	
680-224500-10	PZ-42I	Total/NA	Water	7470A	
MB 180-417102/1-A	Method Blank	Total/NA	Water	7470A	
LCS 180-417102/2-A	Lab Control Sample	Total/NA	Water	7470A	
180-147100-A-3-B MS	Matrix Spike	Total/NA	Water	7470A	
180-147100-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 417201

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224500-1	SGWC-18	Total/NA	Water	EPA 7470A	417102
680-224500-2	SGWC-19	Total/NA	Water	EPA 7470A	417102
680-224500-3	SGWC-20	Total/NA	Water	EPA 7470A	417102
680-224500-4	SGWC-21	Total/NA	Water	EPA 7470A	417102
680-224500-5	SGWC-22	Total/NA	Water	EPA 7470A	417102
680-224500-6	SGWC-23	Total/NA	Water	EPA 7470A	417102
680-224500-7	PZ-14S	Total/NA	Water	EPA 7470A	417102
680-224500-8	PZ-39S	Total/NA	Water	EPA 7470A	417102
680-224500-9	PZ-40I	Total/NA	Water	EPA 7470A	417102
680-224500-10	PZ-42I	Total/NA	Water	EPA 7470A	417102
MB 180-417102/1-A	Method Blank	Total/NA	Water	EPA 7470A	417102
LCS 180-417102/2-A	Lab Control Sample	Total/NA	Water	EPA 7470A	417102
180-147100-A-3-B MS	Matrix Spike	Total/NA	Water	EPA 7470A	417102
180-147100-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 7470A	417102

Field Service / Mobile Lab

Analysis Batch: 417203

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224500-1	SGWC-18	Total/NA	Water	Field Sampling	
680-224500-2	SGWC-19	Total/NA	Water	Field Sampling	
680-224500-3	SGWC-20	Total/NA	Water	Field Sampling	
680-224500-4	SGWC-21	Total/NA	Water	Field Sampling	
680-224500-5	SGWC-22	Total/NA	Water	Field Sampling	
680-224500-6	SGWC-23	Total/NA	Water	Field Sampling	
680-224500-7	PZ-14S	Total/NA	Water	Field Sampling	
680-224500-8	PZ-39S	Total/NA	Water	Field Sampling	
680-224500-9	PZ-40I	Total/NA	Water	Field Sampling	
680-224500-10	PZ-42I	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Client Sample ID: SGWC-18

Lab Sample ID: 680-224500-1

Date Collected: 10/31/22 12:33

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:07	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 12:33	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-19

Lab Sample ID: 680-224500-2

Date Collected: 10/31/22 15:09

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:08	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 15:09	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-20

Lab Sample ID: 680-224500-3

Date Collected: 10/31/22 11:00

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:09	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 11:00	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-21

Lab Sample ID: 680-224500-4

Date Collected: 10/31/22 14:10

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:10	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 14:10	FDS	EET PIT
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Client Sample ID: SGWC-22

Lab Sample ID: 680-224500-5

Date Collected: 10/31/22 12:18

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:11	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 12:18	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-23

Lab Sample ID: 680-224500-6

Date Collected: 10/31/22 13:22

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:12	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 13:22	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-14S

Lab Sample ID: 680-224500-7

Date Collected: 10/31/22 10:43

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:13	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 10:43	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-39S

Lab Sample ID: 680-224500-8

Date Collected: 10/31/22 14:27

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:18	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 14:27	FDS	EET PIT
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Client Sample ID: PZ-401

Lab Sample ID: 680-224500-9

Date Collected: 10/31/22 13:27

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:19	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 13:27	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: PZ-421

Lab Sample ID: 680-224500-10

Date Collected: 10/31/22 12:55

Matrix: Water

Date Received: 11/02/22 09:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			25 mL	25 mL	417102	11/03/22 06:55	RJR	EET PIT
Total/NA	Analysis	EPA 7470A		1			417201	11/03/22 14:20	RJR	EET PIT
Instrument ID: HGY										
Total/NA	Analysis	Field Sampling		1			417203	10/31/22 12:55	FDS	EET PIT
Instrument ID: NOEQUIP										

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22 *
California	State	2891	04-30-23
Connecticut	State	PH-0688	09-30-22 *
Florida	NELAP	E871008	06-30-23
Georgia	State	PA 02-00416	04-30-23
Illinois	NELAP	004375	06-30-23
Kansas	NELAP	E-10350	03-31-23
Kentucky (UST)	State	162013	04-30-23
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22 *
Louisiana (All)	NELAP	04041	06-30-23
Maine	State	PA00164	03-06-24
Minnesota	NELAP	042-999-482	12-31-22
New Hampshire	NELAP	2030	04-04-23
New Jersey	NELAP	PA005	06-30-23
New York	NELAP	11182	04-01-23
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	04-30-23
Oregon	NELAP	PA-2151	02-07-23
Pennsylvania	NELAP	02-00416	04-30-23
Rhode Island	State	LAO00362	12-31-22
South Carolina	State	89014	04-20-23
Texas	NELAP	T104704528	03-31-23
USDA	US Federal Programs	P330-16-00211	06-21-24
Utah	NELAP	PA001462019-8	05-31-23
Virginia	NELAP	10043	09-14-23
West Virginia DEP	State	142	01-31-23
Wisconsin	State	998027800	08-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Southern Company
Project/Site: CCR Plant Scherer AP1 Resample 10-2022

Job ID: 680-224500-1

Method	Method Description	Protocol	Laboratory
EPA 7470A	Mercury (CVAA)	SW846	EET PIT
Field Sampling	Field Sampling	EPA	EET PIT
7470A	Preparation, Mercury	SW846	EET PIT

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

1

2

3

4

5

6

7

8

9

10

11

12



RT 98
FZ

7 10:30

Test America
7746
11.02

ORIGIN ID:LIYA (678) 966-9991
GEORGE TAYLOR
EUROFINS TESTING AMERICA ATL SC
6215 REGENCY PARKWAY NW
SUITE 900
NORCROSS, GA 30071
UNITED STATES US

SHIP DATE: 01NOV22
ACTWGT: 43.80 LB
CAD: 859116/CAFE3616

BILL THIRD PARTY

TO **SAMPLE RECIEVING**
EUROFINS TESTAMERICA PITTSBURGH
301 ALPHA DR.
RIDC PARK
PITTSBURGH PA 15238


(412) 963-7058 REF: DEPT:
INU: PO:

Uncorrected temp Thermometer ID
 CF 0 Initials MD
 PT-WI-SR-001 effective 11/8/18

FedEx Express

TRK# 5220 7122 7746
0201
WED - 02 NOV 10:30A
PRIORITY OVERNIGHT

NA AGCA
15238
PA-US PIT



Part # 159469-434 MTW EXP 07/23

577CP/454R/443P

TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Reco



TestAmerica
 DER N ENVIRONMENTAL TESTING
 America Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Dawn Prell		Site Contact: Dawn Prell	
Joju Abraham		Tel/Fax: 248-536-5445		Lab Contact: David Fuller	
Southern Company		Analysis Turnaround Time			
241 Ralph McGill Blvd SE B10185		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below ___RUSH___ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input checked="" type="checkbox"/> 2 days <input type="checkbox"/> 1 day			
Atlanta, GA 30308		244-ATLANTA			
JAbraham@southernco.com					
Project Name: CCR - Plant Scherer AP1 Resample 10-2022					
Site Georgia					
PO# GL166235022 00					

For Lab Use Only:
 Walk-in Client: _____
 Lab Sampling _____
 Job / SDG No _____

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	7470A-Mercury (CVAA)	Sample Specific Notes
SGWC-18	10/31/2022	12 33	G	WG	1	N	N	X	pH=4 89
SGWC-19	10/31/2022	15 09	G	WG	1	N	N	X	pH=5 53
SGWC-20	10/31/2022	11 00	G	WG	1	N	N	X	pH=4 32
SGWC-21	10/31/2022	14 10	G	WG	1	N	N	X	pH=6 29
SGWC-22	10/31/2022	12 18	G	WG	1	N	N	X	pH=5 72
SGWC-23	10/31/2022	13 22	G	WG	1	N	N	X	pH=6 00
PZ-14S	10/31/2022	10 43	G	WG	1	N	N	X	pH=5 46
PZ-39S	10/31/2022	14 27	G	WG	1	N	N	X	pH=6 69
PZ-40I	10/31/2022	13 27	G	WG	1	N	N	X	pH=6 96
PZ-42I	10/31/2022	12 55	G	WG	1	N	N	X	pH=6 48

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other 4

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return to Client Disposal by Lab Archive for _____ Months

Custody Seals Intact: Yes No

Custody Seal No _____ Cooler Temp (°C) Obs'd _____ Corr'd _____ Therm ID No _____

Relinquished by <i>(Signature)</i>	Company <i>Golden</i>	Date/Time <i>10-1-22 10:57</i>	Received by <i>(Signature)</i>	Company	Date/Time <i>11-1-22 10:57</i>
Relinquished by <i>(Signature)</i>	Company	Date/Time <i>11-1-22 10:57</i>	Received by <i>(Signature)</i>	Company <i>edrb</i>	Date/Time <i>11-2-22 (0530)</i>
Relinquished by	Company	Date/Time	Received in Laboratory by	Company	Date/Time

Page 15 of 16 11/8/2022



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-224500-1

Login Number: 224500

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

List Creation: 11/02/22 06:31 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

PREPARED FOR

Attn: Joju Abraham
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta Georgia 30308

JOB DESCRIPTION

GPC Plant Scherer AP1 resample 10-2022

JOB NUMBER

680-224207-1

Definitions/Glossary

Client: Southern Company
Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-224207-1	SGWC-16	Water	10/25/22 10:07	10/27/22 10:30
680-224207-2	SGWC-17	Water	10/25/22 11:05	10/27/22 10:30
680-224207-3	DUP-2	Water	10/25/22 00:00	10/27/22 10:30

1

2

3

4

5

6

7

8

9

10

11

12

13

Case Narrative

Client: Southern Company
Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Job ID: 680-224207-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-224207-1**

Receipt

The samples were received on 10/27/2022 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.0° C and 3.0° C.

General Chemistry

Method 2540C_Calcd: All samples were prepared outside of preparation holding time due to insufficient available space in the hot block to process samples.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Southern Company
 Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Client Sample ID: SGWC-16

Lab Sample ID: 680-224207-1

Date Collected: 10/25/22 10:07

Matrix: Water

Date Received: 10/27/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	130	H	10	10	mg/L			11/02/22 15:10	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	7.9		5.0	5.0	mg/L			11/01/22 14:46	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	7.9		5.0	5.0	mg/L			11/01/22 14:46	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0		5.0	5.0	mg/L			11/01/22 14:46	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.23				SU			10/25/22 10:07	1

Client Sample ID: SGWC-17

Lab Sample ID: 680-224207-2

Date Collected: 10/25/22 11:05

Matrix: Water

Date Received: 10/27/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	470	H	10	10	mg/L			11/02/22 15:10	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	72		5.0	5.0	mg/L			11/01/22 15:14	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	72		5.0	5.0	mg/L			11/01/22 15:14	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0		5.0	5.0	mg/L			11/01/22 15:14	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.27				SU			10/25/22 11:05	1

Client Sample ID: DUP-2

Lab Sample ID: 680-224207-3

Date Collected: 10/25/22 00:00

Matrix: Water

Date Received: 10/27/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	110	H	10	10	mg/L			11/02/22 15:10	1
Total Alkalinity as CaCO3 to pH 4.5 (SM18 SM2320 B)	8.7		5.0	5.0	mg/L			11/01/22 15:25	1
Bicarbonate Alkalinity as CaCO3 (SM18 SM2320 B)	8.7		5.0	5.0	mg/L			11/01/22 15:25	1
Carbonate Alkalinity as CaCO3 (SM18 SM2320 B)	<5.0		5.0	5.0	mg/L			11/01/22 15:25	1

QC Sample Results

Client: Southern Company
 Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 180-417072/1
Matrix: Water
Analysis Batch: 417072

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			11/02/22 15:10	1

Lab Sample ID: LCS 180-417072/2
Matrix: Water
Analysis Batch: 417072

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	388	370		mg/L		95	85 - 115

Lab Sample ID: 180-146961-B-1 DU
Matrix: Water
Analysis Batch: 417072

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	640		638		mg/L		NC	10

Lab Sample ID: 680-224200-A-2 DU
Matrix: Water
Analysis Batch: 417072

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	310		301		mg/L		3	10

Method: SM2320 B - Alkalinity, Total

Lab Sample ID: MB 180-416992/29
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			11/01/22 15:11	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			11/01/22 15:11	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			11/01/22 15:11	1

Lab Sample ID: MB 180-416992/5
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity as CaCO3 to pH 4.5	<5.0		5.0	5.0	mg/L			11/01/22 13:16	1
Bicarbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			11/01/22 13:16	1
Carbonate Alkalinity as CaCO3	<5.0		5.0	5.0	mg/L			11/01/22 13:16	1

Lab Sample ID: LCS 180-416992/28
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	250	240		mg/L		96	90 - 110

Eurofins Savannah

QC Sample Results

Client: Southern Company
 Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Method: SM2320 B - Alkalinity, Total (Continued)

Lab Sample ID: LCS 180-416992/4
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	250	238		mg/L		95	90 - 110

Lab Sample ID: LLCS 180-416992/27
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.0	13.8		mg/L		92	75 - 125

Lab Sample ID: LLCS 180-416992/3
Matrix: Water
Analysis Batch: 416992

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Alkalinity as CaCO3 to pH 4.5	15.0	14.0		mg/L		94	75 - 125

Lab Sample ID: 680-224207-2 DU
Matrix: Water
Analysis Batch: 416992

Client Sample ID: SGWC-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Alkalinity as CaCO3 to pH 4.5	72		71.6		mg/L		1	20
Bicarbonate Alkalinity as CaCO3	72		71.6		mg/L		1	20
Carbonate Alkalinity as CaCO3	<5.0		<5.0		mg/L		NC	20

QC Association Summary

Client: Southern Company
Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

General Chemistry

Analysis Batch: 416992

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224207-1	SGWC-16	Total/NA	Water	SM2320 B	
680-224207-2	SGWC-17	Total/NA	Water	SM2320 B	
680-224207-3	DUP-2	Total/NA	Water	SM2320 B	
MB 180-416992/29	Method Blank	Total/NA	Water	SM2320 B	
MB 180-416992/5	Method Blank	Total/NA	Water	SM2320 B	
LCS 180-416992/28	Lab Control Sample	Total/NA	Water	SM2320 B	
LCS 180-416992/4	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-416992/27	Lab Control Sample	Total/NA	Water	SM2320 B	
LLCS 180-416992/3	Lab Control Sample	Total/NA	Water	SM2320 B	
680-224207-2 DU	SGWC-17	Total/NA	Water	SM2320 B	

Analysis Batch: 417072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224207-1	SGWC-16	Total/NA	Water	SM 2540C	
680-224207-2	SGWC-17	Total/NA	Water	SM 2540C	
680-224207-3	DUP-2	Total/NA	Water	SM 2540C	
MB 180-417072/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 180-417072/2	Lab Control Sample	Total/NA	Water	SM 2540C	
180-146961-B-1 DU	Duplicate	Total/NA	Water	SM 2540C	
680-224200-A-2 DU	Duplicate	Total/NA	Water	SM 2540C	

Field Service / Mobile Lab

Analysis Batch: 416783

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-224207-1	SGWC-16	Total/NA	Water	Field Sampling	
680-224207-2	SGWC-17	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: Southern Company
 Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Client Sample ID: SGWC-16

Lab Sample ID: 680-224207-1

Date Collected: 10/25/22 10:07

Matrix: Water

Date Received: 10/27/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	417072	11/02/22 15:10	LWM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			416992	11/01/22 14:46	ELS	EET PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			416783	10/25/22 10:07	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-17

Lab Sample ID: 680-224207-2

Date Collected: 10/25/22 11:05

Matrix: Water

Date Received: 10/27/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	417072	11/02/22 15:10	LWM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			416992	11/01/22 15:14	ELS	EET PIT
Instrument ID: PCTITRATOR										
Total/NA	Analysis	Field Sampling		1			416783	10/25/22 11:05	FDS	EET PIT
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2

Lab Sample ID: 680-224207-3

Date Collected: 10/25/22 00:00

Matrix: Water

Date Received: 10/27/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	417072	11/02/22 15:10	LWM	EET PIT
Instrument ID: NOEQUIP										
Total/NA	Analysis	SM2320 B		1			416992	11/01/22 15:25	ELS	EET PIT
Instrument ID: PCTITRATOR										

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22 *
California	State	2891	04-30-23
Connecticut	State	PH-0688	09-30-22 *
Florida	NELAP	E871008	06-30-23
Georgia	State	PA 02-00416	04-30-23
Illinois	NELAP	004375	06-30-23
Kansas	NELAP	E-10350	03-31-23
Kentucky (UST)	State	162013	04-30-23
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22 *
Louisiana (All)	NELAP	04041	06-30-23
Maine	State	PA00164	03-06-24
Minnesota	NELAP	042-999-482	12-31-22
New Hampshire	NELAP	2030	04-04-23
New Jersey	NELAP	PA005	06-30-23
New York	NELAP	11182	04-01-23
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	04-30-23
Oregon	NELAP	PA-2151	02-07-23
Pennsylvania	NELAP	02-00416	04-30-23
Rhode Island	State	LAO00362	12-31-22
South Carolina	State	89014	04-20-23
Texas	NELAP	T104704528	03-31-23
USDA	US Federal Programs	P330-16-00211	06-21-24
Utah	NELAP	PA001462019-8	05-31-23
Virginia	NELAP	10043	09-14-23
West Virginia DEP	State	142	01-31-23
Wisconsin	State	998027800	08-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Method Summary

Client: Southern Company
Project/Site: GPC Plant Scherer AP1 resample 10-2022

Job ID: 680-224207-1

Method	Method Description	Protocol	Laboratory
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET PIT
SM2320 B	Alkalinity, Total	SM18	EET PIT
Field Sampling	Field Sampling	EPA	EET PIT

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SM18 = "Standard Methods For The Examination Of Water And Wastewater", 18th Edition, 1992.

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058



TestAmerica Pittsburgh

301 Alpha Drive
 RIDC Park
 Pittsburgh, PA 15238-2907
 phone 412 963 7058 fax 412 963 2468

Chain of Custody Record

244-ATLANTA

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

10/26/22

Client Contact Joju Abraham Southern Company 241 Ralph McGill Blvd SE B10185 Atlanta, GA 30308 JAbram@southernco.com Project Name: CCR - Plant Scherer AP1 Resample 10-2022 Site Georgia PO# GL166235022	Project Manager: Dawn Prell Tel/Fax: 248-536-5445	Site Contact: Dawn Prell Lab Contact: David Fuller	Date: 10/26/2022 Carrier:	COC No 1 of 1 COCs Sampler CT/DF For Lab Use Only: Walk-in Client Lab Sampling Job / SDG No
---	---	--	-------------------------------------	--

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	2540C-Solids, Total Dissolved (TDS)	2320B-Alkalinity, Total, Carb/BICarb	Sample Specific Notes
SGWC-16	10/25/2022	10 07	G	WG	2	N	N	X	X	pH=5 23
SGWC-17	10/25/2022	11 05	G	WG	2	N	N	X	X	pH=6 27
DUP-2	10/25/2022	--	G	WG	2	N	N	X	X	



Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

Non-Hazard Flammable Skin Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return to Client Disposal by Lab Archive for _____ Months

Custody Seals Intact: Yes No

Custody Seal No _____ Cooler Temp (°C) Obs'd _____ Corr'd _____ Therm ID No _____

Relinquished by: [Signature] (P. Timm)	Company: Golden	Date/Time: 10-26-22/08:20	Received by: [Signature]	Company: Cowen	Date/Time: 10/26/22 10:20
Relinquished by: [Signature]	Company: Cowen	Date/Time: 10/26/22	Received by: [Signature]	Company: Eurobus	Date/Time: 10/26/22 10:30
Relinquished by: [Signature]	Company: Eurobus	Date/Time: 10/26/22	Received in Laboratory by: [Signature]	Company: Eurobus	Date/Time: 10/26/22 10:30

Form No. CA-C-WI-002, Rev. 4.20, dated 2/28/2019

Page 12 of 14

11/15/2022



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-224207-1

Login Number: 224207

List Number: 2

Creator: Watson, Debbie

List Source: Eurofins Pittsburgh

List Creation: 10/28/22 02:59 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Eurofins Savannah

Job Notes

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the {0} Project Manager.

Authorization



Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

Generated
11/15/2022 6:57:50 AM

APPENDIX C

Laboratory Analytical Data
November 2022

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Joju Abraham
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta Georgia 30308

Generated 11/22/2022 7:16:37 AM

JOB DESCRIPTION

CCR - Plant Scherer AP1 Resample 10-2022

JOB NUMBER

680-225766-1

Definitions/Glossary

Client: Southern Company

Job ID: 680-225766-1

Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-225766-1	SGWC-16	Water	11/16/22 11:15	11/17/22 10:30
680-225766-2	SGWC-17	Water	11/16/22 11:53	11/17/22 10:30
680-225766-3	DUP-2	Water	11/16/22 00:00	11/17/22 10:30

1

2

3

4

5

6

7

8

9

10

11

12

13

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Job ID: 680-225766-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-225766-1**

Receipt

The samples were received on 11/17/2022 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.1°C

General Chemistry

Method 2540C: A smaller amount of sample was used for the following sample due to the nature of the sample matrix: SGWC-17 (680-225766-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Client Sample ID: SGWC-16

Lab Sample ID: 680-225766-1

Date Collected: 11/16/22 11:15

Matrix: Water

Date Received: 11/17/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	110		10	10	mg/L			11/18/22 13:46	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	5.17				SU			11/16/22 11:15	1

Client Sample ID: SGWC-17

Lab Sample ID: 680-225766-2

Date Collected: 11/16/22 11:53

Matrix: Water

Date Received: 11/17/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	430		40	40	mg/L			11/18/22 13:46	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	6.23				SU			11/16/22 11:53	1

Client Sample ID: DUP-2

Lab Sample ID: 680-225766-3

Date Collected: 11/16/22 00:00

Matrix: Water

Date Received: 11/17/22 10:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	110		10	10	mg/L			11/18/22 13:46	1

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Method: 2540C - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 680-751396/1
Matrix: Water
Analysis Batch: 751396

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			11/18/22 13:46	1

Lab Sample ID: LCS 680-751396/2
Matrix: Water
Analysis Batch: 751396

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2420	2440		mg/L		101	80 - 120

Lab Sample ID: LCSD 680-751396/3
Matrix: Water
Analysis Batch: 751396

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2420	2380		mg/L		98	80 - 120	2	25

Lab Sample ID: 680-225766-2 DU
Matrix: Water
Analysis Batch: 751396

Client Sample ID: SGWC-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	430		434		mg/L		1	5

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

General Chemistry

Analysis Batch: 751396

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-225766-1	SGWC-16	Total/NA	Water	2540C	
680-225766-2	SGWC-17	Total/NA	Water	2540C	
680-225766-3	DUP-2	Total/NA	Water	2540C	
MB 680-751396/1	Method Blank	Total/NA	Water	2540C	
LCS 680-751396/2	Lab Control Sample	Total/NA	Water	2540C	
LCSD 680-751396/3	Lab Control Sample Dup	Total/NA	Water	2540C	
680-225766-2 DU	SGWC-17	Total/NA	Water	2540C	

Field Service / Mobile Lab

Analysis Batch: 751635

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-225766-1	SGWC-16	Total/NA	Water	Field Sampling	
680-225766-2	SGWC-17	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Client Sample ID: SGWC-16

Lab Sample ID: 680-225766-1

Date Collected: 11/16/22 11:15

Matrix: Water

Date Received: 11/17/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	2540C		1	200 mL	200 mL	751396	11/18/22 13:46	PG	EET SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	Field Sampling		1			751635	11/16/22 11:15	T1C	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: SGWC-17

Lab Sample ID: 680-225766-2

Date Collected: 11/16/22 11:53

Matrix: Water

Date Received: 11/17/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	2540C		1	50 mL	200 mL	751396	11/18/22 13:46	PG	EET SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	Field Sampling		1			751635	11/16/22 11:53	T1C	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: DUP-2

Lab Sample ID: 680-225766-3

Date Collected: 11/16/22 00:00

Matrix: Water

Date Received: 11/17/22 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	2540C		1	200 mL	200 mL	751396	11/18/22 13:46	PG	EET SAV
Instrument ID: NOEQUIP										

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Laboratory: Eurofins Savannah

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
	AFCEE	SAVLAB	
Alabama	State	41450	06-30-23
ANAB	Dept. of Defense ELAP	L2463	09-22-24
Arkansas DEQ	State	19-015-0	02-01-23
California	State	2939	06-30-22 *
Connecticut	State	PH-0161	03-31-23
Florida	NELAP	E87052	06-23-23
Georgia	State	E87052	06-30-23
Georgia (DW)	State	803	06-30-23
Guam	State	19-007R	04-17-23
Hawaii	State	<cert No.>	06-30-23
Illinois	NELAP	200022	11-30-22
Indiana	State	C-GA-02	06-30-23
Iowa	State	353	07-01-23
Kentucky (UST)	State	NA	06-30-23
Louisiana	NELAP	30690	06-30-23
Louisiana (All)	NELAP	30690	06-30-23
Louisiana (DW)	State	LA009	12-31-22
Maine	State	GA00006	09-25-24
Maryland	State	250	12-31-22
Massachusetts	State	M-GA006	07-30-23
Michigan	State	9925	06-30-23
Mississippi	State	<cert No.>	06-30-23
Nebraska	State	NE-OS-7-04	06-30-23
New Jersey	NELAP	GA769	06-30-23
New Mexico	State	GA00006	06-30-23
New York	NELAP	10842	04-01-23
North Carolina (DW)	State	13701	07-31-23
North Carolina (WW/SW)	State	269	12-31-22
Pennsylvania	NELAP	68-00474	06-30-23
Puerto Rico	State	GA00006	01-01-23
South Carolina	State	98001	06-30-22 *
Tennessee	State	TN02961	06-30-23
Texas	NELAP	T1047004185-19-14	11-30-22
Texas	TCEQ Water Supply	T104704185	06-30-23
USDA	US Federal Programs	P330-18-00313	09-03-24
Virginia	NELAP	460161	06-14-23
Wisconsin	State	999819810	08-31-23
Wyoming	State	8TMS-L	06-30-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Southern Company
Project/Site: CCR - Plant Scherer AP1 Resample 10-2022

Job ID: 680-225766-1

Method	Method Description	Protocol	Laboratory
2540C	Total Dissolved Solids (Dried at 180 °C)	SM	EET SAV
Field Sampling	Field Sampling	EPA	EET SAV

Protocol References:

- EPA = US Environmental Protection Agency
- SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

- EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Savannah, GA 31404-6019
phone 912.354.7858 fax 912.352.0165

Regulatory Program: DW NPDES RCRA Other

Project Manager: Dawn Prell
Tel/Fax: 248-536-5445

Site Contact
Joiu Abraham
Southern Company
241 Ralph McGill Blvd SE B10185
Atlanta, GA 30308
JAbraham@southernco.com
Project Name: CCR - Plant Scherer AP1 Resample 10-2022
Site Georgia
PO#: GL166235022

Client Contact
11/16/2022

COC No _____ of _____ COCs

Sampler: CT/CM

For Lab Use Only:
Walk-in Client:
Lab Sampling:
Job / SDG No

Site Contact: Dawn Prell
Lab Contact: David Fuller

Carrier:

Sample Identification	Sample Date	Sample Time	Sample Type (C-Comp, G-Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	2540C-Solids, Total Dissolved (TDS)	Carrier	11/16/2022	11/16/2022
SGWC-16	11/16/2022	11 15	G	WG	1	N	N	X			
SGWC-17	11/16/2022	11 53	G	WG	1	N	N	X			
DUP-2	11/16/2022	-	G	WG	1	N	N	X			

pH= 5.17
pH=6.23

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
TAT if different from Below 3-5 days
 2 weeks
 1 week
 2 days
 1 day

Sample Disposal (A fee may be assessed if samples are):
 Return to Client Disposal by Lab Archive for _____ Months

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other

Possible Hazard Identification
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown

680-225766 Chain of Custody

Sample Disposal (A fee may be assessed if samples are):
 Return to Client Disposal by Lab Archive for _____ Months

Cooler Temp (°C) Obs'd _____ Therm ID No _____

3.1 3.1

Custody Seal No

Relinquished by: *WSP Goulet* Date/Time: 11-16-22 10:20 Company: _____
Relinquished by: *to Wes Ex* Date/Time: _____ Company: _____
Relinquished by: _____ Date/Time: _____ Company: _____

Received by: _____ Date/Time: _____ Company: _____
Received in Laboratory by: *DM* Date/Time: 11/22/2022 10:30 Company: _____

Form No CA-C-WI-002, Rev. 4.20, dated 2/28/2019

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-225766-1

Login Number: 225766

List Number: 1

Creator: Sims, Robert D

List Source: Eurofins Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Eurofins Savannah

Job Notes

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
11/22/2022 7:16:37 AM

Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

APPENDIX C

Laboratory Accreditation

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION

BUREAU OF LABORATORIES

LABORATORY ACCREDITATION PROGRAM

Certifies That

02-00416

Eurofins Pittsburgh

301 Alpha Drive, Pittsburgh, PA, 15238

Having duly met the requirement of

The act of June 29, 2002 (P.L. 596, No. 90)

dealing with Environmental Laboratories Accreditation

(27 Pa. C.S. 4104-4113) and the

National Environmental Laboratory Accreditation Program Standard

is hereby approved as an

Accredited Laboratory

to conduct analysis within the fields of accreditations more fully described in the attached Scope of Accreditation

NELAP accreditation granted by the PA DEP to an environmental laboratory is conditioned upon continued compliance with the current edition of the NELAC Standard or TNI Standard and the following Subchapters and Sections of 25 Pa. Code Chapter 252: Subchapter A (relating to general provisions); Subchapter B (relating to application, fees and supporting documents); Subchapter E (relating to proficiency test study requirements); Subchapter F (relating to assessment requirements); Subchapter G (relating to miscellaneous provisions); Section 252.307; and Section 252.401.

Expiration Date: **04/30/2023**

Certificate Number: **020**



Annamarie Beach

Annamarie Beach, Chief
Laboratory Accreditation Program
Bureau of Laboratories

Continued accreditation status depends on successful ongoing participation in the program
Certificate not transferable Surrender upon revocation
To be conspicuously displayed at the Laboratory
Not valid unless accompanied by a valid Scope of Accreditation
Shall not be used to imply endorsement by the Commonwealth of Pennsylvania
Customers are urged to verify the laboratory's current accreditation status
PA DEP is a NELAP recognized accreditation body

Laboratory Status Summary



Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Status	Effective Date
EPA 1010	B	10234830	Ignitability	1780	NELAP	PA	Applied	03/15/2022
EPA 351.2	2.0	10065404	Kjeldahl nitrogen, total (TKN)	1795	NELAP	PA	Temp Withdraw	08/12/2021
EPA 365.4		10071202	Phosphorus, total	1910	NELAP	PA	Temp Withdraw	08/12/2021
SM 4500-Norg D - 2011	23rd ed.	20120234	Kjeldahl nitrogen, total (TKN)	1795	NELAP	PA	Temp Withdraw	08/12/2021
SM 5210B - 2016	23rd ed.	20135028	Biochemical oxygen demand (BOD)	1530	NELAP	PA	Suspended	05/31/2022
SM 5210B - 2016	23rd ed.	20135028	Carbonaceous BOD (CBOD)	1555	NELAP	PA	Suspended	05/31/2022

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Status	Effective Date
EPA 1010	B	10234830	Ignitability	1780	NELAP	PA	Applied	03/15/2022
EPA 351.2	2.0	10065404	Kjeldahl nitrogen, total (TKN)	1795	NELAP	PA	Temp Withdraw	08/12/2021
EPA 365.4		10071202	Phosphorus, total	1910	NELAP	PA	Temp Withdraw	08/12/2021

Ammarie Beach

The Laboratory Status Summary is not a continuation of the Scope of Accreditation. This Status Summary includes fields of accreditation for which the laboratory does not hold accreditation per the effective date listed above.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
ASTM D5057-90		30032145	Apparent specific gravity	8042	NELAP	PA	09/27/2010
ASTM D5057-90		30032145	Bulk density	8017	NELAP	PA	09/27/2010
EPA 1010	A	10234807	Ignitability	1780	NELAP	PA	03/04/2013
EPA 120.1		10006403	Conductivity	1610	NELAP	PA	11/15/2011
EPA 1311		10118806	Toxicity characteristic leaching procedure (TCLP)	1466	NELAP	PA	12/05/2013
EPA 160.4		10010409	Residue, volatile	1970	NELAP	PA	02/03/2016
EPA 1664	B	10261617	Non-polar material	1853	NELAP	PA	01/10/2014
EPA 1664	B	10261617	Oil and grease	1803	NELAP	PA	01/10/2014
EPA 180.1	2	10011800	Turbidity	2055	NELAP	PA	08/26/2006
EPA 200.7	4.4	10013806	Aluminum	1000	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Antimony	1005	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Arsenic	1010	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Barium	1015	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Beryllium	1020	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Boron	1025	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Cadmium	1030	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Calcium	1035	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Chromium	1040	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Cobalt	1050	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Copper	1055	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Iron	1070	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Lead	1075	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 200.7	4.4	10013806	Lithium	1080	NELAP	PA	09/05/2012
EPA 200.7	4.4	10013806	Magnesium	1085	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Manganese	1090	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Nickel	1105	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Potassium	1125	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Selenium	1140	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Silica, as SiO ₂	1990	NELAP	PA	08/24/2005
EPA 200.7	4.4	10013806	Silver	1150	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Sodium	1155	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Strontium	1160	NELAP	PA	03/01/2007
EPA 200.7	4.4	10013806	Thallium	1165	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Tin	1175	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Titanium	1180	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Vanadium	1185	NELAP	PA	04/07/2005
EPA 200.7	4.4	10013806	Zinc	1190	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Aluminum	1000	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Antimony	1005	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Arsenic	1010	NELAP	PA	03/21/2012
EPA 200.8	5.4	10014605	Barium	1015	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Beryllium	1020	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Boron	1025	NELAP	PA	08/24/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 200.8	5.4	10014605	Cadmium	1030	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Calcium	1035	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Chromium	1040	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Cobalt	1050	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Copper	1055	NELAP	PA	11/15/2011
EPA 200.8	5.4	10014605	Iron	1070	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Lead	1075	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Lithium	1080	NELAP	PA	03/24/2017
EPA 200.8	5.4	10014605	Magnesium	1085	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Manganese	1090	NELAP	PA	01/22/2007
EPA 200.8	5.4	10014605	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Nickel	1105	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Phosphorus, total	1910	NELAP	PA	04/19/2018
EPA 200.8	5.4	10014605	Potassium	1125	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Selenium	1140	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Silica, as SiO2	1990	NELAP	PA	04/18/2006
EPA 200.8	5.4	10014605	Silver	1150	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Sodium	1155	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Strontium	1160	NELAP	PA	03/01/2007
EPA 200.8	5.4	10014605	Thallium	1165	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Thorium	1170	NELAP	PA	03/24/2017
EPA 200.8	5.4	10014605	Tin	1175	NELAP	PA	08/24/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 200.8	5.4	10014605	Titanium	1180	NELAP	PA	08/24/2005
EPA 200.8	5.4	10014605	Uranium (mass)	1184	NELAP	PA	03/24/2017
EPA 200.8	5.4	10014605	Vanadium	1185	NELAP	PA	04/07/2005
EPA 200.8	5.4	10014605	Zinc	1190	NELAP	PA	04/07/2005
EPA 245.1	3.0	10036609	Mercury	1095	NELAP	PA	04/07/2005
EPA 300.0	2.1	10053200	Bromide	1540	NELAP	PA	08/24/2005
EPA 300.0	2.1	10053200	Chloride	1575	NELAP	PA	04/07/2005
EPA 300.0	2.1	10053200	Fluoride	1730	NELAP	PA	08/24/2005
EPA 300.0	2.1	10053200	Nitrate as N	1810	NELAP	PA	04/07/2005
EPA 300.0	2.1	10053200	Nitrite as N	1840	NELAP	PA	04/07/2005
EPA 300.0	2.1	10053200	Orthophosphate as P	1870	NELAP	PA	04/07/2005
EPA 300.0	2.1	10053200	Sulfate	2000	NELAP	PA	04/07/2005
EPA 3005	A	10133207	Preconcentration under acid	1438	NELAP	PA	08/26/2006
EPA 3010	A	10133605	Hot plate acid digestion (HNO ₃ + HCl)	1420	NELAP	PA	08/26/2006
EPA 3060	A	10136604	Alkaline digestion of Cr(VI)	1402	NELAP	PA	08/26/2006
EPA 350.1	2.0	10063602	Ammonia as N	1515	NELAP	PA	07/11/2016
EPA 3510	C	10138202	Separatory funnel liquid-liquid extraction	1444	NELAP	PA	08/26/2006
EPA 3520	C	10139001	Continuous liquid-liquid extraction	1410	NELAP	PA	08/26/2006
EPA 353.2	2.0	10067604	Total nitrate-nitrite	1825	NELAP	PA	08/26/2006
EPA 3620	B	10145809	Florisil cleanup	1414	NELAP	PA	08/26/2006
EPA 3620	C	10146028	Florisil cleanup	1414	NELAP	PA	03/16/2009
EPA 3630	C	10146802	Silica gel cleanup	1446	NELAP	PA	05/22/2020

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 3640	A	10147203	Gel permeation cleanup (GPC)	1418	NELAP	PA	08/26/2006
EPA 3660	B	10148400	Sulfur cleanup	1456	NELAP	PA	08/26/2006
EPA 3665	A	10148808	Sulfuric acid/permanganate clean-up	2020	NELAP	PA	12/30/2019
EPA 410.4	2.0	10077404	Chemical oxygen demand (COD)	1565	NELAP	PA	10/13/2020
EPA 420.1		10079400	Total phenolics	1905	NELAP	PA	04/08/2008
EPA 5030	B	10153409	Aqueous-phase purge-and-trap	1406	NELAP	PA	03/04/2013
EPA 5030	C	10284603	Aqueous-phase purge-and-trap	1406	NELAP	PA	12/05/2013
EPA 6010	C	10155905	Metals by ICP/AES	1097	NELAP	PA	03/16/2009
EPA 6010	D	10155950	Metals by ICP/AES	1097	NELAP	PA	06/05/2019
EPA 6010	C	10155905	Aluminum	1000	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Antimony	1005	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Arsenic	1010	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Barium	1015	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Beryllium	1020	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Boron	1025	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Cadmium	1030	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Calcium	1035	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Chromium	1040	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Cobalt	1050	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Copper	1055	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Iron	1070	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Lead	1075	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	C	10155905	Lithium	1080	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Magnesium	1085	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Manganese	1090	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Molybdenum	1100	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Nickel	1105	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Potassium	1125	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Selenium	1140	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Silica, as SiO ₂	1990	NELAP	PA	04/18/2006
EPA 6010	C	10155905	Silicon	1145	NELAP	PA	06/03/2010
EPA 6010	C	10155905	Silver	1150	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Sodium	1155	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Strontium	1160	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Thallium	1165	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Tin	1175	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Titanium	1180	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Vanadium	1185	NELAP	PA	08/26/2006
EPA 6010	C	10155905	Zinc	1190	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Aluminum	1000	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Antimony	1005	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Arsenic	1010	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Barium	1015	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Beryllium	1020	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	D	10155950	Boron	1025	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Cadmium	1030	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Calcium	1035	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Chromium	1040	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Cobalt	1050	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Copper	1055	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Iron	1070	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Lead	1075	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Lithium	1080	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Magnesium	1085	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Manganese	1090	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Molybdenum	1100	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Nickel	1105	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Potassium	1125	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Selenium	1140	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Silica, as SiO ₂	1990	NELAP	PA	04/18/2006
EPA 6010	D	10155950	Silicon	1145	NELAP	PA	06/03/2010
EPA 6010	D	10155950	Silver	1150	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Sodium	1155	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Strontium	1160	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Thallium	1165	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Tin	1175	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	D	10155950	Titanium	1180	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Vanadium	1185	NELAP	PA	08/26/2006
EPA 6010	D	10155950	Zinc	1190	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Metals by ICP/MS	1098	NELAP	PA	03/16/2009
EPA 6020	B	10156420	Metals by ICP/MS	1098	NELAP	PA	06/05/2019
EPA 6020	A	10156419	Aluminum	1000	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Antimony	1005	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Arsenic	1010	NELAP	PA	03/21/2012
EPA 6020	A	10156419	Barium	1015	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Beryllium	1020	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Boron	1025	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Cadmium	1030	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Calcium	1035	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Chromium	1040	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Cobalt	1050	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Copper	1055	NELAP	PA	11/15/2011
EPA 6020	A	10156419	Iron	1070	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Lead	1075	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Lithium	1080	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Magnesium	1085	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Manganese	1090	NELAP	PA	01/22/2007
EPA 6020	A	10156419	Molybdenum	1100	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	A	10156419	Nickel	1105	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Phosphorus, total	1910	NELAP	PA	04/19/2018
EPA 6020	A	10156419	Potassium	1125	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Selenium	1140	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Silica, as SiO2	1990	NELAP	PA	04/18/2006
EPA 6020	A	10156419	Silicon	1145	NELAP	PA	06/03/2010
EPA 6020	A	10156419	Silver	1150	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Sodium	1155	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Strontium	1160	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Thallium	1165	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Thorium	1170	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Tin	1175	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Titanium	1180	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Uranium (mass)	1184	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Vanadium	1185	NELAP	PA	08/26/2006
EPA 6020	A	10156419	Zinc	1190	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Aluminum	1000	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Antimony	1005	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Arsenic	1010	NELAP	PA	03/21/2012
EPA 6020	B	10156420	Barium	1015	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Beryllium	1020	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Boron	1025	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	B	10156420	Cadmium	1030	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Calcium	1035	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Chromium	1040	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Cobalt	1050	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Copper	1055	NELAP	PA	11/15/2011
EPA 6020	B	10156420	Iron	1070	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Lead	1075	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Lithium	1080	NELAP	PA	03/24/2017
EPA 6020	B	10156420	Magnesium	1085	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Manganese	1090	NELAP	PA	01/22/2007
EPA 6020	B	10156420	Molybdenum	1100	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Nickel	1105	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Phosphorus, total	1910	NELAP	PA	04/19/2018
EPA 6020	B	10156420	Potassium	1125	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Selenium	1140	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Silica, as SiO2	1990	NELAP	PA	04/18/2006
EPA 6020	B	10156420	Silicon	1145	NELAP	PA	06/03/2010
EPA 6020	B	10156420	Silver	1150	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Sodium	1155	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Strontium	1160	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Thallium	1165	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Thorium	1170	NELAP	PA	03/24/2017

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	B	10156420	Tin	1175	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Titanium	1180	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Uranium (mass)	1184	NELAP	PA	03/24/2017
EPA 6020	B	10156420	Vanadium	1185	NELAP	PA	08/26/2006
EPA 6020	B	10156420	Zinc	1190	NELAP	PA	08/26/2006
EPA 608.3		10296614	4,4'-DDD	7355	NELAP	PA	04/19/2018
EPA 608.3		10296614	4,4'-DDE	7360	NELAP	PA	04/19/2018
EPA 608.3		10296614	4,4'-DDT	7365	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aldrin (HHDN)	7025	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1016 (PCB-1016)	8880	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1221 (PCB-1221)	8885	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1232 (PCB-1232)	8890	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1242 (PCB-1242)	8895	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1248 (PCB-1248)	8900	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1254 (PCB-1254)	8905	NELAP	PA	04/19/2018
EPA 608.3		10296614	Aroclor-1260 (PCB-1260)	8910	NELAP	PA	04/19/2018
EPA 608.3		10296614	Chlordane (tech.)	7250	NELAP	PA	12/30/2019
EPA 608.3		10296614	Dieldrin	7470	NELAP	PA	04/19/2018
EPA 608.3		10296614	Endosulfan I	7510	NELAP	PA	04/19/2018
EPA 608.3		10296614	Endosulfan II	7515	NELAP	PA	04/19/2018
EPA 608.3		10296614	Endosulfan sulfate	7520	NELAP	PA	04/19/2018
EPA 608.3		10296614	Endrin	7540	NELAP	PA	04/19/2018

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 608.3		10296614	Endrin aldehyde	7530	NELAP	PA	04/19/2018
EPA 608.3		10296614	Endrin ketone	7535	NELAP	PA	04/19/2018
EPA 608.3		10296614	Heptachlor	7685	NELAP	PA	04/19/2018
EPA 608.3		10296614	Heptachlor epoxide	7690	NELAP	PA	04/19/2018
EPA 608.3		10296614	Methoxychlor	7810	NELAP	PA	04/19/2018
EPA 608.3		10296614	Toxaphene (Chlorinated camphene)	8250	NELAP	PA	04/19/2018
EPA 608.3		10296614	alpha-BHC (alpha-Hexachlorocyclohexane)	7110	NELAP	PA	04/19/2018
EPA 608.3		10296614	alpha-Chlordane	7240	NELAP	PA	04/19/2018
EPA 608.3		10296614	beta-BHC (beta-Hexachlorocyclohexane)	7115	NELAP	PA	04/19/2018
EPA 608.3		10296614	delta-BHC (delta-Hexachlorocyclohexane)	7105	NELAP	PA	04/19/2018
EPA 608.3		10296614	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	7120	NELAP	PA	04/19/2018
EPA 608.3		10296614	gamma-Chlordane	7245	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1,1,2-Tetrachloroethane	5105	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1,1-Trichloroethane	5160	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1,2,2-Tetrachloroethane	5110	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5185	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1,2-Trichloroethane	5165	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1-Dichloroethane	4630	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1-Dichloroethene (1,1-Dichloroethylene)	4640	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,1-Dichloropropene	4670	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2,3-Trichlorobenzene	5150	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2,3-Trichloropropane (1,2,3-TCP)	5180	NELAP	PA	04/19/2018

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 624.1		10298121	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2,4-Trimethylbenzene	5210	NELAP	PA	11/21/2018
EPA 624.1		10298121	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	11/21/2018
EPA 624.1		10298121	1,2-Dichloroethane	4635	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2-Dichloroethene (total)	4705	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,2-Dichloropropane	4655	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,3,5-Trimethylbenzene	5215	NELAP	PA	11/21/2018
EPA 624.1		10298121	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	11/21/2018
EPA 624.1		10298121	1,3-Dichloropropane	4660	NELAP	PA	04/19/2018
EPA 624.1		10298121	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	11/21/2018
EPA 624.1		10298121	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	04/19/2018
EPA 624.1		10298121	2,2-Dichloropropane	4665	NELAP	PA	04/19/2018
EPA 624.1		10298121	2-Butanone (Methyl ethyl ketone, MEK)	4410	NELAP	PA	04/19/2018
EPA 624.1		10298121	2-Chloroethyl vinyl ether	4500	NELAP	PA	04/19/2018
EPA 624.1		10298121	2-Chlorotoluene	4535	NELAP	PA	04/19/2018
EPA 624.1		10298121	2-Hexanone	4860	NELAP	PA	04/19/2018
EPA 624.1		10298121	4-Chlorotoluene	4540	NELAP	PA	04/19/2018
EPA 624.1		10298121	4-Methyl-2-pentanone (MIBK)	4995	NELAP	PA	09/14/2021
EPA 624.1		10298121	Acetone	4315	NELAP	PA	04/19/2018

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 624.1		10298121	Acrolein (Propenal)	4325	NELAP	PA	04/19/2018
EPA 624.1		10298121	Acrylonitrile	4340	NELAP	PA	04/19/2018
EPA 624.1		10298121	Allyl chloride (3-Chloropropene)	4355	NELAP	PA	04/19/2018
EPA 624.1		10298121	Benzene	4375	NELAP	PA	04/19/2018
EPA 624.1		10298121	Bromobenzene	4385	NELAP	PA	04/19/2018
EPA 624.1		10298121	Bromochloromethane	4390	NELAP	PA	04/19/2018
EPA 624.1		10298121	Bromodichloromethane	4395	NELAP	PA	04/19/2018
EPA 624.1		10298121	Bromoform	4400	NELAP	PA	04/19/2018
EPA 624.1		10298121	Carbon disulfide	4450	NELAP	PA	04/19/2018
EPA 624.1		10298121	Carbon tetrachloride	4455	NELAP	PA	04/19/2018
EPA 624.1		10298121	Chlorobenzene	4475	NELAP	PA	04/19/2018
EPA 624.1		10298121	Chloroethane	4485	NELAP	PA	04/19/2018
EPA 624.1		10298121	Chloroform	4505	NELAP	PA	04/19/2018
EPA 624.1		10298121	Cyclohexane	4555	NELAP	PA	04/19/2018
EPA 624.1		10298121	Dibromochloromethane	4575	NELAP	PA	04/19/2018
EPA 624.1		10298121	Dibromomethane	4595	NELAP	PA	04/19/2018
EPA 624.1		10298121	Dichlorodifluoromethane (Freon 12)	4625	NELAP	PA	04/19/2018
EPA 624.1		10298121	Dichlorofluoromethane (Freon 21)	4627	NELAP	PA	04/19/2018
EPA 624.1		10298121	Diethyl ether (Ethyl ether)	4725	NELAP	PA	04/19/2018
EPA 624.1		10298121	Ethyl methacrylate	4810	NELAP	PA	04/19/2018
EPA 624.1		10298121	Ethylbenzene	4765	NELAP	PA	04/19/2018
EPA 624.1		10298121	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	04/19/2018

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 624.1		10298121	Iodomethane (Methyl iodide)	4870	NELAP	PA	04/19/2018
EPA 624.1		10298121	Isobutyl alcohol (2-Methyl-1-propanol)	4875	NELAP	PA	04/19/2018
EPA 624.1		10298121	Isopropylbenzene (Cumene)	4900	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methyl acetate	4940	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methyl bromide (Bromomethane)	4950	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methyl chloride (Chloromethane)	4960	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methyl tert-butyl ether (MTBE)	5000	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methylcyclohexane	4965	NELAP	PA	04/19/2018
EPA 624.1		10298121	Methylene chloride (Dichloromethane)	4975	NELAP	PA	04/19/2018
EPA 624.1		10298121	Naphthalene	5005	NELAP	PA	12/22/2020
EPA 624.1		10298121	Styrene	5100	NELAP	PA	04/19/2018
EPA 624.1		10298121	Tetrachloroethene (PCE, Perchloroethylene)	5115	NELAP	PA	04/19/2018
EPA 624.1		10298121	Tetrahydrofuran (THF)	5120	NELAP	PA	04/19/2018
EPA 624.1		10298121	Toluene	5140	NELAP	PA	04/19/2018
EPA 624.1		10298121	Trichloroethene (TCE, Trichloroethylene)	5170	NELAP	PA	04/19/2018
EPA 624.1		10298121	Trichlorofluoromethane (Freon 11)	5175	NELAP	PA	04/19/2018
EPA 624.1		10298121	Vinyl acetate	5225	NELAP	PA	04/19/2018
EPA 624.1		10298121	Vinyl chloride (Chloroethene)	5235	NELAP	PA	04/19/2018
EPA 624.1		10298121	Xylenes, total	5260	NELAP	PA	04/19/2018
EPA 624.1		10298121	cis-1,2-Dichloroethene	4645	NELAP	PA	04/19/2018
EPA 624.1		10298121	cis-1,3-Dichloropropene	4680	NELAP	PA	04/19/2018
EPA 624.1		10298121	m+p-Xylene	5240	NELAP	PA	04/19/2018

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 624.1		10298121	n-Butylbenzene	4435	NELAP	PA	04/19/2018
EPA 624.1		10298121	n-Hexane	4855	NELAP	PA	04/19/2018
EPA 624.1		10298121	n-Propylbenzene	5090	NELAP	PA	04/19/2018
EPA 624.1		10298121	o-Xylene	5250	NELAP	PA	04/19/2018
EPA 624.1		10298121	p-Isopropyltoluene (4-Isopropyltoluene)	4910	NELAP	PA	04/19/2018
EPA 624.1		10298121	sec-Butylbenzene	4440	NELAP	PA	04/19/2018
EPA 624.1		10298121	tert-Butyl alcohol (2-Methyl-2-propanol)	4420	NELAP	PA	04/19/2018
EPA 624.1		10298121	tert-Butylbenzene	4445	NELAP	PA	04/19/2018
EPA 624.1		10298121	trans-1,2-Dichloroethene	4700	NELAP	PA	04/19/2018
EPA 624.1		10298121	trans-1,3-Dichloropropene	4685	NELAP	PA	04/19/2018
EPA 624.1		10298121	trans-1,4-Dichloro-2-butene	4605	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,1'-Biphenyl (Biphenyl, Lemonene)	6703	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,2,4,5-Tetrachlorobenzene	6715	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,2-Diphenylhydrazine	6220	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,3-Dinitrobenzene (1,3-DNB)	6160	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	04/19/2018
EPA 625.1		10300024	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	04/19/2018
EPA 625.1		10300024	1-Methylnaphthalene	6380	NELAP	PA	04/19/2018

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 625.1		10300024	2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl) ether)	4659	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,3,4,6-Tetrachlorophenol	6735	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4,5-Trichlorophenol	6835	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4,6-Trichlorophenol	6840	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4-Dichlorophenol	6000	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4-Dimethylphenol	6130	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4-Dinitrophenol	6175	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,4-Dinitrotoluene (2,4-DNT)	6185	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,6-Dichlorophenol	6005	NELAP	PA	04/19/2018
EPA 625.1		10300024	2,6-Dinitrotoluene (2,6-DNT)	6190	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Chloronaphthalene	5795	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Chlorophenol	5800	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	6360	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Methylnaphthalene	6385	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Methylphenol (o-Cresol)	6400	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Nitroaniline	6460	NELAP	PA	04/19/2018
EPA 625.1		10300024	2-Nitrophenol	6490	NELAP	PA	04/19/2018
EPA 625.1		10300024	3+4-Methylphenol (m+p-Cresol)	6412	NELAP	PA	04/19/2018
EPA 625.1		10300024	3,3'-Dichlorobenzidine	5945	NELAP	PA	04/19/2018
EPA 625.1		10300024	3-Nitroaniline	6465	NELAP	PA	04/19/2018
EPA 625.1		10300024	4-Bromophenyl phenyl ether	5660	NELAP	PA	04/19/2018

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 625.1		10300024	4-Chloro-3-methylphenol	5700	NELAP	PA	04/19/2018
EPA 625.1		10300024	4-Chloroaniline	5745	NELAP	PA	04/19/2018
EPA 625.1		10300024	4-Chlorophenyl phenyl ether	5825	NELAP	PA	04/19/2018
EPA 625.1		10300024	4-Nitroaniline	6470	NELAP	PA	04/19/2018
EPA 625.1		10300024	4-Nitrophenol	6500	NELAP	PA	04/19/2018
EPA 625.1		10300024	Acenaphthene	5500	NELAP	PA	04/19/2018
EPA 625.1		10300024	Acenaphthylene	5505	NELAP	PA	04/19/2018
EPA 625.1		10300024	Acetophenone	5510	NELAP	PA	04/19/2018
EPA 625.1		10300024	Acrylamide	4330	NELAP	PA	11/21/2018
EPA 625.1		10300024	Aniline	5545	NELAP	PA	04/19/2018
EPA 625.1		10300024	Anthracene	5555	NELAP	PA	04/19/2018
EPA 625.1		10300024	Atrazine	7065	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzaldehyde	5570	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzidine	5595	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzo[a]anthracene	5575	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzo[a]pyrene	5580	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzo[b]fluoranthene	5585	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzo[ghi]perylene	5590	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzo[k]fluoranthene	5600	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzoic acid	5610	NELAP	PA	04/19/2018
EPA 625.1		10300024	Benzyl alcohol	5630	NELAP	PA	04/19/2018
EPA 625.1		10300024	Butyl benzyl phthalate (Benzyl butyl phthalate)	5670	NELAP	PA	04/19/2018

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 625.1		10300024	Caprolactam	7180	NELAP	PA	04/19/2018
EPA 625.1		10300024	Carbazole	5680	NELAP	PA	04/19/2018
EPA 625.1		10300024	Chrysene (Benzo[a]phenanthrene)	5855	NELAP	PA	04/19/2018
EPA 625.1		10300024	Cresols (total)	5862	NELAP	PA	04/19/2018
EPA 625.1		10300024	Di-n-butyl phthalate	5925	NELAP	PA	04/19/2018
EPA 625.1		10300024	Di-n-octyl phthalate	6200	NELAP	PA	04/19/2018
EPA 625.1		10300024	Dibenzo[a,h]anthracene	5895	NELAP	PA	04/19/2018
EPA 625.1		10300024	Dibenzofuran	5905	NELAP	PA	04/19/2018
EPA 625.1		10300024	Diethyl phthalate	6070	NELAP	PA	04/19/2018
EPA 625.1		10300024	Dimethyl phthalate	6135	NELAP	PA	04/19/2018
EPA 625.1		10300024	Fluoranthene	6265	NELAP	PA	04/19/2018
EPA 625.1		10300024	Fluorene	6270	NELAP	PA	04/19/2018
EPA 625.1		10300024	Hexachlorobenzene	6275	NELAP	PA	04/19/2018
EPA 625.1		10300024	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	04/19/2018
EPA 625.1		10300024	Hexachlorocyclopentadiene	6285	NELAP	PA	04/19/2018
EPA 625.1		10300024	Hexachloroethane	4840	NELAP	PA	04/19/2018
EPA 625.1		10300024	Indeno(1,2,3-cd)pyrene	6315	NELAP	PA	04/19/2018
EPA 625.1		10300024	Isophorone	6320	NELAP	PA	04/19/2018
EPA 625.1		10300024	N-Nitrosodi-n-propylamine	6545	NELAP	PA	04/19/2018
EPA 625.1		10300024	N-Nitrosodimethylamine	6530	NELAP	PA	04/19/2018
EPA 625.1		10300024	N-Nitrosodiphenylamine	6535	NELAP	PA	04/19/2018
EPA 625.1		10300024	Naphthalene	5005	NELAP	PA	04/19/2018

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 625.1		10300024	Nitrobenzene	5015	NELAP	PA	04/19/2018
EPA 625.1		10300024	Pentachlorophenol (PCP)	6605	NELAP	PA	04/19/2018
EPA 625.1		10300024	Phenanthrene	6615	NELAP	PA	04/19/2018
EPA 625.1		10300024	Phenol	6625	NELAP	PA	04/19/2018
EPA 625.1		10300024	Pyrene	6665	NELAP	PA	04/19/2018
EPA 625.1		10300024	Pyridine	5095	NELAP	PA	04/19/2018
EPA 625.1		10300024	bis(2-Chloroethoxy)methane	5760	NELAP	PA	04/19/2018
EPA 625.1		10300024	bis(2-Chloroethyl) ether	5765	NELAP	PA	04/19/2018
EPA 625.1		10300024	bis(2-Ethylhexyl) phthalate (DEHP)	6065	NELAP	PA	04/19/2018
EPA 625.1		10300024	n-Decane	5875	NELAP	PA	04/19/2018
EPA 625.1		10300024	n-Hexadecane	6300	NELAP	PA	04/19/2018
EPA 625.1		10300024	n-Octadecane	6580	NELAP	PA	04/19/2018
EPA 7196	A	10162400	Chromium VI	1045	NELAP	PA	08/26/2006
EPA 7470	A	10165807	Mercury	1095	NELAP	PA	08/26/2006
EPA 8011		10173009	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	04/18/2006
EPA 8011		10173009	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	04/18/2006
EPA 8081	B	10178811	Organochlorine pesticides by GC/ECD	7937	NELAP	PA	01/01/2013
EPA 8081	B	10178811	2,4'-DDD	8580	NELAP	PA	04/18/2006
EPA 8081	B	10178811	2,4'-DDE	8585	NELAP	PA	04/18/2006
EPA 8081	B	10178811	2,4'-DDT	8590	NELAP	PA	04/18/2006
EPA 8081	B	10178811	4,4'-DDD	7355	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8081	B	10178811	4,4'-DDE	7360	NELAP	PA	08/26/2006
EPA 8081	B	10178811	4,4'-DDT	7365	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Aldrin (HHDN)	7025	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Chlorbenside	7321	NELAP	PA	04/18/2006
EPA 8081	B	10178811	Chlordane (tech.)	7250	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Dacthal (DCPA)	8550	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Diallate (cis or trans)	7405	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Dieldrin	7470	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Endosulfan I	7510	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Endosulfan II	7515	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Endosulfan sulfate	7520	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Endrin	7540	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Endrin aldehyde	7530	NELAP	PA	11/07/2006
EPA 8081	B	10178811	Endrin ketone	7535	NELAP	PA	01/06/2006
EPA 8081	B	10178811	Heptachlor	7685	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Heptachlor epoxide	7690	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Hexachlorobenzene	6275	NELAP	PA	05/20/2011
EPA 8081	B	10178811	Isodrin	7725	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Methoxychlor	7810	NELAP	PA	01/06/2006
EPA 8081	B	10178811	Mirex	7870	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Oxychlordane	3890	NELAP	PA	04/08/2009
EPA 8081	B	10178811	Toxaphene (Chlorinated camphene)	8250	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8081	B	10178811	alpha-BHC (alpha-Hexachlorocyclohexane)	7110	NELAP	PA	08/26/2006
EPA 8081	B	10178811	alpha-Chlordane	7240	NELAP	PA	01/06/2006
EPA 8081	B	10178811	beta-BHC (beta-Hexachlorocyclohexane)	7115	NELAP	PA	11/04/2016
EPA 8081	B	10178811	cis-Nonachlor	7925	NELAP	PA	04/18/2006
EPA 8081	B	10178811	delta-BHC (delta-Hexachlorocyclohexane)	7105	NELAP	PA	08/26/2006
EPA 8081	B	10178811	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	7120	NELAP	PA	08/26/2006
EPA 8081	B	10178811	gamma-Chlordane	7245	NELAP	PA	01/06/2006
EPA 8081	B	10178811	trans-Nonachlor	7910	NELAP	PA	04/18/2006
EPA 8082	A	10179358	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (BZ 206)	9095	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,3',4,4',5,6-Octachlorobiphenyl (BZ 195)	9103	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,2',3,3',4,4',5-Heptachlorobiphenyl (BZ 170)	9065	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,3',4,4'-Hexachlorobiphenyl (BZ 128)	9020	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4',5,5',6-Heptachlorobiphenyl (BZ 187)	9080	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5'-Heptachlorobiphenyl (BZ 183)	9075	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5'-Hexachlorobiphenyl (BZ 138)	9025	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5,5'-Heptachlorobiphenyl (BZ 180)	9134	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',6,6'-Heptachlorobiphenyl (BZ 184)	9139	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,2',3,4,5'-Pentachlorobiphenyl (BZ 87)	8975	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,5'-Tetrachlorobiphenyl (BZ 44)	8945	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,4',5,5'-Hexachlorobiphenyl (BZ 153)	9040	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,5'-Tetrachlorobiphenyl (BZ 49)	8950	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,5,5'-Pentachlorobiphenyl (BZ 101)	8980	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8082	A	10179358	2,2',5,5'-Tetrachlorobiphenyl (BZ 52)	8955	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',5-Trichlorobiphenyl (BZ 18)	8930	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,3',4,4',5'-Pentachlorobiphenyl (BZ 123)	9000	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3',4,4',5,5'-Hexachlorobiphenyl (BZ 167)	9055	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3',4,4',5-Pentachlorobiphenyl (BZ 118)	8995	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,3',4,4'-Tetrachlorobiphenyl (BZ 66)	8960	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,3,3',4,4',5'-Hexachlorobiphenyl (BZ 157)	9045	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3,3',4,4',5,5'-Heptachlorobiphenyl (BZ 189)	9085	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3,3',4,4',5-Hexachlorobiphenyl (BZ 156)	9050	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,3,3',4,4'-Pentachlorobiphenyl (BZ 105)	8985	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,3,4,4',5-Pentachlorobiphenyl (BZ 114)	9005	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,4'-Dichlorobiphenyl (BZ 8)	9256	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,4,4'-Trichlorobiphenyl (BZ 28)	9252	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,3',4,4',5,5'-Hexachlorobiphenyl (BZ 169)	9060	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,3',4,4',5-Pentachlorobiphenyl (BZ 126)	9015	NELAP	PA	09/06/2012
EPA 8082	A	10179358	3,3',4,4'-Tetrachlorobiphenyl (BZ 77)	8965	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,4,4',5-Tetrachlorobiphenyl (BZ 81)	8970	NELAP	PA	04/25/2014
EPA 8082	A	10179358	Aroclor-1016 (PCB-1016)	8880	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1221 (PCB-1221)	8885	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1232 (PCB-1232)	8890	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1242 (PCB-1242)	8895	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1248 (PCB-1248)	8900	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8082	A	10179358	Aroclor-1254 (PCB-1254)	8905	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1260 (PCB-1260)	8910	NELAP	PA	08/26/2006
EPA 8082	A	10179358	Aroclor-1262 (PCB-1262)	8912	NELAP	PA	04/08/2008
EPA 8082	A	10179358	Aroclor-1268 (PCB-1268)	8913	NELAP	PA	04/08/2008
EPA 8082	A	10179358	Decachlorobiphenyl	9105	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Organophosphorus compounds by GC/NPD	7939	NELAP	PA	04/08/2009
EPA 8141	B	10182204	Azinphos-methyl (Guthion)	7075	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Bolstar (Sulprofos)	7125	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Chlorpyrifos	7300	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Coumaphos	7315	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Demeton	7390	NELAP	PA	04/08/2009
EPA 8141	B	10182204	Demeton-O	7395	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Demeton-S	7385	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Diazinon (Spectracide)	7410	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Dichlorovos (DDVP, Dichlorvos)	8610	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Dimethoate	7475	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Disulfoton	8625	NELAP	PA	08/26/2006
EPA 8141	B	10182204	EPN (Santox)	7550	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Ethoprop (Prophos)	7570	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Famphur	7580	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Fensulfothion	7600	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Fenthion	7605	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8141	B	10182204	Malathion	7770	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Mevinphos	7850	NELAP	PA	08/26/2006
EPA 8141	B	10182204	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	03/01/2007
EPA 8141	B	10182204	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Phorate (Thimet)	7985	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Ronnel	8110	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Stirophos (Tetrachlorovinphos)	8140	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Sulfotepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Tokuthion (Prothiophos)	8245	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Trichloronate	8275	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Chlorinated herbicides by GC/ECD	8542	NELAP	PA	04/08/2009
EPA 8151	A	10183207	2,4,5-T	8655	NELAP	PA	08/26/2006
EPA 8151	A	10183207	2,4,5-TP (Silvex)	8650	NELAP	PA	08/26/2006
EPA 8151	A	10183207	2,4-D	8545	NELAP	PA	08/26/2006
EPA 8151	A	10183207	2,4-DB (Butoxon)	8560	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Dalapon (2,2-Dichloropropionic acid)	8555	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Dicamba	8595	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Dichloroprop (Dichlorprop)	8605	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	08/26/2006
EPA 8151	A	10183207	MCPA	7775	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8151	A	10183207	MCPP (Mecoprop)	7780	NELAP	PA	08/26/2006
EPA 8151	A	10183207	Pentachlorophenol (PCP)	6605	NELAP	PA	08/26/2006
EPA 8260	C	10307003	VOCs by GC/MS	5242	NELAP	PA	12/05/2013
EPA 8260	D	10307127	VOCs by GC/MS	5242	NELAP	PA	06/05/2019
EPA 8260	C	10307003	1,1,1,2-Tetrachloroethane	5105	NELAP	PA	04/18/2006
EPA 8260	C	10307003	1,1,1-Trichloroethane	5160	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,1,2,2-Tetrachloroethane	5110	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5185	NELAP	PA	04/18/2006
EPA 8260	C	10307003	1,1,2-Trichloroethane	5165	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,1-Dichloroethane	4630	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,1-Dichloroethene (1,1-Dichloroethylene)	4640	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,1-Dichloropropene	4670	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,3-Trichlorobenzene	5150	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,3-Trichloropropane (1,2,3-TCP)	5180	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,4-Trichlorobenzene	5155	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,4-Trimethylbenzene	5210	NELAP	PA	11/21/2018
EPA 8260	C	10307003	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	04/18/2006
EPA 8260	C	10307003	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	11/21/2018
EPA 8260	C	10307003	1,2-Dichloroethane	4635	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2-Dichloroethene (total)	4705	NELAP	PA	03/01/2007

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	1,2-Dichloropropane	4655	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,3,5-Trichlorobenzene	6800	NELAP	PA	04/08/2009
EPA 8260	C	10307003	1,3,5-Trimethylbenzene	5215	NELAP	PA	11/21/2018
EPA 8260	C	10307003	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	11/21/2018
EPA 8260	C	10307003	1,3-Dichloropropane	4660	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	11/21/2018
EPA 8260	C	10307003	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/26/2006
EPA 8260	C	10307003	2,2,4-Trimethylpentane (Iso-octane)	5220	NELAP	PA	12/05/2007
EPA 8260	C	10307003	2,2-Dichloropropane	4665	NELAP	PA	08/26/2006
EPA 8260	C	10307003	2-Butanone (Methyl ethyl ketone, MEK)	4410	NELAP	PA	04/18/2006
EPA 8260	C	10307003	2-Chloroethyl vinyl ether	4500	NELAP	PA	08/26/2006
EPA 8260	C	10307003	2-Chlorotoluene	4535	NELAP	PA	08/26/2006
EPA 8260	C	10307003	2-Hexanone	4860	NELAP	PA	01/06/2006
EPA 8260	C	10307003	4-Chlorotoluene	4540	NELAP	PA	08/26/2006
EPA 8260	C	10307003	4-Methyl-2-pentanone (MIBK)	4995	NELAP	PA	09/14/2021
EPA 8260	C	10307003	Acetone	4315	NELAP	PA	01/06/2006
EPA 8260	C	10307003	Acetonitrile	4320	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Acrolein (Propenal)	4325	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Acrylonitrile	4340	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Allyl chloride (3-Chloropropene)	4355	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Benzene	4375	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Benzyl chloride	5635	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	Bromobenzene	4385	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Bromochloromethane	4390	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Bromodichloromethane	4395	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Bromoform	4400	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Carbon disulfide	4450	NELAP	PA	01/06/2006
EPA 8260	C	10307003	Carbon tetrachloride	4455	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Chlorobenzene	4475	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Chloroethane	4485	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Chloroform	4505	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Chloroprene (2-Chloro-1,3-butadiene)	4525	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Cyclohexane	4555	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Dibromochloromethane	4575	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Dibromomethane	4595	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Dichlorodifluoromethane (Freon 12)	4625	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Dichlorofluoromethane (Freon 21)	4627	NELAP	PA	04/08/2009
EPA 8260	C	10307003	Diethyl ether (Ethyl ether)	4725	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Ethyl acrylate	4760	NELAP	PA	12/05/2007
EPA 8260	C	10307003	Ethyl methacrylate	4810	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Ethylbenzene	4765	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Heptane	4825	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Iodomethane (Methyl iodide)	4870	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	Isobutyl alcohol (2-Methyl-1-propanol)	4875	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Isopropyl alcohol (2-Propanol)	4895	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Isopropylbenzene (Cumene)	4900	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methacrylonitrile	4925	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methyl acetate	4940	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Methyl bromide (Bromomethane)	4950	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methyl chloride (Chloromethane)	4960	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methyl tert-butyl ether (MTBE)	5000	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methylcyclohexane	4965	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Methylene chloride (Dichloromethane)	4975	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methylmethacrylate	4990	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Naphthalene	5005	NELAP	PA	12/22/2020
EPA 8260	C	10307003	Propionitrile (Ethyl cyanide)	5080	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Styrene	5100	NELAP	PA	01/06/2006
EPA 8260	C	10307003	Tetrachloroethene (PCE, Perchloroethylene)	5115	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Tetrahydrofuran (THF)	5120	NELAP	PA	04/22/2010
EPA 8260	C	10307003	Toluene	5140	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Trichloroethene (TCE, Trichloroethylene)	5170	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Trichlorofluoromethane (Freon 11)	5175	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Vinyl acetate	5225	NELAP	PA	01/06/2006
EPA 8260	C	10307003	Vinyl chloride (Chloroethene)	5235	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Xylenes, total	5260	NELAP	PA	03/30/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	cis-1,2-Dichloroethene	4645	NELAP	PA	08/26/2006
EPA 8260	C	10307003	cis-1,3-Dichloropropene	4680	NELAP	PA	08/26/2006
EPA 8260	C	10307003	m+p-Xylene	5240	NELAP	PA	08/24/2005
EPA 8260	C	10307003	m-Xylene	5245	NELAP	PA	08/26/2006
EPA 8260	C	10307003	n-Butylbenzene	4435	NELAP	PA	08/26/2006
EPA 8260	C	10307003	n-Hexane	4855	NELAP	PA	12/05/2007
EPA 8260	C	10307003	n-Propylbenzene	5090	NELAP	PA	08/26/2006
EPA 8260	C	10307003	o-Xylene	5250	NELAP	PA	08/24/2005
EPA 8260	C	10307003	p-Isopropyltoluene (4-Isopropyltoluene)	4910	NELAP	PA	08/26/2006
EPA 8260	C	10307003	p-Xylene	5255	NELAP	PA	08/26/2006
EPA 8260	C	10307003	sec-Butylbenzene	4440	NELAP	PA	08/26/2006
EPA 8260	C	10307003	tert-Butyl alcohol (2-Methyl-2-propanol)	4420	NELAP	PA	04/08/2008
EPA 8260	C	10307003	tert-Butylbenzene	4445	NELAP	PA	08/26/2006
EPA 8260	C	10307003	trans-1,2-Dichloroethene	4700	NELAP	PA	08/26/2006
EPA 8260	C	10307003	trans-1,3-Dichloropropene	4685	NELAP	PA	08/26/2006
EPA 8260	C	10307003	trans-1,4-Dichloro-2-butene	4605	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,1,1,2-Tetrachloroethane	5105	NELAP	PA	04/18/2006
EPA 8260	D	10307127	1,1,1-Trichloroethane	5160	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,1,2,2-Tetrachloroethane	5110	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5185	NELAP	PA	04/18/2006
EPA 8260	D	10307127	1,1,2-Trichloroethane	5165	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,1-Dichloroethane	4630	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	1,1-Dichloroethene (1,1-Dichloroethylene)	4640	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,1-Dichloropropene	4670	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,3-Trichlorobenzene	5150	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,3-Trichloropropane (1,2,3-TCP)	5180	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,4-Trichlorobenzene	5155	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,4-Trimethylbenzene	5210	NELAP	PA	11/21/2018
EPA 8260	D	10307127	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	04/18/2006
EPA 8260	D	10307127	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	11/21/2018
EPA 8260	D	10307127	1,2-Dichloroethane	4635	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2-Dichloroethene (total)	4705	NELAP	PA	03/01/2007
EPA 8260	D	10307127	1,2-Dichloropropane	4655	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,3,5-Trichlorobenzene	6800	NELAP	PA	04/08/2009
EPA 8260	D	10307127	1,3,5-Trimethylbenzene	5215	NELAP	PA	11/21/2018
EPA 8260	D	10307127	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	11/21/2018
EPA 8260	D	10307127	1,3-Dichloropropane	4660	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	11/21/2018
EPA 8260	D	10307127	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/26/2006
EPA 8260	D	10307127	2,2,4-Trimethylpentane (Iso-octane)	5220	NELAP	PA	12/05/2007
EPA 8260	D	10307127	2,2-Dichloropropane	4665	NELAP	PA	08/26/2006
EPA 8260	D	10307127	2-Butanone (Methyl ethyl ketone, MEK)	4410	NELAP	PA	04/18/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	2-Chloroethyl vinyl ether	4500	NELAP	PA	08/26/2006
EPA 8260	D	10307127	2-Chlorotoluene	4535	NELAP	PA	08/26/2006
EPA 8260	D	10307127	2-Hexanone	4860	NELAP	PA	01/06/2006
EPA 8260	D	10307127	4-Chlorotoluene	4540	NELAP	PA	08/26/2006
EPA 8260	D	10307127	4-Methyl-2-pentanone (MIBK)	4995	NELAP	PA	09/14/2021
EPA 8260	D	10307127	Acetone	4315	NELAP	PA	01/06/2006
EPA 8260	D	10307127	Acetonitrile	4320	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Acrolein (Propenal)	4325	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Acrylonitrile	4340	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Allyl chloride (3-Chloropropene)	4355	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Benzene	4375	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Benzyl chloride	5635	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Bromobenzene	4385	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Bromochloromethane	4390	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Bromodichloromethane	4395	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Bromoform	4400	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Carbon disulfide	4450	NELAP	PA	01/06/2006
EPA 8260	D	10307127	Carbon tetrachloride	4455	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Chlorobenzene	4475	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Chloroethane	4485	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Chloroform	4505	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Chloroprene (2-Chloro-1,3-butadiene)	4525	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	Cyclohexane	4555	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Dibromochloromethane	4575	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Dibromomethane	4595	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Dichlorodifluoromethane (Freon 12)	4625	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Dichlorofluoromethane (Freon 21)	4627	NELAP	PA	04/08/2009
EPA 8260	D	10307127	Diethyl ether (Ethyl ether)	4725	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Ethyl acrylate	4760	NELAP	PA	12/05/2007
EPA 8260	D	10307127	Ethyl methacrylate	4810	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Ethylbenzene	4765	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Heptane	4825	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Iodomethane (Methyl iodide)	4870	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isobutyl alcohol (2-Methyl-1-propanol)	4875	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isopropyl alcohol (2-Propanol)	4895	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isopropylbenzene (Cumene)	4900	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methacrylonitrile	4925	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methyl acetate	4940	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Methyl bromide (Bromomethane)	4950	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methyl chloride (Chloromethane)	4960	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methyl tert-butyl ether (MTBE)	5000	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methylcyclohexane	4965	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Methylene chloride (Dichloromethane)	4975	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	Methylmethacrylate	4990	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Naphthalene	5005	NELAP	PA	12/22/2020
EPA 8260	D	10307127	Propionitrile (Ethyl cyanide)	5080	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Styrene	5100	NELAP	PA	01/06/2006
EPA 8260	D	10307127	Tetrachloroethene (PCE, Perchloroethylene)	5115	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Tetrahydrofuran (THF)	5120	NELAP	PA	04/22/2010
EPA 8260	D	10307127	Toluene	5140	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Trichloroethene (TCE, Trichloroethylene)	5170	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Trichlorofluoromethane (Freon 11)	5175	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Vinyl acetate	5225	NELAP	PA	01/06/2006
EPA 8260	D	10307127	Vinyl chloride (Chloroethene)	5235	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Xylenes, total	5260	NELAP	PA	03/30/2006
EPA 8260	D	10307127	cis-1,2-Dichloroethene	4645	NELAP	PA	08/26/2006
EPA 8260	D	10307127	cis-1,3-Dichloropropene	4680	NELAP	PA	08/26/2006
EPA 8260	D	10307127	m+p-Xylene	5240	NELAP	PA	08/24/2005
EPA 8260	D	10307127	m-Xylene	5245	NELAP	PA	08/26/2006
EPA 8260	D	10307127	n-Butylbenzene	4435	NELAP	PA	08/26/2006
EPA 8260	D	10307127	n-Hexane	4855	NELAP	PA	12/05/2007
EPA 8260	D	10307127	n-Propylbenzene	5090	NELAP	PA	08/26/2006
EPA 8260	D	10307127	o-Xylene	5250	NELAP	PA	08/24/2005
EPA 8260	D	10307127	p-Isopropyltoluene (4-Isopropyltoluene)	4910	NELAP	PA	08/26/2006
EPA 8260	D	10307127	p-Xylene	5255	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	sec-Butylbenzene	4440	NELAP	PA	08/26/2006
EPA 8260	D	10307127	tert-Butyl alcohol (2-Methyl-2-propanol)	4420	NELAP	PA	04/08/2008
EPA 8260	D	10307127	tert-Butylbenzene	4445	NELAP	PA	08/26/2006
EPA 8260	D	10307127	trans-1,2-Dichloroethene	4700	NELAP	PA	08/26/2006
EPA 8260	D	10307127	trans-1,3-Dichloropropene	4685	NELAP	PA	08/26/2006
EPA 8260	D	10307127	trans-1,4-Dichloro-2-butene	4605	NELAP	PA	08/26/2006
EPA 8270	E	10242543	SOCs by GC/MS	6687	NELAP	PA	06/05/2019
EPA 8270	D	10186035	1,1'-Biphenyl (Biphenyl, Lemonene)	6703	NELAP	PA	04/18/2006
EPA 8270	D	10186035	1,2,4,5-Tetrachlorobenzene	6715	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,2,4-Trichlorobenzene	5155	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,2-Dinitrobenzene (1,2-DNB)	6155	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,2-Diphenylhydrazine	6220	NELAP	PA	04/18/2006
EPA 8270	D	10186035	1,3,5-Trinitrobenzene (1,3,5-TNB)	6885	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,3-Dinitrobenzene (1,3-DNB)	6160	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,4-Dinitrobenzene (1,4-DNB)	6165	NELAP	PA	04/21/2022
EPA 8270	D	10186035	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	04/18/2006
EPA 8270	D	10186035	1,4-Naphthoquinone	6420	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,4-Phenylenediamine	6630	NELAP	PA	12/05/2007
EPA 8270	D	10186035	1-Methylnaphthalene	6380	NELAP	PA	04/08/2009

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	1-Naphthylamine (alpha-Naphthylamine)	6425	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl) ether)	4659	NELAP	PA	04/18/2006
EPA 8270	D	10186035	2,3,4,6-Tetrachlorophenol	6735	NELAP	PA	04/18/2006
EPA 8270	D	10186035	2,3,5,6-Tetrachlorophenol	6740	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,3,7,8-TCDD (Dioxin) (screen)	9619	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4,5-Trichlorophenol	6835	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4,6-Trichlorophenol	6840	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4-Dichlorophenol	6000	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4-Dimethylphenol	6130	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4-Dinitrophenol	6175	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4-Dinitrotoluene (2,4-DNT)	6185	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,6-Dichlorophenol	6005	NELAP	PA	04/18/2006
EPA 8270	D	10186035	2,6-Dinitrotoluene (2,6-DNT)	6190	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Acetylaminofluorene	5515	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Chloronaphthalene	5795	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Chlorophenol	5800	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	6360	NELAP	PA	04/18/2006
EPA 8270	D	10186035	2-Methylnaphthalene	6385	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Methylphenol (o-Cresol)	6400	NELAP	PA	01/06/2006
EPA 8270	D	10186035	2-Naphthylamine (beta-Naphthylamine)	6430	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Nitroaniline	6460	NELAP	PA	01/06/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	2-Nitrophenol	6490	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Picoline (2-Methylpyridine)	5050	NELAP	PA	04/18/2006
EPA 8270	D	10186035	3+4-Methylphenol (m+p-Cresol)	6412	NELAP	PA	01/06/2006
EPA 8270	D	10186035	3,3'-Dichlorobenzidine	5945	NELAP	PA	08/26/2006
EPA 8270	D	10186035	3,3'-Dimethylbenzidine	6120	NELAP	PA	04/18/2006
EPA 8270	D	10186035	3-Methylcholanthrene	6355	NELAP	PA	08/26/2006
EPA 8270	D	10186035	3-Nitroaniline	6465	NELAP	PA	04/18/2006
EPA 8270	D	10186035	4,4'-Methylenebis(2-chloroaniline)	6365	NELAP	PA	04/18/2006
EPA 8270	D	10186035	4-Aminobiphenyl	5540	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Bromophenyl phenyl ether	5660	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Chloro-3-methylphenol	5700	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Chloroaniline	5745	NELAP	PA	01/06/2006
EPA 8270	D	10186035	4-Chlorophenol	5805	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Chlorophenyl phenyl ether	5825	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Dimethylaminoazobenzene (Dimethylaminoazobenzene)	6105	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Nitroaniline	6470	NELAP	PA	04/18/2006
EPA 8270	D	10186035	4-Nitrophenol	6500	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Nitroquinoline-1-oxide	6510	NELAP	PA	08/26/2006
EPA 8270	D	10186035	5-Nitro-o-toluidine	6570	NELAP	PA	08/26/2006
EPA 8270	D	10186035	6-Methylchrysene	6112	NELAP	PA	12/05/2007
EPA 8270	D	10186035	7,12-Dimethylbenz(a)anthracene	6115	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Acenaphthene	5500	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Acenaphthylene	5505	NELAP	PA	10/27/2010
EPA 8270	D	10186035	Acetophenone	5510	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Acrylamide	4330	NELAP	PA	11/21/2018
EPA 8270	D	10186035	Aniline	5545	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Anthracene	5555	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Aramite	5560	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Atrazine	7065	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Benzaldehyde	5570	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzidine	5595	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzo[a]anthracene	5575	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzo[a]pyrene	5580	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzo[b]fluoranthene	5585	NELAP	PA	11/15/2011
EPA 8270	D	10186035	Benzo[ghi]perylene	5590	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzo[k]fluoranthene	5600	NELAP	PA	11/15/2011
EPA 8270	D	10186035	Benzoic acid	5610	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzyl alcohol	5630	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Butyl benzyl phthalate (Benzyl butyl phthalate)	5670	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Caprolactam	7180	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Carbazole	5680	NELAP	PA	01/06/2006
EPA 8270	D	10186035	Chlorobenzilate	7260	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Chrysene (Benzo[a]phenanthrene)	5855	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Cresols (total)	5862	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Di-n-butyl phthalate	5925	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Di-n-octyl phthalate	6200	NELAP	PA	11/15/2011
EPA 8270	D	10186035	Diallate (cis or trans)	7405	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Dibenz[a,h]acridine	9354	NELAP	PA	12/05/2007
EPA 8270	D	10186035	Dibenzo[a,h]anthracene	5895	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Dibenzofuran	5905	NELAP	PA	01/06/2006
EPA 8270	D	10186035	Diethyl phthalate	6070	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Dimethoate	7475	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Dimethyl phthalate	6135	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Disulfoton	8625	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Ethyl methanesulfonate	6260	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Famphur	7580	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Fluoranthene	6265	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Fluorene	6270	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Hexachlorobenzene	6275	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Hexachlorocyclopentadiene	6285	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Hexachloroethane	4840	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Hexachloropropene	6295	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Indene	6312	NELAP	PA	04/08/2009

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Indeno(1,2,3-cd)pyrene	6315	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Isodrin	7725	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Isophorone	6320	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Isosafrole	6325	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Kepone	7740	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Methapyrilene	6345	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Methyl methanesulfonate	6375	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	04/18/2006
EPA 8270	D	10186035	N-Nitrosodi-n-butylamine	5025	NELAP	PA	04/18/2006
EPA 8270	D	10186035	N-Nitrosodi-n-propylamine	6545	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosodiethylamine	6525	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosodimethylamine	6530	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosodiphenylamine	6535	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosomethylethylamine	6550	NELAP	PA	04/18/2006
EPA 8270	D	10186035	N-Nitrosomorpholine	6555	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosopiperidine	6560	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosopyrrolidine	6565	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Naphthalene	5005	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Nitrobenzene	5015	NELAP	PA	08/26/2006
EPA 8270	D	10186035	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Pentachlorobenzene	6590	NELAP	PA	04/18/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Pentachloroethane	5035	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Pentachloronitrobenzene (PCNB)	6600	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Pentachlorophenol (PCP)	6605	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Phenacetin	6610	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Phenanthrene	6615	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Phenol	6625	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Phorate (Thimet)	7985	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Pronamide (Kerb)	6650	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Pyrene	6665	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Pyridine	5095	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Safrole	6685	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Sulfotepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	08/26/2006
EPA 8270	D	10186035	bis(2-Chloroethoxy)methane	5760	NELAP	PA	08/26/2006
EPA 8270	D	10186035	bis(2-Chloroethyl) ether	5765	NELAP	PA	08/26/2006
EPA 8270	D	10186035	bis(2-Ethylhexyl) phthalate (DEHP)	6065	NELAP	PA	08/26/2006
EPA 8270	D	10186035	n-Octadecane	6580	NELAP	PA	04/08/2009
EPA 8270	D	10186035	o-Toluidine (2-Toluidine, 2-Methylaniline)	5145	NELAP	PA	04/18/2006
EPA 8270	D	10186035	p-(Dimethylamino)azobenzene	6105	NELAP	PA	04/08/2009
EPA 8270	D	10186035	p-Phenylenediamine	6630	NELAP	PA	04/08/2009
EPA 8270	E	10242543	1,1'-Biphenyl (Biphenyl, Lemonene)	6703	NELAP	PA	04/18/2006
EPA 8270	E	10242543	1,2,4,5-Tetrachlorobenzene	6715	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	1,2,4-Trichlorobenzene	5155	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,2-Dinitrobenzene (1,2-DNB)	6155	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,2-Diphenylhydrazine	6220	NELAP	PA	04/18/2006
EPA 8270	E	10242543	1,3,5-Trinitrobenzene (1,3,5-TNB)	6885	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,3-Dinitrobenzene (1,3-DNB)	6160	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,4-Dinitrobenzene (1,4-DNB)	6165	NELAP	PA	04/21/2022
EPA 8270	E	10242543	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	04/18/2006
EPA 8270	E	10242543	1,4-Naphthoquinone	6420	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,4-Phenylenediamine	6630	NELAP	PA	12/05/2007
EPA 8270	E	10242543	1-Methylnaphthalene	6380	NELAP	PA	04/08/2009
EPA 8270	E	10242543	1-Naphthylamine (alpha-Naphthylamine)	6425	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl) ether)	4659	NELAP	PA	04/18/2006
EPA 8270	E	10242543	2,3,4,6-Tetrachlorophenol	6735	NELAP	PA	04/18/2006
EPA 8270	E	10242543	2,3,5,6-Tetrachlorophenol	6740	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,3,7,8-TCDD (Dioxin) (screen)	9619	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4,5-Trichlorophenol	6835	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4,6-Trichlorophenol	6840	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4-Dichlorophenol	6000	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	2,4-Dimethylphenol	6130	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4-Dinitrophenol	6175	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4-Dinitrotoluene (2,4-DNT)	6185	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,6-Dichlorophenol	6005	NELAP	PA	04/18/2006
EPA 8270	E	10242543	2,6-Dinitrotoluene (2,6-DNT)	6190	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Acetylaminofluorene	5515	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Chloronaphthalene	5795	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Chlorophenol	5800	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	6360	NELAP	PA	04/18/2006
EPA 8270	E	10242543	2-Methylnaphthalene	6385	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Methylphenol (o-Cresol)	6400	NELAP	PA	01/06/2006
EPA 8270	E	10242543	2-Naphthylamine (beta-Naphthylamine)	6430	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Nitroaniline	6460	NELAP	PA	01/06/2006
EPA 8270	E	10242543	2-Nitrophenol	6490	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Picoline (2-Methylpyridine)	5050	NELAP	PA	04/18/2006
EPA 8270	E	10242543	3+4-Methylphenol (m+p-Cresol)	6412	NELAP	PA	01/06/2006
EPA 8270	E	10242543	3,3'-Dichlorobenzidine	5945	NELAP	PA	08/26/2006
EPA 8270	E	10242543	3,3'-Dimethylbenzidine	6120	NELAP	PA	04/18/2006
EPA 8270	E	10242543	3-Methylcholanthrene	6355	NELAP	PA	08/26/2006
EPA 8270	E	10242543	3-Nitroaniline	6465	NELAP	PA	04/18/2006
EPA 8270	E	10242543	4,4'-Methylenebis(2-chloroaniline)	6365	NELAP	PA	04/18/2006
EPA 8270	E	10242543	4-Aminobiphenyl	5540	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	4-Bromophenyl phenyl ether	5660	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Chloro-3-methylphenol	5700	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Chloroaniline	5745	NELAP	PA	01/06/2006
EPA 8270	E	10242543	4-Chlorophenol	5805	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Chlorophenyl phenyl ether	5825	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Dimethylaminoazobenzene (Dimethylaminoazobenzene)	6105	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Nitroaniline	6470	NELAP	PA	04/18/2006
EPA 8270	E	10242543	4-Nitrophenol	6500	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Nitroquinoline-1-oxide	6510	NELAP	PA	08/26/2006
EPA 8270	E	10242543	5-Nitro-o-toluidine	6570	NELAP	PA	08/26/2006
EPA 8270	E	10242543	6-Methylchrysene	6112	NELAP	PA	12/05/2007
EPA 8270	E	10242543	7,12-Dimethylbenz(a)anthracene	6115	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Acenaphthene	5500	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Acenaphthylene	5505	NELAP	PA	10/27/2010
EPA 8270	E	10242543	Acetophenone	5510	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Acrylamide	4330	NELAP	PA	11/21/2018
EPA 8270	E	10242543	Aniline	5545	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Anthracene	5555	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Aramite	5560	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Atrazine	7065	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Benzaldehyde	5570	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Benidine	5595	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzo[a]anthracene	5575	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzo[a]pyrene	5580	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzo[b]fluoranthene	5585	NELAP	PA	11/15/2011
EPA 8270	E	10242543	Benzo[ghi]perylene	5590	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzo[k]fluoranthene	5600	NELAP	PA	11/15/2011
EPA 8270	E	10242543	Benzoic acid	5610	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzyl alcohol	5630	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Butyl benzyl phthalate (Benzyl butyl phthalate)	5670	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Caprolactam	7180	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Carbazole	5680	NELAP	PA	01/06/2006
EPA 8270	E	10242543	Chlorobenzilate	7260	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Chrysene (Benzo[a]phenanthrene)	5855	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Cresols (total)	5862	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Di-n-butyl phthalate	5925	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Di-n-octyl phthalate	6200	NELAP	PA	11/15/2011
EPA 8270	E	10242543	Diallate (cis or trans)	7405	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Dibenz[a,h]acridine	9354	NELAP	PA	12/05/2007
EPA 8270	E	10242543	Dibenzo[a,h]anthracene	5895	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Dibenzofuran	5905	NELAP	PA	01/06/2006
EPA 8270	E	10242543	Diethyl phthalate	6070	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Dimethoate	7475	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Dimethyl phthalate	6135	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Disulfoton	8625	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Ethyl methanesulfonate	6260	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Famphur	7580	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Fluoranthene	6265	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Fluorene	6270	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Hexachlorobenzene	6275	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Hexachlorocyclopentadiene	6285	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Hexachloroethane	4840	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Hexachloropropene	6295	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Indene	6312	NELAP	PA	04/08/2009
EPA 8270	E	10242543	Indeno(1,2,3-cd)pyrene	6315	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Isodrin	7725	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Isophorone	6320	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Isosafrole	6325	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Kepone	7740	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Methapyrilene	6345	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Methyl methanesulfonate	6375	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	04/18/2006
EPA 8270	E	10242543	N-Nitrosodi-n-butylamine	5025	NELAP	PA	04/18/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	N-Nitrosodi-n-propylamine	6545	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosodiethylamine	6525	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosodimethylamine	6530	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosodiphenylamine	6535	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosomethylethylamine	6550	NELAP	PA	04/18/2006
EPA 8270	E	10242543	N-Nitrosomorpholine	6555	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosopiperidine	6560	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosopyrrolidine	6565	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Naphthalene	5005	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Nitrobenzene	5015	NELAP	PA	08/26/2006
EPA 8270	E	10242543	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Pentachlorobenzene	6590	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Pentachloroethane	5035	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Pentachloronitrobenzene (PCNB)	6600	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Pentachlorophenol (PCP)	6605	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Phenacetin	6610	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Phenanthrene	6615	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Phenol	6625	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Phorate (Thimet)	7985	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Pronamide (Kerb)	6650	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Pyrene	6665	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Pyridine	5095	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Safrole	6685	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Sulfotepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	08/26/2006
EPA 8270	E	10242543	bis(2-Chloroethoxy)methane	5760	NELAP	PA	08/26/2006
EPA 8270	E	10242543	bis(2-Chloroethyl) ether	5765	NELAP	PA	08/26/2006
EPA 8270	E	10242543	bis(2-Ethylhexyl) phthalate (DEHP)	6065	NELAP	PA	08/26/2006
EPA 8270	E	10242543	n-Octadecane	6580	NELAP	PA	04/08/2009
EPA 8270	E	10242543	o-Toluidine (2-Toluidine, 2-Methylaniline)	5145	NELAP	PA	04/18/2006
EPA 8270	E	10242543	p-(Dimethylamino)azobenzene	6105	NELAP	PA	04/08/2009
EPA 8270	E	10242543	p-Phenylenediamine	6630	NELAP	PA	04/08/2009
EPA 9010	C	10193109	Total cyanide	1645	NELAP	PA	03/04/2013
EPA 9014		10193836	Total cyanide	1645	NELAP	PA	12/14/2012
EPA 9030	B	10195605	Sulfide	2005	NELAP	PA	10/25/2018
EPA 9034		10196006	Sulfide	2005	NELAP	PA	10/25/2018
EPA 9040	C	10244403	pH	1900	NELAP	PA	08/26/2006
EPA 9050	A	10198808	Conductivity	1610	NELAP	PA	03/16/2009
EPA 9056	A	10199607	Anions by IC	1522	NELAP	PA	03/16/2009
EPA 9056	A	10199607	Bromide	1540	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Chloride	1575	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Fluoride	1730	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Nitrate as N	1810	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 9056	A	10199607	Nitrite as N	1840	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Orthophosphate as P	1870	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Sulfate	2000	NELAP	PA	08/26/2006
EPA 9060	A	10244823	Total organic carbon (TOC)	2040	NELAP	PA	04/22/2010
EPA 9065		10200405	Total phenolics	1905	NELAP	PA	04/08/2008
EPA 9070	A	10245020	Non-polar material	1853	NELAP	PA	12/30/2019
EPA 9070	A	10245020	Oil and grease	1803	NELAP	PA	04/04/2007
OIA 1677-09		60031450	Available cyanide	1523	NELAP	PA	08/24/2005
OIA 1677-09		60031450	Free cyanide	1640	NELAP	PA	04/19/2018
SM 2120B - 2011	23rd ed.	20039036	Color	1605	NELAP	PA	04/10/2007
SM 2310B - 2011	23rd ed.	20043838	Acidity as CaCO ₃	1500	NELAP	PA	11/21/2018
SM 2320B - 2011	23rd ed.	20045436	Alkalinity as CaCO ₃	1505	NELAP	PA	01/22/2007
SM 2510B - 2011	23rd ed.	20048435	Conductivity	1610	NELAP	PA	04/21/2010
SM 2520B - 2011	23rd ed.	20048639	Salinity	1975	NELAP	PA	04/08/2008
SM 2540B - 2015	23rd ed.	20048684	Residue, total	1950	NELAP	PA	04/10/2007
SM 2540C - 2015	23rd ed.	20050457	Residue, filterable (TDS)	1955	NELAP	PA	10/13/2010
SM 2540D - 2015	23rd ed.	20050446	Residue, nonfilterable (TSS)	1960	NELAP	PA	04/10/2007
SM 2540E - 2015	23rd ed.	20051234	Fixed suspended solids	1948	NELAP	PA	04/13/2009
SM 2540E - 2015	23rd ed.	20051234	Residue, volatile	1970	NELAP	PA	02/03/2016
SM 2540E - 2015	23rd ed.	20051234	Volatile suspended solids	2070	NELAP	PA	04/13/2009
SM 2540F - 2015	23rd ed.	20051621	Residue, settleable	1965	NELAP	PA	04/10/2007
SM 2580B - 2011	23rd ed.	20054040	Oxidation-reduction potential	1871	NELAP	PA	05/04/2009

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Non-Potable Water

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
SM 3500-Cr B - 2011	23rd ed.	20066039	Chromium VI	1045	NELAP	PA	08/24/2005
SM 4500-CN- C - 2016	23rd ed.	20095458	Cyanide distillation	1412	NELAP	PA	12/14/2012
SM 4500-CN- E - 2016	23rd ed.	20096224	Total cyanide	1645	NELAP	PA	12/14/2012
SM 4500-CI G - 2011	23rd ed.	20081441	Total residual chlorine	1940	NELAP	PA	04/08/2008
SM 4500-H + B - 2011	23rd ed.	20105037	pH	1900	NELAP	PA	04/10/2007
SM 4500-O G - 2016	23rd ed.	20121420	Oxygen (dissolved)	1880	NELAP	PA	03/16/2009
SM 4500-S2- F - 2011	22nd ed.	20126414	Sulfide	2005	NELAP	PA	10/25/2018
SM 5310C - 2014	23rd ed.	20138630	Dissolved organic carbon (DOC)	1710	NELAP	PA	07/12/2010
SM 5310C - 2014	23rd ed.	20138630	Total organic carbon (TOC)	2040	NELAP	PA	07/12/2010
SM 5540C - 2011	23rd ed.	20144836	Surfactants as MBAS	2025	NELAP	PA	01/03/2022

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
ASTM D3987-85		30030730	Shake extraction of solid waste with water	1386	NELAP	PA	12/05/2007
ASTM D5057-90		30032145	Apparent specific gravity	8042	NELAP	PA	09/27/2010
ASTM D5057-90		30032145	Bulk density	8017	NELAP	PA	09/27/2010
EPA 1010	A	10234807	Ignitability	1780	NELAP	PA	04/09/2009
EPA 1020	B	10117109	Ignitability	1780	NELAP	PA	04/09/2009
EPA 1020	C	10117154	Ignitability	1780	NELAP	PA	04/21/2022
EPA 1311		10118806	Toxicity characteristic leaching procedure (TCLP)	1466	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 1312		10119003	Synthetic precipitation leaching procedure (SPLP)	1460	NELAP	PA	04/18/2006
EPA 1664	B	10261617	Non-polar material	1853	NELAP	PA	04/21/2022
EPA 1664	B	10261617	Oil and grease	1803	NELAP	PA	07/14/2022
EPA 300.0	2.1	10053200	Bromide	1540	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Chloride	1575	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Fluoride	1730	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Nitrate as N	1810	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Nitrite as N	1840	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Orthophosphate as P	1870	NELAP	PA	04/20/2011
EPA 300.0	2.1	10053200	Sulfate	2000	NELAP	PA	04/20/2011
EPA 3005	A	10133207	Preconcentration under acid	1438	NELAP	PA	04/07/2005
EPA 3010	A	10133605	Hot plate acid digestion (HNO ₃ + HCl)	1420	NELAP	PA	04/07/2005
EPA 3050	B	10135601	Acid digestion of solids	1400	NELAP	PA	04/07/2005
EPA 3060	A	10136604	Alkaline digestion of Cr(VI)	1402	NELAP	PA	04/07/2005
EPA 350.1	2.0	10063602	Ammonia as N	1515	NELAP	PA	08/26/2006
EPA 3510	C	10138202	Separatory funnel liquid-liquid extraction	1444	NELAP	PA	04/07/2005
EPA 3520	C	10139001	Continuous liquid-liquid extraction	1410	NELAP	PA	04/07/2005
EPA 353.2	2.0	10067604	Total nitrate-nitrite	1825	NELAP	PA	04/20/2011
EPA 3541		10140406	Automated soxhlet extraction	1454	NELAP	PA	04/07/2005
EPA 3580	A	10143007	Waste dilution	1470	NELAP	PA	04/07/2005
EPA 3585		10143201	Waste dilution for VOCs	1472	NELAP	PA	04/07/2005
EPA 3620	B	10145809	Florisol cleanup	1414	NELAP	PA	04/18/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 3620	C	10146028	Florisol cleanup	1414	NELAP	PA	04/09/2009
EPA 3630	C	10146802	Silica gel cleanup	1446	NELAP	PA	05/22/2020
EPA 3640	A	10147203	Gel permeation cleanup (GPC)	1418	NELAP	PA	04/18/2006
EPA 3660	B	10148400	Sulfur cleanup	1456	NELAP	PA	04/18/2006
EPA 3665	A	10148808	Sulfuric acid/permanganate clean-up	2020	NELAP	PA	04/18/2006
EPA 410.4	2.0	10077404	Chemical oxygen demand (COD)	1565	NELAP	PA	08/26/2006
EPA 5030	B	10153409	Aqueous-phase purge-and-trap	1406	NELAP	PA	03/04/2013
EPA 5035	A	10284807	Closed-system purge-and-trap (freezing option)	1391	NELAP	PA	06/15/2012
EPA 5035	A	10284807	Closed-system purge-and-trap (methanol option)	1392	NELAP	PA	06/15/2012
EPA 5035	A	10284807	Closed-system purge-and-trap (unpreserved)	1393	NELAP	PA	06/15/2012
EPA 5035		10154004	Closed-system purge-and-trap (bisulfate option)	1390	NELAP	PA	04/07/2005
EPA 5035		10154004	Closed-system purge-and-trap (methanol option)	1392	NELAP	PA	04/07/2005
EPA 5035		10154004	Closed-system purge-and-trap (unpreserved)	1393	NELAP	PA	08/24/2005
EPA 6010	C	10155905	Metals by ICP/AES	1097	NELAP	PA	04/09/2009
EPA 6010	D	10155905	Metals by ICP/AES	1097	NELAP	PA	06/05/2019
EPA 6010	C	10155905	Aluminum	1000	NELAP	PA	08/24/2005
EPA 6010	C	10155905	Antimony	1005	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Arsenic	1010	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Barium	1015	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Beryllium	1020	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Boron	1025	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Cadmium	1030	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	C	10155905	Calcium	1035	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Chromium	1040	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Cobalt	1050	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Copper	1055	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Iron	1070	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Lead	1075	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Lithium	1080	NELAP	PA	04/22/2010
EPA 6010	C	10155905	Magnesium	1085	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Manganese	1090	NELAP	PA	07/14/2022
EPA 6010	C	10155905	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Nickel	1105	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Potassium	1125	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Selenium	1140	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Silica, as SiO ₂	1990	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Silicon	1145	NELAP	PA	06/03/2010
EPA 6010	C	10155905	Silver	1150	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Sodium	1155	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Strontium	1160	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Thallium	1165	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Tin	1175	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Titanium	1180	NELAP	PA	04/07/2005
EPA 6010	C	10155905	Vanadium	1185	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	C	10155905	Zinc	1190	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Aluminum	1000	NELAP	PA	08/24/2005
EPA 6010	D	10155950	Antimony	1005	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Arsenic	1010	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Barium	1015	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Beryllium	1020	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Boron	1025	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Cadmium	1030	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Calcium	1035	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Chromium	1040	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Cobalt	1050	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Copper	1055	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Iron	1070	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Lead	1075	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Lithium	1080	NELAP	PA	04/22/2010
EPA 6010	D	10155950	Magnesium	1085	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Manganese	1090	NELAP	PA	07/14/2022
EPA 6010	D	10155950	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Nickel	1105	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Potassium	1125	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Selenium	1140	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Silica, as SiO ₂	1990	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6010	D	10155950	Silicon	1145	NELAP	PA	06/03/2010
EPA 6010	D	10155950	Silver	1150	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Sodium	1155	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Strontium	1160	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Thallium	1165	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Tin	1175	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Titanium	1180	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Vanadium	1185	NELAP	PA	04/07/2005
EPA 6010	D	10155950	Zinc	1190	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Metals by ICP/MS	1098	NELAP	PA	04/09/2009
EPA 6020	B	10156420	Metals by ICP/MS	1098	NELAP	PA	06/05/2019
EPA 6020	A	10156419	Aluminum	1000	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Antimony	1005	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Arsenic	1010	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Barium	1015	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Beryllium	1020	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Boron	1025	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Cadmium	1030	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Calcium	1035	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Chromium	1040	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Cobalt	1050	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Copper	1055	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	A	10156419	Iron	1070	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Lead	1075	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Lithium	1080	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Magnesium	1085	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Manganese	1090	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Nickel	1105	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Potassium	1125	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Selenium	1140	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Silica, as SiO ₂	1990	NELAP	PA	04/18/2006
EPA 6020	A	10156419	Silicon	1145	NELAP	PA	06/03/2010
EPA 6020	A	10156419	Silver	1150	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Sodium	1155	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Strontium	1160	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Thallium	1165	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Thorium	1170	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Tin	1175	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Titanium	1180	NELAP	PA	08/24/2005
EPA 6020	A	10156419	Uranium (mass)	1184	NELAP	PA	03/24/2017
EPA 6020	A	10156419	Vanadium	1185	NELAP	PA	04/07/2005
EPA 6020	A	10156419	Zinc	1190	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Aluminum	1000	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	B	10156420	Antimony	1005	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Arsenic	1010	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Barium	1015	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Beryllium	1020	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Boron	1025	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Cadmium	1030	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Calcium	1035	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Chromium	1040	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Cobalt	1050	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Copper	1055	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Iron	1070	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Lead	1075	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Lithium	1080	NELAP	PA	03/24/2017
EPA 6020	B	10156420	Magnesium	1085	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Manganese	1090	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Molybdenum	1100	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Nickel	1105	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Potassium	1125	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Selenium	1140	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Silica, as SiO ₂	1990	NELAP	PA	04/18/2006
EPA 6020	B	10156420	Silicon	1145	NELAP	PA	06/03/2010
EPA 6020	B	10156420	Silver	1150	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 6020	B	10156420	Sodium	1155	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Strontium	1160	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Thallium	1165	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Thorium	1170	NELAP	PA	03/24/2017
EPA 6020	B	10156420	Tin	1175	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Titanium	1180	NELAP	PA	08/24/2005
EPA 6020	B	10156420	Uranium (mass)	1184	NELAP	PA	03/24/2017
EPA 6020	B	10156420	Vanadium	1185	NELAP	PA	04/07/2005
EPA 6020	B	10156420	Zinc	1190	NELAP	PA	04/07/2005
EPA 7196	A	10162400	Chromium VI	1045	NELAP	PA	04/07/2005
EPA 7470	A	10165807	Mercury	1095	NELAP	PA	08/26/2006
EPA 7471	B	10166457	Mercury	1095	NELAP	PA	04/09/2009
EPA 8081	B	10178811	Organochlorine pesticides by GC/ECD	7937	NELAP	PA	01/01/2013
EPA 8081	B	10178811	2,4'-DDD	8580	NELAP	PA	04/18/2006
EPA 8081	B	10178811	2,4'-DDE	8585	NELAP	PA	04/18/2006
EPA 8081	B	10178811	2,4'-DDT	8590	NELAP	PA	04/18/2006
EPA 8081	B	10178811	4,4'-DDD	7355	NELAP	PA	04/07/2005
EPA 8081	B	10178811	4,4'-DDE	7360	NELAP	PA	04/07/2005
EPA 8081	B	10178811	4,4'-DDT	7365	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Aldrin (HHDN)	7025	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Chlorbenside	7321	NELAP	PA	04/18/2006
EPA 8081	B	10178811	Chlordane (tech.)	7250	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8081	B	10178811	Dacthal (DCPA)	8550	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Diallate (cis or trans)	7405	NELAP	PA	08/26/2006
EPA 8081	B	10178811	Dieldrin	7470	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endosulfan I	7510	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endosulfan II	7515	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endosulfan sulfate	7520	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endrin	7540	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endrin aldehyde	7530	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Endrin ketone	7535	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Heptachlor	7685	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Heptachlor epoxide	7690	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Hexachlorobenzene	6275	NELAP	PA	05/12/2011
EPA 8081	B	10178811	Isodrin	7725	NELAP	PA	08/24/2005
EPA 8081	B	10178811	Methoxychlor	7810	NELAP	PA	04/07/2005
EPA 8081	B	10178811	Mirex	7870	NELAP	PA	08/24/2005
EPA 8081	B	10178811	Oxychlorthane	3890	NELAP	PA	04/09/2009
EPA 8081	B	10178811	Toxaphene (Chlorinated camphene)	8250	NELAP	PA	04/07/2005
EPA 8081	B	10178811	alpha-BHC (alpha-Hexachlorocyclohexane)	7110	NELAP	PA	04/07/2005
EPA 8081	B	10178811	alpha-Chlordane	7240	NELAP	PA	04/07/2005
EPA 8081	B	10178811	beta-BHC (beta-Hexachlorocyclohexane)	7115	NELAP	PA	04/07/2005
EPA 8081	B	10178811	cis-Nonachlor	7925	NELAP	PA	04/18/2006
EPA 8081	B	10178811	delta-BHC (delta-Hexachlorocyclohexane)	7105	NELAP	PA	04/07/2005

Annmarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8081	B	10178811	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	7120	NELAP	PA	04/07/2005
EPA 8081	B	10178811	gamma-Chlordane	7245	NELAP	PA	04/07/2005
EPA 8081	B	10178811	trans-Nonachlor	7910	NELAP	PA	04/18/2006
EPA 8082	A	10179358	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (BZ 206)	9095	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,3',4,4',5,6-Octachlorobiphenyl (BZ 195)	9103	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,2',3,3',4,4',5-Heptachlorobiphenyl (BZ 170)	9065	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,3',4,4'-Hexachlorobiphenyl (BZ 128)	9020	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4',5,5',6-Heptachlorobiphenyl (BZ 187)	9080	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5',6-Heptachlorobiphenyl (BZ 183)	9075	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5'-Hexachlorobiphenyl (BZ 138)	9025	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',5,5'-Heptachlorobiphenyl (BZ 180)	9134	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,4,4',6,6'-Heptachlorobiphenyl (BZ 184)	9139	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,2',3,4,5'-Pentachlorobiphenyl (BZ 87)	8975	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',3,5'-Tetrachlorobiphenyl (BZ 44)	8945	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,4',5,5'-Hexachlorobiphenyl (BZ 153)	9040	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,5'-Tetrachlorobiphenyl (BZ 49)	8950	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',4,5,5'-Pentachlorobiphenyl (BZ 101)	8980	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',5,5'-Tetrachlorobiphenyl (BZ 52)	8955	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,2',5-Trichlorobiphenyl (BZ 18)	8930	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,3',4,4',5'-Pentachlorobiphenyl (BZ 123)	9000	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3',4,4',5,5'-Hexachlorobiphenyl (BZ 167)	9055	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3',4,4',5-Pentachlorobiphenyl (BZ 118)	8995	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8082	A	10179358	2,3',4,4'-Tetrachlorobiphenyl (BZ 66)	8960	NELAP	PA	08/26/2006
EPA 8082	A	10179358	2,3,3',4,4',5'-Hexachlorobiphenyl (BZ 157)	9045	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3,3',4,4',5,5'-Heptachlorobiphenyl (BZ 189)	9085	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,3,3',4,4',5-Hexachlorobiphenyl (BZ 156)	9050	NELAP	PA	12/30/2019
EPA 8082	A	10179358	2,3,3',4,4'-Pentachlorobiphenyl (BZ 105)	8985	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,3,4,4',5-Pentachlorobiphenyl (BZ 114)	9005	NELAP	PA	04/25/2014
EPA 8082	A	10179358	2,4'-Dichlorobiphenyl (BZ 8)	9256	NELAP	PA	04/13/2009
EPA 8082	A	10179358	2,4,4'-Trichlorobiphenyl (BZ 28)	9252	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,3',4,4',5,5'-Hexachlorobiphenyl (BZ 169)	9060	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,3',4,4',5-Pentachlorobiphenyl (BZ 126)	9015	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,3',4,4'-Tetrachlorobiphenyl (BZ 77)	8965	NELAP	PA	04/13/2009
EPA 8082	A	10179358	3,4,4',5-Tetrachlorobiphenyl (BZ 81)	8970	NELAP	PA	04/25/2014
EPA 8082	A	10179358	Aroclor-1016 (PCB-1016)	8880	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1016 (in oil)	8880	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1221 (PCB-1221)	8885	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1221 (in oil)	8885	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1232 (PCB-1232)	8890	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1232 (in oil)	8890	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1242 (PCB-1242)	8895	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1242 (in oil)	8895	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1248 (PCB-1248)	8900	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1248 (in oil)	8900	NELAP	PA	10/19/2016

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8082	A	10179358	Aroclor-1254 (PCB-1254)	8905	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1254 (in oil)	8905	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1260 (PCB-1260)	8910	NELAP	PA	11/08/2007
EPA 8082	A	10179358	Aroclor-1260 (in oil)	8910	NELAP	PA	10/19/2016
EPA 8082	A	10179358	Aroclor-1262 (PCB-1262)	8912	NELAP	PA	04/08/2008
EPA 8082	A	10179358	Aroclor-1268 (PCB-1268)	8913	NELAP	PA	04/08/2008
EPA 8082	A	10179358	Decachlorobiphenyl	9105	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Organophosphorus compounds by GC/NPD	7939	NELAP	PA	04/09/2009
EPA 8141	B	10182204	Azinphos-methyl (Guthion)	7075	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Bolstar (Sulprofos)	7125	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Chlorpyrifos	7300	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Coumaphos	7315	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Demeton	7390	NELAP	PA	04/09/2009
EPA 8141	B	10182204	Demeton-O	7395	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Demeton-S	7385	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Diazinon (Spectracide)	7410	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Dichlorovos (DDVP, Dichlorvos)	8610	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Dimethoate	7475	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Disulfoton	8625	NELAP	PA	04/07/2005
EPA 8141	B	10182204	EPN (Santox)	7550	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Ethoprop (Prophos)	7570	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Famphur	7580	NELAP	PA	08/24/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8141	B	10182204	Fensulfothion	7600	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Fenthion	7605	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Malathion	7770	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Mevinphos	7850	NELAP	PA	08/24/2005
EPA 8141	B	10182204	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	04/07/2005
EPA 8141	B	10182204	Phorate (Thimet)	7985	NELAP	PA	08/24/2005
EPA 8141	B	10182204	Ronnel	8110	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Stirophos (Tetrachlorovinphos)	8140	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Sulfotepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8141	B	10182204	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Tokuthion (Prothiophos)	8245	NELAP	PA	04/18/2006
EPA 8141	B	10182204	Trichloronate	8275	NELAP	PA	04/18/2006
EPA 8151	A	10183207	Chlorinated herbicides by GC/ECD	8542	NELAP	PA	04/08/2009
EPA 8151	A	10183207	2,4,5-T	8655	NELAP	PA	04/07/2005
EPA 8151	A	10183207	2,4,5-TP (Silvex)	8650	NELAP	PA	04/07/2005
EPA 8151	A	10183207	2,4-D	8545	NELAP	PA	04/07/2005
EPA 8151	A	10183207	2,4-DB (Butoxon)	8560	NELAP	PA	04/07/2005
EPA 8151	A	10183207	Dalapon (2,2-Dichloropropionic acid)	8555	NELAP	PA	08/24/2005
EPA 8151	A	10183207	Dicamba	8595	NELAP	PA	04/07/2005
EPA 8151	A	10183207	Dichloroprop (Dichlorprop)	8605	NELAP	PA	04/07/2005

Annmarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8151	A	10183207	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	12/30/2019
EPA 8151	A	10183207	MCPA	7775	NELAP	PA	04/07/2005
EPA 8151	A	10183207	MCPA (Mecoprop)	7780	NELAP	PA	04/07/2005
EPA 8151	A	10183207	Pentachlorophenol (PCP)	6605	NELAP	PA	04/07/2005
EPA 8260	C	10307003	VOCs by GC/MS	5242	NELAP	PA	12/05/2013
EPA 8260	D	10307127	VOCs by GC/MS	5242	NELAP	PA	06/05/2019
EPA 8260	C	10307003	1,1,1,2-Tetrachloroethane	5105	NELAP	PA	08/24/2005
EPA 8260	C	10307003	1,1,1-Trichloroethane	5160	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,1,2,2-Tetrachloroethane	5110	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5185	NELAP	PA	08/24/2005
EPA 8260	C	10307003	1,1,2-Trichloroethane	5165	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,1-Dichloroethane	4630	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,1-Dichloroethene (1,1-Dichloroethylene)	4640	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,1-Dichloropropene	4670	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,3-Trichlorobenzene	5150	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2,3-Trichloropropane (1,2,3-TCP)	5180	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,2,4-Trimethylbenzene	5210	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	08/24/2005
EPA 8260	C	10307003	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	1,2-Dichloroethane	4635	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,2-Dichloroethene (total)	4705	NELAP	PA	03/01/2007
EPA 8260	C	10307003	1,2-Dichloropropane	4655	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,3,5-Trichlorobenzene	6800	NELAP	PA	04/09/2009
EPA 8260	C	10307003	1,3,5-Trimethylbenzene	5215	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,3-Dichloropropane	4660	NELAP	PA	08/26/2006
EPA 8260	C	10307003	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	04/07/2005
EPA 8260	C	10307003	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/24/2005
EPA 8260	C	10307003	2,2,4-Trimethylpentane (Iso-octane)	5220	NELAP	PA	12/05/2007
EPA 8260	C	10307003	2,2-Dichloropropane	4665	NELAP	PA	08/26/2006
EPA 8260	C	10307003	2-Butanone (Methyl ethyl ketone, MEK)	4410	NELAP	PA	08/24/2005
EPA 8260	C	10307003	2-Chloroethyl vinyl ether	4500	NELAP	PA	04/07/2005
EPA 8260	C	10307003	2-Chlorotoluene	4535	NELAP	PA	04/07/2005
EPA 8260	C	10307003	2-Hexanone	4860	NELAP	PA	08/24/2005
EPA 8260	C	10307003	4-Chlorotoluene	4540	NELAP	PA	04/07/2005
EPA 8260	C	10307003	4-Methyl-2-pentanone (MIBK)	4995	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Acetone	4315	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Acetonitrile	4320	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Acrolein (Propenal)	4325	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Acrylonitrile	4340	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Allyl chloride (3-Chloropropene)	4355	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	Benzene	4375	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Benzyl chloride	5635	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Bromobenzene	4385	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Bromochloromethane	4390	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Bromodichloromethane	4395	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Bromoform	4400	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Carbon disulfide	4450	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Carbon tetrachloride	4455	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Chlorobenzene	4475	NELAP	PA	12/22/2021
EPA 8260	C	10307003	Chloroethane	4485	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Chloroform	4505	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Chloroprene (2-Chloro-1,3-butadiene)	4525	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Cyclohexane	4555	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Dibromochloromethane	4575	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Dibromomethane	4595	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Dichlorodifluoromethane (Freon 12)	4625	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Dichlorofluoromethane (Freon 21)	4627	NELAP	PA	12/30/2019
EPA 8260	C	10307003	Diethyl ether (Ethyl ether)	4725	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Ethyl methacrylate	4810	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Ethylbenzene	4765	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Heptane	4825	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/24/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	Iodomethane (Methyl iodide)	4870	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Isobutyl alcohol (2-Methyl-1-propanol)	4875	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Isopropyl alcohol (2-Propanol)	4895	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Isopropylbenzene (Cumene)	4900	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Methacrylonitrile	4925	NELAP	PA	08/26/2006
EPA 8260	C	10307003	Methyl acetate	4940	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Methyl bromide (Bromomethane)	4950	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Methyl chloride (Chloromethane)	4960	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Methyl tert-butyl ether (MTBE)	5000	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Methylcyclohexane	4965	NELAP	PA	04/18/2006
EPA 8260	C	10307003	Methylene chloride (Dichloromethane)	4975	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Methylmethacrylate	4990	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Naphthalene	5005	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Propionitrile (Ethyl cyanide)	5080	NELAP	PA	08/24/2005
EPA 8260	C	10307003	Styrene	5100	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Tetrachloroethene (PCE, Perchloroethylene)	5115	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Tetrahydrofuran (THF)	5120	NELAP	PA	04/22/2010
EPA 8260	C	10307003	Toluene	5140	NELAP	PA	12/22/2021
EPA 8260	C	10307003	Trichloroethene (TCE, Trichloroethylene)	5170	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Trichlorofluoromethane (Freon 11)	5175	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Vinyl acetate	5225	NELAP	PA	04/07/2005
EPA 8260	C	10307003	Vinyl chloride (Chloroethene)	5235	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	C	10307003	Xylenes, total	5260	NELAP	PA	04/07/2005
EPA 8260	C	10307003	cis-1,2-Dichloroethene	4645	NELAP	PA	04/07/2005
EPA 8260	C	10307003	cis-1,3-Dichloropropene	4680	NELAP	PA	04/07/2005
EPA 8260	C	10307003	m+p-Xylene	5240	NELAP	PA	08/26/2006
EPA 8260	C	10307003	m-Xylene	5245	NELAP	PA	04/09/2009
EPA 8260	C	10307003	n-Butylbenzene	4435	NELAP	PA	04/07/2005
EPA 8260	C	10307003	n-Hexane	4855	NELAP	PA	12/05/2007
EPA 8260	C	10307003	n-Propylbenzene	5090	NELAP	PA	04/07/2005
EPA 8260	C	10307003	o-Xylene	5250	NELAP	PA	08/26/2006
EPA 8260	C	10307003	p-Isopropyltoluene (4-Isopropyltoluene)	4910	NELAP	PA	08/26/2006
EPA 8260	C	10307003	p-Xylene	5255	NELAP	PA	04/09/2009
EPA 8260	C	10307003	sec-Butylbenzene	4440	NELAP	PA	04/07/2005
EPA 8260	C	10307003	tert-Butyl alcohol (2-Methyl-2-propanol)	4420	NELAP	PA	04/08/2008
EPA 8260	C	10307003	tert-Butylbenzene	4445	NELAP	PA	04/07/2005
EPA 8260	C	10307003	trans-1,2-Dichloroethene	4700	NELAP	PA	04/07/2005
EPA 8260	C	10307003	trans-1,3-Dichloropropene	4685	NELAP	PA	04/07/2005
EPA 8260	C	10307003	trans-1,4-Dichloro-2-butene	4605	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,1,1,2-Tetrachloroethane	5105	NELAP	PA	08/24/2005
EPA 8260	D	10307127	1,1,1-Trichloroethane	5160	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,1,2,2-Tetrachloroethane	5110	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5185	NELAP	PA	08/24/2005
EPA 8260	D	10307127	1,1,2-Trichloroethane	5165	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	1,1-Dichloroethane	4630	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,1-Dichloroethene (1,1-Dichloroethylene)	4640	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,1-Dichloropropene	4670	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,3-Trichlorobenzene	5150	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2,3-Trichloropropane (1,2,3-TCP)	5180	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,2,4-Trimethylbenzene	5210	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	4570	NELAP	PA	08/24/2005
EPA 8260	D	10307127	1,2-Dibromoethane (EDB, Ethylene dibromide)	4585	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,2-Dichloroethane	4635	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,2-Dichloroethene (total)	4705	NELAP	PA	03/01/2007
EPA 8260	D	10307127	1,2-Dichloropropane	4655	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,3,5-Trichlorobenzene	6800	NELAP	PA	04/09/2009
EPA 8260	D	10307127	1,3,5-Trimethylbenzene	5215	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,3-Dichloropropane	4660	NELAP	PA	08/26/2006
EPA 8260	D	10307127	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	04/07/2005
EPA 8260	D	10307127	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/24/2005
EPA 8260	D	10307127	2,2,4-Trimethylpentane (Iso-octane)	5220	NELAP	PA	12/05/2007
EPA 8260	D	10307127	2,2-Dichloropropane	4665	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	2-Butanone (Methyl ethyl ketone, MEK)	4410	NELAP	PA	08/24/2005
EPA 8260	D	10307127	2-Chloroethyl vinyl ether	4500	NELAP	PA	04/07/2005
EPA 8260	D	10307127	2-Chlorotoluene	4535	NELAP	PA	04/07/2005
EPA 8260	D	10307127	2-Hexanone	4860	NELAP	PA	08/24/2005
EPA 8260	D	10307127	4-Chlorotoluene	4540	NELAP	PA	04/07/2005
EPA 8260	D	10307127	4-Methyl-2-pentanone (MIBK)	4995	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Acetone	4315	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Acetonitrile	4320	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Acrolein (Propenal)	4325	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Acrylonitrile	4340	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Allyl chloride (3-Chloropropene)	4355	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Benzene	4375	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Benzyl chloride	5635	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Bromobenzene	4385	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Bromochloromethane	4390	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Bromodichloromethane	4395	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Bromoform	4400	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Carbon disulfide	4450	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Carbon tetrachloride	4455	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Chlorobenzene	4475	NELAP	PA	12/22/2021
EPA 8260	D	10307127	Chloroethane	4485	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Chloroform	4505	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	Chloroprene (2-Chloro-1,3-butadiene)	4525	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Cyclohexane	4555	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Dibromochloromethane	4575	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Dibromomethane	4595	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Dichlorodifluoromethane (Freon 12)	4625	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Dichlorofluoromethane (Freon 21)	4627	NELAP	PA	12/30/2019
EPA 8260	D	10307127	Diethyl ether (Ethyl ether)	4725	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Ethyl methacrylate	4810	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Ethylbenzene	4765	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Heptane	4825	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Iodomethane (Methyl iodide)	4870	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isobutyl alcohol (2-Methyl-1-propanol)	4875	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isopropyl alcohol (2-Propanol)	4895	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Isopropylbenzene (Cumene)	4900	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Methacrylonitrile	4925	NELAP	PA	08/26/2006
EPA 8260	D	10307127	Methyl acetate	4940	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Methyl bromide (Bromomethane)	4950	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Methyl chloride (Chloromethane)	4960	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Methyl tert-butyl ether (MTBE)	5000	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Methylcyclohexane	4965	NELAP	PA	04/18/2006
EPA 8260	D	10307127	Methylene chloride (Dichloromethane)	4975	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	Methylmethacrylate	4990	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Naphthalene	5005	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Propionitrile (Ethyl cyanide)	5080	NELAP	PA	08/24/2005
EPA 8260	D	10307127	Styrene	5100	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Tetrachloroethene (PCE, Perchloroethylene)	5115	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Tetrahydrofuran (THF)	5120	NELAP	PA	04/22/2010
EPA 8260	D	10307127	Toluene	5140	NELAP	PA	12/22/2021
EPA 8260	D	10307127	Trichloroethene (TCE, Trichloroethylene)	5170	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Trichlorofluoromethane (Freon 11)	5175	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Vinyl acetate	5225	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Vinyl chloride (Chloroethene)	5235	NELAP	PA	04/07/2005
EPA 8260	D	10307127	Xylenes, total	5260	NELAP	PA	04/07/2005
EPA 8260	D	10307127	cis-1,2-Dichloroethene	4645	NELAP	PA	04/07/2005
EPA 8260	D	10307127	cis-1,3-Dichloropropene	4680	NELAP	PA	04/07/2005
EPA 8260	D	10307127	m+p-Xylene	5240	NELAP	PA	08/26/2006
EPA 8260	D	10307127	m-Xylene	5245	NELAP	PA	04/09/2009
EPA 8260	D	10307127	n-Butylbenzene	4435	NELAP	PA	04/07/2005
EPA 8260	D	10307127	n-Hexane	4855	NELAP	PA	12/05/2007
EPA 8260	D	10307127	n-Propylbenzene	5090	NELAP	PA	04/07/2005
EPA 8260	D	10307127	o-Xylene	5250	NELAP	PA	08/26/2006
EPA 8260	D	10307127	p-Isopropyltoluene (4-Isopropyltoluene)	4910	NELAP	PA	08/26/2006
EPA 8260	D	10307127	p-Xylene	5255	NELAP	PA	04/09/2009

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8260	D	10307127	sec-Butylbenzene	4440	NELAP	PA	04/07/2005
EPA 8260	D	10307127	tert-Butyl alcohol (2-Methyl-2-propanol)	4420	NELAP	PA	04/08/2008
EPA 8260	D	10307127	tert-Butylbenzene	4445	NELAP	PA	04/07/2005
EPA 8260	D	10307127	trans-1,2-Dichloroethene	4700	NELAP	PA	04/07/2005
EPA 8260	D	10307127	trans-1,3-Dichloropropene	4685	NELAP	PA	04/07/2005
EPA 8260	D	10307127	trans-1,4-Dichloro-2-butene	4605	NELAP	PA	04/07/2005
EPA 8270	E	10242543	SOCs by GC/MS	6687	NELAP	PA	06/05/2019
EPA 8270	D	10186035	1,1'-Biphenyl (Biphenyl, Lemonene)	6703	NELAP	PA	04/18/2006
EPA 8270	D	10186035	1,2,4,5-Tetrachlorobenzene	6715	NELAP	PA	04/07/2005
EPA 8270	D	10186035	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/07/2005
EPA 8270	D	10186035	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	04/07/2005
EPA 8270	D	10186035	1,2-Diphenylhydrazine	6220	NELAP	PA	04/18/2006
EPA 8270	D	10186035	1,3,5-Trinitrobenzene (1,3,5-TNB)	6885	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	04/07/2005
EPA 8270	D	10186035	1,3-Dinitrobenzene (1,3-DNB)	6160	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	04/07/2005
EPA 8270	D	10186035	1,4-Dinitrobenzene (1,4-DNB)	6165	NELAP	PA	04/21/2022
EPA 8270	D	10186035	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/24/2005
EPA 8270	D	10186035	1,4-Naphthoquinone	6420	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1,4-Phenylenediamine	6630	NELAP	PA	12/05/2007
EPA 8270	D	10186035	1-Chloronaphthalene	5790	NELAP	PA	08/26/2006
EPA 8270	D	10186035	1-Methylnaphthalene	6380	NELAP	PA	04/09/2009

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	1-Naphthylamine (alpha-Naphthylamine)	6425	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl) ether)	4659	NELAP	PA	04/18/2006
EPA 8270	D	10186035	2,3,4,6-Tetrachlorophenol	6735	NELAP	PA	08/24/2005
EPA 8270	D	10186035	2,3,5,6-Tetrachlorophenol	6740	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,3,7,8-TCDD (Dioxin) (screen)	9619	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2,4,5-Trichlorophenol	6835	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,4,6-Trichlorophenol	6840	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,4-Dichlorophenol	6000	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,4-Dimethylphenol	6130	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,4-Dinitrophenol	6175	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,4-Dinitrotoluene (2,4-DNT)	6185	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2,6-Dichlorophenol	6005	NELAP	PA	08/24/2005
EPA 8270	D	10186035	2,6-Dinitrotoluene (2,6-DNT)	6190	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Acetylaminofluorene	5515	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Chloronaphthalene	5795	NELAP	PA	10/13/2010
EPA 8270	D	10186035	2-Chlorophenol	5800	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	6360	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Methylnaphthalene	6385	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Methylphenol (o-Cresol)	6400	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Naphthylamine (beta-Naphthylamine)	6430	NELAP	PA	08/26/2006
EPA 8270	D	10186035	2-Nitroaniline	6460	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	2-Nitrophenol	6490	NELAP	PA	04/07/2005
EPA 8270	D	10186035	2-Picoline (2-Methylpyridine)	5050	NELAP	PA	04/18/2006
EPA 8270	D	10186035	3+4-Methylphenol (m+p-Cresol)	6412	NELAP	PA	04/07/2005
EPA 8270	D	10186035	3,3'-Dichlorobenzidine	5945	NELAP	PA	04/07/2005
EPA 8270	D	10186035	3,3'-Dimethoxybenzidine	6100	NELAP	PA	08/24/2005
EPA 8270	D	10186035	3-Methylcholanthrene	6355	NELAP	PA	08/26/2006
EPA 8270	D	10186035	3-Nitroaniline	6465	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4,4'-Methylenebis(2-chloroaniline)	6365	NELAP	PA	08/24/2005
EPA 8270	D	10186035	4-Aminobiphenyl	5540	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Bromophenyl phenyl ether	5660	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Chloro-3-methylphenol	5700	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Chloroaniline	5745	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Chlorophenol	5805	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Chlorophenyl phenyl ether	5825	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Dimethylaminoazobenzene (Dimethylaminoazobenzene)	6105	NELAP	PA	08/26/2006
EPA 8270	D	10186035	4-Nitroaniline	6470	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Nitrophenol	6500	NELAP	PA	04/07/2005
EPA 8270	D	10186035	4-Nitroquinoline-1-oxide	6510	NELAP	PA	08/26/2006
EPA 8270	D	10186035	5-Nitro-o-toluidine	6570	NELAP	PA	08/26/2006
EPA 8270	D	10186035	6-Methylchrysene	6112	NELAP	PA	12/05/2007
EPA 8270	D	10186035	7,12-Dimethylbenz(a)anthracene	6115	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Acenaphthene	5500	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Acenaphthylene	5505	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Acetophenone	5510	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Aniline	5545	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Anthracene	5555	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Aramite	5560	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Atrazine	7065	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Benzaldehyde	5570	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Benzidine	5595	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzo[a]anthracene	5575	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzo[a]pyrene	5580	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzo[b]fluoranthene	5585	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzo[ghi]perylene	5590	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzo[k]fluoranthene	5600	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzoic acid	5610	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Benzyl alcohol	5630	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Butyl benzyl phthalate (Benzyl butyl phthalate)	5670	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Caprolactam	7180	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Carbazole	5680	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Chlorobenzilate	7260	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Chrysene (Benzo[a]phenanthrene)	5855	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Cresols (total)	5862	NELAP	PA	04/18/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Di-n-butyl phthalate	5925	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Di-n-octyl phthalate	6200	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Diallate (cis or trans)	7405	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Dibenz[a,h]acridine	9354	NELAP	PA	12/05/2007
EPA 8270	D	10186035	Dibenzo[a,h]anthracene	5895	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Dibenzofuran	5905	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Diethyl phthalate	6070	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Dimethoate	7475	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Dimethyl phthalate	6135	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Disulfoton	8625	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Ethyl methanesulfonate	6260	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Famphur	7580	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Fluoranthene	6265	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Fluorene	6270	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Hexachlorobenzene	6275	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Hexachlorocyclopentadiene	6285	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Hexachloroethane	4840	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Hexachloropropene	6295	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Indene	6312	NELAP	PA	04/09/2009
EPA 8270	D	10186035	Indeno(1,2,3-cd)pyrene	6315	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Isodrin	7725	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Isophorone	6320	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Isosafrole	6325	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Kepone	7740	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Methapyrilene	6345	NELAP	PA	12/05/2007
EPA 8270	D	10186035	Methyl methanesulfonate	6375	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	08/24/2005
EPA 8270	D	10186035	N-Nitrosodi-n-butylamine	5025	NELAP	PA	08/24/2005
EPA 8270	D	10186035	N-Nitrosodi-n-propylamine	6545	NELAP	PA	04/07/2005
EPA 8270	D	10186035	N-Nitrosodiethylamine	6525	NELAP	PA	04/07/2005
EPA 8270	D	10186035	N-Nitrosodimethylamine	6530	NELAP	PA	04/07/2005
EPA 8270	D	10186035	N-Nitrosodiphenylamine	6535	NELAP	PA	04/07/2005
EPA 8270	D	10186035	N-Nitrosomethylethylamine	6550	NELAP	PA	08/24/2005
EPA 8270	D	10186035	N-Nitrosomorpholine	6555	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosopiperidine	6560	NELAP	PA	08/26/2006
EPA 8270	D	10186035	N-Nitrosopyrrolidine	6565	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Naphthalene	5005	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Nitrobenzene	5015	NELAP	PA	04/07/2005
EPA 8270	D	10186035	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Pentachlorobenzene	6590	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Pentachloroethane	5035	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	D	10186035	Pentachloronitrobenzene (PCNB)	6600	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Pentachlorophenol (PCP)	6605	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Phenacetin	6610	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Phenanthrene	6615	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Phenol	6625	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Phorate (Thimet)	7985	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Pronamide (Kerb)	6650	NELAP	PA	08/24/2005
EPA 8270	D	10186035	Pyrene	6665	NELAP	PA	04/07/2005
EPA 8270	D	10186035	Pyridine	5095	NELAP	PA	04/18/2006
EPA 8270	D	10186035	Safrole	6685	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Sulfotepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8270	D	10186035	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	08/26/2006
EPA 8270	D	10186035	bis(2-Chloroethoxy)methane	5760	NELAP	PA	04/07/2005
EPA 8270	D	10186035	bis(2-Chloroethyl) ether	5765	NELAP	PA	04/07/2005
EPA 8270	D	10186035	bis(2-Ethylhexyl) phthalate (DEHP)	6065	NELAP	PA	04/07/2005
EPA 8270	D	10186035	n-Octadecane	6580	NELAP	PA	04/09/2009
EPA 8270	D	10186035	o-Toluidine (2-Toluidine, 2-Methylaniline)	5145	NELAP	PA	08/24/2005
EPA 8270	D	10186035	p-(Dimethylamino)azobenzene	6105	NELAP	PA	04/09/2009
EPA 8270	D	10186035	p-Phenylenediamine	6630	NELAP	PA	04/09/2009
EPA 8270	E	10242543	1,1'-Biphenyl (Biphenyl, Lemonene)	6703	NELAP	PA	04/18/2006
EPA 8270	E	10242543	1,2,4,5-Tetrachlorobenzene	6715	NELAP	PA	04/07/2005
EPA 8270	E	10242543	1,2,4-Trichlorobenzene	5155	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	1,2-Dichlorobenzene (o-Dichlorobenzene)	4610	NELAP	PA	04/07/2005
EPA 8270	E	10242543	1,2-Diphenylhydrazine	6220	NELAP	PA	04/18/2006
EPA 8270	E	10242543	1,3,5-Trinitrobenzene (1,3,5-TNB)	6885	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,3-Dichlorobenzene (m-Dichlorobenzene)	4615	NELAP	PA	04/07/2005
EPA 8270	E	10242543	1,3-Dinitrobenzene (1,3-DNB)	6160	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,4-Dichlorobenzene (p-Dichlorobenzene)	4620	NELAP	PA	04/07/2005
EPA 8270	E	10242543	1,4-Dinitrobenzene (1,4-DNB)	6165	NELAP	PA	04/21/2022
EPA 8270	E	10242543	1,4-Dioxane (1,4-Diethyleneoxide)	4735	NELAP	PA	08/24/2005
EPA 8270	E	10242543	1,4-Naphthoquinone	6420	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1,4-Phenylenediamine	6630	NELAP	PA	12/05/2007
EPA 8270	E	10242543	1-Chloronaphthalene	5790	NELAP	PA	08/26/2006
EPA 8270	E	10242543	1-Methylnaphthalene	6380	NELAP	PA	04/09/2009
EPA 8270	E	10242543	1-Naphthylamine (alpha-Naphthylamine)	6425	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl) ether)	4659	NELAP	PA	04/18/2006
EPA 8270	E	10242543	2,3,4,6-Tetrachlorophenol	6735	NELAP	PA	08/24/2005
EPA 8270	E	10242543	2,3,5,6-Tetrachlorophenol	6740	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,3,7,8-TCDD (Dioxin) (screen)	9619	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2,4,5-Trichlorophenol	6835	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2,4,6-Trichlorophenol	6840	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2,4-Dichlorophenol	6000	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2,4-Dimethylphenol	6130	NELAP	PA	04/07/2005

Annmarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	2,4-Dinitrophenol	6175	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2,4-Dinitrotoluene (2,4-DNT)	6185	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2,6-Dichlorophenol	6005	NELAP	PA	08/24/2005
EPA 8270	E	10242543	2,6-Dinitrotoluene (2,6-DNT)	6190	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Acetylaminofluorene	5515	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Chloronaphthalene	5795	NELAP	PA	10/13/2010
EPA 8270	E	10242543	2-Chlorophenol	5800	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	6360	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Methylnaphthalene	6385	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Methylphenol (o-Cresol)	6400	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Naphthylamine (beta-Naphthylamine)	6430	NELAP	PA	08/26/2006
EPA 8270	E	10242543	2-Nitroaniline	6460	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Nitrophenol	6490	NELAP	PA	04/07/2005
EPA 8270	E	10242543	2-Picoline (2-Methylpyridine)	5050	NELAP	PA	04/18/2006
EPA 8270	E	10242543	3+4-Methylphenol (m+p-Cresol)	6412	NELAP	PA	04/07/2005
EPA 8270	E	10242543	3,3'-Dichlorobenzidine	5945	NELAP	PA	04/07/2005
EPA 8270	E	10242543	3,3'-Dimethylbenzidine	6120	NELAP	PA	08/24/2005
EPA 8270	E	10242543	3-Methylcholanthrene	6355	NELAP	PA	08/26/2006
EPA 8270	E	10242543	3-Nitroaniline	6465	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4,4'-Methylenebis(2-chloroaniline)	6365	NELAP	PA	08/24/2005
EPA 8270	E	10242543	4-Aminobiphenyl	5540	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Bromophenyl phenyl ether	5660	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	4-Chloro-3-methylphenol	5700	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4-Chloroaniline	5745	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4-Chlorophenol	5805	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Chlorophenyl phenyl ether	5825	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4-Dimethylaminoazobenzene (Dimethylaminoazobenzene)	6105	NELAP	PA	08/26/2006
EPA 8270	E	10242543	4-Nitroaniline	6470	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4-Nitrophenol	6500	NELAP	PA	04/07/2005
EPA 8270	E	10242543	4-Nitroquinoline-1-oxide	6510	NELAP	PA	08/26/2006
EPA 8270	E	10242543	5-Nitro-o-toluidine	6570	NELAP	PA	08/26/2006
EPA 8270	E	10242543	6-Methylchrysene	6112	NELAP	PA	12/05/2007
EPA 8270	E	10242543	7,12-Dimethylbenz(a)anthracene	6115	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Acenaphthene	5500	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Acenaphthylene	5505	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Acetophenone	5510	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Aniline	5545	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Anthracene	5555	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Aramite	5560	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Atrazine	7065	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Benzaldehyde	5570	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Benzidine	5595	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzo[a]anthracene	5575	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Benzo[a]pyrene	5580	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzo[b]fluoranthene	5585	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzo[ghi]perylene	5590	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzo[k]fluoranthene	5600	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzoic acid	5610	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Benzyl alcohol	5630	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Butyl benzyl phthalate (Benzyl butyl phthalate)	5670	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Caprolactam	7180	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Carbazole	5680	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Chlorobenzilate	7260	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Chrysene (Benzo[a]phenanthrene)	5855	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Cresols (total)	5862	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Di-n-butyl phthalate	5925	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Di-n-octyl phthalate	6200	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Diallate (cis or trans)	7405	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Dibenz[a,h]acridine	9354	NELAP	PA	12/05/2007
EPA 8270	E	10242543	Dibenzo[a,h]anthracene	5895	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Dibenzofuran	5905	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Diethyl phthalate	6070	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Dimethoate	7475	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Dimethyl phthalate	6135	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Dinoseb (2-sec-Butyl-4,6-dinitrophenol, DNBP)	8620	NELAP	PA	08/26/2006

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Disulfoton	8625	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Ethyl methanesulfonate	6260	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Famphur	7580	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Fluoranthene	6265	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Fluorene	6270	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Hexachlorobenzene	6275	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Hexachlorobutadiene (1,3-Hexachlorobutadiene)	4835	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Hexachlorocyclopentadiene	6285	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Hexachloroethane	4840	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Hexachloropropene	6295	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Indene	6312	NELAP	PA	04/09/2009
EPA 8270	E	10242543	Indeno(1,2,3-cd)pyrene	6315	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Isodrin	7725	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Isophorone	6320	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Isosafrole	6325	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Kepone	7740	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Methapyrilene	6345	NELAP	PA	12/05/2007
EPA 8270	E	10242543	Methyl methanesulfonate	6375	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Methyl parathion (Parathion, methyl)	7825	NELAP	PA	08/24/2005
EPA 8270	E	10242543	N-Nitrosodi-n-butylamine	5025	NELAP	PA	08/24/2005
EPA 8270	E	10242543	N-Nitrosodi-n-propylamine	6545	NELAP	PA	04/07/2005
EPA 8270	E	10242543	N-Nitrosodiethylamine	6525	NELAP	PA	04/07/2005

Ammerie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	N-Nitrosodimethylamine	6530	NELAP	PA	04/07/2005
EPA 8270	E	10242543	N-Nitrosodiphenylamine	6535	NELAP	PA	04/07/2005
EPA 8270	E	10242543	N-Nitrosomethylethylamine	6550	NELAP	PA	08/24/2005
EPA 8270	E	10242543	N-Nitrosomorpholine	6555	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosopiperidine	6560	NELAP	PA	08/26/2006
EPA 8270	E	10242543	N-Nitrosopyrrolidine	6565	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Naphthalene	5005	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Nitrobenzene	5015	NELAP	PA	04/07/2005
EPA 8270	E	10242543	O,O,O-Triethyl phosphorothioate	8290	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Parathion, ethyl (Ethyl parathion, Parathion)	7955	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Pentachlorobenzene	6590	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Pentachloroethane	5035	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Pentachloronitrobenzene (PCNB)	6600	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Pentachlorophenol (PCP)	6605	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Phenacetin	6610	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Phenanthrene	6615	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Phenol	6625	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Phorate (Thimet)	7985	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Pronamide (Kerb)	6650	NELAP	PA	08/24/2005
EPA 8270	E	10242543	Pyrene	6665	NELAP	PA	04/07/2005
EPA 8270	E	10242543	Pyridine	5095	NELAP	PA	04/18/2006
EPA 8270	E	10242543	Safrole	6685	NELAP	PA	08/26/2006

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 8270	E	10242543	Sulfatepp (Tetraethyl dithiopyrophosphate)	8155	NELAP	PA	08/26/2006
EPA 8270	E	10242543	Thionazine (Thionazin, Zinophos)	8235	NELAP	PA	08/26/2006
EPA 8270	E	10242543	bis(2-Chloroethoxy)methane	5760	NELAP	PA	04/07/2005
EPA 8270	E	10242543	bis(2-Chloroethyl) ether	5765	NELAP	PA	04/07/2005
EPA 8270	E	10242543	bis(2-Ethylhexyl) phthalate (DEHP)	6065	NELAP	PA	04/07/2005
EPA 8270	E	10242543	n-Octadecane	6580	NELAP	PA	04/09/2009
EPA 8270	E	10242543	o-Toluidine (2-Toluidine, 2-Methylaniline)	5145	NELAP	PA	08/24/2005
EPA 8270	E	10242543	p-(Dimethylamino)azobenzene	6105	NELAP	PA	04/09/2009
EPA 8270	E	10242543	p-Phenylenediamine	6630	NELAP	PA	04/09/2009
EPA 9010	C	10193109	Total cyanide	1645	NELAP	PA	03/04/2013
EPA 9013	A	10308802	Cyanide extraction for solids and oils	1421	NELAP	PA	04/22/2010
EPA 9013		10193609	Cyanide extraction for solids and oils	1421	NELAP	PA	12/05/2007
EPA 9014		10193836	Total cyanide	1645	NELAP	PA	12/14/2012
EPA 9030	B	10195605	Sulfide	2005	NELAP	PA	04/07/2005
EPA 9034		10196006	Sulfide	2005	NELAP	PA	04/07/2005
EPA 9040	C	10244403	pH	1900	NELAP	PA	04/09/2009
EPA 9045	D	10198455	pH	1900	NELAP	PA	04/09/2009
EPA 9056	A	10199607	Anions by IC	1522	NELAP	PA	04/09/2009
EPA 9056	A	10199607	Bromide	1540	NELAP	PA	08/26/2006
EPA 9056	A	10199607	Chloride	1575	NELAP	PA	04/07/2005
EPA 9056	A	10199607	Fluoride	1730	NELAP	PA	04/07/2005
EPA 9056	A	10199607	Nitrate as N	1810	NELAP	PA	04/07/2005

Ammarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.

Laboratory Scope of Accreditation



Attached to Certificate of Accreditation 020-004 expiration date 04/30/2023. This listing of accredited analytes should be used only when associated with a valid certificate of accreditation.

Eurofins Pittsburgh
301 Alpha Drive
Pittsburgh, PA 15238
(412) 963-7058

DEP Laboratory ID: 02-00416
EPA Lab Code: PA00164
TNI Code: TNI02151
PADWIS ID: 02416

Matrix: Solid and Chemical Materials

Method	Revision	TNI Method Code	Analyte	TNI Analyte Code	Accreditation Type	Primary State	Effective Date
EPA 9056	A	10199607	Nitrite as N	1840	NELAP	PA	04/07/2005
EPA 9056	A	10199607	Orthophosphate as P	1870	NELAP	PA	01/26/2009
EPA 9056	A	10199607	Sulfate	2000	NELAP	PA	04/07/2005
EPA 9065		10200405	Total phenolics	1905	NELAP	PA	12/05/2007
EPA 9071	B	10201806	Oil and grease	1803	NELAP	PA	04/09/2009
EPA 9071	B	10201806	Total petroleum hydrocarbons (TPH)	2050	NELAP	PA	04/21/2022
EPA 9095	B	10245600	Paint filter liquids test	1434	NELAP	PA	04/09/2009
EPA Lloyd Kahn Method		60041001	Total organic carbon (TOC)	2040	NELAP	PA	09/27/2007
OIA 1677-09		60031450	Available cyanide	1523	NELAP	PA	04/18/2006
SM 2520B - 2011	23rd ed.	20048639	Salinity	1975	NELAP	PA	04/08/2008
SM 2540B - 2015	23rd ed.	20048684	Residue, total	1950	NELAP	PA	04/08/2008
SM 2540G - 2015	23rd ed.	20052248	Percent moisture in soil	8641	NELAP	PA	04/13/2009
SM 2540G - 2015	23rd ed.	20052248	Residue, total	1950	NELAP	PA	12/05/2007
SM 2540G - 2015	23rd ed.	20052248	Total, fixed, and volatile residue	1725	NELAP	PA	05/31/2018
SOP (00416) OP-011	8	60002939	Percent lipids	1526	NELAP	PA	04/13/2009
SOP (00416) WC-033	13	60002951	Water leach	1388	NELAP	PA	09/05/2012

Annmarie Beach

The Pennsylvania Department of Environmental Protection Laboratory Accreditation Program is a NELAP recognized Accreditation Body. Customers are urged to verify the laboratory's current accreditation standing.



State of Florida
 Department of Health, Bureau of Public Health Laboratories
 This is to certify that



E87052

EUROFINS SAVANNAH
 5102 LAROCHE AVENUE
 SAVANNAH, GA 31404

has complied with Florida Administrative Code 64E-1,
 for the examination of environmental samples in the following categories

DRINKING WATER - GROUP I UNREGULATED CONTAMINANTS, DRINKING WATER - GROUP II UNREGULATED CONTAMINANTS, DRINKING WATER - OTHER REGULATED CONTAMINANTS, DRINKING WATER - PRIMARY INORGANIC CONTAMINANTS, DRINKING WATER - SECONDARY INORGANIC CONTAMINANTS, DRINKING WATER - SYNTHETIC ORGANIC CONTAMINANTS, NON-POTABLE WATER - EXTRACTABLE ORGANICS, NON-POTABLE WATER - GENERAL CHEMISTRY, NON-POTABLE WATER - METALS, NON-POTABLE WATER - PESTICIDES-HERBICIDES-PCB'S, NON-POTABLE WATER - VOLATILE ORGANICS, SOLID AND CHEMICAL MATERIALS - EXTRACTABLE ORGANICS, SOLID AND CHEMICAL MATERIALS - GENERAL CHEMISTRY, SOLID AND CHEMICAL MATERIALS - METALS, SOLID AND CHEMICAL MATERIALS - PESTICIDES-HERBICIDES-PCB'S, SOLID AND CHEMICAL MATERIALS - VOLATILE ORGANICS

Continued certification is contingent upon successful on-going compliance with the NELAC Standards and FAC Rule 64E-1 regulations. Specific methods and analytes certified are cited on the Laboratory Scope of Accreditation for this laboratory and are on file at the Bureau of Public Health Laboratories, P. O. Box 210, Jacksonville, Florida 32231. Clients and customers are urged to verify with this agency the laboratory's certification status in Florida for particular methods and analytes.

Date Issued: September 15, 2022 Expiration Date: June 30, 2023



Susanne Crowe

Susanne Crowe, MHA
 Interim Chief Bureau of Public Health Laboratories
 DH Form 1697, 7/04
 NON-TRANSFERABLE E87052-69-09/15/2022
 Supersedes all previously issued certificates



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Drinking Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
1,1,1,2-Tetrachloroethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,1,1-Trichloroethane	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,1,2,2-Tetrachloroethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,1,2-Trichloroethane	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,1-Dichloroethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,1-Dichloroethylene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,1-Dichloropropene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,2,3-Trichlorobenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	4/16/2018
1,2,3-Trichloropropane	EPA 504.1	Group II Unregulated Contaminants	NELAP	4/18/2011
1,2,3-Trichloropropane	EPA 524.2	Group II Unregulated Contaminants	NELAP	8/24/2018
1,2,4-Trichlorobenzene	EPA 524.2	Other Regulated Contaminants	NELAP	3/19/2012
1,2,4-Trimethylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	Synthetic Organic Contaminants	NELAP	2/6/2002
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 504.1	Synthetic Organic Contaminants	NELAP	2/6/2002
1,2-Dichlorobenzene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,2-Dichloroethane	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,2-Dichloropropane	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
1,3,5-Trimethylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/27/2004
1,3-Dichlorobenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,3-Dichloropropane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
1,4-Dichlorobenzene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
2,2-Dichloropropane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
2-Butanone (Methyl ethyl ketone, MEK)	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
2-Chlorotoluene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
2-Hexanone	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
4-Chlorotoluene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
4-Methyl-2-pentanone (MIBK)	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
Acetone	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
Alkalinity as CaCO3	SM 2320 B	Primary Inorganic Contaminants	NELAP	4/5/2013
Aluminum	EPA 200.7	Secondary Inorganic Contaminants	NELAP	6/17/2003
Aluminum	EPA 200.8	Secondary Inorganic Contaminants	NELAP	6/17/2003
Amenable cyanide	SM 4500-CN- G	Primary Inorganic Contaminants	NELAP	2/6/2002
Antimony	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Arsenic	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Barium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Barium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Drinking Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Benzene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Beryllium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Beryllium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Boron	EPA 200.7	Secondary Inorganic Contaminants	NELAP	12/2/2010
Bromate	EPA 300.1	Primary Inorganic Contaminants	NELAP	9/5/2002
Bromide	EPA 300.1	Primary Inorganic Contaminants	NELAP	10/17/2003
Bromoacetic acid	EPA 552.2	Group I Unregulated Contaminants	NELAP	9/5/2002
Bromobenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Bromochloromethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Bromodichloromethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Bromoform	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Cadmium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Cadmium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Calcium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Carbon tetrachloride	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Chlorate	EPA 300.1	Secondary Inorganic Contaminants	NELAP	7/30/2007
Chloride	EPA 300.0	Secondary Inorganic Contaminants	NELAP	2/6/2002
Chloride	EPA 325.2	Secondary Inorganic Contaminants	NELAP	2/6/2002
Chloride	SM 4500-Cl ⁻ E	Secondary Inorganic Contaminants	NELAP	7/30/2007
Chlorite	EPA 300.1	Primary Inorganic Contaminants	NELAP	12/2/2005
Chloroacetic acid	EPA 552.2	Group I Unregulated Contaminants	NELAP	9/5/2002
Chlorobenzene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Chloroethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Chloroform	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Chromium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Chromium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
cis-1,2-Dichloroethylene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
cis-1,3-Dichloropropene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Color	EPA 110.2	Secondary Inorganic Contaminants	NELAP	2/6/2002
Color	SM 2120 B	Secondary Inorganic Contaminants	NELAP	2/6/2002
Conductivity	SM 2510 B	Primary Inorganic Contaminants	NELAP	2/6/2002
Copper	EPA 200.7	Primary Inorganic Contaminants, Secondary Inorganic Contaminants	NELAP	2/6/2002
Copper	EPA 200.8	Primary Inorganic Contaminants, Secondary Inorganic Contaminants	NELAP	6/24/2003
Corrosivity (langlier index)	SM 2330 B	Secondary Inorganic Contaminants	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Drinking Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Cyanide	EPA 335.4	Primary Inorganic Contaminants	NELAP	2/6/2002
Cyanide	SM 4500-CN E	Primary Inorganic Contaminants	NELAP	2/6/2002
Dibromoacetic acid	EPA 552.2	Group I Unregulated Contaminants	NELAP	9/5/2002
Dibromochloromethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Dibromomethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Dichloroacetic acid	EPA 552.2	Group I Unregulated Contaminants	NELAP	9/5/2002
Dichlorodifluoromethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Dissolved organic carbon (DOC)	SM 5310 B	Primary Inorganic Contaminants	NELAP	12/2/2005
Ethylbenzene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Fluoride	EPA 300.0	Primary Inorganic Contaminants, Secondary Inorganic Contaminants	NELAP	2/6/2002
Hardness	EPA 130.2	Secondary Inorganic Contaminants	NELAP	11/18/2008
Hardness	SM 2340 B	Secondary Inorganic Contaminants	NELAP	12/2/2005
Hardness	SM 2340 C	Secondary Inorganic Contaminants	NELAP	11/18/2008
Hexachlorobutadiene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Iron	EPA 200.7	Secondary Inorganic Contaminants	NELAP	2/6/2002
Isopropylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Lead	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
m+p-Xylenes	EPA 524.2	Group II Unregulated Contaminants	NELAP	11/18/2008
Magnesium	EPA 200.7	Secondary Inorganic Contaminants	NELAP	2/6/2002
Manganese	EPA 200.7	Secondary Inorganic Contaminants	NELAP	2/6/2002
Manganese	EPA 200.8	Secondary Inorganic Contaminants	NELAP	6/24/2003
Mercury	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Mercury	EPA 245.1	Primary Inorganic Contaminants	NELAP	6/24/2003
Methyl bromide (Bromomethane)	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
Methyl chloride (Chloromethane)	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Methyl tert-butyl ether (MTBE)	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Methylene chloride	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Molybdenum	EPA 200.7	Secondary Inorganic Contaminants	NELAP	12/2/2005
Molybdenum	EPA 200.8	Secondary Inorganic Contaminants	NELAP	6/23/2010
Naphthalene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/27/2004
n-Butylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Nickel	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Nickel	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Nitrate	EPA 300.0	Primary Inorganic Contaminants	NELAP	2/6/2002
Nitrate	EPA 353.2	Primary Inorganic Contaminants	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Drinking Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Nitrite	EPA 300.0	Primary Inorganic Contaminants	NELAP	2/6/2002
Nitrite	EPA 353.2	Primary Inorganic Contaminants	NELAP	2/6/2002
n-Propylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Orthophosphate as P	EPA 365.1	Primary Inorganic Contaminants	NELAP	12/2/2005
Orthophosphate as P	SM 4500-P F	Primary Inorganic Contaminants	NELAP	11/18/2008
o-Xylene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/2/2005
pH	EPA 150.1	Secondary Inorganic Contaminants, Primary Inorganic Contaminants	NELAP	2/6/2002
pH	SM 4500-H+-B	Primary Inorganic Contaminants, Secondary Inorganic Contaminants	NELAP	7/30/2007
p-Isopropyltoluene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Potassium	EPA 200.7	Secondary Inorganic Contaminants	NELAP	3/25/2003
Residue-filterable (TDS)	EPA 160.1	Secondary Inorganic Contaminants	NELAP	2/6/2002
Residue-filterable (TDS)	SM 2540 C	Secondary Inorganic Contaminants	NELAP	2/6/2002
sec-Butylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Selenium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Silica as SiO ₂	EPA 200.7	Primary Inorganic Contaminants	NELAP	10/5/2020
Silver	EPA 200.7	Secondary Inorganic Contaminants	NELAP	2/6/2002
Silver	EPA 200.8	Secondary Inorganic Contaminants	NELAP	6/24/2003
Sodium	EPA 200.7	Primary Inorganic Contaminants	NELAP	2/6/2002
Styrene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Sulfate	EPA 300.0	Primary Inorganic Contaminants, Secondary Inorganic Contaminants	NELAP	2/6/2002
Sulfate	EPA 375.4	Secondary Inorganic Contaminants	NELAP	2/6/2002
tert-Butylbenzene	EPA 524.2	Group II Unregulated Contaminants	NELAP	12/12/2003
Tetrachloroethylene (Perchloroethylene)	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Thallium	EPA 200.8	Primary Inorganic Contaminants	NELAP	6/24/2003
Toluene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Total haloacetic acids (HAA5)	EPA 552.2	Synthetic Organic Contaminants	NELAP	12/2/2005
Total nitrate-nitrite	EPA 300.0	Primary Inorganic Contaminants	NELAP	2/6/2002
Total nitrate-nitrite	EPA 353.2	Primary Inorganic Contaminants	NELAP	2/6/2002
Total organic carbon	SM 5310 B	Primary Inorganic Contaminants	NELAP	12/2/2005
Total trihalomethanes	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
trans-1,2-Dichloroethylene	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
trans-1,3-Dichloropropene	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Trichloroacetic acid	EPA 552.2	Group I Unregulated Contaminants	NELAP	9/5/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Drinking Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Trichloroethene (Trichloroethylene)	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Trichlorofluoromethane	EPA 524.2	Group II Unregulated Contaminants	NELAP	2/6/2002
Turbidity	EPA 180.1	Secondary Inorganic Contaminants	NELAP	2/6/2002
Turbidity	SM 2130 B	Secondary Inorganic Contaminants	NELAP	2/6/2002
UV 254	SM 5910 B	Primary Inorganic Contaminants	NELAP	12/2/2005
Vanadium	EPA 200.7	Secondary Inorganic Contaminants	NELAP	12/2/2005
Vanadium	EPA 200.8	Secondary Inorganic Contaminants	NELAP	3/19/2012
Vinyl chloride	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Xylene (total)	EPA 524.2	Other Regulated Contaminants	NELAP	2/6/2002
Zinc	EPA 200.7	Secondary Inorganic Contaminants	NELAP	12/2/2010
Zinc	EPA 200.8	Secondary Inorganic Contaminants	NELAP	6/24/2003



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
1,1,1,2-Tetrachloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1,1-Trichloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,1,1-Trichloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1,2,2-Tetrachloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,1,2,2-Tetrachloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260	Volatile Organics	NELAP	12/4/2020
1,1,2-Trichloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,1,2-Trichloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1-Dichloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,1-Dichloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1-Dichloroethylene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,1-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,1-Dichloropropene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2,3-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2,3-Trichloropropane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2,3-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	3/28/2014
1,2,4,5-Tetrachlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,2,4-Trichlorobenzene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
1,2,4-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2,4-Trichlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,2,4-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8011	Volatile Organics	NELAP	7/1/2003
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8011	Volatile Organics	NELAP	7/1/2003
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Dichlorobenzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,2-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,2-Dichloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,2-Dichloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Dichloropropane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,2-Dichloropropane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,2-Diphenylhydrazine	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,2-Diphenylhydrazine (as Azobenzene)	EPA 625.1	Extractable Organics	NELAP	12/4/2020
1,3,5-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	3/28/2014
1,3,5-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
1,3,5-Trinitrobenzene (1,3,5-TNB)	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,3-Dichlorobenzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,3-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,3-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,3-Dichloropropane	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,3-Dinitrobenzene (1,3-DNB)	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,4-Dichlorobenzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
1,4-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
1,4-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 624.1	Volatile Organics	NELAP	9/15/2022
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8260	Volatile Organics	NELAP	4/18/2011
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8270	Volatile Organics	NELAP	7/1/2003
1,4-Naphthoquinone	EPA 8270	Extractable Organics	NELAP	7/1/2003
1,4-Phenylenediamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
1-Chlorohexane	EPA 8260	Volatile Organics	NELAP	7/30/2007
1-Methylnaphthalene	EPA 8270	Extractable Organics	NELAP	7/30/2007
1-Naphthylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,2-Dichloropropane	EPA 8260	Volatile Organics	NELAP	7/1/2003
2,2'-Oxybis(1-chloropropane),bis(2-Chloro-1-methylethyl)ether (fka bis(2-Chloroisopropyl) ether	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,2'-Oxybis(1-chloropropane),bis(2-Chloro-1-methylethyl)ether (fka bis(2-Chloroisopropyl) ether	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,3,4,6-Tetrachlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,3-Dichlorobiphenyl (BZ 5)	EPA 625.1	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
2,4,5-T	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4,5-T	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
2,4,5-Trichlorobiphenyl (BZ 29)	EPA 625.1	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
2,4,5-Trichlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,4,6-Trichlorophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,4,6-Trichlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,4-D	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4-D	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
2,4-DB	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4-DB	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
2,4-Dichlorophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,4-Dichlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,4-Dimethylphenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
2,4-Dimethylphenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,4-Dinitrophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,4-Dinitrophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,4-Dinitrotoluene (2,4-DNT)	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,4-Dinitrotoluene (2,4-DNT)	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,6-Dichlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2,6-Dinitrotoluene (2,6-DNT)	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2,6-Dinitrotoluene (2,6-DNT)	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Acetylaminofluorene	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260	Volatile Organics	NELAP	7/1/2003
2-Chloroethyl vinyl ether	EPA 624.1	Volatile Organics	NELAP	4/4/2018
2-Chloroethyl vinyl ether	EPA 8260	Volatile Organics	NELAP	7/1/2003
2-Chloronaphthalene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2-Chloronaphthalene	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Chlorophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2-Chlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Chlorotoluene	EPA 8260	Volatile Organics	NELAP	7/1/2003
2-Hexanone	EPA 8260	Volatile Organics	NELAP	7/1/2003
2-Methyl-4,6-dinitrophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2-Methyl-4,6-dinitrophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Methylnaphthalene	EPA 8260	Volatile Organics	NELAP	3/28/2014
2-Methylnaphthalene	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Methylphenol (o-Cresol)	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Naphthylamine	EPA 8270	Extractable Organics	NELAP	7/30/2007
2-Nitroaniline	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Nitrophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
2-Nitrophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
2-Nitropropane	EPA 8260	Volatile Organics	NELAP	3/28/2014
2-Pentanone	EPA 8015	Volatile Organics	NELAP	7/30/2007
2-Picoline (2-Methylpyridine)	EPA 8270	Extractable Organics	NELAP	7/1/2003
3,3'-Dichlorobenzidine	EPA 625.1	Extractable Organics	NELAP	4/4/2018
3,3'-Dichlorobenzidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
3,3-Dimethyl-1-butanol	EPA 8260	Volatile Organics	NELAP	9/14/2021
3,3'-Dimethylbenzidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
3,5-Dichlorobenzoic acid	EPA 8151	Extractable Organics	NELAP	7/30/2007
3/4-Methylphenols (m/p-Cresols)	EPA 8270	Extractable Organics	NELAP	11/18/2008

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
3-Methylcholanthrene	EPA 8270	Extractable Organics	NELAP	7/30/2007
3-Nitroaniline	EPA 8270	Extractable Organics	NELAP	7/1/2003
4,4'-DDD	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
4,4'-DDD	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
4,4'-DDE	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
4,4'-DDE	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
4,4'-DDT	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
4,4'-DDT	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
4-Aminobiphenyl	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Bromophenyl phenyl ether	EPA 625.1	Extractable Organics	NELAP	4/4/2018
4-Bromophenyl phenyl ether	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Chloro-3-methylphenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
4-Chloro-3-methylphenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Chloroaniline	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Chlorophenyl phenylether	EPA 625.1	Extractable Organics	NELAP	4/4/2018
4-Chlorophenyl phenylether	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Chlorotoluene	EPA 8260	Volatile Organics	NELAP	7/1/2003
4-Dimethyl aminoazobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Methyl-2-pentanone (MIBK)	EPA 8260	Volatile Organics	NELAP	7/1/2003
4-Nitroaniline	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Nitrophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
4-Nitrophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
4-Nitroquinoline 1-oxide	EPA 8270	Extractable Organics	NELAP	7/1/2003
5-Nitro-o-toluidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
7,12-Dimethylbenz(a) anthracene	EPA 8270	Extractable Organics	NELAP	7/1/2003
a,a-Dimethylphenethylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
Acenaphthene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Acenaphthene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Acenaphthylene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Acenaphthylene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Acetone	EPA 8260	Volatile Organics	NELAP	7/1/2003
Acetonitrile	EPA 8260	Volatile Organics	NELAP	7/1/2003
Acetophenone	EPA 8270	Extractable Organics	NELAP	7/1/2003
Acifluorfen	EPA 8151	Extractable Organics	NELAP	7/30/2007
Acrolein (Propenal)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Acrolein (Propenal)	EPA 8260	Volatile Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Acrylamide	EPA 8316	Volatile Organics	NELAP	9/20/2017
Acrylic acid	SOP SA-LC-074	Volatile Organics	NELAP	9/20/2017
Acrylonitrile	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Acrylonitrile	EPA 8260	Volatile Organics	NELAP	7/1/2003
Adsorbable organic halogens (AOX)	EPA 1650	General Chemistry	NELAP	2/6/2002
Aldrin	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aldrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Alkalinity as CaCO3	EPA 310.1	General Chemistry	NELAP	2/6/2002
Alkalinity as CaCO3	SM 2320 B	General Chemistry	NELAP	2/6/2002
Allyl alcohol	EPA 8015	Volatile Organics	NELAP	7/30/2007
Allyl chloride (3-Chloropropene)	EPA 8260	Volatile Organics	NELAP	7/1/2003
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
alpha-Chlordane	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aluminum	EPA 200.7	Metals	NELAP	2/6/2002
Aluminum	EPA 200.8	Metals	NELAP	10/17/2003
Aluminum	EPA 6010	Metals	NELAP	7/1/2003
Aluminum	EPA 6020	Metals	NELAP	10/17/2003
Amenable cyanide	EPA 335.1	General Chemistry	NELAP	2/6/2002
Amenable cyanide	EPA 9012	General Chemistry	NELAP	7/1/2003
Amenable cyanide	SM 4500-CN- G	General Chemistry	NELAP	2/6/2002
a-Methylstyrene	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ammonia as N	EPA 350.1	General Chemistry	NELAP	2/6/2002
Aniline	EPA 8270	Extractable Organics	NELAP	7/1/2003
Anthracene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Anthracene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Antimony	EPA 200.7	Metals	NELAP	2/6/2002
Antimony	EPA 200.8	Metals	NELAP	10/17/2003
Antimony	EPA 6010	Metals	NELAP	7/1/2003
Antimony	EPA 6020	Metals	NELAP	10/17/2003
Aramite	EPA 8270	Extractable Organics	NELAP	7/1/2003
Aroclor-1016 (PCB-1016)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1016 (PCB-1016)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1221 (PCB-1221)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1221 (PCB-1221)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1232 (PCB-1232)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Aroclor-1232 (PCB-1232)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1242 (PCB-1242)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1242 (PCB-1242)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1248 (PCB-1248)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1248 (PCB-1248)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1254 (PCB-1254)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1254 (PCB-1254)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1260 (PCB-1260)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Aroclor-1260 (PCB-1260)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Aroclor-1262 (PCB-1262)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Aroclor-1268 (PCB-1268)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Arsenic	EPA 200.7	Metals	NELAP	2/6/2002
Arsenic	EPA 200.8	Metals	NELAP	10/17/2003
Arsenic	EPA 6010	Metals	NELAP	7/1/2003
Arsenic	EPA 6020	Metals	NELAP	10/17/2003
Atrazine	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Barium	EPA 200.7	Metals	NELAP	2/6/2002
Barium	EPA 200.8	Metals	NELAP	10/17/2003
Barium	EPA 6010	Metals	NELAP	7/1/2003
Barium	EPA 6020	Metals	NELAP	10/17/2003
Bentazon	EPA 8151	Extractable Organics	NELAP	7/30/2007
Benzaldehyde	EPA 8270	Extractable Organics	NELAP	12/4/2020
Benzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Benzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Benzidine	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzo(a)anthracene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzo(a)anthracene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzo(a)pyrene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzo(a)pyrene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzo(b)fluoranthene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzo(b)fluoranthene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzo(g,h,i)perylene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzo(g,h,i)perylene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzo(k)fluoranthene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Benzo(k)fluoranthene	EPA 8270	Extractable Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Benzoic acid	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzyl alcohol	EPA 8270	Extractable Organics	NELAP	7/1/2003
Benzyl chloride	EPA 8260	Volatile Organics	NELAP	3/28/2014
Beryllium	EPA 200.7	Metals	NELAP	2/6/2002
Beryllium	EPA 200.8	Metals	NELAP	10/17/2003
Beryllium	EPA 6010	Metals	NELAP	7/1/2003
Beryllium	EPA 6020	Metals	NELAP	10/17/2003
beta-BHC (beta-Hexachlorocyclohexane)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
beta-BHC (beta-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Biochemical oxygen demand	EPA 405.1	General Chemistry	NELAP	2/6/2002
Biochemical oxygen demand	SM 5210 B	General Chemistry	NELAP	2/6/2002
Biphenyl (1,1-Biphenyl, BZ 0)	EPA 8270	Extractable Organics	NELAP	12/4/2020
bis(2-Chloroethoxy)methane	EPA 625.1	Extractable Organics	NELAP	4/4/2018
bis(2-Chloroethoxy)methane	EPA 8270	Extractable Organics	NELAP	7/1/2003
bis(2-Chloroethyl) ether	EPA 625.1	Extractable Organics	NELAP	4/4/2018
bis(2-Chloroethyl) ether	EPA 8270	Extractable Organics	NELAP	7/1/2003
Boron	EPA 200.7	Metals	NELAP	2/6/2002
Boron	EPA 6010	Metals	NELAP	7/1/2003
Bromate	EPA 300.0	General Chemistry	NELAP	3/22/2013
Bromate	EPA 300.1	General Chemistry	NELAP	7/30/2007
Bromide	EPA 300.0	General Chemistry	NELAP	2/6/2002
Bromide	EPA 300.1	General Chemistry	NELAP	7/30/2007
Bromide	EPA 9056	General Chemistry	NELAP	7/1/2003
Bromobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Bromochloromethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Bromodichloromethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Bromodichloromethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Bromoform	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Bromoform	EPA 8260	Volatile Organics	NELAP	7/1/2003
Butyl Acrylate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Butyl benzyl phthalate	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Butyl benzyl phthalate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Cadmium	EPA 200.7	Metals	NELAP	2/6/2002
Cadmium	EPA 200.8	Metals	NELAP	10/17/2003
Cadmium	EPA 6010	Metals	NELAP	7/1/2003
Cadmium	EPA 6020	Metals	NELAP	10/17/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Calcium	EPA 200.7	Metals	NELAP	2/6/2002
Calcium	EPA 6010	Metals	NELAP	7/1/2003
Calcium	EPA 6020	Metals	NELAP	10/17/2003
Caprolactam	EPA 8270	Extractable Organics	NELAP	12/4/2020
Carbazole	EPA 8270	Extractable Organics	NELAP	7/1/2003
Carbon disulfide	EPA 8260	Volatile Organics	NELAP	7/1/2003
Carbon tetrachloride	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Carbon tetrachloride	EPA 8260	Volatile Organics	NELAP	7/1/2003
Carbonaceous BOD (CBOD)	SM 5210 B	General Chemistry	NELAP	2/6/2002
Chemical oxygen demand	EPA 410.4	General Chemistry	NELAP	2/6/2002
Chemical oxygen demand	SM 5220 D	General Chemistry	NELAP	7/30/2007
Chloramben	EPA 8151	Extractable Organics	NELAP	7/30/2007
Chlorate	EPA 300.1	General Chemistry	NELAP	7/30/2007
Chlordane (tech.)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Chlordane (tech.)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Chloride	EPA 300.0	General Chemistry	NELAP	2/6/2002
Chloride	EPA 325.2	General Chemistry	NELAP	2/6/2002
Chloride	EPA 9056	General Chemistry	NELAP	7/1/2003
Chloride	EPA 9251	General Chemistry	NELAP	7/1/2003
Chloride	SM 4500-Cl ⁻ E	General Chemistry	NELAP	7/30/2007
Chlorite	EPA 300.1	General Chemistry	NELAP	7/30/2007
Chlorobenzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Chlorobenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Chlorobenzilate	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Chloroethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Chloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Chloroform	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Chloroform	EPA 8260	Volatile Organics	NELAP	7/1/2003
Chloroprene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Chromium	EPA 200.7	Metals	NELAP	2/6/2002
Chromium	EPA 200.8	Metals	NELAP	10/17/2003
Chromium	EPA 6010	Metals	NELAP	7/1/2003
Chromium	EPA 6020	Metals	NELAP	10/17/2003
Chromium VI	EPA 7196	Metals	NELAP	7/30/2007
Chromium VI	SM 3500-Cr B (20th/21st/22nd Ed.)/UV-VIS	General Chemistry	NELAP	4/18/2011

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Chromium VI	SM 3500-Cr D (18th/19th Ed.)/UV-VIS	General Chemistry	NELAP	2/6/2002
Chrysene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Chrysene	EPA 8270	Extractable Organics	NELAP	7/1/2003
cis-1,2-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	7/1/2003
cis-1,3-Dichloropropene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
cis-1,3-Dichloropropene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Cobalt	EPA 200.7	Metals	NELAP	2/6/2002
Cobalt	EPA 200.8	Metals	NELAP	10/17/2003
Cobalt	EPA 6010	Metals	NELAP	7/1/2003
Cobalt	EPA 6020	Metals	NELAP	10/17/2003
Color	EPA 110.2	General Chemistry	NELAP	2/6/2002
Color	SM 2120 B	General Chemistry	NELAP	7/30/2007
Conductivity	EPA 120.1	General Chemistry	NELAP	2/6/2002
Conductivity	EPA 9050	General Chemistry	NELAP	7/30/2007
Conductivity	SM 2510 B	General Chemistry	NELAP	7/30/2007
Copper	EPA 200.7	Metals	NELAP	2/6/2002
Copper	EPA 200.8	Metals	NELAP	10/17/2003
Copper	EPA 6010	Metals	NELAP	7/1/2003
Copper	EPA 6020	Metals	NELAP	10/17/2003
Corrosivity (langlier index)	SM 2330 B	General Chemistry	NELAP	2/6/2002
Cyanide	EPA 335.4	General Chemistry	NELAP	2/6/2002
Cyanide	SM 4500-CN E	General Chemistry	NELAP	2/6/2002
Cyclohexane	EPA 8260	Volatile Organics	NELAP	12/4/2020
Dacthal (DCPA)	EPA 8151	Extractable Organics	NELAP	7/30/2007
Dalapon	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dalapon	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
delta-BHC	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
delta-BHC	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Di(2-ethylhexyl) phthalate (DEHP)	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Di(2-ethylhexyl) phthalate (DEHP)	EPA 8270	Extractable Organics	NELAP	7/1/2003
Diallate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Dibenz(a,h)anthracene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Dibenz(a,h)anthracene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Dibenzofuran	EPA 8270	Extractable Organics	NELAP	7/1/2003
Dibromochloromethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Dibromochloromethane	EPA 8260	Volatile Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Dibromomethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Dicamba	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dicamba	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Dichlorodifluoromethane	EPA 624.1	Volatile Organics	NELAP	12/4/2020
Dichlorodifluoromethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Dichloroprop (Dichlorprop)	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dichloroprop (Dichlorprop)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Dieldrin	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Dieldrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Diesel range organics (DRO)	EPA 8015	Extractable Organics	NELAP	7/1/2003
Diethyl ether	EPA 8260	Volatile Organics	NELAP	7/1/2003
Diethyl phthalate	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Diethyl phthalate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Di-isopropylether (DIPE)	EPA 8260	Volatile Organics	NELAP	3/28/2014
Dimethoate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Dimethyl phthalate	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Dimethyl phthalate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Di-n-butyl phthalate	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Di-n-butyl phthalate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Di-n-octyl phthalate	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Di-n-octyl phthalate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Disulfoton	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endosulfan I	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Endosulfan I	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endosulfan II	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Endosulfan II	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endosulfan sulfate	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Endosulfan sulfate	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endrin	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Endrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endrin aldehyde	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Endrin aldehyde	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Endrin ketone	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	9/29/2020

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Ethane	RSK-175	Volatile Organics	NELAP	12/2/2005
Ethanol	EPA 8015	Volatile Organics	NELAP	7/1/2003
Ethanol	EPA 8260	Volatile Organics	NELAP	4/18/2011
Ethyl acetate	EPA 1666	Volatile Organics	NELAP	7/30/2007
Ethyl acetate	EPA 8015	Volatile Organics	NELAP	7/1/2003
Ethyl acetate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ethyl acrylate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ethyl methacrylate	EPA 8260	Volatile Organics	NELAP	7/1/2003
Ethyl methanesulfonate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Ethylbenzene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Ethylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Ethylene	RSK-175	Volatile Organics	NELAP	12/2/2005
Ethylene glycol	EPA 8015	Volatile Organics	NELAP	7/30/2007
Ethyl-t-butylether (ETBE)	EPA 8260	Volatile Organics	NELAP	3/28/2014
Famphur	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Fluoranthene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Fluoranthene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Fluorene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Fluorene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Fluoride	EPA 300.0	General Chemistry	NELAP	2/6/2002
Fluoride	EPA 9056	General Chemistry	NELAP	7/1/2003
Furan	EPA 8260	Volatile Organics	NELAP	3/28/2014
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
gamma-Chlordane	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Gasoline range organics (GRO)	EPA 8015	Extractable Organics	NELAP	7/1/2003
Hardness	EPA 130.2	General Chemistry	NELAP	11/18/2008
Hardness	SM 2340 B	General Chemistry	NELAP	2/6/2002
Hardness	SM 2340 C	General Chemistry	NELAP	11/18/2008
Hardness (calc.)	EPA 200.7	Metals	NELAP	7/30/2007
Heptachlor	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Heptachlor	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Heptachlor epoxide	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Heptachlor epoxide	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Hexachlorobenzene	EPA 625.1	Extractable Organics	NELAP	4/4/2018

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Hexachlorobenzene	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Hexachlorobutadiene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Hexachlorobutadiene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Hexachlorobutadiene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Hexachlorocyclopentadiene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Hexachlorocyclopentadiene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Hexachloroethane	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Hexachloroethane	EPA 8270	Extractable Organics	NELAP	7/1/2003
Hexachlorophene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Hexachloropropene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Ignitability	EPA 1010	General Chemistry	NELAP	9/15/2022
Indeno(1,2,3-cd)pyrene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Indeno(1,2,3-cd)pyrene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Iodomethane (Methyl iodide)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Iron	EPA 200.7	Metals	NELAP	2/6/2002
Iron	EPA 6010	Metals	NELAP	7/1/2003
Iron	EPA 6020	Metals	NELAP	10/17/2003
Isobutyl alcohol (2-Methyl-1-propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
Isobutyl alcohol (2-Methyl-1-propanol)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Isodrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Isophorone	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Isophorone	EPA 8270	Extractable Organics	NELAP	7/1/2003
Isopropyl acetate	EPA 1666	Volatile Organics	NELAP	7/30/2007
Isopropyl alcohol (2-Propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
Isopropylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Isosafrole	EPA 8270	Extractable Organics	NELAP	7/1/2003
Kepon	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Kjeldahl nitrogen - total	EPA 351.2	General Chemistry	NELAP	2/6/2002
Lead	EPA 200.7	Metals	NELAP	2/6/2002
Lead	EPA 200.8	Metals	NELAP	10/17/2003
Lead	EPA 6010	Metals	NELAP	7/1/2003
Lead	EPA 6020	Metals	NELAP	10/17/2003
Lithium	EPA 200.7	Metals	NELAP	9/15/2022
Lithium	EPA 6010	Metals	NELAP	9/15/2022
m+p-Xylenes	EPA 8260	Volatile Organics	NELAP	7/30/2007
Magnesium	EPA 200.7	Metals	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Magnesium	EPA 6010	Metals	NELAP	7/1/2003
Magnesium	EPA 6020	Metals	NELAP	10/17/2003
Manganese	EPA 200.7	Metals	NELAP	2/6/2002
Manganese	EPA 200.8	Metals	NELAP	10/17/2003
Manganese	EPA 6010	Metals	NELAP	7/1/2003
Manganese	EPA 6020	Metals	NELAP	10/17/2003
MCPA	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
MCPA	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
MCPP	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
MCPP	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Mercury	EPA 200.8	Metals	NELAP	10/17/2003
Mercury	EPA 245.1	Metals	NELAP	2/6/2002
Mercury	EPA 6020	Metals	NELAP	10/17/2003
Mercury	EPA 7470	Metals	NELAP	7/1/2003
Methacrylonitrile	EPA 8260	Volatile Organics	NELAP	7/1/2003
Methane	RSK-175	Volatile Organics	NELAP	12/2/2005
Methanol	EPA 8015	Volatile Organics	NELAP	7/30/2007
Methapyrilene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Methoxychlor	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Methoxychlor	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Methyl acetate	EPA 8260	Volatile Organics	NELAP	12/4/2020
Methyl bromide (Bromomethane)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Methyl bromide (Bromomethane)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Methyl chloride (Chloromethane)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Methyl chloride (Chloromethane)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Methyl methacrylate	EPA 8260	Volatile Organics	NELAP	7/1/2003
Methyl methanesulfonate	EPA 8270	Extractable Organics	NELAP	7/1/2003
Methyl parathion (Parathion, methyl)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Methyl tert-butyl ether (MTBE)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Methylcyclohexane	EPA 8260	Volatile Organics	NELAP	12/4/2020
Methylene chloride	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Methylene chloride	EPA 8260	Volatile Organics	NELAP	7/1/2003
Mirex	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Molybdenum	EPA 200.7	Metals	NELAP	2/6/2002
Molybdenum	EPA 200.8	Metals	NELAP	10/17/2003
Molybdenum	EPA 6010	Metals	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Molybdenum	EPA 6020	Metals	NELAP	7/30/2007
n-Amyl acetate	EPA 1666	Volatile Organics	NELAP	7/30/2007
Naphthalene	EPA 624.1	Volatile Organics	NELAP	9/15/2022
Naphthalene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Naphthalene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Naphthalene	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Butyl Acetate	EPA 1666	Volatile Organics	NELAP	7/30/2007
n-Butyl Acetate	EPA 8260	Volatile Organics	NELAP	3/28/2014
n-Butyl alcohol	EPA 8015	Volatile Organics	NELAP	7/30/2007
n-Butyl alcohol	EPA 8260	Volatile Organics	NELAP	3/28/2014
n-Butylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Nickel	EPA 200.7	Metals	NELAP	2/6/2002
Nickel	EPA 200.8	Metals	NELAP	10/17/2003
Nickel	EPA 6010	Metals	NELAP	7/1/2003
Nickel	EPA 6020	Metals	NELAP	10/17/2003
Nitrate	EPA 9056	General Chemistry	NELAP	7/1/2003
Nitrate as N	EPA 300.0	General Chemistry	NELAP	2/6/2002
Nitrate as N	EPA 353.2	General Chemistry	NELAP	2/6/2002
Nitrate-nitrite	EPA 300.0	General Chemistry	NELAP	2/6/2002
Nitrate-nitrite	EPA 353.2	General Chemistry	NELAP	2/6/2002
Nitrite	EPA 9056	General Chemistry	NELAP	7/1/2003
Nitrite as N	EPA 300.0	General Chemistry	NELAP	2/6/2002
Nitrite as N	EPA 353.2	General Chemistry	NELAP	2/6/2002
Nitrobenzene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Nitrobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosodiethylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosodimethylamine	EPA 625.1	Extractable Organics	NELAP	4/4/2018
n-Nitrosodimethylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitroso-di-n-butylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosodi-n-propylamine	EPA 625.1	Extractable Organics	NELAP	4/4/2018
n-Nitrosodi-n-propylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosodiphenylamine	EPA 625.1	Extractable Organics	NELAP	4/4/2018
n-Nitrosodiphenylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosomethylethylamine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosomorpholine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Nitrosopiperidine	EPA 8270	Extractable Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
n-Nitrosopyrrolidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
n-Propanol	EPA 8015	Volatile Organics	NELAP	7/30/2007
n-Propylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
o,o,o-Triethyl phosphorothioate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Oil & Grease	EPA 1664A	General Chemistry	NELAP	12/2/2015
Organic nitrogen	TKN minus AMMONIA	General Chemistry	NELAP	7/30/2007
Orthophosphate as P	EPA 365.1	General Chemistry	NELAP	11/18/2008
Orthophosphate as P	SM 4500-P F	General Chemistry	NELAP	11/18/2008
o-Toluidine	EPA 8270	Extractable Organics	NELAP	7/1/2003
o-Xylene	EPA 8260	Volatile Organics	NELAP	7/30/2007
Parathion, ethyl	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Pentachlorobenzene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Pentachloroethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Pentachloronitrobenzene (Quintozene)	EPA 8270	Extractable Organics	NELAP	7/1/2003
Pentachlorophenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Pentachlorophenol	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Pentachlorophenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
pH	EPA 150.1	General Chemistry	NELAP	2/6/2002
pH	EPA 9040	General Chemistry	NELAP	7/1/2003
pH	SM 4500-H+-B	General Chemistry	NELAP	7/30/2007
Phenacetin	EPA 8270	Extractable Organics	NELAP	7/1/2003
Phenanthrene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Phenanthrene	EPA 8270	Extractable Organics	NELAP	7/1/2003
Phenol	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Phenol	EPA 8270	Extractable Organics	NELAP	7/1/2003
Phorate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Phosphorus, total	EPA 365.4	General Chemistry	NELAP	2/6/2002
Picloram	EPA 8151	Extractable Organics	NELAP	7/30/2007
p-Isopropyltoluene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Potassium	EPA 200.7	Metals	NELAP	2/6/2002
Potassium	EPA 6010	Metals	NELAP	7/1/2003
Potassium	EPA 6020	Metals	NELAP	10/17/2003
Pronamide (Kerb)	EPA 8270	Extractable Organics	NELAP	7/1/2003
Propionitrile (Ethyl cyanide)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Pyrene	EPA 625.1	Extractable Organics	NELAP	4/4/2018
Pyrene	EPA 8270	Extractable Organics	NELAP	7/1/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Pyridine	EPA 8270	Extractable Organics	NELAP	7/1/2003
Residual free chlorine	EPA 330.3	General Chemistry	NELAP	2/6/2002
Residue-filterable (TDS)	EPA 160.1	General Chemistry	NELAP	2/6/2002
Residue-filterable (TDS)	SM 2540 C	General Chemistry	NELAP	7/30/2007
Residue-nonfilterable (TSS)	EPA 160.2	General Chemistry	NELAP	2/6/2002
Residue-nonfilterable (TSS)	SM 2540 D	General Chemistry	NELAP	7/30/2007
Residue-settleable	EPA 160.5	General Chemistry	NELAP	2/6/2002
Residue-settleable	SM 2540 F	General Chemistry	NELAP	11/18/2008
Residue-total	EPA 160.3	General Chemistry	NELAP	2/6/2002
Residue-total	SM 2540 B	General Chemistry	NELAP	7/30/2007
Residue-volatile	EPA 160.4	General Chemistry	NELAP	2/6/2002
Residue-volatile	SM 2540 E	General Chemistry	NELAP	2/6/2002
Safrole	EPA 8270	Extractable Organics	NELAP	7/1/2003
Salinity	SM 2520 B	General Chemistry	NELAP	2/6/2002
sec-Butylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Selenium	EPA 200.7	Metals	NELAP	2/6/2002
Selenium	EPA 200.8	Metals	NELAP	10/17/2003
Selenium	EPA 6010	Metals	NELAP	7/1/2003
Selenium	EPA 6020	Metals	NELAP	10/17/2003
Silica as SiO2	EPA 200.7	Metals	NELAP	7/30/2007
Silicon	EPA 200.7	Metals	NELAP	2/6/2002
Silicon	EPA 6010	General Chemistry	NELAP	7/30/2007
Silver	EPA 200.7	Metals	NELAP	2/6/2002
Silver	EPA 200.8	Metals	NELAP	10/17/2003
Silver	EPA 6010	Metals	NELAP	7/1/2003
Silver	EPA 6020	Metals	NELAP	10/17/2003
Silvex (2,4,5-TP)	EPA 615	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Silvex (2,4,5-TP)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Sodium	EPA 200.7	Metals	NELAP	2/6/2002
Sodium	EPA 6010	Metals	NELAP	7/1/2003
Sodium	EPA 6020	Metals	NELAP	10/17/2003
Strontium	EPA 200.7	Metals	NELAP	2/6/2002
Strontium	EPA 6010	Metals	NELAP	7/1/2003
Styrene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Sulfate	EPA 300.0	General Chemistry	NELAP	2/6/2002
Sulfate	EPA 375.4	General Chemistry	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Sulfate	EPA 9038	General Chemistry	NELAP	7/1/2003
Sulfate	EPA 9056	General Chemistry	NELAP	7/1/2003
Sulfide	EPA 376.1	General Chemistry	NELAP	7/30/2007
Sulfide	EPA 9030	General Chemistry	NELAP	7/1/2003
Sulfide	EPA 9034	General Chemistry	NELAP	7/1/2003
Sulfide	SM 4500-S F (19th/20th/21st Ed.)/TITR	General Chemistry	NELAP	7/30/2007
Sulfite-SO3	EPA 377.1	General Chemistry	NELAP	9/15/2022
Sulfite-SO3	SM 4500-SO3 B	General Chemistry	NELAP	9/15/2022
Sulfotep	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
T-amylmethylether (TAME)	EPA 8260	Volatile Organics	NELAP	3/28/2014
tert-Amyl Alcohol	EPA 8260	Volatile Organics	NELAP	9/14/2021
tert-Butyl alcohol (2-Methyl-2-propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
tert-Butyl alcohol (2-Methyl-2-propanol)	EPA 8260	Volatile Organics	NELAP	7/30/2007
tert-Butyl Formate	EPA 8260	Volatile Organics	NELAP	9/14/2021
tert-Butylbenzene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Tetrachloroethylene (Perchloroethylene)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Tetrachloroethylene (Perchloroethylene)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Thallium	EPA 200.7	Metals	NELAP	2/6/2002
Thallium	EPA 200.8	Metals	NELAP	10/17/2003
Thallium	EPA 6010	Metals	NELAP	7/1/2003
Thallium	EPA 6020	Metals	NELAP	10/17/2003
Thionazin (Zinophos)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
Tin	EPA 200.7	Metals	NELAP	2/6/2002
Tin	EPA 6010	Metals	NELAP	7/1/2003
Titanium	EPA 200.7	Metals	NELAP	2/6/2002
Titanium	EPA 6010	General Chemistry	NELAP	7/30/2007
Toluene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Toluene	EPA 8260	Volatile Organics	NELAP	7/1/2003
Total cyanide	EPA 9012	General Chemistry	NELAP	7/1/2003
Total nitrate-nitrite	EPA 9056	General Chemistry	NELAP	7/1/2003
Total organic carbon	EPA 415.1	General Chemistry	NELAP	2/6/2002
Total organic carbon	EPA 9060	General Chemistry	NELAP	7/1/2003
Total organic carbon	SM 5310 B	General Chemistry	NELAP	7/30/2007
Total organic halides (TOX)	EPA 9020	General Chemistry	NELAP	7/1/2003
Total Petroleum Hydrocarbons (TPH)	EPA 1664A	General Chemistry	NELAP	2/6/2002
Total Petroleum Hydrocarbons (TPH)	FL-PRO	Extractable Organics	NELAP	9/15/2022

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Non-Potable Water**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Total phenolics	EPA 420.1	General Chemistry	NELAP	2/6/2002
Total phenolics	EPA 9065	General Chemistry	NELAP	7/1/2003
Total residual chlorine	SM 4500 Cl B	General Chemistry	NELAP	11/18/2008
Toxaphene (Chlorinated camphene)	EPA 608.3	Pesticides-Herbicides-PCB's	NELAP	4/4/2018
Toxaphene (Chlorinated camphene)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/1/2003
trans-1,2-Dichloroethylene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
trans-1,2-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	7/1/2003
trans-1,3-Dichloropropene	EPA 624.1	Volatile Organics	NELAP	4/4/2018
trans-1,3-Dichloropropene	EPA 8260	Volatile Organics	NELAP	7/1/2003
trans-1,4-Dichloro-2-butene	EPA 8260	Volatile Organics	NELAP	7/30/2007
Trichloroethene (Trichloroethylene)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Trichloroethene (Trichloroethylene)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Trichlorofluoromethane	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Trichlorofluoromethane	EPA 8260	Volatile Organics	NELAP	7/1/2003
Turbidity	EPA 180.1	General Chemistry	NELAP	2/6/2002
Turbidity	SM 2130 B	General Chemistry	NELAP	7/30/2007
Un-Ionized Ammonia	DEP SOP 10/03/83	General Chemistry	NELAP	7/30/2007
Vanadium	EPA 200.7	Metals	NELAP	2/6/2002
Vanadium	EPA 200.8	Metals	NELAP	10/17/2003
Vanadium	EPA 6010	Metals	NELAP	7/1/2003
Vanadium	EPA 6020	Metals	NELAP	10/17/2003
Vinyl acetate	EPA 8260	Volatile Organics	NELAP	7/1/2003
Vinyl chloride	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Vinyl chloride	EPA 8260	Volatile Organics	NELAP	7/1/2003
Xylene (total)	EPA 624.1	Volatile Organics	NELAP	4/4/2018
Xylene (total)	EPA 8260	Volatile Organics	NELAP	7/1/2003
Zinc	EPA 200.7	Metals	NELAP	2/6/2002
Zinc	EPA 200.8	Metals	NELAP	10/17/2003
Zinc	EPA 6010	Metals	NELAP	7/1/2003
Zinc	EPA 6020	Metals	NELAP	10/17/2003



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
1,1,1,2-Tetrachloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1,1-Trichloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1,2,2-Tetrachloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	EPA 8260	Volatile Organics	NELAP	12/4/2020
1,1,2-Trichloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1-Dichloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,1-Dichloropropene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2,3-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2,3-Trichloropropane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2,3-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	3/28/2014
1,2,4,5-Tetrachlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,2,4-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2,4-Trichlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,2,4-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Dibromo-3-chloropropane (DBCP)	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Dibromoethane (EDB, Ethylene dibromide)	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,2-Dichloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Dichloropropane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,2-Diphenylhydrazine	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,3,5-Trichlorobenzene	EPA 8260	Volatile Organics	NELAP	3/28/2014
1,3,5-Trimethylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,3,5-Trinitrobenzene (1,3,5-TNB)	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,3-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,3-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,3-Dichloropropane	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,3-Dinitrobenzene (1,3-DNB)	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,4-Dichlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
1,4-Dichlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8260	Volatile Organics	NELAP	4/18/2011
1,4-Dioxane (1,4-Diethyleneoxide)	EPA 8270	Volatile Organics	NELAP	12/4/2020
1,4-Naphthoquinone	EPA 8270	Extractable Organics	NELAP	2/6/2002
1,4-Phenylenediamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
1-Chlorohexane	EPA 8260	Volatile Organics	NELAP	7/30/2007

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
1-Methylnaphthalene	EPA 8270	Extractable Organics	NELAP	7/30/2007
1-Naphthylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,2-Dichloropropane	EPA 8260	Volatile Organics	NELAP	2/6/2002
2,2'-Oxybis(1-chloropropane),bis(2-Chloro-1-methylethyl)ether (fka bis(2-Chloroisopropyl) ether	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,3,4,6-Tetrachlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4,5-T	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4,5-Trichlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4,6-Trichlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4-D	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4-DB	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
2,4-Dichlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4-Dimethylphenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4-Dinitrophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,4-Dinitrotoluene (2,4-DNT)	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,6-Dichlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2,6-Dinitrotoluene (2,6-DNT)	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Acetylaminofluorene	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260	Volatile Organics	NELAP	2/6/2002
2-Chloronaphthalene	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Chlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Chlorotoluene	EPA 8260	Volatile Organics	NELAP	2/6/2002
2-Hexanone	EPA 8260	Volatile Organics	NELAP	2/6/2002
2-Methyl-4,6-dinitrophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Methylnaphthalene	EPA 8260	Volatile Organics	NELAP	3/28/2014
2-Methylnaphthalene	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Methylphenol (o-Cresol)	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Naphthylamine	EPA 8270	Extractable Organics	NELAP	7/30/2007
2-Nitroaniline	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Nitrophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
2-Nitropropane	EPA 8260	Volatile Organics	NELAP	3/28/2014
2-Picoline (2-Methylpyridine)	EPA 8270	Extractable Organics	NELAP	2/6/2002
3,3'-Dichlorobenzidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
3,3'-Dimethylbenzidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
3,5-Dichlorobenzoic acid	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
3/4-Methylphenols (m/p-Cresols)	EPA 8270	Extractable Organics	NELAP	11/18/2008
3-Methylcholanthrene	EPA 8270	Extractable Organics	NELAP	7/30/2007

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
3-Nitroaniline	EPA 8270	Extractable Organics	NELAP	2/6/2002
4,4'-DDD	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
4,4'-DDE	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
4,4'-DDT	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
4-Aminobiphenyl	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Bromophenyl phenyl ether	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Chloro-3-methylphenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Chloroaniline	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Chlorophenyl phenylether	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Chlorotoluene	EPA 8260	Volatile Organics	NELAP	2/6/2002
4-Dimethyl aminoazobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Methyl-2-pentanone (MIBK)	EPA 8260	Volatile Organics	NELAP	2/6/2002
4-Nitroaniline	EPA 8270	Extractable Organics	NELAP	2/6/2002
4-Nitrophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
5-Nitro-o-toluidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
7,12-Dimethylbenz(a) anthracene	EPA 8270	Extractable Organics	NELAP	2/6/2002
a,a-Dimethylphenethylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
Acenaphthene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Acenaphthylene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Acetone	EPA 8260	Volatile Organics	NELAP	2/6/2002
Acetonitrile	EPA 8260	Volatile Organics	NELAP	2/6/2002
Acetophenone	EPA 8270	Extractable Organics	NELAP	2/6/2002
Acifluorfen	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Acrolein (Propenal)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Acrylonitrile	EPA 8260	Volatile Organics	NELAP	2/6/2002
Aldrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Allyl chloride (3-Chloropropene)	EPA 8260	Volatile Organics	NELAP	2/6/2002
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
alpha-Chlordane	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aluminum	EPA 6010	Metals	NELAP	3/23/2012
Aluminum	EPA 6020	Metals	NELAP	10/17/2003
Amenable cyanide	EPA 9012	General Chemistry	NELAP	2/6/2002
a-Methylstyrene	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ammonia as N	EPA 350.1	General Chemistry	NELAP	7/30/2007
Aniline	EPA 8270	Extractable Organics	NELAP	2/6/2002
Anthracene	EPA 8270	Extractable Organics	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Antimony	EPA 6010	Metals	NELAP	2/6/2002
Antimony	EPA 6020	Metals	NELAP	10/17/2003
Aramite	EPA 8270	Extractable Organics	NELAP	2/6/2002
Aroclor-1016 (PCB-1016)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1221 (PCB-1221)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1232 (PCB-1232)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1242 (PCB-1242)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1248 (PCB-1248)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1254 (PCB-1254)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1260 (PCB-1260)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Aroclor-1262 (PCB-1262)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Aroclor-1268 (PCB-1268)	EPA 8082	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Arsenic	EPA 6010	Metals	NELAP	2/6/2002
Arsenic	EPA 6020	Metals	NELAP	10/17/2003
Atrazine	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	12/4/2020
Barium	EPA 6010	Metals	NELAP	2/6/2002
Barium	EPA 6020	Metals	NELAP	10/17/2003
Bentazon	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Benzaldehyde	EPA 8270	Extractable Organics	NELAP	12/4/2020
Benzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Benzidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzo(a)anthracene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzo(a)pyrene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzo(b)fluoranthene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzo(g,h,i)perylene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzo(k)fluoranthene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzoic acid	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzyl alcohol	EPA 8270	Extractable Organics	NELAP	2/6/2002
Benzyl chloride	EPA 8260	Volatile Organics	NELAP	3/28/2014
Beryllium	EPA 6010	Metals	NELAP	2/6/2002
Beryllium	EPA 6020	Metals	NELAP	10/17/2003
beta-BHC (beta-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Biphenyl (1,1-Biphenyl, BZ 0)	EPA 8270	Extractable Organics	NELAP	12/4/2020
bis(2-Chloroethoxy)methane	EPA 8270	Extractable Organics	NELAP	2/6/2002
bis(2-Chloroethyl) ether	EPA 8270	Extractable Organics	NELAP	2/6/2002
Boron	EPA 6010	Metals	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Bromide	EPA 300.0	General Chemistry	NELAP	7/30/2007
Bromide	EPA 9056	General Chemistry	NELAP	2/6/2002
Bromobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Bromochloromethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Bromodichloromethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Bromoform	EPA 8260	Volatile Organics	NELAP	2/6/2002
Butyl Acrylate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Butyl benzyl phthalate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Cadmium	EPA 6010	Metals	NELAP	2/6/2002
Cadmium	EPA 6020	Metals	NELAP	10/17/2003
Calcium	EPA 6010	Metals	NELAP	2/6/2002
Calcium	EPA 6020	Metals	NELAP	10/17/2003
Caprolactam	EPA 8270	Extractable Organics	NELAP	12/4/2020
Carbazole	EPA 8270	Extractable Organics	NELAP	2/6/2002
Carbon disulfide	EPA 8260	Volatile Organics	NELAP	2/6/2002
Carbon tetrachloride	EPA 8260	Volatile Organics	NELAP	2/6/2002
Chloramben	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Chlordane (tech.)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Chloride	EPA 300.0	General Chemistry	NELAP	7/30/2007
Chloride	EPA 9056	General Chemistry	NELAP	2/6/2002
Chloride	EPA 9251	General Chemistry	NELAP	12/4/2020
Chlorobenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Chlorobenzilate	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Chloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Chloroform	EPA 8260	Volatile Organics	NELAP	2/6/2002
Chloroprene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Chromium	EPA 6010	Metals	NELAP	2/6/2002
Chromium	EPA 6020	Metals	NELAP	10/17/2003
Chrysene	EPA 8270	Extractable Organics	NELAP	2/6/2002
cis-1,2-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	2/6/2002
cis-1,3-Dichloropropene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Cobalt	EPA 6010	Metals	NELAP	2/6/2002
Cobalt	EPA 6020	Metals	NELAP	10/17/2003
Copper	EPA 6010	Metals	NELAP	2/6/2002
Copper	EPA 6020	Metals	NELAP	10/17/2003
Cyclohexane	EPA 8260	Volatile Organics	NELAP	12/4/2020

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Dacthal (DCPA)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Dalapon	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
delta-BHC	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Di(2-ethylhexyl) phthalate (DEHP)	EPA 8270	Extractable Organics	NELAP	2/6/2002
Diallate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dibenz(a,h)anthracene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Dibenzofuran	EPA 8270	Extractable Organics	NELAP	2/6/2002
Dibromochloromethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Dibromomethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Dicamba	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dichlorodifluoromethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Dichloroprop (Dichloroprop)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dieldrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Diesel range organics (DRO)	EPA 8015	Extractable Organics	NELAP	2/6/2002
Diethyl ether	EPA 8260	Volatile Organics	NELAP	2/6/2002
Diethyl phthalate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Di-isopropylether (DIPE)	EPA 8260	Volatile Organics	NELAP	3/28/2014
Dimethoate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dimethyl phthalate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Di-n-butyl phthalate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Di-n-octyl phthalate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Disulfoton	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endosulfan I	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endosulfan II	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endosulfan sulfate	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endrin aldehyde	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Endrin ketone	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Ethanol	EPA 8015	Volatile Organics	NELAP	2/6/2002
Ethanol	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ethyl acetate	EPA 8015	Volatile Organics	NELAP	2/6/2002
Ethyl acetate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ethyl acrylate	EPA 8260	Volatile Organics	NELAP	3/28/2014
Ethyl methacrylate	EPA 8260	Volatile Organics	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Ethyl methanesulfonate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Ethylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Ethylene glycol	EPA 8015	Volatile Organics	NELAP	7/30/2007
Ethyl-t-butylether (ETBE)	EPA 8260	Volatile Organics	NELAP	3/28/2014
Famphur	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Fluoranthene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Fluorene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Fluoride	EPA 300.0	General Chemistry	NELAP	7/30/2007
Fluoride	EPA 9056	General Chemistry	NELAP	2/6/2002
Furan	EPA 8260	Volatile Organics	NELAP	3/28/2014
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
gamma-Chlordane	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Gasoline range organics (GRO)	EPA 8015	Extractable Organics	NELAP	2/6/2002
Heptachlor	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Heptachlor epoxide	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Hexachlorobenzene	EPA 8270	Pesticides-Herbicides-PCB's,Extractable Organics	NELAP	2/6/2002
Hexachlorobutadiene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Hexachlorobutadiene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Hexachlorocyclopentadiene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Hexachloroethane	EPA 8270	Extractable Organics	NELAP	2/6/2002
Hexachlorophene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Hexachloropropene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Ignitability	EPA 1010	General Chemistry	NELAP	9/15/2022
Ignitability	EPA 1030	General Chemistry	NELAP	7/30/2007
Indeno(1,2,3-cd)pyrene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Iodomethane (Methyl iodide)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Iron	EPA 6010	Metals	NELAP	2/6/2002
Iron	EPA 6020	Metals	NELAP	10/17/2003
Isobutyl alcohol (2-Methyl-1-propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
Isobutyl alcohol (2-Methyl-1-propanol)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Isodrin	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Isophorone	EPA 8270	Extractable Organics	NELAP	2/6/2002
Isopropyl alcohol (2-Propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
Isopropyl alcohol (2-Propanol)	EPA 8260	Volatile Organics	NELAP	3/28/2014
Isopropylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

**E87052
Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Isosafrole	EPA 8270	Extractable Organics	NELAP	2/6/2002
Kepone	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Kjeldahl nitrogen - total	EPA 351.2	General Chemistry	NELAP	12/2/2005
Lead	EPA 6010	Metals	NELAP	2/6/2002
Lead	EPA 6020	Metals	NELAP	10/17/2003
Lithium	EPA 6010	Metals	NELAP	9/15/2022
m+p-Xylenes	EPA 8260	Volatile Organics	NELAP	7/30/2007
Magnesium	EPA 6010	Metals	NELAP	2/6/2002
Magnesium	EPA 6020	Metals	NELAP	10/17/2003
Manganese	EPA 6010	Metals	NELAP	2/6/2002
Manganese	EPA 6020	Metals	NELAP	10/17/2003
MCPA	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
MCPP	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Mercury	EPA 6020	Metals	NELAP	7/30/2007
Mercury	EPA 7471	Metals	NELAP	2/6/2002
Methacrylonitrile	EPA 8260	Volatile Organics	NELAP	2/6/2002
Methanol	EPA 8015	Volatile Organics	NELAP	7/30/2007
Methapyrilene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Methoxychlor	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Methyl acetate	EPA 8260	Volatile Organics	NELAP	12/4/2020
Methyl bromide (Bromomethane)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Methyl chloride (Chloromethane)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Methyl methacrylate	EPA 8260	Volatile Organics	NELAP	2/6/2002
Methyl methanesulfonate	EPA 8270	Extractable Organics	NELAP	2/6/2002
Methyl parathion (Parathion, methyl)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Methyl tert-butyl ether (MTBE)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Methylcyclohexane	EPA 8260	Volatile Organics	NELAP	12/4/2020
Methylene chloride	EPA 8260	Volatile Organics	NELAP	2/6/2002
Mirex	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
Molybdenum	EPA 6010	Metals	NELAP	2/6/2002
Molybdenum	EPA 6020	Metals	NELAP	7/30/2007
Naphthalene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Naphthalene	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Butyl Acetate	EPA 8260	Volatile Organics	NELAP	3/28/2014
n-Butyl alcohol	EPA 8015	Volatile Organics	NELAP	7/30/2007
n-Butyl alcohol	EPA 8260	Volatile Organics	NELAP	3/28/2014

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
n-Butylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Nickel	EPA 6010	Metals	NELAP	2/6/2002
Nickel	EPA 6020	Metals	NELAP	10/17/2003
Nitrate	EPA 9056	General Chemistry	NELAP	2/6/2002
Nitrate as N	EPA 300.0	General Chemistry	NELAP	7/30/2007
Nitrate as N	EPA 353.2	General Chemistry	NELAP	12/2/2005
Nitrite	EPA 9056	General Chemistry	NELAP	2/6/2002
Nitrite as N	EPA 300.0	General Chemistry	NELAP	7/30/2007
Nitrite as N	EPA 353.2	General Chemistry	NELAP	12/2/2005
Nitrobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosodiethylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosodimethylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitroso-di-n-butylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosodi-n-propylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosodiphenylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosomethylethylamine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosomorpholine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosopiperidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Nitrosopyrrolidine	EPA 8270	Extractable Organics	NELAP	2/6/2002
n-Propanol	EPA 8015	Volatile Organics	NELAP	7/30/2007
n-Propylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
o,o,o-Triethyl phosphorothioate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Organic nitrogen	TKN minus AMMONIA	General Chemistry	NELAP	7/30/2007
Orthophosphate as P	EPA 365.1	General Chemistry	NELAP	11/18/2008
o-Xylene	EPA 8260	Volatile Organics	NELAP	7/30/2007
Paint Filter Liquids	EPA 9095	General Chemistry	NELAP	7/30/2007
Parathion, ethyl	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Pentachlorobenzene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Pentachloroethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Pentachloronitrobenzene (Quintozene)	EPA 8270	Extractable Organics	NELAP	2/6/2002
Pentachlorophenol	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Pentachlorophenol	EPA 8270	Extractable Organics	NELAP	2/6/2002
pH	EPA 9045	General Chemistry	NELAP	2/6/2002
Phenacetin	EPA 8270	Extractable Organics	NELAP	2/6/2002
Phenanthrene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Phenol	EPA 8270	Extractable Organics	NELAP	2/6/2002

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Phorate	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Phosphorus, total	EPA 365.4	General Chemistry	NELAP	12/2/2005
Phosphorus, total	EPA 6010	Metals	NELAP	9/15/2022
Picloram	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	7/30/2007
p-Isopropyltoluene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Potassium	EPA 6010	Metals	NELAP	2/6/2002
Potassium	EPA 6020	Metals	NELAP	10/17/2003
Pronamide (Kerb)	EPA 8270	Extractable Organics	NELAP	2/6/2002
Propionitrile (Ethyl cyanide)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Pyrene	EPA 8270	Extractable Organics	NELAP	2/6/2002
Pyridine	EPA 8270	Extractable Organics	NELAP	2/6/2002
Safrole	EPA 8270	Extractable Organics	NELAP	2/6/2002
sec-Butylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Selenium	EPA 6010	Metals	NELAP	2/6/2002
Selenium	EPA 6020	Metals	NELAP	10/17/2003
Silver	EPA 6010	Metals	NELAP	2/6/2002
Silver	EPA 6020	Metals	NELAP	10/17/2003
Silvex (2,4,5-TP)	EPA 8151	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Sodium	EPA 6010	Metals	NELAP	2/6/2002
Sodium	EPA 6020	Metals	NELAP	10/17/2003
Strontium	EPA 6010	Metals	NELAP	2/6/2002
Styrene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Sulfate	EPA 300.0	General Chemistry	NELAP	7/30/2007
Sulfate	EPA 9038	General Chemistry	NELAP	2/6/2002
Sulfate	EPA 9056	General Chemistry	NELAP	2/6/2002
Sulfide	EPA 9030	General Chemistry	NELAP	2/6/2002
Sulfide	EPA 9034	General Chemistry	NELAP	2/6/2002
Sulfotep	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Synthetic Precipitation Leaching Procedure (SPLP)	EPA 1312	General Chemistry	NELAP	2/6/2002
T-amylmethylether (TAME)	EPA 8260	Volatile Organics	NELAP	3/28/2014
tert-Butyl alcohol (2-Methyl-2-propanol)	EPA 8015	Volatile Organics	NELAP	7/30/2007
tert-Butyl alcohol (2-Methyl-2-propanol)	EPA 8260	Volatile Organics	NELAP	7/30/2007
tert-Butylbenzene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Tetrachloroethylene (Perchloroethylene)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Thallium	EPA 6010	Metals	NELAP	2/6/2002
Thallium	EPA 6020	Metals	NELAP	10/17/2003

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 9/15/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87052-69, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: **E87052**

EPA Lab Code: **GA00006**

(912) 354-7858

E87052

**Eurofins Savannah
5102 LaRoche Avenue
Savannah, GA 31404**

Matrix: **Solid and Chemical Materials**

Analyte	Method/Tech	Category	Certification Type	Effective Date
Thionazin (Zinophos)	EPA 8270	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Tin	EPA 6010	Metals	NELAP	2/6/2002
Titanium	EPA 6010	Metals	NELAP	7/30/2007
Toluene	EPA 8260	Volatile Organics	NELAP	2/6/2002
Total cyanide	EPA 9012	General Chemistry	NELAP	2/6/2002
Total nitrate-nitrite	EPA 353.2	General Chemistry	NELAP	12/2/2005
Total nitrate-nitrite	EPA 9056	General Chemistry	NELAP	2/6/2002
Total Nitrogen	TKN + Total Nitrate-Nitrite	General Chemistry	NELAP	7/30/2007
Total Petroleum Hydrocarbons (TPH)	FL-PRO	Extractable Organics	NELAP	9/15/2022
Total phenolics	EPA 9065	General Chemistry	NELAP	2/6/2002
Toxaphene (Chlorinated camphene)	EPA 8081	Pesticides-Herbicides-PCB's	NELAP	2/6/2002
Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311	General Chemistry	NELAP	2/6/2002
trans-1,2-Dichloroethylene	EPA 8260	Volatile Organics	NELAP	2/6/2002
trans-1,3-Dichloropropene	EPA 8260	Volatile Organics	NELAP	2/6/2002
trans-1,4-Dichloro-2-butene	EPA 8260	Volatile Organics	NELAP	7/30/2007
Trichloroethene (Trichloroethylene)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Trichlorofluoromethane	EPA 8260	Volatile Organics	NELAP	2/6/2002
Vanadium	EPA 6010	Metals	NELAP	2/6/2002
Vanadium	EPA 6020	Metals	NELAP	10/17/2003
Vinyl acetate	EPA 8260	Volatile Organics	NELAP	2/6/2002
Vinyl chloride	EPA 8260	Volatile Organics	NELAP	2/6/2002
Xylene (total)	EPA 8260	Volatile Organics	NELAP	2/6/2002
Zinc	EPA 6010	Metals	NELAP	2/6/2002
Zinc	EPA 6020	Metals	NELAP	10/17/2003



State of Florida
 Department of Health, Bureau of Public Health Laboratories
 This is to certify that




E87689

EUROFINS TESTAMERICA ST. LOUIS
 13715 RIDER TRAIL NORTH
 EARTH CITY, MO 63045

has complied with Florida Administrative Code 64E-1,
 for the examination of environmental samples in the following categories

DRINKING WATER - RADIOCHEMISTRY, NON-POTABLE WATER - GENERAL CHEMISTRY, NON-POTABLE WATER - METALS, NON-POTABLE WATER
 - RADIOCHEMISTRY, SOLID AND CHEMICAL MATERIALS - METALS, SOLID AND CHEMICAL MATERIALS - RADIOCHEMISTRY



Continued certification is contingent upon successful on-going compliance with the NELAC Standards and FAC Rule 64E-1 regulations. Specific methods and analytes certified are cited on the Laboratory Scope of Accreditation for this laboratory and are on file at the Bureau of Public Health Laboratories, P. O. Box 210, Jacksonville, Florida 32231. Clients and customers are urged to verify with this agency the laboratory's certification status in Florida for particular methods and analytes.

Date Issued: July 01, 2022 Expiration Date: June 30, 2023



Susanne Crowe

Susanne Crowe, MHA
 Interim Chief Bureau of Public Health Laboratories
 DH Form 1697, 7/04
 NON-TRANSFERABLE E87689-65-07/01/2022
 Supersedes all previously issued certificates



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Drinking Water

Analyte	Method/Tech	Category	Certification Type	Effective Date
Gross Alpha	EPA 900.0	Radiochemistry	NELAP	1/19/2016
Gross Alpha	SM 7110 C	Radiochemistry	NELAP	2/17/2018
Gross Beta	EPA 900.0	Radiochemistry	NELAP	2/25/2015
Isotopic Uranium	DOE U-02-RC	Radiochemistry	NELAP	8/15/2018
Radium-226	EPA 903.0	Radiochemistry	NELAP	3/31/2015
Radium-228	EPA 904.0	Radiochemistry	NELAP	12/10/2008
Radon	SM 7500-Rn B	Radiochemistry	NELAP	8/15/2018
Radon-222	ST-RC-0222 / LSC	Radiochemistry	NELAP	7/1/2020
Selenium-79	ST-RC-0079 / LSC	Radiochemistry	NELAP	7/1/2020
Strontium-90	DOE Sr-02	Radiochemistry	NELAP	12/10/2008
Strontium-90	DOE Sr-03-RC	Radiochemistry	NELAP	12/10/2008
Strontium-90	EPA 905.0	Radiochemistry	NELAP	12/10/2008
Tritium	EPA 906.0	Radiochemistry	NELAP	12/10/2008
Uranium (activity)	DOE U-02	Radiochemistry	NELAP	8/15/2018
Uranium (mass)	EPA 200.8	Radiochemistry	NELAP	8/15/2018



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Non-Potable Water

Analyte	Method/Tech	Category	Certification Type	Effective Date
Aluminum	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Aluminum	EPA 200.8	Metals	NELAP	7/1/2013
Aluminum	EPA 6010	Metals	NELAP	7/1/2013
Aluminum	EPA 6020	Metals	NELAP	7/1/2013
Antimony	EPA 200.7	Metals	NELAP	7/1/2013
Antimony	EPA 200.8	Metals	NELAP	7/1/2013
Antimony	EPA 6010	Metals	NELAP	7/1/2013
Antimony	EPA 6020	Metals	NELAP	7/1/2013
Arsenic	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Arsenic	EPA 200.8	Metals	NELAP	7/1/2013
Arsenic	EPA 6010	Metals	NELAP	7/1/2013
Arsenic	EPA 6020	Metals	NELAP	7/1/2013
Barium	EPA 200.7	Metals	NELAP	7/1/2013
Barium	EPA 200.8	Metals	NELAP	7/1/2013
Barium	EPA 6010	Metals	NELAP	7/1/2013
Barium	EPA 6020	Metals	NELAP	7/1/2013
Beryllium	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Beryllium	EPA 200.8	Metals	NELAP	7/1/2013
Beryllium	EPA 6010	Metals	NELAP	7/1/2013
Beryllium	EPA 6020	Metals	NELAP	7/1/2013
Boron	EPA 200.7	Metals	NELAP	7/1/2013
Boron	EPA 6010	Metals	NELAP	7/1/2013
Boron	EPA 6020	Metals	NELAP	7/1/2013
Cadmium	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Cadmium	EPA 200.8	Metals	NELAP	7/1/2013
Cadmium	EPA 6010	Metals	NELAP	7/1/2013
Cadmium	EPA 6020	Metals	NELAP	7/1/2013
Calcium	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Calcium	EPA 6010	Metals	NELAP	7/1/2013
Calcium	EPA 6020	Metals	NELAP	7/1/2013
Chromium	EPA 200.7	Metals	NELAP	7/1/2013
Chromium	EPA 200.8	Metals	NELAP	7/1/2013
Chromium	EPA 6010	Metals	NELAP	7/1/2013
Chromium	EPA 6020	Metals	NELAP	7/1/2013
Cobalt	EPA 200.7	Metals	NELAP	7/1/2013
Cobalt	EPA 200.8	Metals	NELAP	7/1/2013

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 7/1/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

**Eurofins TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045**

Matrix: Non-Potable Water

Analyte	Method/Tech	Category	Certification Type	Effective Date
Cobalt	EPA 6010	Metals	NELAP	7/1/2013
Cobalt	EPA 6020	Metals	NELAP	7/1/2013
Copper	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Copper	EPA 200.8	Metals	NELAP	7/1/2013
Copper	EPA 6010	Metals	NELAP	7/1/2013
Copper	EPA 6020	Metals	NELAP	7/1/2013
Gamma Emitters	EPA 901.1	Radiochemistry	NELAP	7/1/2013
Gross Alpha	EPA 900.0	Radiochemistry	NELAP	7/1/2013
Gross Alpha	EPA 9310	Radiochemistry	NELAP	7/1/2013
Gross Beta	EPA 900.0	Radiochemistry	NELAP	7/1/2013
Gross Beta	EPA 9310	Radiochemistry	NELAP	7/1/2013
Iron	EPA 200.7	Metals	NELAP	7/1/2013
Iron	EPA 6010	Metals	NELAP	7/1/2013
Iron	EPA 6020	Metals	NELAP	7/1/2013
Lead	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Lead	EPA 200.8	Metals	NELAP	7/1/2013
Lead	EPA 6010	Metals	NELAP	7/1/2013
Lead	EPA 6020	Metals	NELAP	7/1/2013
Lithium	EPA 6010	Metals	NELAP	7/1/2013
Magnesium	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Magnesium	EPA 200.8	Metals	NELAP	7/1/2013
Magnesium	EPA 6010	Metals	NELAP	7/1/2013
Magnesium	EPA 6020	Metals	NELAP	7/1/2013
Manganese	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Manganese	EPA 200.8	Metals	NELAP	7/1/2013
Manganese	EPA 6010	Metals	NELAP	7/1/2013
Manganese	EPA 6020	Metals	NELAP	7/1/2013
Mercury	EPA 245.1	Metals	NELAP	7/1/2013
Mercury	EPA 7470	Metals	NELAP	7/1/2013
Molybdenum	EPA 200.7	Metals	NELAP	7/1/2013
Molybdenum	EPA 200.8	Metals	NELAP	7/1/2013
Molybdenum	EPA 6010	Metals	NELAP	7/1/2013
Molybdenum	EPA 6020	Metals	NELAP	7/1/2013
Nickel	EPA 200.7	General Chemistry,Metals	NELAP	7/1/2013
Nickel	EPA 200.8	Metals	NELAP	7/1/2013
Nickel	EPA 6010	Metals	NELAP	7/1/2013

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 7/1/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Non-Potable Water

Analyte	Method/Tech	Category	Certification Type	Effective Date
Nickel	EPA 6020	Metals	NELAP	7/1/2013
Potassium	EPA 200.7	Metals	NELAP	7/1/2013
Potassium	EPA 6010	Metals	NELAP	7/1/2013
Potassium	EPA 6020	Metals	NELAP	7/1/2013
Radium-226	EPA 903.0	Radiochemistry	NELAP	7/1/2013
Radium-228	EPA 904.0	Radiochemistry	NELAP	7/1/2013
Radium-228	EPA 9320	Radiochemistry	NELAP	7/1/2013
Selenium	EPA 200.7	Metals	NELAP	7/1/2013
Selenium	EPA 200.8	Metals	NELAP	7/1/2013
Selenium	EPA 6010	Metals	NELAP	7/1/2013
Selenium	EPA 6020	Metals	NELAP	7/1/2013
Silver	EPA 200.7	Metals	NELAP	7/1/2013
Silver	EPA 200.8	Metals	NELAP	7/1/2013
Silver	EPA 6010	Metals	NELAP	7/1/2013
Silver	EPA 6020	Metals	NELAP	7/1/2013
Sodium	EPA 200.7	Metals	NELAP	7/1/2013
Sodium	EPA 6010	Metals	NELAP	7/1/2013
Sodium	EPA 6020	Metals	NELAP	7/1/2013
Strontium	EPA 200.7	Metals	NELAP	7/1/2013
Strontium	EPA 6010	Metals	NELAP	7/1/2013
Strontium	EPA 6020	Metals	NELAP	7/1/2013
Strontium-90	DOE Sr-03-RC	Radiochemistry	NELAP	7/1/2013
Strontium-90	EPA 905.0	Radiochemistry	NELAP	7/1/2013
Thallium	EPA 200.7	Metals	NELAP	7/1/2013
Thallium	EPA 200.8	Metals	NELAP	7/1/2013
Thallium	EPA 6010	Metals	NELAP	7/1/2013
Thallium	EPA 6020	Metals	NELAP	7/1/2013
Thorium	EPA 200.8	Metals	NELAP	7/1/2013
Thorium	EPA 6020	Metals	NELAP	7/1/2013
Tin	EPA 200.7	Metals	NELAP	7/1/2013
Tin	EPA 6010	Metals	NELAP	7/1/2013
Tin	EPA 6020	Metals	NELAP	7/1/2013
Titanium	EPA 200.7	Metals	NELAP	7/1/2013
Titanium	EPA 6010	Metals	NELAP	7/1/2013
Titanium	EPA 6020	Metals	NELAP	7/1/2013
Total radium	EPA 903.0	Radiochemistry	NELAP	4/21/2020

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 7/1/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Non-Potable Water

Analyte	Method/Tech	Category	Certification Type	Effective Date
Total radium	EPA 9315	Radiochemistry	NELAP	7/1/2013
Tritium	EPA 906.0	Radiochemistry	NELAP	7/1/2013
Uranium (mass)	EPA 200.8	Metals	NELAP	7/1/2013
Uranium (mass)	EPA 6020	Metals	NELAP	7/1/2013
Vanadium	EPA 200.7	General Chemistry, Metals	NELAP	7/1/2013
Vanadium	EPA 200.8	Metals	NELAP	7/1/2013
Vanadium	EPA 6010	Metals	NELAP	7/1/2013
Vanadium	EPA 6020	Metals	NELAP	7/1/2013
Zinc	EPA 200.7	General Chemistry, Metals	NELAP	7/1/2013
Zinc	EPA 200.8	Metals	NELAP	7/1/2013
Zinc	EPA 6010	Metals	NELAP	7/1/2013
Zinc	EPA 6020	Metals	NELAP	7/1/2013



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Solid and Chemical Materials

Analyte	Method/Tech	Category	Certification Type	Effective Date
Aluminum	EPA 6010	Metals	NELAP	7/1/2013
Aluminum	EPA 6020	Metals	NELAP	7/1/2013
Antimony	EPA 6010	Metals	NELAP	7/1/2013
Antimony	EPA 6020	Metals	NELAP	7/1/2013
Arsenic	EPA 6010	Metals	NELAP	7/1/2013
Arsenic	EPA 6020	Metals	NELAP	7/1/2013
Barium	EPA 6010	Metals	NELAP	7/1/2013
Barium	EPA 6020	Metals	NELAP	7/1/2013
Beryllium	EPA 6010	Metals	NELAP	7/1/2013
Beryllium	EPA 6020	Metals	NELAP	7/1/2013
Boron	EPA 6010	Metals	NELAP	7/1/2013
Boron	EPA 6020	Metals	NELAP	7/1/2013
Cadmium	EPA 6010	Metals	NELAP	7/1/2013
Cadmium	EPA 6020	Metals	NELAP	7/1/2013
Calcium	EPA 6010	Metals	NELAP	7/1/2013
Calcium	EPA 6020	Metals	NELAP	7/1/2013
Chromium	EPA 6010	Metals	NELAP	7/1/2013
Chromium	EPA 6020	Metals	NELAP	7/1/2013
Cobalt	EPA 6010	Metals	NELAP	7/1/2013
Cobalt	EPA 6020	Metals	NELAP	7/1/2013
Copper	EPA 6010	Metals	NELAP	7/1/2013
Copper	EPA 6020	Metals	NELAP	7/1/2013
Gross Alpha	EPA 9310	Radiochemistry	NELAP	7/1/2013
Gross Beta	EPA 9310	Radiochemistry	NELAP	7/1/2013
Iron	EPA 6010	Metals	NELAP	7/1/2013
Iron	EPA 6020	Metals	NELAP	7/1/2013
Lead	EPA 6010	Metals	NELAP	7/1/2013
Lead	EPA 6020	Metals	NELAP	7/1/2013
Lithium	EPA 6010	Metals	NELAP	7/1/2013
Magnesium	EPA 6010	Metals	NELAP	7/1/2013
Magnesium	EPA 6020	Metals	NELAP	7/1/2013
Manganese	EPA 6010	Metals	NELAP	7/1/2013
Manganese	EPA 6020	Metals	NELAP	7/1/2013
Mercury	EPA 7471	Metals	NELAP	7/1/2013
Molybdenum	EPA 6010	Metals	NELAP	7/1/2013
Molybdenum	EPA 6020	Metals	NELAP	7/1/2013

Clients and Customers are urged to verify the laboratory's current certification status with the Environmental Laboratory Certification Program.

Issue Date: 7/1/2022

Expiration Date: 6/30/2023



Laboratory Scope of Accreditation

Attachment to Certificate #: E87689-65, expiration date June 30, 2023. This listing of accredited analytes should be used only when associated with a valid certificate.

State Laboratory ID: E87689

EPA Lab Code: MO00054

(314) 298-8566

E87689

Eurofins TestAmerica St. Louis

13715 Rider Trail North

Earth City, MO 63045

Matrix: Solid and Chemical Materials

Analyte	Method/Tech	Category	Certification Type	Effective Date
Nickel	EPA 6010	Metals	NELAP	7/1/2013
Nickel	EPA 6020	Metals	NELAP	7/1/2013
Potassium	EPA 6010	Metals	NELAP	7/1/2013
Potassium	EPA 6020	Metals	NELAP	7/1/2013
Radium-228	EPA 9320	Radiochemistry	NELAP	7/1/2013
Selenium	EPA 6010	Metals	NELAP	7/1/2013
Selenium	EPA 6020	Metals	NELAP	7/1/2013
Silicon	EPA 6010	Metals	NELAP	7/1/2020
Silver	EPA 6010	Metals	NELAP	7/1/2013
Silver	EPA 6020	Metals	NELAP	7/1/2013
Sodium	EPA 6010	Metals	NELAP	7/1/2013
Sodium	EPA 6020	Metals	NELAP	7/1/2013
Strontium	EPA 6010	Metals	NELAP	7/1/2013
Strontium	EPA 6020	Metals	NELAP	7/1/2013
Thallium	EPA 6010	Metals	NELAP	7/1/2013
Thallium	EPA 6020	Metals	NELAP	7/1/2013
Tin	EPA 6010	Metals	NELAP	7/1/2013
Tin	EPA 6020	Metals	NELAP	7/1/2013
Titanium	EPA 6010	Metals	NELAP	7/1/2013
Titanium	EPA 6020	Metals	NELAP	7/1/2013
Total radium	EPA 9315	Radiochemistry	NELAP	7/1/2013
Uranium (mass)	EPA 6020	Metals	NELAP	7/1/2013
Vanadium	EPA 6010	Metals	NELAP	7/1/2013
Vanadium	EPA 6020	Metals	NELAP	7/1/2013
Zinc	EPA 6010	Metals	NELAP	7/1/2013
Zinc	EPA 6020	Metals	NELAP	7/1/2013

APPENDIX C

**Data Validation Summaries
February 2022**

**Quality Control Review of Analytical Data- Plant Scherer Ash Pond 1 (AP-1)
Submitted by Eurofins TestAmerica
February 2022**

This narrative presents results of the quality control (QC) data review performed on analytical data submitted by Eurofins TestAmerica, Inc. for groundwater samples collected at Plant Scherer CCR Ash Pond 1 (AP-1) between February 8, 2022 and February 14, 2022. The chemical data were reviewed to identify quality issues which could affect the use of the data for decision making purposes.

Information regarding the primary sample locations, analytical parameters, QC samples, sampling dates, and laboratory sample delivery group (SDG) designations is summarized in Table 1. In accordance with groundwater monitoring and corrective action procedures discussed in Title 40 CFR, Subpart D - Standards for the Disposal of Coal Combustion Residuals in Landfills and Surface Impoundments, the samples were analyzed for detection monitoring constituents listed in 40 CFR, Part 257, Appendix III and assessment monitoring constituents listed in 40 CFR, Part 257, Appendix IV. Additional analysis included cations and anions (manganese, potassium, magnesium, sodium), alkalinity (total, carbonate and bicarbonate), sulfide, ferrous and ferric iron. Test methods included Inductively Coupled Plasma - Mass Spectrometry (USEPA Method 6020B), Mercury in Liquid Wastes (USEPA Method 7470A), Determination of Inorganic Anions by Ion Chromatography (USEPA Method 300.0), Total Dissolved Solids (Standard Methods 2540C), Radium-226 (USEPA Method 9315), Radium-228 (USEPA Method 9320), Alkalinity by Titration through Standard Method 2320B (SM2320B), Sulfide (Standard Methods 4500), Ferrous and Ferric iron (Standard Methods 3500).

Data were reviewed in accordance with the US EPA Region IV Data Validation Standard Operating Procedures for Contract Laboratory Program (CLP) Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy (September 2011, Rev. 2.0), US EPA Region IV Data Validation Standard Operating Procedures for CLP Mercury Data by Cold Vapor Atomic Absorption (September 2011, Rev. 2.0), the National Functional Guidelines for Inorganic Superfund Methods Data Review (November 2020), and US Department of Energy, Evaluation of Radiochemical Data Usability (April 1997). The review included an assessment of the results for completeness, precision (field and laboratory duplicates, matrix spike/matrix spike duplicates), accuracy (laboratory control samples and matrix spike samples), and blank contamination (including field and laboratory blanks). Additionally, sample procedures, holding times and chains-of-custody were reviewed. Where there was a discrepancy between the QC criteria in the guidelines and the QC criterion established in the analytic methodology, method-specific criteria or professional judgment was used.

DATA QUALITY OBJECTIVES

Laboratory Precision:	Laboratory goals for precision were met.
Field Precision:	Field goals for precision were met with the exception of sodium, chromium and sulfate, as described in the qualification section below.
Accuracy:	Laboratory goals for accuracy were met with the exception of sulfate and chloride, as described in the qualification section below.
Sensitivity:	Project goals for detection limits were met. Certain samples were diluted due to elevated concentrations of target analytes. Dilutions do not require qualifications based on USEPA guidelines. Detection and reporting limits of non-detect compounds are elevated proportional to the dilution when undiluted sample results are not provided by the laboratory. The data usability of diluted results was

evaluated by the data user in the context of site-wide characterization. Detections were found in certain blank results, as described in the qualification sections below.

Holding Times: All holding time requirements were met in accordance with specific analytical methods with the exception of ferrous iron, ferric iron, and total dissolved solids (TDS) as described in the qualification section below.

Completeness: Several non-detect ferrous and ferric iron results were rejected during this event due to exceedances of the analytical holding time.

QUALIFICATIONS

In general, chemical results for the samples collected at the Site were qualified on the basis of high levels of imprecision or inaccuracy, or on the basis of professional judgment. The following definitions provide brief explanations of the qualifiers which may have been assigned to data by the laboratory.

- J** The analyte was positively identified above the method detection limit; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- U** The analyte was not detected above the method detection limit.

The data generated as part of this sampling event met the QC criteria established in the respective analytical methods and data validation guidelines except as specified below. Although these qualifications were applied to data from samples collected at the site and reported in sample delivery groups (SDGs) 180-133602-1, 180-133602-2, 180-133600-1, 180-133600-2 and 180-133608-1, qualifications may not have been required or applied to all samples collected. A summary of sample qualifications can be found in Table 2.

- Sulfate and chloride results in sample SGWC-8, from SDG 180-133602-1, were qualified as estimated, biased low (J-) when the associated MS and/or MSD recovered below laboratory criteria.
- Certain sodium, chromium and sulfate results, from SDGs 180-133602-1 and 180-133600-1, exceeded the relative percent difference (RPD) between the parent and duplicate sample. Detected and non-detected results were qualified as estimated (J or UJ).
- Certain sulfide, fluoride, and ferrous iron results from SDGs 180-133602-1 and 180-133600-1, were qualified as non-detect (U) when the analyte was detected at a similar level in an associated blank sample. As shown in Table 2, if the original sample results were below the reporting limit (RL), the results were qualified as non-detect (U) and the RL was reported as the new results. If the original sample results were greater than the RL, the original results were reported as the new RL and were U qualified.
- Results for total ferrous iron from SDG 180-133602-1, were analyzed outside of the analytical method holding time of 24 hours. Detected results were qualified as estimated (J) and non-detects as rejected (R). Since ferric iron is a calculation based on the subtraction of total iron from ferrous iron, ferric iron results were also qualified as J, R, and non-detect estimated results (UJ).
- The TDS result for sample SGWA-5 from SDG 180-133602-1 was analyzed outside of the analytical method holding time and was qualified as estimated (J) value.

Golder reviewed the data from samples collected at Plant Scherer CCR AP-1 between February 8, 2022 and February 14, 2022 in accordance with the analytical methods, the laboratory specific QC criteria, and the guidelines. As described above, with the exception of several non-detected ferrous and ferric iron results, the data reviewed during this event are considered usable for meeting project objectives and the results are considered valid.

REFERENCE

Paar J.G. and Porterfield D.R., April 1997, US Department of Energy, Evaluation of Radiochemical Data Usability.

US EPA, November 2020, National Functional Guidelines for Inorganic Superfund Methods Data Review, Office of Superfund Remediation and Technology Innovation. OLEM 9240.0-51 [EPA 540-R-20-005]. Washington. DC, November 2020.

USEPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data By Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy, Revision 2.0.

USEPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Mercury Data By Cold Vapor Atomic Absorption, Revision 2.0.

TABLE 1

Sample Summary Table
SCS Plant Scherer

SDGs	Field Identification	Collection Date	Lab Identification	Matrix	QC Samples	Analyses								
						Field pH	Total Metals (SW 6020B)	Mercury (EPA 7470A)	Anions (EPA 300.0)	Total Dissolved Solids (SW 2540C)	Alkalinity (SM 2320B)	Sulfide (EPA 9034)	Iron (SM 3500FE D)	Radium-226/228 (EPA 9315 & 9320)
180-133602-1/180-133602-2	SGWA-1	2/9/2022	180-133602-1	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-2	2/9/2022	180-133602-2	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-3	2/9/2022	180-133602-3	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-4	2/9/2022	180-133602-4	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-5	2/9/2022	180-133602-5	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-6	2/9/2022	180-133602-6	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-7	2/9/2022	180-133602-7	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	FB-2	2/9/2022	180-133602-8	WQ	FB (SGWA-3)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	EB-2	2/9/2022	180-133602-9	WQ	EB (SGWA-5)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-25	2/9/2022	180-133602-10	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	DUP-2	2/9/2022	180-133602-11	GW	FD (SGWC-7)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-8	2/10/2022	180-133638-1	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-9	2/10/2022	180-133638-2	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-11	2/10/2022	180-133638-3	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-12	2/10/2022	180-133638-4	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-16	2/10/2022	180-133638-5	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-18	2/10/2022	180-133638-6	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-22	2/10/2022	180-133638-7	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-23	2/10/2022	180-133638-8	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWA-24	2/10/2022	180-133638-9	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	EB-3	2/10/2022	180-133638-10	WQ	EB (SGWC-12)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	FB-3	2/10/2022	180-133638-11	WQ	FB (SGWA-24)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	DUP-3	2/10/2022	180-133638-12	GW	FD (SGWC-18)	-	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-10	2/11/2022	180-133644-1	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-17	2/11/2022	180-133644-2	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-21	2/11/2022	180-133644-3	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-20	2/11/2022	180-133644-4	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-15	2/11/2022	180-133644-5	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-13	2/11/2022	180-133644-6	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-19	2/11/2022	180-133644-7	GW	-	X	X	X	X	X	X	X	X	X
180-133602-1/180-133602-2	SGWC-14	2/14/2022	180-133781-1	GW	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-13S	2/8/2022	180-133600-1	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-14S	2/8/2022	180-133600-2	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-17I	2/9/2022	180-133600-3	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-39S	2/9/2022	180-133600-4	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-41S	2/9/2022	180-133600-5	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-42I	2/9/2022	180-133600-6	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-43S	2/9/2022	180-133600-7	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-44I	2/9/2022	180-133600-8	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	FB-1	2/9/2022	180-133600-9	WQ	FB (PZ-17I)	-	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	EB-1	2/9/2022	180-133600-10	WQ	EB (PZ-44I)	-	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	DUP-1	2/9/2022	180-133600-11	WG	FD (PZ-41S)	-	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-40I	2/10/2022	180-133641-1	WG	-	X	X	X	X	X	X	X	X	X
180-133600-1/180-133600-2	PZ-69I	2/10/2022	180-133641-2	WG	-	X	X	X	X	X	X	X	X	X
180-133608-1	PZ-25S	2/8/2022	180-133608-1	WG	-	X	X	-	-	-	-	-	-	-
180-133608-1	PZ-25I	2/8/2022	180-133608-2	WG	-	X	X	-	-	-	-	-	-	-

Abbreviations:
 SDG - Sample Delivery Group
 QC - Quality Control
 GW - Groundwater
 WQ - Water quality control
 SW - Solid Waste
 EPA - Environmental Protection Agency
 FB - Field Blank
 EB - Equipment Blank
 FD - Field Duplicate

TABLE 2
Qualifier Summary Table
SCS Plant Scherer

SDG	Sample Name	Constituent	New Result	New RL or MDC	Qualifier	Reason
180-133602-1	SWGA-1, SWGA-2, SWGA-3, SWGA-4, SWGA-5, SGWA-25, SGWC-6, SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-23, SGWC-24, DUP-2, and DUP-3	Ferrous Iron	-	-	R	Analyzed outside of holding time.
180-133602-1	SGWC-11, SGWC-12, SGWC-13, and SGWC-22	Ferrous Iron	-	-	J	Analyzed outside of holding time.
180-133602-1	SWGA-1, SWGA-2, SWGA-3, SWGA-4, SWGA-5, SGWA-25, SGWC-6, SGWC-8, SGWC-10, SGWC-20, and SGWC-23	Ferric Iron	-	-	R	Analyzed outside of holding time.
180-133602-1	SGWC-7, SGWC-9, SGWC-12, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-21, SGWC-22, SGWC-24, DUP-2, and DUP-3	Ferric Iron	-	-	J	Analyzed outside of holding time.
180-133602-1	SGWC-11 and SGWC-13	Ferric Iron	-	-	UJ	Analyzed outside of holding time.
180-133602-1	SGWC-8	Sulfide	3.0	-	U	Method blank contamination
180-133602-1	SGWA-5	Sulfide	-	3.3	U	Equipment blank contamination
180-133602-1	SGWA-3	Fluoride	0.10	-	U	Field blank contamination
180-133602-1	SGWC-7 and DUP-2	Sodium	-	-	J	Field duplicate RPD exceedance
180-133602-1	SGWC-18 and DUP-3	Chromium	-	-	J	Field duplicate RPD exceedance
180-133602-1	SGWC-8	Sulfate	-	-	J-	MSD recovered below QC limits
180-133602-1	SGWC-8	Chloride	-	-	J-	MSD recovered below QC limits
180-133602-1	SGWA-5	TDS	-	-	J	Analyzed outside of holding time.
180-133600-1	PZ-13S, PZ-14S, PZ-17I, PZ-39S, PZ-41S, PZ-43S, DUP-1	Ferrous iron	-	-	UJ	Analyzed outside of holding time.
180-133600-1	PZ-40I, PZ-42I, PZ-69I	Ferrous iron	-	-	J	Analyzed outside of holding time.
180-133600-1	PZ-44I	Ferrous iron	-	0.28	U	Equipment blank contamination. Analyzed outside of holding time.
180-133600-1	PZ-69I	Sulfide	3.0	-	U	Method blank contamination
180-133600-1	PZ-41S	Sulfate	-	-	J	Field duplicate RPD exceedance
180-133600-1	DUP-1	Sulfate	-	-	UJ	Field duplicate RPD exceedance

Abbreviations:

RL : Reporting limit
MDC : Minimum detectable concentration
SDG : Sample delivery group
MS/MSD : Matrix Spike/Matrix Spike Duplicate
RPD: Relative percent difference
QC: Quality control

Qualifiers:

J: estimated
U: Non-detected
J-: estimated, low bias
UJ: Non-detect, estimated
R: Non-detect, rejected result

APPENDIX C

**Data Validation Summaries
August 2022**

**Quality Control Review of Analytical Data- Plant Scherer Ash Pond 1 (AP-1)
Submitted by Eurofins TestAmerica
August - November 2022**

This narrative presents results of the quality control (QC) data review performed on analytical data submitted by Eurofins TestAmerica, Inc. for groundwater samples collected at Plant Scherer CCR Ash Pond 1 (AP-1) between August 24, 2022 and November 16, 2022. The chemical data were reviewed to identify quality issues which could affect the use of the data for decision making purposes.

Information regarding the primary sample locations, analytical parameters, QC samples, sampling dates, and laboratory sample delivery group (SDG) designations is summarized in Table 1. In accordance with groundwater monitoring and corrective action procedures discussed in Title 40 CFR, Subpart D - Standards for the Disposal of Coal Combustion Residuals in Landfills and Surface Impoundments, the samples were analyzed for detection monitoring constituents listed in 40 CFR, Part 257, Appendix III and assessment monitoring constituents listed in 40 CFR, Part 257, Appendix IV. Additional analysis included cations and anions (manganese, potassium, magnesium, sodium), alkalinity (total, carbonate and bicarbonate), ferrous and ferric iron. Test methods included Inductively Coupled Plasma - Mass Spectrometry (USEPA Method 6020B), Mercury in Liquid Wastes (USEPA Method 7470A), Determination of Inorganic Anions by Ion Chromatography (USEPA Method 300.0), Total Dissolved Solids (Standard Methods 2540C), Radium-226 (USEPA Method 9315), Radium-228 (USEPA Method 9320), Alkalinity by Titration through Standard Method 2320B (SM2320B), Ferrous and Ferric iron (Standard Methods 3500).

Data were reviewed in accordance with the US EPA Region IV Data Validation Standard Operating Procedures for Contract Laboratory Program (CLP) Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy (September 2011, Rev. 2.0), US EPA Region IV Data Validation Standard Operating Procedures for CLP Mercury Data by Cold Vapor Atomic Absorption (September 2011, Rev. 2.0), the National Functional Guidelines for Inorganic Superfund Methods Data Review (November 2020), and US Department of Energy, Evaluation of Radiochemical Data Usability (April 1997). The review included an assessment of the results for completeness, precision (field and laboratory duplicates, matrix spike/matrix spike duplicates), accuracy (laboratory control samples and matrix spike samples), and sensitivity (reporting limits and blank contamination (including field and laboratory blanks). Additionally, sample procedures, holding times and chains-of-custody were reviewed. Where there was a discrepancy between the QC criteria in the guidelines and the QC criterion established in the analytic methodology, method-specific criteria or professional judgment was used.

DATA QUALITY OBJECTIVES

Laboratory Precision:	Laboratory goals for precision were met.
Field Precision:	Field goals for precision were met with the exception of TDS, as described in the qualification section below.
Accuracy:	Laboratory goals for accuracy were met with the exception of fluoride and total alkalinity, as described in the qualification section below.
Sensitivity:	Project goals for detection limits were met. One sample (SGWC-17) had elevated RLs due to a smaller aliquot used for analysis due to sample matrix. Certain samples were diluted due to elevated concentrations of target analytes. Dilutions do not require qualifications based on USEPA guidelines. Detection and reporting limits of non-detect compounds are elevated proportional to the dilution when

undiluted sample results are not provided by the laboratory. The data usability of diluted results was evaluated by the data user in the context of site-wide characterization. Detections were found in certain blank results, as described in the qualification sections below.

Holding Times: All holding time requirements were met in accordance with specific analytical methods with the exception of ferric iron, total dissolved solids (TDS), total alkalinity, bicarbonate alkalinity, and carbonate alkalinity as described in the qualification section below.

Completeness: Several non-detect ferric iron and alkalinity (total, bicarbonate, carbonate) results were rejected during this event due to exceedances of the analytical holding time.

QUALIFICATIONS

In general, chemical results for the samples collected at the Site were qualified based on imprecision or inaccuracy, or based on professional judgment. The following definitions provide brief explanations of the qualifiers which may have been assigned to data by the laboratory.

- J** The analyte was positively identified above the method detection limit; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- U** The analyte was not detected above the method detection limit.
- UJ** The analyte was not detected above the method detection limit and the associated numerical value is the approximate concentration of the analyte in the sample.
- UR** The analyte was not detected above the method detection limit and the associated analyte was run over two times the recommended holding time.

The data generated as part of this sampling event met the QC criteria established in the respective analytical methods and data validation guidelines except as specified below. Although these qualifications were applied to data from samples collected at the site and reported in sample delivery groups (SDGs) 680-219964-1, 680-219964-2, 680-224207-1, 680-224500-1, and 680-225766-1, qualifications may not have been required or applied to all samples collected. A summary of sample qualifications can be found in Table 2.

- Fluoride results in sample SGWA-25, from SDG 680-219964-1, were qualified as estimated, non-detect (UJ) when the associated MS and/or MSD recovered above laboratory criteria, as well as having method blank qualification. Total alkalinity results in sample SGWA-3 were qualified as J when the associated LCS recovered above upper QC limits.
- Certain TDS results from SDG 680-219964-1 exceeded the relative percent difference (RPD) between the parent and duplicate sample. Detected and non-detected results were qualified as estimated (J or UJ).
- Certain arsenic, antimony, bicarbonate alkalinity, total alkalinity, fluoride, lead, lithium, TDS, total radium, and radium 228 results from SDGs 680-219964-1 and 680-219964-2, were qualified as non-detect (U) when the analyte was detected at a similar concentration in an associated field or laboratory blank sample. As shown in Table 2, if the original sample results were below the reporting limit (RL), the results were qualified as non-detect (U) and the RL was reported as the new results. If the original sample results were greater than the RL, the results were qualified U and the RL was raised to the sample result. For radiological data, if one radium isomer was U

qualified for a blank detection, and the other isomer was greater than the MDC, total radium was qualified J+.

- Results for ferric iron from SDG 680-219964-1, were analyzed outside of the analytical method holding time of 24 hours. Results for total alkalinity, bicarbonate alkalinity, and carbonate alkalinity from SDG 680-219964-1 were analyzed outside of the analytical holding time of 14 days. Detected results were qualified as estimated (J), non-detects analyzed within 28 days of collection as UJ, and non-detects analyzed past 2x the analytical holding time as rejected (UR).
- The TDS results for samples SGWC-16, SGWC-17, and DUP-2 from SDG 680-219964-1 were analyzed outside of the analytical method holding time and were qualified as estimated (J) value. These wells were resampled on 10/25/2022 and 10/31/2022 to ensure Golder received analytical data that was within holding time for TDS.

As described above, 86% of the results were acceptable for project use. The data, except those rejected, are considered usable for meeting project objectives and the results are considered valid.

REFERENCE

Paar J.G. and Porterfield D.R., April 1997, US Department of Energy, Evaluation of Radiochemical Data Usability.

US EPA, November 2020, National Functional Guidelines for Inorganic Superfund Methods Data Review, Office of Superfund Remediation and Technology Innovation. OLEM 9240.0-51 [EPA 540-R-20-005]. Washington. DC, November 2020.

USEPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data By Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy, Revision 2.0.

USEPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Mercury Data By Cold Vapor Atomic Absorption, Revision 2.0.

TABLE 1

Sample Summary Table
SCS Plant Scherer

SDGs	Field Identification	Collection Date	Lab Identification	Matrix	QC Samples	Analyses							
						Field pH	Field Ferrous Iron	Total Metals (EPA 6020B)	Mercury (EPA 7470A)	Anions (EPA 300.0)	Total Dissolved Solids (SM 2540C)	Alkalinity (SM 2320B)	Ferric Iron (SM 3500FE D)
680-219964-1/680-219964-2	SGWA-1	8/17/2022	680-219964-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-2	8/17/2022	680-219964-2	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-3	8/18/2022	680-219967-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-4	8/18/2022	680-219967-2	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-5	8/18/2022	680-219967-3	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-24	8/18/2022	680-219967-4	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWA-25	8/18/2022	680-219967-5	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-7	8/18/2022	680-219967-6	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-8	8/18/2022	680-219967-7	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-9	8/18/2022	680-219967-8	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-11	8/18/2022	680-219967-9	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-12	8/18/2022	680-219967-10	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-13	8/18/2022	680-219967-11	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	FB-1	8/18/2022	680-219967-12	WQ	SGWA-4	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	EB-1	8/18/2022	680-219967-13	WQ	SGWA-4	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	DUP-1	8/18/2022	680-219967-14	WG	SGWC-11	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-6	8/19/2022	680-219967-15	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-10	8/19/2022	680-219967-16	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-14	8/19/2022	680-219967-17	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-15	8/19/2022	680-219967-18	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-19	8/22/2022	680-220073-3	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-20	8/22/2022	680-220073-4	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-21	8/22/2022	680-220073-5	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-22	8/22/2022	680-220073-6	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-23	8/22/2022	680-220073-7	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	FB-2	8/22/2022	680-220073-9	WQ	SGWC-20	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-42I	8/22/2022	680-220076-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-14S	8/23/2022	680-220188-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-39S	8/23/2022	680-220188-2	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-40I	8/23/2022	680-220188-3	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	DUP-3	8/23/2022	680-220188-4	WG	PZ-14S	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	EB-3	8/23/2022	680-220188-5	WQ	PZ-39S	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	FB-3	8/23/2022	680-220188-6	WQ	PZ-40I	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-18	8/23/2022	680-220188-7	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	EB-2	8/23/2022	680-220188-8	WQ	SGWC-18	-	-	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-13S	8/24/2022	680-220258-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-17I	8/24/2022	680-220258-2	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-25I	8/24/2022	680-220258-3	WG	-	X	-	X	-	-	-	-	-
680-219964-1/680-219964-2	PZ-25S	8/24/2022	680-220258-4	WG	-	X	-	X	-	-	-	-	-
680-219964-1/680-219964-2	PZ-41S	8/24/2022	680-220258-5	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-43S	8/24/2022	680-220258-6	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-44I	8/24/2022	680-220258-7	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	PZ-69I	8/24/2022	680-220258-8	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-16	8/31/2022	680-220489-1	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	SGWC-17	8/31/2022	680-220489-2	WG	-	X	X	X	X	X	X	X	X
680-219964-1/680-219964-2	DUP-2	8/31/2022	680-220489-3	WG	SGWC-16	-	-	X	X	X	X	X	X
680-224207-1	SGWC-16	10/25/2022	680-224207-1	WG	-	X	-	-	-	X	X	-	-
680-224207-1	SGWC-17	10/25/2022	680-224207-2	WG	-	X	-	-	-	X	X	-	-
680-224207-1	DUP-2	10/25/2022	680-224207-3	WG	FD (SGWC-16)	-	-	-	-	X	X	-	-
680-224500-1	SGWC-18	10/31/2022	680-224500-1	WG	-	X	-	-	X	-	-	-	-
680-224500-1	SGWC-19	10/31/2022	680-224500-2	WG	-	X	-	-	X	-	-	-	-
680-224500-1	SGWC-20	10/31/2022	680-224500-3	WG	-	X	-	-	X	-	-	-	-
680-224500-1	SGWC-21	10/31/2022	680-224500-4	WG	-	X	-	-	X	-	-	-	-
680-224500-1	SGWC-22	10/31/2022	680-224500-5	WG	-	X	-	-	X	-	-	-	-
680-224500-1	SGWC-23	10/31/2022	680-224500-6	WG	-	X	-	-	X	-	-	-	-
680-224500-1	PZ-14S	10/31/2022	680-224500-7	WG	-	X	-	-	X	-	-	-	-
680-224500-1	PZ-39S	10/31/2022	680-224500-8	WG	-	X	-	-	X	-	-	-	-
680-224500-1	PZ-40I	10/31/2022	680-224500-9	WG	-	X	-	-	X	-	-	-	-
680-224500-1	PZ-42I	10/31/2022	680-224500-10	WG	-	X	-	-	X	-	-	-	-
680-225766-1	SGWC-16	11/16/2022	680-225766-1	WG	-	X	-	-	-	X	-	-	-
680-225766-1	SGWC-17	11/16/2022	680-225766-2	WG	-	X	-	-	-	X	-	-	-
680-225766-1	DUP-2	11/16/2022	680-225766-3	WG	FD (SGWC-16)	-	-	-	-	X	-	-	-

Abbreviations:

- SDG- Sample Delivery Group
- QC - Quality Control
- WG - Groundwater
- WQ - Water quality control
- SM - Standard Method
- EPA - Environmental Protection Agency
- FB - Field Blank
- EB - Equipment Blank
- FD - Field Duplicate

TABLE 2
Qualifier Summary Table
SCS Plant Scherer

SDG	Sample Name	Constituent	New Result	New RL or MDC	Qualifier	Reason
680-219964-1	SGWA-2, SGWA-4, SGWA-5, SGWA-24, SGWA-25, SGWC-7, SGWC-8, SGWC-9, SGWC-11, SGWC-12, SGWC-13, SGWC-6, SGWC-10, SGWC-14, SGWC-19, SGWC-21, SGWC-22, SGWC-23, PZ-42I, PZ-14S, PZ-39S, PZ-40I, DUP-3, PZ-13S, PZ-17I, PZ-41S, PZ-43S, PZ-44I, PZ-69I, SGWC-16, SGWC-17, DUP-2	Total Alkalinity	-	-	J	Analyzed outside of holding time.
680-219964-1	SGWA-1	Total Alkalinity	-	11	U	Method blank contamination
680-219964-1	SGWA-3	Total Alkalinity	-	-	J	Analyzed outside of holding time. LCS recovered above upper control limits
680-219964-1	SGWA-4	Total Alkalinity	-	110	U	Field blank contamination
680-219964-1	DUP-1, SGWC-15, SGWC-18, SGWC-20	Total Alkalinity	-	-	UR	Analyzed outside of holding time.
680-219964-1	SGWA-2, SGWA-3, SGWA-4, SGWA-5, SGWA-24, SGWA-25, SGWC-7, SGWC-8, SGWC-9, SGWC-11, SGWC-12, SGWC-13, SGWC-6, SGWC-10, SGWC-14, SGWC-19, SGWC-21, SGWC-22, SGWC-23, PZ-42I, PZ-14S, PZ-39S, PZ-40I, DUP-3, PZ-13S, PZ-17I, PZ-41S, PZ-43S, PZ-44I, PZ-69I, SGWC-16, SGWC-17, DUP-2	Bicarbonate Alkalinity	-	-	J	Analyzed outside of holding time.
680-219964-1	SGWA-1	Bicarbonate Alkalinity	-	11	U	Method blank contamination
680-219964-1	SGWA-4	Bicarbonate Alkalinity	-	110	U	Field blank contamination
680-219964-1	DUP-1, SGWC-15, SGWC-20, SGWC-18	Bicarbonate Alkalinity	-	-	UR	Analyzed outside of holding time.
680-219964-1	SGWC-9	Carbonate Alkalinity	-	-	J	Analyzed outside of holding time.
680-219964-1	SGWC-21, PZ-14S, PZ-39S, PZ-40I, DUP-3, SGWC-16, SGWC-17, DUP-2	Carbonate Alkalinity	-	-	UJ	Analyzed outside of holding time.
680-219964-1	SGWA-2, SGWA-3, SGWA-4, SGWA-5, SGWA-24, SGWA-25, SGWC-7, SGWC-8, SGWC-11, SGWC-12, SGWC-13, DUP-1, SGWC-6, SGWC-10, SGWC-14, SGWC-15, SGWC-19, SGWC-20, SGWC-22, SGWC-23, PZ-42I, SGWC-18, PZ-13S, PZ-17I, PZ-41S, PZ-43S, PZ-44I, PZ-69I	Carbonate Alkalinity	-	-	UR	Analyzed outside of holding time.
680-219964-1	SGWC-20	Antimony	0.002	-	U	Field blank contamination
680-219964-1	SGWC-19	Antimony	0.002	-	U	Method blank contamination
680-219964-1	SGWC-20	Antimony	0.002	-	U	Method blank contamination
680-219964-1	SGWC-21	Antimony	0.002	-	U	Method blank contamination
680-219964-1	SGWC-22	Antimony	-	0.0022	U	Method blank contamination
680-219964-1	SGWC-23	Antimony	0.002	0.00098	U	Method blank contamination
680-219964-1	PZ-42I	Arsenic	0.001	-	U	Method blank contamination
680-219964-1	SGWA-1, SGWA-24, SGWA-25, SGWC-12, SGWC-13, SGWC-14, SGWC-21, SGWC-22, PZ-42I, PZ-14S, PZ-39S, PZ-40I, SGWC-18, PZ-13S, PZ-17I, PZ-41S, PZ-43S, PZ-44I, PZ-69I, SGWC-17	Ferric Iron	-	-	J	Analyzed outside of holding time.
680-219964-1	SGWA-2, SGWA-3, SGWA-4, SGWA-5, SGWC-7, SGWC-8, SGWC-9, SGWC-11, SGWC-6, SGWC-10, SGWC-15, SGWC-19, SGWC-20, SGWC-23, PZ-43S, SGWC-16	Ferric Iron	-	-	UR	Analyzed outside of holding time.
680-219964-1	SGWA-4	Fluoride	0.1	-	U	Equipment and Field blank contamination
680-219964-1	SGWC-18	Fluoride	0.1	-	U	Equipment blank contamination
680-219964-1	PZ-40I	Fluoride	0.1	-	U	Field blank contamination
680-219964-1	PZ-39S	Fluoride	0.1	-	U	Equipment blank contamination
680-219964-1	DUP-1	Fluoride	-	0.033	U	Method blank contamination
680-219964-1	SGWA-24	Fluoride	-	0.051	U	Method blank contamination
680-219964-1	SGWA-25	Fluoride	-	0.044	UJ	Method blank contamination; MSD recovery above upper QC Limit.
680-219964-1	SGWA-3	Fluoride	-	0.034	U	Method blank contamination
680-219964-1	SGWA-4	Fluoride	-	0.056	U	Method blank contamination
680-219964-1	SGWA-5	Fluoride	-	0.036	U	Method blank contamination
680-219964-1	SGWC-11	Fluoride	-	0.034	U	Method blank contamination
680-219964-1	SGWC-12	Fluoride	-	0.052	U	Method blank contamination
680-219964-1	SGWC-13	Fluoride	-	0.038	U	Method blank contamination
680-219964-1	SGWC-7	Fluoride	-	0.14	U	Method blank contamination
680-219964-1	SGWC-20	Lead	0.01	-	U	Method blank contamination
680-219964-1	SGWC-21	Lead	0.01	-	U	Method blank contamination
680-219964-1	SGWC-22	Lead	0.01	-	U	Method blank contamination
680-219964-1	SGWA-1	Lithium	0.005	-	U	Method blank contamination
680-219964-1	SGWA-2	Lithium	0.005	-	U	Method blank contamination
680-219964-1	PZ-40I	Total Dissolved Solids	-	100	U	Field blank contamination
680-219964-1	SGWA-1	Total Dissolved Solids	-	82	U	Method blank contamination
680-219964-1	DUP-1	Total Dissolved Solids	-	67	UJ	Method blank contamination. Field duplicate exceeds QC criteria
680-219964-1	SGWA-3	Total Dissolved Solids	-	64	U	Method blank contamination
680-219964-1	SGWA-5	Total Dissolved Solids	-	94	U	Method blank contamination
680-219964-1	SGWC-11	Total Dissolved Solids	-	-	J	Field duplicate exceeds QC criteria
680-219964-1 / 680-224207-1	SGWC-16, SGWC-17, DUP-2	Total Dissolved Solids	-	-	J	Analyzed outside of holding time.
680-219964-2	SGWA-1, SGWA-3, SGWA-5, SGWC-8, SGWC-10	Total Radium	-	-	J+	Method blank contamination
680-219964-2	PZ-40I	Total Radium	-	-	J+	Field blank contamination
680-219964-2	SGWA-1	Radium 228	0.484	-	U	Method blank contamination
680-219964-2	SGWA-3	Radium 228	0.436	-	U	Method blank contamination
680-219964-2	SGWA-5	Radium 228	0.445	-	U	Method blank contamination
680-219964-2	SGWC-8	Radium 228	0.388	-	U	Method blank contamination
680-219964-2	SGWC-10	Radium 228	0.429	-	U	Method blank contamination
680-219964-2	SGWA-4	Total Radium	0.578	-	U	Field blank contamination
680-219964-2	PZ-40I	Radium 228	0.45	-	U	Field blank contamination

Abbreviations:

RL : Reporting limit
MDC : Minimum detectable concentration
SDG : Sample delivery group
MS/MSD : Matrix Spike/Matrix Spike Duplicate
LCS: Laboratory control sample
QC: Quality control

Qualifiers:

J: estimated
U: Non-detected
J+: estimated, high bias
UJ: Non-detect, estimated
UR: Non-detect, rejected result

APPENDIX D

**Well Maintenance Repair Memorandum and Well
Condition Assessment Forms**

TECHNICAL MEMORANDUM

DATE December 14, 2022

TO Joju Abraham, PG
Southern Company Services

CC Ben Hodges, Georgia Power Company

FROM Golder Associates USA Inc.

PLANT SCHERER ASH POND 1 – WELL MAINTENANCE AND REPAIR DOCUMENTATION GEORGIA POWER COMPANY

Golder Associates USA Inc. (Golder) has prepared this memorandum to provide documentation of groundwater monitoring well maintenance and/or repair performed at Plant Scherer Ash Pond 1 during the annual reporting period. Repairs and maintenance were completed in accordance with 12-5-134 (5)(D)vii of the Georgia Well Standards Act (1985) for routine visual inspections of groundwater monitoring wells (i.e., at least once every five years) under the direction of a Georgia licensed professional engineer or geologist.

Table 1: Plant Scherer Ash Pond 1 – Well Maintenance Summary

Well ID	Date Performed	Maintenance/Repair Performed
SGWC-15	08/2022	Vegetation cleared to improve access and visibility
SGWC-16	08/2022	Ants cleared to improve access and visibility
SGWC-19	08/2022	Ants cleared to improve access and visibility
SGWC-22	08/2022	Well located in area of construction. Improve drainage area between two access roads. Repairs evaluated after construction complete.
SGWC-23	08/2022	Vegetation cleared to improve access and visibility
SGWA-25	08/2022	Vegetation cleared to improve access and visibility
PZ-2I	08/2022	Well located in area of construction. Improve drainage area between two access roads. Repairs evaluated after construction complete.
PZ-9I	08/2022	Vegetation cleared to improve access and visibility
PZ-17I	08/2022	Vegetation cleared to improve access and visibility
PZ-31I	08/2022	Vegetation cleared to improve access and visibility
PZ-32D	08/2022	Vegetation cleared to improve access and visibility
PZ-32S	08/2022	Vegetation cleared to improve access and visibility

Well ID	Date Performed	Maintenance/Repair Performed
PZ-35I	08/2022	Replaced well label
PZ-36I	08/2022	Vegetation cleared to improve access and visibility
PZ-36S	08/2022	Vegetation cleared to improve access and visibility
PZ-38I	08/2022	Replaced missing washer
PZ-39S	08/2022	Vegetation cleared to improve access and visibility

Golder Associates Inc.

Dawn L. Prell
Technical Principal, Hydrogeologist

Duane Fulton, PG
Senior Geologist

APPENDIX D

**Well Maintenance Repair Memorandum and Well
Condition Assessment Forms**

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-1

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-2

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-3

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-4

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-5

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: _____

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-6

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-7

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-8

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|---|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|--|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|--|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|--|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: _____

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-9

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-10

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-11

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-12

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-13

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-14

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-15

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-16

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-17

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-18

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-19

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-20

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-21

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-22

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-23

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|---|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|--|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|--|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|--|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: _____

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-24

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|---|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|--|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|--|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|--|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: _____

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-25

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Overgrown landscape affects visibility

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-2i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-3S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-5i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-9i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Overgrown landscape affects visibility

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-10S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-11S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-12S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-13S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-14i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-14S

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-15S

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-17i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-19i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged?
If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| B Does the well require redevelopment (low flow/turbidity)? | X | | |
| C | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-19S

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-20i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|---|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|--|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|--|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|--|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: _____

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-21S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-25i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-25S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-26S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-27D

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-27S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-28i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-29S

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-30i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-31i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-32D

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Overgrown landscape affects visibility

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-32S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Overgrown landscape affects visibility

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-33i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-34S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-35i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-36i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-36S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-37i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged?
If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| B Does the well require redevelopment (low flow/turbidity)? | X | | |
| C | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-38i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-39S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | |
|---|---|---|
| A Is the well visible and accessible? | X | |
| B Is the well properly identified with correct well ID? | X | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | |
|--|---|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | |
| B Is the casing free of degradation or deterioration? | X | |
| C Does the casing have a functioning weep hole? | X | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | |
|--|---|--|
| A Is the well pad in good condition (not cracked/broken)? | X | |
| B Is the well pad sloped away from the protective casing? | X | |
| C Is the well pad in complete contact with the ground surface and stable? | X | |
| D Is the well pad in complete contact with the protective casing? | X | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | |
|--|---|--|
| A Does the cap prevent entry of foreign material into the well? | X | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C Is the well properly vented for equilibration of air pressure? | X | |
| D Is the survey point clearly marked on the inner casing? | X | |
| E Is the depth of the well consistent with the original well log? | X | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | |
|---|---|---|
| A Does water recharge adequately when purged? | X | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-40i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|--|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | X | |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-41S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-42i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-43S

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|--|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-44i

Date: 2/8/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-69i

Date: 2/8/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|--|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | X | |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

APPENDIX D

Well Condition Assessment Forms
August 2022

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-1

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-2

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-3

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-4

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-5

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-6

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-7

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-8

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-9

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-10

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-11

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-12

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-13

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-14

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-15

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Pad needs to be cleared of weeds		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-16

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Ants need to be removed from pad		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-17

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-18

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-19

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Remove ants from pad		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-20

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged? If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
B Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-21

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-22

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
Is the well in a high traffic area and does the well			
C require protection from traffic?		X	
Is the drainage around the well acceptable? (no			
D standing water, nor is well located in obvious			
drainage flow path)		X	
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to			
be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and			
water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
Is the well pad in complete contact with the ground surface and			
C stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
Is the casing free of kinks/bends, or any obstructions from			
B foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
Is the casing stable? (Does PVC move easily when touched or			
can be taken apart by hand due to lack of grout or use of slip			
F couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
If dedicated sampling equipment installed, is it in good			
condition and specified in the approved groundwater monitoring			
plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location			
appropriate to 1) achieve the objectives of the Groundwater Monitoring Program			
and 2) comply with the applicable regulatory requirements?			
		X	

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Well located in drainage area between
two roads. May need to be relocated.

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWC-23

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Remove brush from pad		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-24

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: SGWA-25

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
7) Corrective actions as needed, by date: Overgrown landscape affects visibility			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-2i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well		X	
D Is the drainage around the well acceptable? (no		X	
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to Is the casing free of degradation or deterioration?	X		
B	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and Is the well locked and is the lock in good condition?	X		
E	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material inot the well?	X		
B Is the casing free of kinks/bends, or any obstructions from	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location		X	
7) Corrective actions as needed, by date:		Well located in drainage area between two roads. May need to be relocated.	
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-3S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-5i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-9i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)		X	
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well? Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
B Is the well properly vented for equilibration of air pressure?	X		
C Is the survey point clearly marked on the inner casing?	X		
D Is the depth of the well consistent with the original well log?	X		
E Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged? If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
B Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
7) Corrective actions as needed, by date: Overgrown landscape affects visibility			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-10S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-11S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-12S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-13S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-14i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-14S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-15S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-17i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged? If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
B Does the well require redevelopment (low flow/turbidity)?	X		
C Does the well require redevelopment (low flow/turbidity)?	X		
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Weeds need to be removed from pad		
<u>Signature and Seal of PE/PG responsible for inspection</u>	_____		

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-19i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-19S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-20i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-21S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-25i

Date: 8/16/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|---|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-25S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-26S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-27D

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-27S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-28i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well? Is the casing free of kinks/bends, or any obstructions from	X		
B foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log? Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip	X		
F couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged? If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring	X		
B plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-29S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-30i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-31i

Date: 8/16/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|--|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | X | | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well? | X | | |
| B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| C Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log? | X | | |
| F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|--|--|
| A Does water recharge adequately when purged? | X | | |
| B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | X | | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Brush needs to be removed from pad

Signature and Seal of PE/PG responsible for inspection _____

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-32D

Date: 8/16/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|---|---|--|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | X | | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|--|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|--|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|---|---|--|--|
| A Does the cap prevent entry of foreign material into the well?
Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| B Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log?
Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |
| F | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|--|---|--|--|
| A Does water recharge adequately when purged?
If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| B Does the well require redevelopment (low flow/turbidity)? | X | | |
| C | X | | |

- 6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements?**
- | | | | |
|--|---|--|--|
| | X | | |
|--|---|--|--|

Overgrown landscape affects visibility. Wooded area needs to be cleared for better accessibility

7) Corrective actions as needed, by date:

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-32S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?		X	
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?			
	X		
<u>7) Corrective actions as needed, by date:</u>			
	Overgrown landscape affects visibility. Wooded area needs to be cleared for better accessibility		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-33i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-34S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-35i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?		X	
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?		X	
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	Check screws. Replace label.		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-36i

Date: 8/16/22

Yes	No	N/A
-----	----	-----

1) Location/Identification

- | | | | |
|----------|--|---|---|
| A | Is the well visible and accessible? | X | |
| B | Is the well properly identified with correct well ID? | X | |
| C | Is the well in a high traffic area and does the well require protection from traffic? | | X |
| D | Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | |

2) Protective Casing

- | | | | |
|----------|---|---|--|
| A | Is the protective casing free from apparent damage and able to be secured? | X | |
| B | Is the casing free of degradation or deterioration? | X | |
| C | Does the casing have a functioning weep hole? | X | |
| D | Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | |
| E | Is the well locked and is the lock in good condition? | X | |

3) Surface Pad

- | | | | |
|----------|---|---|---|
| A | Is the well pad in good condition (not cracked/broken)? | X | |
| B | Is the well pad sloped away from the protective casing? | X | |
| C | Is the well pad in complete contact with the ground surface and stable? | X | |
| D | Is the well pad in complete contact with the protective casing? | X | |
| E | Is the pad surface clean (not covered with sediment or debris)? | | X |

4) Internal Casing

- | | | | |
|----------|---|---|--|
| A | Does the cap prevent entry of foreign material into the well? | X | |
| B | Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | |
| C | Is the well properly vented for equilibration of air pressure? | X | |
| D | Is the survey point clearly marked on the inner casing? | X | |
| E | Is the depth of the well consistent with the original well log? | X | |
| F | Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | |

5) Sampling: Groundwater Wells Only

- | | | | |
|----------|--|---|---|
| A | Does water recharge adequately when purged? | X | |
| B | If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | |
| C | Does the well require redevelopment (low flow/turbidity)? | | X |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Remove weeds/thorns from pad/well area

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-36S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
7) Corrective actions as needed, by date:			Remove weeds/thorns from pad/well area
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-37i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-38i

Date: 8/16/22

	Yes	No	N/A
--	-----	----	-----

1) Location/Identification

- | | | | |
|--|---|---|--|
| A Is the well visible and accessible? | X | | |
| B Is the well properly identified with correct well ID? | X | | |
| C Is the well in a high traffic area and does the well require protection from traffic? | | X | |
| D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path) | X | | |

2) Protective Casing

- | | | | |
|---|---|--|--|
| A Is the protective casing free from apparent damage and able to be secured? | X | | |
| B Is the casing free of degradation or deterioration? | X | | |
| C Does the casing have a functioning weep hole? | X | | |
| D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand? | X | | |
| E Is the well locked and is the lock in good condition? | X | | |

3) Surface Pad

- | | | | |
|---|---|--|--|
| A Is the well pad in good condition (not cracked/broken)? | X | | |
| B Is the well pad sloped away from the protective casing? | X | | |
| C Is the well pad in complete contact with the ground surface and stable? | X | | |
| D Is the well pad in complete contact with the protective casing? | X | | |
| E Is the pad surface clean (not covered with sediment or debris)? | X | | |

4) Internal Casing

- | | | | |
|--|---|--|--|
| A Does the cap prevent entry of foreign material into the well?
Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)? | X | | |
| B Is the well properly vented for equilibration of air pressure? | X | | |
| D Is the survey point clearly marked on the inner casing? | X | | |
| E Is the depth of the well consistent with the original well log?
Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction) | X | | |
| F | X | | |

5) Sampling: Groundwater Wells Only

- | | | | |
|---|---|---|--|
| A Does water recharge adequately when purged?
If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility? | X | | |
| B | X | | |
| C Does the well require redevelopment (low flow/turbidity)? | | X | |

6) Based on professional judgement, is the well construction / location appropriate to **1)** achieve the objectives of the Groundwater Monitoring Program and **2)** comply with the applicable regulatory requirements? X

7) Corrective actions as needed, by date: Replace missing washer

Signature and Seal of PE/PG responsible for inspection

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-39S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?		X	
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>	remove weeds from pad		
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-40i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-41S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-42i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
7) Corrective actions as needed, by date:			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-43S

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well? Is the casing free of kinks/bends, or any obstructions from	X		
B foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log? Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip	X		
F couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged? If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring	X		
B plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-44i

Date: 8/16/22

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

Groundwater Monitoring Well Integrity Form

Site Name: Plant Scherer

Permit Number:

Well ID: PZ-69i

Date: 8/16/2022

	Yes	No	N/A
<u>1) Location/Identification</u>			
A Is the well visible and accessible?	X		
B Is the well properly identified with correct well ID?	X		
C Is the well in a high traffic area and does the well require protection from traffic?		X	
D Is the drainage around the well acceptable? (no standing water, nor is well located in obvious drainage flow path)	X		
<u>2) Protective Casing</u>			
A Is the protective casing free from apparent damage and able to be secured?	X		
B Is the casing free of degradation or deterioration?	X		
C Does the casing have a functioning weep hole?	X		
D Is the annular space between the casings clear of debris and water, or filled with pea gravel/sand?	X		
E Is the well locked and is the lock in good condition?	X		
<u>3) Surface Pad</u>			
A Is the well pad in good condition (not cracked/broken)?	X		
B Is the well pad sloped away from the protective casing?	X		
C Is the well pad in complete contact with the ground surface and stable?	X		
D Is the well pad in complete contact with the protective casing?	X		
E Is the pad surface clean (not covered with sediment or debris)?	X		
<u>4) Internal Casing</u>			
A Does the cap prevent entry of foreign material into the well?	X		
B Is the casing free of kinks/bends, or any obstructions from foreign objects (such as bailers)?	X		
C Is the well properly vented for equilibration of air pressure?	X		
D Is the survey point clearly marked on the inner casing?	X		
E Is the depth of the well consistent with the original well log?	X		
F Is the casing stable? (Does PVC move easily when touched or can be taken apart by hand due to lack of grout or use of slip couplings in construction)	X		
<u>5) Sampling: Groundwater Wells Only</u>			
A Does water recharge adequately when purged?	X		
B If dedicated sampling equipment installed, is it in good condition and specified in the approved groundwater monitoring plan for the facility?	X		
C Does the well require redevelopment (low flow/turbidity)?		X	
6) Based on professional judgement, is the well construction / location appropriate to 1) achieve the objectives of the Groundwater Monitoring Program and 2) comply with the applicable regulatory requirements?	X		
<u>7) Corrective actions as needed, by date:</u>			
<u>Signature and Seal of PE/PG responsible for inspection</u>			

APPENDIX E

PZ-15S Well Modification Report



August 31, 2022

Joju Abraham
Southern Company Services
241 Ralph McGill Blvd NE
Atlanta, GA 30308
jabraham@southernco.com

**GEORGIA POWER COMPANY PLANT SCHERER ASH POND 1
PZ-15S WELL MODIFICATION REPORT**

Dear Joju,

On behalf of Georgia Power Company (Georgia Power) and Southern Company Services Inc. (SCS), Golder Associates USA, Inc., a member of WSP (Golder), has prepared this report to provide documentation of piezometer modifications performed at the Plant Scherer Ash Pond 1. Piezometer modifications were performed by Southern Company Services, Inc (SCS) personnel, under the oversight and direction of Duane Fulton, a Georgia Registered Professional Geologist (PG).

Based on information provided by Georgia Power, the location of piezometer PZ-15S potentially conflicted with the future expansion of the North Access Route. Upon further review by Georgia Power team on June 15, 2022, the existing piezometer could remain in place; however, to minimize the potential for the piezometer to sustain damage, it was recommended to convert it from an above-grade with stick-up to a flush-mounted piezometer.

Piezometer PZ-15S modifications were performed on July 6, 2022. The well modifications included the removal of the existing bollards, concrete pad, portions of the polyvinyl chloride (PVC) well casing above ground surface and steel protective casing. Following removal of these items, a 2-foot by 2-foot by 6-inch concrete, rebar enforced pad was installed with an 8-inch diameter flush mount manhole with bolt down lid. Additionally, two 6-foot bollards were installed adjacent to the well pad, parallel to the vehicle traffic on the access route. Matt Smith, with SCS construction, inspected the well upgrade and determined the modifications would not impede the expansion of the access route.

A survey of the new well was conducted on August 17, 2022 of the new flush mount modifications to PZ-15S by Jordan Engineering. The survey report is attached along with updated boring log information which includes the new ground control point elevation [497.55 feet North American Vertical Datum (NAVD)], top of casing elevation (497.32 ft NAVD) and geographic coordinates (N 1121487.20 E 2405558.60). The certified survey report is attached.

We appreciate the opportunity to assist SCS and GPC with this project. Should you have any questions or require additional information, please contact the undersigned.

Sincerely

Golder Associates USA Inc.



Dawn L. Prell
Senior Hydrogeologist

DLP/RPK/kld

CC: Ben Hodges, Georgia Power Company

Attachments: Photographic Log, Surveyors Report, Boring Log



Rachel P. Kirkman, PG
Director, Geologist

Attachments

Southern Company CFS
Plant Scherer July 2022 Well O&M (July 6th)

AP – PZ-15s: Removed 4x4' stickup pad and 4 bollards, replaced with 2x2' flush mount with 2 bollards.



OBSERVED WELL ID	WELL ID FROM RECORD DATA	PVC CASING LATITUDE	PVC CASING LONGITUDE	CONTROL NAIL NORTHING	CONTROL NAIL EASTING	CONTROL NAIL ELEVATION	PVC CASING NORTHING	PVC CASING EASTING	TOP OF PVC CASING ELEV.	GROUND ELEVATION	COMMENTS
PZ-15S	same	33.08271228	-83.81087344	1121485.86	2405558.82	497.55	1121487.20	2405558.60	497.32	497.3	



I certify that top of casing and PK nail elevations reflect a relative vertical accuracy of 0.01 feet referencing NAVD88 and were collected using a Topcon DL-502 digital level with closures meeting First Order, Class I level classification. Horizontal positions of casings and PK nails reflect accuracies of 0.50 feet or better and were collected using a JAVAD Triumph-LS+ dual-frequency RTK global positioning system receiver with eGPS VRS corrections referencing the Georgia State Plane, west zone, NAD83(2011) coordinate system in US survey feet. This data was issued on 8/22/22.



RECORD OF WELL CONSTRUCTION

WELL: PZ-15S
PAGE 1 OF 2
ECS38467

SOUTHERN COMPANY SERVICES, INC.
EARTH SCIENCE AND ENVIRONMENTAL ENGINEERING

PROJECT Piezometer Installation

LOCATION Plant Scherer


DATE STARTED 4/28/2015 COMPLETED 4/28/2015 ^{*7/6/2022-modified} GROUND ELEVATION 497.55 ft COORDINATES N 1121487.20 2405558.60

CONTRACTOR Civil Field Services METHOD Hollow Stem Auger EQUIPMENT CME550

DRILLED BY T. Milam LOGGED BY S. Baxter CHECKED BY L. Millet BORING DEPTH 40.1 ft.

GROUND WATER DEPTH: DURING 23.5 ft. COMP. 19.6 ft. DELAYED 19.6 ft. after 24 hrs.

NOTES Surface finishings converted to flushmount protective cover on 07/06/2022 by P. Henry and S. Timothy (SCS) with oversight by D. Fulton (WSP)



2012 WELL CONSTRUCTION RCRD (NO COM) - ESEE DATABASE.GDT - 10/29/20 14:57 - \\VALTRCF001\APARKER\DESKTOP\GPC\ISCHERER LOGS.GPJ

(Continued Next Page)



RECORD OF WELL CONSTRUCTION

WELL: PZ-15S
PAGE 2 OF 2
ECS38467

SOUTHERN COMPANY SERVICES, INC.
EARTH SCIENCE AND ENVIRONMENTAL ENGINEERING

PROJECT Piezometer Installation

LOCATION Plant Scherer


BOREHOLE DATA	DEPTH (ft)	WELL DATA	COMMENTS
ELEV. Strata	(CONTINUED)	Bollards around concrete flushmount cover 4-foot square concrete pad Top of casing Elev. = 497.32	
			ELEV. (DEPTH)
		← Annular Seal: bentonite pellets - 1 Bucket Pel Plug 3/8" coated pellets, 50 lbs/each	(24.9)
		← Filter: Unimin FilterSil - 6 Bags #1A, 50 lbs/each	470.1 (27.3)
	30		467.7 (29.7)
	35	Well: 2" OD PVC (SCH 40) Screen: 10 ft. pre-pack	
457.3	40	← Sump: 0.40 ft.	457.7

2012 WELL CONSTRUCTION RCRD (NO COM) - ESEE DATABASE.GDT - 10/29/20 14:57 - \\VALTRCFPO1\LA\PARKER\DESKTOP\GPC\ISCHERER LOGS.GPJ

APPENDIX F

Statistical Analyses

GROUNDWATER STATS CONSULTING



August 31, 2022

Southern Company Services
Attn: Mr. Joju Abraham
241 Ralph McGill Blvd NE, Bin 10160
Atlanta, Georgia 30308-3374

Re: Plant Scherer Ash Pond (AP)
Statistical Analysis – February 2022 Sample Event

Dear Mr. Abraham,

Groundwater Stats Consulting, formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the February 2022 Semi-Annual Groundwater Detection and Assessment Monitoring of groundwater data for Georgia Power Company's Plant Scherer AP. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals (CCR) from Electric Utilities (CCR Rule, 2015), the Georgia Environmental Protection Division (EPD) Rules for Solid Waste Management Chapter 391-3-4-.10, and follows the United States Environmental Protection Agency (USEPA) Unified Guidance (2009).

Sampling for the Appendix III and IV parameters began in 2016, and at least 8 background samples were collected at each of the groundwater monitoring wells. Sampling is conducted on a semi-annual basis for all constituents. A list of all parameters is provided below.

The monitoring well network, as provided by Southern Company Services, consists of the following:

- **Upgradient well:** SGWA-1, SGWA-2, SGWA-3, SGWA-4, SGWA-5, SGWA-24, and SGWA-25
- **Downgradient wells:** SGWC-6, SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, and SGWC-23

- **Assessment Wells:** PZ-13S, PZ-14S, PZ-17I, PZ-39S, PZ-40I, PZ-41S, PZ-42I, PZ-43S, PZ-44I, and PZ-69I

The assessment wells were first sampled in October 2018 and all data are included on the time series graphs and box plots. These well/constituent pairs are formally evaluated for Appendix IV constituents using confidence intervals when a minimum of 4 samples are available.

Data were sent electronically to Groundwater Stats Consulting, and the statistical analysis was reviewed by Andrew Collins, Project Manager of Groundwater Stats Consulting. The analysis is prepared according to the recommended statistical methodology provided in the Fall 2017 by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance.

The CCR program monitors the constituents listed below. The terms “parameters” and “constituents” are used interchangeably.

- **Appendix III** (Detection Monitoring) - boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- **Appendix IV** (Assessment Monitoring) – antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, combined radium 226 + 228 fluoride, lead, lithium, mercury, molybdenum, selenium, and thallium

Note that when there are no detections present in downgradient wells for a given constituent, statistical analyses are not required. A list of Appendix IV downgradient well/constituent pairs containing 100% non-detects follow this letter.

For all constituents, a substitution of the most recent reporting limit is used for non-detect data. This generally gives the most conservative limit in each case. A single reporting limit substitution is used across all wells for a given parameter since the wells are plotted as a group.

Time series plots for Appendix III and IV parameters at all wells are provided for the purpose of screening data at these wells (Figure A). Additionally, a separate section of box plots is included for all constituents at upgradient and downgradient wells (Figure B). The time series plots are used to initially screen for suspected outliers and trends, while the box plots provide visual representation of variation within individual wells and between all wells. Values in background which have been flagged as outliers may be seen in a lighter font and as a disconnected symbol on the graphs. A summary of flagged outliers follows this report (Figure C).

Based on the previous screening, data at all wells for constituents detected in downgradient wells were evaluated for the following: 1) outliers; 2) trends; 3) most appropriate statistical method based on site characteristics of groundwater data upgradient of the facility; and 4) eligibility of downgradient wells when intrawell statistical methods are recommended. Power curves were provided with the screening to demonstrate that the selected statistical methods for the parameters listed above comply with the USEPA Unified Guidance and the Georgia Environmental Protection Division Rules for Solid Waste Management Chapter 391-3-4-.10. The EPA suggests the selected statistical method should provide at least 55% power at 3 standard deviations or at least 80% power at 4 standard deviations.

The original background screening was conducted in 2017 by MacStat Consulting. Values identified as outliers were flagged in the database and excluded prior to construction of statistical limits. Interwell prediction limits, combined with a 1-of-2 resample plan, were recommended.

Interwell tests, which compare downgradient well data to statistical limits constructed from pooled upgradient well data, are appropriate when average concentrations are similar across upgradient wells. Intrawell tests, which compare compliance data from a single well to screened historical data within the same well, are appropriate when upgradient wells exhibit spatial variation; when statistical limits constructed from upgradient wells would not be conservative from a regulatory perspective; and when downgradient water quality is unimpacted compared to upgradient water quality for the same parameter. While data were further tested for intrawell eligibility during the screening, interwell methods were recommended for all Appendix III constituents in accordance with Georgia EPD requirements.

Summary of Statistical Methods:

Based on the evaluation for state and federal regulatory requirements, the following methods were selected for Appendix III and IV constituents:

- Appendix III: Interwell prediction limits, combined with a 1-of-2 resample plan for boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- Appendix IV: Confidence intervals on downgradient well data compared against Ground Water Protection Standards (GWPS) for each Appendix IV constituent

The distribution of data is tested using the Shapiro-Wilk/Shapiro-Francia test for normality. Parametric prediction limits (or tolerance limits or confidence intervals as applicable) are utilized when the screened historical data follow a normal or transformed-

normal distribution. When data cannot be normalized or the majority of data are non-detects, a nonparametric test is utilized. While the false positive rate associated with the parametric limits is based on an annual 10% (5% per semi-annual event) as recommended by the EPA Unified Guidance (2009), the false positive rate associated with the nonparametric limits is dependent upon the available background sample size, number of future comparisons, and verification resample plan. The following approaches are used for handling non-detects (USEPA, 2009):

- No statistical analyses are required on wells and analytes containing 100% non-detects (USEPA Unified Guidance, 2009, Chapter 6).
- When data contain <15% non-detects in background, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the most recent practical quantification limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, the Kaplan-Meier non-detect adjustment is applied to the background data. This technique adjusts the mean and standard deviation of the historical concentrations to account for concentrations below the reporting limit.
- Nonparametric prediction limits are used on data containing greater than 50% non-detects.

Natural systems continuously evolve due to physical changes made to the environment. Examples include capping a landfill, paving areas near a well, or lining a drainage channel to prevent erosion. Periodic updating of background statistical limits is necessary to accommodate these types of changes. In the interwell case, prediction limits are updated with upgradient well data during each event after careful screening for any new outliers. While this was not required for this report, in some cases, deselecting the earlier portion of data may be necessary prior to construction of limits so that resulting statistical limits are conservative (lower) from a regulatory perspective and capable of rapidly detecting changes in groundwater quality. Even though the data are excluded from the calculation, the values will continue to be reported and shown in tables and graphs.

Statistical Analysis of Appendix III Parameters – February 2022

All Appendix III parameters were analyzed using interwell prediction limits. Background (upgradient) well data were re-assessed for potential outliers during this analysis. Values in background which have been flagged as outliers may be seen in a lighter font and as a disconnected symbol on the graphs. No new values were flagged and a summary of previously flagged outliers follows this report (Figure C).

Interwell Prediction Limits

Interwell prediction limits, combined with a 1-of-2 resample plan, were constructed using all historical upgradient well data through February 2022 (Figure D). Interwell prediction limits pool upgradient well data to establish a background limit for an individual constituent. The February 2022 sample from each downgradient well is compared to the background limit to determine whether initial exceedances are present.

In the event of an initial exceedance of compliance well data, the 1-of-2 resample plan allows for collection of one additional sample to determine whether the initial exceedance is confirmed. When a resample confirms the initial exceedance, a statistically significant increase is identified, and further research would be required to identify the cause of the exceedance (i.e., impact from the site, natural variation, or an off-site source). If the resample falls within the statistical limit, the initial exceedance is considered to be a false positive result; therefore, no exceedance is noted, and no further action is necessary. If no resample is collected, the original result is considered a confirmed exceedance. Several prediction limit exceedances were identified for Appendix III parameters. A summary table of the interwell prediction limits follows this letter and includes a list of exceedances.

Trend Test Evaluation – Appendix III

When prediction limit exceedances are identified in downgradient wells, data are further evaluated using the Sen's Slope/Mann Kendall trend test to determine whether concentrations are statistically increasing, decreasing, or stable (Figure E). Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit in downgradient wells to identify whether similar patterns exist upgradient of the site, which is an indication of natural variability in groundwater unrelated to practices at the site. A summary of the trend test results including a list of statistically significant trends follows this letter. Statistically significant trends were noted for the following well/constituent pairs:

Increasing:

- Boron: SGWC-8, SGWC-11, and SGWC-18
- Calcium: SGWA-2, SGWA-4, SGWA-24 (all upgradient), SGWC-17, SGWC-19, SGWC-21, and SGWC-22
- Chloride: SGWC-9, SGWC-12, SGWC-13, SGWC-16, SGWC-18, and SGWC-21
- Sulfate: SGWC-8, SGWC-12, SGWC-16, SGWC-17, SGWC-19, SGWC-21, and SGWC-22
- TDS: SGWC-17 and SGWC-22

Decreasing:

- Boron: SGWC-21 and SGWC-23
- Calcium: SGWC-23
- Chloride: SGWA-3 (upgradient) and SGWC-7
- Sulfate: SGWC-7 and SGWC-23

Statistical Analysis of Appendix IV Parameters – February 2022

For Appendix IV parameters, confidence intervals for each downgradient well/constituent were compared against corresponding Groundwater Protection Standards (GWPS). GWPS were developed as described below. Downgradient well/constituent pairs that containing 100% non-detects do not require analysis. Data from upgradient wells for Appendix IV parameters are reassessed for outliers during each analysis. No new values were flagged and a summary of previously flagged outliers follows this report (Figure C).

Interwell Upper Tolerance Limits

First, interwell tolerance limits were used to calculate site-specific background limits from all available pooled upgradient well data through February 2022 for Appendix IV constituents (Figure F). Parametric tolerance limits are used when data follow a normal or transformed-normal distribution. When data contained greater than 50% non-detects or did not follow a normal or transformed-normal distribution, non-parametric tolerance limits were used.

Groundwater Protection Standards

The background limits were then used when determining the groundwater protection standard (GWPS) under 40 CFR §257.95(h) and Georgia EPD Rule 391-3-4-.10(6)(a). On July 30, 2018, US EPA revised the Federal CCR rule updating GWPS for cobalt, lead, lithium, and molybdenum as described above in 40 CFR §257.95(h)(2). Effective on February 22, 2022, Georgia EPD incorporated the updated GWPS into the current Georgia EPD Rules for Solid Waste Management 391-3-4-.10(6)(a). In accordance with the updated Rules, the GWPS is:

- The maximum contaminant level (MCL) established under §141.62 and §141.66 of this title
- Where an MCL has not been established for a constituent, Federal and State CCR Rules specify levels for cobalt (0.006 mg/L), lead (0.015 mg/L), lithium (0.040 mg/L), and molybdenum (0.100 mg/L)

- The respective background level for a constituent when the background level is higher than the MCL or Federal CCR Rule identified GWPS

Following Georgia EPD Rule requirements and the Federal CCR requirements, GWPS were established for statistical comparison of Appendix IV constituents for this sample event (Figure G).

Confidence Intervals

To complete the statistical comparison to GWPS, confidence intervals were constructed for each of the Appendix IV constituents in downgradient and delineation wells with 4 or more samples.

The Sanitas software was used to calculate the tolerance limits and the confidence intervals, either parametric or nonparametric, as appropriate. Confidence intervals were compared to the GWPS prepared as described above (Figure H). Note that for cobalt at assessment well PZ-43S, the lower confidence limit resulted in a negative number. Therefore, a non-parametric confidence interval was constructed for this well/constituent pair and may be found at the end of Figure H. This is a more conservative approach in that the lower confidence limit reflects the lowest measurement in the data set for that well rather than a negative number.

Only when the entire confidence interval is above a GWPS is the downgradient well/constituent pair considered to exceed its respective standard. If there is an exceedance of the GWPS, a statistically significant level (SSL) exceedance is identified. Summaries of the confidence interval results, along with graphical comparison against GWPS follow this letter. Exceedances were noted for the following well/constituent pairs:

- Cobalt: SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20

Trend Test Evaluation – Appendix IV

Data at wells with confidence interval exceedances are further evaluated using the Sen's Slope/Mann Kendall trend test to determine whether concentrations are statistically increasing, decreasing, or stable (Figure I). Upgradient wells are included in the trend analyses to identify whether similar patterns exist upgradient of the site for the same constituents. When trends are present in upgradient trends, it is an indication of natural variability in groundwater quality unrelated to practices at the site. A summary of the Appendix IV trend test results follows this letter and statistically significant trends were identified for the following well/constituent pairs:

Increasing

- None

Decreasing

- Cobalt: SGWA-1 (upgradient), SGWA-25 (upgradient), SGWC-11, and SGWC-20

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for Plant Scherer AP. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,



Andrew T. Collins
Project Manager



Tristan Clark
Groundwater Analyst



Kristina L. Rayner
Senior Statistician

100% Non-Detects: Appendix IV Downgradient & Delineation

Analysis Run 4/28/2022 6:06 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Antimony (mg/L)

SGWC-11, SGWC-12, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, SGWC-6, SGWC-8, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-40I, PZ-42I

Arsenic (mg/L)

PZ-41S, PZ-43S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Beryllium (mg/L)

SGWC-11, SGWC-12, SGWC-13, SGWC-16, SGWC-21, SGWC-23, SGWC-7, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Cadmium (mg/L)

SGWC-10, SGWC-12, SGWC-13, SGWC-16, SGWC-17, SGWC-22, SGWC-23, SGWC-7, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Chromium (mg/L)

SGWC-10, SGWC-11, SGWC-6, SGWC-9, PZ-43S, PZ-40I, PZ-42I

Cobalt (mg/L)

PZ-17I

Fluoride, total (mg/L)

PZ-41S, PZ-14S, PZ-13S, PZ-44I, PZ-40I

Lead (mg/L)

SGWC-11, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Lithium (mg/L)

SGWC-10, SGWC-9

Mercury (mg/L)

SGWC-19, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-17I, PZ-40I, PZ-42I

Molybdenum (mg/L)

SGWC-10, SGWC-11, SGWC-13, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, PZ-41S, PZ-43S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I

Selenium (mg/L)

SGWC-10, SGWC-21, SGWC-22, SGWC-8, SGWC-9, PZ-43S, PZ-14S, PZ-13S

Thallium (mg/L)

SGWC-16, SGWC-19, SGWC-21, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:23 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg	NB	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	200	n/a	2/14/2022	360	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	200	n/a	2/11/2022	310	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	200	n/a	2/11/2022	440	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	200	n/a	2/10/2022	1400	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	200	n/a	2/11/2022	440	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	200	n/a	2/11/2022	350	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	200	n/a	2/11/2022	350	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	200	n/a	2/10/2022	250	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	200	n/a	2/10/2022	230	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	200	n/a	2/10/2022	400	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	200	n/a	2/10/2022	410	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2

Appendix III Trend Tests - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.05263	134	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5485	112	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.06213	-81	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.035	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01258	84	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3668	85	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5317	91	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.547	73	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	4.187	129	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	2.186	105	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.673	70	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.42	101	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.518	-84	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1998	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1738	71	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.083	114	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2122	70	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	2.047	112	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.9202	111	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5302	-85	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.5	118	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.695	104	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.768	147	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.99	125	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	10.52	83	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	10.07	103	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.481	105	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-11.23	-113	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.534	-73	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.384	81	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	23.69	121	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	8.753	76	68	Yes	18	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWA-1 (bg)	0	-5	-68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-2 (bg)	0	-5	-68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-24 (bg)	0	-13	-68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-25 (bg)	0	15	68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-3 (bg)	0	9	68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-4 (bg)	0	15	68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-5 (bg)	0	0	68	No	18	100	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-11	0.05263	134	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-13	-0.005543	-34	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-14	0.03152	54	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-15	-0.0288	-39	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-16	0.008138	46	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-17	0.0108	12	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5485	112	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-19	0	11	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-20	-0.07721	-51	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.06213	-81	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02031	60	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.035	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01258	84	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-9	-0.00758	-27	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-1 (bg)	-0.11	-61	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3668	85	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5317	91	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-25 (bg)	-0.2813	-57	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-3 (bg)	0.1008	23	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.547	73	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-5 (bg)	0.04632	52	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-12	0	29	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-14	0.6759	59	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	4.187	129	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-18	3.935	31	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	2.186	105	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.673	70	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.42	101	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.518	-84	-68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-8	0.8013	61	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-9	-1.56	-44	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-1 (bg)	-0.02063	-18	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-2 (bg)	0	-11	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-24 (bg)	0.06289	29	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-25 (bg)	0	3	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1998	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-4 (bg)	0	2	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-5 (bg)	0	0	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-10	0.05069	15	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-11	0.1046	24	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1738	71	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.083	114	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-14	0	8	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-15	0.1744	60	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2122	70	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-17	0	2	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	2.047	112	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-19	0.02868	14	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-20	0	-19	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.9202	111	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-22	0	34	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2425	61	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5302	-85	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-8	0	-26	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.5	118	68	Yes	18	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Fluoride, total (mg/L)	SGWA-1 (bg)	0	-41	-92	No	22	90.91	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-2 (bg)	-0.002664	-60	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-24 (bg)	-0.007058	-72	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-25 (bg)	-0.002139	-58	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-3 (bg)	0	-5	-92	No	22	68.18	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.003862	-90	-92	No	22	40.91	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-5 (bg)	0	-26	-92	No	22	81.82	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-6	0	-7	-92	No	22	13.64	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-7	-0.002759	-22	-92	No	22	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-8	-0.01342	-57	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-1 (bg)	-0.0364	-72	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-2 (bg)	0.007248	22	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-24 (bg)	0.01136	53	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-25 (bg)	-0.01657	-62	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-3 (bg)	0.02593	69	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-4 (bg)	-0.01681	-61	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-5 (bg)	0	0	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-15	-0.01445	-35	-81	No	20	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.02671	79	81	No	20	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-20	-0.005116	-19	-81	No	20	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-1 (bg)	0	10	68	No	18	27.78	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-2 (bg)	0	33	68	No	18	66.67	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-24 (bg)	0	7	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-25 (bg)	0	21	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1358	-60	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1276	-62	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-5 (bg)	0	24	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.695	104	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-13	2.056	51	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-14	0	-8	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-15	0	22	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.768	147	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.99	125	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-18	88.24	54	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	10.52	83	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-20	-6.6	-63	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	10.07	103	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.481	105	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-11.23	-113	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.534	-73	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.384	81	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-9	-11.09	-37	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-1 (bg)	-3.242	-29	-68	No	18	5.556	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-2 (bg)	0	12	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-24 (bg)	0	12	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-25 (bg)	-2.837	-38	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-3 (bg)	2.31	18	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	6.598	63	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-5 (bg)	-3.919	-41	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	2.004	37	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	5.017	41	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	3.122	27	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	23.69	121	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	159.6	57	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.24	58	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	-2.219	-17	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	8.746	33	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	8.753	76	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	-13.95	-65	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	-2.243	-19	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	-15.04	-40	-68	No	18	0	n/a	n/a	0.01	NP

Upper Tolerance Limits Summary Table

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:31 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bq N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Antimony (mg/L)	n/a	0.0021	n/a	n/a	n/a	112	94.64	n/a	0.003199	NP Inter(NDs)
Arsenic (mg/L)	n/a	0.0015	n/a	n/a	n/a	147	86.39	n/a	0.0005313	NP Inter(NDs)
Barium (mg/L)	n/a	0.071	n/a	n/a	n/a	147	0	n/a	0.0005313	NP Inter(normality)
Beryllium (mg/L)	n/a	0.0025	n/a	n/a	n/a	147	94.56	n/a	0.0005313	NP Inter(NDs)
Cadmium (mg/L)	n/a	0.0025	n/a	n/a	n/a	140	98.57	n/a	0.0007609	NP Inter(NDs)
Chromium (mg/L)	n/a	0.021	n/a	n/a	n/a	154	31.17	n/a	0.0003711	NP Inter(normality)
Cobalt (mg/L)	n/a	0.02	n/a	n/a	n/a	147	62.59	n/a	0.0005313	NP Inter(normality)
Combined Radium 226 + 228 (pCi/L)	n/a	1.54	n/a	n/a	n/a	147	0	n/a	0.0005313	NP Inter(normality)
Fluoride, total (mg/L)	n/a	0.16	n/a	n/a	n/a	154	59.74	n/a	0.0003711	NP Inter(normality)
Lead (mg/L)	n/a	0.001	n/a	n/a	n/a	147	93.88	n/a	0.0005313	NP Inter(NDs)
Lithium (mg/L)	n/a	0.005	n/a	n/a	n/a	147	91.84	n/a	0.0005313	NP Inter(NDs)
Mercury (mg/L)	n/a	0.0005	n/a	n/a	n/a	149	91.28	n/a	0.0004795	NP Inter(NDs)
Molybdenum (mg/L)	n/a	0.015	n/a	n/a	n/a	140	91.43	n/a	0.0007609	NP Inter(NDs)
Selenium (mg/L)	n/a	0.005	n/a	n/a	n/a	147	91.16	n/a	0.0005313	NP Inter(NDs)
Thallium (mg/L)	n/a	0.001	n/a	n/a	n/a	147	91.84	n/a	0.0005313	NP Inter(NDs)

SCHERER ASH POND GWPS				
Constituent Name	MCL	CCR-Rule Specified	Background Limit	GWPS
Antimony, Total (mg/L)	0.006		0.0021	0.006
Arsenic, Total (mg/L)	0.01		0.0015	0.01
Barium, Total (mg/L)	2		0.071	2
Beryllium, Total (mg/L)	0.004		0.0025	0.004
Cadmium, Total (mg/L)	0.005		0.0025	0.005
Chromium, Total (mg/L)	0.1		0.021	0.1
Cobalt, Total (mg/L)		0.006	0.02	0.02
Combined Radium, Total (pCi/L)	5		1.54	5
Fluoride, Total (mg/L)	4		0.16	4
Lead, Total (mg/L)		0.015	0.001	0.015
Lithium, Total (mg/L)		0.04	0.005	0.04
Mercury, Total (mg/L)	0.002		0.0005	0.002
Molybdenum, Total (mg/L)		0.1	0.015	0.1
Selenium, Total (mg/L)	0.05		0.005	0.05
Thallium, Total (mg/L)	0.002		0.001	0.002

Grey cell indicates Background Limit is higher than MCL or CCR-Rule Specified Level

**GWPS = Groundwater Protection Standard*

**MCL = Maximum Contaminant Level*

**CCR = Coal Combustion Residuals*

Confidence Intervals - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Cobalt (mg/L)	SGWC-10	0.03111	0.02168	0.02	Yes	21	0.0264	0.00854	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02809	0.02162	0.02	Yes	21	0.02486	0.005868	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2751	0.2574	0.02	Yes	21	0.2663	0.01604	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-18	0.1536	0.1133	0.02	Yes	21	0.1334	0.03648	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-20	0.2159	0.1612	0.02	Yes	21	0.1885	0.04958	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony (mg/L)	SGWC-10	0.002	0.0014	0.006	No	15	0.00196	0.0001549	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-13	0.002	0.0004	0.006	No	15	0.001893	0.0004131	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-18	0.002	0.0012	0.006	No	14	0.001943	0.0002138	92.86	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-7	0.002	0.0004	0.006	No	15	0.001893	0.0004131	93.33	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-10	0.001	0.00074	0.01	No	21	0.0009443	0.000145	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-11	0.0011	0.00076	0.01	No	21	0.001005	0.00009908	57.14	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-12	0.0011	0.00076	0.01	No	21	0.0008938	0.0002434	57.14	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-13	0.0014	0.00088	0.01	No	21	0.0009733	0.0001638	80.95	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-14	0.0012	0.0007	0.01	No	21	0.0009738	0.0001785	76.19	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-15	0.001461	0.0009087	0.01	No	21	0.00127	0.0004852	19.05	Kaplan-Meier	No	0.01	Param.
Arsenic (mg/L)	SGWC-16	0.001	0.00055	0.01	No	21	0.0009248	0.0001929	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-17	0.001	0.00075	0.01	No	21	0.0009131	0.0001784	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-18	0.003211	0.001851	0.01	No	21	0.002531	0.001233	0	None	No	0.01	Param.
Arsenic (mg/L)	SGWC-19	0.001	0.00068	0.01	No	21	0.0009648	0.0001124	90.48	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-20	0.001	0.00051	0.01	No	21	0.0008495	0.0003256	42.86	None	No	0.01	NP (normality)
Arsenic (mg/L)	SGWC-21	0.001	0.00076	0.01	No	21	0.0009886	0.00005237	95.24	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-22	0.001	0.00089	0.01	No	21	0.0008805	0.0002456	76.19	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-23	0.001	0.00079	0.01	No	21	0.0009714	0.00009462	90.48	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-6	0.001	0.0006	0.01	No	21	0.0009286	0.0001814	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-7	0.001	0.0006	0.01	No	21	0.0008895	0.0001945	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-8	0.001	0.00076	0.01	No	21	0.0008938	0.0002063	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-9	0.001	0.00074	0.01	No	21	0.0008705	0.0002169	57.14	None	No	0.01	NP (NDs)
Barium (mg/L)	SGWC-10	0.03223	0.02774	2	No	21	0.02999	0.004073	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-11	0.04281	0.03827	2	No	21	0.04054	0.004115	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-12	0.05143	0.04014	2	No	21	0.04579	0.01023	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-13	0.03466	0.02778	2	No	21	0.03122	0.006239	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-14	0.05871	0.0507	2	No	21	0.0547	0.007264	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-15	0.03801	0.03185	2	No	21	0.03493	0.005586	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-16	0.0268	0.02042	2	No	21	0.02361	0.005776	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-17	0.02252	0.01927	2	No	21	0.0209	0.002948	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-18	0.02357	0.0157	2	No	21	0.02006	0.007469	0	None	sqrt(x)	0.01	Param.
Barium (mg/L)	SGWC-19	0.04035	0.03339	2	No	21	0.03687	0.006307	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-20	0.03355	0.02505	2	No	21	0.0293	0.007704	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-21	0.11	0.091	2	No	21	0.1	0.01294	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-22	0.09034	0.07986	2	No	21	0.0851	0.009499	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-23	0.08336	0.06879	2	No	21	0.07608	0.01321	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-6	0.1095	0.06841	2	No	21	0.08897	0.03727	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-7	0.2955	0.2529	2	No	21	0.2742	0.03857	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-8	0.19	0.17	2	No	21	0.1817	0.02001	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-9	0.06641	0.05453	2	No	21	0.06047	0.01076	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-10	0.0025	0.00026	0.004	No	21	0.002393	0.0004888	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-14	0.0025	0.00053	0.004	No	21	0.002297	0.0006443	90.48	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-15	0.00053	0.00037	0.004	No	21	0.000709	0.000752	14.29	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-17	0.0025	0.00028	0.004	No	21	0.002394	0.0004844	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-18	0.0025	0.00033	0.004	No	21	0.00137	0.001105	47.62	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-19	0.0025	0.0002	0.004	No	21	0.001948	0.001012	76.19	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-20	0.0008141	0.0006679	0.004	No	21	0.000741	0.0001325	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-22	0.0025	0.00033	0.004	No	21	0.002397	0.0004735	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-6	0.0025	0.0002	0.004	No	21	0.00239	0.0005019	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-8	0.0025	0.0003	0.004	No	21	0.002285	0.0006785	90.48	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-11	0.0025	0.00022	0.005	No	20	0.002386	0.0005098	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-14	0.0025	0.00057	0.005	No	20	0.002285	0.0006646	90	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-15	0.0025	0.00027	0.005	No	20	0.001189	0.001099	40	None	No	0.01	NP (normality)
Cadmium (mg/L)	SGWC-18	0.0025	0.00032	0.005	No	20	0.001822	0.001063	70	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-19	0.0025	0.00036	0.005	No	20	0.002393	0.0004785	95	None	No	0.01	NP (NDs)

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Cadmium (mg/L)	SGWC-20	0.0025	0.000108	0.005	No	20	0.00226	0.0007375	90	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-21	0.0025	0.00039	0.005	No	20	0.002394	0.0004718	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-6	0.0025	0.00022	0.005	No	20	0.002386	0.0005098	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-8	0.0025	0.00031	0.005	No	20	0.00239	0.0004897	95	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-12	0.0023	0.002	0.1	No	21	0.002014	0.00006547	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-13	0.002	0.0017	0.1	No	21	0.001986	0.00006547	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-14	0.002	0.0019	0.1	No	21	0.001871	0.000381	71.43	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-15	0.03487	0.0325	0.1	No	21	0.03369	0.002147	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-16	0.0117	0.009812	0.1	No	21	0.01075	0.001708	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-17	0.00721	0.004433	0.1	No	21	0.005821	0.002517	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-18	0.01026	0.007492	0.1	No	21	0.009039	0.002851	0	None	x^(1/3)	0.01	Param.
Chromium (mg/L)	SGWC-19	0.01574	0.01437	0.1	No	21	0.01506	0.00124	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-20	0.0022	0.0009	0.1	No	21	0.001957	0.0002461	90.48	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-21	0.0022	0.002	0.1	No	21	0.001929	0.0002217	76.19	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-22	0.0024	0.0015	0.1	No	21	0.001857	0.0004154	66.67	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-23	0.001743	0.00133	0.1	No	21	0.00181	0.0003632	42.86	Kaplan-Meier	No	0.01	Param.
Chromium (mg/L)	SGWC-7	0.0026	0.002	0.1	No	21	0.002029	0.0001309	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-8	0.0021	0.0015	0.1	No	21	0.001867	0.0004293	61.9	None	No	0.01	NP (NDs)
Cobalt (mg/L)	PZ-13S	0.007698	0.004252	0.02	No	4	0.005975	0.0007588	0	None	No	0.01	Param.
Cobalt (mg/L)	PZ-39S	0.0006428	0.0001905	0.02	No	4	0.0008975	0.001073	25	Kaplan-Meier	ln(x)	0.01	Param.
Cobalt (mg/L)	PZ-41S	0.0092	0.00093	0.02	No	4	0.003158	0.004031	0	None	No	0.0625	NP (normality)
Cobalt (mg/L)	PZ-43S	0.0086	0.00025	0.02	No	4	0.00308	0.003798	25	None	No	0.0625	NP (selected)
Cobalt (mg/L)	SGWC-10	0.03111	0.02168	0.02	Yes	21	0.0264	0.00854	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02809	0.02162	0.02	Yes	21	0.02486	0.005868	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-12	0.003874	0.002389	0.02	No	21	0.003132	0.001346	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-13	0.006669	0.002958	0.02	No	21	0.00521	0.003749	0	None	sqrt(x)	0.01	Param.
Cobalt (mg/L)	SGWC-14	0.01117	0.006792	0.02	No	21	0.008983	0.003973	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2751	0.2574	0.02	Yes	21	0.2663	0.01604	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-16	0.004328	0.003542	0.02	No	21	0.003935	0.0007124	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-17	0.000845	0.00041	0.02	No	21	0.0008879	0.000813	19.05	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-18	0.1536	0.1133	0.02	Yes	21	0.1334	0.03648	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-19	0.0025	0.00016	0.02	No	21	0.00141	0.001086	47.62	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-20	0.2159	0.1612	0.02	Yes	21	0.1885	0.04958	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-21	0.0025	0.00016	0.02	No	21	0.001605	0.001169	61.9	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-22	0.003376	0.001832	0.02	No	21	0.002604	0.0014	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-23	0.0025	0.00013	0.02	No	21	0.002387	0.0005172	95.24	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-6	0.002217	0.0008878	0.02	No	21	0.002021	0.001148	38.1	Kaplan-Meier	No	0.01	Param.
Cobalt (mg/L)	SGWC-7	0.01036	0.005064	0.02	No	21	0.00771	0.004796	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-8	0.0025	0.00049	0.02	No	21	0.001911	0.0009915	66.67	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-9	0.01196	0.005761	0.02	No	21	0.008862	0.005622	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-10	0.452	0.0222	5	No	21	0.2839	0.3518	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-11	0.4972	0.1656	5	No	21	0.3314	0.3006	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-12	0.4152	0.152	5	No	21	0.2836	0.2386	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-13	0.4499	0.1763	5	No	21	0.3131	0.248	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-14	0.3413	0.05517	5	No	21	0.1982	0.2593	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-15	0.4681	0.2534	5	No	21	0.3607	0.1946	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-16	0.3552	0.1028	5	No	21	0.229	0.2288	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-17	0.4081	0.1719	5	No	21	0.29	0.2141	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-18	0.439	0.17	5	No	21	0.3824	0.3463	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-19	0.431	0.11	5	No	21	0.2823	0.3493	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-20	0.5863	0.2766	5	No	21	0.4315	0.2807	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-21	0.593	0.216	5	No	21	0.44	0.3654	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-22	0.4559	0.13	5	No	21	0.3456	0.4132	0	None	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-23	0.6434	0.3896	5	No	21	0.5165	0.2301	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-6	0.384	0.1343	5	No	21	0.2591	0.2263	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Combined Radium 226 + 228 (pCi/L)	SGWC-7	0.5378	0.3186	5	No	21	0.4282	0.1987	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-8	2.518	2.044	5	No	21	2.281	0.4295	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-9	0.3635	0.1256	5	No	21	0.2446	0.2156	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-10	0.1	0.047	4	No	22	0.08759	0.02729	81.82	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-11	0.1	0.08	4	No	22	0.09414	0.01676	86.36	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-12	0.09725	0.06303	4	No	22	0.08882	0.03134	18.18	Kaplan-Meier	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-13	0.1	0.053	4	No	22	0.08645	0.03009	68.18	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-14	0.1	0.04	4	No	22	0.07868	0.03209	68.18	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-15	0.14	0.12	4	No	22	0.14	0.05403	0	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-16	0.1	0.09	4	No	22	0.0865	0.02858	77.27	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-17	0.07245	0.04562	4	No	22	0.07905	0.0327	40.91	Kaplan-Meier	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-18	0.1	0.099	4	No	22	0.09215	0.03088	63.64	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-19	0.18	0.057	4	No	22	0.09771	0.02741	86.36	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-20	0.2514	0.1798	4	No	22	0.219	0.07267	0	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-21	0.09342	0.06771	4	No	22	0.09114	0.02398	31.82	Kaplan-Meier	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-22	0.1	0.1	4	No	22	0.08868	0.025	77.27	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-23	0.1	0.046	4	No	22	0.07655	0.02694	40.91	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-6	0.1429	0.1026	4	No	22	0.1247	0.03988	13.64	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-7	0.235	0.1845	4	No	22	0.2098	0.04702	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-8	0.46	0.3674	4	No	22	0.4137	0.08622	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-9	0.08327	0.05916	4	No	22	0.08414	0.02351	40.91	Kaplan-Meier	No	0.01	Param.
Lead (mg/L)	SGWC-10	0.001	0.00014	0.001	No	21	0.0008762	0.0003108	85.71	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-12	0.001	0.0002	0.001	No	21	0.0009619	0.0001746	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-13	0.001	0.00039	0.001	No	21	0.000971	0.0001331	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-14	0.001	0.00066	0.001	No	21	0.0009438	0.0001943	90.48	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-15	0.001	0.00023	0.001	No	21	0.0009633	0.000168	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-16	0.001	0.00013	0.001	No	21	0.0009586	0.0001898	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-17	0.001	0.00017	0.001	No	21	0.0009605	0.0001811	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-18	0.001	0.00071	0.001	No	21	0.0009524	0.0001644	90.48	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-19	0.001	0.00033	0.001	No	21	0.0009681	0.0001462	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-20	0.001	0.00025	0.001	No	21	0.0005933	0.0003681	42.86	None	No	0.01	NP (normality)
Lead (mg/L)	SGWC-21	0.001	0.00041	0.001	No	21	0.0008133	0.0003463	76.19	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-22	0.001	0.00019	0.001	No	21	0.0008419	0.000334	80.95	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-23	0.001	0.00009	0.001	No	21	0.0009567	0.0001986	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-6	0.001	0.0002	0.001	No	21	0.0009619	0.0001746	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-7	0.001	0.00085	0.001	No	21	0.0009114	0.0002569	85.71	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-8	0.001	0.00062	0.001	No	21	0.0009481	0.000172	90.48	None	No	0.01	NP (NDs)
Lithium (mg/L)	PZ-441	0.06169	0.0004218	0.005	No	5	0.0227	0.02646	20	Kaplan-Meier	sqrt(x)	0.01	Param.
Lithium (mg/L)	SGWC-11	0.005	0.0029	0.005	No	21	0.004095	0.001374	66.67	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-12	0.005	0.0011	0.005	No	21	0.004814	0.000851	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-13	0.005	0.0014	0.005	No	21	0.004829	0.0007856	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-14	0.005	0.0011	0.005	No	21	0.004814	0.000851	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-15	0.005	0.0034	0.005	No	21	0.004162	0.0009729	52.38	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-16	0.005	0.0015	0.005	No	21	0.004833	0.0007638	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-17	0.005	0.0014	0.005	No	21	0.004829	0.0007856	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-18	0.004753	0.00399	0.005	No	21	0.004662	0.0006569	23.81	Kaplan-Meier	No	0.01	Param.
Lithium (mg/L)	SGWC-19	0.0072	0.0022	0.005	No	21	0.004833	0.001013	85.71	Kaplan-Meier	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-20	0.004803	0.004007	0.005	No	20	0.004405	0.0007007	5	None	No	0.01	Param.
Lithium (mg/L)	SGWC-21	0.005	0.0038	0.005	No	21	0.004324	0.001335	76.19	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-22	0.005	0.0033	0.005	No	21	0.004619	0.00102	85.71	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-23	0.005	0.0032	0.005	No	21	0.004262	0.0008953	47.62	None	No	0.01	NP (normality)
Lithium (mg/L)	SGWC-6	0.005	0.0013	0.005	No	21	0.004824	0.0008074	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-7	0.005296	0.004244	0.005	No	20	0.00477	0.0009257	0	None	No	0.01	Param.
Lithium (mg/L)	SGWC-8	0.005	0.0021	0.005	No	21	0.004095	0.001478	71.43	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-10	0.0002	0.00013	0.002	No	21	0.0001967	0.00001528	95.24	None	No	0.01	NP (NDs)

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Mercury (mg/L)	SGWC-11	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-12	0.0002	0.000093	0.002	No	21	0.0001949	0.00002335	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-13	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-14	0.0002	0.00012	0.002	No	21	0.0001861	0.00003513	80.95	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-15	0.0002	0.00012	0.002	No	21	0.0001579	0.00004451	42.86	None	No	0.01	NP (normality)
Mercury (mg/L)	SGWC-16	0.0002	0.000076	0.002	No	21	0.0001941	0.00002706	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-17	0.0002	0.00017	0.002	No	21	0.00019	0.00002739	85.71	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-18	0.0001726	0.0001126	0.002	No	21	0.0001789	0.0000461	28.57	Kaplan-Meier	No	0.01	Param.
Mercury (mg/L)	SGWC-20	0.0002	0.00013	0.002	No	21	0.000185	0.00003888	85.71	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-21	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-22	0.0002	0.000099	0.002	No	21	0.0001952	0.00002204	95.24	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-23	0.00028	0.00011	0.002	No	21	0.0001891	0.00004286	80.95	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-6	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-7	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-8	0.0002	0.000076	0.002	No	21	0.0001941	0.00002706	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-9	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-12	0.015	0.0012	0.015	No	20	0.01361	0.004263	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-14	0.015	0.003	0.015	No	20	0.01369	0.004046	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-6	0.015	0.00099	0.015	No	20	0.01358	0.004357	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-7	0.00343	0.0012	0.015	No	20	0.004441	0.005468	20	None	No	0.01	NP (normality)
Molybdenum (mg/L)	SGWC-8	0.015	0.0008	0.015	No	20	0.01429	0.003175	95	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-9	0.015	0.00099	0.015	No	20	0.008708	0.007143	55	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-11	0.005	0.00046	0.05	No	21	0.004784	0.0009907	95.24	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-12	0.005	0.00031	0.05	No	21	0.004777	0.001023	95.24	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-13	0.005	0.00064	0.05	No	21	0.004569	0.001364	90.48	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-14	0.005	0.00084	0.05	No	21	0.004595	0.001279	90.48	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-15	0.005	0.0014	0.05	No	21	0.004148	0.002581	52.38	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-16	0.005	0.0013	0.05	No	21	0.003736	0.001851	66.67	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-17	0.005	0.00064	0.05	No	21	0.004341	0.001656	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-18	0.01053	0.003793	0.05	No	21	0.00849	0.008078	4.762	None	x^(1/3)	0.01	Param.
Selenium (mg/L)	SGWC-19	0.005	0.00096	0.05	No	21	0.004385	0.001545	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-20	0.005	0.0012	0.05	No	21	0.003969	0.001826	66.67	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-23	0.005	0.00033	0.05	No	21	0.004324	0.001697	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-6	0.005	0.00057	0.05	No	21	0.004344	0.001646	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-7	0.005	0.00034	0.05	No	21	0.004778	0.001017	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-10	0.001	0.00075	0.002	No	21	0.000909	0.0002526	85.71	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-11	0.001	0.00016	0.002	No	21	0.0009195	0.0002542	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-12	0.001	0.00034	0.002	No	21	0.0009319	0.0002158	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-13	0.001	0.00022	0.002	No	21	0.0009629	0.0001702	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-14	0.0011	0.00035	0.002	No	21	0.0008952	0.0002796	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-15	0.001	0.000098	0.002	No	21	0.0005644	0.0004342	47.62	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-17	0.001	0.00024	0.002	No	21	0.0009638	0.0001658	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-18	0.00029	0.00013	0.002	No	21	0.0003055	0.0002786	9.524	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-20	0.00025	0.00016	0.002	No	21	0.0002629	0.0002509	9.524	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-22	0.001	0.00038	0.002	No	21	0.0009705	0.0001353	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-23	0.001	0.00016	0.002	No	21	0.00096	0.0001833	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-6	0.001	0.00049	0.002	No	21	0.0008652	0.0002897	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-7	0.001	0.00042	0.002	No	21	0.0009352	0.000207	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-8	0.001	0.00079	0.002	No	21	0.0008776	0.0002817	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-9	0.001	0.0004	0.002	No	21	0.0009367	0.0002011	90.48	None	No	0.01	NP (NDs)

Appendix IV Trend Test - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:43 PM

<u>Constituent</u>	<u>Well</u>	<u>Slope</u>	<u>Calc.</u>	<u>Critical</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Normality</u>	<u>Xform</u>	<u>Alpha</u>	<u>Method</u>
Cobalt (mg/L)	SGWA-1 (bg)	-0.003192	-146	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.00225	-157	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003019	-166	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02244	-121	-87	Yes	21	0	n/a	n/a	0.01	NP


Appendix IV Trend Test - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:43 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.003192	-146	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-2 (bg)	0	1	87	No	21	90.48	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-24 (bg)	0	-31	-87	No	21	61.9	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.00225	-157	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-3 (bg)	0	16	87	No	21	95.24	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-4 (bg)	0	5	87	No	21	90.48	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-5 (bg)	0	0	87	No	21	100	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-10	0	5	87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003019	-166	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-15	0	-15	-87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-18	-0.00332	-27	-87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02244	-121	-87	Yes	21	0	n/a	n/a	0.01	NP


FIGURE A.

Time Series




Constituent: Antimony Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 6/29/2022 9:25 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:26 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 6/29/2022 9:26 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series



Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series



Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series

Constituent: Antimony (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.002	<0.002	<0.002	<0.002	<0.002		<0.002		
5/11/2016						<0.002		<0.002	<0.002
6/23/2016	0.0004 (J)	<0.002	0.0003 (J)				<0.002		
6/24/2016					0.0021 (J)	0.0007 (J)			
6/27/2016				0.0003 (J)					
6/28/2016								0.0014 (J)	<0.002
8/16/2016	0.0012 (J)	<0.002	<0.002		<0.002		<0.002		
8/17/2016				<0.002		<0.002		<0.002	<0.002
10/13/2016	<0.002		<0.002						
10/14/2016		<0.002		<0.002	<0.002		<0.002		
10/17/2016						<0.002		<0.002	<0.002
12/5/2016			<0.002						
12/6/2016	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
2/14/2017	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		
2/15/2017								<0.002	<0.002
4/10/2017			<0.002						
4/11/2017	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002		
4/12/2017								<0.002	<0.002
6/26/2017	<0.002	<0.002	<0.002		<0.002	<0.002	<0.002		
6/27/2017				<0.002				<0.002	<0.002
3/26/2018	<0.002	<0.002	<0.002		<0.002				
3/27/2018				<0.002		<0.002	<0.002	<0.002	<0.002
10/5/2018	<0.002	<0.002	<0.002		<0.002		<0.002		
10/8/2018				<0.002		<0.002	<0.002		
10/9/2018								<0.002	
2/18/2019	<0.002	<0.002				<0.002			
2/19/2019			<0.002	<0.002	<0.002		<0.002		
2/20/2019								<0.002	<0.002
3/28/2019				<0.002	<0.002	<0.002	<0.002		
3/29/2019	<0.002	<0.002	<0.002						
2/13/2020	<0.002	<0.002	<0.002						
2/17/2020				<0.002			<0.002		
2/18/2020					<0.002	<0.002			<0.002
2/19/2020								<0.002	
2/9/2021	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
8/17/2021	<0.002	<0.002		<0.002		<0.002			
8/18/2021			<0.002		<0.002		<0.002		
8/19/2021								<0.002	<0.002
2/9/2022	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002		
2/10/2022			<0.002						<0.002
2/11/2022								<0.002	

Time Series

Constituent: Antimony (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.002								
5/12/2016		<0.002	<0.002	<0.002	<0.002	<0.002			<0.002
5/13/2016							<0.002	<0.002	
6/28/2016	<0.002	0.0004 (J)	<0.002	<0.002	<0.002				
6/29/2016						<0.002		<0.002	<0.002
6/30/2016							0.0012 (J)		
8/18/2016	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
8/22/2016							<0.002	<0.002	<0.002
10/17/2016	<0.002	<0.002	<0.002						
10/18/2016				<0.002	<0.002			<0.002	<0.002
10/19/2016						<0.002	<0.002		
12/6/2016	<0.002	<0.002							
12/7/2016			<0.002	<0.002	<0.002	<0.002	<0.002		
12/8/2016								<0.002	<0.002
2/15/2017	<0.002	<0.002 (F1)	<0.002	<0.002		<0.002			
2/16/2017					<0.002		<0.002	<0.002	<0.002
4/12/2017	<0.002	<0.002	<0.002	<0.002					
4/13/2017					<0.002	<0.002	<0.002	<0.002	<0.002
6/27/2017	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
6/28/2017							<0.002	<0.002	<0.002
3/27/2018	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
3/28/2018							<0.002	<0.002	<0.002
10/8/2018	<0.002	<0.002	<0.002		<0.002	<0.002			
10/9/2018								<0.002	
2/20/2019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
2/18/2020									<0.002
2/19/2020	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		<0.002	
2/20/2020							<0.002		
2/9/2021	<0.002	<0.002	<0.002	<0.002	<0.002				
2/10/2021						<0.002	<0.002	<0.002	<0.002
8/18/2021						<0.002	<0.002		
8/19/2021		<0.002	<0.002	<0.002	<0.002			<0.002	<0.002
8/20/2021	<0.002								
2/10/2022	<0.002				<0.002		<0.002		
2/11/2022		<0.002		<0.002		<0.002		<0.002	<0.002
2/14/2022			<0.002						

Time Series

Constituent: Antimony (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022	<0.002	<0.002					
2/9/2022			<0.002	0.00061 (J)		<0.002	
2/10/2022					<0.002		<0.002

Time Series

Constituent: Arsenic (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	0.00103 (J)
6/23/2016	<0.001	<0.001	<0.001				<0.001		
6/24/2016					<0.001	<0.001			
6/27/2016				<0.001					
6/28/2016								<0.001	0.0011 (J)
8/16/2016	0.00065 (J)	0.0005 (J)	<0.001		<0.001		<0.001		
8/17/2016				0.0012 (J)		<0.001		<0.001	0.0011 (J)
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		0.00073 (J)	<0.001		<0.001		
10/17/2016						<0.001		<0.001	0.0011 (J)
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		0.00075 (J)	<0.001	<0.001	<0.001	<0.001	0.00072 (J)
2/14/2017	0.00055 (J)	0.00046 (J)	0.00057 (J)	0.0015 (J)	<0.001	<0.001	<0.001		
2/15/2017								0.0005 (J)	0.0011 (J)
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		0.00072 (J)	<0.001	0.0011 (J)	<0.001		
4/12/2017								<0.001	0.00076 (J)
6/26/2017	0.00081 (J)	0.00089 (J)	0.0009 (J)		0.00063 (J)	0.00055 (J)	0.00079 (J)		
6/27/2017				0.00095 (J)				0.00074 (J)	0.0011 (J)
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				0.00052 (J)		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018					<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				0.00048 (J)	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								0.00059 (J)	0.0011 (J)
9/12/2019							<0.001		
9/13/2019			<0.001						
9/16/2019	<0.001	<0.001		<0.001	<0.001	<0.001			<0.001
9/17/2019								<0.001	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					<0.001	<0.001			<0.001
2/19/2020								<0.001	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	<0.001		<0.001			<0.001			
3/25/2020								<0.001	<0.001
9/14/2020	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/30/2021	<0.001	<0.001	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			<0.001		<0.001		<0.001		

Time Series

Constituent: Arsenic (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
5/13/2016							0.00161 (J)	<0.001	
6/28/2016	0.001 (J)	<0.001	<0.001	0.0026 (J)	<0.001				
6/29/2016						<0.001		<0.001	0.0018 (J)
6/30/2016							0.004 (J)		
8/18/2016	0.00091 (J)	<0.001	<0.001	0.0015	<0.001	<0.001			
8/22/2016							0.0012 (J)	<0.001	0.001 (J)
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				0.0019	<0.001			<0.001	0.00085 (J)
10/19/2016						0.001045 (JD)	0.0019		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	0.00079 (J)	<0.001	<0.001	0.0012 (J)		
12/8/2016								<0.001	<0.001
2/15/2017	0.00076 (J)	<0.001	<0.001	0.00073 (J)		0.00059 (J)			
2/16/2017					<0.001		0.00086 (J)	<0.001	<0.001
4/12/2017	0.00046 (J)	0.00047 (J)	0.00057 (J)	0.0009 (J)					
4/13/2017					<0.001	0.00066 (J)	0.00058 (J)	<0.001	<0.001
6/27/2017	0.0011 (J)	0.00088 (J)	0.00058 (J)	0.0011 (J)	0.00055 (J)	0.00075 (J)			
6/28/2017							0.0011 (J)	0.00068 (J)	0.00094 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
3/28/2018							0.0015	<0.001	<0.001
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
6/8/2018							0.002	<0.001	
10/8/2018	0.0007 (J)	0.00069 (J)	0.0007 (J)		0.00054 (J)	0.00075 (J)			
10/9/2018								0.00058 (J)	
10/16/2018				<0.001					
10/18/2018							0.0031		<0.001
2/20/2019	<0.001	<0.001	<0.001	0.00075 (J)	<0.001	<0.001	0.003	<0.001	<0.001
4/1/2019	0.0012 (J)	0.0014	0.0012 (J)	0.0016					
4/2/2019					<0.001	<0.001	0.0027	<0.001	<0.001
9/16/2019	<0.001								
9/17/2019		<0.001	<0.001	0.0008 (J)	<0.001	<0.001	0.0029	<0.001	0.00037 (J)
2/18/2020									0.00032 (J)
2/19/2020	0.00032 (J)	<0.001	<0.001	0.001	<0.001	<0.001		<0.001	
2/20/2020							0.0031		
3/23/2020								<0.001	0.0005 (J)
3/24/2020						<0.001			
3/26/2020	0.00032 (J)						0.0047		
3/27/2020		<0.001	0.0014	0.0016	<0.001				
9/14/2020	<0.001	<0.001							
9/15/2020			<0.001	0.0014	<0.001	<0.001	0.0045	<0.001	0.00051 (J)
2/9/2021	<0.001	<0.001	<0.001	0.0013	<0.001				
2/10/2021						0.00038 (J)	0.0033	<0.001	0.00059 (J)
3/30/2021							0.0028	<0.001	0.00049 (J)
3/31/2021				0.0012					
4/1/2021					0.00033 (J)	<0.001			
4/6/2021			<0.001						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.0028		
8/19/2021		<0.001	<0.001	0.0014	<0.001			<0.001	0.00066 (J)

Time Series

Constituent: Arsenic (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	<0.001				<0.001		0.0043		
2/11/2022		<0.001		0.0021		<0.001		<0.001	0.00081 (J)
2/14/2022			<0.001						

Time Series

Constituent: Arsenic (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.001				
10/18/2018				<0.001	<0.001	<0.001	
2/8/2022	<0.001	<0.001					
2/9/2022			<0.001	<0.001		<0.001	
2/10/2022					<0.001		0.00059 (J)

Time Series

Constituent: Barium (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.0663	0.0409	0.0214	0.0253	0.036		0.0112		
5/11/2016						0.0484		0.0294	0.038
6/23/2016	0.055	0.0342	0.0204				0.0101		
6/24/2016					0.0343	0.0471			
6/27/2016				0.0253					
6/28/2016								0.0293	0.0363
8/16/2016	0.048	0.034	0.018		0.029		0.0088		
8/17/2016				0.021		0.046		0.029	0.033
10/13/2016	0.061		0.022						
10/14/2016		0.041		0.023	0.034		0.01		
10/17/2016						0.049		0.027	0.035
12/5/2016			0.023						
12/6/2016	0.053	0.042		0.02	0.033	0.047	0.011	0.03	0.035
2/14/2017	0.046	0.035	0.021	0.018	0.032	0.05	0.01		
2/15/2017								0.025	0.036
4/10/2017			0.021						
4/11/2017	0.046	0.037		0.021	0.033	0.053	0.01		
4/12/2017								0.028	0.038
6/26/2017	0.048	0.037	0.022		0.036	0.058	0.011		
6/27/2017				0.024				0.034	0.042
3/26/2018	0.053	0.036	0.022		0.035				
3/27/2018				0.024		0.061	0.01	0.031	0.039
6/5/2018	0.058	0.038	0.022	0.024			0.011		
6/6/2018					0.036	0.058		0.027	0.041
10/5/2018	0.058	0.036	0.024		0.035				
10/8/2018				0.024		0.064	0.011		
10/9/2018								0.032	
10/16/2018									0.037
2/18/2019	0.046	0.035				0.057			
2/19/2019			0.019	0.022	0.033		0.0094		
2/20/2019								0.036	0.044
3/28/2019				0.022	0.036	0.061	0.0097		
3/29/2019	0.044	0.039	0.021						
4/1/2019								0.039	0.041
9/12/2019							0.012		
9/13/2019			0.025						
9/16/2019	0.048	0.045		0.028	0.041	0.068			0.045
9/17/2019								0.029	
2/13/2020	0.042	0.043	0.025						
2/17/2020				0.026			0.01		
2/18/2020					0.04	0.069			0.044
2/19/2020								0.027	
3/17/2020		0.039		0.025	0.037		0.01		
3/18/2020	0.046		0.023			0.071			
3/25/2020								0.036	0.046
9/14/2020	0.043	0.038	0.024	0.026	0.039	0.068	0.011	0.027	0.042
2/9/2021	0.043	0.037	0.023	0.025	0.035	0.065	0.01	0.028	0.043
3/30/2021	0.047	0.039	0.022						
3/31/2021					0.041	0.068	0.011	0.036	
4/7/2021				0.026					0.046
8/17/2021	0.047	0.038		0.027		0.066			
8/18/2021			0.025		0.036		0.011		

Time Series

Constituent: Barium (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.0324								
5/12/2016		0.0198	0.067	0.041	0.0163	0.0157			0.0436
5/13/2016							0.0138	0.0507	
6/28/2016	0.0321	0.0208	0.0668	0.0435	0.0165				
6/29/2016						0.0161 (J)		0.0485	0.0466
6/30/2016							0.0145 (J)		
8/18/2016	0.03	0.022	0.06	0.043	0.017	0.016			
8/22/2016							0.014	0.044	0.038
10/17/2016	0.032	0.024	0.06						
10/18/2016				0.041	0.017			0.042	0.039
10/19/2016						0.021 (D)	0.016		
12/6/2016	0.032	0.025							
12/7/2016			0.063	0.042	0.017	0.018	0.015		
12/8/2016								0.045	0.038
2/15/2017	0.036	0.026	0.061	0.038		0.02			
2/16/2017					0.017		0.013	0.04	0.034
4/12/2017	0.037	0.029	0.062	0.038					
4/13/2017					0.019	0.019	0.012	0.037	0.028
6/27/2017	0.042	0.031	0.06	0.041	0.02	0.019			
6/28/2017							0.012	0.04	0.03
3/27/2018	0.043	0.029	0.055	0.035	0.021	0.02			
3/28/2018							0.029	0.034	0.027
6/6/2018	0.048								
6/7/2018		0.032	0.057	0.035	0.022	0.02			0.029
6/8/2018							0.032	0.035	
10/8/2018	0.049	0.033	0.053		0.025	0.021			
10/9/2018								0.037	
10/16/2018				0.031					
10/18/2018							0.033		0.027
2/20/2019	0.054	0.041	0.053	0.036	0.027	0.023	0.034	0.036	0.03
4/1/2019	0.051	0.038	0.054	0.034					
4/2/2019					0.023	0.02	0.028	0.03	0.023
9/16/2019	0.052								
9/17/2019		0.036	0.048	0.034	0.029	0.025	0.026	0.035	0.025
2/18/2020									0.023
2/19/2020	0.053	0.033	0.047	0.031	0.029	0.022		0.034	
2/20/2020							0.023		
3/23/2020								0.032	0.024
3/24/2020						0.024			
3/26/2020	0.051						0.02		
3/27/2020		0.034	0.049	0.028	0.027				
9/14/2020	0.057	0.039							
9/15/2020			0.05	0.031	0.031	0.025	0.02	0.034	0.024
2/9/2021	0.058	0.036	0.046	0.029	0.03				
2/10/2021						0.023	0.016	0.031	0.023
3/30/2021							0.015	0.03	0.021
3/31/2021				0.028					
4/1/2021					0.029	0.022			
4/6/2021			0.048						
4/7/2021	0.058	0.037							
8/18/2021						0.024	0.022		
8/19/2021		0.036	0.042	0.027	0.029			0.027	0.02

Time Series

Constituent: Barium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.057								
2/10/2022	0.057				0.034		0.013		
2/11/2022		0.034		0.027		0.025		0.032	0.022
2/14/2022			0.047						

Time Series

Constituent: Barium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.014				
10/18/2018				0.055	0.089	0.1	
2/8/2022	0.033	0.049					
2/9/2022			0.0078 (J)	0.06		0.056	
2/10/2022					0.042		0.14

Time Series

Constituent: Beryllium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025		
5/11/2016						<0.0025		<0.0025	<0.0025
6/23/2016	0.0002 (J)	<0.0025	<0.0025				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				<0.0025					
6/28/2016								<0.0025	<0.0025
8/16/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
8/17/2016				<0.0025		<0.0025		<0.0025	<0.0025
10/13/2016	<0.0025		<0.0025						
10/14/2016		<0.0025		<0.0025	<0.0025		<0.0025		
10/17/2016						<0.0025		<0.0025	<0.0025
12/5/2016			<0.0025						
12/6/2016	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/14/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
2/15/2017								<0.0025	<0.0025
4/10/2017			<0.0025						
4/11/2017	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		
4/12/2017								<0.0025	<0.0025
6/26/2017	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				<0.0025				<0.0025	<0.0025
3/26/2018	<0.0025	<0.0025	<0.0025		<0.0025				
3/27/2018				<0.0025		<0.0025	<0.0025	<0.0025	<0.0025
6/5/2018	<0.0025	<0.0025	<0.0025	<0.0025			<0.0025		
6/6/2018					<0.0025	<0.0025		<0.0025	<0.0025
10/5/2018	<0.0025	<0.0025	<0.0025		<0.0025				
10/8/2018				<0.0025		<0.0025	<0.0025		
10/9/2018								<0.0025	
10/16/2018									<0.0025
2/18/2019	<0.0025	<0.0025				<0.0025			
2/19/2019			<0.0025	<0.0025	<0.0025		<0.0025		
2/20/2019								<0.0025	<0.0025
3/28/2019				<0.0025	<0.0025	<0.0025	<0.0025		
3/29/2019	<0.0025	<0.0025	<0.0025						
4/1/2019								<0.0025	<0.0025
9/12/2019							<0.0025		
9/13/2019			<0.0025						
9/16/2019	0.00028 (J)	<0.0025		<0.0025	<0.0025	<0.0025			<0.0025
9/17/2019								<0.0025	
2/13/2020	0.00031 (J)	<0.0025	<0.0025						
2/17/2020				<0.0025			<0.0025		
2/18/2020					<0.0025	<0.0025			<0.0025
2/19/2020								0.00026 (J)	
3/17/2020		<0.0025		<0.0025	<0.0025		<0.0025		
3/18/2020	0.00029 (J)		<0.0025			0.00018 (J)			
3/25/2020								<0.0025	<0.0025
9/14/2020	0.00051 (J)	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
3/30/2021	0.00025 (J)	<0.0025	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	<0.0025	
4/7/2021				<0.0025					<0.0025
8/17/2021	0.00029 (J)	<0.0025		<0.0025		<0.0025			
8/18/2021			<0.0025		<0.0025		<0.0025		

Time Series

Constituent: Beryllium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.0025	<0.0025
2/9/2022	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		
2/10/2022			<0.0025						<0.0025
2/11/2022								<0.0025	

Time Series

Constituent: Beryllium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025								
5/12/2016		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			0.000742 (J)
5/13/2016							<0.0025	<0.0025	
6/28/2016	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
6/29/2016						<0.0025		0.0002 (J)	0.0007 (J)
6/30/2016							0.0003 (J)		
8/18/2016	<0.0025	<0.0025	<0.0025	0.00037 (J)	<0.0025	<0.0025			
8/22/2016							<0.0025	<0.0025	0.00074 (J)
10/17/2016	<0.0025	<0.0025	<0.0025						
10/18/2016				<0.0025	<0.0025			<0.0025	0.00075 (J)
10/19/2016						<0.0025	<0.0025		
12/6/2016	<0.0025	<0.0025							
12/7/2016			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
12/8/2016								<0.0025	0.00093 (J)
2/15/2017	<0.0025	<0.0025	<0.0025	0.00037 (J)		<0.0025			
2/16/2017						<0.0025	<0.0025	<0.0025	0.00091 (J)
4/12/2017	<0.0025	<0.0025	<0.0025	0.00035 (J)					
4/13/2017						<0.0025	<0.0025	<0.0025	0.00065 (J)
6/27/2017	<0.0025	<0.0025	<0.0025	0.0004 (J)	<0.0025	<0.0025			
6/28/2017							<0.0025	<0.0025	0.00073 (J)
3/27/2018	<0.0025	<0.0025	<0.0025	0.00041 (J)	<0.0025	<0.0025			
3/28/2018							0.00036 (J)	<0.0025	0.00079 (J)
6/6/2018	<0.0025								
6/7/2018		<0.0025	<0.0025	0.00038 (J)	<0.0025	<0.0025			0.00086 (J)
6/8/2018							0.00035 (J)	<0.0025	
10/8/2018	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025			
10/9/2018								<0.0025	
10/16/2018				0.0004 (J)					
10/18/2018							<0.0025		0.00079 (J)
2/20/2019	<0.0025	<0.0025	<0.0025	0.00042 (J)	<0.0025	<0.0025	0.00033 (J)	0.00016 (J)	0.00077 (J)
4/1/2019	<0.0025	<0.0025	<0.0025	0.00034 (J)					
4/2/2019						<0.0025	<0.0025	<0.0025	0.00043 (J)
9/16/2019	<0.0025								
9/17/2019		<0.0025	<0.0025	0.00046 (J)	<0.0025	<0.0025	0.00035 (J)	<0.0025	0.00057 (J)
2/18/2020									0.00052 (J)
2/19/2020	<0.0025	<0.0025	<0.0025	0.00045 (J)	<0.0025	<0.0025		<0.0025	
2/20/2020							0.00049 (J)		
3/23/2020								<0.0025	0.00077 (J)
3/24/2020						<0.0025			
3/26/2020	<0.0025						0.00033 (J)		
3/27/2020		<0.0025	0.00053 (J)	0.00059 (J)	<0.0025				
9/14/2020	<0.0025	<0.0025							
9/15/2020			0.0002 (J)	0.00053 (J)	<0.0025	<0.0025	0.0003 (J)	0.00018 (J)	0.00078 (J)
2/9/2021	<0.0025	<0.0025	<0.0025	0.00044 (J)	<0.0025				
2/10/2021						0.00028 (J)	0.00036 (J)	0.00019 (J)	0.0009 (J)
3/30/2021							0.00025 (J)	0.00018 (J)	0.00058 (J)
3/31/2021				0.00045 (J)					
4/1/2021					<0.0025	<0.0025			
4/6/2021			<0.0025						
4/7/2021	<0.0025	<0.0025							
8/18/2021						<0.0025	0.00035 (J)		
8/19/2021		<0.0025	<0.0025	0.00033 (J)	<0.0025			<0.0025	0.00091 (J)

Time Series

Constituent: Beryllium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.0025								
2/10/2022	<0.0025				<0.0025		<0.0025		
2/11/2022		<0.0025		0.0004 (J)		<0.0025		<0.0025	0.00074 (J)
2/14/2022			<0.0025						

Time Series

Constituent: Beryllium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.0025				
10/18/2018				<0.0025	<0.0025	<0.0025	
2/8/2022	<0.0025	<0.0025					
2/9/2022			<0.0025	<0.0025		<0.0025	
2/10/2022					<0.0025		<0.0025

Time Series

Constituent: Boron, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.08								
5/12/2016		0.599	1.38	1.57	0.562	0.195			1.99
5/13/2016							3.71	1.87	
6/28/2016	0.0054 (J)	0.52	1.29	1.36	0.546				
6/29/2016						0.198 (J)		1.67	1.88
6/30/2016							3.8		
8/18/2016	<0.08	0.51	1.3	1.5	0.54	0.24			
8/22/2016							3.3	1.7	2
10/17/2016	<0.08	0.58	1.6						
10/18/2016				1.9	0.55			2.1	2.5
10/19/2016						0.37	4.5		
12/6/2016	<0.08	0.5							
12/7/2016			1.5	1.5	0.56	0.4	4.8		
12/8/2016								1.7	1.9
2/15/2017	<0.08	0.5	1.5	1.5		0.38			
2/16/2017					0.58		3.9	2.3	2.3
4/12/2017	<0.08	0.47	1.4	1.7					
4/13/2017					0.56	0.34	3.8	1.9	2
6/27/2017	<0.08	0.51	1.6	1.7	0.56	0.33			
6/28/2017							3.6	1.9	2.3
10/11/2017	<0.08	0.49	1.5						
10/12/2017				1.6	0.57	0.47	3.9	1.9	2.6
6/6/2018	<0.08								
6/7/2018		0.45	1.6	1.7	0.59	0.35			2.1
6/8/2018							4.3	1.8	
10/16/2018				1.5					
10/18/2018							4.9		2.3
12/14/2018	<0.08	0.47	1.4			0.44			
12/17/2018					0.55			1.8	
4/1/2019	<0.08	0.57	1.7	1.6					
4/2/2019					0.53	0.32	5.3	2	2
9/16/2019	<0.08								
9/17/2019		0.43	1.4	1.4	0.55	0.43	5	1.8	1.8
3/23/2020								1.7	1.9
3/24/2020						0.37			
3/26/2020	<0.08						6		
3/27/2020		0.49	1.5	1.4	0.59				
9/14/2020	<0.08	0.49							
9/15/2020			1.5	1.4	0.57	0.38	6.2	1.9	1.8
3/30/2021							6.4	1.9	1.6
3/31/2021				1.4					
4/1/2021					0.55	0.31			
4/6/2021			1.6						
4/7/2021	<0.08	0.59							
8/18/2021						0.32	6.6		
8/19/2021		0.59	1.7	1.6	0.72			2.1	1.9
8/20/2021	0.043 (J)								
2/10/2022	<0.08				0.63		6.4		
2/11/2022		0.48		1.2		0.27		1.7	1.5
2/14/2022			1.5						

Time Series

Constituent: Boron, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.08				
10/18/2018				0.067	3.8	2.6	
2/8/2022	<0.08	<0.08					
2/9/2022			<0.08	0.16		2.7	
2/10/2022					4.1		0.44

Time Series

Constituent: Cadmium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.000156 (J)	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025		
5/11/2016						<0.0025		<0.0025	<0.0025
6/23/2016	<0.0025	<0.0025	<0.0025				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				<0.0025					
6/28/2016								<0.0025	<0.0025
8/16/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
8/17/2016				<0.0025		<0.0025		<0.0025	<0.0025
10/13/2016	<0.0025		<0.0025						
10/14/2016		<0.0025		<0.0025	<0.0025		<0.0025		
10/17/2016						<0.0025		<0.0025	<0.0025
12/5/2016			<0.0025						
12/6/2016	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/14/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
2/15/2017								<0.0025	<0.0025
4/10/2017			<0.0025						
4/11/2017	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	0.0011 (J)		
4/12/2017								<0.0025	<0.0025
6/26/2017	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				<0.0025				<0.0025	<0.0025
3/26/2018	<0.0025	<0.0025	<0.0025		<0.0025				
3/27/2018				<0.0025		<0.0025	<0.0025	<0.0025	<0.0025
10/5/2018	<0.0025	<0.0025	<0.0025		<0.0025				
10/8/2018				<0.0025		<0.0025	<0.0025		
10/9/2018								<0.0025	
10/16/2018									<0.0025
2/18/2019	<0.0025	<0.0025				<0.0025			
2/19/2019			<0.0025	<0.0025	<0.0025		<0.0025		
2/20/2019								<0.0025	<0.0025
3/28/2019				<0.0025	<0.0025	<0.0025	<0.0025		
3/29/2019	<0.0025	<0.0025	<0.0025						
4/1/2019								<0.0025	<0.0025
9/12/2019							<0.0025		
9/13/2019			<0.0025						
9/16/2019	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025			<0.0025
9/17/2019								<0.0025	
2/13/2020	<0.0025	<0.0025	<0.0025						
2/17/2020				<0.0025			<0.0025		
2/18/2020					<0.0025	<0.0025			<0.0025
2/19/2020								<0.0025	
3/17/2020		<0.0025		<0.0025	<0.0025		<0.0025		
3/18/2020	<0.0025		<0.0025			<0.0025			
3/25/2020								<0.0025	<0.0025
9/14/2020	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
3/30/2021	<0.0025	<0.0025	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	<0.0025	
4/7/2021				<0.0025					<0.0025
8/17/2021	<0.0025	<0.0025		<0.0025		<0.0025			
8/18/2021			<0.0025		<0.0025		<0.0025		
8/19/2021								<0.0025	0.00022 (J)
2/9/2022	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		

Time Series

Constituent: Cadmium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
2/10/2022			<0.0025						<0.0025
2/11/2022								<0.0025	

Time Series

Constituent: Cadmium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025								
5/12/2016		<0.0025	0.000136 (J)	0.000265 (J)	<0.0025	<0.0025			0.000108 (J)
5/13/2016							0.00016 (J)	<0.0025	
6/28/2016	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
6/29/2016						<0.0025		<0.0025	0.0001 (J)
6/30/2016							0.0002 (J)		
8/18/2016	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
8/22/2016							<0.0025	<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025	<0.0025						
10/18/2016				<0.0025	<0.0025			<0.0025	<0.0025
10/19/2016						<0.0025	<0.0025		
12/6/2016	<0.0025	<0.0025							
12/7/2016			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
12/8/2016								<0.0025	<0.0025
2/15/2017	<0.0025	<0.0025	<0.0025	0.00044 (J)		<0.0025			
2/16/2017						<0.0025	<0.0025	0.00036 (J)	<0.0025
4/12/2017	<0.0025	<0.0025	<0.0025	<0.0025					
4/13/2017					<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/28/2017							<0.0025	<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
3/28/2018							<0.0025	<0.0025	<0.0025
10/8/2018	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025			
10/9/2018								<0.0025	
10/16/2018				<0.0025					
10/18/2018							<0.0025		<0.0025
2/20/2019	<0.0025	<0.0025	<0.0025	0.00033 (J)	<0.0025	<0.0025	0.00023 (J)	<0.0025	<0.0025
4/1/2019	<0.0025	<0.0025	<0.0025	<0.0025					
4/2/2019					<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
9/16/2019	<0.0025								
9/17/2019		<0.0025	<0.0025	0.00034 (J)	<0.0025	<0.0025	0.00018 (J)	<0.0025	<0.0025
2/18/2020									<0.0025
2/19/2020	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025	<0.0025		<0.0025	
2/20/2020							0.00032 (J)		
3/23/2020								<0.0025	<0.0025
3/24/2020						<0.0025			
3/26/2020	<0.0025						<0.0025		
3/27/2020		<0.0025	0.00057 (J)	0.00042 (J)	<0.0025				
9/14/2020	<0.0025	<0.0025							
9/15/2020			<0.0025	0.00032 (J)	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
2/10/2021						<0.0025	0.00035 (J)	<0.0025	<0.0025
3/30/2021							<0.0025	<0.0025	<0.0025
3/31/2021				0.00027 (J)					
4/1/2021					<0.0025	<0.0025			
4/6/2021			<0.0025						
4/7/2021	<0.0025	<0.0025							
8/18/2021						<0.0025	<0.0025		
8/19/2021		<0.0025	<0.0025	0.00026 (J)	<0.0025			<0.0025	<0.0025
8/20/2021	<0.0025								
2/10/2022	<0.0025				<0.0025		<0.0025		
2/11/2022		<0.0025		0.00024 (J)		<0.0025		<0.0025	<0.0025

Time Series

Constituent: Cadmium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/14/2022			<0.0025						

Time Series

Constituent: Cadmium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022	<0.0025	<0.0025					
2/9/2022			<0.0025	<0.0025		<0.0025	
2/10/2022					<0.0025		<0.0025

Time Series

Constituent: Calcium, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	23.1								
5/12/2016		16.6	37.7	14.5	0.75	34.8			13.2
5/13/2016							56.9	35.3	
6/28/2016	21	14.4	35.8	14.7	0.768				
6/29/2016						33.1		34.6	15.8
6/30/2016							46.4		
8/18/2016	20	15	37	15	0.7	35			
8/22/2016							48	38	15
10/17/2016	21	15	37						
10/18/2016				16	0.75			36	14
10/19/2016						38.5 (D)	51		
12/6/2016	21	14							
12/7/2016			38	15	0.73	39	50		
12/8/2016								36	11
2/15/2017	23	17	45	17		44			
2/16/2017					0.81		51	41	14
4/12/2017	23	16	39	14					
4/13/2017					0.88	45	35	39	17
6/27/2017	22	15	38	16	0.76	42			
6/28/2017							36	36	15
10/11/2017	23	16	44						
10/12/2017				17	1.1	48	43	39	17
6/6/2018	22								
6/7/2018		15	44	16	0.84	49			11
6/8/2018							90	37	
10/16/2018				16					
10/18/2018							100		12
12/14/2018	21	16	37			46			
12/17/2018					0.94			42	
4/1/2019	20	17	39	16					
4/2/2019					0.92	46	89	38	14
9/16/2019	23								
9/17/2019		17	38	17	1	51	87	44	14
3/23/2020								46	13
3/24/2020						58			
3/26/2020	22						81		
3/27/2020		18	41	17	1.5				
9/14/2020	22	19							
9/15/2020			40	17	1.1	54	74	47	14
3/30/2021							68	50	14
3/31/2021				17					
4/1/2021					1.2	57			
4/6/2021			42						
4/7/2021	23	19							
8/18/2021						55	55		
8/19/2021		20	40	17	1.1			45	12
8/20/2021	23								
2/10/2022	23				1.2		55		
2/11/2022		19		16		58		46	13
2/14/2022			41						

Time Series

Constituent: Calcium, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			21				
10/18/2018				33	120	64	
2/8/2022	4	4.7					
2/9/2022			20	35		68	
2/10/2022					150		46

Time Series

Constituent: Chloride, Total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	9.04								
5/12/2016		6.29	11.1	9.47	8.56	9.11			10.8
5/13/2016							4.87	8.16	
6/28/2016	8.8	5.4	10	9.8	7.8				
6/29/2016						8.3		7.6	11
6/30/2016							4.7		
8/18/2016	9.3	5.8	11	10	8.5	8.8			
8/22/2016							5	8.2	11
10/17/2016	8.3	5.4	11						
10/18/2016				9.4	8			7.7	10
10/19/2016						8.3	5.1		
12/6/2016	8.9	5.6							
12/7/2016			11	9.8	8	8.4	5.6		
12/8/2016								7.8	9.7
2/15/2017	8.7	5.4	11	9.8		8.1			
2/16/2017					7.7		7.4	7.4	9.8
4/12/2017	8.6	5.6	10	9.2					
4/13/2017					7.5	7.9	8.9	7.5	10
6/27/2017	9.3	5.9	11	9.5	8	8.3			
6/28/2017							10	7.9	12
10/11/2017	8.8	5.7	10						
10/12/2017				9.2	7.6	8	7.4	7.4	11
6/6/2018	8.8								
6/7/2018		6.2	10	9.3	7.7	8			9.9
6/8/2018							9	7.2	
10/16/2018				10					
10/18/2018							16		11
12/14/2018	9.1	7.5	10			8.1			
12/17/2018					8.1			7.3	
4/1/2019	9	7.7	9.9	9.2					
4/2/2019					8.2	8.2	15	7.3	11
9/16/2019	9.3								
9/17/2019		8.4	11	10	8.4	8.3	13	7.4	11
3/23/2020								7.7	10
3/24/2020						7.8			
3/26/2020	9.4						12		
3/27/2020		9	11	10	8.5				
9/14/2020	10	11							
9/15/2020			11	10	8.6	8.4	11	7.7	11
3/30/2021							11	8.3	9.9
3/31/2021				11					
4/1/2021					9.2	9.2			
4/6/2021			11						
4/7/2021	9	10							
8/18/2021						8.9	15		
8/19/2021		12	11	11	9.5			9.4	10
8/20/2021	9.9								
2/10/2022	10				9.8		19		
2/11/2022		12		12		8.4		10	9.6
2/14/2022			14						

Time Series

Constituent: Chloride, Total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			4.3				
10/18/2018				5.5	9.3	12	
2/8/2022	4.1	8.9					
2/9/2022			2.5	6.9		11	
2/10/2022					10		12

Time Series

Constituent: Chromium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.002	0.0142	0.00393 (J)	<0.002	0.00634 (J)		<0.002		
5/11/2016						0.00217 (J)		<0.002	<0.002
6/23/2016	<0.002	0.0118	0.0027 (J)				<0.002		
6/24/2016					0.0053 (J)	0.0015 (J)			
6/27/2016				<0.002					
6/28/2016								<0.002	<0.002
8/16/2016	<0.002	0.0099	0.0038		0.0071		<0.002		
8/17/2016				<0.002		0.0011 (J)		<0.002	<0.002
10/13/2016	<0.002		0.0031						
10/14/2016		0.0045		<0.002	0.0067		0.0012 (J)		
10/17/2016						0.0032		<0.002	<0.002
12/5/2016			0.0027						
12/6/2016	<0.002	0.0043		<0.002	0.0063	0.0028	<0.002	<0.002	<0.002
2/14/2017	<0.002	0.014	0.0037	<0.002	0.0076	0.0046	<0.002		
2/15/2017								<0.002	<0.002
4/10/2017			0.0037						
4/11/2017	<0.002	0.014		<0.002	0.0098	0.005	<0.002		
4/12/2017								<0.002	<0.002
6/26/2017	<0.002	0.014	0.0047		0.012	0.0061	0.0021 (J)		
6/27/2017				<0.002				<0.002	<0.002
3/26/2018	<0.002	0.013	0.0042		0.012				
3/27/2018				<0.002		0.0058	<0.002	<0.002	<0.002
6/5/2018	0.0014 (J)	0.014	0.0046	<0.002			<0.002		
6/6/2018					0.015	0.0048		<0.002	<0.002
10/5/2018	0.0014 (J)	0.016	0.0058		0.015				
10/8/2018				<0.002		0.0098	0.0011 (J)		
10/9/2018								<0.002	
10/16/2018									<0.002
2/18/2019	0.0017 (J)	0.012				0.0059			
2/19/2019			0.0038	<0.002	0.014		<0.002		
2/20/2019								<0.002	<0.002
3/28/2019				<0.002	0.013	0.0046	<0.002		
3/29/2019	0.0017 (J)	0.014	0.0043						
4/1/2019								<0.002	<0.002
9/12/2019							0.0023 (J)		
9/13/2019			0.0056						
9/16/2019	0.0017 (J)	0.014		0.0015 (J)	0.019	0.0064			<0.002
9/17/2019								<0.002	
2/13/2020	<0.002	0.011	0.0036						
2/17/2020				<0.002			<0.002		
2/18/2020					0.02	0.0062			<0.002
2/19/2020								<0.002	
3/17/2020		0.014		<0.002	0.018		<0.002		
3/18/2020	0.0024		0.0047			0.0047			
3/25/2020								<0.002	<0.002
5/19/2020	<0.002	0.014	0.0051	<0.002	0.021	0.0058	<0.002		
9/14/2020	<0.002	0.014	0.005	0.0021	0.018	0.0054	<0.002	<0.002	<0.002
2/9/2021	<0.002	0.014	0.0052	0.0023	0.019	0.0053	<0.002	<0.002	<0.002
3/30/2021	0.0026	0.014	0.0047						
3/31/2021					0.018	0.0037	<0.002	<0.002	
4/7/2021				0.0024					<0.002
8/17/2021	<0.002	0.013		0.0047		0.0053			

Time Series

Constituent: Chromium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.002								
5/12/2016		<0.002	<0.002	0.0335	0.00943 (J)	0.0077 (J)			<0.002
5/13/2016							0.00771 (J)	0.0151	
6/28/2016	<0.002	<0.002	0.0008 (J)	0.0339	0.0093 (J)				
6/29/2016						0.0036 (J)		0.0141	0.0009 (J)
6/30/2016							0.007 (J)		
8/18/2016	<0.002	<0.002	<0.002	0.034	0.0085	0.0027			
8/22/2016							0.007	0.015	<0.002
10/17/2016	0.0023 (J)	<0.002	0.0012 (J)						
10/18/2016				0.033	0.0088			0.013	<0.002
10/19/2016						0.00335 (D)	0.0064		
12/6/2016	<0.002	<0.002							
12/7/2016			0.0012 (J)	0.032	0.0079	0.0027	0.0063		
12/8/2016								0.013	<0.002
2/15/2017	<0.002	<0.002	<0.002	0.03		0.0044			
2/16/2017					0.0097		0.007	0.015	<0.002
4/12/2017	<0.002	<0.002	<0.002	0.035					
4/13/2017					0.0098	0.0047	0.0061	0.016	<0.002
6/27/2017	<0.002	<0.002	<0.002	0.035	0.0096	0.0029			
6/28/2017							0.0059	0.016	<0.002
3/27/2018	<0.002	<0.002	<0.002	0.031	0.0098	0.0045			
3/28/2018							0.0082	0.014	<0.002
6/6/2018	<0.002								
6/7/2018		<0.002	<0.002	0.032	0.01	0.0083			<0.002
6/8/2018							0.0086	0.015	
10/8/2018	<0.002	<0.002	<0.002		0.013	0.0055			
10/9/2018								0.017	
10/16/2018				0.032					
10/18/2018							0.009		<0.002
2/20/2019	<0.002	<0.002	0.0016 (J)	0.038	0.013	0.0061	0.011	0.017	<0.002
4/1/2019	<0.002	<0.002	<0.002	0.032					
4/2/2019					0.01	0.004	0.0092	0.014	<0.002
9/16/2019	<0.002								
9/17/2019		0.0017 (J)	0.0026	0.037	0.013	0.0078	0.011	0.017	0.0022 (J)
2/18/2020									<0.002
2/19/2020	<0.002	<0.002	<0.002	0.038	0.014	0.0045		0.017	
2/20/2020							0.011		
3/23/2020								0.015	<0.002
3/24/2020						0.0079			
3/26/2020	<0.002						0.0096		
3/27/2020		<0.002	0.0019 (J)	0.034	0.011				
9/14/2020	<0.002	<0.002							
9/15/2020			<0.002	0.034	0.012	0.0091	0.01	0.015	<0.002
2/9/2021	<0.002	<0.002	<0.002	0.035	0.012				
2/10/2021						0.008	0.01	0.015	<0.002
3/30/2021							0.0098	0.014	<0.002
3/31/2021				0.034					
4/1/2021					0.012	0.0046			
4/6/2021			<0.002						
4/7/2021	<0.002	<0.002							
8/18/2021						0.012	0.019		
8/19/2021		<0.002	<0.002	0.032	0.011			0.014	<0.002

Time Series

Constituent: Chromium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.002								
2/10/2022	<0.002				0.012		0.01		
2/11/2022		<0.002		0.032		0.0079		0.015	<0.002
2/14/2022			<0.002						

Time Series

Constituent: Chromium (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.0046				
10/18/2018				0.0049	<0.002	<0.002	
2/8/2022	0.0018 (J)	0.003					
2/9/2022			<0.002	0.0036		<0.002	
2/10/2022					<0.002		<0.002

Time Series

Constituent: Cobalt (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.0184	<0.0025	<0.0025	0.0132	<0.0025		<0.0025		
5/11/2016						<0.0025		0.0191	0.0378
6/23/2016	0.0168	0.0004 (J)	0.0004 (J)				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				0.0099 (J)					
6/28/2016								0.0192	0.0332
8/16/2016	0.016	<0.0025	<0.0025		0.00051 (J)		<0.0025		
8/17/2016				0.01		0.00041 (J)		0.022	0.03
10/13/2016	0.02		0.0004 (J)						
10/14/2016		<0.0025		0.013	<0.0025		<0.0025		
10/17/2016						<0.0025		0.05	0.032
12/5/2016			<0.0025						
12/6/2016	0.016	<0.0025		0.016	<0.0025	<0.0025	<0.0025	0.04	0.029
2/14/2017	0.011	<0.0025	<0.0025	0.018	<0.0025	<0.0025	<0.0025		
2/15/2017								0.038	0.029
4/10/2017			<0.0025						
4/11/2017	0.0098	<0.0025		0.015	<0.0025	<0.0025	<0.0025		
4/12/2017								0.018	0.028
6/26/2017	0.01	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				0.0088				0.014	0.029
3/26/2018	0.0065	<0.0025	<0.0025		<0.0025				
3/27/2018				0.014		<0.0025	<0.0025	0.026	0.024
6/5/2018	0.0028	<0.0025	<0.0025	0.0095			<0.0025		
6/6/2018					<0.0025	<0.0025		0.018	0.026
10/5/2018	0.00075 (J)	<0.0025	0.00058 (J)		<0.0025				
10/8/2018				0.0047		<0.0025	<0.0025		
10/9/2018								0.03	
10/16/2018									0.023
2/18/2019	0.0008 (J)	<0.0025				<0.0025			
2/19/2019			<0.0025	0.005	<0.0025		<0.0025		
2/20/2019								0.034	0.024
3/28/2019				0.0042	<0.0025	<0.0025	<0.0025		
3/29/2019	0.00072 (J)	<0.0025	<0.0025						
4/1/2019								0.025	0.021
9/12/2019							<0.0025		
9/13/2019			0.00018 (J)						
9/16/2019	0.0014 (J)	<0.0025		0.0045	<0.0025	<0.0025			0.022
9/17/2019								0.022	
2/13/2020	0.0014 (J)	<0.0025	<0.0025						
2/17/2020				0.0044			<0.0025		
2/18/2020					<0.0025	<0.0025			0.018
2/19/2020								0.027	
3/17/2020		<0.0025		0.0039	<0.0025		<0.0025		
3/18/2020	0.0021 (J)		0.00016 (J)			0.00032 (J)			
3/25/2020								0.029	0.024
9/14/2020	0.0013 (J)	<0.0025	0.00031 (J)	0.002 (J)	<0.0025	<0.0025	<0.0025	0.022	0.019
2/9/2021	0.0013 (J)	<0.0025	0.00023 (J)	0.0011 (J)	<0.0025	<0.0025	<0.0025	0.03	0.019
3/30/2021	0.0013 (J)	0.00021 (J)	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	0.026	
4/7/2021				0.0013 (J)					0.019
8/17/2021	0.00072 (J)	<0.0025		0.0011 (J)		<0.0025			
8/18/2021			0.00057 (J)		<0.0025		<0.0025		

Time Series

Constituent: Cobalt (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.00648 (J)								
5/12/2016		0.0145	0.00605 (J)	0.267	0.00303 (J)	<0.0025			0.261
5/13/2016							0.116	<0.0025	
6/28/2016	0.0051 (J)	0.011	0.0115	0.255	0.0029 (J)				
6/29/2016						0.0007 (J)		0.0006 (J)	0.23
6/30/2016							0.112		
8/18/2016	0.0035	0.0099	0.011	0.26	0.0029	0.00078 (J)			
8/22/2016							0.13	0.00066 (J)	0.25
10/17/2016	0.003	0.01	0.017						
10/18/2016				0.28	0.0034			0.00095 (J)	0.26
10/19/2016						0.000845 (JD)	0.14		
12/6/2016	0.0036	0.0079							
12/7/2016			0.0043	0.26	0.003	0.00056 (J)	0.11		
12/8/2016								0.00078 (J)	0.26
2/15/2017	0.004	0.0073	0.0059	0.24		0.00069 (J)			
2/16/2017					0.0033		0.11	0.00049 (J)	0.23
4/12/2017	0.0039	0.0078	0.017	0.28					
4/13/2017					0.0034	0.00049 (J)	0.094	<0.0025	0.19
6/27/2017	0.0042	0.0068	0.013	0.29	0.0037	0.00041 (J)			
6/28/2017							0.085	<0.0025	0.19
3/27/2018	0.0035	0.0035	0.0083	0.27	0.0037	<0.0025			
3/28/2018							0.16	<0.0025	0.18
6/6/2018	0.0038								
6/7/2018		0.0039	0.0025	0.3	0.0037	<0.0025			0.21
6/8/2018							0.19	<0.0025	
10/8/2018	0.0037	0.0036	0.0071		0.0044	0.00046 (J)			
10/9/2018								<0.0025	
10/16/2018				0.27					
10/18/2018							0.21		0.16
2/20/2019	0.0032	0.004	0.011	0.26	0.0038	0.00035 (J)	0.19	0.00012 (J)	0.18
4/1/2019	0.0029	0.003	0.014	0.26					
4/2/2019					0.0041	<0.0025	0.18	<0.0025	0.13
9/16/2019	0.003								
9/17/2019		0.0024 (J)	0.0096	0.27	0.0042	0.00048 (J)	0.16	0.00013 (J)	0.13
2/18/2020									0.12
2/19/2020	0.0027	0.0018 (J)	0.0099	0.28	0.0047	0.00034 (J)		0.00015 (J)	
2/20/2020							0.14		
3/23/2020								<0.0025	0.22
3/24/2020						0.00044 (J)			
3/26/2020	0.0024 (J)						0.15		
3/27/2020		0.002 (J)	0.0093	0.28	0.0047				
9/14/2020	0.001 (J)	0.0022 (J)							
9/15/2020			0.0076	0.25	0.0043	0.00041 (J)	0.12	0.00016 (J)	0.098
2/9/2021	0.0014 (J)	0.0024 (J)	0.0052	0.26	0.0045				
2/10/2021						0.00049 (J)	0.11	0.00013 (J)	0.17
3/30/2021							0.11	<0.0025	0.15
3/31/2021				0.26					
4/1/2021					0.0049	0.00041 (J)			
4/6/2021			0.0072						
4/7/2021	0.0017 (J)	0.0018 (J)							
8/18/2021						0.00043 (J)	0.095		
8/19/2021		0.0021 (J)	0.0047	0.27	0.0051			<0.0025	0.2

Time Series

Constituent: Cobalt (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.0019 (J)								
2/10/2022	0.00079 (J)				0.0049		0.09		
2/11/2022		0.0015 (J)		0.23		0.00036 (J)		0.00045 (J)	0.14
2/14/2022			0.0065						

Time Series

Constituent: Cobalt (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.0021 (J)				
10/18/2018				<0.0025	0.0076	0.0064	
9/18/2020		0.0057					
4/2/2021	0.00019 (J)	0.007					
8/18/2021	0.0003 (J)						
8/20/2021		0.006					
2/8/2022	0.00028 (J)	0.0052					
2/9/2022			0.0024 (J)	<0.0025		0.00061 (J)	
2/10/2022					0.0025		0.002 (J)

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.275 (U)	0.441	0.31 (U)	-0.013 (U)	0.188 (U)		0.338 (U)		
5/11/2016						0.284 (U)		0.26 (U)	0.182 (U)
6/23/2016	0.077 (U)	0.155 (U)	0.455 (U)				0.358 (U)		
6/24/2016					1.2	0.974			
6/27/2016				0.667 (U)					
6/28/2016								1.57	0.858
8/16/2016	0.13 (U)	0.621	0.162 (U)		0.168 (U)		0.224 (U)		
8/17/2016				0.148 (U)		0.202 (U)		0.548 (U)	0.367 (U)
10/13/2016	0.309 (U)		0.327 (U)						
10/14/2016		0.765		0.448 (U)	0.345 (U)		0.999		
10/17/2016						0.114 (U)		-0.0725 (U)	0.551
12/5/2016			0.233 (U)						
12/6/2016	0.346 (U)	0.29 (U)		0.51	0.221 (U)	0.251 (U)	0.387 (U)	0.496	0.438
2/14/2017	0.352 (U)	0.111 (U)	0.237 (U)	0.302 (U)	-0.026 (U)	-0.0166 (U)	0.207 (U)		
2/15/2017								0.321 (U)	-0.0831 (U)
4/10/2017			0.00056 (U)						
4/11/2017	0.274 (U)	0.195 (U)		-0.0184 (U)	0.135 (U)	-0.168 (U)	0.219 (U)		
4/12/2017								-0.0397 (U)	0.343 (U)
6/26/2017	0.36	0.0975 (U)	-0.257 (U)		0.332 (U)	0.184 (U)	0.151 (U)		
6/27/2017				-0.0536 (U)				0.47	0.369
3/26/2018	0.522	0.124 (U)	0.141 (U)		0.226 (U)				
3/27/2018				0.207 (U)		0.164 (U)	0.252 (U)	0.136 (U)	0.172 (U)
6/5/2018	0.106 (U)	0.0496 (U)	0.163 (U)	-0.0364 (U)			0.255 (U)		
6/6/2018					0.175 (U)	0.308		0.123 (U)	0.153 (U)
10/5/2018	0.522	0.474	0.568		0.5				
10/8/2018				0.478		-0.0974 (U)	0.764		
10/9/2018								0.387	
10/16/2018									1.06
2/18/2019	0.362	0.25 (U)				0.0112 (U)			
2/19/2019			0.14 (U)	0.32 (U)	0.231 (U)		0.044 (U)		
2/20/2019								0.0159 (U)	0.708
3/28/2019				0.0254 (U)	0.31 (U)	0.0974 (U)	0.115 (U)		
3/29/2019	0.311 (U)	-0.0232 (U)	0.0992 (U)						
4/1/2019								0.452	0.173 (U)
9/12/2019							0.102 (U)		
9/13/2019			0.339 (U)						
9/16/2019	0.157 (U)	-0.245 (U)		-0.0172 (UR)	0.333 (U)	0.0843 (U)			0.251 (U)
9/17/2019								0.226 (U)	
2/13/2020	0.152 (U)	0.205 (U)	0.287 (U)						
2/17/2020				-0.0319 (U)			-0.0291 (U)		
2/18/2020					0.313 (U)	0.199 (U)			0.203 (U)
2/19/2020								0.0222 (U)	
3/17/2020		0.582 (U)		0.436 (U)	-0.0428 (U)		-0.196 (U)		
3/18/2020	0.21 (U)		0.536			0.226 (U)			
3/25/2020								0.253 (U)	0.204 (U)
9/14/2020	-0.13 (U)	0.107 (U)	0.637 (U)	-0.197 (U)	0.161 (U)	0.0399 (U)	-0.949 (U)	0.125 (U)	-0.0264 (U)
2/9/2021	0.225 (U)	0.0251 (U)	0.151 (U)	0.478	0.259 (U)	0.0123 (U)	0.0364 (U)	-0.0573 (U)	0.114 (U)
3/30/2021	0.408 (U)	0.311 (U)	-0.211 (U)						
3/31/2021					0.106 (U)	0.236 (U)	0.279 (U)	0.188 (U)	
4/7/2021				0.0851 (U)					0.0576 (U)
8/17/2021	0.651	0.192 (U)		0.228 (U)		1.54			
8/18/2021			0.16 (U)		0.228 (U)		0.242 (U)		

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.433								
5/12/2016		0.0531 (U)	0.106 (U)	0.344 (U)	0.0196 (U)	0.134 (U)			0.556
5/13/2016							0.103 (U)	-0.115 (U)	
6/28/2016	0.435 (U)	0.483 (U)	0.735 (U)	0.256 (U)	0.418 (U)				
6/29/2016						0.391 (U)		0.396 (U)	0.162 (U)
6/30/2016							0.593 (U)		
8/18/2016	0.214 (U)	0.286 (U)	0.212 (U)	0.503 (U)	0.199 (U)	0.498 (U)			
8/22/2016							0.17 (U)	-0.102 (U)	0.433 (U)
10/17/2016	0.316 (U)	0.472	-0.187 (U)						
10/18/2016				0.171 (U)	0.0404 (U)			0.352 (U)	0.741
10/19/2016						0.639	0.433		
12/6/2016	0.0575 (U)	0.903							
12/7/2016			0.701	0.375 (U)	0.426	0.239 (U)	0.435 (U)		
12/8/2016								0.431 (U)	1.06
2/15/2017	-0.0321 (U)	-0.223 (U)	0.155 (U)	0.0801 (U)		0.175 (U)			
2/16/2017						0.163 (U)	0.101 (U)	0.146 (U)	0.382 (U)
4/12/2017	0.00949 (U)	0.21 (U)	0.233 (U)	0.197 (U)					
4/13/2017					0.0522 (U)	-0.00846 (U)	-0.0014 (U)	0.127 (U)	0.189 (U)
6/27/2017	0.183 (U)	0.0574 (U)	0.302	0.0274 (U)	0.222 (U)	0.186 (U)			
6/28/2017							0.512	0.11 (U)	0.84
3/27/2018	0.445	0.145 (U)	0.306 (U)	0.285 (U)	0.387 (U)	0.249 (U)			
3/28/2018							0.428	0.247 (U)	0.334 (U)
6/6/2018	0.0775 (U)								
6/7/2018		0.235 (U)	0.211 (U)	0.64	0.283 (U)	0.172 (U)			0.235 (U)
6/8/2018							0.32 (U)	0.0462 (U)	
10/8/2018	0.865	0.64	0.636		0.799	0.682			
10/9/2018								0.584	
10/16/2018				0.731					
10/18/2018							0.304 (U)		0.399
2/20/2019	0.161 (U)	0.222 (U)	0.147 (U)	0.573	0.0684 (U)	0.278 (U)	0.139 (U)	0.114 (U)	0.353
4/1/2019	0.372	0.36	-0.138 (U)	0.0499 (U)					
4/2/2019					0.167 (U)	-0.0476 (U)	0.336 (U)	0.11 (U)	0.271 (U)
9/16/2019	0.569 (U)								
9/17/2019		0.143 (U)	0.264 (U)	0.441 (U)	0.558	0.235 (U)	0.449	0.302 (U)	0.591
2/18/2020									0.474
2/19/2020	0.166 (U)	0.218 (U)	0.0061 (U)	0.415 (U)	0.0321 (U)	0.217 (U)		0.308 (U)	
2/20/2020							0.22 (U)		
3/23/2020								0.171 (U)	0.258 (U)
3/24/2020						0.426			
3/26/2020	0.604						0.366 (U)		
3/27/2020		0.235 (U)	0.206 (U)	0.39 (U)	0.305 (U)				
9/14/2020	0.575	0.613							
9/15/2020			0.131 (U)	0.546	-0.0426 (U)	0.661	1.74	1.55	0.831
2/9/2021	0.146 (U)	0.307 (U)	-0.121 (U)	0.222 (U)	-0.00967 (U)				
2/10/2021						0.55	0.423 (U)	0.235 (U)	0.331 (U)
3/30/2021							0.439 (U)	0.511	0.572
3/31/2021				0.311 (U)					
4/1/2021					0.0901 (U)	0.0517 (U)			
4/6/2021			-0.0391 (U)						
4/7/2021	0.0695 (U)	0.356 (U)							
8/18/2021						0.13 (U)	0.277 (U)		
8/19/2021		0.228 (U)	-0.0806 (U)	0.518	0.037 (U)			-0.0514 (U)	-0.21 (U)

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.0109 (U)								
2/10/2022	0.279 (U)				0.595		0.244 (U)		
2/11/2022		0.631		0.5		0.233 (U)		0.456 (U)	0.259 (U)
2/14/2022			0.377 (U)						

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.551 (U)				
10/18/2018				0.882	1.59	0.188 (U)	
2/18/2020	0.163 (U)						
2/8/2022	0.0627 (U)	-0.0564 (U)					
2/9/2022			0.237 (U)	0.31 (U)		0.274 (U)	
2/10/2022					0.366 (U)		0.418 (U)

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.1	0.0537 (J)	0.0648 (J)	0.041 (J)	0.0192 (J)		0.0188 (J)		
5/11/2016						0.108 (J)		0.019 (J)	0.033 (J)
6/23/2016	<0.1	0.03 (J)	0.05 (J)				<0.1		
6/24/2016					0.02 (J)	0.08 (J)			
6/27/2016				0.03 (J)					
6/28/2016								<0.1	0.08 (J)
8/16/2016	<0.1	<0.1	<0.1		<0.1		<0.1		
8/17/2016				<0.1		<0.1		<0.1	<0.1
10/13/2016	<0.1		<0.1						
10/14/2016		<0.1		<0.1	<0.1		<0.1		
10/17/2016						<0.1		<0.1	<0.1
12/5/2016			<0.1						
12/6/2016	<0.1	<0.1		<0.1	<0.1	0.091 (J)	<0.1	<0.1	<0.1
2/14/2017	<0.1	<0.1	<0.1	<0.1	<0.1	0.1 (J)	<0.1		
2/15/2017								<0.1	<0.1
4/10/2017			<0.1						
4/11/2017	<0.1	<0.1		<0.1	<0.1	<0.1	<0.1		
4/12/2017								<0.1	<0.1
6/26/2017	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1		
6/27/2017				<0.1				<0.1	<0.1
10/10/2017	<0.1	<0.1	<0.1						
10/11/2017				<0.1	<0.1	<0.1	<0.1		<0.1
10/12/2017								<0.1	
3/26/2018	<0.1	<0.1	<0.1		<0.1				
3/27/2018				<0.1		<0.1	<0.1	<0.1	<0.1
6/5/2018	<0.1	<0.1	<0.1	<0.1			<0.1		
6/6/2018					<0.1	<0.1		<0.1	<0.1
10/5/2018	<0.1	<0.1	<0.1		<0.1				
10/8/2018				<0.1		<0.1	<0.1		
10/9/2018								<0.1	
10/16/2018									<0.1
2/18/2019	<0.1	0.05 (J)				0.066 (J)			
2/19/2019			0.06 (J)	0.044 (J)	<0.1		<0.1		
2/20/2019								<0.1	<0.1
3/28/2019				0.037 (J)	0.026 (J)	0.052 (J)	<0.1		
3/29/2019	<0.1	0.053 (J)	0.056 (J)						
4/1/2019								<0.1	<0.1
9/12/2019							<0.1		
9/13/2019			0.049 (J)						
9/16/2019	<0.1	0.054 (J)		0.04 (J)	0.026 (J)	0.055 (J)			<0.1
9/17/2019								<0.1	
2/13/2020	<0.1	0.051 (J)	0.066 (J)						
2/17/2020				0.041 (J)			<0.1		
2/18/2020					<0.1	0.068 (J)			<0.1
2/19/2020								<0.1	
3/17/2020		0.038 (J)		0.041 (J)	0.029 (J)		0.03 (J)		
3/18/2020	<0.1		0.078 (J)			<0.1			
3/25/2020								0.031 (J)	0.058 (J)
9/14/2020	<0.1	0.033 (J)	0.038 (J)	0.028 (J)	<0.1	0.035 (J)	<0.1	<0.1	<0.1
2/9/2021	<0.1	0.055 (J)	0.059 (J)	0.037 (J)	<0.1	0.059 (J)	<0.1	<0.1	<0.1
3/30/2021	<0.1	0.048 (J)	0.052 (J)						
3/31/2021					<0.1	0.051 (J)	<0.1	0.047 (J)	

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.11 (J)								
5/12/2016		0.042 (J)	0.031 (J)	0.1071 (J)	0.011 (J)	0.066 (J)			0.259 (J)
5/13/2016							0.0343 (J)	0.0126 (J)	
6/28/2016	0.18 (J)	0.15 (J)	0.03 (J)	0.26 (J)	0.09 (J)				
6/29/2016						0.17 (J)		0.18 (J)	0.45
6/30/2016							0.18 (J)		
8/18/2016	0.12 (J)	<0.1	<0.1	0.14 (J)	<0.1	<0.1			
8/22/2016							<0.1	<0.1	0.33
10/17/2016	0.082 (J)	<0.1	<0.1						
10/18/2016				0.12 (J)	<0.1			<0.1	0.26
10/19/2016						<0.1	<0.1		
12/6/2016	0.11 (J)	<0.1							
12/7/2016			<0.1	0.13 (J)	<0.1	<0.1	<0.1		
12/8/2016								<0.1	0.28
2/15/2017	0.13 (J)	<0.1	<0.1	0.12 (J)		0.089 (J)			
2/16/2017					<0.1		<0.1	<0.1	0.28
4/12/2017	0.088 (J)	<0.1	<0.1	0.11 (J)					
4/13/2017					<0.1	<0.1	<0.1	<0.1	0.2
6/27/2017	0.1 (J)	<0.1	<0.1	0.13 (J)	<0.1	<0.1			
6/28/2017							<0.1	<0.1	0.22
10/11/2017	<0.1	<0.1	<0.1						
10/12/2017				0.13 (J)	<0.1	<0.1	<0.1	<0.1	0.18 (J)
3/27/2018	<0.1	<0.1	<0.1	0.12 (J)	<0.1	<0.1			
3/28/2018							<0.1	<0.1	0.19 (J)
6/6/2018	<0.1								
6/7/2018		<0.1	<0.1	0.14 (J)	<0.1	<0.1			0.21
6/8/2018							<0.1	<0.1	
10/8/2018	<0.1	<0.1	<0.1		<0.1	<0.1			
10/9/2018								<0.1	
10/16/2018				0.14 (J)					
10/18/2018							<0.1		0.23
2/20/2019	0.052 (J)	<0.1	<0.1	0.33	<0.1	0.034 (J)	<0.1	<0.1	0.2
4/1/2019	0.048 (J)	<0.1	<0.1	0.072 (J)					
4/2/2019					<0.1	0.045 (J)	0.05 (J)	<0.1	0.15 (J)
9/16/2019	0.065 (J)								
9/17/2019		0.04 (J)	0.028 (J)	0.1	<0.1	0.047 (J)	0.034 (J)	<0.1	0.14
2/18/2020									0.16
2/19/2020	0.064 (J)	0.027 (J)	0.026 (J)	0.13	<0.1	0.046 (J)		<0.1	
2/20/2020							<0.1		
3/23/2020								0.057 (J)	0.25
3/24/2020						0.058 (J)			
3/26/2020	0.081 (J)						0.091 (J)		
3/27/2020		0.045 (J)	0.041 (J)	0.13	0.027 (J)				
9/14/2020	0.042 (J)	<0.1							
9/15/2020			0.04 (J)	0.15	0.037 (J)	0.052 (J)	<0.1	<0.1	0.15
2/9/2021	0.074 (J)	<0.1	<0.1	0.14	<0.1				
2/10/2021						0.03 (J)	<0.1	<0.1	0.19
3/30/2021							0.1 (J)	<0.1	0.18
3/31/2021				0.12					
4/1/2021					<0.1	0.051 (J)			
4/6/2021			<0.1						
4/7/2021	0.066 (J)	0.053 (J)							

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/18/2021						0.087 (J)	0.099 (J)		
8/19/2021		<0.1	<0.1	0.12	0.038 (J)			<0.1	0.17
8/20/2021	0.082 (J)								
2/10/2022	0.06 (J)				<0.1		0.039 (J)		
2/11/2022		0.045 (J)		0.14		0.064 (J)		<0.1	0.14
2/14/2022			0.035 (J)						

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.1				
10/18/2018				<0.1	<0.1	0.083 (J)	
2/8/2022	<0.1	<0.1					
2/9/2022			<0.1	0.028 (J)		0.033 (J)	
2/10/2022					<0.1		0.15

Time Series

Constituent: Lead (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	<0.001
6/23/2016	<0.001	<0.001	0.0001 (J)				<0.001		
6/24/2016					<0.001	<0.001			
6/27/2016				<0.001					
6/28/2016								<0.001	<0.001
8/16/2016	<0.001	<0.001	<0.001		<0.001		<0.001		
8/17/2016				<0.001		<0.001		<0.001	<0.001
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		<0.001	<0.001		<0.001		
10/17/2016						<0.001		<0.001	<0.001
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/14/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
2/15/2017								<0.001	<0.001
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
4/12/2017								<0.001	<0.001
6/26/2017	<0.001	<0.001	<0.001		<0.001	<0.001	<0.001		
6/27/2017				<0.001				<0.001	<0.001
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				<0.001		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018					<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				<0.001	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								<0.001	<0.001
9/12/2019							<0.001		
9/13/2019			0.00014 (J)						
9/16/2019	<0.001	<0.001		<0.001	0.00017 (J)	<0.001			<0.001
9/17/2019								0.00013 (J)	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					<0.001	<0.001			<0.001
2/19/2020								0.00014 (J)	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	0.00022 (J)		0.00022 (J)			0.00021 (J)			
3/25/2020								<0.001	<0.001
9/14/2020	<0.001	<0.001	0.00014 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00013 (J)	<0.001
3/30/2021	<0.001	<0.001	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			0.00023 (J)		<0.001		0.0003 (J)		

Time Series

Constituent: Lead (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
5/13/2016							<0.001	<0.001	
6/28/2016	<0.001	<0.001	<0.001	<0.001	<0.001				
6/29/2016						<0.001		<0.001	0.0005 (J)
6/30/2016							<0.001		
8/18/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
8/22/2016							<0.001	<0.001	<0.001
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				<0.001	<0.001			<0.001	<0.001
10/19/2016						<0.001	<0.001		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	<0.001	<0.001	<0.001	<0.001		
12/8/2016								<0.001	<0.001
2/15/2017	<0.001	<0.001	<0.001	<0.001		<0.001			
2/16/2017					<0.001		<0.001	<0.001	0.00035 (J)
4/12/2017	<0.001	<0.001	<0.001	<0.001					
4/13/2017					<0.001	<0.001	<0.001	<0.001	<0.001
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
6/28/2017							<0.001	<0.001	0.00041 (J)
3/27/2018	<0.001	0.00039 (J)	<0.001	<0.001	<0.001	<0.001			
3/28/2018							<0.001	<0.001	<0.001
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
6/8/2018							<0.001	<0.001	
10/8/2018	<0.001	<0.001	<0.001		<0.001	<0.001			
10/9/2018								<0.001	
10/16/2018				<0.001					
10/18/2018							<0.001		<0.001
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00027 (J)
4/1/2019	<0.001	<0.001	<0.001	<0.001					
4/2/2019					<0.001	<0.001	<0.001	<0.001	<0.001
9/16/2019	<0.001								
9/17/2019		<0.001	0.00016 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	0.00025 (J)
2/18/2020									0.00025 (J)
2/19/2020	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001	
2/20/2020							<0.001		
3/23/2020								<0.001	0.00023 (J)
3/24/2020						<0.001			
3/26/2020	<0.001						<0.001		
3/27/2020		<0.001	0.00066 (J)	0.00023 (J)	0.00013 (J)				
9/14/2020	<0.001	<0.001							
9/15/2020			<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00017 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001				
2/10/2021						0.00017 (J)	0.00029 (J)	<0.001	0.0003 (J)
3/30/2021							<0.001	<0.001	0.00018 (J)
3/31/2021				<0.001					
4/1/2021					<0.001	<0.001			
4/6/2021			<0.001						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.00071 (J)		
8/19/2021		<0.001	<0.001	<0.001	<0.001			<0.001	0.00034 (J)

Time Series

Constituent: Lead (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	0.0002 (J)				<0.001		<0.001		
2/11/2022		<0.001		<0.001		<0.001		0.00033 (J)	0.00021 (J)
2/14/2022			<0.001						

Time Series

Constituent: Lead (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.001				
10/18/2018				<0.001	<0.001	<0.001	
2/8/2022	<0.001	<0.001					
2/9/2022			<0.001	<0.001		<0.001	
2/10/2022					<0.001		<0.001

Time Series

Constituent: Lithium (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005		
5/11/2016						<0.005		<0.005	<0.005
6/23/2016	0.0013 (J)	<0.005	<0.005				<0.005		
6/24/2016					<0.005	<0.005			
6/27/2016				<0.005					
6/28/2016								<0.005	0.0013 (J)
8/16/2016	<0.005	<0.005	<0.005		<0.005		<0.005		
8/17/2016				<0.005		<0.005		<0.005	<0.005
10/13/2016	<0.005		<0.005						
10/14/2016		<0.005		<0.005	<0.005		<0.005		
10/17/2016						<0.005		<0.005	<0.005
12/5/2016			<0.005						
12/6/2016	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/14/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
2/15/2017								<0.005	<0.005
4/10/2017			<0.005						
4/11/2017	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005		
4/12/2017								<0.005	<0.005
6/26/2017	<0.005	<0.005	<0.005		<0.005	<0.005	<0.005		
6/27/2017				<0.005				<0.005	<0.005
3/26/2018	0.0024 (J)	<0.005	<0.005		0.0013 (J)				
3/27/2018				<0.005		<0.005	0.0017 (J)	<0.005	0.0029 (J)
6/5/2018	0.0018 (J)	<0.005	0.0011 (J)	0.0015 (J)			<0.005		
6/6/2018					<0.005	<0.005		<0.005	0.0017 (J)
10/5/2018	0.0018 (J)	<0.005	0.0012 (J)		<0.005				
10/8/2018				<0.005		<0.005	<0.005		
10/9/2018								<0.005	
10/16/2018									0.0031 (J)
2/18/2019	<0.005	<0.005				<0.005			
2/19/2019			<0.005	<0.005	<0.005		<0.005		
2/20/2019								<0.005	0.0031 (J)
3/28/2019				<0.005	<0.005	<0.005	<0.005		
3/29/2019	<0.005	<0.005	<0.005						
4/1/2019								<0.005	0.0017 (J)
9/12/2019							<0.005		
9/13/2019			<0.005						
9/16/2019	0.0034	<0.005		<0.005	<0.005	<0.005			<0.005
9/17/2019								<0.005	
2/13/2020	<0.005	<0.005	<0.005						
2/17/2020				<0.005			<0.005		
2/18/2020					<0.005	<0.005			<0.005
2/19/2020								<0.005	
3/17/2020		<0.005		<0.005	<0.005		<0.005		
3/18/2020	<0.005		<0.005			<0.005			
3/25/2020								<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/30/2021	<0.005	<0.005	<0.005						
3/31/2021					<0.005	<0.005	<0.005	<0.005	
4/7/2021				<0.005					<0.005
8/17/2021	<0.005	<0.005		<0.005		<0.005			
8/18/2021			<0.005		<0.005		<0.005		

Time Series

Constituent: Lithium (mg/L) Analysis Run 6/29/2022 9:27 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.005								
5/12/2016		<0.005	<0.005	<0.005	<0.005	<0.005			<0.05 (O)
5/13/2016							<0.005	<0.005	
6/28/2016	<0.005	<0.005	<0.005	0.0024 (J)	<0.005				
6/29/2016						<0.005		<0.005	0.0043 (J)
6/30/2016							0.0032 (J)		
8/18/2016	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
8/22/2016							<0.005	<0.005	0.0051
10/17/2016	<0.005	<0.005	<0.005						
10/18/2016				<0.005	<0.005			<0.005	0.0038 (J)
10/19/2016						<0.005	0.0042 (J)		
12/6/2016	<0.005	<0.005							
12/7/2016			<0.005	<0.005	<0.005	<0.005	<0.005		
12/8/2016								<0.005	0.0043 (J)
2/15/2017	<0.005	<0.005	<0.005	<0.005		<0.005			
2/16/2017					<0.005		0.0034 (J)	<0.005	0.0047 (J)
4/12/2017	<0.005	<0.005	<0.005	<0.005					
4/13/2017					<0.005	<0.005	<0.005	<0.005	0.004 (J)
6/27/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
6/28/2017							<0.005	<0.005	0.0032 (J)
3/27/2018	<0.005	<0.005	<0.005	0.0034 (J)	<0.005	0.0014 (J)			
3/28/2018							0.0056	<0.005	0.0053
6/6/2018	<0.005								
6/7/2018		<0.005	<0.005	0.003 (J)	<0.005	<0.005			0.0038 (J)
6/8/2018							0.0042 (J)	0.0022 (J)	
10/8/2018	<0.005	0.0014 (J)	0.0011 (J)		0.0015 (J)	<0.005			
10/9/2018								<0.005	
10/16/2018				0.0034 (J)					
10/18/2018							0.0054		0.0062
2/20/2019	<0.005	<0.005	<0.005	0.0038 (J)	<0.005	<0.005	0.0054	<0.005	0.0048 (J)
4/1/2019	0.0011 (J)	<0.005	<0.005	0.0025 (J)					
4/2/2019					<0.005	<0.005	0.0041 (J)	0.0021 (J)	0.0046 (J)
9/16/2019	<0.005								
9/17/2019		<0.005	<0.005	0.0037	<0.005	<0.005	0.005	<0.005	0.0042
2/18/2020									0.0036 (J)
2/19/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005	
2/20/2020							0.0045 (J)		
3/23/2020								<0.005	0.0045 (J)
3/24/2020						<0.005			
3/26/2020	<0.005						0.0046 (J)		
3/27/2020		<0.005	<0.005	0.0038 (J)	<0.005				
9/14/2020	<0.005	<0.005							
9/15/2020			<0.005	0.0037 (J)	<0.005	<0.005	0.0049 (J)	<0.005	0.0037 (J)
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005				
2/10/2021						<0.005	0.0055	<0.005	0.0047 (J)
3/30/2021							0.0043 (J)	<0.005	<0.005
3/31/2021				<0.005					
4/1/2021					<0.005	<0.005			
4/6/2021			<0.005						
4/7/2021	<0.005	<0.005							
8/18/2021						<0.005	0.0047 (J)		
8/19/2021		<0.005	<0.005	<0.005	<0.005			<0.005	0.0046 (J)

Time Series

Constituent: Lithium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.005								
2/10/2022	<0.005				<0.005		0.0039 (J)		
2/11/2022		<0.005		0.0027 (J)		<0.005		0.0072	0.0037 (J)
2/14/2022			<0.005						

Time Series

Constituent: Lithium (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.069				
10/18/2018				0.0017 (J)	0.015	0.004 (J)	
3/2/2020			<0.005				
4/2/2021	<0.005						
4/7/2021			0.02				
8/18/2021	<0.005		0.0095				
2/8/2022	0.0015 (J)	0.0025 (J)					
2/9/2022			0.01	<0.005		0.0026 (J)	
2/10/2022					0.01		0.0029 (J)

Time Series

Constituent: Mercury (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		<0.0002		
5/11/2016						<0.0002		<0.0002	<0.0002
6/23/2016	<0.0002	<0.0002	<0.0002				<0.0002		
6/24/2016					<0.0002	<0.0002			
6/27/2016				<0.0002					
6/28/2016								<0.0002	<0.0002
8/16/2016	<0.0002	<0.0002	<0.0002		<0.0002		7.2E-05 (J)		
8/17/2016				<0.0002		<0.0002		<0.0002	<0.0002
10/13/2016	<0.0002		<0.0002						
10/14/2016		<0.0002		<0.0002	<0.0002		<0.0002		
10/17/2016						<0.0002		<0.0002	<0.0002
12/5/2016			0.00012 (J)						
12/6/2016	0.00012 (J)	0.00011 (J)		0.00011 (J)	8.7E-05 (J)	0.00011 (J)	0.00012 (J)	0.00013 (J)	0.0001 (J)
2/14/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
2/15/2017								<0.0002	<0.0002
4/10/2017			<0.0002						
4/11/2017	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002	<0.0002		
4/12/2017								<0.0002	<0.0002
6/26/2017	<0.0002	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002		
6/27/2017				<0.0002				<0.0002	<0.0002
3/26/2018	8.9E-05 (J)	<0.0002	<0.0002		<0.0002				
3/27/2018				<0.0002		<0.0002	<0.0002	<0.0002	<0.0002
6/5/2018	<0.0002	<0.0002	<0.0002	7.5E-05 (J)			<0.0002		
6/6/2018					<0.0002	<0.0002		<0.0002	<0.0002
10/5/2018	<0.0002	<0.0002	<0.0002		<0.0002				
10/8/2018				<0.0002		<0.0002	<0.0002		
10/9/2018								<0.0002	
10/16/2018									<0.0002
2/18/2019	<0.0002	<0.0002				<0.0002			
2/19/2019			<0.0002	<0.0002	<0.0002		<0.0002		
2/20/2019								<0.0002	<0.0002
3/28/2019				<0.0002	<0.0002	<0.0002	<0.0002		
3/29/2019	7E-05 (J)	<0.0002	<0.0002						
4/1/2019								<0.0002	<0.0002
9/12/2019							<0.0002		
9/13/2019			<0.0002						
9/16/2019	<0.0002	<0.0002		<0.0002	0.0005	0.00027			<0.0002
9/17/2019								<0.0002	
12/3/2019					<0.0002	<0.0002			
2/13/2020	<0.0002	<0.0002	<0.0002						
2/17/2020				<0.0002			<0.0002		
2/18/2020					<0.0002	<0.0002			<0.0002
2/19/2020								<0.0002	
3/17/2020		<0.0002		<0.0002	<0.0002		<0.0002		
3/18/2020	<0.0002		<0.0002			<0.0002			
3/25/2020								<0.0002	<0.0002
9/14/2020	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
3/30/2021	<0.0002	<0.0002	<0.0002						
3/31/2021					<0.0002	<0.0002	<0.0002	<0.0002	
4/7/2021				<0.0002					<0.0002
8/17/2021	<0.0002	<0.0002		<0.0002		<0.0002			

Time Series

Constituent: Mercury (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/18/2021			<0.0002		<0.0002		<0.0002		
8/19/2021								<0.0002	<0.0002
2/9/2022	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002	<0.0002		
2/10/2022			<0.0002						<0.0002
2/11/2022								<0.0002	

Time Series

Constituent: Mercury (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0002								
5/12/2016		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			<0.0002
5/13/2016							<0.0002	<0.0002	
6/28/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002				
6/29/2016						<0.0002		<0.0002	<0.0002
6/30/2016							<0.0002		
8/18/2016	<0.0002	<0.0002	<0.0002	0.00011 (J)	<0.0002	<0.0002			
8/22/2016							0.00014 (J)	<0.0002	7.3E-05 (J)
10/17/2016	<0.0002	<0.0002	8.9E-05 (J)						
10/18/2016				0.00012 (J)	<0.0002			<0.0002	<0.0002
10/19/2016						<0.0002	<0.0002		
12/6/2016	9.3E-05 (J)	0.00011 (J)							
12/7/2016			0.00012 (J)	0.00017 (J)	7.6E-05 (J)	0.00011 (J)	0.00014 (J)		
12/8/2016								<0.0002	<0.0002
2/15/2017	<0.0002	<0.0002	<0.0002	0.00011 (J)		<0.0002			
2/16/2017						<0.0002	8.4E-05 (J)	<0.0002	<0.0002
4/12/2017	<0.0002	<0.0002	<0.0002	7.2E-05 (J)					
4/13/2017					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
6/27/2017	<0.0002	<0.0002	<0.0002	8.4E-05 (J)	<0.0002	<0.0002			
6/28/2017							<0.0002	<0.0002	<0.0002
3/27/2018	<0.0002	<0.0002	0.0001 (J)	0.00014 (J)	<0.0002	<0.0002			
3/28/2018							8.3E-05 (J)	<0.0002	<0.0002
6/6/2018	<0.0002								
6/7/2018		<0.0002	<0.0002	0.00013 (J)	<0.0002	0.00011 (J)			8.2E-05 (J)
6/8/2018							0.00014 (J)	<0.0002	
10/8/2018	<0.0002	<0.0002	<0.0002		<0.0002	<0.0002			
10/9/2018								<0.0002	
10/16/2018				<0.0002					
10/18/2018							0.00021		<0.0002
2/20/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00026	<0.0002	<0.0002
4/1/2019	<0.0002	<0.0002	<0.0002	<0.0002					
4/2/2019					<0.0002	<0.0002	0.0002	<0.0002	<0.0002
9/16/2019	<0.0002								
9/17/2019		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00014 (J)	<0.0002	<0.0002
2/18/2020									<0.0002
2/19/2020	<0.0002	<0.0002	0.0002	0.00016 (J)	<0.0002	<0.0002		<0.0002	
2/20/2020							0.00022		
3/23/2020								<0.0002	<0.0002
3/24/2020						<0.0002			
3/26/2020	<0.0002						0.00019 (J)		
3/27/2020		<0.0002	<0.0002	0.00011 (J)	<0.0002				
9/14/2020	<0.0002	<0.0002							
9/15/2020			<0.0002	<0.0002	<0.0002	<0.0002	0.00013 (J)	<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	0.00013 (J)	<0.0002				
2/10/2021						<0.0002	0.00018 (J)	<0.0002	<0.0002
3/30/2021							0.00022	<0.0002	0.00013 (J)
3/31/2021				0.00018 (J)					
4/1/2021					<0.0002	<0.0002			
4/6/2021			<0.0002						
4/7/2021	<0.0002	<0.0002							
8/18/2021						0.00017 (J)	0.00022		
8/19/2021		<0.0002	<0.0002	<0.0002	<0.0002			<0.0002	<0.0002

Time Series

Constituent: Mercury (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.0002								
2/10/2022	<0.0002				<0.0002		<0.0002		
2/11/2022		<0.0002		<0.0002		<0.0002		<0.0002	<0.0002
2/14/2022			<0.0002						

Time Series

Constituent: Mercury (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			8.4E-05 (J)				
10/18/2018				<0.0002	<0.0002	<0.0002	
2/8/2022	<0.0002	0.00022					
2/9/2022			<0.0002	<0.0002		<0.0002	
2/10/2022					<0.0002		<0.0002

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.015	<0.015	<0.015	<0.015	<0.015		<0.015		
5/11/2016						0.00278 (J)		<0.015	<0.015
6/23/2016	<0.015	<0.015	<0.015				<0.015		
6/24/2016					<0.015	0.0022 (J)			
6/27/2016				<0.015					
6/28/2016								<0.015	<0.015
8/16/2016	<0.015	<0.015	<0.015		<0.015		<0.015		
8/17/2016				<0.015		0.0018 (J)		<0.015	<0.015
10/13/2016	<0.015		<0.015						
10/14/2016		<0.015		<0.015	<0.015		<0.015		
10/17/2016						0.0014 (J)		<0.015	<0.015
12/5/2016			<0.015						
12/6/2016	<0.015	<0.015		<0.015	<0.015	0.00095 (J)	<0.015	<0.015	<0.015
2/14/2017	<0.015	<0.015	<0.015	<0.015	0.0011 (J)	<0.015	<0.015		
2/15/2017								<0.015	<0.015
4/10/2017			<0.015						
4/11/2017	<0.015	<0.015		<0.015	<0.015	0.0011 (J)	<0.015		
4/12/2017								<0.015	<0.015
6/26/2017	<0.015	<0.015	<0.015		<0.015	0.0016 (J)	<0.015		
6/27/2017				<0.015				<0.015	<0.015
3/26/2018	<0.015	<0.015	<0.015		<0.015		<0.015	<0.015	<0.015
3/27/2018				<0.015		<0.015	<0.015	<0.015	<0.015
10/5/2018	<0.015	<0.015	<0.015		<0.015		<0.015		
10/8/2018				<0.015		<0.015	<0.015		
10/9/2018								<0.015	
10/16/2018									<0.015
2/18/2019	<0.015	<0.015				0.00085 (J)			
2/19/2019			<0.015	<0.015	<0.015		<0.015		
2/20/2019								<0.015	<0.015
3/28/2019				<0.015	<0.015	<0.015	<0.015		
3/29/2019	<0.015	<0.015	<0.015						
4/1/2019								<0.015	<0.015
9/12/2019							<0.015		
9/13/2019			<0.015						
9/16/2019	<0.015	<0.015		<0.015	<0.015	0.00069 (J)			<0.015
9/17/2019								<0.015	
2/13/2020	<0.015	<0.015	<0.015						
2/17/2020				<0.015			<0.015		
2/18/2020					<0.015	0.00075 (J)			<0.015
2/19/2020								<0.015	
3/17/2020		<0.015		<0.015	<0.015		<0.015		
3/18/2020	<0.015		<0.015			0.00064 (J)			
3/25/2020								<0.015	<0.015
9/14/2020	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/9/2021	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
3/30/2021	<0.015	<0.015	<0.015						
3/31/2021					<0.015	<0.015	<0.015	<0.015	
4/7/2021				<0.015					<0.015
8/17/2021	<0.015	<0.015		<0.015		<0.015			
8/18/2021			<0.015		<0.015		<0.015		
8/19/2021								<0.015	<0.015
2/9/2022	<0.015	<0.015		<0.015	<0.015	<0.015	<0.015		

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 6/29/2022 9:27 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.015								
5/12/2016		<0.015	<0.015	<0.015	<0.015	<0.015			<0.015
5/13/2016							<0.015	<0.015	
6/28/2016	0.0012 (J)	<0.015	<0.015	<0.015	<0.015				
6/29/2016						<0.015		<0.015	<0.015
6/30/2016							<0.015		
8/18/2016	0.0011 (J)	<0.015	<0.015	<0.015	<0.015	<0.015			
8/22/2016							<0.015	<0.015	<0.015
10/17/2016	<0.015	<0.015	<0.015						
10/18/2016				<0.015	<0.015			<0.015	<0.015
10/19/2016						<0.015	<0.015		
12/6/2016	<0.015	<0.015							
12/7/2016			<0.015	<0.015	<0.015	<0.015	<0.015		
12/8/2016								<0.015	<0.015
2/15/2017	<0.015	<0.015	0.003 (J)	<0.015		<0.015			
2/16/2017					<0.015		<0.015	<0.015	<0.015
4/12/2017	<0.015	<0.015	<0.015	<0.015					
4/13/2017					<0.015	<0.015	<0.015	<0.015	<0.015
6/27/2017	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015			
6/28/2017							<0.015	<0.015	<0.015
3/27/2018	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015			
3/28/2018							<0.015	<0.015	<0.015
10/8/2018	<0.015	<0.015	<0.015		<0.015	<0.015			
10/9/2018								<0.015	
10/16/2018				<0.015					
10/18/2018							<0.015		<0.015
2/20/2019	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
4/1/2019	<0.015	<0.015	<0.015	<0.015					
4/2/2019					<0.015	<0.015	<0.015	<0.015	<0.015
9/16/2019	<0.015								
9/17/2019		<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/18/2020									<0.015
2/19/2020	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		<0.015	
2/20/2020							<0.015		
3/23/2020								<0.015	<0.015
3/24/2020						<0.015			
3/26/2020	<0.015						<0.015		
3/27/2020		<0.015	0.00081 (J)	<0.015	<0.015				
9/14/2020	<0.015	<0.015							
9/15/2020			<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/9/2021	<0.015	<0.015	<0.015	<0.015	<0.015				
2/10/2021						<0.015	<0.015	<0.015	<0.015
3/30/2021							<0.015	<0.015	<0.015
3/31/2021				<0.015					
4/1/2021					<0.015	<0.015			
4/6/2021			<0.015						
4/7/2021	<0.015	<0.015							
8/18/2021						<0.015	<0.015		
8/19/2021		<0.015	<0.015	<0.015	<0.015			<0.015	<0.015
8/20/2021	<0.015								
2/10/2022	<0.015				<0.015		<0.015		
2/11/2022		<0.015		<0.015		<0.015		<0.015	<0.015

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 6/29/2022 9:27 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/14/2022			<0.015						

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022	<0.015	<0.015					
2/9/2022			<0.015	<0.015		0.0057 (J)	
2/10/2022					<0.015		0.0017 (J)

Time Series

Constituent: pH (S.U.) Analysis Run 6/29/2022 9:28 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	5.51	6.83	6.34	6.14	5.75		5.84		
5/11/2016						6.49		5.7	5.84
8/16/2016	5.42	6.73	6.35		5.72		5.64		
8/17/2016				6.1		6.42		5.55	5.71
10/13/2016	5.52		6.34						
10/14/2016		6.47		6.14	5.71		5.59		
10/17/2016						6.44		5.45	5.69
12/5/2016			6.32						
12/6/2016	5.33	6.74		6.19	5.68	6.48	5.46	5.49	5.58
2/14/2017	5.29	6.85	6.33	6.34	5.57	6.18	5.29		
2/15/2017								5.29	5.54
4/10/2017			6.31						
4/11/2017	5.21	6.75		6.16	5.7	6.49	5.54		
4/12/2017								5.39	5.47
6/26/2017	5.25	6.82	6.35		5.68	6.48	5.54		
6/27/2017				6.08					5.47
10/10/2017	5.49	6.87	6.37						
10/11/2017				6.16	5.63	6.42	5.43		5.58
10/12/2017								5.3	
3/26/2018	5.39	6.77	6.32		5.89				
3/27/2018				6.12		6.53	5.52	5.58	5.65
6/5/2018	5.38	6.73	6.27	6.06			5.59		
6/6/2018					5.62	6.7		5.43	5.32
10/5/2018	5.46	6.81	6.37		5.76		5.7		
10/8/2018				6.16		6.53			
10/9/2018								5.29	
10/16/2018									5.34
3/28/2019				6.15	5.88	6.53	5.67		
3/29/2019	5.22	6.81	6.31						
4/1/2019								5.46	5.24
9/12/2019							5.59		
9/13/2019			6.36						
9/16/2019	5.22	6.82		6.05	5.8	6.44			5.32
9/17/2019								5.31	
2/13/2020	5.09	6.59	6.24						
2/17/2020				6.1			5.73		
2/18/2020					5.76	6.38			5.09
2/19/2020								5.07	
3/17/2020		6.83		6.02	5.87		5.62		
3/18/2020	5.37		6.4			6.36			
3/25/2020								5.26	5.16
5/19/2020	5.37	6.8	6.37	6.03	5.8	6.38	5.61		
9/14/2020	5.11	6.73	6.52	5.98	5.84	6.4	5.82	5.51	5.14
2/9/2021	5.25	6.75	6.4	6.06	5.8	6.38	5.53	5.23	5.24
3/30/2021	5.28	6.73	6.27						
3/31/2021					5.72	6.33	5.5	5.3	
4/7/2021				6.12					5.18
8/17/2021	5.26	6.84		6.08		6.41			
8/18/2021			6.45		5.85		5.51		
8/19/2021								5.21	5.23
2/9/2022	5.28	7.01		6.17	5.84	6.38	5.56		
2/10/2022			6.38						5.11

Time Series

Constituent: pH (S.U.) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

2/11/2022	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10 5.13	SGWC-11
-----------	-------------	-------------	--------------	--------------	-------------	-------------	-------------	-----------------	---------

Time Series

Constituent: pH (S.U.) Analysis Run 6/29/2022 9:28 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	6.28								
5/12/2016		6.09	5.79	4.76	5.29	6.21			4.36
5/13/2016							4.7	5.55	
8/18/2016	6.23	6	5.75	4.73	5.3	6.24			
8/22/2016							4.68	5.5	4.37
10/17/2016	6.27	6.01	5.73						
10/18/2016				4.62	5.23			5.46	4.26
10/19/2016						6.2	4.65		
12/6/2016	6.28	5.98							
12/7/2016			5.75	4.63	5.31	6.19	4.69		
12/8/2016								5.39	4.28
2/15/2017	6.21	5.74	5.58	4.51		6.25			
2/16/2017					4.77		4.77	5.32	4.29
4/12/2017	6.15	6.01	5.85	4.67					
4/13/2017					5.28	6.21	4.79	5.47	4.24
6/27/2017	6.23	6.05	5.86	4.66	5.22	6.27			
6/28/2017							4.78	5.5	4.28
10/11/2017	6.26	6.14	5.98						
10/12/2017				4.76	5.43	6.33	4.86	5.57	4.32
3/27/2018	6.32	6.25	5.87	4.61	5.28	6.26			
3/28/2018							4.74	5.74	4.25
6/6/2018	6.1								
6/7/2018		5.93	5.81	4.62	5.26	6.21			4.26
6/8/2018							4.69	5.52	
10/8/2018	6.16	6.02	5.83		5.29	6.17			
10/9/2018								5.51	
10/16/2018				4.59					
10/18/2018							4.7		4.3
4/1/2019	6.14	6.06	5.89	4.72					
4/2/2019					5.27	6.26	4.72	5.5	4.33
9/16/2019	6.18								
9/17/2019		5.98	5.78	4.65	5.26	6.23	4.77	5.55	4.37
2/18/2020									4.3
2/19/2020	6.07	5.94	5.75	4.58	5.16	6.16		5.53	
2/20/2020							4.64		
3/23/2020								5.51	4.19
3/24/2020						6.21			
3/26/2020	6.1						4.74		
3/27/2020		5.89	5.74	4.51	5.17				
9/14/2020	6.11	6							
9/15/2020			6.01	4.87	5.56	6.42	4.94	5.51	4.3
2/9/2021	6.13	5.98	5.85	4.26	5.22				
2/10/2021						6.23	4.8	5.55	4.22
3/30/2021							4.82	5.57	4.32
3/31/2021				4.77					
4/1/2021					5.24	6.25			
4/6/2021			5.84						
4/7/2021	6.44	6.07							
8/18/2021						6.26	4.83		
8/19/2021		5.99	5.86	4.63	5.28			5.61	4.28
8/20/2021	6.13								
2/10/2022	6.19				5.21		4.86		

Time Series

Constituent: pH (S.U.) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/11/2022		6.02		4.59		6.39		5.65	4.27
2/14/2022			5.77						

Time Series

Constituent: pH (S.U.) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/13/2020	5.29						
2/18/2020	5.54						
3/2/2020			6.53				
9/18/2020		5.29					
4/2/2021	5.38	5.03					
4/7/2021			7.04				
8/18/2021	5.4		6.5				
8/20/2021		5.13					
2/8/2022	5.42	4.92					
2/9/2022			6.57	6.71		6.25	
2/10/2022					6.11		6.61

Time Series

Constituent: Selenium (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005		
5/11/2016						<0.005		<0.005	<0.005
6/23/2016	<0.005	<0.005	<0.005				<0.005		
6/24/2016					<0.005	<0.005			
6/27/2016				<0.005					
6/28/2016								<0.005	<0.005
8/16/2016	<0.005	<0.005	<0.005		<0.005		<0.005		
8/17/2016				<0.005		<0.005		<0.005	<0.005
10/13/2016	<0.005		<0.005						
10/14/2016		<0.005		<0.005	<0.005		<0.005		
10/17/2016						<0.005		<0.005	<0.005
12/5/2016			<0.005						
12/6/2016	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/14/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
2/15/2017								<0.005	<0.005
4/10/2017			<0.005						
4/11/2017	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005		
4/12/2017								<0.005	<0.005
6/26/2017	<0.005	<0.005	<0.005		0.00029 (J)	0.00041 (J)	<0.005		
6/27/2017				<0.005				<0.005	<0.005
3/26/2018	<0.005	<0.005	<0.005		<0.005				
3/27/2018				<0.005		<0.005	<0.005	<0.005	<0.005
6/5/2018	0.00065 (J)	0.00098 (J)	0.00041 (J)	0.00029 (J)			0.00039 (J)		
6/6/2018					<0.005	<0.005		<0.005	<0.005
10/5/2018	0.00031 (J)	0.00028 (J)	<0.005		0.00024 (J)				
10/8/2018				<0.005		0.00041 (J)	<0.005		
10/9/2018								<0.005	
10/16/2018									0.00046 (J)
2/18/2019	<0.005	0.00017 (J)				<0.005			
2/19/2019			<0.005	<0.005	0.00012 (J)		<0.005		
2/20/2019								<0.005	<0.005
3/28/2019				<0.005	<0.005	<0.005	<0.005		
3/29/2019	<0.005	<0.005	<0.005						
4/1/2019								<0.005	<0.005
9/12/2019							<0.005		
9/13/2019			<0.005						
9/16/2019	<0.005	<0.005		<0.005	<0.005	<0.005			<0.005
9/17/2019								<0.005	
2/13/2020	<0.005	<0.005	<0.005						
2/17/2020				<0.005			<0.005		
2/18/2020					<0.005	<0.005			<0.005
2/19/2020								<0.005	
3/17/2020		<0.005		<0.005	<0.005		<0.005		
3/18/2020	<0.005		<0.005			<0.005			
3/25/2020								<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/30/2021	<0.005	<0.005	<0.005						
3/31/2021					<0.005	<0.005	<0.005	<0.005	
4/7/2021				<0.005					<0.005
8/17/2021	<0.005	<0.005		<0.005		<0.005			
8/18/2021			<0.005		<0.005		<0.005		

Time Series

Constituent: Selenium (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.005								
5/12/2016		<0.005	<0.005	0.00965 (J)	<0.005	<0.005			0.00396 (J)
5/13/2016							0.023	<0.005	
6/28/2016	<0.005	<0.005	<0.005	0.0101	<0.005				
6/29/2016						<0.005		<0.005	0.0053 (J)
6/30/2016							0.0263		
8/18/2016	0.00031 (J)	<0.005	<0.005	0.0014	0.00053 (J)	<0.005			
8/22/2016							0.0066	<0.005	0.0012 (J)
10/17/2016	<0.005	0.0003 (J)	<0.005						
10/18/2016				0.0013	<0.005			<0.005	<0.005
10/19/2016						<0.005	0.0057		
12/6/2016	<0.005	<0.005							
12/7/2016			<0.005	0.0007 (J)	<0.005	<0.005	0.006		
12/8/2016								<0.005	<0.005
2/15/2017	<0.005	<0.005	0.00066 (J)	0.00075 (J)		<0.005			
2/16/2017					<0.005		0.0055	<0.005	<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005					
4/13/2017					<0.005	<0.005	0.0049	<0.005	<0.005
6/27/2017	<0.005	<0.005	<0.005	0.0013	0.001 (J)	0.00024 (J)			
6/28/2017							0.0047	0.00096 (J)	0.00064 (J)
3/27/2018	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
3/28/2018							0.0085	<0.005	<0.005
6/6/2018	<0.005								
6/7/2018		0.00064 (J)	0.00084 (J)	0.0014	0.0013	0.00064 (J)			0.00066 (J)
6/8/2018							0.014	0.00063 (J)	
10/8/2018	<0.005	<0.005	<0.005		0.0014	0.00028 (J)			
10/9/2018								0.0005 (J)	
10/16/2018				0.0021					
10/18/2018							0.017		0.00049 (J)
2/20/2019	<0.005	<0.005	<0.005	0.0034	0.0012 (J)	<0.005	0.027	<0.005	0.0011 (J)
4/1/2019	<0.005	<0.005	<0.005	<0.005					
4/2/2019					0.0021	<0.005	0.0075	<0.005	<0.005
9/16/2019	<0.005								
9/17/2019		<0.005	<0.005	<0.005	<0.005	<0.005	0.0036	<0.005	<0.005
2/18/2020									<0.005
2/19/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005	
2/20/2020							0.0024 (J)		
3/23/2020								<0.005	<0.005
3/24/2020						<0.005			
3/26/2020	<0.005						0.0019 (J)		
3/27/2020		<0.005	<0.005	<0.005	<0.005				
9/14/2020	<0.005	<0.005							
9/15/2020			<0.005	<0.005	<0.005	<0.005	0.003 (J)	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005				
2/10/2021						<0.005	0.0016 (J)	<0.005	<0.005
3/30/2021							<0.005	<0.005	<0.005
3/31/2021				<0.005					
4/1/2021					<0.005	<0.005			
4/6/2021			<0.005						
4/7/2021	<0.005	<0.005							
8/18/2021						<0.005	0.002 (J)		
8/19/2021		<0.005	<0.005	<0.005	<0.005			<0.005	<0.005

Time Series

Constituent: Selenium (mg/L) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.005								
2/10/2022	<0.005				0.00092 (J)		0.0021 (J)		
2/11/2022		<0.005		<0.005		<0.005		<0.005	<0.005
2/14/2022			<0.005						

Time Series

Constituent: Selenium (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			0.00046 (J)				
10/18/2018				0.00047 (J)	0.00059 (J)	0.00026 (J)	
2/8/2022	<0.005	<0.005					
2/9/2022			<0.005	<0.005		<0.005	
2/10/2022					<0.005		<0.005

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	30.1								
5/12/2016		89.7	194	194	9.9	125			255
5/13/2016							484	212	
6/28/2016	25	76	200	200	11				
6/29/2016						120		220	270
6/30/2016							490		
8/18/2016	24	78	180	190	14	130			
8/22/2016							500	220	270
10/17/2016	23	73	190						
10/18/2016				190	15			210	240
10/19/2016						140	520		
12/6/2016	28	76							
12/7/2016			200	200	17	160	510		
12/8/2016								220	240
2/15/2017	33	73	190	190		160			
2/16/2017					17		450	210	230
4/12/2017	30	70	170	170					
4/13/2017					15	140	380	190	220
6/27/2017	33	78	200	200	19	160			
6/28/2017							390	220	240
10/11/2017	33	72	190						
10/12/2017				190	20	170	430	210	210
6/6/2018	41								
6/7/2018		69	190	190	25	170			210
6/8/2018							870	220	
10/16/2018				200					
10/18/2018							1200		210
12/14/2018	43	74	190			180			
12/17/2018					28			270	
4/1/2019	48	82	180	190					
4/2/2019					31	180	1100	240	220
9/16/2019	44								
9/17/2019		79	200	220	33	200	1100	260	220
3/23/2020								250	220
3/24/2020						190			
3/26/2020	44						1000		
3/27/2020		81	180	190	35				
9/14/2020	41	89							
9/15/2020			180	190	36	190	860	250	200
3/30/2021							960	270	220
3/31/2021				200					
4/1/2021					37	210			
4/6/2021			190						
4/7/2021	54	96							
8/18/2021						200	940		
8/19/2021		82	190	200	38			280	230
8/20/2021	60								
2/10/2022	41				45		890		
2/11/2022		94		200		190		260	230
2/14/2022			220						

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			6				
10/18/2018				92	570	250	
2/8/2022	<1	<1					
2/9/2022			0.76 (J)	100		240	
2/10/2022					720		110

Time Series

Constituent: Thallium (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	<0.001
6/23/2016	8E-05 (J)	<0.001	<0.001				<0.001		
6/24/2016					0.0001 (J)	<0.001			
6/27/2016				<0.001					
6/28/2016								0.0001 (J)	<0.001
8/16/2016	9.5E-05 (J)	<0.001	<0.001		<0.001		<0.001		
8/17/2016				<0.001		<0.001		<0.001	<0.001
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		<0.001	<0.001		<0.001		
10/17/2016						<0.001		<0.001	<0.001
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/14/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
2/15/2017								<0.001	<0.001
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
4/12/2017								<0.001	<0.001
6/26/2017	<0.001	<0.001	<0.001		<0.001	<0.001	<0.001		
6/27/2017				<0.001				<0.001	<0.001
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				<0.001		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018					<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				<0.001	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								<0.001	<0.001
9/12/2019							<0.001		
9/13/2019			<0.001						
9/16/2019	<0.001	<0.001		<0.001	<0.001	<0.001			<0.001
9/17/2019								<0.001	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					0.00033 (J)	0.00049 (J)			0.00016 (J)
2/19/2020								0.00075 (J)	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	0.00049 (J)		<0.001			0.00021 (J)			
3/25/2020								<0.001	<0.001
9/14/2020	0.00039 (J)	0.00016 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/30/2021	0.00035 (J)	0.00034 (J)	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			<0.001		<0.001		0.0003 (J)		

Time Series

Constituent: Thallium (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
5/13/2016							<0.001	<0.001	
6/28/2016	<0.001	<0.001	<0.001	9E-05 (J)	<0.001				
6/29/2016						<0.001		<0.001	0.0002 (J)
6/30/2016							0.0002 (J)		
8/18/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
8/22/2016							0.00015 (J)	<0.001	0.00018 (J)
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				<0.001	<0.001			<0.001	0.00016 (J)
10/19/2016						<0.001	0.00012 (J)		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)		
12/8/2016								<0.001	0.0001 (J)
2/15/2017	<0.001	<0.001	<0.001	8.5E-05 (J)		<0.001			
2/16/2017					<0.001		0.00013 (J)	<0.001	0.00014 (J)
4/12/2017	<0.001	<0.001	<0.001	9.5E-05 (J)					
4/13/2017					<0.001	<0.001	0.00012 (J)	<0.001	0.00021 (J)
6/27/2017	<0.001	<0.001	<0.001	0.0001 (J)	<0.001	<0.001			
6/28/2017							0.00013 (J)	<0.001	0.00018 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
3/28/2018							0.00011 (J)	<0.001	9E-05 (J)
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.001	<0.001	<0.001			0.00014 (J)
6/8/2018							0.00019 (J)	<0.001	
10/8/2018	<0.001	<0.001	<0.001		<0.001	<0.001			
10/9/2018								<0.001	
10/16/2018				0.0001 (J)					
10/18/2018							0.00019 (J)		0.00018 (J)
2/20/2019	<0.001	<0.001	<0.001	9.8E-05 (J)	<0.001	<0.001	0.00021 (J)	<0.001	0.00018 (J)
4/1/2019	<0.001	<0.001	<0.001	9.5E-05 (J)					
4/2/2019					<0.001	<0.001	0.00016 (J)	<0.001	0.00017 (J)
9/16/2019	<0.001								
9/17/2019		<0.001	<0.001	0.00016 (J)	<0.001	<0.001	0.00025 (J)	<0.001	0.00021 (J)
2/18/2020									0.00033 (J)
2/19/2020	0.00034 (J)	0.00022 (J)	0.00018 (J)	0.00031 (J)	<0.001	<0.001		<0.001	
2/20/2020							0.00066 (J)		
3/23/2020								<0.001	0.00016 (J)
3/24/2020						<0.001			
3/26/2020	<0.001						0.00029 (J)		
3/27/2020		<0.001	0.0011	0.00045 (J)	<0.001				
9/14/2020	0.00023 (J)	<0.001							
9/15/2020			0.00035 (J)	0.00027 (J)	<0.001	<0.001	0.00027 (J)	<0.001	0.00028 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001				
2/10/2021						0.00024 (J)	0.00068 (J)	<0.001	0.00025 (J)
3/30/2021							0.00024 (J)	<0.001	0.00018 (J)
3/31/2021				<0.001					
4/1/2021					<0.001	<0.001			
4/6/2021			0.00017 (J)						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.00022 (J)		
8/19/2021		<0.001	<0.001	<0.001	<0.001			<0.001	0.00018 (J)

Time Series

Constituent: Thallium (mg/L) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	<0.001				<0.001		<0.001		
2/11/2022		<0.001		<0.001		<0.001		<0.001	<0.001
2/14/2022			<0.001						

Time Series

Constituent: Thallium (mg/L) Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			<0.001				
10/18/2018				<0.001	<0.001	<0.001	
2/8/2022	<0.001	<0.001					
2/9/2022			<0.001	<0.001		<0.001	
2/10/2022					<0.001		<0.001

Time Series

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	195								
5/12/2016		190	309	298	46	261			386
5/13/2016							728	366	
6/28/2016	200	198	333	337	60				
6/29/2016						323		370	436
6/30/2016							742		
8/18/2016	200	180	320	310	48	310			
8/22/2016							670	350	290
10/17/2016	160	140	320						
10/18/2016				320	60			340	200
10/19/2016						330 (D)	700		
12/6/2016	220	110							
12/7/2016			340	270	64	370	720		
12/8/2016								350	370
2/15/2017	200	160	340	310		350			
2/16/2017					40		600	340	350
4/12/2017	180	140	300	280					
4/13/2017					76	390	640	350	380
6/27/2017	200	170	320	290	50	350			
6/28/2017							540	340	320
10/11/2017	190	170	340						
10/12/2017				330	68	380	640	370	350
6/6/2018	260								
6/7/2018		190	340	310	74	360			320
6/8/2018							820	320	
10/16/2018				350					
10/18/2018							1200		370
12/14/2018	190	140	280			390			
12/17/2018					42			250	
4/1/2019	200	190	330	330					
4/2/2019					73	400	1700	420	370
9/16/2019	200								
9/17/2019		170	310	320	59	380	1600	400	320
3/23/2020								390	330
3/24/2020						430			
3/26/2020	200						1600		
3/27/2020		200	330	330	99				
9/14/2020	190	190							
9/15/2020			360	340	90	440	1500	450	350
3/30/2021							1500	420	350
3/31/2021				300					
4/1/2021					88	410			
4/6/2021			320						
4/7/2021	210	200							
8/18/2021						450	1400		
8/19/2021		210	370	320	100			440	340
8/20/2021	220								
2/10/2022	210				100		1400		
2/11/2022		200		310		440		440	350
2/14/2022			360						

Time Series


Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 6/29/2022 9:28 AM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018			180				
10/18/2018				260	840	440	
2/8/2022	48	37					
2/9/2022			120	240		470	
2/10/2022					1200		320


FIGURE B.

Box & Whiskers Plot




Constituent: Antimony Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 6/29/2022 9:28 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 6/29/2022 9:29 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 6/29/2022 9:29 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 6/29/2022 9:30 AM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot



Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot



Constituent: Total Dissolved Solids [TDS] Analysis Run 6/29/2022 9:30 AM
Plant Scherer Client: Southern Company Data: Scherer AP

FIGURE C.

Outlier Summary

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/19/2022, 11:45 PM

	SGWC-20 Lithium (mg/L)	SGWC-7 Lithium (mg/L)
5/11/2016		<0.05 (O)
5/12/2016	<0.005 (O)	

FIGURE D.

Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:23 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig. Bg	NBg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.13	n/a	2/10/2022	0.53	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-13	0.13	n/a	2/11/2022	0.48	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-14	0.13	n/a	2/14/2022	1.5	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-15	0.13	n/a	2/11/2022	1.2	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-16	0.13	n/a	2/10/2022	0.63	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-17	0.13	n/a	2/11/2022	0.27	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-18	0.13	n/a	2/10/2022	6.4	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-19	0.13	n/a	2/11/2022	1.7	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-20	0.13	n/a	2/11/2022	1.5	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-21	0.13	n/a	2/11/2022	1	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-22	0.13	n/a	2/10/2022	0.54	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-23	0.13	n/a	2/10/2022	0.45	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-8	0.13	n/a	2/10/2022	0.16	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-9	0.13	n/a	2/10/2022	1.3	Yes	126 n/a	n/a	92.86	n/a	n/a	0.0001235	NP Inter (NDs) 1 of 2
Calcium, total (mg/L)	SGWC-12	19	n/a	2/10/2022	23	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-14	19	n/a	2/14/2022	41	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-17	19	n/a	2/11/2022	58	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-18	19	n/a	2/10/2022	55	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-19	19	n/a	2/11/2022	46	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-21	19	n/a	2/11/2022	36	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-22	19	n/a	2/10/2022	27	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-23	19	n/a	2/10/2022	23	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-8	19	n/a	2/10/2022	53	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-9	19	n/a	2/10/2022	37	Yes	126 n/a	n/a	0	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Chloride, Total (mg/L)	SGWC-10	3.025	n/a	2/11/2022	11	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-11	3.025	n/a	2/10/2022	8.8	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-12	3.025	n/a	2/10/2022	10	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-13	3.025	n/a	2/11/2022	12	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-14	3.025	n/a	2/14/2022	14	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-15	3.025	n/a	2/11/2022	12	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-16	3.025	n/a	2/10/2022	9.8	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-17	3.025	n/a	2/11/2022	8.4	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-18	3.025	n/a	2/10/2022	19	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-19	3.025	n/a	2/11/2022	10	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-20	3.025	n/a	2/11/2022	9.6	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-21	3.025	n/a	2/11/2022	11	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-22	3.025	n/a	2/10/2022	10	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-23	3.025	n/a	2/10/2022	12	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-7	3.025	n/a	2/9/2022	4	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-8	3.025	n/a	2/10/2022	12	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-9	3.025	n/a	2/10/2022	15	Yes	126 1.232	0.1025	0	None	x^(1/3)	0.000418	Param Inter 1 of 2
Fluoride, total (mg/L)	SGWC-6	0.16	n/a	2/9/2022	0.19	Yes	154 n/a	n/a	59.74	n/a	n/a	0.00008305	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-7	0.16	n/a	2/9/2022	0.27	Yes	154 n/a	n/a	59.74	n/a	n/a	0.00008305	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-8	0.16	n/a	2/10/2022	0.44	Yes	154 n/a	n/a	59.74	n/a	n/a	0.00008305	NP Inter (NDs) 1 of 2
pH (S.U.)	SGWC-15	7.01	5.09	2/11/2022	4.59	Yes	147 n/a	n/a	0	n/a	n/a	0.0001821	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-18	7.01	5.09	2/10/2022	4.86	Yes	147 n/a	n/a	0	n/a	n/a	0.0001821	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	2/11/2022	4.27	Yes	147 n/a	n/a	0	n/a	n/a	0.0001821	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-12	3.75	n/a	2/10/2022	41	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-13	3.75	n/a	2/11/2022	94	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-14	3.75	n/a	2/14/2022	220	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-15	3.75	n/a	2/11/2022	200	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-16	3.75	n/a	2/10/2022	45	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-17	3.75	n/a	2/11/2022	190	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-18	3.75	n/a	2/10/2022	890	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-19	3.75	n/a	2/11/2022	260	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-20	3.75	n/a	2/11/2022	230	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-21	3.75	n/a	2/11/2022	120	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-22	3.75	n/a	2/10/2022	100	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-23	3.75	n/a	2/10/2022	73	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-7	3.75	n/a	2/9/2022	7.1	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-8	3.75	n/a	2/10/2022	80	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-9	3.75	n/a	2/10/2022	190	Yes	126 n/a	n/a	49.21	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	200	n/a	2/10/2022	210	Yes	126 n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2


Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:23 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg	NB	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	200	n/a	2/14/2022	360	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	200	n/a	2/11/2022	310	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	200	n/a	2/11/2022	440	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	200	n/a	2/10/2022	1400	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	200	n/a	2/11/2022	440	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	200	n/a	2/11/2022	350	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	200	n/a	2/11/2022	350	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	200	n/a	2/10/2022	250	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	200	n/a	2/10/2022	230	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	200	n/a	2/10/2022	400	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	200	n/a	2/10/2022	410	Yes	126	n/a	n/a	n/a	0.7937	n/a	n/a	0.0001235	NP Inter (normality) 1 of 2

Exceeds Limit: SGWC-11, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21...

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 92.86% NDs. Annual per-constituent alpha = 0.004436. Individual comparison alpha = 0.0001235 (1 of 2). Comparing 18 points to limit.

Constituent: Boron, total Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-12, SGWC-14, SGWC-17, SGWC-18, SGWC-19, SGWC-21, SGWC-22, SGWC-23, SGWC-8, SGWC-9

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. Annual per-constituent alpha = 0.004436. Individual comparison alpha = 0.0001235 (1 of 2). Comparing 18 points to limit.

Constituent: Calcium, total Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19...

Prediction Limit
Interwell Parametric




Background Data Summary (based on cube root transformation): Mean=1.232, Std. Dev.=0.1025, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 8.286, critical = 14.07. Kappa = 2.087 (c=7, w=18, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.000418. Comparing 18 points to limit.

Constituent: Chloride, Total Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-6, SGWC-7, SGWC-8

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 154 background values. 59.74% NDs. Annual per-constituent alpha = 0.002986. Individual comparison alpha = 0.00008305 (1 of 2). Comparing 18 points to limit.

Constituent: Fluoride, total Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limits: SGWC-15, SGWC-18, SGWC-20

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 147 background values. Annual per-constituent alpha = 0.006545. Individual comparison alpha = 0.0001821 (1 of 2). Comparing 18 points to limit.

Constituent: pH Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Hollow symbols indicate censored values.

Exceeds Limit: SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21...

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. 49.21% NDs. Annual per-constituent alpha = 0.004436. Individual comparison alpha = 0.0001235 (1 of 2). Comparing 18 points to limit.

Constituent: Sulfate, total Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Hollow symbols indicate censored values.

Exceeds Limit: SGWC-12, SGWC-14, SGWC-15, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23...

Prediction Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. 0.7937% NDs. Annual per-constituent alpha = 0.004436. Individual comparison alpha = 0.0001235 (1 of 2). Comparing 18 points to limit.

Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:21 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-4 (bg)	SGWC-9	SGWC-12
5/10/2016	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08			
5/11/2016							<0.08	1.54	<0.08
5/12/2016									
5/13/2016									
6/23/2016	<0.08	<0.08			<0.08	<0.08			
6/24/2016				0.0109 (J)			0.0067 (J)		
6/27/2016			0.0052 (J)						
6/28/2016									0.0054 (J)
6/29/2016								1.52	
6/30/2016									
8/16/2016	<0.08	<0.08		<0.08	<0.08	<0.08			
8/17/2016			<0.08				<0.08		
8/18/2016									<0.08
8/19/2016									
8/22/2016								1.6	
10/13/2016	<0.08					<0.08			
10/14/2016		<0.08	<0.08	<0.08	<0.08				
10/17/2016							<0.08		<0.08
10/18/2016								2.4	
10/19/2016									
12/5/2016						<0.08			
12/6/2016	<0.08	<0.08	<0.08	<0.08	<0.08		<0.08		<0.08
12/7/2016								1.6	
12/8/2016									
2/14/2017	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08		
2/15/2017									<0.08
2/16/2017								1.6	
4/10/2017						<0.08			
4/11/2017	<0.08	<0.08	<0.08	<0.08	<0.08		<0.08		
4/12/2017									<0.08
4/13/2017								1.7	
6/26/2017	<0.08	<0.08		<0.08	<0.08	<0.08	<0.08		
6/27/2017			<0.08					1.8	<0.08
6/28/2017									
10/10/2017	<0.08				<0.08	<0.08			
10/11/2017		<0.08	<0.08	<0.08			<0.08		<0.08
10/12/2017								1.8	
6/5/2018	<0.08	<0.08	<0.08		<0.08	<0.08			
6/6/2018				<0.08			<0.08	1.8	<0.08
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08		
12/14/2018									<0.08
12/17/2018								1.6	
3/28/2019		<0.08	<0.08	<0.08			<0.08		
3/29/2019	<0.08				<0.08	<0.08			
4/1/2019								1.7	<0.08
4/2/2019									
9/12/2019		<0.08							
9/13/2019						<0.08			

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-8	SGWC-11	SGWC-7	SGWC-10	SGWC-6	SGWC-21	SGWC-14	SGWC-17	SGWC-23
9/16/2019		0.39			0.04 (J)				
9/17/2019	0.11		<0.08	0.077		1.1	1.4	0.43	
9/18/2019									0.54
3/17/2020									
3/18/2020									
3/23/2020						0.83			
3/24/2020								0.37	0.55
3/25/2020	0.089	0.45		0.12	<0.08				
3/26/2020			0.055 (J)						
3/27/2020							1.5		
9/14/2020	0.1	0.43	<0.08	0.082	<0.08				
9/15/2020						1.2	1.5	0.38	0.38
3/30/2021						1.1			
3/31/2021				0.15					0.51
4/1/2021	0.14		0.069 (J)		<0.08			0.31	
4/6/2021							1.6		
4/7/2021		0.68							
8/17/2021									
8/18/2021	0.14		0.047 (J)		<0.08	1.1		0.32	0.42
8/19/2021		0.54		0.091			1.7		
8/20/2021									
2/9/2022			<0.08		<0.08				
2/10/2022	0.16	0.53							0.45
2/11/2022				0.09		1		0.27	
2/14/2022							1.5		

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	0.562	1.57	1.99	0.411	0.599		
5/13/2016						1.87	3.71
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	0.546	1.36			0.52		
6/29/2016			1.88	0.373 (J)		1.67	
6/30/2016							3.8
8/16/2016							
8/17/2016							
8/18/2016	0.54	1.5			0.51		
8/19/2016				0.37			
8/22/2016			2			1.7	3.3
10/13/2016							
10/14/2016							
10/17/2016					0.58		
10/18/2016	0.55	1.9	2.5	0.41		2.1	
10/19/2016							4.5
12/5/2016							
12/6/2016					0.5		
12/7/2016	0.56	1.5		0.36			4.8
12/8/2016			1.9			1.7	
2/14/2017							
2/15/2017		1.5			0.5		
2/16/2017	0.58		2.3	0.38 (J)		2.3	3.9
4/10/2017							
4/11/2017							
4/12/2017		1.7			0.47		
4/13/2017	0.56		2	0.4		1.9	3.8
6/26/2017							
6/27/2017	0.56	1.7			0.51		
6/28/2017			2.3	0.35		1.9	3.6
10/10/2017							
10/11/2017					0.49		
10/12/2017	0.57	1.6	2.6	0.4		1.9	3.9
6/5/2018							
6/6/2018							
6/7/2018	0.59	1.7	2.1	0.41	0.45		
6/8/2018						1.8	4.3
10/16/2018		1.5					
10/18/2018			2.3				4.9
12/13/2018							
12/14/2018					0.47		
12/17/2018	0.55			0.4		1.8	
3/28/2019							
3/29/2019							
4/1/2019		1.6			0.57		
4/2/2019	0.53		2	0.44		2	5.3
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	0.55	1.4	1.8		0.43	1.8	5
9/18/2019				0.52			
3/17/2020							
3/18/2020							
3/23/2020			1.9			1.7	
3/24/2020				0.34			
3/25/2020							
3/26/2020							6
3/27/2020	0.59	1.4			0.49		
9/14/2020					0.49		
9/15/2020	0.57	1.4	1.8	0.5		1.9	6.2
3/30/2021			1.6			1.9	6.4
3/31/2021		1.4		0.47			
4/1/2021	0.55						
4/6/2021							
4/7/2021					0.59		
8/17/2021							
8/18/2021				0.44			6.6
8/19/2021	0.72	1.6	1.9		0.59	2.1	
8/20/2021							
2/9/2022							
2/10/2022	0.63			0.54			6.4
2/11/2022		1.2	1.5		0.48	1.7	
2/14/2022							

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-4 (bg)	SGWC-9	SGWC-12
5/10/2016	3	2.64	11.4	6.22	10.1	12.3			
5/11/2016							14.4	53.1	23.1
5/12/2016									
5/13/2016									
6/23/2016	2.42	1.65			8.45	11.3			
6/24/2016				5.55			14.2		
6/27/2016			9.16						
6/28/2016									21
6/29/2016								52.6	
6/30/2016									
8/16/2016	2.1	1.3		5	9.4	11			
8/17/2016			9.6				15		
8/18/2016									20
8/19/2016									
8/22/2016								57	
10/13/2016	2.7						12		
10/14/2016		1.4	11	5.4	10				
10/17/2016							16		21
10/18/2016								53	
10/19/2016									
12/5/2016						12			
12/6/2016	2.1	1.4	11	4.8	10		15		21
12/7/2016								47	
12/8/2016									
2/14/2017	1.8	1.4	12	4.6	11	13	17		
2/15/2017									23
2/16/2017								55	
4/10/2017						12			
4/11/2017	1.8	1.4	11	5	10		17		
4/12/2017									23
4/13/2017								56	
6/26/2017	1.7	1.5		4.9	10	13	18		
6/27/2017			9.5					53	22
6/28/2017									
10/10/2017	2.3				11	14			
10/11/2017		1.6	11	5.5			19		23
10/12/2017								55	
6/5/2018	2.6	1.5	9.7		11	13			
6/6/2018				4.1			18	54	22
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	1.7	1.4	9.4	4.3	10	12	18		
12/14/2018									21
12/17/2018								55	
3/28/2019		1.4	8.7	4.8			17		
3/29/2019	2				11	12			
4/1/2019								50	20
4/2/2019									
9/12/2019		1.6							
9/13/2019						14			

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-8	SGWC-11	SGWC-7	SGWC-10	SGWC-6	SGWC-21	SGWC-14	SGWC-17	SGWC-23
9/16/2019		1.9			8.9				
9/17/2019	52		16	0.79		30	38	51	
9/18/2019									26
3/17/2020									
3/18/2020									
3/23/2020						36			
3/24/2020								58	22
3/25/2020	48	2		2.9	11				
3/26/2020			21						
3/27/2020							41		
9/14/2020	49	1.8	20	0.75	10				
9/15/2020						38	40	54	21
3/30/2021						41			
3/31/2021				2.3					24
4/1/2021	52		22		11			57	
4/6/2021							42		
4/7/2021		1.9							
8/17/2021									
8/18/2021	49		22		11	39		55	21
8/19/2021		1.9		0.67			40		
8/20/2021									
2/9/2022			16		11				
2/10/2022	53	1.9							23
2/11/2022				0.55		36		58	
2/14/2022							41		

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	0.75	14.5	13.2	21.9	16.6		
5/13/2016						35.3	56.9
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	0.768	14.7			14.4		
6/29/2016			15.8	21.8		34.6	
6/30/2016							46.4
8/16/2016							
8/17/2016							
8/18/2016	0.7	15			15		
8/19/2016				22			
8/22/2016			15			38	48
10/13/2016							
10/14/2016							
10/17/2016					15		
10/18/2016	0.75	16	14	23		36	
10/19/2016							51
12/5/2016							
12/6/2016					14		
12/7/2016	0.73	15		23			50
12/8/2016			11			36	
2/14/2017							
2/15/2017		17			17		
2/16/2017	0.81		14	27		41	51
4/10/2017							
4/11/2017							
4/12/2017		14			16		
4/13/2017	0.88		17	27		39	35
6/26/2017							
6/27/2017	0.76	16			15		
6/28/2017			15	25		36	36
10/10/2017							
10/11/2017					16		
10/12/2017	1.1	17	17	27		39	43
6/5/2018							
6/6/2018							
6/7/2018	0.84	16	11	26	15		
6/8/2018						37	90
10/16/2018		16					
10/18/2018			12				100
12/13/2018							
12/14/2018					16		
12/17/2018	0.94			28		42	
3/28/2019							
3/29/2019							
4/1/2019		16			17		
4/2/2019	0.92		14	26		38	89
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	1	17	14		17	44	87
9/18/2019				27			
3/17/2020							
3/18/2020							
3/23/2020			13			46	
3/24/2020				31			
3/25/2020							
3/26/2020							81
3/27/2020	1.5	17			18		
9/14/2020					19		
9/15/2020	1.1	17	14	28		47	74
3/30/2021			14			50	68
3/31/2021		17		30			
4/1/2021	1.2						
4/6/2021							
4/7/2021					19		
8/17/2021							
8/18/2021				30			55
8/19/2021	1.1	17	12		20	45	
8/20/2021							
2/9/2022							
2/10/2022	1.2			27			55
2/11/2022		16	13		19	46	
2/14/2022							

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-4 (bg)	SGWC-9	SGWC-12
5/10/2016	1.9	1.98	2.77	3.45	1.51	1.94			
5/11/2016							1.93	9.29	9.04
5/12/2016									
5/13/2016									
6/23/2016	2.2	2.1			1.8	2.2			
6/24/2016				3.5			1.8		
6/27/2016			2.9						
6/28/2016									8.8
6/29/2016								9	
6/30/2016									
8/16/2016	2.1	1.8		3.4	1.5	2			
8/17/2016			2.4				1.4		
8/18/2016									9.3
8/19/2016									
8/22/2016								9.7	
10/13/2016	2					1.9			
10/14/2016		1.8	2.1	3.1	1.4				
10/17/2016							1.2		8.3
10/18/2016								9.4	
10/19/2016									
12/5/2016						1.9			
12/6/2016	2.2	1.8	1.7	3	1.5		1.3		8.9
12/7/2016								11	
12/8/2016									
2/14/2017	2	1.8	1.5	2.4	1.5	1.9	1.3		
2/15/2017									8.7
2/16/2017								9.5	
4/10/2017						1.8			
4/11/2017	1.8	1.7	1.7	2.5	1.3		1.2		
4/12/2017									8.6
4/13/2017								8.7	
6/26/2017	1.9	1.7		2.6	1.4	1.9	1.2		
6/27/2017			2.2					9.9	9.3
6/28/2017									
10/10/2017	1.8				1.3	1.8			
10/11/2017		1.6	1.7	2.4			1.1		8.8
10/12/2017								11	
6/5/2018	1.7	1.6	2		1.3	1.9			
6/6/2018				2			1.1	12	8.8
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	1.7	1.7	1.9	2	1.3	2	1.2		
12/14/2018									9.1
12/17/2018								13	
3/28/2019		1.7	2.2	2			1.2		
3/29/2019	1.5				1.2	1.8			
4/1/2019								13	9
4/2/2019									
9/12/2019		1.5							
9/13/2019						1.7			

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-8	SGWC-11	SGWC-7	SGWC-10	SGWC-6	SGWC-21	SGWC-14	SGWC-17	SGWC-23
9/16/2019		7.9			1.9				
9/17/2019	12		3.8	9.7		10	11	8.3	
9/18/2019									9.7
3/17/2020									
3/18/2020									
3/23/2020						11			
3/24/2020								7.8	9.1
3/25/2020	10	9		8.8	2.3				
3/26/2020			5.1						
3/27/2020							11		
9/14/2020	14	8.9	5.8	10	2.8				
9/15/2020						12	11	8.4	10
3/30/2021						13			
3/31/2021				9.2					11
4/1/2021	12		6		2.4			9.2	
4/6/2021							11		
4/7/2021		8.8							
8/17/2021									
8/18/2021	14		5		2.5	13		8.9	11
8/19/2021		9.9		9.3			11		
8/20/2021									
2/9/2022			4		2.6				
2/10/2022	12	8.8							12
2/11/2022				11		11		8.4	
2/14/2022							14		

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	8.56	9.47	10.8	10.6	6.29		
5/13/2016						8.16	4.87
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	7.8	9.8			5.4		
6/29/2016			11	9.7		7.6	
6/30/2016							4.7
8/16/2016							
8/17/2016							
8/18/2016	8.5	10			5.8		
8/19/2016				11			
8/22/2016			11			8.2	5
10/13/2016							
10/14/2016							
10/17/2016					5.4		
10/18/2016	8	9.4	10	10		7.7	
10/19/2016							5.1
12/5/2016							
12/6/2016					5.6		
12/7/2016	8	9.8		10			5.6
12/8/2016			9.7			7.8	
2/14/2017							
2/15/2017		9.8			5.4		
2/16/2017	7.7		9.8	9.8		7.4	7.4
4/10/2017							
4/11/2017							
4/12/2017		9.2			5.6		
4/13/2017	7.5		10	9.6		7.5	8.9
6/26/2017							
6/27/2017	8	9.5			5.9		
6/28/2017			12	10		7.9	10
10/10/2017							
10/11/2017					5.7		
10/12/2017	7.6	9.2	11	9.7		7.4	7.4
6/5/2018							
6/6/2018							
6/7/2018	7.7	9.3	9.9	10	6.2		
6/8/2018						7.2	9
10/16/2018		10					
10/18/2018			11				16
12/13/2018							
12/14/2018					7.5		
12/17/2018	8.1			10		7.3	
3/28/2019							
3/29/2019							
4/1/2019		9.2			7.7		
4/2/2019	8.2		11	10		7.3	15
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	8.4	10	11		8.4	7.4	13
9/18/2019				10			
3/17/2020							
3/18/2020							
3/23/2020			10			7.7	
3/24/2020				10			
3/25/2020							
3/26/2020							12
3/27/2020	8.5	10			9		
9/14/2020					11		
9/15/2020	8.6	10	11	11		7.7	11
3/30/2021			9.9			8.3	11
3/31/2021		11		11			
4/1/2021	9.2						
4/6/2021							
4/7/2021					10		
8/17/2021							
8/18/2021				11			15
8/19/2021	9.5	11	10		12	9.4	
8/20/2021							
2/9/2022							
2/10/2022	9.8			10			19
2/11/2022		12	9.6		12	10	
2/14/2022							

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-3 (bg)	SGWA-24 (bg)	SGWA-2 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWC-8	SGWA-4 (bg)	SGWC-11
5/10/2016	<0.1	0.0192 (J)	0.0648 (J)	0.0537 (J)	0.0188 (J)	0.041 (J)			
5/11/2016							0.362	0.108 (J)	0.033 (J)
5/12/2016									
5/13/2016									
6/23/2016	<0.1		0.05 (J)	0.03 (J)	<0.1				
6/24/2016		0.02 (J)						0.08 (J)	
6/27/2016						0.03 (J)	0.45		
6/28/2016									0.08 (J)
6/29/2016									
6/30/2016									
8/16/2016	<0.1	<0.1	<0.1	<0.1	<0.1				
8/17/2016						<0.1	0.54	<0.1	<0.1
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	<0.1		<0.1						
10/14/2016		<0.1		<0.1	<0.1	<0.1			
10/17/2016							0.51	<0.1	<0.1
10/18/2016									
10/19/2016									
12/5/2016			<0.1						
12/6/2016	<0.1	<0.1		<0.1	<0.1	<0.1	0.58	0.091 (J)	<0.1
12/7/2016									
12/8/2016									
2/14/2017	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.39	0.1 (J)	
2/15/2017									<0.1
2/16/2017									
4/10/2017			<0.1						
4/11/2017	<0.1	<0.1		<0.1	<0.1	<0.1		<0.1	
4/12/2017							0.41		<0.1
4/13/2017									
6/26/2017	<0.1	<0.1	<0.1	<0.1	<0.1			<0.1	
6/27/2017						<0.1	0.47		<0.1
6/28/2017									
10/10/2017	<0.1		<0.1	<0.1					
10/11/2017		<0.1			<0.1	<0.1		<0.1	<0.1
10/12/2017							0.47		
3/26/2018	<0.1	<0.1	<0.1	<0.1					
3/27/2018					<0.1	<0.1	0.4	<0.1	<0.1
3/28/2018									
6/5/2018	<0.1		<0.1	<0.1	<0.1	<0.1			
6/6/2018		<0.1					0.4	<0.1	<0.1
6/7/2018									
6/8/2018									
10/5/2018	<0.1	<0.1	<0.1	<0.1					
10/8/2018					<0.1	<0.1		<0.1	
10/9/2018							0.47		
10/16/2018									<0.1
10/18/2018									
2/18/2019	<0.1			0.05 (J)				0.066 (J)	
2/19/2019		<0.1	0.06 (J)		<0.1	0.044 (J)			
2/20/2019							0.32		<0.1

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-9	SGWC-6	SGWC-7	SGWC-12	SGWC-20	SGWC-22	SGWC-16	SGWC-23
5/10/2016									
5/11/2016	0.019 (J)	0.076 (J)	0.133 (J)	0.245 (J)	0.11 (J)				
5/12/2016						0.259 (J)	0.029 (J)	0.011 (J)	0.0341 (J)
5/13/2016									
6/23/2016									
6/24/2016									
6/27/2016			0.21 (J)	0.23 (J)					
6/28/2016	<0.1				0.18 (J)			0.09 (J)	
6/29/2016		0.13 (J)				0.45	0.04 (J)		0.04 (J)
6/30/2016									
8/16/2016									
8/17/2016	<0.1		0.14 (J)	0.22					
8/18/2016					0.12 (J)			<0.1	
8/19/2016							<0.1		<0.1
8/22/2016		<0.1				0.33			
10/13/2016									
10/14/2016									
10/17/2016	<0.1		0.11 (J)		0.082 (J)				
10/18/2016		<0.1		0.24		0.26	<0.1	<0.1	<0.1
10/19/2016									
12/5/2016									
12/6/2016	<0.1		0.14 (J)	0.26	0.11 (J)				
12/7/2016		<0.1					<0.1	<0.1	<0.1
12/8/2016						0.28			
2/14/2017			0.2	0.17 (J)					
2/15/2017	<0.1				0.13 (J)				0.092 (J)
2/16/2017		0.097 (J)				0.28	0.1 (J)	<0.1	
4/10/2017									
4/11/2017									
4/12/2017	<0.1		0.089 (J)	0.2	0.088 (J)				
4/13/2017		<0.1				0.2	<0.1	<0.1	<0.1
6/26/2017									
6/27/2017	<0.1	<0.1	0.085 (J)	0.23	0.1 (J)			<0.1	
6/28/2017						0.22	<0.1		<0.1
10/10/2017									
10/11/2017			0.089 (J)	0.21	<0.1				
10/12/2017	<0.1	<0.1				0.18 (J)	<0.1	<0.1	<0.1
3/26/2018									
3/27/2018	<0.1		<0.1	0.19 (J)	<0.1			<0.1	<0.1
3/28/2018		<0.1				0.19 (J)	<0.1		
6/5/2018									
6/6/2018	<0.1	<0.1	<0.1	0.2	<0.1				
6/7/2018						0.21	<0.1	<0.1	<0.1
6/8/2018									
10/5/2018									
10/8/2018			<0.1		<0.1		<0.1	<0.1	<0.1
10/9/2018	<0.1	<0.1		0.2					
10/16/2018									
10/18/2018						0.23			
2/18/2019									
2/19/2019							<0.1		0.055 (J)
2/20/2019	<0.1	0.074 (J)	0.092 (J)	0.2	0.052 (J)	0.2		<0.1	

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-14	SGWC-21	SGWC-15	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	0.066 (J)	0.031 (J)	0.079 (J)	0.1071 (J)	0.042 (J)		
5/13/2016						0.0126 (J)	0.0343 (J)
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016		0.03 (J)		0.26 (J)	0.15 (J)		
6/29/2016	0.17 (J)		0.15 (J)			0.18 (J)	
6/30/2016							0.18 (J)
8/16/2016							
8/17/2016							
8/18/2016	<0.1	<0.1		0.14 (J)	<0.1		
8/19/2016							
8/22/2016			0.083 (J)			<0.1	<0.1
10/13/2016							
10/14/2016							
10/17/2016		<0.1			<0.1		
10/18/2016			<0.1	0.12 (J)		<0.1	
10/19/2016	<0.1						<0.1
12/5/2016							
12/6/2016					<0.1		
12/7/2016	<0.1	<0.1	<0.1	0.13 (J)			<0.1
12/8/2016						<0.1	
2/14/2017							
2/15/2017	0.089 (J)	<0.1		0.12 (J)	<0.1		
2/16/2017			0.12 (J)			<0.1	<0.1
4/10/2017							
4/11/2017							
4/12/2017		<0.1		0.11 (J)	<0.1		
4/13/2017	<0.1		<0.1			<0.1	<0.1
6/26/2017							
6/27/2017	<0.1	<0.1		0.13 (J)	<0.1		
6/28/2017			0.1 (J)			<0.1	<0.1
10/10/2017							
10/11/2017		<0.1			<0.1		
10/12/2017	<0.1		<0.1	0.13 (J)		<0.1	<0.1
3/26/2018							
3/27/2018	<0.1	<0.1		0.12 (J)	<0.1		
3/28/2018			<0.1			<0.1	<0.1
6/5/2018							
6/6/2018							
6/7/2018	<0.1	<0.1	<0.1	0.14 (J)	<0.1		
6/8/2018						<0.1	<0.1
10/5/2018							
10/8/2018	<0.1	<0.1	<0.1		<0.1		
10/9/2018						<0.1	
10/16/2018				0.14 (J)			
10/18/2018							<0.1
2/18/2019							
2/19/2019							
2/20/2019	0.034 (J)	<0.1	0.051 (J)	0.33	<0.1	<0.1	<0.1

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-14	SGWC-21	SGWC-15	SGWC-13	SGWC-19	SGWC-18
3/28/2019							
3/29/2019							
4/1/2019		<0.1		0.072 (J)	<0.1		
4/2/2019	0.045 (J)		0.066 (J)			<0.1	0.05 (J)
9/12/2019							
9/13/2019							
9/16/2019							
9/17/2019	0.047 (J)	0.028 (J)	0.077 (J)	0.1	0.04 (J)	<0.1	0.034 (J)
9/18/2019							
2/13/2020							
2/17/2020							
2/18/2020			0.073 (J)				
2/19/2020	0.046 (J)	0.026 (J)		0.13	0.027 (J)	<0.1	
2/20/2020							<0.1
3/17/2020							
3/18/2020							
3/23/2020			0.11			0.057 (J)	
3/24/2020	0.058 (J)						
3/25/2020							
3/26/2020							0.091 (J)
3/27/2020		0.041 (J)		0.13	0.045 (J)		
9/14/2020					<0.1		
9/15/2020	0.052 (J)	0.04 (J)	0.061 (J)	0.15		<0.1	<0.1
2/9/2021		<0.1		0.14	<0.1		
2/10/2021	0.03 (J)		0.049 (J)			<0.1	<0.1
3/30/2021			0.074 (J)			<0.1	0.1 (J)
3/31/2021				0.12			
4/1/2021	0.051 (J)						
4/6/2021		<0.1					
4/7/2021					0.053 (J)		
8/17/2021							
8/18/2021	0.087 (J)		0.12				0.099 (J)
8/19/2021		<0.1		0.12	<0.1	<0.1	
8/20/2021							
2/9/2022							
2/10/2022							0.039 (J)
2/11/2022	0.064 (J)		0.092 (J)	0.14	0.045 (J)	<0.1	
2/14/2022		0.035 (J)					

Prediction Limit

Constituent: pH (S.U.) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-6	SGWC-7	SGWC-8	SGWC-9	SGWC-11	SGWC-20	SGWC-14	SGWC-16	SGWC-23
2/13/2020									
2/17/2020									
2/18/2020	6.32	6.35	6.39		5.09	4.3			5.95
2/19/2020				6.03			5.75	5.16	
2/20/2020									
3/17/2020									
3/18/2020									
3/23/2020						4.19			
3/24/2020									6
3/25/2020	6.31		6.35	6.01	5.16				
3/26/2020		6.52							
3/27/2020							5.74	5.17	
5/19/2020									
9/14/2020	6.29	6.31	6.56	6.33	5.14				
9/15/2020						4.3	6.01	5.56	5.89
2/9/2021	6.34	6.42	6.35	6.21	5.24		5.85	5.22	
2/10/2021						4.22			5.85
3/30/2021						4.32			
3/31/2021				6.2					5.93
4/1/2021	6.31	6.44	6.32					5.24	
4/6/2021							5.84		
4/7/2021					5.18				
8/17/2021									
8/18/2021	6.33	6.61	6.48						6.01
8/19/2021				6.22	5.23	4.28	5.86	5.28	
8/20/2021									
2/9/2022	6.33	6.77							
2/10/2022			6.47	6.25	5.11			5.21	6.13
2/11/2022						4.27			
2/14/2022							5.77		

Prediction Limit

Constituent: pH (S.U.) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-17	SGWC-22	SGWC-13	SGWC-15	SGWC-18	SGWC-19
5/10/2016							
5/11/2016							
5/12/2016	5.95	6.21	5.675 (D)	6.09	4.76		
5/13/2016						4.7	5.55
8/16/2016							
8/17/2016							
8/18/2016		6.24		6	4.73		
8/19/2016			5.65				
8/22/2016	5.96					4.68	5.5
10/13/2016							
10/14/2016							
10/17/2016				6.01			
10/18/2016	5.9		5.71		4.62		5.46
10/19/2016		6.2				4.65	
12/5/2016							
12/6/2016				5.98			
12/7/2016	6.03	6.19	5.71		4.63	4.69	
12/8/2016							5.39
2/14/2017							
2/15/2017		6.25		5.74	4.51		
2/16/2017	6.03		5.7			4.77	5.32
4/10/2017							
4/11/2017							
4/12/2017				6.01	4.67		
4/13/2017	5.93	6.21	5.7			4.79	5.47
6/26/2017							
6/27/2017		6.27		6.05	4.66		
6/28/2017	6		5.66			4.78	5.5
10/10/2017							
10/11/2017				6.14			
10/12/2017	6.09	6.33	5.73		4.76	4.86	5.57
3/26/2018							
3/27/2018		6.26		6.25	4.61		
3/28/2018	6.08		5.89			4.74	5.74
6/5/2018							
6/6/2018							
6/7/2018	6.1	6.21	5.66	5.93	4.62		
6/8/2018						4.69	5.52
10/5/2018							
10/8/2018	6.14	6.17	5.74	6.02			
10/9/2018							5.51
10/16/2018					4.59		
10/18/2018						4.7	
3/28/2019							
3/29/2019							
4/1/2019				6.06	4.72		
4/2/2019	6.09	6.26	5.65			4.72	5.5
9/12/2019							
9/13/2019							
9/16/2019							
9/17/2019	6.27	6.23		5.98	4.65	4.77	5.55
9/18/2019			5.66				

Prediction Limit

Constituent: pH (S.U.) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-17	SGWC-22	SGWC-13	SGWC-15	SGWC-18	SGWC-19
2/13/2020							
2/17/2020							
2/18/2020	6.06		5.59				
2/19/2020		6.16		5.94	4.58		5.53
2/20/2020						4.64	
3/17/2020							
3/18/2020							
3/23/2020	6.12						5.51
3/24/2020		6.21	5.62				
3/25/2020							
3/26/2020						4.74	
3/27/2020				5.89	4.51		
5/19/2020							
9/14/2020				6			
9/15/2020	6.1	6.42	5.65		4.87	4.94	5.51
2/9/2021				5.98	4.26		
2/10/2021	6.21	6.23	5.58			4.8	5.55
3/30/2021	6.17					4.82	5.57
3/31/2021			5.73		4.77		
4/1/2021		6.25					
4/6/2021							
4/7/2021				6.07			
8/17/2021							
8/18/2021	6.26	6.26	5.76			4.83	
8/19/2021				5.99	4.63		5.61
8/20/2021							
2/9/2022							
2/10/2022			5.78			4.86	
2/11/2022	6.31	6.39		6.02	4.59		5.65
2/14/2022							

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-4 (bg)	SGWC-9	SGWC-12
5/10/2016	0.6766 (J)	0.4716 (J)	0.686 (J)	2.82	0.4053 (J)	<1			
5/11/2016							3.75	313	30.1
5/12/2016									
5/13/2016									
6/23/2016	0.94 (J)	0.46 (J)			0.55 (J)	0.3 (J)			
6/24/2016				2.3			3		
6/27/2016			0.61 (J)						
6/28/2016									25
6/29/2016								280	
6/30/2016									
8/16/2016	1.2	<1		1.5	<1	<1			
8/17/2016			<1				1.8		
8/18/2016									24
8/19/2016									
8/22/2016								300	
10/13/2016	2.9					<1			
10/14/2016		<1	<1	1.2	<1				
10/17/2016							1.4		23
10/18/2016								280	
10/19/2016									
12/5/2016						<1			
12/6/2016	3.2	<1	<1	1.3	<1		1.4		28
12/7/2016								280	
12/8/2016									
2/14/2017	0.76 (J)	<1	<1	1.9	<1	<1	1.1		
2/15/2017									33
2/16/2017								300	
4/10/2017						<1			
4/11/2017	<1	<1	<1	1.3	<1		1		
4/12/2017									30
4/13/2017								280	
6/26/2017	0.74 (J)	<1		1.5	<1	<1	0.99 (J)		
6/27/2017			<1					340	33
6/28/2017									
10/10/2017	0.76 (J)				<1	<1			
10/11/2017		<1	<1	0.98 (J)			0.93 (J)		33
10/12/2017								310	
6/5/2018	<1	<1	<1		<1	<1			
6/6/2018				1.8			0.89 (J)	320	41
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	<1	<1	<1	1.4	<1	<1	0.76 (J)		
12/14/2018									43
12/17/2018								330	
3/28/2019		<1	<1	1.9			1.2		
3/29/2019	<1				0.65 (J)	<1			
4/1/2019								310	48
4/2/2019									
9/12/2019		<1							
9/13/2019						<1			

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-8	SGWC-11	SGWC-7	SGWC-10	SGWC-6	SGWC-21	SGWC-14	SGWC-17	SGWC-23
9/16/2019		0.72 (J)			0.53 (J)				
9/17/2019	77		8.7	2.3		99	200	200	
9/18/2019									95
3/17/2020									
3/18/2020									
3/23/2020						120			
3/24/2020								190	71
3/25/2020	62	0.58 (J)		14	0.58 (J)				
3/26/2020			15						
3/27/2020							180		
9/14/2020	81	0.59 (J)	17	2.2	0.46 (J)				
9/15/2020						130	180	190	72
3/30/2021						140			
3/31/2021				15					75
4/1/2021	74		18		<1			210	
4/6/2021							190		
4/7/2021		1.3							
8/17/2021									
8/18/2021	78		12		<1	130		200	66
8/19/2021		<1		2.2			190		
8/20/2021									
2/9/2022			7.1		0.88 (J)				
2/10/2022	80	<1							73
2/11/2022				2.1		120		190	
2/14/2022							220		

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	9.9	194	255	85.3	89.7		
5/13/2016						212	484
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	11	200			76		
6/29/2016			270	84		220	
6/30/2016							490
8/16/2016							
8/17/2016							
8/18/2016	14	190			78		
8/19/2016				81			
8/22/2016			270			220	500
10/13/2016							
10/14/2016							
10/17/2016					73		
10/18/2016	15	190	240	83		210	
10/19/2016							520
12/5/2016							
12/6/2016					76		
12/7/2016	17	200		85			510
12/8/2016			240			220	
2/14/2017							
2/15/2017		190			73		
2/16/2017	17		230	83		210	450
4/10/2017							
4/11/2017							
4/12/2017		170			70		
4/13/2017	15		220	79		190	380
6/26/2017							
6/27/2017	19	200			78		
6/28/2017			240	90		220	390
10/10/2017							
10/11/2017					72		
10/12/2017	20	190	210	87		210	430
6/5/2018							
6/6/2018							
6/7/2018	25	190	210	94	69		
6/8/2018						220	870
10/16/2018		200					
10/18/2018			210				1200
12/13/2018							
12/14/2018					74		
12/17/2018	28			99		270	
3/28/2019							
3/29/2019							
4/1/2019		190			82		
4/2/2019	31		220	100		240	1100
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	33	220	220		79	260	1100
9/18/2019				100			
3/17/2020							
3/18/2020							
3/23/2020			220			250	
3/24/2020				100			
3/25/2020							
3/26/2020							1000
3/27/2020	35	190			81		
9/14/2020					89		
9/15/2020	36	190	200	110		250	860
3/30/2021			220			270	960
3/31/2021		200		120			
4/1/2021	37						
4/6/2021							
4/7/2021					96		
8/17/2021							
8/18/2021				110			940
8/19/2021	38	200	230		82	280	
8/20/2021							
2/9/2022							
2/10/2022	45			100			890
2/11/2022		200	230		94	260	
2/14/2022							

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-4 (bg)	SGWC-9	SGWC-12
5/10/2016	44	64	100	59	96	110			
5/11/2016							91	527	195
5/12/2016									
5/13/2016									
6/23/2016	38	58			91	118			
6/24/2016				39			78		
6/27/2016			117						
6/28/2016									200
6/29/2016								562	
6/30/2016									
8/16/2016	22	52		38	100	110			
8/17/2016			86				100		
8/18/2016									200
8/19/2016									
8/22/2016								500	
10/13/2016	66					120			
10/14/2016		58	80	34	100				
10/17/2016							58		160
10/18/2016								490	
10/19/2016									
12/5/2016						110			
12/6/2016	54	72	110	70	110		98		220
12/7/2016								510	
12/8/2016									
2/14/2017	18	52	98	32	76	86	78		
2/15/2017									200
2/16/2017								520	
4/10/2017						120			
4/11/2017	50	78	110	64	120		110		
4/12/2017									180
4/13/2017								590	
6/26/2017	60	80		64	110	130	110		
6/27/2017			18					550	200
6/28/2017									
10/10/2017	36				100	110			
10/11/2017		64	94	42			120		190
10/12/2017								560	
6/5/2018	8	50	80		74	76			
6/6/2018				46			120	590	260
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	16	58	4 (J)	4 (J)	110	100	94		
12/14/2018									190
12/17/2018								510	
3/28/2019		58	79	43			110		
3/29/2019	<10				72	110			
4/1/2019								580	200
4/2/2019									
9/12/2019		22							
9/13/2019						200			

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-8	SGWC-11	SGWC-7	SGWC-10	SGWC-6	SGWC-21	SGWC-14	SGWC-17	SGWC-23
9/16/2019		<10			76				
9/17/2019	380		140	17		290	310	380	
9/18/2019									490
3/17/2020									
3/18/2020									
3/23/2020						330			
3/24/2020								430	210
3/25/2020	360	38		59	94				
3/26/2020			180						
3/27/2020							330		
9/14/2020	360	39	200	45	99				
9/15/2020						390	360	440	210
3/30/2021						380			
3/31/2021				64					220
4/1/2021	360		200		83			410	
4/6/2021							320		
4/7/2021		40							
8/17/2021									
8/18/2021	410		210		140	380		450	210
8/19/2021		36		54			370		
8/20/2021									
2/9/2022			170		130				
2/10/2022	400	39							230
2/11/2022				44		350		440	
2/14/2022							360		

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	46	298	386	212	190		
5/13/2016						366	728
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	60	337			198		
6/29/2016			436	214		370	
6/30/2016							742
8/16/2016							
8/17/2016							
8/18/2016	48	310			180		
8/19/2016				230			
8/22/2016			290			350	670
10/13/2016							
10/14/2016							
10/17/2016					140		
10/18/2016	60	320	200	190		340	
10/19/2016							700
12/5/2016							
12/6/2016					110		
12/7/2016	64	270		230			720
12/8/2016			370			350	
2/14/2017							
2/15/2017		310			160		
2/16/2017	40		350	200		340	600
4/10/2017							
4/11/2017							
4/12/2017		280			140		
4/13/2017	76		380	220		350	640
6/26/2017							
6/27/2017	50	290			170		
6/28/2017			320	190		340	540
10/10/2017							
10/11/2017					170		
10/12/2017	68	330	350	230		370	640
6/5/2018							
6/6/2018							
6/7/2018	74	310	320	210	190		
6/8/2018						320	820
10/16/2018		350					
10/18/2018			370				1200
12/13/2018							
12/14/2018					140		
12/17/2018	42			260		250	
3/28/2019							
3/29/2019							
4/1/2019		330			190		
4/2/2019	73		370	240		420	1700
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 4/28/2022 5:23 PM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-15	SGWC-20	SGWC-22	SGWC-13	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	59	320	320		170	400	1600
9/18/2019				470			
3/17/2020							
3/18/2020							
3/23/2020			330			390	
3/24/2020				250			
3/25/2020							
3/26/2020							1600
3/27/2020	99	330			200		
9/14/2020					190		
9/15/2020	90	340	350	250		450	1500
3/30/2021			350			420	1500
3/31/2021		300		240			
4/1/2021	88						
4/6/2021							
4/7/2021					200		
8/17/2021							
8/18/2021				260			1400
8/19/2021	100	320	340		210	440	
8/20/2021							
2/9/2022							
2/10/2022	100			250			1400
2/11/2022		310	350		200	440	
2/14/2022							

FIGURE E.

Appendix III Trend Tests - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.05263	134	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5485	112	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.06213	-81	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.035	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01258	84	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3668	85	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5317	91	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.547	73	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	4.187	129	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	2.186	105	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.673	70	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.42	101	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.518	-84	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1998	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1738	71	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.083	114	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2122	70	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	2.047	112	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.9202	111	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5302	-85	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.5	118	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.695	104	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.768	147	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.99	125	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	10.52	83	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	10.07	103	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.481	105	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-11.23	-113	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.534	-73	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.384	81	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	23.69	121	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	8.753	76	68	Yes	18	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM


Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWA-1 (bg)	0	-5	-68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-2 (bg)	0	-5	-68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-24 (bg)	0	-13	-68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-25 (bg)	0	15	68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-3 (bg)	0	9	68	No	18	88.89	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-4 (bg)	0	15	68	No	18	94.44	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-5 (bg)	0	0	68	No	18	100	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-11	0.05263	134	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-13	-0.005543	-34	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-14	0.03152	54	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-15	-0.0288	-39	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-16	0.008138	46	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-17	0.0108	12	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5485	112	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-19	0	11	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-20	-0.07721	-51	-68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.06213	-81	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02031	60	68	No	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.035	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01258	84	68	Yes	18	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-9	-0.00758	-27	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-1 (bg)	-0.11	-61	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3668	85	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5317	91	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-25 (bg)	-0.2813	-57	-68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-3 (bg)	0.1008	23	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.547	73	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-5 (bg)	0.04632	52	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-12	0	29	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-14	0.6759	59	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	4.187	129	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-18	3.935	31	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	2.186	105	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.673	70	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.42	101	68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.518	-84	-68	Yes	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-8	0.8013	61	68	No	18	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-9	-1.56	-44	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-1 (bg)	-0.02063	-18	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-2 (bg)	0	-11	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-24 (bg)	0.06289	29	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-25 (bg)	0	3	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1998	-79	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-4 (bg)	0	2	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-5 (bg)	0	0	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-10	0.05069	15	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-11	0.1046	24	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1738	71	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.083	114	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-14	0	8	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-15	0.1744	60	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2122	70	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-17	0	2	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	2.047	112	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-19	0.02868	14	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-20	0	-19	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.9202	111	68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-22	0	34	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2425	61	68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5302	-85	-68	Yes	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-8	0	-26	-68	No	18	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.5	118	68	Yes	18	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 5:28 PM


Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Fluoride, total (mg/L)	SGWA-1 (bg)	0	-41	-92	No	22	90.91	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-2 (bg)	-0.002664	-60	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-24 (bg)	-0.007058	-72	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-25 (bg)	-0.002139	-58	-92	No	22	45.45	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-3 (bg)	0	-5	-92	No	22	68.18	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.003862	-90	-92	No	22	40.91	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-5 (bg)	0	-26	-92	No	22	81.82	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-6	0	-7	-92	No	22	13.64	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-7	-0.002759	-22	-92	No	22	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-8	-0.01342	-57	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-1 (bg)	-0.0364	-72	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-2 (bg)	0.007248	22	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-24 (bg)	0.01136	53	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-25 (bg)	-0.01657	-62	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-3 (bg)	0.02593	69	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-4 (bg)	-0.01681	-61	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-5 (bg)	0	0	87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-15	-0.01445	-35	-81	No	20	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.02671	79	81	No	20	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-20	-0.005116	-19	-81	No	20	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-1 (bg)	0	10	68	No	18	27.78	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-2 (bg)	0	33	68	No	18	66.67	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-24 (bg)	0	7	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-25 (bg)	0	21	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1358	-60	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1276	-62	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-5 (bg)	0	24	68	No	18	83.33	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.695	104	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-13	2.056	51	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-14	0	-8	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-15	0	22	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.768	147	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.99	125	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-18	88.24	54	68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	10.52	83	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-20	-6.6	-63	-68	No	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	10.07	103	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.481	105	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-11.23	-113	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.534	-73	-68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.384	81	68	Yes	18	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-9	-11.09	-37	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-1 (bg)	-3.242	-29	-68	No	18	5.556	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-2 (bg)	0	12	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-24 (bg)	0	12	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-25 (bg)	-2.837	-38	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-3 (bg)	2.31	18	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	6.598	63	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-5 (bg)	-3.919	-41	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	2.004	37	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	5.017	41	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	3.122	27	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	23.69	121	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	159.6	57	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.24	58	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	-2.219	-17	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	8.746	33	68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	8.753	76	68	Yes	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	-13.95	-65	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	-2.243	-19	-68	No	18	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	-15.04	-40	-68	No	18	0	n/a	n/a	0.01	NP

Sen's Slope Estimator
 SGWA-1 (bg)




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWA-2 (bg)




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWA-24 (bg)



Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
 SGWA-25 (bg)



Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-3 (bg)




n = 18
Slope = 0
units per year.
Mann-Kendall
statistic = 9
critical = 68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-4 (bg)




n = 18
Slope = 0
units per year.
Mann-Kendall
statistic = 15
critical = 68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-5 (bg)




n = 18
Slope = 0
units per year.
Mann-Kendall
statistic = 0
critical = 68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-11



n = 18
Slope = 0.05263
units per year.
Mann-Kendall
statistic = 134
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).


Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-13




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-14




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-15




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-16




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-17




Constituent: Boron, total Analysis Run 4/28/2022 5:24 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-18




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-19




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-20




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-21




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-22




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-23




Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-8



Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-9



n = 18
Slope = -0.00758
units per year.
Mann-Kendall
statistic = -27
critical = -68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-1 (bg)



n = 18
Slope = -0.11
units per year.
Mann-Kendall
statistic = -61
critical = -68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-2 (bg)



n = 18
Slope = 0.3668
units per year.
Mann-Kendall
statistic = 85
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-24 (bg)




n = 18
Slope = 0.5317
units per year.
Mann-Kendall
statistic = 91
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-25 (bg)



Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator

SGWA-5 (bg)




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-12




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-14




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-17




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-18




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-19




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-21




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-22




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-23




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-8




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-9




Constituent: Calcium, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-1 (bg)




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-2 (bg)



Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-24 (bg)



n = 18
 Slope = 0.06289
 units per year.
 Mann-Kendall
 statistic = 29
 critical = 68
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-25 (bg)



n = 18
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 3
 critical = 68
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-3 (bg)



n = 18
 Slope = -0.1998
 units per year.
 Mann-Kendall
 statistic = -79
 critical = -68
 Decreasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-4 (bg)



n = 18
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 2
 critical = 68
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).


Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-5 (bg)




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-10




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-11




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-12



Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-13



n = 18
Slope = 1.083
units per year.
Mann-Kendall
statistic = 114
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-14



n = 18
Slope = 0
units per year.
Mann-Kendall
statistic = 8
critical = 68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-15



n = 18
Slope = 0.1744
units per year.
Mann-Kendall
statistic = 60
critical = 68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-16



n = 18
Slope = 0.2122
units per year.
Mann-Kendall
statistic = 70
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).


Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-17




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-18




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-19




Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-20



Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-21



n = 18
 Slope = 0.9202
 units per year.
 Mann-Kendall
 statistic = 111
 critical = 68
 Increasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-22



n = 18
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 34
 critical = 68
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-23



n = 18
 Slope = 0.2425
 units per year.
 Mann-Kendall
 statistic = 61
 critical = 68
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-7



n = 18
 Slope = -0.5302
 units per year.
 Mann-Kendall
 statistic = -85
 critical = -68
 Decreasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-8



n = 18
Slope = 0
units per year.
Mann-Kendall
statistic = -26
critical = -68
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-9



n = 18
Slope = 1.5
units per year.
Mann-Kendall
statistic = 118
critical = 68
Increasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Chloride, Total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-1 (bg)



n = 22
Slope = 0
units per year.
Mann-Kendall
statistic = -41
critical = -92
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-2 (bg)



n = 22
Slope = -0.002664
units per year.
Mann-Kendall
statistic = -60
critical = -92
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).


Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-24 (bg)




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-25 (bg)




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-3 (bg)




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-4 (bg)




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWA-5 (bg)




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWC-6




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWC-7




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
 SGWC-8




Constituent: Fluoride, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-1 (bg)




Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-2 (bg)




Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-24 (bg)



Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-25 (bg)



Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator

SGWC-15




Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-18




Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-20




Constituent: pH Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWA-1 (bg)




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-2 (bg)




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-12



Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-13



Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator

SGWC-14




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-15




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-16




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-17




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-18




Constituent: Sulfate, total Analysis Run 4/28/2022 5:25 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-19




Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-20




Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-21




Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-22



Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-23



n = 18
 Slope = -11.23
 units per year.
 Mann-Kendall
 statistic = -113
 critical = -68
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-7



n = 18
 Slope = -1.534
 units per year.
 Mann-Kendall
 statistic = -73
 critical = -68
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-8



n = 18
 Slope = 2.384
 units per year.
 Mann-Kendall
 statistic = 81
 critical = 68
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-9



n = 18
 Slope = -11.09
 units per year.
 Mann-Kendall
 statistic = -37
 critical = -68
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).


Constituent: Sulfate, total Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-1 (bg)




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-2 (bg)




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-24 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-25 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-3 (bg)




n = 18
 Slope = 2.31 units per year.
 Mann-Kendall statistic = 18
 critical = 68
 Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-4 (bg)




n = 18
 Slope = 6.598 units per year.
 Mann-Kendall statistic = 63
 critical = 68
 Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-5 (bg)




n = 18
 Slope = -3.919 units per year.
 Mann-Kendall statistic = -41
 critical = -68
 Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-12



n = 18
 Slope = 2.004 units per year.
 Mann-Kendall statistic = 37
 critical = 68
 Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-14




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-15




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-17




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-18




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-19




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-20




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-21




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-22




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-23




Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-8



Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-9



Constituent: Total Dissolved Solids [TDS] Analysis Run 4/28/2022 5:26 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

FIGURE F.

Upper Tolerance Limits Summary Table

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:31 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bq N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Antimony (mg/L)	n/a	0.0021	n/a	n/a	n/a	112	94.64	n/a	0.003199	NP Inter(NDs)
Arsenic (mg/L)	n/a	0.0015	n/a	n/a	n/a	147	86.39	n/a	0.0005313	NP Inter(NDs)
Barium (mg/L)	n/a	0.071	n/a	n/a	n/a	147	0	n/a	0.0005313	NP Inter(normality)
Beryllium (mg/L)	n/a	0.0025	n/a	n/a	n/a	147	94.56	n/a	0.0005313	NP Inter(NDs)
Cadmium (mg/L)	n/a	0.0025	n/a	n/a	n/a	140	98.57	n/a	0.0007609	NP Inter(NDs)
Chromium (mg/L)	n/a	0.021	n/a	n/a	n/a	154	31.17	n/a	0.0003711	NP Inter(normality)
Cobalt (mg/L)	n/a	0.02	n/a	n/a	n/a	147	62.59	n/a	0.0005313	NP Inter(normality)
Combined Radium 226 + 228 (pCi/L)	n/a	1.54	n/a	n/a	n/a	147	0	n/a	0.0005313	NP Inter(normality)
Fluoride, total (mg/L)	n/a	0.16	n/a	n/a	n/a	154	59.74	n/a	0.0003711	NP Inter(normality)
Lead (mg/L)	n/a	0.001	n/a	n/a	n/a	147	93.88	n/a	0.0005313	NP Inter(NDs)
Lithium (mg/L)	n/a	0.005	n/a	n/a	n/a	147	91.84	n/a	0.0005313	NP Inter(NDs)
Mercury (mg/L)	n/a	0.0005	n/a	n/a	n/a	149	91.28	n/a	0.0004795	NP Inter(NDs)
Molybdenum (mg/L)	n/a	0.015	n/a	n/a	n/a	140	91.43	n/a	0.0007609	NP Inter(NDs)
Selenium (mg/L)	n/a	0.005	n/a	n/a	n/a	147	91.16	n/a	0.0005313	NP Inter(NDs)
Thallium (mg/L)	n/a	0.001	n/a	n/a	n/a	147	91.84	n/a	0.0005313	NP Inter(NDs)

FIGURE G.

SCHERER ASH POND GWPS				
Constituent Name	MCL	CCR-Rule Specified	Background Limit	GWPS
Antimony, Total (mg/L)	0.006		0.0021	0.006
Arsenic, Total (mg/L)	0.01		0.0015	0.01
Barium, Total (mg/L)	2		0.071	2
Beryllium, Total (mg/L)	0.004		0.0025	0.004
Cadmium, Total (mg/L)	0.005		0.0025	0.005
Chromium, Total (mg/L)	0.1		0.021	0.1
Cobalt, Total (mg/L)		0.006	0.02	0.02
Combined Radium, Total (pCi/L)	5		1.54	5
Fluoride, Total (mg/L)	4		0.16	4
Lead, Total (mg/L)		0.015	0.001	0.015
Lithium, Total (mg/L)		0.04	0.005	0.04
Mercury, Total (mg/L)	0.002		0.0005	0.002
Molybdenum, Total (mg/L)		0.1	0.015	0.1
Selenium, Total (mg/L)	0.05		0.005	0.05
Thallium, Total (mg/L)	0.002		0.001	0.002

Grey cell indicates Background Limit is higher than MCL or CCR-Rule Specified Level

**GWPS = Groundwater Protection Standard*

**MCL = Maximum Contaminant Level*

**CCR = Coal Combustion Residuals*

FIGURE H.

Confidence Intervals - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Cobalt (mg/L)	SGWC-10	0.03111	0.02168	0.02	Yes	21	0.0264	0.00854	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02809	0.02162	0.02	Yes	21	0.02486	0.005868	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2751	0.2574	0.02	Yes	21	0.2663	0.01604	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-18	0.1536	0.1133	0.02	Yes	21	0.1334	0.03648	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-20	0.2159	0.1612	0.02	Yes	21	0.1885	0.04958	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony (mg/L)	SGWC-10	0.002	0.0014	0.006	No	15	0.00196	0.0001549	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-13	0.002	0.0004	0.006	No	15	0.001893	0.0004131	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-18	0.002	0.0012	0.006	No	14	0.001943	0.0002138	92.86	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-7	0.002	0.0004	0.006	No	15	0.001893	0.0004131	93.33	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-10	0.001	0.00074	0.01	No	21	0.0009443	0.000145	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-11	0.0011	0.00076	0.01	No	21	0.001005	0.00009908	57.14	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-12	0.0011	0.00076	0.01	No	21	0.0008938	0.0002434	57.14	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-13	0.0014	0.00088	0.01	No	21	0.0009733	0.0001638	80.95	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-14	0.0012	0.0007	0.01	No	21	0.0009738	0.0001785	76.19	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-15	0.001461	0.0009087	0.01	No	21	0.00127	0.0004852	19.05	Kaplan-Meier	No	0.01	Param.
Arsenic (mg/L)	SGWC-16	0.001	0.00055	0.01	No	21	0.0009248	0.0001929	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-17	0.001	0.00075	0.01	No	21	0.0009131	0.0001784	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-18	0.003211	0.001851	0.01	No	21	0.002531	0.001233	0	None	No	0.01	Param.
Arsenic (mg/L)	SGWC-19	0.001	0.00068	0.01	No	21	0.0009648	0.0001124	90.48	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-20	0.001	0.00051	0.01	No	21	0.0008495	0.0003256	42.86	None	No	0.01	NP (normality)
Arsenic (mg/L)	SGWC-21	0.001	0.00076	0.01	No	21	0.0009886	0.00005237	95.24	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-22	0.001	0.00089	0.01	No	21	0.0008805	0.0002456	76.19	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-23	0.001	0.00079	0.01	No	21	0.0009714	0.00009462	90.48	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-6	0.001	0.0006	0.01	No	21	0.0009286	0.0001814	85.71	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-7	0.001	0.0006	0.01	No	21	0.0008895	0.0001945	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-8	0.001	0.00076	0.01	No	21	0.0008938	0.0002063	71.43	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-9	0.001	0.00074	0.01	No	21	0.0008705	0.0002169	57.14	None	No	0.01	NP (NDs)
Barium (mg/L)	SGWC-10	0.03223	0.02774	2	No	21	0.02999	0.004073	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-11	0.04281	0.03827	2	No	21	0.04054	0.004115	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-12	0.05143	0.04014	2	No	21	0.04579	0.01023	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-13	0.03466	0.02778	2	No	21	0.03122	0.006239	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-14	0.05871	0.0507	2	No	21	0.0547	0.007264	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-15	0.03801	0.03185	2	No	21	0.03493	0.005586	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-16	0.0268	0.02042	2	No	21	0.02361	0.005776	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-17	0.02252	0.01927	2	No	21	0.0209	0.002948	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-18	0.02357	0.0157	2	No	21	0.02006	0.007469	0	None	sqrt(x)	0.01	Param.
Barium (mg/L)	SGWC-19	0.04035	0.03339	2	No	21	0.03687	0.006307	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-20	0.03355	0.02505	2	No	21	0.0293	0.007704	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-21	0.11	0.091	2	No	21	0.1	0.01294	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-22	0.09034	0.07986	2	No	21	0.0851	0.009499	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-23	0.08336	0.06879	2	No	21	0.07608	0.01321	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-6	0.1095	0.06841	2	No	21	0.08897	0.03727	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-7	0.2955	0.2529	2	No	21	0.2742	0.03857	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-8	0.19	0.17	2	No	21	0.1817	0.02001	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-9	0.06641	0.05453	2	No	21	0.06047	0.01076	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-10	0.0025	0.00026	0.004	No	21	0.002393	0.0004888	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-14	0.0025	0.00053	0.004	No	21	0.002297	0.0006443	90.48	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-15	0.00053	0.00037	0.004	No	21	0.000709	0.000752	14.29	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-17	0.0025	0.00028	0.004	No	21	0.002394	0.0004844	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-18	0.0025	0.00033	0.004	No	21	0.00137	0.001105	47.62	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-19	0.0025	0.0002	0.004	No	21	0.001948	0.001012	76.19	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-20	0.0008141	0.0006679	0.004	No	21	0.000741	0.0001325	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-22	0.0025	0.00033	0.004	No	21	0.002397	0.0004735	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-6	0.0025	0.0002	0.004	No	21	0.00239	0.0005019	95.24	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-8	0.0025	0.0003	0.004	No	21	0.002285	0.0006785	90.48	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-11	0.0025	0.00022	0.005	No	20	0.002386	0.0005098	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-14	0.0025	0.00057	0.005	No	20	0.002285	0.0006646	90	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-15	0.0025	0.00027	0.005	No	20	0.001189	0.001099	40	None	No	0.01	NP (normality)
Cadmium (mg/L)	SGWC-18	0.0025	0.00032	0.005	No	20	0.001822	0.001063	70	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-19	0.0025	0.00036	0.005	No	20	0.002393	0.0004785	95	None	No	0.01	NP (NDs)

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Cadmium (mg/L)	SGWC-20	0.0025	0.000108	0.005	No	20	0.00226	0.0007375	90	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-21	0.0025	0.00039	0.005	No	20	0.002394	0.0004718	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-6	0.0025	0.00022	0.005	No	20	0.002386	0.0005098	95	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-8	0.0025	0.00031	0.005	No	20	0.00239	0.0004897	95	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-12	0.0023	0.002	0.1	No	21	0.002014	0.00006547	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-13	0.002	0.0017	0.1	No	21	0.001986	0.00006547	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-14	0.002	0.0019	0.1	No	21	0.001871	0.000381	71.43	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-15	0.03487	0.0325	0.1	No	21	0.03369	0.002147	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-16	0.0117	0.009812	0.1	No	21	0.01075	0.001708	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-17	0.00721	0.004433	0.1	No	21	0.005821	0.002517	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-18	0.01026	0.007492	0.1	No	21	0.009039	0.002851	0	None	x^(1/3)	0.01	Param.
Chromium (mg/L)	SGWC-19	0.01574	0.01437	0.1	No	21	0.01506	0.00124	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-20	0.0022	0.0009	0.1	No	21	0.001957	0.0002461	90.48	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-21	0.0022	0.002	0.1	No	21	0.001929	0.0002217	76.19	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-22	0.0024	0.0015	0.1	No	21	0.001857	0.0004154	66.67	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-23	0.001743	0.00133	0.1	No	21	0.00181	0.0003632	42.86	Kaplan-Meier	No	0.01	Param.
Chromium (mg/L)	SGWC-7	0.0026	0.002	0.1	No	21	0.002029	0.0001309	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-8	0.0021	0.0015	0.1	No	21	0.001867	0.0004293	61.9	None	No	0.01	NP (NDs)
Cobalt (mg/L)	PZ-13S	0.007698	0.004252	0.02	No	4	0.005975	0.0007588	0	None	No	0.01	Param.
Cobalt (mg/L)	PZ-39S	0.0006428	0.0001905	0.02	No	4	0.0008975	0.001073	25	Kaplan-Meier	ln(x)	0.01	Param.
Cobalt (mg/L)	PZ-41S	0.0092	0.00093	0.02	No	4	0.003158	0.004031	0	None	No	0.0625	NP (normality)
Cobalt (mg/L)	PZ-43S	0.0086	0.00025	0.02	No	4	0.00308	0.003798	25	None	No	0.0625	NP (selected)
Cobalt (mg/L)	SGWC-10	0.03111	0.02168	0.02	Yes	21	0.0264	0.00854	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02809	0.02162	0.02	Yes	21	0.02486	0.005868	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-12	0.003874	0.002389	0.02	No	21	0.003132	0.001346	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-13	0.006669	0.002958	0.02	No	21	0.00521	0.003749	0	None	sqrt(x)	0.01	Param.
Cobalt (mg/L)	SGWC-14	0.01117	0.006792	0.02	No	21	0.008983	0.003973	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2751	0.2574	0.02	Yes	21	0.2663	0.01604	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-16	0.004328	0.003542	0.02	No	21	0.003935	0.0007124	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-17	0.000845	0.00041	0.02	No	21	0.0008879	0.000813	19.05	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-18	0.1536	0.1133	0.02	Yes	21	0.1334	0.03648	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-19	0.0025	0.00016	0.02	No	21	0.00141	0.001086	47.62	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-20	0.2159	0.1612	0.02	Yes	21	0.1885	0.04958	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-21	0.0025	0.00016	0.02	No	21	0.001605	0.001169	61.9	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-22	0.003376	0.001832	0.02	No	21	0.002604	0.0014	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-23	0.0025	0.00013	0.02	No	21	0.002387	0.0005172	95.24	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-6	0.002217	0.0008878	0.02	No	21	0.002021	0.001148	38.1	Kaplan-Meier	No	0.01	Param.
Cobalt (mg/L)	SGWC-7	0.01036	0.005064	0.02	No	21	0.00771	0.004796	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-8	0.0025	0.00049	0.02	No	21	0.001911	0.0009915	66.67	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-9	0.01196	0.005761	0.02	No	21	0.008862	0.005622	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-10	0.452	0.0222	5	No	21	0.2839	0.3518	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-11	0.4972	0.1656	5	No	21	0.3314	0.3006	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-12	0.4152	0.152	5	No	21	0.2836	0.2386	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-13	0.4499	0.1763	5	No	21	0.3131	0.248	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-14	0.3413	0.05517	5	No	21	0.1982	0.2593	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-15	0.4681	0.2534	5	No	21	0.3607	0.1946	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-16	0.3552	0.1028	5	No	21	0.229	0.2288	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-17	0.4081	0.1719	5	No	21	0.29	0.2141	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-18	0.439	0.17	5	No	21	0.3824	0.3463	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-19	0.431	0.11	5	No	21	0.2823	0.3493	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-20	0.5863	0.2766	5	No	21	0.4315	0.2807	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-21	0.593	0.216	5	No	21	0.44	0.3654	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-22	0.4559	0.13	5	No	21	0.3456	0.4132	0	None	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-23	0.6434	0.3896	5	No	21	0.5165	0.2301	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-6	0.384	0.1343	5	No	21	0.2591	0.2263	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Combined Radium 226 + 228 (pCi/L)	SGWC-7	0.5378	0.3186	5	No	21	0.4282	0.1987	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-8	2.518	2.044	5	No	21	2.281	0.4295	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-9	0.3635	0.1256	5	No	21	0.2446	0.2156	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-10	0.1	0.047	4	No	22	0.08759	0.02729	81.82	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-11	0.1	0.08	4	No	22	0.09414	0.01676	86.36	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-12	0.09725	0.06303	4	No	22	0.08882	0.03134	18.18	Kaplan-Meier	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-13	0.1	0.053	4	No	22	0.08645	0.03009	68.18	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-14	0.1	0.04	4	No	22	0.07868	0.03209	68.18	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-15	0.14	0.12	4	No	22	0.14	0.05403	0	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-16	0.1	0.09	4	No	22	0.0865	0.02858	77.27	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-17	0.07245	0.04562	4	No	22	0.07905	0.0327	40.91	Kaplan-Meier	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-18	0.1	0.099	4	No	22	0.09215	0.03088	63.64	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-19	0.18	0.057	4	No	22	0.09771	0.02741	86.36	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-20	0.2514	0.1798	4	No	22	0.219	0.07267	0	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-21	0.09342	0.06771	4	No	22	0.09114	0.02398	31.82	Kaplan-Meier	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-22	0.1	0.1	4	No	22	0.08868	0.025	77.27	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-23	0.1	0.046	4	No	22	0.07655	0.02694	40.91	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-6	0.1429	0.1026	4	No	22	0.1247	0.03988	13.64	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-7	0.235	0.1845	4	No	22	0.2098	0.04702	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-8	0.46	0.3674	4	No	22	0.4137	0.08622	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-9	0.08327	0.05916	4	No	22	0.08414	0.02351	40.91	Kaplan-Meier	No	0.01	Param.
Lead (mg/L)	SGWC-10	0.001	0.00014	0.001	No	21	0.0008762	0.0003108	85.71	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-12	0.001	0.0002	0.001	No	21	0.0009619	0.0001746	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-13	0.001	0.00039	0.001	No	21	0.000971	0.0001331	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-14	0.001	0.00066	0.001	No	21	0.0009438	0.0001943	90.48	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-15	0.001	0.00023	0.001	No	21	0.0009633	0.000168	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-16	0.001	0.00013	0.001	No	21	0.0009586	0.0001898	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-17	0.001	0.00017	0.001	No	21	0.0009605	0.0001811	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-18	0.001	0.00071	0.001	No	21	0.0009524	0.0001644	90.48	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-19	0.001	0.00033	0.001	No	21	0.0009681	0.0001462	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-20	0.001	0.00025	0.001	No	21	0.0005933	0.0003681	42.86	None	No	0.01	NP (normality)
Lead (mg/L)	SGWC-21	0.001	0.00041	0.001	No	21	0.0008133	0.0003463	76.19	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-22	0.001	0.00019	0.001	No	21	0.0008419	0.000334	80.95	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-23	0.001	0.00009	0.001	No	21	0.0009567	0.0001986	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-6	0.001	0.0002	0.001	No	21	0.0009619	0.0001746	95.24	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-7	0.001	0.00085	0.001	No	21	0.0009114	0.0002569	85.71	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-8	0.001	0.00062	0.001	No	21	0.0009481	0.000172	90.48	None	No	0.01	NP (NDs)
Lithium (mg/L)	PZ-441	0.06169	0.0004218	0.005	No	5	0.0227	0.02646	20	Kaplan-Meier	sqrt(x)	0.01	Param.
Lithium (mg/L)	SGWC-11	0.005	0.0029	0.005	No	21	0.004095	0.001374	66.67	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-12	0.005	0.0011	0.005	No	21	0.004814	0.000851	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-13	0.005	0.0014	0.005	No	21	0.004829	0.0007856	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-14	0.005	0.0011	0.005	No	21	0.004814	0.000851	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-15	0.005	0.0034	0.005	No	21	0.004162	0.0009729	52.38	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-16	0.005	0.0015	0.005	No	21	0.004833	0.0007638	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-17	0.005	0.0014	0.005	No	21	0.004829	0.0007856	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-18	0.004753	0.00399	0.005	No	21	0.004662	0.0006569	23.81	Kaplan-Meier	No	0.01	Param.
Lithium (mg/L)	SGWC-19	0.0072	0.0022	0.005	No	21	0.004833	0.001013	85.71	Kaplan-Meier	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-20	0.004803	0.004007	0.005	No	20	0.004405	0.0007007	5	None	No	0.01	Param.
Lithium (mg/L)	SGWC-21	0.005	0.0038	0.005	No	21	0.004324	0.001335	76.19	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-22	0.005	0.0033	0.005	No	21	0.004619	0.00102	85.71	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-23	0.005	0.0032	0.005	No	21	0.004262	0.0008953	47.62	None	No	0.01	NP (normality)
Lithium (mg/L)	SGWC-6	0.005	0.0013	0.005	No	21	0.004824	0.0008074	95.24	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-7	0.005296	0.004244	0.005	No	20	0.00477	0.0009257	0	None	No	0.01	Param.
Lithium (mg/L)	SGWC-8	0.005	0.0021	0.005	No	21	0.004095	0.001478	71.43	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-10	0.0002	0.00013	0.002	No	21	0.0001967	0.00001528	95.24	None	No	0.01	NP (NDs)


Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/28/2022, 6:17 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Mercury (mg/L)	SGWC-11	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-12	0.0002	0.000093	0.002	No	21	0.0001949	0.00002335	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-13	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-14	0.0002	0.00012	0.002	No	21	0.0001861	0.00003513	80.95	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-15	0.0002	0.00012	0.002	No	21	0.0001579	0.00004451	42.86	None	No	0.01	NP (normality)
Mercury (mg/L)	SGWC-16	0.0002	0.000076	0.002	No	21	0.0001941	0.00002706	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-17	0.0002	0.00017	0.002	No	21	0.00019	0.00002739	85.71	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-18	0.0001726	0.0001126	0.002	No	21	0.0001789	0.0000461	28.57	Kaplan-Meier	No	0.01	Param.
Mercury (mg/L)	SGWC-20	0.0002	0.00013	0.002	No	21	0.000185	0.00003888	85.71	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-21	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-22	0.0002	0.000099	0.002	No	21	0.0001952	0.00002204	95.24	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-23	0.00028	0.00011	0.002	No	21	0.0001891	0.00004286	80.95	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-6	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-7	0.0002	0.00011	0.002	No	21	0.0001957	0.00001964	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-8	0.0002	0.000076	0.002	No	21	0.0001941	0.00002706	95.24	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-9	0.0002	0.0001	0.002	No	21	0.0001952	0.00002182	95.24	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-12	0.015	0.0012	0.015	No	20	0.01361	0.004263	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-14	0.015	0.003	0.015	No	20	0.01369	0.004046	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-6	0.015	0.00099	0.015	No	20	0.01358	0.004357	90	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-7	0.00343	0.0012	0.015	No	20	0.004441	0.005468	20	None	No	0.01	NP (normality)
Molybdenum (mg/L)	SGWC-8	0.015	0.0008	0.015	No	20	0.01429	0.003175	95	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-9	0.015	0.00099	0.015	No	20	0.008708	0.007143	55	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-11	0.005	0.00046	0.05	No	21	0.004784	0.0009907	95.24	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-12	0.005	0.00031	0.05	No	21	0.004777	0.001023	95.24	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-13	0.005	0.00064	0.05	No	21	0.004569	0.001364	90.48	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-14	0.005	0.00084	0.05	No	21	0.004595	0.001279	90.48	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-15	0.005	0.0014	0.05	No	21	0.004148	0.002581	52.38	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-16	0.005	0.0013	0.05	No	21	0.003736	0.001851	66.67	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-17	0.005	0.00064	0.05	No	21	0.004341	0.001656	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-18	0.01053	0.003793	0.05	No	21	0.00849	0.008078	4.762	None	x^(1/3)	0.01	Param.
Selenium (mg/L)	SGWC-19	0.005	0.00096	0.05	No	21	0.004385	0.001545	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-20	0.005	0.0012	0.05	No	21	0.003969	0.001826	66.67	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-23	0.005	0.00033	0.05	No	21	0.004324	0.001697	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-6	0.005	0.00057	0.05	No	21	0.004344	0.001646	85.71	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-7	0.005	0.00034	0.05	No	21	0.004778	0.001017	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-10	0.001	0.00075	0.002	No	21	0.000909	0.0002526	85.71	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-11	0.001	0.00016	0.002	No	21	0.0009195	0.0002542	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-12	0.001	0.00034	0.002	No	21	0.0009319	0.0002158	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-13	0.001	0.00022	0.002	No	21	0.0009629	0.0001702	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-14	0.0011	0.00035	0.002	No	21	0.0008952	0.0002796	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-15	0.001	0.000098	0.002	No	21	0.0005644	0.0004342	47.62	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-17	0.001	0.00024	0.002	No	21	0.0009638	0.0001658	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-18	0.00029	0.00013	0.002	No	21	0.0003055	0.0002786	9.524	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-20	0.00025	0.00016	0.002	No	21	0.0002629	0.0002509	9.524	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-22	0.001	0.00038	0.002	No	21	0.0009705	0.0001353	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-23	0.001	0.00016	0.002	No	21	0.00096	0.0001833	95.24	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-6	0.001	0.00049	0.002	No	21	0.0008652	0.0002897	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-7	0.001	0.00042	0.002	No	21	0.0009352	0.000207	90.48	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-8	0.001	0.00079	0.002	No	21	0.0008776	0.0002817	80.95	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-9	0.001	0.0004	0.002	No	21	0.0009367	0.0002011	90.48	None	No	0.01	NP (NDs)

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Antimony Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Arsenic Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Beryllium Analysis Run 4/28/2022 6:15 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Beryllium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Chromium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Chromium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Chromium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01 except as noted. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 4/28/2022 6:16 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Fluoride, total Analysis Run 4/28/2022 6:16 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Fluoride, total Analysis Run 4/28/2022 6:16 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Fluoride, total Analysis Run 4/28/2022 6:16 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Lead Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Lead Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Lead Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Lithium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Lithium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Lithium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Mercury Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Mercury Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Mercury Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Molybdenum Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Selenium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Selenium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Selenium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium Analysis Run 4/28/2022 6:16 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Confidence Interval

Constituent: Antimony (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-13	SGWC-18	SGWC-7
5/11/2016	<0.002			<0.002
5/12/2016		<0.002		
5/13/2016			<0.002	
6/27/2016				0.0004 (J)
6/28/2016	0.0014 (J)	0.0004 (J)		
6/30/2016			0.0012 (J)	
8/17/2016	<0.002			<0.002
8/18/2016		<0.002		
8/22/2016			<0.002	
10/17/2016	<0.002	<0.002		
10/18/2016				<0.002
10/19/2016			<0.002	
12/6/2016	<0.002	<0.002		<0.002
12/7/2016			<0.002	
2/14/2017				<0.002
2/15/2017	<0.002	<0.002 (F1)		
2/16/2017			<0.002	
4/12/2017	<0.002	<0.002		<0.002
4/13/2017			<0.002	
6/27/2017	<0.002	<0.002		<0.002
6/28/2017			<0.002	
3/27/2018	<0.002	<0.002		<0.002
3/28/2018			<0.002	
10/8/2018		<0.002		
10/9/2018	<0.002			<0.002
2/20/2019	<0.002	<0.002	<0.002	<0.002
2/18/2020				<0.002
2/19/2020	<0.002	<0.002		
2/20/2020			<0.002	
2/9/2021	<0.002	<0.002		<0.002
2/10/2021			<0.002	
8/18/2021			<0.002	<0.002
8/19/2021	<0.002	<0.002		
2/9/2022				<0.002
2/10/2022			<0.002	
2/11/2022	<0.002	<0.002		
Mean	0.00196	0.001893	0.001943	0.001893
Std. Dev.	0.0001549	0.0004131	0.0002138	0.0004131
Upper Lim.	0.002	0.002	0.002	0.002
Lower Lim.	0.0014	0.0004	0.0012	0.0004

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.001	0.00103 (J)	<0.001			
5/12/2016				<0.001	<0.001	<0.001
6/28/2016	<0.001	0.0011 (J)	0.001 (J)	<0.001	<0.001	0.0026 (J)
8/17/2016	<0.001	0.0011 (J)				
8/18/2016			0.00091 (J)	<0.001	<0.001	0.0015
10/17/2016	<0.001	0.0011 (J)	<0.001	<0.001	<0.001	
10/18/2016						0.0019
12/6/2016	<0.001	0.00072 (J)	<0.001	<0.001		
12/7/2016					<0.001	0.00079 (J)
2/15/2017	0.0005 (J)	0.0011 (J)	0.00076 (J)	<0.001	<0.001	0.00073 (J)
4/12/2017	<0.001	0.00076 (J)	0.00046 (J)	0.00047 (J)	0.00057 (J)	0.0009 (J)
6/27/2017	0.00074 (J)	0.0011 (J)	0.0011 (J)	0.00088 (J)	0.00058 (J)	0.0011 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6/6/2018	<0.001	<0.001	<0.001			
6/7/2018				<0.001	<0.001	<0.001
10/8/2018			0.0007 (J)	0.00069 (J)	0.0007 (J)	
10/9/2018	<0.001					
10/16/2018		<0.001				<0.001
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	0.00075 (J)
4/1/2019	0.00059 (J)	0.0011 (J)	0.0012 (J)	0.0014	0.0012 (J)	0.0016
9/16/2019		<0.001	<0.001			
9/17/2019	<0.001			<0.001	<0.001	0.0008 (J)
2/18/2020		<0.001				
2/19/2020	<0.001		0.00032 (J)	<0.001	<0.001	0.001
3/25/2020	<0.001	<0.001				
3/26/2020			0.00032 (J)			
3/27/2020				<0.001	0.0014	0.0016
9/14/2020	<0.001	<0.001	<0.001	<0.001		
9/15/2020					<0.001	0.0014
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	0.0013
3/31/2021	<0.001					0.0012
4/6/2021					<0.001	
4/7/2021		<0.001	<0.001	<0.001		
8/19/2021	<0.001	<0.001		<0.001	<0.001	0.0014
8/20/2021			<0.001			
2/10/2022		<0.001	<0.001			
2/11/2022	<0.001			<0.001		0.0021
2/14/2022					<0.001	
Mean	0.0009443	0.001005	0.0008938	0.0009733	0.0009738	0.00127
Std. Dev.	0.000145	9.908E-05	0.0002434	0.0001638	0.0001785	0.0004852
Upper Lim.	0.001	0.0011	0.0011	0.0014	0.0012	0.001461
Lower Lim.	0.00074	0.00076	0.00076	0.00088	0.0007	0.0009087

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	<0.001	<0.001			<0.001	<0.001
5/13/2016			0.00161 (J)	<0.001		
6/28/2016	<0.001					
6/29/2016		<0.001		<0.001	0.0018 (J)	<0.001
6/30/2016			0.004 (J)			
8/18/2016	<0.001	<0.001				
8/22/2016			0.0012 (J)	<0.001	0.001 (J)	<0.001
10/18/2016	<0.001			<0.001	0.00085 (J)	<0.001
10/19/2016		0.001045 (JD)	0.0019			
12/7/2016	<0.001	<0.001	0.0012 (J)			<0.001
12/8/2016				<0.001	<0.001	
2/15/2017		0.00059 (J)				
2/16/2017	<0.001		0.00086 (J)	<0.001	<0.001	<0.001
4/13/2017	<0.001	0.00066 (J)	0.00058 (J)	<0.001	<0.001	<0.001
6/27/2017	0.00055 (J)	0.00075 (J)				
6/28/2017			0.0011 (J)	0.00068 (J)	0.00094 (J)	0.00076 (J)
3/27/2018	<0.001	<0.001				
3/28/2018			0.0015	<0.001	<0.001	<0.001
6/7/2018	<0.001	<0.001			<0.001	<0.001
6/8/2018			0.002	<0.001		
10/8/2018	0.00054 (J)	0.00075 (J)				<0.001
10/9/2018				0.00058 (J)		
10/18/2018			0.0031		<0.001	
2/20/2019	<0.001	<0.001	0.003	<0.001	<0.001	<0.001
4/2/2019	<0.001	<0.001	0.0027	<0.001	<0.001	<0.001
9/17/2019	<0.001	<0.001	0.0029	<0.001	0.00037 (J)	<0.001
2/18/2020					0.00032 (J)	<0.001
2/19/2020	<0.001	<0.001		<0.001		
2/20/2020			0.0031			
3/23/2020				<0.001	0.0005 (J)	<0.001
3/24/2020		<0.001				
3/26/2020			0.0047			
3/27/2020	<0.001					
9/15/2020	<0.001	<0.001	0.0045	<0.001	0.00051 (J)	<0.001
2/9/2021	<0.001					
2/10/2021		0.00038 (J)	0.0033	<0.001	0.00059 (J)	<0.001
3/30/2021			0.0028	<0.001	0.00049 (J)	<0.001
4/1/2021	0.00033 (J)	<0.001				
8/18/2021		<0.001	0.0028			<0.001
8/19/2021	<0.001			<0.001	0.00066 (J)	
2/10/2022	<0.001		0.0043			
2/11/2022		<0.001		<0.001	0.00081 (J)	<0.001
Mean	0.0009248	0.0009131	0.002531	0.0009648	0.0008495	0.0009886
Std. Dev.	0.0001929	0.0001784	0.001233	0.0001124	0.0003256	5.237E-05
Upper Lim.	0.001	0.001	0.003211	0.001	0.001	0.001
Lower Lim.	0.00055	0.00075	0.001851	0.00068	0.00051	0.00076

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			<0.001	<0.001	<0.001	<0.001
5/12/2016	<0.001	<0.001				
6/27/2016			<0.001	0.0009 (J)	<0.001	
6/29/2016	<0.001	<0.001				0.0009 (J)
8/17/2016			<0.001	0.0006 (J)	<0.001	
8/19/2016	<0.001	<0.001				
8/22/2016						<0.001
10/17/2016			<0.001		<0.001	
10/18/2016	<0.001	<0.001		<0.001		0.00074 (J)
12/6/2016			<0.001	<0.001	<0.001	
12/7/2016	<0.001	<0.001				0.00079 (J)
2/14/2017			0.0006 (J)	0.00059 (J)	0.0005 (J)	
2/15/2017		<0.001				
2/16/2017	<0.001					0.00056 (J)
4/12/2017			0.00046 (J)	0.00058 (J)	<0.001	
4/13/2017	0.0006 (J)	0.00061 (J)				0.00079 (J)
6/27/2017			<0.001	<0.001	0.00076 (J)	0.0011 (J)
6/28/2017	0.00089 (J)	0.00079 (J)				
3/27/2018		<0.001	<0.001	<0.001	<0.001	
3/28/2018	<0.001					<0.001
6/6/2018			<0.001	<0.001	<0.001	<0.001
6/7/2018	<0.001	<0.001				
10/8/2018	<0.001	<0.001	<0.001			
10/9/2018				0.00057 (J)	0.00053 (J)	0.00068 (J)
2/19/2019	<0.001	<0.001				
2/20/2019			<0.001	<0.001	<0.001	<0.001
4/1/2019				<0.001	0.001 (J)	<0.001
4/2/2019	<0.001	<0.001	<0.001			
9/16/2019			<0.001			<0.001
9/17/2019				<0.001	0.00035 (J)	
9/18/2019	0.00035 (J)	<0.001				
2/18/2020	0.00034 (J)	<0.001	<0.001	<0.001	<0.001	
2/19/2020						0.00039 (J)
3/24/2020	<0.001	<0.001				
3/25/2020			0.00044 (J)		0.00063 (J)	<0.001
3/26/2020				<0.001		
9/14/2020			<0.001	<0.001	<0.001	<0.001
9/15/2020	<0.001	<0.001				
2/9/2021			<0.001	<0.001	<0.001	<0.001
2/10/2021	<0.001	<0.001				
3/31/2021	<0.001	<0.001				0.00033 (J)
4/1/2021			<0.001	0.00044 (J)	<0.001	
8/18/2021	<0.001	<0.001	<0.001	<0.001	<0.001	
8/19/2021						<0.001
2/9/2022			<0.001	<0.001		
2/10/2022	0.00031 (J)	<0.001			<0.001	<0.001
Mean	0.0008805	0.0009714	0.0009286	0.0008895	0.0008938	0.0008705
Std. Dev.	0.0002456	9.462E-05	0.0001814	0.0001945	0.0002063	0.0002169
Upper Lim.	0.001	0.001	0.001	0.001	0.001	0.001
Lower Lim.	0.00089	0.00079	0.0006	0.0006	0.00076	0.00074

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.0294	0.038	0.0324			
5/12/2016				0.0198	0.067	0.041
6/28/2016	0.0293	0.0363	0.0321	0.0208	0.0668	0.0435
8/17/2016	0.029	0.033				
8/18/2016			0.03	0.022	0.06	0.043
10/17/2016	0.027	0.035	0.032	0.024	0.06	
10/18/2016						0.041
12/6/2016	0.03	0.035	0.032	0.025		
12/7/2016					0.063	0.042
2/15/2017	0.025	0.036	0.036	0.026	0.061	0.038
4/12/2017	0.028	0.038	0.037	0.029	0.062	0.038
6/27/2017	0.034	0.042	0.042	0.031	0.06	0.041
3/27/2018	0.031	0.039	0.043	0.029	0.055	0.035
6/6/2018	0.027	0.041	0.048			
6/7/2018				0.032	0.057	0.035
10/8/2018			0.049	0.033	0.053	
10/9/2018	0.032					
10/16/2018		0.037				0.031
2/20/2019	0.036	0.044	0.054	0.041	0.053	0.036
4/1/2019	0.039	0.041	0.051	0.038	0.054	0.034
9/16/2019		0.045	0.052			
9/17/2019	0.029			0.036	0.048	0.034
2/18/2020		0.044				
2/19/2020	0.027		0.053	0.033	0.047	0.031
3/25/2020	0.036	0.046				
3/26/2020			0.051			
3/27/2020				0.034	0.049	0.028
9/14/2020	0.027	0.042	0.057	0.039		
9/15/2020					0.05	0.031
2/9/2021	0.028	0.043	0.058	0.036	0.046	0.029
3/31/2021	0.036					0.028
4/6/2021					0.048	
4/7/2021		0.046	0.058	0.037		
8/19/2021	0.025	0.045		0.036	0.042	0.027
8/20/2021			0.057			
2/10/2022		0.045	0.057			
2/11/2022	0.025			0.034		0.027
2/14/2022					0.047	
Mean	0.02999	0.04054	0.04579	0.03122	0.0547	0.03493
Std. Dev.	0.004073	0.004115	0.01023	0.006239	0.007264	0.005586
Upper Lim.	0.03223	0.04281	0.05143	0.03466	0.05871	0.03801
Lower Lim.	0.02774	0.03827	0.04014	0.02778	0.0507	0.03185

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.0163	0.0157			0.0436	0.0914
5/13/2016			0.0138	0.0507		
6/28/2016	0.0165					
6/29/2016		0.0161 (J)		0.0485	0.0466	0.0933
6/30/2016			0.0145 (J)			
8/18/2016	0.017	0.016				
8/22/2016			0.014	0.044	0.038	0.086
10/18/2016	0.017			0.042	0.039	0.093
10/19/2016		0.021 (D)	0.016			
12/7/2016	0.017	0.018	0.015			0.096
12/8/2016				0.045	0.038	
2/15/2017		0.02				
2/16/2017	0.017		0.013	0.04	0.034	0.091
4/13/2017	0.019	0.019	0.012	0.037	0.028	0.088
6/27/2017	0.02	0.019				
6/28/2017			0.012	0.04	0.03	0.094
3/27/2018	0.021	0.02				
3/28/2018			0.029	0.034	0.027	0.09
6/7/2018	0.022	0.02			0.029	0.092
6/8/2018			0.032	0.035		
10/8/2018	0.025	0.021				0.092
10/9/2018				0.037		
10/18/2018			0.033		0.027	
2/20/2019	0.027	0.023	0.034	0.036	0.03	0.1
4/2/2019	0.023	0.02	0.028	0.03	0.023	0.087
9/17/2019	0.029	0.025	0.026	0.035	0.025	0.097
2/18/2020					0.023	0.11
2/19/2020	0.029	0.022		0.034		
2/20/2020			0.023			
3/23/2020				0.032	0.024	0.1
3/24/2020		0.024				
3/26/2020			0.02			
3/27/2020	0.027					
9/15/2020	0.031	0.025	0.02	0.034	0.024	0.13
2/9/2021	0.03					
2/10/2021		0.023	0.016	0.031	0.023	0.12
3/30/2021			0.015	0.03	0.021	0.12
4/1/2021	0.029	0.022				
8/18/2021		0.024	0.022			0.12
8/19/2021	0.029			0.027	0.02	
2/10/2022	0.034		0.013			
2/11/2022		0.025		0.032	0.022	0.11
Mean	0.02361	0.0209	0.02006	0.03687	0.0293	0.1
Std. Dev.	0.005776	0.002948	0.007469	0.006307	0.007704	0.01294
Upper Lim.	0.0268	0.02252	0.02357	0.04035	0.03355	0.11
Lower Lim.	0.02042	0.01927	0.0157	0.03339	0.02505	0.091

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.0933	0.295	0.251	0.0494
5/12/2016	0.1	0.0959				
6/27/2016			0.101	0.353	0.205	
6/29/2016	0.0991	0.0957				0.0535
8/17/2016			0.094	0.29	0.16	
8/19/2016	0.096	0.093				
8/22/2016						0.049
10/17/2016			0.11		0.17	
10/18/2016	0.096	0.093		0.29		0.049
12/6/2016			0.11	0.31	0.16	
12/7/2016	0.09	0.09				0.048
2/14/2017			0.056	0.3	0.18	
2/15/2017		0.09				
2/16/2017	0.091					0.056
4/12/2017			0.048	0.3	0.18	
4/13/2017	0.091	0.081				0.063
6/27/2017			0.058	0.36	0.18	0.067
6/28/2017	0.1	0.085				
3/27/2018		0.076	0.021	0.27	0.17	
3/28/2018	0.084					0.069
6/6/2018			0.014	0.24	0.18	0.069
6/7/2018	0.084	0.082				
10/8/2018	0.084	0.077	0.069			
10/9/2018				0.28	0.17	0.077
2/19/2019	0.075	0.064				
2/20/2019			0.052	0.28	0.2	0.077
4/1/2019				0.24	0.19	0.071
4/2/2019	0.076	0.068	0.069			
9/16/2019			0.13			0.077
9/17/2019				0.23	0.19	
9/18/2019	0.078	0.068				
2/18/2020	0.085	0.065	0.083	0.25	0.17	
2/19/2020						0.065
3/24/2020	0.081	0.065				
3/25/2020			0.12		0.19	0.066
3/26/2020				0.23		
9/14/2020			0.14	0.27	0.18	0.059
9/15/2020	0.083	0.064				
2/9/2021			0.12	0.26	0.18	0.054
2/10/2021	0.078	0.066				
3/31/2021	0.072	0.059				0.061
4/1/2021			0.12	0.26	0.17	
8/18/2021	0.074	0.056	0.13	0.24	0.16	
8/19/2021						0.043
2/9/2022			0.13	0.21		
2/10/2022	0.07	0.064			0.18	0.047
Mean	0.0851	0.07608	0.08897	0.2742	0.1817	0.06047
Std. Dev.	0.009499	0.01321	0.03727	0.03857	0.02001	0.01076
Upper Lim.	0.09034	0.08336	0.1095	0.2955	0.19	0.06641
Lower Lim.	0.07986	0.06879	0.06841	0.2529	0.17	0.05453

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-14	SGWC-15	SGWC-17	SGWC-18	SGWC-19
5/11/2016	<0.0025					
5/12/2016		<0.0025	<0.0025	<0.0025		
5/13/2016					<0.0025	<0.0025
6/28/2016	<0.0025	<0.0025	0.0003 (J)			
6/29/2016				<0.0025		0.0002 (J)
6/30/2016					0.0003 (J)	
8/17/2016	<0.0025					
8/18/2016		<0.0025	0.00037 (J)	<0.0025		
8/22/2016					<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025				
10/18/2016			<0.0025			<0.0025
10/19/2016				<0.0025	<0.0025	
12/6/2016	<0.0025					
12/7/2016		<0.0025	<0.0025	<0.0025	<0.0025	
12/8/2016						<0.0025
2/15/2017	<0.0025	<0.0025	0.00037 (J)	<0.0025		
2/16/2017					<0.0025	<0.0025
4/12/2017	<0.0025	<0.0025	0.00035 (J)			
4/13/2017				<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	0.0004 (J)	<0.0025		
6/28/2017					<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	0.00041 (J)	<0.0025		
3/28/2018					0.00036 (J)	<0.0025
6/6/2018	<0.0025					
6/7/2018		<0.0025	0.00038 (J)	<0.0025		
6/8/2018					0.00035 (J)	<0.0025
10/8/2018		<0.0025		<0.0025		
10/9/2018	<0.0025					<0.0025
10/16/2018			0.0004 (J)			
10/18/2018					<0.0025	
2/20/2019	<0.0025	<0.0025	0.00042 (J)	<0.0025	0.00033 (J)	0.00016 (J)
4/1/2019	<0.0025	<0.0025	0.00034 (J)			
4/2/2019				<0.0025	<0.0025	<0.0025
9/17/2019	<0.0025	<0.0025	0.00046 (J)	<0.0025	0.00035 (J)	<0.0025
2/19/2020	0.00026 (J)	<0.0025	0.00045 (J)	<0.0025		<0.0025
2/20/2020					0.00049 (J)	
3/23/2020						<0.0025
3/24/2020				<0.0025		
3/25/2020	<0.0025					
3/26/2020					0.00033 (J)	
3/27/2020		0.00053 (J)	0.00059 (J)			
9/14/2020	<0.0025					
9/15/2020		0.0002 (J)	0.00053 (J)	<0.0025	0.0003 (J)	0.00018 (J)
2/9/2021	<0.0025	<0.0025	0.00044 (J)			
2/10/2021				0.00028 (J)	0.00036 (J)	0.00019 (J)
3/30/2021					0.00025 (J)	0.00018 (J)
3/31/2021	<0.0025		0.00045 (J)			
4/1/2021				<0.0025		
4/6/2021		<0.0025				
8/18/2021				<0.0025	0.00035 (J)	
8/19/2021	<0.0025	<0.0025	0.00033 (J)			<0.0025
2/10/2022					<0.0025	

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-14	SGWC-15	SGWC-17	SGWC-18	SGWC-19
2/11/2022	<0.0025		0.0004 (J)	<0.0025		<0.0025
2/14/2022		<0.0025				
Mean	0.002393	0.002297	0.000709	0.002394	0.00137	0.001948
Std. Dev.	0.0004888	0.0006443	0.000752	0.0004844	0.001105	0.001012
Upper Lim.	0.0025	0.0025	0.00053	0.0025	0.0025	0.0025
Lower Lim.	0.00026	0.00053	0.00037	0.00028	0.00033	0.0002

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-20	SGWC-22	SGWC-6	SGWC-8
5/11/2016			<0.0025	<0.0025
5/12/2016	0.000742 (J)	<0.0025		
6/27/2016			<0.0025	<0.0025
6/29/2016	0.0007 (J)	<0.0025		
8/17/2016			<0.0025	<0.0025
8/19/2016		<0.0025		
8/22/2016	0.00074 (J)			
10/17/2016			<0.0025	<0.0025
10/18/2016	0.00075 (J)	<0.0025		
12/6/2016			<0.0025	<0.0025
12/7/2016		<0.0025		
12/8/2016	0.00093 (J)			
2/14/2017			<0.0025	<0.0025
2/16/2017	0.00091 (J)	<0.0025		
4/12/2017			<0.0025	<0.0025
4/13/2017	0.00065 (J)	<0.0025		
6/27/2017			<0.0025	<0.0025
6/28/2017	0.00073 (J)	<0.0025		
3/27/2018			<0.0025	<0.0025
3/28/2018	0.00079 (J)	<0.0025		
6/6/2018			<0.0025	<0.0025
6/7/2018	0.00086 (J)	<0.0025		
10/8/2018		<0.0025	<0.0025	
10/9/2018				<0.0025
10/18/2018	0.00079 (J)			
2/19/2019		<0.0025		
2/20/2019	0.00077 (J)		<0.0025	<0.0025
4/1/2019				<0.0025
4/2/2019	0.00043 (J)	<0.0025	<0.0025	
9/16/2019			<0.0025	
9/17/2019	0.00057 (J)			0.00019 (J)
9/18/2019		<0.0025		
2/18/2020	0.00052 (J)	<0.0025	<0.0025	<0.0025
3/23/2020	0.00077 (J)			
3/24/2020		<0.0025		
3/25/2020			0.0002 (J)	0.0003 (J)
9/14/2020			<0.0025	<0.0025
9/15/2020	0.00078 (J)	0.00033 (J)		
2/9/2021			<0.0025	<0.0025
2/10/2021	0.0009 (J)	<0.0025		
3/30/2021	0.00058 (J)			
3/31/2021		<0.0025		
4/1/2021			<0.0025	<0.0025
8/18/2021		<0.0025	<0.0025	<0.0025
8/19/2021	0.00091 (J)			
2/9/2022			<0.0025	
2/10/2022		<0.0025		<0.0025
2/11/2022	0.00074 (J)			
Mean	0.000741	0.002397	0.00239	0.002285
Std. Dev.	0.0001325	0.0004735	0.0005019	0.0006785
Upper Lim.	0.0008141	0.0025	0.0025	0.0025
Lower Lim.	0.0006679	0.00033	0.0002	0.0003

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-14	SGWC-15	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025					
5/12/2016		0.000136 (J)	0.000265 (J)			0.000108 (J)
5/13/2016				0.00016 (J)	<0.0025	
6/28/2016	<0.0025	<0.0025	0.0003 (J)			
6/29/2016					<0.0025	0.0001 (J)
6/30/2016				0.0002 (J)		
8/17/2016	<0.0025					
8/18/2016		<0.0025	<0.0025			
8/22/2016				<0.0025	<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025				
10/18/2016			<0.0025		<0.0025	<0.0025
10/19/2016				<0.0025		
12/6/2016	<0.0025					
12/7/2016		<0.0025	<0.0025	<0.0025		
12/8/2016					<0.0025	<0.0025
2/15/2017	<0.0025	<0.0025	0.00044 (J)			
2/16/2017				<0.0025	0.00036 (J)	<0.0025
4/12/2017	<0.0025	<0.0025	<0.0025			
4/13/2017				<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	<0.0025			
6/28/2017				<0.0025	<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	<0.0025			
3/28/2018				<0.0025	<0.0025	<0.0025
10/8/2018		<0.0025				
10/9/2018					<0.0025	
10/16/2018	<0.0025		<0.0025			
10/18/2018				<0.0025		<0.0025
2/20/2019	<0.0025	<0.0025	0.00033 (J)	0.00023 (J)	<0.0025	<0.0025
4/1/2019	<0.0025	<0.0025	<0.0025			
4/2/2019				<0.0025	<0.0025	<0.0025
9/16/2019	<0.0025					
9/17/2019		<0.0025	0.00034 (J)	0.00018 (J)	<0.0025	<0.0025
2/18/2020	<0.0025					<0.0025
2/19/2020		<0.0025	0.0003 (J)		<0.0025	
2/20/2020				0.00032 (J)		
3/23/2020					<0.0025	<0.0025
3/25/2020	<0.0025					
3/26/2020				<0.0025		
3/27/2020		0.00057 (J)	0.00042 (J)			
9/14/2020	<0.0025					
9/15/2020		<0.0025	0.00032 (J)	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	0.0003 (J)			
2/10/2021				0.00035 (J)	<0.0025	<0.0025
3/30/2021				<0.0025	<0.0025	<0.0025
3/31/2021			0.00027 (J)			
4/6/2021		<0.0025				
4/7/2021	<0.0025					
8/18/2021				<0.0025		
8/19/2021	0.00022 (J)	<0.0025	0.00026 (J)		<0.0025	<0.0025
2/10/2022	<0.0025			<0.0025		
2/11/2022			0.00024 (J)		<0.0025	<0.0025
2/14/2022		<0.0025				

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-14	SGWC-15	SGWC-18	SGWC-19	SGWC-20
Mean	0.002386	0.002285	0.001189	0.001822	0.002393	0.00226
Std. Dev.	0.0005098	0.0006646	0.001099	0.001063	0.0004785	0.0007375
Upper Lim.	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025
Lower Lim.	0.00022	0.00057	0.00027	0.00032	0.00036	0.000108

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-6	SGWC-8
5/11/2016		<0.0025	<0.0025
5/12/2016	<0.0025		
6/27/2016		<0.0025	<0.0025
6/29/2016	<0.0025		
8/17/2016		<0.0025	<0.0025
8/22/2016	<0.0025		
10/17/2016		<0.0025	<0.0025
10/18/2016	<0.0025		
12/6/2016		<0.0025	<0.0025
12/7/2016	<0.0025		
2/14/2017		<0.0025	<0.0025
2/16/2017	0.00039 (J)		
4/12/2017		<0.0025	<0.0025
4/13/2017	<0.0025		
6/27/2017		<0.0025	<0.0025
6/28/2017	<0.0025		
3/27/2018		<0.0025	<0.0025
3/28/2018	<0.0025		
10/8/2018	<0.0025	<0.0025	
10/9/2018			<0.0025
2/20/2019	<0.0025	<0.0025	<0.0025
4/1/2019			<0.0025
4/2/2019	<0.0025	<0.0025	
9/16/2019		<0.0025	
9/17/2019	<0.0025		<0.0025
2/18/2020	<0.0025	<0.0025	<0.0025
3/23/2020	<0.0025		
3/25/2020		0.00022 (J)	0.00031 (J)
9/14/2020		<0.0025	<0.0025
9/15/2020	<0.0025		
2/9/2021		<0.0025	<0.0025
2/10/2021	<0.0025		
3/30/2021	<0.0025		
4/1/2021		<0.0025	<0.0025
8/18/2021	<0.0025	<0.0025	<0.0025
2/9/2022		<0.0025	
2/10/2022			<0.0025
2/11/2022	<0.0025		
Mean	0.002394	0.002386	0.00239
Std. Dev.	0.0004718	0.0005098	0.0004897
Upper Lim.	0.0025	0.0025	0.0025
Lower Lim.	0.00039	0.00022	0.00031

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17
5/11/2016	<0.002					
5/12/2016		<0.002	<0.002	0.0335	0.00943 (J)	0.0077 (J)
6/28/2016	<0.002	<0.002	0.0008 (J)	0.0339	0.0093 (J)	
6/29/2016						0.0036 (J)
8/18/2016	<0.002	<0.002	<0.002	0.034	0.0085	0.0027
10/17/2016	0.0023 (J)	<0.002	0.0012 (J)			
10/18/2016				0.033	0.0088	
10/19/2016						0.00335 (D)
12/6/2016	<0.002	<0.002				
12/7/2016			0.0012 (J)	0.032	0.0079	0.0027
2/15/2017	<0.002	<0.002	<0.002	0.03		0.0044
2/16/2017					0.0097	
4/12/2017	<0.002	<0.002	<0.002	0.035		
4/13/2017					0.0098	0.0047
6/27/2017	<0.002	<0.002	<0.002	0.035	0.0096	0.0029
3/27/2018	<0.002	<0.002	<0.002	0.031	0.0098	0.0045
6/6/2018	<0.002					
6/7/2018		<0.002	<0.002	0.032	0.01	0.0083
10/8/2018	<0.002	<0.002	<0.002		0.013	0.0055
10/16/2018				0.032		
2/20/2019	<0.002	<0.002	0.0016 (J)	0.038	0.013	0.0061
4/1/2019	<0.002	<0.002	<0.002	0.032		
4/2/2019					0.01	0.004
9/16/2019	<0.002					
9/17/2019		0.0017 (J)	0.0026	0.037	0.013	0.0078
2/19/2020	<0.002	<0.002	<0.002	0.038	0.014	0.0045
3/24/2020						0.0079
3/26/2020	<0.002					
3/27/2020		<0.002	0.0019 (J)	0.034	0.011	
9/14/2020	<0.002	<0.002				
9/15/2020			<0.002	0.034	0.012	0.0091
2/9/2021	<0.002	<0.002	<0.002	0.035	0.012	
2/10/2021						0.008
3/31/2021				0.034		
4/1/2021					0.012	0.0046
4/6/2021			<0.002			
4/7/2021	<0.002	<0.002				
8/18/2021						0.012
8/19/2021		<0.002	<0.002	0.032	0.011	
8/20/2021	<0.002					
2/10/2022	<0.002				0.012	
2/11/2022		<0.002		0.032		0.0079
2/14/2022			<0.002			
Mean	0.002014	0.001986	0.001871	0.03369	0.01075	0.005821
Std. Dev.	6.547E-05	6.547E-05	0.000381	0.002147	0.001708	0.002517
Upper Lim.	0.0023	0.002	0.002	0.03487	0.0117	0.00721
Lower Lim.	0.002	0.0017	0.0019	0.0325	0.009812	0.004433

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
5/12/2016			<0.002	<0.002	<0.002	<0.002
5/13/2016	0.00771 (J)	0.0151				
6/29/2016		0.0141	0.0009 (J)	0.0012 (J)	0.0007 (J)	0.0013 (J)
6/30/2016	0.007 (J)					
8/19/2016					<0.002	<0.002
8/22/2016	0.007	0.015	<0.002	<0.002		
10/18/2016		0.013	<0.002	<0.002	<0.002	<0.002
10/19/2016	0.0064					
12/7/2016	0.0063			<0.002	<0.002	<0.002
12/8/2016		0.013	<0.002			
2/15/2017						<0.002
2/16/2017	0.007	0.015	<0.002	<0.002	<0.002	
4/13/2017	0.0061	0.016	<0.002	<0.002	<0.002	0.0014 (J)
6/28/2017	0.0059	0.016	<0.002	<0.002	<0.002	0.0025
3/27/2018						0.0012 (J)
3/28/2018	0.0082	0.014	<0.002	<0.002	<0.002	
6/7/2018			<0.002	<0.002	<0.002	<0.002
6/8/2018	0.0086	0.015				
10/8/2018				<0.002	0.0012 (J)	0.0017 (J)
10/9/2018		0.017				
10/18/2018	0.009		<0.002			
2/19/2019					<0.002	<0.002
2/20/2019	0.011	0.017	<0.002	0.0015 (J)		
4/2/2019	0.0092	0.014	<0.002	<0.002	0.0012 (J)	0.0011 (J)
9/17/2019	0.011	0.017	0.0022 (J)	0.0016 (J)		
9/18/2019					0.0024 (J)	0.0024 (J)
2/18/2020			<0.002	<0.002	0.0015 (J)	<0.002
2/19/2020		0.017				
2/20/2020	0.011					
3/23/2020		0.015	<0.002	<0.002		
3/24/2020					<0.002	<0.002
3/26/2020	0.0096					
9/15/2020	0.01	0.015	<0.002	0.002	0.0025	0.0017 (J)
2/10/2021	0.01	0.015	<0.002	<0.002	0.0015 (J)	0.0017 (J)
3/30/2021	0.0098	0.014	<0.002	<0.002		
3/31/2021					<0.002	0.0016 (J)
8/18/2021	0.019			0.0022	<0.002	0.0019 (J)
8/19/2021		0.014	<0.002			
2/10/2022	0.01				<0.002	0.0015 (J)
2/11/2022		0.015	<0.002	<0.002		
Mean	0.009039	0.01506	0.001957	0.001929	0.001857	0.00181
Std. Dev.	0.002851	0.00124	0.0002461	0.0002217	0.0004154	0.0003632
Upper Lim.	0.01026	0.01574	0.0022	0.0022	0.0024	0.001743
Lower Lim.	0.007492	0.01437	0.0009	0.002	0.0015	0.00133

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7	SGWC-8
5/11/2016	<0.002	<0.002
6/27/2016	<0.002	<0.002
8/17/2016	<0.002	<0.002
10/17/2016		<0.002
10/18/2016	<0.002	
12/6/2016	<0.002	<0.002
2/14/2017	<0.002	<0.002
4/12/2017	<0.002	0.0011 (J)
6/27/2017	<0.002	<0.002
3/27/2018	<0.002	0.0012 (J)
6/6/2018	<0.002	0.0013 (J)
10/9/2018	<0.002	0.0016 (J)
2/20/2019	<0.002	0.0021 (J)
4/1/2019	<0.002	0.0013 (J)
9/17/2019	<0.002	0.0031
2/18/2020	<0.002	0.0015 (J)
3/25/2020		<0.002
3/26/2020	<0.002	
9/14/2020	<0.002	<0.002
2/9/2021	<0.002	<0.002
4/1/2021	<0.002	<0.002
8/18/2021	0.0026	<0.002
2/9/2022	<0.002	
2/10/2022		<0.002
Mean	0.002029	0.001867
Std. Dev.	0.0001309	0.0004293
Upper Lim.	0.0026	0.0021
Lower Lim.	0.002	0.0015

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.0191	0.0378	0.00648 (J)			
5/12/2016				0.0145	0.00605 (J)	0.267
6/28/2016	0.0192	0.0332	0.0051 (J)	0.011	0.0115	0.255
8/17/2016	0.022	0.03				
8/18/2016			0.0035	0.0099	0.011	0.26
10/17/2016	0.05	0.032	0.003	0.01	0.017	
10/18/2016						0.28
12/6/2016	0.04	0.029	0.0036	0.0079		
12/7/2016					0.0043	0.26
2/15/2017	0.038	0.029	0.004	0.0073	0.0059	0.24
4/12/2017	0.018	0.028	0.0039	0.0078	0.017	0.28
6/27/2017	0.014	0.029	0.0042	0.0068	0.013	0.29
3/27/2018	0.026	0.024	0.0035	0.0035	0.0083	0.27
6/6/2018	0.018	0.026	0.0038			
6/7/2018				0.0039	0.0025	0.3
10/8/2018			0.0037	0.0036	0.0071	
10/9/2018	0.03					
10/16/2018		0.023				0.27
2/20/2019	0.034	0.024	0.0032	0.004	0.011	0.26
4/1/2019	0.025	0.021	0.0029	0.003	0.014	0.26
9/16/2019		0.022	0.003			
9/17/2019	0.022			0.0024 (J)	0.0096	0.27
2/18/2020		0.018				
2/19/2020	0.027		0.0027	0.0018 (J)	0.0099	0.28
3/25/2020	0.029	0.024				
3/26/2020			0.0024 (J)			
3/27/2020				0.002 (J)	0.0093	0.28
9/14/2020	0.022	0.019	0.001 (J)	0.0022 (J)		
9/15/2020					0.0076	0.25
2/9/2021	0.03	0.019	0.0014 (J)	0.0024 (J)	0.0052	0.26
3/31/2021	0.026					0.26
4/6/2021					0.0072	
4/7/2021		0.019	0.0017 (J)	0.0018 (J)		
8/19/2021	0.022	0.014		0.0021 (J)	0.0047	0.27
8/20/2021			0.0019 (J)			
2/10/2022		0.021	0.00079 (J)			
2/11/2022	0.023			0.0015 (J)		0.23
2/14/2022					0.0065	
Mean	0.0264	0.02486	0.003132	0.00521	0.008983	0.2663
Std. Dev.	0.00854	0.005868	0.001346	0.003749	0.003973	0.01604
Upper Lim.	0.03111	0.02809	0.003874	0.006669	0.01117	0.2751
Lower Lim.	0.02168	0.02162	0.002389	0.002958	0.006792	0.2574

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.00303 (J)	<0.0025			0.261	<0.0025
5/13/2016			0.116	<0.0025		
6/28/2016	0.0029 (J)					
6/29/2016		0.0007 (J)		0.0006 (J)	0.23	<0.0025
6/30/2016			0.112			
8/18/2016	0.0029	0.00078 (J)				
8/22/2016			0.13	0.00066 (J)	0.25	<0.0025
10/18/2016	0.0034			0.00095 (J)	0.26	<0.0025
10/19/2016		0.000845 (JD)	0.14			
12/7/2016	0.003	0.00056 (J)	0.11			<0.0025
12/8/2016				0.00078 (J)	0.26	
2/15/2017		0.00069 (J)				
2/16/2017	0.0033		0.11	0.00049 (J)	0.23	<0.0025
4/13/2017	0.0034	0.00049 (J)	0.094	<0.0025	0.19	<0.0025
6/27/2017	0.0037	0.00041 (J)				
6/28/2017			0.085	<0.0025	0.19	<0.0025
3/27/2018	0.0037	<0.0025				
3/28/2018			0.16	<0.0025	0.18	<0.0025
6/7/2018	0.0037	<0.0025			0.21	<0.0025
6/8/2018			0.19	<0.0025		
10/8/2018	0.0044	0.00046 (J)				<0.0025
10/9/2018				<0.0025		
10/18/2018			0.21		0.16	
2/20/2019	0.0038	0.00035 (J)	0.19	0.00012 (J)	0.18	0.00011 (J)
4/2/2019	0.0041	<0.0025	0.18	<0.0025	0.13	<0.0025
9/17/2019	0.0042	0.00048 (J)	0.16	0.00013 (J)	0.13	8.7E-05 (J)
2/18/2020					0.12	0.00014 (J)
2/19/2020	0.0047	0.00034 (J)		0.00015 (J)		
2/20/2020			0.14			
3/23/2020				<0.0025	0.22	0.00016 (J)
3/24/2020		0.00044 (J)				
3/26/2020			0.15			
3/27/2020	0.0047					
9/15/2020	0.0043	0.00041 (J)	0.12	0.00016 (J)	0.098	0.00022 (J)
2/9/2021	0.0045					
2/10/2021		0.00049 (J)	0.11	0.00013 (J)	0.17	0.00017 (J)
3/30/2021			0.11	<0.0025	0.15	0.00016 (J)
4/1/2021	0.0049	0.00041 (J)				
8/18/2021		0.00043 (J)	0.095			0.00016 (J)
8/19/2021	0.0051			<0.0025	0.2	
2/10/2022	0.0049		0.09			
2/11/2022		0.00036 (J)		0.00045 (J)	0.14	<0.0025
Mean	0.003935	0.0008879	0.1334	0.00141	0.1885	0.001605
Std. Dev.	0.0007124	0.000813	0.03648	0.001086	0.04958	0.001169
Upper Lim.	0.004328	0.000845	0.1536	0.0025	0.2159	0.0025
Lower Lim.	0.003542	0.00041	0.1133	0.00016	0.1612	0.00016

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			<0.0025	0.0116	0.00265 (J)	0.0156
5/12/2016	0.00619 (J)	<0.0025				
6/27/2016			0.002 (J)	0.0143	0.0012 (J)	
6/29/2016	0.0051 (J)	<0.0025				0.0147
8/17/2016			0.0018 (J)	0.012	0.00049 (J)	
8/19/2016	0.0045	<0.0025				
8/22/2016						0.017
10/17/2016			0.0016 (J)		<0.0025	
10/18/2016	0.0043	<0.0025		0.0099		0.017
12/6/2016			0.0012 (J)	0.011	<0.0025	
12/7/2016	0.0034	<0.0025				0.014
2/14/2017			0.0022 (J)	0.0093	<0.0025	
2/15/2017		<0.0025				
2/16/2017	0.0031					0.014
4/12/2017			0.0023 (J)	0.0062	<0.0025	
4/13/2017	0.0031	<0.0025				0.014
6/27/2017			0.0045	0.021	<0.0025	0.013
6/28/2017	0.0029	<0.0025				
3/27/2018		<0.0025	0.004	0.0054	<0.0025	
3/28/2018	0.0022 (J)					0.0087
6/6/2018			0.0021 (J)	0.0034	<0.0025	0.0064
6/7/2018	0.0022 (J)	<0.0025				
10/8/2018	0.0021 (J)	<0.0025	<0.0025			
10/9/2018				0.013	<0.0025	0.0049
2/19/2019	0.0018 (J)	<0.0025				
2/20/2019			0.00011 (J)	0.0057	0.00014 (J)	0.01
4/1/2019				0.0046	<0.0025	0.01
4/2/2019	0.0018 (J)	<0.0025	<0.0025			
9/16/2019			0.00013 (J)			0.001 (J)
9/17/2019				0.0039	0.00013 (J)	
9/18/2019	0.002 (J)	0.00013 (J)				
2/18/2020	0.0018 (J)	<0.0025	<0.0025	0.0067	<0.0025	
2/19/2020						0.0082
3/24/2020	0.0016 (J)	<0.0025				
3/25/2020			0.00027 (J)		0.00032 (J)	0.0064
3/26/2020				0.0033		
9/14/2020			<0.0025	0.0063	<0.0025	0.00048 (J)
9/15/2020	0.0014 (J)	<0.0025				
2/9/2021			<0.0025	0.0069	<0.0025	0.0032
2/10/2021	0.0015 (J)	<0.0025				
3/31/2021	0.0011 (J)	<0.0025				0.0046
4/1/2021			<0.0025	0.0029	<0.0025	
8/18/2021	0.001 (J)	<0.0025	0.00024 (J)	0.0021 (J)	0.00021 (J)	
8/19/2021						0.00072 (J)
2/9/2022			<0.0025	0.0024 (J)		
2/10/2022	0.0016 (J)	<0.0025			<0.0025	0.0022 (J)
Mean	0.002604	0.002387	0.002021	0.00771	0.001911	0.008862
Std. Dev.	0.0014	0.0005172	0.001148	0.004796	0.0009915	0.005622
Upper Lim.	0.003376	0.0025	0.002217	0.01036	0.0025	0.01196
Lower Lim.	0.001832	0.00013	0.0008878	0.005064	0.00049	0.005761

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-41S	PZ-39S	PZ-13S
10/17/2018		0.00051 (J)	
10/18/2018	0.0092		
9/18/2020			0.0057
4/2/2021		0.0003 (J)	0.007
4/5/2021	0.0012 (J)		
8/19/2021	0.0013 (J)	0.00028 (J)	
8/20/2021			0.006
2/8/2022			0.0052
2/9/2022	0.00093 (J)	<0.0025	
Mean	0.003158	0.0008975	0.005975
Std. Dev.	0.004031	0.001073	0.0007588
Upper Lim.	0.0092	0.0006428	0.007698
Lower Lim.	0.00093	0.0001905	0.004252

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.26 (U)	0.182 (U)	0.433			
5/12/2016				0.0531 (U)	0.106 (U)	0.344 (U)
6/28/2016	1.57	0.858	0.435 (U)	0.483 (U)	0.735 (U)	0.256 (U)
8/17/2016	0.548 (U)	0.367 (U)				
8/18/2016			0.214 (U)	0.286 (U)	0.212 (U)	0.503 (U)
10/17/2016	-0.0725 (U)	0.551	0.316 (U)	0.472	-0.187 (U)	
10/18/2016						0.171 (U)
12/6/2016	0.496	0.438	0.0575 (U)	0.903		
12/7/2016					0.701	0.375 (U)
2/15/2017	0.321 (U)	-0.0831 (U)	-0.0321 (U)	-0.223 (U)	0.155 (U)	0.0801 (U)
4/12/2017	-0.0397 (U)	0.343 (U)	0.00949 (U)	0.21 (U)	0.233 (U)	0.197 (U)
6/27/2017	0.47	0.369	0.183 (U)	0.0574 (U)	0.302	0.0274 (U)
3/27/2018	0.136 (U)	0.172 (U)	0.445	0.145 (U)	0.306 (U)	0.285 (U)
6/6/2018	0.123 (U)	0.153 (U)	0.0775 (U)			
6/7/2018				0.235 (U)	0.211 (U)	0.64
10/8/2018			0.865	0.64	0.636	
10/9/2018	0.387					
10/16/2018		1.06				0.731
2/20/2019	0.0159 (U)	0.708	0.161 (U)	0.222 (U)	0.147 (U)	0.573
4/1/2019	0.452	0.173 (U)	0.372	0.36	-0.138 (U)	0.0499 (U)
9/16/2019		0.251 (U)	0.569 (U)			
9/17/2019	0.226 (U)			0.143 (U)	0.264 (U)	0.441 (U)
2/18/2020		0.203 (U)				
2/19/2020	0.0222 (U)		0.166 (U)	0.218 (U)	0.0061 (U)	0.415 (U)
3/25/2020	0.253 (U)	0.204 (U)				
3/26/2020			0.604			
3/27/2020				0.235 (U)	0.206 (U)	0.39 (U)
9/14/2020	0.125 (U)	-0.0264 (U)	0.575	0.613		
9/15/2020					0.131 (U)	0.546
2/9/2021	-0.0573 (U)	0.114 (U)	0.146 (U)	0.307 (U)	-0.121 (U)	0.222 (U)
3/31/2021	0.188 (U)					0.311 (U)
4/6/2021					-0.0391 (U)	
4/7/2021		0.0576 (U)	0.0695 (U)	0.356 (U)		
8/19/2021	0.102 (U)	0.755		0.228 (U)	-0.0806 (U)	0.518
8/20/2021			0.0109 (U)			
2/10/2022		0.11 (U)	0.279 (U)			
2/11/2022	0.436			0.631		0.5
2/14/2022					0.377 (U)	
Mean	0.2839	0.3314	0.2836	0.3131	0.1982	0.3607
Std. Dev.	0.3518	0.3006	0.2386	0.248	0.2593	0.1946
Upper Lim.	0.452	0.4972	0.4152	0.4499	0.3413	0.4681
Lower Lim.	0.0222	0.1656	0.152	0.1763	0.05517	0.2534

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.0196 (U)	0.134 (U)			0.556	0.216 (U)
5/13/2016			0.103 (U)	-0.115 (U)		
6/28/2016	0.418 (U)					
6/29/2016		0.391 (U)		0.396 (U)	0.162 (U)	0.253 (U)
6/30/2016			0.593 (U)			
8/18/2016	0.199 (U)	0.498 (U)				
8/22/2016			0.17 (U)	-0.102 (U)	0.433 (U)	0.115 (U)
10/18/2016	0.0404 (U)			0.352 (U)	0.741	0.593
10/19/2016		0.639	0.433			
12/7/2016	0.426	0.239 (U)	0.435 (U)			0.897
12/8/2016				0.431 (U)	1.06	
2/15/2017		0.175 (U)				
2/16/2017	0.163 (U)		0.101 (U)	0.146 (U)	0.382 (U)	0.132 (U)
4/13/2017	0.0522 (U)	-0.00846 (U)	-0.0014 (U)	0.127 (U)	0.189 (U)	0.287 (U)
6/27/2017	0.222 (U)	0.186 (U)				
6/28/2017			0.512	0.11 (U)	0.84	0.143 (U)
3/27/2018	0.387 (U)	0.249 (U)				
3/28/2018			0.428	0.247 (U)	0.334 (U)	0.38
6/7/2018	0.283 (U)	0.172 (U)			0.235 (U)	0.514
6/8/2018			0.32 (U)	0.0462 (U)		
10/8/2018	0.799	0.682				0.374
10/9/2018				0.584		
10/18/2018			0.304 (U)		0.399	
2/20/2019	0.0684 (U)	0.278 (U)	0.139 (U)	0.114 (U)	0.353	0.239 (U)
4/2/2019	0.167 (U)	-0.0476 (U)	0.336 (U)	0.11 (U)	0.271 (U)	0.218 (U)
9/17/2019	0.558	0.235 (U)	0.449	0.302 (U)	0.591	-0.04 (U)
2/18/2020					0.474	0.287 (U)
2/19/2020	0.0321 (U)	0.217 (U)		0.308 (U)		
2/20/2020			0.22 (U)			
3/23/2020				0.171 (U)	0.258 (U)	0.384
3/24/2020		0.426				
3/26/2020			0.366 (U)			
3/27/2020	0.305 (U)					
9/15/2020	-0.0426 (U)	0.661	1.74	1.55	0.831	1.6
2/9/2021	-0.00967 (U)					
2/10/2021		0.55	0.423 (U)	0.235 (U)	0.331 (U)	0.5
3/30/2021			0.439 (U)	0.511	0.572	0.955
4/1/2021	0.0901 (U)	0.0517 (U)				
8/18/2021		0.13 (U)	0.277 (U)			0.505
8/19/2021	0.037 (U)			-0.0514 (U)	-0.21 (U)	
2/10/2022	0.595		0.244 (U)			
2/11/2022		0.233 (U)		0.456 (U)	0.259 (U)	0.689
Mean	0.229	0.29	0.3824	0.2823	0.4315	0.44
Std. Dev.	0.2288	0.2141	0.3463	0.3493	0.2807	0.3654
Upper Lim.	0.3552	0.4081	0.439	0.431	0.5863	0.593
Lower Lim.	0.1028	0.1719	0.17	0.11	0.2766	0.216

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.0394 (U)	0.214 (U)	2.05	0.134 (U)
5/12/2016	0.285 (U)	0.801				
6/27/2016			0.624 (U)	0.581 (U)	2.9	
6/29/2016	1.1	0.423 (U)				0.665 (U)
8/17/2016			0.572	0.665	2.57	
8/19/2016	0.367 (U)	0.869				
8/22/2016						0.391 (U)
10/17/2016			0.307 (U)		2.08	
10/18/2016	0.276 (U)	0.881		0.453		0.521
12/6/2016			0.122 (U)	0.368 (U)	2.25	
12/7/2016	0.318 (U)	0.455				0.367 (U)
2/14/2017			0.166 (U)	0.328 (U)	1.77	
2/15/2017		0.635				
2/16/2017	0.168 (U)					0.076 (U)
4/12/2017			0.355 (U)	0.206 (U)	2.72	
4/13/2017	0.3 (U)	0.413				0.239 (U)
6/27/2017			0.0783 (U)	0.598	2.07	0.268 (U)
6/28/2017	0.0844 (U)	0.331 (U)				
3/27/2018		0.61	0.0443 (U)	0.546	2.3	
3/28/2018	0.0661 (U)					0.378
6/6/2018			0.127 (U)	0.165 (U)	1.59	-0.0272 (U)
6/7/2018	0.222 (U)	0.64				
10/8/2018	0.499	0.437	0.77			
10/9/2018				0.385	3.01	0.565
2/19/2019	0.532	0.301 (U)				
2/20/2019			0.25 (U)	0.433	2.5	0.425
4/1/2019				0.675	1.91	-0.0113 (U)
4/2/2019	0.313 (U)	0.516	0.3 (U)			
9/16/2019			0.0805 (U)			-0.116 (U)
9/17/2019				0.341 (U)	2.04	
9/18/2019	0.101 (U)	0.285 (U)				
2/18/2020	0.0109 (U)	0.399	-0.0675 (U)	0.326 (U)	2.06	
2/19/2020						0.0604 (U)
3/24/2020	0.188 (U)	0.183 (U)				
3/25/2020			0.411 (U)		2.99	0.206 (U)
3/26/2020				0.151 (U)		
9/14/2020			0.334 (U)	0.123 (U)	2.16	0.502 (U)
9/15/2020	1.82	1.03				
2/9/2021			0.273 (U)	0.721	2.92	0.0162 (U)
2/10/2021	0.167 (U)	0.46				
3/31/2021	0.0687 (U)	0.37 (U)				0.153 (U)
4/1/2021			0.544	0.329 (U)	2.26	
8/18/2021	0.026 (U)	0.603	-0.0332 (U)	0.726	1.68	
8/19/2021						0.145 (U)
2/9/2022			0.145 (U)	0.659		
2/10/2022	0.346 (U)	0.204 (U)			2.08	0.179 (U)
Mean	0.3456	0.5165	0.2591	0.4282	2.281	0.2446
Std. Dev.	0.4132	0.2301	0.2263	0.1987	0.4295	0.2156
Upper Lim.	0.4559	0.6434	0.384	0.5378	2.518	0.3635
Lower Lim.	0.13	0.3896	0.1343	0.3186	2.044	0.1256

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.019 (J)	0.033 (J)	0.11 (J)			
5/12/2016				0.042 (J)	0.031 (J)	0.1071 (J)
6/28/2016	<0.1	0.08 (J)	0.18 (J)	0.15 (J)	0.03 (J)	0.26 (J)
8/17/2016	<0.1	<0.1				
8/18/2016			0.12 (J)	<0.1	<0.1	0.14 (J)
10/17/2016	<0.1	<0.1	0.082 (J)	<0.1	<0.1	
10/18/2016						0.12 (J)
12/6/2016	<0.1	<0.1	0.11 (J)	<0.1		
12/7/2016					<0.1	0.13 (J)
2/15/2017	<0.1	<0.1	0.13 (J)	<0.1	<0.1	0.12 (J)
4/12/2017	<0.1	<0.1	0.088 (J)	<0.1	<0.1	0.11 (J)
6/27/2017	<0.1	<0.1	0.1 (J)	<0.1	<0.1	0.13 (J)
10/11/2017		<0.1	<0.1	<0.1	<0.1	
10/12/2017	<0.1					0.13 (J)
3/27/2018	<0.1	<0.1	<0.1	<0.1	<0.1	0.12 (J)
6/6/2018	<0.1	<0.1	<0.1			
6/7/2018				<0.1	<0.1	0.14 (J)
10/8/2018			<0.1	<0.1	<0.1	
10/9/2018	<0.1					
10/16/2018		<0.1				0.14 (J)
2/20/2019	<0.1	<0.1	0.052 (J)	<0.1	<0.1	0.33
4/1/2019	<0.1	<0.1	0.048 (J)	<0.1	<0.1	0.072 (J)
9/16/2019		<0.1	0.065 (J)			
9/17/2019	<0.1			0.04 (J)	0.028 (J)	0.1
2/18/2020		<0.1				
2/19/2020	<0.1		0.064 (J)	0.027 (J)	0.026 (J)	0.13
3/25/2020	0.031 (J)	0.058 (J)				
3/26/2020			0.081 (J)			
3/27/2020				0.045 (J)	0.041 (J)	0.13
9/14/2020	<0.1	<0.1	0.042 (J)	<0.1		
9/15/2020					0.04 (J)	0.15
2/9/2021	<0.1	<0.1	0.074 (J)	<0.1	<0.1	0.14
3/31/2021	0.047 (J)					0.12
4/6/2021					<0.1	
4/7/2021		<0.1	0.066 (J)	0.053 (J)		
8/19/2021	<0.1	<0.1		<0.1	<0.1	0.12
8/20/2021			0.082 (J)			
2/10/2022		<0.1	0.06 (J)			
2/11/2022	0.03 (J)			0.045 (J)		0.14
2/14/2022					0.035 (J)	
Mean	0.08759	0.09414	0.08882	0.08645	0.07868	0.14
Std. Dev.	0.02729	0.01676	0.03134	0.03009	0.03209	0.05403
Upper Lim.	0.1	0.1	0.09725	0.1	0.1	0.14
Lower Lim.	0.047	0.08	0.06303	0.053	0.04	0.12

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.011 (J)	0.066 (J)			0.259 (J)	0.079 (J)
5/13/2016			0.0343 (J)	0.0126 (J)		
6/28/2016	0.09 (J)					
6/29/2016		0.17 (J)		0.18 (J)	0.45	0.15 (J)
6/30/2016			0.18 (J)			
8/18/2016	<0.1	<0.1				
8/22/2016			<0.1	<0.1	0.33	0.083 (J)
10/18/2016	<0.1			<0.1	0.26	<0.1
10/19/2016		<0.1	<0.1			
12/7/2016	<0.1	<0.1	<0.1			<0.1
12/8/2016				<0.1	0.28	
2/15/2017		0.089 (J)				
2/16/2017	<0.1		<0.1	<0.1	0.28	0.12 (J)
4/13/2017	<0.1	<0.1	<0.1	<0.1	0.2	<0.1
6/27/2017	<0.1	<0.1				
6/28/2017			<0.1	<0.1	0.22	0.1 (J)
10/12/2017	<0.1	<0.1	<0.1	<0.1	0.18 (J)	<0.1
3/27/2018	<0.1	<0.1				
3/28/2018			<0.1	<0.1	0.19 (J)	<0.1
6/7/2018	<0.1	<0.1			0.21	<0.1
6/8/2018			<0.1	<0.1		
10/8/2018	<0.1	<0.1				<0.1
10/9/2018				<0.1		
10/18/2018			<0.1		0.23	
2/20/2019	<0.1	0.034 (J)	<0.1	<0.1	0.2	0.051 (J)
4/2/2019	<0.1	0.045 (J)	0.05 (J)	<0.1	0.15 (J)	0.066 (J)
9/17/2019	<0.1	0.047 (J)	0.034 (J)	<0.1	0.14	0.077 (J)
2/18/2020					0.16	0.073 (J)
2/19/2020	<0.1	0.046 (J)		<0.1		
2/20/2020			<0.1			
3/23/2020				0.057 (J)	0.25	0.11
3/24/2020		0.058 (J)				
3/26/2020			0.091 (J)			
3/27/2020	0.027 (J)					
9/15/2020	0.037 (J)	0.052 (J)	<0.1	<0.1	0.15	0.061 (J)
2/9/2021	<0.1					
2/10/2021		0.03 (J)	<0.1	<0.1	0.19	0.049 (J)
3/30/2021			0.1 (J)	<0.1	0.18	0.074 (J)
4/1/2021	<0.1	0.051 (J)				
8/18/2021		0.087 (J)	0.099 (J)			0.12
8/19/2021	0.038 (J)			<0.1	0.17	
2/10/2022	<0.1		0.039 (J)			
2/11/2022		0.064 (J)		<0.1	0.14	0.092 (J)
Mean	0.0865	0.07905	0.09215	0.09771	0.219	0.09114
Std. Dev.	0.02858	0.0327	0.03088	0.02741	0.07267	0.02398
Upper Lim.	0.1	0.07245	0.1	0.18	0.2514	0.09342
Lower Lim.	0.09	0.04562	0.099	0.057	0.1798	0.06771

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.133 (J)	0.245 (J)	0.362	0.076 (J)
5/12/2016	0.029 (J)	0.0341 (J)				
6/27/2016			0.21 (J)	0.23 (J)	0.45	
6/29/2016	0.04 (J)	0.04 (J)				0.13 (J)
8/17/2016			0.14 (J)	0.22	0.54	
8/19/2016	<0.1	<0.1				
8/22/2016						<0.1
10/17/2016			0.11 (J)		0.51	
10/18/2016	<0.1	<0.1		0.24		<0.1
12/6/2016			0.14 (J)	0.26	0.58	
12/7/2016	<0.1	<0.1				<0.1
2/14/2017			0.2	0.17 (J)	0.39	
2/15/2017		0.092 (J)				
2/16/2017	0.1 (J)					0.097 (J)
4/12/2017			0.089 (J)	0.2	0.41	
4/13/2017	<0.1	<0.1				<0.1
6/27/2017			0.085 (J)	0.23	0.47	<0.1
6/28/2017	<0.1	<0.1				
10/11/2017			0.089 (J)	0.21		
10/12/2017	<0.1	<0.1			0.47	<0.1
3/27/2018		<0.1	<0.1	0.19 (J)	0.4	
3/28/2018	<0.1					<0.1
6/6/2018			<0.1	0.2	0.4	<0.1
6/7/2018	<0.1	<0.1				
10/8/2018	<0.1	<0.1	<0.1			
10/9/2018				0.2	0.47	<0.1
2/19/2019	<0.1	0.055 (J)				
2/20/2019			0.092 (J)	0.2	0.32	0.074 (J)
4/1/2019				0.12 (J)	0.21	0.041 (J)
4/2/2019	<0.1	0.036 (J)	0.1 (J)			
9/16/2019			0.099 (J)			0.057 (J)
9/17/2019				0.2	0.47	
9/18/2019	0.028 (J)	0.044 (J)				
2/18/2020	<0.1	0.082 (J)	0.11	0.2	0.38	
2/19/2020						0.061 (J)
3/24/2020	<0.1	0.081 (J)				
3/25/2020			0.13		0.31	0.079 (J)
3/26/2020				0.14		
9/14/2020			0.076 (J)	0.11	0.29	0.037 (J)
9/15/2020	<0.1	0.052 (J)				
2/9/2021			0.12	0.22	0.37	0.05 (J)
2/10/2021	<0.1	0.046 (J)				
3/31/2021	<0.1	0.046 (J)				0.073 (J)
4/1/2021			0.14	0.25	0.38	
8/18/2021	0.054 (J)	0.11	0.19	0.31	0.48	
8/19/2021						0.078 (J)
2/9/2022			0.19	0.27		
2/10/2022	<0.1	0.066 (J)			0.44	0.098 (J)
Mean	0.08868	0.07655	0.1247	0.2098	0.4137	0.08414
Std. Dev.	0.025	0.02694	0.03988	0.04702	0.08622	0.02351
Upper Lim.	0.1	0.1	0.1429	0.235	0.46	0.08327
Lower Lim.	0.1	0.046	0.1026	0.1845	0.3674	0.05916

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16
5/11/2016	<0.001	<0.001				
5/12/2016			<0.001	<0.001	<0.001	<0.001
6/28/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
8/17/2016	<0.001					
8/18/2016		<0.001	<0.001	<0.001	<0.001	<0.001
10/17/2016	<0.001	<0.001	<0.001	<0.001		
10/18/2016					<0.001	<0.001
12/6/2016	<0.001	<0.001	<0.001			
12/7/2016				<0.001	<0.001	<0.001
2/15/2017	<0.001	<0.001	<0.001	<0.001	<0.001	
2/16/2017						<0.001
4/12/2017	<0.001	<0.001	<0.001	<0.001	<0.001	
4/13/2017						<0.001
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/27/2018	<0.001	<0.001	0.00039 (J)	<0.001	<0.001	<0.001
6/6/2018	<0.001	<0.001				
6/7/2018			<0.001	<0.001	<0.001	<0.001
10/8/2018		<0.001	<0.001	<0.001		<0.001
10/9/2018	<0.001					
10/16/2018					<0.001	
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
4/1/2019	<0.001	<0.001	<0.001	<0.001	<0.001	
4/2/2019						<0.001
9/16/2019		<0.001				
9/17/2019	0.00013 (J)		<0.001	0.00016 (J)	<0.001	<0.001
2/19/2020	0.00014 (J)	<0.001	<0.001	<0.001	<0.001	<0.001
3/25/2020	<0.001					
3/26/2020		<0.001				
3/27/2020			<0.001	0.00066 (J)	0.00023 (J)	0.00013 (J)
9/14/2020	<0.001	<0.001	<0.001			
9/15/2020				<0.001	<0.001	<0.001
2/9/2021	0.00013 (J)	<0.001	<0.001	<0.001	<0.001	<0.001
3/31/2021	<0.001				<0.001	
4/1/2021						<0.001
4/6/2021				<0.001		
4/7/2021		<0.001	<0.001			
8/19/2021	<0.001		<0.001	<0.001	<0.001	<0.001
8/20/2021		<0.001				
2/10/2022		0.0002 (J)				<0.001
2/11/2022	<0.001		<0.001		<0.001	
2/14/2022				<0.001		
Mean	0.0008762	0.0009619	0.000971	0.0009438	0.0009633	0.0009586
Std. Dev.	0.0003108	0.0001746	0.0001331	0.0001943	0.000168	0.0001898
Upper Lim.	0.001	0.001	0.001	0.001	0.001	0.001
Lower Lim.	0.00014	0.0002	0.00039	0.00066	0.00023	0.00013

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22
5/12/2016	<0.001			<0.001	<0.001	<0.001
5/13/2016		<0.001	<0.001			
6/29/2016	<0.001		<0.001	0.0005 (J)	9E-05 (J)	<0.001
6/30/2016		<0.001				
8/18/2016	<0.001					
8/19/2016						<0.001
8/22/2016		<0.001	<0.001	<0.001	<0.001	
10/18/2016			<0.001	<0.001	<0.001	<0.001
10/19/2016	<0.001	<0.001				
12/7/2016	<0.001	<0.001			<0.001	<0.001
12/8/2016			<0.001	<0.001		
2/15/2017	<0.001					
2/16/2017		<0.001	<0.001	0.00035 (J)	<0.001	<0.001
4/13/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6/27/2017	<0.001					
6/28/2017		<0.001	<0.001	0.00041 (J)	<0.001	<0.001
3/27/2018	<0.001					
3/28/2018		<0.001	<0.001	<0.001	<0.001	<0.001
6/7/2018	<0.001			<0.001	<0.001	<0.001
6/8/2018		<0.001	<0.001			
10/8/2018	<0.001				<0.001	<0.001
10/9/2018			<0.001			
10/18/2018		<0.001		<0.001		
2/19/2019						<0.001
2/20/2019	<0.001	<0.001	<0.001	0.00027 (J)	<0.001	
4/2/2019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
9/17/2019	<0.001	<0.001	<0.001	0.00025 (J)	<0.001	
9/18/2019						<0.001
2/18/2020				0.00025 (J)	<0.001	0.00018 (J)
2/19/2020	<0.001		<0.001			
2/20/2020		<0.001				
3/23/2020			<0.001	0.00023 (J)	<0.001	
3/24/2020	<0.001					<0.001
3/26/2020		<0.001				
9/15/2020	<0.001	<0.001	<0.001	0.00017 (J)	0.00022 (J)	0.00019 (J)
2/10/2021	0.00017 (J)	0.00029 (J)	<0.001	0.0003 (J)	0.00016 (J)	0.00016 (J)
3/30/2021		<0.001	<0.001	0.00018 (J)	0.0002 (J)	
3/31/2021						0.00015 (J)
4/1/2021	<0.001					
8/18/2021	<0.001	0.00071 (J)			0.00041 (J)	<0.001
8/19/2021			<0.001	0.00034 (J)		
2/10/2022		<0.001				<0.001
2/11/2022	<0.001		0.00033 (J)	0.00021 (J)	<0.001	
Mean	0.0009605	0.0009524	0.0009681	0.0005933	0.0008133	0.0008419
Std. Dev.	0.0001811	0.0001644	0.0001462	0.0003681	0.0003463	0.0003334
Upper Lim.	0.001	0.001	0.001	0.001	0.001	0.001
Lower Lim.	0.00017	0.00071	0.00033	0.00025	0.00041	0.00019

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8
5/11/2016		<0.001	<0.001	<0.001
5/12/2016	<0.001			
6/27/2016		<0.001	<0.001	<0.001
6/29/2016	9E-05 (J)			
8/17/2016		<0.001	0.00085 (J)	<0.001
8/19/2016	<0.001			
10/17/2016		<0.001		<0.001
10/18/2016	<0.001		<0.001	
12/6/2016		<0.001	<0.001	<0.001
12/7/2016	<0.001			
2/14/2017		<0.001	<0.001	<0.001
2/15/2017	<0.001			
4/12/2017		<0.001	<0.001	<0.001
4/13/2017	<0.001			
6/27/2017		<0.001	<0.001	<0.001
6/28/2017	<0.001			
3/27/2018	<0.001	<0.001	<0.001	<0.001
6/6/2018		<0.001	<0.001	<0.001
6/7/2018	<0.001			
10/8/2018	<0.001	<0.001		
10/9/2018			<0.001	<0.001
2/19/2019	<0.001			
2/20/2019		<0.001	<0.001	<0.001
4/1/2019			<0.001	<0.001
4/2/2019	<0.001	<0.001		
9/16/2019		<0.001		
9/17/2019			<0.001	<0.001
9/18/2019	<0.001			
2/18/2020	<0.001	<0.001	<0.001	<0.001
3/24/2020	<0.001			
3/25/2020		0.0002 (J)		0.00029 (J)
3/26/2020			<0.001	
9/14/2020		<0.001	<0.001	<0.001
9/15/2020	<0.001			
2/9/2021		<0.001	0.00014 (J)	0.00062 (J)
2/10/2021	<0.001			
3/31/2021	<0.001			
4/1/2021		<0.001	0.00015 (J)	<0.001
8/18/2021	<0.001	<0.001	<0.001	<0.001
2/9/2022		<0.001	<0.001	
2/10/2022	<0.001			<0.001
Mean	0.0009567	0.0009619	0.0009114	0.0009481
Std. Dev.	0.0001986	0.0001746	0.0002569	0.000172
Upper Lim.	0.001	0.001	0.001	0.001
Lower Lim.	9E-05	0.0002	0.00085	0.00062

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16
5/11/2016	<0.005	<0.005				
5/12/2016			<0.005	<0.005	<0.005	<0.005
6/28/2016	0.0013 (J)	<0.005	<0.005	<0.005	0.0024 (J)	<0.005
8/17/2016	<0.005					
8/18/2016		<0.005	<0.005	<0.005	<0.005	<0.005
10/17/2016	<0.005	<0.005	<0.005	<0.005		
10/18/2016					<0.005	<0.005
12/6/2016	<0.005	<0.005	<0.005			
12/7/2016				<0.005	<0.005	<0.005
2/15/2017	<0.005	<0.005	<0.005	<0.005	<0.005	
2/16/2017						<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005	<0.005	
4/13/2017						<0.005
6/27/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/27/2018	0.0029 (J)	<0.005	<0.005	<0.005	0.0034 (J)	<0.005
6/6/2018	0.0017 (J)	<0.005				
6/7/2018			<0.005	<0.005	0.003 (J)	<0.005
10/8/2018		<0.005	0.0014 (J)	0.0011 (J)		0.0015 (J)
10/16/2018	0.0031 (J)				0.0034 (J)	
2/20/2019	0.0031 (J)	<0.005	<0.005	<0.005	0.0038 (J)	<0.005
4/1/2019	0.0017 (J)	0.0011 (J)	<0.005	<0.005	0.0025 (J)	
4/2/2019						<0.005
9/16/2019	<0.005	<0.005				
9/17/2019			<0.005	<0.005	0.0037	<0.005
2/18/2020	<0.005					
2/19/2020		<0.005	<0.005	<0.005	<0.005	<0.005
3/25/2020	<0.005					
3/26/2020		<0.005				
3/27/2020			<0.005	<0.005	0.0038 (J)	<0.005
9/14/2020	<0.005	<0.005	<0.005			
9/15/2020				<0.005	0.0037 (J)	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/31/2021					<0.005	
4/1/2021						<0.005
4/6/2021				<0.005		
4/7/2021	<0.005	<0.005	<0.005			
8/19/2021	<0.005		<0.005	<0.005	<0.005	<0.005
8/20/2021		<0.005				
2/10/2022	0.0022 (J)	<0.005				<0.005
2/11/2022			<0.005		0.0027 (J)	
2/14/2022				<0.005		
Mean	0.004095	0.004814	0.004829	0.004814	0.004162	0.004833
Std. Dev.	0.001374	0.000851	0.0007856	0.000851	0.0009729	0.0007638
Upper Lim.	0.005	0.005	0.005	0.005	0.005	0.005
Lower Lim.	0.0029	0.0011	0.0014	0.0011	0.0034	0.0015

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22
5/12/2016	<0.005			<0.05 (O)	<0.005	<0.005
5/13/2016		<0.005	<0.005			
6/29/2016	<0.005		<0.005	0.0043 (J)	<0.005	<0.005
6/30/2016		0.0032 (J)				
8/18/2016	<0.005					
8/19/2016						<0.005
8/22/2016		<0.005	<0.005	0.0051	<0.005	
10/18/2016			<0.005	0.0038 (J)	<0.005	<0.005
10/19/2016	<0.005	0.0042 (J)				
12/7/2016	<0.005	<0.005			<0.005	<0.005
12/8/2016			<0.005	0.0043 (J)		
2/15/2017	<0.005					
2/16/2017		0.0034 (J)	<0.005	0.0047 (J)	<0.005	<0.005
4/13/2017	<0.005	<0.005	<0.005	0.004 (J)	<0.005	<0.005
6/27/2017	<0.005					
6/28/2017		<0.005	<0.005	0.0032 (J)	<0.005	<0.005
3/27/2018	0.0014 (J)					
3/28/2018		0.0056	<0.005	0.0053	0.0038 (J)	0.0033 (J)
6/7/2018	<0.005			0.0038 (J)	0.0013 (J)	<0.005
6/8/2018		0.0042 (J)	0.0022 (J)			
10/8/2018	<0.005				0.0019 (J)	0.0011 (J)
10/9/2018			<0.005			
10/18/2018		0.0054		0.0062		
2/19/2019						<0.005
2/20/2019	<0.005	0.0054	<0.005	0.0048 (J)	<0.005	
4/2/2019	<0.005	0.0041 (J)	0.0021 (J)	0.0046 (J)	0.0027 (J)	0.0026 (J)
9/17/2019	<0.005	0.005	<0.005	0.0042	<0.005	
9/18/2019						<0.005
2/18/2020				0.0036 (J)	<0.005	<0.005
2/19/2020	<0.005		<0.005			
2/20/2020		0.0045 (J)				
3/23/2020			<0.005	0.0045 (J)	<0.005	
3/24/2020	<0.005					<0.005
3/26/2020		0.0046 (J)				
9/15/2020	<0.005	0.0049 (J)	<0.005	0.0037 (J)	<0.005	<0.005
2/10/2021	<0.005	0.0055	<0.005	0.0047 (J)	<0.005	<0.005
3/30/2021		0.0043 (J)	<0.005	<0.005	<0.005	
3/31/2021						<0.005
4/1/2021	<0.005					
8/18/2021	<0.005	0.0047 (J)			<0.005	<0.005
8/19/2021			<0.005	0.0046 (J)		
2/10/2022		0.0039 (J)				<0.005
2/11/2022	<0.005		0.0072	0.0037 (J)	0.0011 (J)	
Mean	0.004829	0.004662	0.004833	0.004405	0.004324	0.004619
Std. Dev.	0.0007856	0.0006569	0.001013	0.0007007	0.001335	0.00102
Upper Lim.	0.005	0.004753	0.0072	0.004803	0.005	0.005
Lower Lim.	0.0014	0.00399	0.0022	0.004007	0.0038	0.0033

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8	PZ-44I
5/11/2016		<0.005	<0.05 (O)	<0.005	
5/12/2016	<0.005				
6/27/2016		<0.005	0.0031 (J)	0.0013 (J)	
6/29/2016	0.0027 (J)				
8/17/2016		<0.005	0.0046 (J)	<0.005	
8/19/2016	<0.005				
10/17/2016		<0.005		<0.005	
10/18/2016	0.0032 (J)		0.0036 (J)		
12/6/2016		<0.005	0.0043 (J)	<0.005	
12/7/2016	0.0043 (J)				
2/14/2017		<0.005	0.0043 (J)	<0.005	
2/15/2017	<0.005				
4/12/2017		<0.005	0.0051	<0.005	
4/13/2017	0.0036 (J)				
6/27/2017		<0.005	0.0033 (J)	<0.005	
6/28/2017	0.0032 (J)				
3/27/2018	0.005	<0.005	0.0061	0.0023 (J)	
6/6/2018		<0.005	0.004 (J)	0.0018 (J)	
6/7/2018	0.0027 (J)				
10/8/2018	0.0035 (J)	<0.005			
10/9/2018			0.0053	0.002 (J)	
10/16/2018					0.069
2/19/2019	<0.005				
2/20/2019		<0.005	0.006	<0.005	
4/1/2019			0.0058	0.0021 (J)	
4/2/2019	0.0041 (J)	<0.005			
9/16/2019		<0.005			
9/17/2019			0.0049	<0.005	
9/18/2019	0.0043				
2/18/2020	<0.005	<0.005	0.0052	<0.005	
3/2/2020					<0.005
3/24/2020	<0.005				
3/25/2020		<0.005		<0.005	
3/26/2020			0.006		
9/14/2020		<0.005	0.0051	<0.005	
9/15/2020	<0.005				
2/9/2021		<0.005	0.0052	<0.005	
2/10/2021	<0.005				
3/31/2021	<0.005				
4/1/2021		<0.005	0.0053	<0.005	
4/7/2021					0.02
8/18/2021	<0.005	<0.005	0.0034 (J)	<0.005	0.0095
2/9/2022		0.0013 (J)	0.0048 (J)		0.01
2/10/2022	0.0029 (J)			0.0015 (J)	
Mean	0.004262	0.004824	0.00477	0.004095	0.0227
Std. Dev.	0.0008953	0.0008074	0.0009257	0.001478	0.02646
Upper Lim.	0.005	0.005	0.005296	0.005	0.06169
Lower Lim.	0.0032	0.0013	0.004244	0.0021	0.0004218

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.0002	<0.0002	<0.0002			
5/12/2016				<0.0002	<0.0002	<0.0002
6/28/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
8/17/2016	<0.0002	<0.0002				
8/18/2016			<0.0002	<0.0002	<0.0002	0.00011 (J)
10/17/2016	<0.0002	<0.0002	<0.0002	<0.0002	8.9E-05 (J)	
10/18/2016						0.00012 (J)
12/6/2016	0.00013 (J)	0.0001 (J)	9.3E-05 (J)	0.00011 (J)		
12/7/2016					0.00012 (J)	0.00017 (J)
2/15/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00011 (J)
4/12/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	7.2E-05 (J)
6/27/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	8.4E-05 (J)
3/27/2018	<0.0002	<0.0002	<0.0002	<0.0002	0.0001 (J)	0.00014 (J)
6/6/2018	<0.0002	<0.0002	<0.0002			
6/7/2018				<0.0002	<0.0002	0.00013 (J)
10/8/2018			<0.0002	<0.0002	<0.0002	
10/9/2018	<0.0002					
10/16/2018		<0.0002				<0.0002
2/20/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
4/1/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
9/16/2019		<0.0002	<0.0002			
9/17/2019	<0.0002			<0.0002	<0.0002	<0.0002
2/18/2020		<0.0002				
2/19/2020	<0.0002		<0.0002	<0.0002	0.0002	0.00016 (J)
3/25/2020	<0.0002	<0.0002				
3/26/2020			<0.0002			
3/27/2020				<0.0002	<0.0002	0.00011 (J)
9/14/2020	<0.0002	<0.0002	<0.0002	<0.0002		
9/15/2020					<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00013 (J)
3/31/2021	<0.0002					0.00018 (J)
4/6/2021					<0.0002	
4/7/2021		<0.0002	<0.0002	<0.0002		
8/19/2021	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
8/20/2021			<0.0002			
2/10/2022		<0.0002	<0.0002			
2/11/2022	<0.0002			<0.0002		<0.0002
2/14/2022					<0.0002	
Mean	0.0001967	0.0001952	0.0001949	0.0001957	0.0001861	0.0001579
Std. Dev.	1.528E-05	2.182E-05	2.335E-05	1.964E-05	3.513E-05	4.451E-05
Upper Lim.	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
Lower Lim.	0.00013	0.0001	9.3E-05	0.00011	0.00012	0.00012

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-20	SGWC-21	SGWC-22
5/12/2016	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
5/13/2016			<0.0002			
6/28/2016	<0.0002					
6/29/2016		<0.0002		<0.0002	<0.0002	<0.0002
6/30/2016			<0.0002			
8/18/2016	<0.0002	<0.0002				
8/19/2016						<0.0002
8/22/2016			0.00014 (J)	7.3E-05 (J)	<0.0002	
10/18/2016	<0.0002			<0.0002	<0.0002	<0.0002
10/19/2016		<0.0002	<0.0002			
12/7/2016	7.6E-05 (J)	0.00011 (J)	0.00014 (J)		0.0001 (J)	9.9E-05 (J)
12/8/2016				<0.0002		
2/15/2017		<0.0002				
2/16/2017	<0.0002		8.4E-05 (J)	<0.0002	<0.0002	<0.0002
4/13/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
6/27/2017	<0.0002	<0.0002				
6/28/2017			<0.0002	<0.0002	<0.0002	<0.0002
3/27/2018	<0.0002	<0.0002				
3/28/2018			8.3E-05 (J)	<0.0002	<0.0002	<0.0002
6/7/2018	<0.0002	0.00011 (J)		8.2E-05 (J)	<0.0002	<0.0002
6/8/2018			0.00014 (J)			
10/8/2018	<0.0002	<0.0002			<0.0002	<0.0002
10/18/2018			0.00021	<0.0002		
2/19/2019						<0.0002
2/20/2019	<0.0002	<0.0002	0.00026	<0.0002	<0.0002	
4/2/2019	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
9/17/2019	<0.0002	<0.0002	0.00014 (J)	<0.0002	<0.0002	
9/18/2019						<0.0002
2/18/2020				<0.0002	<0.0002	<0.0002
2/19/2020	<0.0002	<0.0002				
2/20/2020			0.00022			
3/23/2020				<0.0002	<0.0002	
3/24/2020		<0.0002				<0.0002
3/26/2020			0.00019 (J)			
3/27/2020	<0.0002					
9/15/2020	<0.0002	<0.0002	0.00013 (J)	<0.0002	<0.0002	<0.0002
2/9/2021	<0.0002					
2/10/2021		<0.0002	0.00018 (J)	<0.0002	<0.0002	<0.0002
3/30/2021			0.00022	0.00013 (J)	<0.0002	
3/31/2021						<0.0002
4/1/2021	<0.0002	<0.0002				
8/18/2021		0.00017 (J)	0.00022		<0.0002	<0.0002
8/19/2021	<0.0002			<0.0002		
2/10/2022	<0.0002		<0.0002			<0.0002
2/11/2022		<0.0002		<0.0002	<0.0002	
Mean	0.0001941	0.00019	0.0001789	0.000185	0.0001952	0.0001952
Std. Dev.	2.706E-05	2.739E-05	4.61E-05	3.888E-05	2.182E-05	2.204E-05
Upper Lim.	0.0002	0.0002	0.0001726	0.0002	0.0002	0.0002
Lower Lim.	7.6E-05	0.00017	0.0001126	0.00013	0.0001	9.9E-05

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016		<0.0002	<0.0002	<0.0002	<0.0002
5/12/2016	<0.0002				
6/27/2016		<0.0002	<0.0002	<0.0002	
6/29/2016	<0.0002				<0.0002
8/17/2016		<0.0002	<0.0002	<0.0002	
8/19/2016	7.1E-05 (J)				
8/22/2016					<0.0002
10/17/2016		<0.0002		<0.0002	
10/18/2016	<0.0002		<0.0002		<0.0002
12/6/2016		0.00011 (J)	0.00011 (J)	7.6E-05 (J)	
12/7/2016	0.00011 (J)				0.0001 (J)
2/14/2017		<0.0002	<0.0002	<0.0002	
2/15/2017	<0.0002				
2/16/2017					<0.0002
4/12/2017		<0.0002	<0.0002	<0.0002	
4/13/2017	<0.0002				<0.0002
6/27/2017		<0.0002	<0.0002	<0.0002	<0.0002
6/28/2017	<0.0002				
3/27/2018	<0.0002	<0.0002	<0.0002	<0.0002	
3/28/2018					<0.0002
6/6/2018		<0.0002	<0.0002	<0.0002	<0.0002
6/7/2018	0.00028				
10/8/2018	<0.0002	<0.0002			
10/9/2018			<0.0002	<0.0002	<0.0002
2/19/2019	<0.0002				
2/20/2019		<0.0002	<0.0002	<0.0002	<0.0002
4/1/2019			<0.0002	<0.0002	<0.0002
4/2/2019	<0.0002	<0.0002			
9/16/2019		<0.0002			<0.0002
9/17/2019			<0.0002	<0.0002	
9/18/2019	<0.0002				
2/18/2020	0.00011 (J)	<0.0002	<0.0002	<0.0002	
2/19/2020					<0.0002
3/24/2020	<0.0002				
3/25/2020		<0.0002		<0.0002	<0.0002
3/26/2020			<0.0002		
9/14/2020		<0.0002	<0.0002	<0.0002	<0.0002
9/15/2020	<0.0002				
2/9/2021		<0.0002	<0.0002	<0.0002	<0.0002
2/10/2021	<0.0002				
3/31/2021	<0.0002				<0.0002
4/1/2021		<0.0002	<0.0002	<0.0002	
8/18/2021	<0.0002	<0.0002	<0.0002	<0.0002	
8/19/2021					<0.0002
2/9/2022		<0.0002	<0.0002		
2/10/2022	<0.0002			<0.0002	<0.0002
Mean	0.0001891	0.0001957	0.0001957	0.0001941	0.0001952
Std. Dev.	4.286E-05	1.964E-05	1.964E-05	2.706E-05	2.182E-05
Upper Lim.	0.00028	0.0002	0.0002	0.0002	0.0002
Lower Lim.	0.00011	0.00011	0.00011	7.6E-05	0.0001

Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-14	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016	<0.015		<0.015	0.00343 (J)	<0.015	<0.015
5/12/2016		<0.015				
6/27/2016			0.0007 (J)	0.0033 (J)	0.0008 (J)	
6/28/2016	0.0012 (J)	<0.015				
6/29/2016						0.0021 (J)
8/17/2016			<0.015	0.002 (J)	<0.015	
8/18/2016	0.0011 (J)	<0.015				
8/22/2016						0.00099 (J)
10/17/2016	<0.015	<0.015	<0.015		<0.015	
10/18/2016				0.0012 (J)		0.0014 (J)
12/6/2016	<0.015		<0.015	0.0021 (J)	<0.015	
12/7/2016		<0.015				0.001 (J)
2/14/2017			<0.015	<0.015	<0.015	
2/15/2017	<0.015	0.003 (J)				
2/16/2017						<0.015
4/12/2017	<0.015	<0.015	<0.015	0.0033 (J)	<0.015	
4/13/2017						0.001 (J)
6/27/2017	<0.015	<0.015	0.00099 (J)	0.0021 (J)	<0.015	<0.015
3/27/2018	<0.015	<0.015	<0.015	<0.015	<0.015	
3/28/2018						<0.015
10/8/2018	<0.015	<0.015	<0.015			
10/9/2018				<0.015	<0.015	<0.015
2/20/2019	<0.015	<0.015	<0.015	0.0013 (J)	<0.015	0.00075 (J)
4/1/2019	<0.015	<0.015		<0.015	<0.015	<0.015
4/2/2019			<0.015			
9/16/2019	<0.015		<0.015			0.00067 (J)
9/17/2019		<0.015		0.0014 (J)	<0.015	
2/18/2020			<0.015	0.0014 (J)	<0.015	
2/19/2020	<0.015	<0.015				0.00063 (J)
3/25/2020			<0.015		<0.015	<0.015
3/26/2020	<0.015			0.001 (J)		
3/27/2020		0.00081 (J)				
9/14/2020	<0.015		<0.015	0.0012 (J)	<0.015	<0.015
9/15/2020		<0.015				
2/9/2021	<0.015	<0.015	<0.015	0.0014 (J)	<0.015	0.00063 (J)
3/31/2021						<0.015
4/1/2021			<0.015	0.0009 (J)	<0.015	
4/6/2021		<0.015				
4/7/2021	<0.015					
8/18/2021			<0.015	0.0016 (J)	<0.015	
8/19/2021		<0.015				<0.015
8/20/2021	<0.015					
2/9/2022			<0.015	0.0012 (J)		
2/10/2022	<0.015				<0.015	<0.015
2/14/2022		<0.015				
Mean	0.01361	0.01369	0.01358	0.004441	0.01429	0.008708
Std. Dev.	0.004263	0.004046	0.004357	0.005468	0.003175	0.007143
Upper Lim.	0.015	0.015	0.015	0.00343	0.015	0.015
Lower Lim.	0.0012	0.003	0.00099	0.0012	0.0008	0.00099

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16
5/11/2016	<0.005	<0.005				
5/12/2016			<0.005	<0.005	0.00965 (J)	<0.005
6/28/2016	<0.005	<0.005	<0.005	<0.005	0.0101	<0.005
8/17/2016	<0.005					
8/18/2016		0.00031 (J)	<0.005	<0.005	0.0014	0.00053 (J)
10/17/2016	<0.005	<0.005	0.0003 (J)	<0.005		
10/18/2016					0.0013	<0.005
12/6/2016	<0.005	<0.005	<0.005			
12/7/2016				<0.005	0.0007 (J)	<0.005
2/15/2017	<0.005	<0.005	<0.005	0.00066 (J)	0.00075 (J)	
2/16/2017						<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005	<0.005	
4/13/2017						<0.005
6/27/2017	<0.005	<0.005	<0.005	<0.005	0.0013	0.001 (J)
3/27/2018	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
6/6/2018	<0.005	<0.005				
6/7/2018			0.00064 (J)	0.00084 (J)	0.0014	0.0013
10/8/2018		<0.005	<0.005	<0.005		0.0014
10/16/2018	0.00046 (J)				0.0021	
2/20/2019	<0.005	<0.005	<0.005	<0.005	0.0034	0.0012 (J)
4/1/2019	<0.005	<0.005	<0.005	<0.005	<0.005	
4/2/2019						0.0021
9/16/2019	<0.005	<0.005				
9/17/2019			<0.005	<0.005	<0.005	<0.005
2/18/2020	<0.005					
2/19/2020		<0.005	<0.005	<0.005	<0.005	<0.005
3/25/2020	<0.005					
3/26/2020		<0.005				
3/27/2020			<0.005	<0.005	<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005			
9/15/2020				<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/31/2021					<0.005	
4/1/2021						<0.005
4/6/2021				<0.005		
4/7/2021	<0.005	<0.005	<0.005			
8/19/2021	<0.005		<0.005	<0.005	<0.005	<0.005
8/20/2021		<0.005				
2/10/2022	<0.005	<0.005				0.00092 (J)
2/11/2022			<0.005		<0.005	
2/14/2022				<0.005		
Mean	0.004784	0.004777	0.004569	0.004595	0.004148	0.003736
Std. Dev.	0.0009907	0.001023	0.001364	0.001279	0.002581	0.001851
Upper Lim.	0.005	0.005	0.005	0.005	0.005	0.005
Lower Lim.	0.00046	0.00031	0.00064	0.00084	0.0014	0.0013

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-23	SGWC-6
5/11/2016						<0.005
5/12/2016	<0.005			0.00396 (J)	<0.005	
5/13/2016		0.023	<0.005			
6/27/2016						<0.005
6/29/2016	<0.005		<0.005	0.0053 (J)	<0.005	
6/30/2016		0.0263				
8/17/2016						<0.005
8/18/2016	<0.005					
8/19/2016					<0.005	
8/22/2016		0.0066	<0.005	0.0012 (J)		
10/17/2016						<0.005
10/18/2016			<0.005	<0.005	<0.005	
10/19/2016	<0.005	0.0057				
12/6/2016						<0.005
12/7/2016	<0.005	0.006			<0.005	
12/8/2016			<0.005	<0.005		
2/14/2017						<0.005
2/15/2017	<0.005				<0.005	
2/16/2017		0.0055	<0.005	<0.005		
4/12/2017						0.00034 (J)
4/13/2017	<0.005	0.0049	<0.005	<0.005	<0.005	
6/27/2017	0.00024 (J)					0.00057 (J)
6/28/2017		0.0047	0.00096 (J)	0.00064 (J)	0.00033 (J)	
3/27/2018	<0.005				<0.005	<0.005
3/28/2018		0.0085	<0.005	<0.005		
6/6/2018						0.00032 (J)
6/7/2018	0.00064 (J)			0.00066 (J)	<0.005	
6/8/2018		0.014	0.00063 (J)			
10/8/2018	0.00028 (J)				0.00026 (J)	<0.005
10/9/2018			0.0005 (J)			
10/18/2018		0.017		0.00049 (J)		
2/19/2019					0.00021 (J)	
2/20/2019	<0.005	0.027	<0.005	0.0011 (J)		<0.005
4/2/2019	<0.005	0.0075	<0.005	<0.005	<0.005	<0.005
9/16/2019						<0.005
9/17/2019	<0.005	0.0036	<0.005	<0.005		
9/18/2019					<0.005	
2/18/2020				<0.005	<0.005	<0.005
2/19/2020	<0.005		<0.005			
2/20/2020		0.0024 (J)				
3/23/2020			<0.005	<0.005		
3/24/2020	<0.005				<0.005	
3/25/2020						<0.005
3/26/2020		0.0019 (J)				
9/14/2020						<0.005
9/15/2020	<0.005	0.003 (J)	<0.005	<0.005	<0.005	
2/9/2021						<0.005
2/10/2021	<0.005	0.0016 (J)	<0.005	<0.005	<0.005	
3/30/2021		<0.005	<0.005	<0.005		
3/31/2021					<0.005	
4/1/2021	<0.005					<0.005
8/18/2021	<0.005	0.002 (J)			<0.005	<0.005

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-23	SGWC-6
8/19/2021			<0.005	<0.005		
2/9/2022						<0.005
2/10/2022		0.0021 (J)			<0.005	
2/11/2022	<0.005		<0.005	<0.005		
Mean	0.004341	0.00849	0.004385	0.003969	0.004324	0.004344
Std. Dev.	0.001656	0.008078	0.001545	0.001826	0.001697	0.001646
Upper Lim.	0.005	0.01053	0.005	0.005	0.005	0.005
Lower Lim.	0.00064	0.003793	0.00096	0.0012	0.00033	0.00057

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7
5/11/2016	<0.005
6/27/2016	<0.005
8/17/2016	<0.005
10/18/2016	<0.005
12/6/2016	<0.005
2/14/2017	<0.005
4/12/2017	<0.005
6/27/2017	<0.005
3/27/2018	<0.005
6/6/2018	<0.005
10/9/2018	0.00034 (J)
2/20/2019	<0.005
4/1/2019	<0.005
9/17/2019	<0.005
2/18/2020	<0.005
3/26/2020	<0.005
9/14/2020	<0.005
2/9/2021	<0.005
4/1/2021	<0.005
8/18/2021	<0.005
2/9/2022	<0.005
Mean	0.004778
Std. Dev.	0.001017
Upper Lim.	0.005
Lower Lim.	0.00034

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.001	<0.001	<0.001			
5/12/2016				<0.001	<0.001	<0.001
6/28/2016	0.0001 (J)	<0.001	<0.001	<0.001	<0.001	9E-05 (J)
8/17/2016	<0.001	<0.001				
8/18/2016			<0.001	<0.001	<0.001	<0.001
10/17/2016	<0.001	<0.001	<0.001	<0.001	<0.001	
10/18/2016						<0.001
12/6/2016	<0.001	<0.001	<0.001	<0.001		
12/7/2016					<0.001	<0.001
2/15/2017	<0.001	<0.001	<0.001	<0.001	<0.001	8.5E-05 (J)
4/12/2017	<0.001	<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	0.0001 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6/6/2018	<0.001	<0.001	<0.001			
6/7/2018				<0.001	<0.001	<0.001
10/8/2018			<0.001	<0.001	<0.001	
10/9/2018	<0.001					
10/16/2018		<0.001				0.0001 (J)
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	9.8E-05 (J)
4/1/2019	<0.001	<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)
9/16/2019		<0.001	<0.001			
9/17/2019	<0.001			<0.001	<0.001	0.00016 (J)
2/18/2020		0.00016 (J)				
2/19/2020	0.00075 (J)		0.00034 (J)	0.00022 (J)	0.00018 (J)	0.00031 (J)
3/25/2020	<0.001	<0.001				
3/26/2020			<0.001			
3/27/2020				<0.001	0.0011	0.00045 (J)
9/14/2020	<0.001	<0.001	0.00023 (J)	<0.001		
9/15/2020					0.00035 (J)	0.00027 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/31/2021	<0.001					<0.001
4/6/2021					0.00017 (J)	
4/7/2021		<0.001	<0.001	<0.001		
8/19/2021	0.00024 (J)	0.00015 (J)		<0.001	<0.001	<0.001
8/20/2021			<0.001			
2/10/2022		<0.001	<0.001			
2/11/2022	<0.001			<0.001		<0.001
2/14/2022					<0.001	
Mean	0.000909	0.0009195	0.0009319	0.0009629	0.0008952	0.0005644
Std. Dev.	0.0002526	0.0002542	0.0002158	0.0001702	0.0002796	0.0004342
Upper Lim.	0.001	0.001	0.001	0.001	0.0011	0.001
Lower Lim.	0.00075	0.00016	0.00034	0.00022	0.00035	9.8E-05

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-20	SGWC-22	SGWC-23	SGWC-6
5/11/2016						<0.001
5/12/2016	<0.001		<0.001	<0.001	<0.001	
5/13/2016		<0.001				
6/27/2016						<0.001
6/29/2016	<0.001		0.0002 (J)	<0.001	<0.001	
6/30/2016		0.0002 (J)				
8/17/2016						<0.001
8/18/2016	<0.001					
8/19/2016				<0.001	<0.001	
8/22/2016		0.00015 (J)	0.00018 (J)			
10/17/2016						<0.001
10/18/2016			0.00016 (J)	<0.001	<0.001	
10/19/2016	<0.001	0.00012 (J)				
12/6/2016						<0.001
12/7/2016	<0.001	9.5E-05 (J)		<0.001	<0.001	
12/8/2016			0.0001 (J)			
2/14/2017						<0.001
2/15/2017	<0.001				<0.001	
2/16/2017		0.00013 (J)	0.00014 (J)	<0.001		
4/12/2017						<0.001
4/13/2017	<0.001	0.00012 (J)	0.00021 (J)	<0.001	<0.001	
6/27/2017	<0.001					<0.001
6/28/2017		0.00013 (J)	0.00018 (J)	<0.001	<0.001	
3/27/2018	<0.001				<0.001	<0.001
3/28/2018		0.00011 (J)	9E-05 (J)	<0.001		
6/6/2018						<0.001
6/7/2018	<0.001		0.00014 (J)	<0.001	<0.001	
6/8/2018		0.00019 (J)				
10/8/2018	<0.001			<0.001	<0.001	<0.001
10/18/2018		0.00019 (J)	0.00018 (J)			
2/19/2019				<0.001	<0.001	
2/20/2019	<0.001	0.00021 (J)	0.00018 (J)			<0.001
4/2/2019	<0.001	0.00016 (J)	0.00017 (J)	<0.001	<0.001	<0.001
9/16/2019						<0.001
9/17/2019	<0.001	0.00025 (J)	0.00021 (J)			
9/18/2019				<0.001	<0.001	
2/18/2020			0.00033 (J)	<0.001	<0.001	0.00028 (J)
2/19/2020	<0.001					
2/20/2020		0.00066 (J)				
3/23/2020			0.00016 (J)			
3/24/2020	<0.001			<0.001	<0.001	
3/25/2020						0.00049 (J)
3/26/2020		0.00029 (J)				
9/14/2020						<0.001
9/15/2020	<0.001	0.00027 (J)	0.00028 (J)	0.00038 (J)	0.00016 (J)	
2/9/2021						<0.001
2/10/2021	0.00024 (J)	0.00068 (J)	0.00025 (J)	<0.001	<0.001	
3/30/2021		0.00024 (J)	0.00018 (J)			
3/31/2021				<0.001	<0.001	
4/1/2021	<0.001					0.00023 (J)
8/18/2021	<0.001	0.00022 (J)		<0.001	<0.001	0.00017 (J)
8/19/2021			0.00018 (J)			

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-20	SGWC-22	SGWC-23	SGWC-6
2/9/2022						<0.001
2/10/2022		<0.001		<0.001	<0.001	
2/11/2022	<0.001		<0.001			
Mean	0.0009638	0.0003055	0.0002629	0.0009705	0.00096	0.0008652
Std. Dev.	0.0001658	0.0002786	0.0002509	0.0001353	0.0001833	0.0002897
Upper Lim.	0.001	0.00029	0.00025	0.001	0.001	0.001
Lower Lim.	0.00024	0.00013	0.00016	0.00038	0.00016	0.00049

Confidence Interval


Constituent: Thallium (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7	SGWC-8	SGWC-9
5/11/2016	<0.001	<0.001	<0.001
6/27/2016	<0.001	<0.001	
6/29/2016			<0.001
8/17/2016	<0.001	<0.001	
8/22/2016			<0.001
10/17/2016		<0.001	
10/18/2016	<0.001		<0.001
12/6/2016	<0.001	<0.001	
12/7/2016			<0.001
2/14/2017	<0.001	<0.001	
2/16/2017			<0.001
4/12/2017	<0.001	<0.001	
4/13/2017			<0.001
6/27/2017	<0.001	<0.001	<0.001
3/27/2018	<0.001	<0.001	
3/28/2018			<0.001
6/6/2018	<0.001	<0.001	<0.001
10/9/2018	<0.001	<0.001	<0.001
2/20/2019	<0.001	<0.001	<0.001
4/1/2019	<0.001	<0.001	<0.001
9/16/2019			<0.001
9/17/2019	<0.001	0.00023 (J)	
2/18/2020	0.00022 (J)	0.0002 (J)	
2/19/2020			0.00027 (J)
3/25/2020		0.00079 (J)	<0.001
3/26/2020	<0.001		
9/14/2020	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001
3/31/2021			<0.001
4/1/2021	0.00042 (J)	0.00021 (J)	
8/18/2021	<0.001	<0.001	
8/19/2021			0.0004 (J)
2/9/2022	<0.001		
2/10/2022		<0.001	<0.001
Mean	0.0009352	0.0008776	0.0009367
Std. Dev.	0.000207	0.0002817	0.0002011
Upper Lim.	0.001	0.001	0.001
Lower Lim.	0.00042	0.00079	0.0004

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Normality testing disabled.

Constituent: Cobalt Analysis Run 4/28/2022 6:16 PM View: Appendix IV - Non-Parametric
Plant Scherer Client: Southern Company Data: Scherer AP

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 4/28/2022 6:17 PM View: Appendix IV - Non-Parametric
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-43S
10/18/2018	0.0086
4/7/2021	0.00097 (J)
8/18/2021	0.00025 (J)
2/9/2022	<0.0025
Mean	0.00308
Std. Dev.	0.003798
Upper Lim.	0.0086
Lower Lim.	0.00025

FIGURE I.

Appendix IV Trend Test - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:43 PM

<u>Constituent</u>	<u>Well</u>	<u>Slope</u>	<u>Calc.</u>	<u>Critical</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Normality</u>	<u>Xform</u>	<u>Alpha</u>	<u>Method</u>
Cobalt (mg/L)	SGWA-1 (bg)	-0.003192	-146	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.00225	-157	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003019	-166	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02244	-121	-87	Yes	21	0	n/a	n/a	0.01	NP


Appendix IV Trend Test - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 4/25/2022, 2:43 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.003192	-146	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-2 (bg)	0	1	87	No	21	90.48	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-24 (bg)	0	-31	-87	No	21	61.9	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.00225	-157	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-3 (bg)	0	16	87	No	21	95.24	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-4 (bg)	0	5	87	No	21	90.48	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-5 (bg)	0	0	87	No	21	100	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-10	0	5	87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003019	-166	-87	Yes	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-15	0	-15	-87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-18	-0.00332	-27	-87	No	21	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02244	-121	-87	Yes	21	0	n/a	n/a	0.01	NP

Sen's Slope Estimator

SGWA-1 (bg)




n = 21
 Slope = -0.003192
 units per year.
 Mann-Kendall
 statistic = -146
 critical = -87
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
 Plant Scherer Client: Southern Company Data: Scherer AP

Hollow symbols indicate censored values.

Sen's Slope Estimator

SGWA-2 (bg)




n = 21
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 1
 critical = 87
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
 Plant Scherer Client: Southern Company Data: Scherer AP

Hollow symbols indicate censored values.

Sen's Slope Estimator

SGWA-24 (bg)




n = 21
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = -31
 critical = -87
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-25 (bg)



n = 21
 Slope = -0.00225
 units per year.
 Mann-Kendall
 statistic = -157
 critical = -87
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).


Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-3 (bg)




Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-4 (bg)




Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-5 (bg)




Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-10



Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-11



n = 21
Slope = -0.003019
units per year.
Mann-Kendall
statistic = -166
critical = -87
Decreasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-15



n = 21
Slope = 0
units per year.
Mann-Kendall
statistic = -15
critical = -87
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWC-18



n = 21
Slope = -0.00332
units per year.
Mann-Kendall
statistic = -27
critical = -87
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-20




n = 21
Slope = -0.02244
units per year.
Mann-Kendall
statistic = -121
critical = -87
Decreasing trend
significant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Cobalt Analysis Run 4/25/2022 2:42 PM View: Appendix IV Trend Test
Plant Scherer Client: Southern Company Data: Scherer AP

APPENDIX F

**Statistical Analysis
August 2022**

GROUNDWATER STATS CONSULTING



January 31, 2023

Southern Company Services
Attn: Mr. Joju Abraham
241 Ralph McGill Blvd NE, Bin 10160
Atlanta, Georgia 30308-3374

Re: Plant Scherer Ash Pond (AP)
Statistical Analysis – August 2022 Sample Event

Dear Mr. Abraham,

Groundwater Stats Consulting, formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the August 2022 Semi-Annual Groundwater Detection and Assessment Monitoring of groundwater data for Georgia Power Company's Plant Scherer AP. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals (CCR) from Electric Utilities (CCR Rule, 2015), the Georgia Environmental Protection Division (EPD) Rules for Solid Waste Management Chapter 391-3-4-.10, and follows the United States Environmental Protection Agency (USEPA) Unified Guidance (2009).

Sampling for the Appendix III and IV parameters began in 2016, and at least 8 background samples were collected at each of the groundwater monitoring wells. Sampling is conducted on a semi-annual basis for all constituents. A list of all parameters is provided below.

The monitoring well network, as provided by Southern Company Services, consists of the following:

- **Upgradient well:** SGWA-1, SGWA-2, SGWA-3, SGWA-4, SGWA-5, SGWA-24, and SGWA-25
- **Downgradient wells:** SGWC-6, SGWC-7, SGWC-8, SGWC-9, SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, and SGWC-23

- **Assessment Wells:** PZ-13S, PZ-14S, PZ-17I, PZ-39S, PZ-40I, PZ-41S, PZ-42I, PZ-43S, PZ-44I, and PZ-69I

The assessment wells were first sampled in October 2018 and all data are included on the time series graphs and box plots. These well/constituent pairs are formally evaluated for Appendix IV constituents using confidence intervals when a minimum of 4 samples are available.

Resamples were collected in October 2022 for the following well/constituent pairs due to the August 2022 samples exceeding hold times for mercury and TDS:

- Mercury: SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, PZ-14S, PZ-39S, PZ-40I, and PZ-42I
- pH: SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, PZ-14S, PZ-39S, PZ-40I, and PZ-42I
- TDS: SGWC-16 and SGWC-17

Additional resamples were collected in November 2022 for the following well/constituent pairs due to the October 2022 resamples exceeding hold times for TDS:

- pH: SGWC-16 and SGWC-17
- TDS: SGWC-16 and SGWC-17

Per request of WSP Golder, the August 2022 samples that exceeded hold times for mercury and TDS are not included in the Sanitas database. The resamples collected for pH at these wells in October and November 2022 and were retained in the database.

Data were sent electronically to Groundwater Stats Consulting, and the statistical analysis was reviewed by Kristina Rayner, Founder and Senior Statistician for Groundwater Stats Consulting. The analysis is prepared according to the recommended statistical methodology provided in the Fall 2017 by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance.

The CCR program monitors the constituents listed below. The terms “parameters” and “constituents” are used interchangeably.

- **Appendix III** (Detection Monitoring) - boron, calcium, chloride, fluoride, pH, sulfate, and TDS

- **Appendix IV** (Assessment Monitoring) – antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, combined radium 226 + 228 fluoride, lead, lithium, mercury, molybdenum, selenium, and thallium

Note that when there are no detections present in downgradient wells for a given constituent, statistical analyses are not required. A list of Appendix IV downgradient well/constituent pairs containing 100% non-detects follow this letter.

For all constituents, a substitution of the most recent reporting limit is used for non-detect data. This generally gives the most conservative limit in each case.

Time series plots for Appendix III and IV parameters at all wells are provided for the purpose of screening data at these wells (Figure A). Additionally, a separate section of box plots is included for all constituents at upgradient and downgradient wells (Figure B). The time series plots are used to initially screen for suspected outliers and trends, while the box plots provide visual representation of variation within individual wells and between all wells. Values in background which have been flagged as outliers may be seen in a lighter font and as a disconnected symbol on the graphs. A summary of flagged outliers follows this report (Figure C).

Based on the previous screening, data at all wells for constituents detected in downgradient wells were evaluated for the following: 1) outliers; 2) trends; 3) most appropriate statistical method based on site characteristics of groundwater data upgradient of the facility; and 4) eligibility of downgradient wells when intrawell statistical methods are recommended. Power curves were provided with the screening to demonstrate that the selected statistical methods for the parameters listed above comply with the USEPA Unified Guidance and the Georgia Environmental Protection Division Rules for Solid Waste Management Chapter 391-3-4-.10. The EPA suggests the selected statistical method should provide at least 55% power at 3 standard deviations or at least 80% power at 4 standard deviations.

The original background screening was conducted in 2017 by MacStat Consulting. Values identified as outliers were flagged in the database and excluded prior to construction of statistical limits. Interwell prediction limits, combined with a 1-of-2 resample plan, were recommended.

Interwell tests, which compare downgradient well data to statistical limits constructed from pooled upgradient well data, are appropriate when average concentrations are similar across upgradient wells. Intrawell tests, which compare compliance data from a single well to screened historical data within the same well, are appropriate when

upgradient wells exhibit spatial variation; when statistical limits constructed from upgradient wells would not be conservative from a regulatory perspective; and when downgradient water quality is unimpacted compared to upgradient water quality for the same parameter. While data were further tested for intrawell eligibility during the screening, interwell methods were recommended for all Appendix III constituents in accordance with Georgia EPD requirements.

Summary of Statistical Methods:

Based on the evaluation for state and federal regulatory requirements, the following methods were selected for Appendix III and IV constituents:

- Appendix III: Interwell prediction limits, combined with a 1-of-2 resample plan for boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- Appendix IV: Confidence intervals on downgradient well data compared against Ground Water Protection Standards (GWPS) for each Appendix IV constituent

The distribution of data is tested using the Shapiro-Wilk/Shapiro-Francia test for normality. Parametric prediction limits (or tolerance limits or confidence intervals as applicable) are utilized when the screened historical data follow a normal or transformed-normal distribution. When data cannot be normalized or the majority of data are non-detects, a nonparametric test is utilized. While the false positive rate associated with the parametric limits is based on an annual 10% (5% per semi-annual event) as recommended by the EPA Unified Guidance (2009), the false positive rate associated with the nonparametric limits is dependent upon the available background sample size, number of future comparisons, and verification resample plan. The following approaches are used for handling non-detects (USEPA, 2009):

- No statistical analyses are required on wells and analytes containing 100% non-detects (USEPA Unified Guidance, 2009, Chapter 6).
- When data contain <15% non-detects in background, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the most recent practical quantification limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, the Kaplan-Meier non-detect adjustment is applied to the background data. This technique adjusts the mean and standard deviation of the historical concentrations to account for concentrations below the reporting limit.
- Nonparametric prediction limits are used on data containing greater than 50% non-detects.

Natural systems continuously evolve due to physical changes made to the environment. Examples include capping a landfill, paving areas near a well, or lining a drainage channel to prevent erosion. Periodic updating of background statistical limits is necessary to accommodate these types of changes. In the interwell case, prediction limits are updated with upgradient well data during each event after careful screening for any new outliers. While this was not required for this report, in some cases, deselecting the earlier portion of data may be necessary prior to construction of limits so that resulting statistical limits are conservative (lower) from a regulatory perspective and capable of rapidly detecting changes in groundwater quality. Even though the data are excluded from the calculation, the values will continue to be reported and shown in tables and graphs.

Statistical Analysis of Appendix III Parameters – August 2022

All Appendix III parameters were analyzed using interwell prediction limits. Background (upgradient) well data were re-assessed for potential outliers during this analysis. Values in background which have been flagged as outliers may be seen in a lighter font and as a disconnected symbol on the graphs. No new values were flagged and a summary of previously flagged outliers follows this report (Figure C).

Interwell Prediction Limits

Interwell prediction limits, combined with a 1-of-2 resample plan, were constructed using all historical upgradient well data through August 2022 (Figure D). Interwell prediction limits pool upgradient well data to establish a background limit for an individual constituent. The August 2022 samples (as well as the November 2022 samples for TDS at wells SGWC-16 and SGWC-17 as mentioned above) from each downgradient well is compared to the background limit to determine whether initial exceedances are present.

In the event of an initial exceedance of compliance well data, the 1-of-2 resample plan allows for collection of one additional sample to determine whether the initial exceedance is confirmed. When a resample confirms the initial exceedance, a statistically significant increase is identified, and further research would be required to identify the cause of the exceedance (i.e., impact from the site, natural variation, or an off-site source). If the resample falls within the statistical limit, the initial exceedance is considered to be a false positive result; therefore, no exceedance is noted, and no further action is necessary. If no resample is collected, the original result is considered a confirmed exceedance. Several prediction limit exceedances were identified for Appendix III parameters. A summary table of the interwell prediction limits follows this letter and includes a list of exceedances.

October & November 2022 Resample Events - pH

An additional set of interwell prediction limits were constructed using pooled upgradient well data through August 2022 to evaluate the October 2022 resample observations for pH at downgradient wells SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, and the November 2022 resample observations for pH at downgradient wells SGWC-16 and SGWC-17 (Figures E and F, respectively). Exceedances were identified for pH at wells SGWC-18 and SGWC-20 during the October 2022 event and no exceedances were identified for the November 2022 observations.

Trend Test Evaluation – Appendix III

When prediction limit exceedances are identified in downgradient wells, data are further evaluated using the Sen's Slope/Mann Kendall trend test at the 99% confidence level to determine whether concentrations are statistically increasing, decreasing, or stable (Figure G). Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit in downgradient wells to identify whether similar patterns exist upgradient of the site, which is an indication of natural variability in groundwater unrelated to practices at the site. A summary of the trend test results including a list of statistically significant trends follows this letter. Statistically significant trends were noted for the following well/constituent pairs:

Increasing:

- Boron: SGWC-8, SGWC-11, SGWC-18, and SGWC-22
- Calcium: SGWA-2, SGWA-4, SGWA-24 (all upgradient), SGWC-13, SGWC-17, SGWC-19, SGWC-21, and SGWC-22
- Chloride: SGWC-9, SGWC-12, SGWC-13, SGWC-16, SGWC-18, SGWC-21, and SGWC-23
- pH: SGWC-18
- Sulfate: SGWC-8, SGWC-12, SGWC-16, SGWC-17, SGWC-19, SGWC-21, and SGWC-22
- TDS: SGWA-4 (upgradient), SGWC-13, SGWC-17, SGWC-19, and SGWC-22

Decreasing:

- Boron: SGWC-21 and SGWC-23
- Calcium: SGWC-23
- Chloride: SGWA-3 (upgradient) and SGWC-7
- Fluoride: SGWA-4 (upgradient) and SGWC-20
- pH: SGWC-11
- Sulfate: SGWA-3, SGWA-4 (both upgradient), SGWC-7 and SGWC-23

Statistical Analysis of Appendix IV Parameters – August 2022

For Appendix IV parameters, confidence intervals for each downgradient well/constituent were compared against corresponding Groundwater Protection Standards (GWPS). GWPS were developed as described below. Downgradient well/constituent pairs that containing 100% non-detects do not require analysis. Data from upgradient wells for Appendix IV parameters are reassessed for outliers during each analysis. No new values were flagged and a summary of previously flagged outliers follows this report (Figure C). Additionally, while no new measurements were flagged in downgradient wells, it was noted that the August 2022 reported measurement for chromium at well SGWC-8 was high relative to remaining measurements within this well. During the next statistical evaluation, this value will be flagged as an outlier if the subsequent measurement is similar to historical concentrations.

Interwell Upper Tolerance Limits

First, interwell tolerance limits were used to calculate site-specific background limits from all available pooled upgradient well data through August 2022 for Appendix IV constituents (Figure H). Parametric tolerance limits are used when data follow a normal or transformed-normal distribution. When data contained greater than 50% non-detects or did not follow a normal or transformed-normal distribution, non-parametric tolerance limits were used.

Groundwater Protection Standards

The background limits were then used when determining the groundwater protection standard (GWPS) under 40 CFR §257.95(h) and Georgia EPD Rule 391-3-4-.10(6)(a). On July 30, 2018, US EPA revised the Federal CCR rule updating GWPS for cobalt, lead, lithium, and molybdenum as described above in 40 CFR §257.95(h)(2). Effective on February 22, 2022, Georgia EPD incorporated the updated GWPS into the current Georgia EPD Rules for Solid Waste Management 391-3-4-.10(6)(a). In accordance with the updated Rules, the GWPS is:

- The maximum contaminant level (MCL) established under §141.62 and §141.66 of this title
- Where an MCL has not been established for a constituent, Federal and State CCR Rules specify levels for cobalt (0.006 mg/L), lead (0.015 mg/L), lithium (0.040 mg/L), and molybdenum (0.100 mg/L)
- The respective background level for a constituent when the background level is higher than the MCL or Federal CCR Rule identified GWPS

Following Georgia EPD Rule requirements and the Federal CCR requirements, GWPS were established for statistical comparison of Appendix IV constituents for this sample event (Figure I).

Confidence Intervals

To complete the statistical comparison to GWPS, confidence intervals were constructed for each of the Appendix IV constituents in downgradient and assessment wells with 4 or more samples.

The Sanitas software was used to calculate the tolerance limits and the confidence intervals, either parametric or nonparametric, as appropriate. Confidence intervals were compared to the GWPS prepared as described above (Figure J). Note that for cobalt at assessment well PZ-43S, the lower confidence limit resulted in a negative number. Therefore, a non-parametric confidence interval was constructed for this well/constituent pair and may be found at the end of Figure H. This is a more conservative approach in that the lower confidence limit reflects the lowest measurement in the data set for that well rather than a negative number.

Only when the entire confidence interval is above a GWPS is the downgradient well/constituent pair considered to exceed its respective standard. If there is an exceedance of the GWPS, a statistically significant level (SSL) exceedance is identified. Summaries of the confidence interval results, along with graphical comparison against GWPS follow this letter. Exceedances were noted for the following well/constituent pairs:

- Cobalt: SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20

Trend Test Evaluation – Appendix IV

Data at wells with confidence interval exceedances are further evaluated using the Sen's Slope/Mann Kendall trend test at the 99% confidence level to determine whether concentrations are statistically increasing, decreasing, or stable (Figure K). Upgradient wells are included in the trend analyses to identify whether similar patterns exist upgradient of the site for the same constituents. When trends are present in upgradient trends, it is an indication of natural variability in groundwater quality unrelated to practices at the site. A summary of the Appendix IV trend test results follows this letter and statistically significant trends were identified for the following well/constituent pairs:

Increasing

- None

Decreasing

- Cobalt: SGWA-1 (upgradient), SGWA-25 (upgradient), SGWC-11, and SGWC-20

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for Plant Scherer AP. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,



Andrew T. Collins
Project Manager



Kristina L. Rayner
Senior Statistician

100% Non-Detects: Appendix IV Downgradient & Assessment

Analysis Run 12/1/2022 3:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Antimony (mg/L)

SGWC-11, SGWC-12, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-6, SGWC-8, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-42I

Arsenic (mg/L)

PZ-41S, PZ-43S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I

Beryllium (mg/L)

SGWC-11, SGWC-12, SGWC-13, SGWC-16, SGWC-21, SGWC-23, SGWC-7, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Cadmium (mg/L)

SGWC-10, SGWC-12, SGWC-13, SGWC-16, SGWC-17, SGWC-22, SGWC-23, SGWC-7, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Chromium (mg/L)

SGWC-10, SGWC-11, SGWC-6, SGWC-9, PZ-43S, PZ-40I

Cobalt (mg/L)

PZ-17I

Lead (mg/L)

SGWC-11, SGWC-9, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I

Mercury (mg/L)

SGWC-19, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-17I, PZ-40I, PZ-42I

Molybdenum (mg/L)

SGWC-10, SGWC-11, SGWC-13, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21, SGWC-22, SGWC-23, PZ-41S, PZ-43S, PZ-14S, PZ-13S, PZ-44I, PZ-17I

Selenium (mg/L)

SGWC-10, SGWC-21, SGWC-22, SGWC-8, SGWC-9, PZ-43S, PZ-14S, PZ-13S

Thallium (mg/L)

SGWC-16, SGWC-19, SGWC-21, PZ-41S, PZ-43S, PZ-39S, PZ-14S, PZ-13S, PZ-44I, PZ-17I, PZ-40I, PZ-42I

Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 10:50 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.13	n/a	8/18/2022	0.57	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-13	0.13	n/a	8/18/2022	0.55	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-14	0.13	n/a	8/19/2022	1.4	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-15	0.13	n/a	8/19/2022	1.3	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-16	0.13	n/a	8/31/2022	0.67	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-17	0.13	n/a	8/31/2022	0.31	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-18	0.13	n/a	8/23/2022	6.8	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-19	0.13	n/a	8/22/2022	1.7	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-20	0.13	n/a	8/22/2022	1.6	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-21	0.13	n/a	8/22/2022	1.2	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-22	0.13	n/a	8/22/2022	0.57	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-23	0.13	n/a	8/22/2022	0.46	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-8	0.13	n/a	8/18/2022	0.14	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-9	0.13	n/a	8/18/2022	1.4	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Calcium, total (mg/L)	SGWC-12	20	n/a	8/18/2022	22	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-13	20	n/a	8/18/2022	21	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-14	20	n/a	8/19/2022	39	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-17	20	n/a	8/31/2022	58	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-18	20	n/a	8/23/2022	52	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-19	20	n/a	8/22/2022	42	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-21	20	n/a	8/22/2022	36	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-22	20	n/a	8/22/2022	28	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-23	20	n/a	8/22/2022	22	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-8	20	n/a	8/18/2022	50	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-9	20	n/a	8/18/2022	44	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Chloride, Total (mg/L)	SGWC-10	3.119	n/a	8/19/2022	9.2	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-11	3.119	n/a	8/18/2022	9.9	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-12	3.119	n/a	8/18/2022	9.5	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-13	3.119	n/a	8/18/2022	12	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-14	3.119	n/a	8/19/2022	13	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-15	3.119	n/a	8/19/2022	11	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-16	3.119	n/a	8/31/2022	9.6	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-17	3.119	n/a	8/31/2022	8	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-18	3.119	n/a	8/23/2022	16	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-19	3.119	n/a	8/22/2022	9.6	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-20	3.119	n/a	8/22/2022	9.4	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-21	3.119	n/a	8/22/2022	10	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-22	3.119	n/a	8/22/2022	11	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-23	3.119	n/a	8/22/2022	12	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-7	3.119	n/a	8/18/2022	3.5	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-8	3.119	n/a	8/18/2022	13	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-9	3.119	n/a	8/18/2022	17	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Fluoride, total (mg/L)	SGWC-20	0.16	n/a	8/22/2022	0.22	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-8	0.16	n/a	8/18/2022	0.54	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-9	0.16	n/a	8/18/2022	0.51	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
pH (S.U.)	SGWC-11	7.01	5.09	8/18/2022	5.06	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-15	7.01	5.09	8/19/2022	4.61	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-18	7.01	5.09	8/23/2022	4.8	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	8/22/2022	4.3	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-10	3.75	n/a	8/19/2022	4.5	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-12	3.75	n/a	8/18/2022	50	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-13	3.75	n/a	8/18/2022	95	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-14	3.75	n/a	8/19/2022	200	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-15	3.75	n/a	8/19/2022	180	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-16	3.75	n/a	8/31/2022	49	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-17	3.75	n/a	8/31/2022	220	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-18	3.75	n/a	8/23/2022	910	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-19	3.75	n/a	8/22/2022	260	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-20	3.75	n/a	8/22/2022	220	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-21	3.75	n/a	8/22/2022	130	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-22	3.75	n/a	8/22/2022	110	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-23	3.75	n/a	8/22/2022	61	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-7	3.75	n/a	8/18/2022	5.3	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2

Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 10:50 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Sulfate, total (mg/L)	SGWC-8	3.75	n/a	8/18/2022	78	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-9	3.75	n/a	8/18/2022	200	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	200	n/a	8/18/2022	230	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	200	n/a	8/18/2022	240	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	200	n/a	8/19/2022	370	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	200	n/a	8/19/2022	320	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	200	n/a	11/16/2022	430	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	200	n/a	8/23/2022	1300	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	200	n/a	8/22/2022	450	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	200	n/a	8/22/2022	370	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	200	n/a	8/22/2022	380	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	200	n/a	8/22/2022	3400	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	200	n/a	8/22/2022	220	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	200	n/a	8/18/2022	420	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	200	n/a	8/18/2022	470	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2

Interwell Prediction Limits - October 2022 pH Resample - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 11:04 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
pH (S.U.)	SGWC-18	7.01	5.09	10/31/2022	4.89	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	10/31/2022	4.32	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2

Interwell Prediction Limits - November 2022 pH Resample - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 11:06 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
pH (S.U.)	SGWC-16	7.01	5.09	11/16/2022	5.17	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-17	7.01	5.09	11/16/2022	6.23	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2

Appendix III Trend Tests - Prediction Limit Exceedances - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.05263	150	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5473	130	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.04932	-86	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02222	78	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.03452	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01329	98	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3049	90	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5828	109	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.5849	91	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-13	0.8941	114	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	3.973	145	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	1.93	110	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.44	80	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.294	111	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.434	-97	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1793	-80	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1565	83	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.084	130	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2513	86	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	1.952	127	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.8279	118	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2846	78	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5207	-103	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.453	132	74	Yes	19	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.004385	-104	-98	Yes	23	39.13	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-20	-0.02154	-130	-98	Yes	23	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-11	-0.1087	-160	-87	Yes	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.0262	107	92	Yes	22	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1494	-78	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1399	-80	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.023	118	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.791	165	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.64	143	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	9.505	93	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	9.948	117	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.214	119	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-10.91	-131	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.703	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.355	94	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	7.399	80	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	8.013	78	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	21.64	132	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.63	75	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	10.03	94	74	Yes	19	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - Prediction Limit Exceedances - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWA-1 (bg)	0	-5	-74	No	19	89.47	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-2 (bg)	0	-5	-74	No	19	89.47	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-24 (bg)	0	-12	-74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-25 (bg)	0	16	74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-3 (bg)	0	-5	-74	No	19	84.21	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-4 (bg)	0	16	74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-5 (bg)	0	0	74	No	19	100	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-11	0.05263	150	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-13	-0.004074	-26	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-14	0.02179	45	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-15	-0.03478	-55	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-16	0.01162	62	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-17	0	3	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5473	130	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-19	0	-1	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-20	-0.07984	-66	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.04932	-86	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02222	78	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.03452	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01329	98	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-9	-0.02317	-43	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-1 (bg)	-0.08372	-61	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3049	90	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5828	109	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-25 (bg)	-0.2813	-70	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-3 (bg)	0.1032	35	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.5849	91	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-5 (bg)	0.04756	64	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-12	0	27	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-13	0.8941	114	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-14	0.5298	59	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	3.973	145	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-18	1.53	29	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	1.93	110	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.44	80	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.294	111	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.434	-97	-74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-8	0.7266	67	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-9	-1.677	-58	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-1 (bg)	0	-14	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-2 (bg)	0	-8	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-24 (bg)	0.09697	47	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-25 (bg)	0	-3	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1793	-80	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-4 (bg)	0	14	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-5 (bg)	0	14	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-10	0.0485	20	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-11	0.1736	41	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1565	83	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.084	130	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-14	0	24	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-15	0.2105	74	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2513	86	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-17	0	-10	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	1.952	127	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-19	0.1225	30	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-20	-0.05257	-37	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.8279	118	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-22	0.04011	48	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2846	78	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5207	-103	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-8	0	-15	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.453	132	74	Yes	19	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-1 (bg)	0	-59	-98	No	23	86.96	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-2 (bg)	-0.003904	-62	-98	No	23	43.48	n/a	n/a	0.01	NP

Appendix III Trend Tests - Prediction Limit Exceedances - All Results Page 2

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Fluoride, total (mg/L)	SGWA-24 (bg)	-0.008249	-88	-98	No	23	43.48	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-25 (bg)	-0.002988	-63	-98	No	23	43.48	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-3 (bg)	0	-17	-98	No	23	65.22	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.004385	-104	-98	Yes	23	39.13	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-5 (bg)	0	-44	-98	No	23	78.26	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-20	-0.02154	-130	-98	Yes	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-6	0	8	98	No	23	13.04	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-7	-0.006861	-39	-98	No	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-8	-0.01022	-38	-98	No	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-9	-0.00547	-53	-98	No	23	39.13	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-1 (bg)	-0.03788	-89	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-2 (bg)	0.004825	21	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-24 (bg)	0.008286	44	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-25 (bg)	-0.01753	-78	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-3 (bg)	0.021	54	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-4 (bg)	-0.01746	-78	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-5 (bg)	-0.005633	-18	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-11	-0.1087	-160	-87	Yes	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-15	-0.01159	-42	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.0262	107	92	Yes	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-20	0	-3	-92	No	22	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-1 (bg)	0	3	74	No	19	26.32	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-2 (bg)	0	25	74	No	19	63.16	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-24 (bg)	0	9	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-25 (bg)	0	24	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1494	-78	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1399	-80	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-5 (bg)	0	27	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-10	-0.1751	-16	-74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.023	118	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-13	2.57	67	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-14	0	4	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-15	0	6	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.791	165	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.64	143	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-18	86.65	60	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	9.505	93	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-20	-5.325	-68	-74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	9.948	117	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.214	119	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-10.91	-131	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.703	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.355	94	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-9	-14.04	-51	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-1 (bg)	-1.258	-11	-74	No	19	5.263	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-2 (bg)	1.868	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-24 (bg)	1.876	28	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-25 (bg)	-2.681	-40	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-3 (bg)	3.369	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	7.399	80	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-5 (bg)	-1.864	-23	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	2.918	53	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	8.013	78	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	5.581	58	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	2.379	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	21.64	132	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	144.8	61	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.63	75	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	0	-8	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	10.58	45	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	10.03	94	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	-12.41	-73	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	0	-4	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	-13.97	-51	-74	No	19	0	n/a	n/a	0.01	NP

Upper Tolerance Limit Summary Table

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:06 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony (mg/L)	n/a	0.0021	n/a	n/a	n/a	n/a	119	n/a	n/a	94.12	n/a	n/a	0.002234	NP Inter(NDs)
Arsenic (mg/L)	n/a	0.0015	n/a	n/a	n/a	n/a	154	n/a	n/a	86.36	n/a	n/a	0.0003711	NP Inter(NDs)
Barium (mg/L)	n/a	0.071	n/a	n/a	n/a	n/a	154	n/a	n/a	0	n/a	n/a	0.0003711	NP Inter(normality)
Beryllium (mg/L)	n/a	0.0025	n/a	n/a	n/a	n/a	154	n/a	n/a	94.16	n/a	n/a	0.0003711	NP Inter(NDs)
Cadmium (mg/L)	n/a	0.0025	n/a	n/a	n/a	n/a	147	n/a	n/a	98.64	n/a	n/a	0.0005313	NP Inter(NDs)
Chromium (mg/L)	n/a	0.021	n/a	n/a	n/a	n/a	161	n/a	n/a	29.81	n/a	n/a	0.0002591	NP Inter(normality)
Cobalt (mg/L)	n/a	0.02	n/a	n/a	n/a	n/a	154	n/a	n/a	63.64	n/a	n/a	0.0003711	NP Inter(NDs)
Combined Radium 226 + 228 (pCi/L)	n/a	1.54	n/a	n/a	n/a	n/a	154	n/a	n/a	0	n/a	n/a	0.0003711	NP Inter(normality)
Fluoride, total (mg/L)	n/a	0.16	n/a	n/a	n/a	n/a	161	n/a	n/a	57.14	n/a	n/a	0.0002591	NP Inter(NDs)
Lead (mg/L)	n/a	0.001	n/a	n/a	n/a	n/a	154	n/a	n/a	92.86	n/a	n/a	0.0003711	NP Inter(NDs)
Lithium (mg/L)	n/a	0.005	n/a	n/a	n/a	n/a	154	n/a	n/a	87.66	n/a	n/a	0.0003711	NP Inter(NDs)
Mercury (mg/L)	n/a	0.0005	n/a	n/a	n/a	n/a	156	n/a	n/a	91.67	n/a	n/a	0.0003349	NP Inter(NDs)
Molybdenum (mg/L)	n/a	0.015	n/a	n/a	n/a	n/a	147	n/a	n/a	91.84	n/a	n/a	0.0005313	NP Inter(NDs)
Selenium (mg/L)	n/a	0.005	n/a	n/a	n/a	n/a	154	n/a	n/a	91.56	n/a	n/a	0.0003711	NP Inter(NDs)
Thallium (mg/L)	n/a	0.001	n/a	n/a	n/a	n/a	154	n/a	n/a	92.21	n/a	n/a	0.0003711	NP Inter(NDs)

SCHERER ASH POND GWPS				
Constituent Name	MCL	CCR-Rule Specified	Background Limit	GWPS
Antimony, Total (mg/L)	0.006		0.0021	0.006
Arsenic, Total (mg/L)	0.01		0.0015	0.01
Barium, Total (mg/L)	2		0.071	2
Beryllium, Total (mg/L)	0.004		0.0025	0.004
Cadmium, Total (mg/L)	0.005		0.0025	0.005
Chromium, Total (mg/L)	0.1		0.021	0.1
Cobalt, Total (mg/L)		0.006	0.02	0.02
Combined Radium, Total (pCi/L)	5		1.54	5
Fluoride, Total (mg/L)	4		0.16	4
Lead, Total (mg/L)		0.015	0.001	0.015
Lithium, Total (mg/L)		0.04	0.005	0.04
Mercury, Total (mg/L)	0.002		0.0005	0.002
Molybdenum, Total (mg/L)		0.1	0.015	0.1
Selenium, Total (mg/L)	0.05		0.005	0.05
Thallium, Total (mg/L)	0.002		0.001	0.002

Grey cell indicates Background Limit is higher than MCL or CCR-Rule Specified Level

**GWPS = Groundwater Protection Standard*

**MCL = Maximum Contaminant Level*

**CCR = Coal Combustion Residuals*

Appendix IV Trend Tests - Confidence Interval Exceedances - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:23 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.002829	-167	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.002112	-172	-92	Yes	22	4.545	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003072	-187	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02232	-140	-92	Yes	22	0	n/a	n/a	0.01	NP


Appendix IV Trend Tests - Confidence Interval Exceedances - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:23 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.002829	-167	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-2 (bg)	0	3	92	No	22	90.91	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-24 (bg)	0	-23	-92	No	22	63.64	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.002112	-172	-92	Yes	22	4.545	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-3 (bg)	0	17	92	No	22	95.45	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-4 (bg)	0	7	92	No	22	90.91	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-5 (bg)	0	0	92	No	22	100	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-10	0	-2	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003072	-187	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-15	-0.001185	-31	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-18	-0.004011	-46	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02232	-140	-92	Yes	22	0	n/a	n/a	0.01	NP


FIGURE A.

Time Series




Constituent: Antimony Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Antimony Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Arsenic Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 12/1/2022 2:38 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 12/1/2022 2:38 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 12/1/2022 2:38 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Barium Analysis Run 12/1/2022 2:38 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Beryllium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Boron, total Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 12/1/2022 2:38 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cadmium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Calcium, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chloride, Total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Chromium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Cobalt Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Fluoride, total Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lead Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Lithium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Mercury Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Molybdenum Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: pH Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Seleniun Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Sulfate, total Analysis Run 12/1/2022 2:39 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 12/1/2022 2:39 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Thallium Analysis Run 12/1/2022 2:40 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:40 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series




Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:40 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:40 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:40 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Time Series

Constituent: Antimony (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.002	<0.002	<0.002	<0.002	<0.002		<0.002		
5/11/2016						<0.002		<0.002	<0.002
6/23/2016	0.0004 (J)	<0.002	0.0003 (J)				<0.002		
6/24/2016					0.0021 (J)	0.0007 (J)			
6/27/2016				0.0003 (J)					
6/28/2016								0.0014 (J)	<0.002
8/16/2016	0.0012 (J)	<0.002	<0.002		<0.002		<0.002		
8/17/2016				<0.002		<0.002		<0.002	<0.002
10/13/2016	<0.002		<0.002						
10/14/2016		<0.002		<0.002	<0.002		<0.002		
10/17/2016						<0.002		<0.002	<0.002
12/5/2016			<0.002						
12/6/2016	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
2/14/2017	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		
2/15/2017								<0.002	<0.002
4/10/2017			<0.002						
4/11/2017	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002		
4/12/2017								<0.002	<0.002
6/26/2017	<0.002	<0.002	<0.002		<0.002	<0.002	<0.002		
6/27/2017				<0.002				<0.002	<0.002
3/26/2018	<0.002	<0.002	<0.002		<0.002				
3/27/2018				<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
10/5/2018	<0.002	<0.002	<0.002		<0.002				
10/8/2018				<0.002		<0.002	<0.002		
10/9/2018								<0.002	
2/18/2019	<0.002	<0.002				<0.002			
2/19/2019			<0.002	<0.002	<0.002		<0.002		
2/20/2019								<0.002	<0.002
3/28/2019				<0.002	<0.002	<0.002	<0.002		
3/29/2019	<0.002	<0.002	<0.002						
2/13/2020	<0.002	<0.002	<0.002						
2/17/2020				<0.002			<0.002		
2/18/2020					<0.002	<0.002			<0.002
2/19/2020								<0.002	
2/9/2021	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
8/17/2021	<0.002	<0.002		<0.002		<0.002			
8/18/2021			<0.002		<0.002		<0.002		
8/19/2021								<0.002	<0.002
2/9/2022	<0.002	<0.002		<0.002	<0.002	<0.002	<0.002		
2/10/2022			<0.002						<0.002
2/11/2022								<0.002	
8/17/2022	0.00052 (J)	<0.002							
8/18/2022			<0.002	<0.002	<0.002	<0.002	<0.002		<0.002
8/19/2022								<0.002	

Time Series

Constituent: Antimony (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.002								
5/12/2016		<0.002	<0.002	<0.002	<0.002	<0.002			<0.002
5/13/2016							<0.002	<0.002	
6/28/2016	<0.002	0.0004 (J)	<0.002	<0.002	<0.002				
6/29/2016						<0.002		<0.002	<0.002
6/30/2016							0.0012 (J)		
8/18/2016	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
8/22/2016							<0.002	<0.002	<0.002
10/17/2016	<0.002	<0.002	<0.002						
10/18/2016				<0.002	<0.002			<0.002	<0.002
10/19/2016						<0.002	<0.002		
12/6/2016	<0.002	<0.002							
12/7/2016			<0.002	<0.002	<0.002	<0.002	<0.002		
12/8/2016								<0.002	<0.002
2/15/2017	<0.002	<0.002 (F1)	<0.002	<0.002		<0.002			
2/16/2017					<0.002		<0.002	<0.002	<0.002
4/12/2017	<0.002	<0.002	<0.002	<0.002					
4/13/2017					<0.002	<0.002	<0.002	<0.002	<0.002
6/27/2017	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
6/28/2017							<0.002	<0.002	<0.002
3/27/2018	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
3/28/2018							<0.002	<0.002	<0.002
10/8/2018	<0.002	<0.002	<0.002		<0.002	<0.002			
10/9/2018								<0.002	
2/20/2019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
2/18/2020									<0.002
2/19/2020	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		<0.002	
2/20/2020							<0.002		
2/9/2021	<0.002	<0.002	<0.002	<0.002	<0.002				
2/10/2021						<0.002	<0.002	<0.002	<0.002
8/18/2021						<0.002	<0.002		
8/19/2021		<0.002	<0.002	<0.002	<0.002			<0.002	<0.002
8/20/2021	<0.002								
2/10/2022	<0.002				<0.002		<0.002		
2/11/2022		<0.002		<0.002		<0.002		<0.002	<0.002
2/14/2022			<0.002						
8/18/2022	<0.002	<0.002							
8/19/2022			<0.002	<0.002					
8/22/2022								0.0021	0.0019 (J)
8/23/2022							<0.002		
8/31/2022					<0.002	<0.002			

Time Series

Constituent: Antimony (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.002	<0.002	<0.002	<0.002		
5/12/2016	<0.002	<0.002	<0.002						
6/27/2016				<0.002	0.0004 (J)	<0.002			
6/29/2016	<0.002	<0.002	<0.002				<0.002		
8/17/2016				<0.002	<0.002	<0.002			
8/19/2016		<0.002	<0.002						
8/22/2016	<0.002						<0.002		
10/17/2016				<0.002		<0.002			
10/18/2016	<0.002	<0.002	<0.002		<0.002		<0.002		
12/6/2016				<0.002	<0.002	<0.002			
12/7/2016	<0.002	<0.002	<0.002				<0.002		
2/14/2017				<0.002	<0.002	<0.002			
2/15/2017			<0.002						
2/16/2017	<0.002	<0.002					<0.002		
4/12/2017				<0.002	<0.002	<0.002			
4/13/2017	<0.002	<0.002	<0.002				<0.002		
6/27/2017				<0.002	<0.002	<0.002	<0.002		
6/28/2017	<0.002	<0.002	<0.002						
3/27/2018			<0.002	<0.002	<0.002	<0.002			
3/28/2018	<0.002	<0.002					<0.002		
10/8/2018	<0.002	<0.002	<0.002	<0.002					
10/9/2018					<0.002	<0.002	<0.002		
2/19/2019		<0.002	<0.002						
2/20/2019	<0.002			<0.002	<0.002	<0.002	<0.002		
2/18/2020	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
2/19/2020							<0.002		
2/9/2021				<0.002	<0.002	<0.002	<0.002		
2/10/2021	<0.002	<0.002	<0.002						
8/18/2021	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
8/19/2021							<0.002		
2/9/2022				<0.002	<0.002			<0.002	<0.002
2/10/2022		<0.002	<0.002			<0.002	<0.002		
2/11/2022	<0.002								
8/18/2022					<0.002	<0.002	<0.002		
8/19/2022				<0.002					
8/22/2022	0.0019 (J)	0.0022	0.00098 (J)						
8/24/2022								<0.002	<0.002

Time Series

Constituent: Antimony (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022		<0.002	<0.002					
2/9/2022	<0.002			<0.002	0.00061 (J)		<0.002	
2/10/2022						<0.002		<0.002
8/22/2022							<0.002	
8/23/2022	<0.002	<0.002				0.00089 (J)		
8/24/2022			<0.002	<0.002	<0.002			<0.002

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	0.00103 (J)
6/23/2016	<0.001	<0.001	<0.001				<0.001		
6/24/2016					<0.001	<0.001			
6/27/2016				<0.001					
6/28/2016								<0.001	0.0011 (J)
8/16/2016	0.00065 (J)	0.0005 (J)	<0.001		<0.001		<0.001		
8/17/2016				0.0012 (J)		<0.001		<0.001	0.0011 (J)
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		0.00073 (J)	<0.001		<0.001		
10/17/2016						<0.001		<0.001	0.0011 (J)
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		0.00075 (J)	<0.001	<0.001	<0.001	<0.001	0.00072 (J)
2/14/2017	0.00055 (J)	0.00046 (J)	0.00057 (J)	0.0015 (J)	<0.001	<0.001	<0.001		
2/15/2017								0.0005 (J)	0.0011 (J)
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		0.00072 (J)	<0.001	0.0011 (J)	<0.001		
4/12/2017								<0.001	0.00076 (J)
6/26/2017	0.00081 (J)	0.00089 (J)	0.0009 (J)		0.00063 (J)	0.00055 (J)	0.00079 (J)		
6/27/2017				0.00095 (J)				0.00074 (J)	0.0011 (J)
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				0.00052 (J)		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018					<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				0.00048 (J)	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								0.00059 (J)	0.0011 (J)
9/12/2019							<0.001		
9/13/2019			<0.001						
9/16/2019	<0.001	<0.001		<0.001	<0.001	<0.001			<0.001
9/17/2019								<0.001	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					<0.001	<0.001			<0.001
2/19/2020								<0.001	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	<0.001		<0.001			<0.001			
3/25/2020								<0.001	<0.001
9/14/2020	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/30/2021	<0.001	<0.001	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			<0.001		<0.001		<0.001		

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.001	<0.001
2/9/2022	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
2/10/2022			<0.001						<0.001
2/11/2022								<0.001	
8/17/2022	0.00028 (J)	<0.001							
8/18/2022			<0.001	<0.001	<0.001	<0.001	<0.001		<0.001
8/19/2022								<0.001	

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.0013	<0.001	<0.001			<0.0013
5/13/2016							0.00161 (J)	<0.001	
6/28/2016	0.001 (J)	<0.001	<0.001	0.0026 (J)	<0.001				
6/29/2016						<0.001		<0.001	0.0018 (J)
6/30/2016							0.004 (J)		
8/18/2016	0.00091 (J)	<0.001	<0.001	0.0015	<0.001	<0.001			
8/22/2016							0.0012 (J)	<0.001	0.001 (J)
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				0.0019	<0.001			<0.001	0.00085 (J)
10/19/2016						0.001045 (JD)	0.0019		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	0.00079 (J)	<0.001	<0.001	0.0012 (J)		
12/8/2016								<0.001	<0.0013
2/15/2017	0.00076 (J)	<0.001	<0.001	0.00073 (J)		0.00059 (J)			
2/16/2017					<0.001		0.00086 (J)	<0.001	<0.0013
4/12/2017	0.00046 (J)	0.00047 (J)	0.00057 (J)	0.0009 (J)					
4/13/2017					<0.001	0.00066 (J)	0.00058 (J)	<0.001	<0.0013
6/27/2017	0.0011 (J)	0.00088 (J)	0.00058 (J)	0.0011 (J)	0.00055 (J)	0.00075 (J)			
6/28/2017							0.0011 (J)	0.00068 (J)	0.00094 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.0013	<0.001	<0.001			
3/28/2018							0.0015	<0.001	<0.0013
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.0013	<0.001	<0.001			<0.0013
6/8/2018							0.002	<0.001	
10/8/2018	0.0007 (J)	0.00069 (J)	0.0007 (J)		0.00054 (J)	0.00075 (J)			
10/9/2018								0.00058 (J)	
10/16/2018				<0.0013					
10/18/2018							0.0031		<0.0013
2/20/2019	<0.001	<0.001	<0.001	0.00075 (J)	<0.001	<0.001	0.003	<0.001	<0.0013
4/1/2019	0.0012 (J)	0.0014	0.0012 (J)	0.0016					
4/2/2019					<0.001	<0.001	0.0027	<0.001	<0.0013
9/16/2019	<0.001								
9/17/2019		<0.001	<0.001	0.0008 (J)	<0.001	<0.001	0.0029	<0.001	0.00037 (J)
2/18/2020									0.00032 (J)
2/19/2020	0.00032 (J)	<0.001	<0.001	0.001	<0.001	<0.001		<0.001	
2/20/2020							0.0031		
3/23/2020								<0.001	0.0005 (J)
3/24/2020						<0.001			
3/26/2020	0.00032 (J)						0.0047		
3/27/2020		<0.001	0.0014	0.0016	<0.001				
9/14/2020	<0.001	<0.001							
9/15/2020			<0.001	0.0014	<0.001	<0.001	0.0045	<0.001	0.00051 (J)
2/9/2021	<0.001	<0.001	<0.001	0.0013	<0.001				
2/10/2021						0.00038 (J)	0.0033	<0.001	0.00059 (J)
3/30/2021							0.0028	<0.001	0.00049 (J)
3/31/2021				0.0012					
4/1/2021					0.00033 (J)	<0.001			
4/6/2021			<0.001						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.0028		
8/19/2021		<0.001	<0.001	0.0014	<0.001			<0.001	0.00066 (J)

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	<0.001				<0.001		0.0043		
2/11/2022		<0.001		0.0021		<0.001		<0.001	0.00081 (J)
2/14/2022			<0.001						
8/18/2022	<0.001	<0.001							
8/19/2022			<0.001	0.00066 (J)					
8/22/2022								<0.001	0.00042 (J)
8/23/2022							0.0021		
8/31/2022					<0.001	<0.001			

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.001	<0.001	<0.001	<0.001		
5/12/2016	<0.001	<0.001	<0.001						
6/27/2016				<0.001	0.0009 (J)	<0.001			
6/29/2016	<0.001	<0.001	<0.001				0.0009 (J)		
8/17/2016				<0.001	0.0006 (J)	<0.001			
8/19/2016		<0.001	<0.001						
8/22/2016	<0.001						<0.001		
10/17/2016				<0.001		<0.001			
10/18/2016	<0.001	<0.001	<0.001		<0.001		0.00074 (J)		
12/6/2016				<0.001	<0.001	<0.001			
12/7/2016	<0.001	<0.001	<0.001				0.00079 (J)		
2/14/2017				0.0006 (J)	0.00059 (J)	0.0005 (J)			
2/15/2017			<0.001						
2/16/2017	<0.001	<0.001					0.00056 (J)		
4/12/2017				0.00046 (J)	0.00058 (J)	<0.001			
4/13/2017	<0.001	0.0006 (J)	0.00061 (J)				0.00079 (J)		
6/27/2017				<0.001	<0.001	0.00076 (J)	0.0011 (J)		
6/28/2017	0.00076 (J)	0.00089 (J)	0.00079 (J)						
3/27/2018			<0.001	<0.001	<0.001	<0.001			
3/28/2018	<0.001	<0.001					<0.001		
6/6/2018				<0.001	<0.001	<0.001	<0.001		
6/7/2018	<0.001	<0.001	<0.001						
10/8/2018	<0.001	<0.001	<0.001	<0.001					
10/9/2018					0.00057 (J)	0.00053 (J)	0.00068 (J)		
10/18/2018								<0.001	<0.001
2/19/2019		<0.001	<0.001						
2/20/2019	<0.001			<0.001	<0.001	<0.001	<0.001		
4/1/2019					<0.001	0.001 (J)	<0.001		
4/2/2019	<0.001	<0.001	<0.001	<0.001					
9/16/2019				<0.001			<0.001		
9/17/2019	<0.001				<0.001	0.00035 (J)			
9/18/2019		0.00035 (J)	<0.001						
2/18/2020	<0.001	0.00034 (J)	<0.001	<0.001	<0.001	<0.001			
2/19/2020							0.00039 (J)		
3/23/2020	<0.001								
3/24/2020		<0.001	<0.001						
3/25/2020				0.00044 (J)		0.00063 (J)	<0.001		
3/26/2020					<0.001				
9/14/2020				<0.001	<0.001	<0.001	<0.001		
9/15/2020	<0.001	<0.001	<0.001						
2/9/2021				<0.001	<0.001	<0.001	<0.001		
2/10/2021	<0.001	<0.001	<0.001						
3/30/2021	<0.001								
3/31/2021		<0.001	<0.001				0.00033 (J)		
4/1/2021				<0.001	0.00044 (J)	<0.001			
8/18/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
8/19/2021							<0.001		
2/9/2022				<0.001	<0.001			<0.001	<0.001
2/10/2022		0.00031 (J)	<0.001			<0.001	<0.001		
2/11/2022	<0.001								
8/18/2022					<0.001	<0.001	<0.001		
8/19/2022				<0.001					

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	<0.001	0.00044 (J)	<0.001						
8/24/2022								<0.001	<0.001

Time Series

Constituent: Arsenic (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.001				
10/17/2018	0.0019							
10/18/2018					<0.001	<0.001	<0.001	
2/8/2022		<0.001	<0.001					
2/9/2022	<0.001			<0.001	<0.001		<0.001	
2/10/2022						<0.001		0.00059 (J)
8/22/2022							0.00049 (J)	
8/23/2022	0.00028 (J)	<0.001				<0.001		
8/24/2022			<0.001	<0.001	<0.001			0.00074 (J)

Time Series

Constituent: Barium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.0663	0.0409	0.0214	0.0253	0.036		0.0112		
5/11/2016						0.0484		0.0294	0.038
6/23/2016	0.055	0.0342	0.0204				0.0101		
6/24/2016					0.0343	0.0471			
6/27/2016				0.0253					
6/28/2016								0.0293	0.0363
8/16/2016	0.048	0.034	0.018		0.029		0.0088		
8/17/2016				0.021		0.046		0.029	0.033
10/13/2016	0.061		0.022						
10/14/2016		0.041		0.023	0.034		0.01		
10/17/2016						0.049		0.027	0.035
12/5/2016			0.023						
12/6/2016	0.053	0.042		0.02	0.033	0.047	0.011	0.03	0.035
2/14/2017	0.046	0.035	0.021	0.018	0.032	0.05	0.01		
2/15/2017								0.025	0.036
4/10/2017			0.021						
4/11/2017	0.046	0.037		0.021	0.033	0.053	0.01		
4/12/2017								0.028	0.038
6/26/2017	0.048	0.037	0.022		0.036	0.058	0.011		
6/27/2017				0.024				0.034	0.042
3/26/2018	0.053	0.036	0.022		0.035				
3/27/2018				0.024		0.061	0.01	0.031	0.039
6/5/2018	0.058	0.038	0.022	0.024			0.011		
6/6/2018					0.036	0.058		0.027	0.041
10/5/2018	0.058	0.036	0.024		0.035				
10/8/2018				0.024		0.064	0.011		
10/9/2018								0.032	
10/16/2018									0.037
2/18/2019	0.046	0.035				0.057			
2/19/2019			0.019	0.022	0.033		0.0094		
2/20/2019								0.036	0.044
3/28/2019				0.022	0.036	0.061	0.0097		
3/29/2019	0.044	0.039	0.021						
4/1/2019								0.039	0.041
9/12/2019							0.012		
9/13/2019			0.025						
9/16/2019	0.048	0.045		0.028	0.041	0.068			0.045
9/17/2019								0.029	
2/13/2020	0.042	0.043	0.025						
2/17/2020				0.026			0.01		
2/18/2020					0.04	0.069			0.044
2/19/2020								0.027	
3/17/2020		0.039		0.025	0.037		0.01		
3/18/2020	0.046		0.023			0.071			
3/25/2020								0.036	0.046
9/14/2020	0.043	0.038	0.024	0.026	0.039	0.068	0.011	0.027	0.042
2/9/2021	0.043	0.037	0.023	0.025	0.035	0.065	0.01	0.028	0.043
3/30/2021	0.047	0.039	0.022						
3/31/2021					0.041	0.068	0.011	0.036	
4/7/2021				0.026					0.046
8/17/2021	0.047	0.038		0.027		0.066			
8/18/2021			0.025		0.036		0.011		

Time Series

Constituent: Barium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.0324								
5/12/2016		0.0198	0.067	0.041	0.0163	0.0157			0.0436
5/13/2016							0.0138	0.0507	
6/28/2016	0.0321	0.0208	0.0668	0.0435	0.0165				
6/29/2016						0.0161 (J)		0.0485	0.0466
6/30/2016							0.0145 (J)		
8/18/2016	0.03	0.022	0.06	0.043	0.017	0.016			
8/22/2016							0.014	0.044	0.038
10/17/2016	0.032	0.024	0.06						
10/18/2016				0.041	0.017			0.042	0.039
10/19/2016						0.021 (D)	0.016		
12/6/2016	0.032	0.025							
12/7/2016			0.063	0.042	0.017	0.018	0.015		
12/8/2016								0.045	0.038
2/15/2017	0.036	0.026	0.061	0.038		0.02			
2/16/2017					0.017		0.013	0.04	0.034
4/12/2017	0.037	0.029	0.062	0.038					
4/13/2017					0.019	0.019	0.012	0.037	0.028
6/27/2017	0.042	0.031	0.06	0.041	0.02	0.019			
6/28/2017							0.012	0.04	0.03
3/27/2018	0.043	0.029	0.055	0.035	0.021	0.02			
3/28/2018							0.029	0.034	0.027
6/6/2018	0.048								
6/7/2018		0.032	0.057	0.035	0.022	0.02			0.029
6/8/2018							0.032	0.035	
10/8/2018	0.049	0.033	0.053		0.025	0.021			
10/9/2018								0.037	
10/16/2018				0.031					
10/18/2018							0.033		0.027
2/20/2019	0.054	0.041	0.053	0.036	0.027	0.023	0.034	0.036	0.03
4/1/2019	0.051	0.038	0.054	0.034					
4/2/2019					0.023	0.02	0.028	0.03	0.023
9/16/2019	0.052								
9/17/2019		0.036	0.048	0.034	0.029	0.025	0.026	0.035	0.025
2/18/2020									0.023
2/19/2020	0.053	0.033	0.047	0.031	0.029	0.022		0.034	
2/20/2020							0.023		
3/23/2020								0.032	0.024
3/24/2020						0.024			
3/26/2020	0.051						0.02		
3/27/2020		0.034	0.049	0.028	0.027				
9/14/2020	0.057	0.039							
9/15/2020			0.05	0.031	0.031	0.025	0.02	0.034	0.024
2/9/2021	0.058	0.036	0.046	0.029	0.03				
2/10/2021						0.023	0.016	0.031	0.023
3/30/2021							0.015	0.03	0.021
3/31/2021				0.028					
4/1/2021					0.029	0.022			
4/6/2021			0.048						
4/7/2021	0.058	0.037							
8/18/2021						0.024	0.022		
8/19/2021		0.036	0.042	0.027	0.029			0.027	0.02

Time Series

Constituent: Barium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.057								
2/10/2022	0.057				0.034		0.013		
2/11/2022		0.034		0.027		0.025		0.032	0.022
2/14/2022			0.047						
8/18/2022	0.056	0.036							
8/19/2022			0.048	0.025					
8/22/2022								0.023	0.021
8/23/2022							0.012		
8/31/2022					0.033	0.033			

Time Series

Constituent: Barium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				0.0933	0.295	0.251	0.0494		
5/12/2016	0.0914	0.1	0.0959						
6/27/2016				0.101	0.353	0.205			
6/29/2016	0.0933	0.0991	0.0957				0.0535		
8/17/2016				0.094	0.29	0.16			
8/19/2016		0.096	0.093						
8/22/2016	0.086							0.049	
10/17/2016				0.11		0.17			
10/18/2016	0.093	0.096	0.093		0.29		0.049		
12/6/2016				0.11	0.31	0.16			
12/7/2016	0.096	0.09	0.09				0.048		
2/14/2017				0.056	0.3	0.18			
2/15/2017			0.09						
2/16/2017	0.091	0.091					0.056		
4/12/2017				0.048	0.3	0.18			
4/13/2017	0.088	0.091	0.081				0.063		
6/27/2017				0.058	0.36	0.18	0.067		
6/28/2017	0.094	0.1	0.085						
3/27/2018			0.076	0.021	0.27	0.17			
3/28/2018	0.09	0.084					0.069		
6/6/2018				0.014	0.24	0.18	0.069		
6/7/2018	0.092	0.084	0.082						
10/8/2018	0.092	0.084	0.077	0.069					
10/9/2018					0.28	0.17	0.077		
10/18/2018								0.059	0.12
2/19/2019		0.075	0.064						
2/20/2019	0.1			0.052	0.28	0.2	0.077		
4/1/2019					0.24	0.19	0.071		
4/2/2019	0.087	0.076	0.068	0.069					
9/16/2019				0.13			0.077		
9/17/2019	0.097				0.23	0.19			
9/18/2019		0.078	0.068						
2/18/2020	0.11	0.085	0.065	0.083	0.25	0.17			
2/19/2020							0.065		
3/23/2020	0.1								
3/24/2020		0.081	0.065						
3/25/2020				0.12		0.19	0.066		
3/26/2020					0.23				
9/14/2020				0.14	0.27	0.18	0.059		
9/15/2020	0.13	0.083	0.064						
2/9/2021				0.12	0.26	0.18	0.054		
2/10/2021	0.12	0.078	0.066						
3/30/2021	0.12								
3/31/2021		0.072	0.059				0.061		
4/1/2021				0.12	0.26	0.17			
8/18/2021	0.12	0.074	0.056	0.13	0.24	0.16			
8/19/2021							0.043		
2/9/2022				0.13	0.21			0.026	0.085
2/10/2022		0.07	0.064			0.18	0.047		
2/11/2022	0.11								
8/18/2022					0.2	0.16	0.05		
8/19/2022				0.15					

Time Series

Constituent: Barium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.014				
10/17/2018	0.02							
10/18/2018					0.055	0.089	0.1	
2/8/2022		0.033	0.049					
2/9/2022	0.04			0.0078 (J)	0.06		0.056	
2/10/2022						0.042		0.14
8/22/2022							0.052	
8/23/2022	0.039	0.034				0.055		
8/24/2022			0.046	0.0079 (J)	0.058			0.13

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025		
5/11/2016						<0.0025		<0.0025	<0.0025
6/23/2016	0.0002 (J)	<0.0025	<0.0025				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				<0.0025					
6/28/2016								<0.0025	<0.0025
8/16/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
8/17/2016				<0.0025		<0.0025		<0.0025	<0.0025
10/13/2016	<0.0025		<0.0025						
10/14/2016		<0.0025		<0.0025	<0.0025		<0.0025		
10/17/2016						<0.0025		<0.0025	<0.0025
12/5/2016			<0.0025						
12/6/2016	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/14/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
2/15/2017								<0.0025	<0.0025
4/10/2017			<0.0025						
4/11/2017	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		
4/12/2017								<0.0025	<0.0025
6/26/2017	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				<0.0025				<0.0025	<0.0025
3/26/2018	<0.0025	<0.0025	<0.0025		<0.0025				
3/27/2018				<0.0025		<0.0025	<0.0025	<0.0025	<0.0025
6/5/2018	<0.0025	<0.0025	<0.0025	<0.0025			<0.0025		
6/6/2018					<0.0025	<0.0025		<0.0025	<0.0025
10/5/2018	<0.0025	<0.0025	<0.0025		<0.0025				
10/8/2018				<0.0025		<0.0025	<0.0025		
10/9/2018								<0.0025	
10/16/2018									<0.0025
2/18/2019	<0.0025	<0.0025				<0.0025			
2/19/2019			<0.0025	<0.0025	<0.0025		<0.0025		
2/20/2019								<0.0025	<0.0025
3/28/2019				<0.0025	<0.0025	<0.0025	<0.0025		
3/29/2019	<0.0025	<0.0025	<0.0025						
4/1/2019								<0.0025	<0.0025
9/12/2019							<0.0025		
9/13/2019			<0.0025						
9/16/2019	0.00028 (J)	<0.0025		<0.0025	<0.0025	<0.0025			<0.0025
9/17/2019								<0.0025	
2/13/2020	0.00031 (J)	<0.0025	<0.0025						
2/17/2020				<0.0025			<0.0025		
2/18/2020					<0.0025	<0.0025			<0.0025
2/19/2020								0.00026 (J)	
3/17/2020		<0.0025		<0.0025	<0.0025		<0.0025		
3/18/2020	0.00029 (J)		<0.0025			0.00018 (J)			
3/25/2020								<0.0025	<0.0025
9/14/2020	0.00051 (J)	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
3/30/2021	0.00025 (J)	<0.0025	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	<0.0025	
4/7/2021				<0.0025					<0.0025
8/17/2021	0.00029 (J)	<0.0025		<0.0025		<0.0025			
8/18/2021			<0.0025		<0.0025		<0.0025		

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.0025	<0.0025
2/9/2022	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		
2/10/2022			<0.0025						<0.0025
2/11/2022								<0.0025	
8/17/2022	0.00027 (J)	<0.0025							
8/18/2022			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025
8/19/2022								<0.0025	

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025								
5/12/2016		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			0.000742 (J)
5/13/2016							<0.0025	<0.0025	
6/28/2016	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
6/29/2016						<0.0025		0.0002 (J)	0.0007 (J)
6/30/2016							0.0003 (J)		
8/18/2016	<0.0025	<0.0025	<0.0025	0.00037 (J)	<0.0025	<0.0025			
8/22/2016							<0.0025	<0.0025	0.00074 (J)
10/17/2016	<0.0025	<0.0025	<0.0025						
10/18/2016				<0.0025	<0.0025			<0.0025	0.00075 (J)
10/19/2016						<0.0025	<0.0025		
12/6/2016	<0.0025	<0.0025							
12/7/2016			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
12/8/2016								<0.0025	0.00093 (J)
2/15/2017	<0.0025	<0.0025	<0.0025	0.00037 (J)		<0.0025			
2/16/2017						<0.0025	<0.0025	<0.0025	0.00091 (J)
4/12/2017	<0.0025	<0.0025	<0.0025	0.00035 (J)					
4/13/2017						<0.0025	<0.0025	<0.0025	0.00065 (J)
6/27/2017	<0.0025	<0.0025	<0.0025	0.0004 (J)	<0.0025	<0.0025			
6/28/2017							<0.0025	<0.0025	0.00073 (J)
3/27/2018	<0.0025	<0.0025	<0.0025	0.00041 (J)	<0.0025	<0.0025			
3/28/2018							0.00036 (J)	<0.0025	0.00079 (J)
6/6/2018	<0.0025								
6/7/2018		<0.0025	<0.0025	0.00038 (J)	<0.0025	<0.0025			0.00086 (J)
6/8/2018							0.00035 (J)	<0.0025	
10/8/2018	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025			
10/9/2018								<0.0025	
10/16/2018				0.0004 (J)					
10/18/2018							<0.0025		0.00079 (J)
2/20/2019	<0.0025	<0.0025	<0.0025	0.00042 (J)	<0.0025	<0.0025	0.00033 (J)	0.00016 (J)	0.00077 (J)
4/1/2019	<0.0025	<0.0025	<0.0025	0.00034 (J)					
4/2/2019						<0.0025	<0.0025	<0.0025	0.00043 (J)
9/16/2019	<0.0025								
9/17/2019		<0.0025	<0.0025	0.00046 (J)	<0.0025	<0.0025	0.00035 (J)	<0.0025	0.00057 (J)
2/18/2020									0.00052 (J)
2/19/2020	<0.0025	<0.0025	<0.0025	0.00045 (J)	<0.0025	<0.0025		<0.0025	
2/20/2020							0.00049 (J)		
3/23/2020								<0.0025	0.00077 (J)
3/24/2020						<0.0025			
3/26/2020	<0.0025						0.00033 (J)		
3/27/2020		<0.0025	0.00053 (J)	0.00059 (J)	<0.0025				
9/14/2020	<0.0025	<0.0025							
9/15/2020			0.0002 (J)	0.00053 (J)	<0.0025	<0.0025	0.0003 (J)	0.00018 (J)	0.00078 (J)
2/9/2021	<0.0025	<0.0025	<0.0025	0.00044 (J)	<0.0025				
2/10/2021						0.00028 (J)	0.00036 (J)	0.00019 (J)	0.0009 (J)
3/30/2021							0.00025 (J)	0.00018 (J)	0.00058 (J)
3/31/2021				0.00045 (J)					
4/1/2021					<0.0025	<0.0025			
4/6/2021			<0.0025						
4/7/2021	<0.0025	<0.0025							
8/18/2021						<0.0025	0.00035 (J)		
8/19/2021		<0.0025	<0.0025	0.00033 (J)	<0.0025			<0.0025	0.00091 (J)

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.0025								
2/10/2022	<0.0025				<0.0025		<0.0025		
2/11/2022		<0.0025		0.0004 (J)		<0.0025		<0.0025	0.00074 (J)
2/14/2022			<0.0025						
8/18/2022	<0.0025	<0.0025							
8/19/2022			<0.0025	0.00039 (J)					
8/22/2022								<0.0025	0.00062 (J)
8/23/2022							<0.0025		
8/31/2022					<0.0025	<0.0025			

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.0025	<0.0025	<0.0025	<0.0025		
5/12/2016	<0.0025	<0.0025	<0.0025						
6/27/2016				<0.0025	<0.0025	<0.0025			
6/29/2016	<0.0025	<0.0025	<0.0025				<0.0025		
8/17/2016				<0.0025	<0.0025	<0.0025			
8/19/2016		<0.0025	<0.0025						
8/22/2016	<0.0025						<0.0025		
10/17/2016				<0.0025		<0.0025			
10/18/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
12/6/2016				<0.0025	<0.0025	<0.0025			
12/7/2016	<0.0025	<0.0025	<0.0025				<0.0025		
2/14/2017				<0.0025	<0.0025	<0.0025			
2/15/2017			<0.0025						
2/16/2017	<0.0025	<0.0025					<0.0025		
4/12/2017				<0.0025	<0.0025	<0.0025			
4/13/2017	<0.0025	<0.0025	<0.0025				<0.0025		
6/27/2017				<0.0025	<0.0025	<0.0025	<0.0025		
6/28/2017	<0.0025	<0.0025	<0.0025						
3/27/2018			<0.0025	<0.0025	<0.0025	<0.0025			
3/28/2018	<0.0025	<0.0025					<0.0025		
6/6/2018				<0.0025	<0.0025	<0.0025	<0.0025		
6/7/2018	<0.0025	<0.0025	<0.0025						
10/8/2018	<0.0025	<0.0025	<0.0025	<0.0025					
10/9/2018					<0.0025	<0.0025	<0.0025		
10/18/2018								<0.0025	<0.0025
2/19/2019		<0.0025	<0.0025						
2/20/2019	<0.0025			<0.0025	<0.0025	<0.0025	<0.0025		
4/1/2019					<0.0025	<0.0025	<0.0025		
4/2/2019	<0.0025	<0.0025	<0.0025	<0.0025					
9/16/2019				<0.0025			<0.0025		
9/17/2019	<0.0025				<0.0025	0.00019 (J)			
9/18/2019		<0.0025	<0.0025						
2/18/2020	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
2/19/2020							<0.0025		
3/23/2020	<0.0025								
3/24/2020		<0.0025	<0.0025						
3/25/2020				0.0002 (J)		0.0003 (J)	<0.0025		
3/26/2020					<0.0025				
9/14/2020				<0.0025	<0.0025	<0.0025	<0.0025		
9/15/2020	<0.0025	0.00033 (J)	<0.0025						
2/9/2021				<0.0025	<0.0025	<0.0025	<0.0025		
2/10/2021	<0.0025	<0.0025	<0.0025						
3/30/2021	<0.0025								
3/31/2021		<0.0025	<0.0025				<0.0025		
4/1/2021				<0.0025	<0.0025	<0.0025			
8/18/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
8/19/2021							<0.0025		
2/9/2022				<0.0025	<0.0025			<0.0025	<0.0025
2/10/2022		<0.0025	<0.0025			<0.0025	<0.0025		
2/11/2022	<0.0025								
8/18/2022					<0.0025	<0.0025	<0.0025		
8/19/2022				<0.0025					

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	<0.0025	<0.0025	<0.0025						
8/24/2022								<0.0025	<0.0025

Time Series

Constituent: Beryllium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.0025				
10/17/2018	<0.0025							
10/18/2018					<0.0025	<0.0025	<0.0025	
2/8/2022		<0.0025	<0.0025					
2/9/2022	<0.0025			<0.0025	<0.0025		<0.0025	
2/10/2022						<0.0025		<0.0025
8/22/2022							<0.0025	
8/23/2022	<0.0025	<0.0025				<0.0025		
8/24/2022			<0.0025	<0.0025	<0.0025			<0.0025

Time Series

Constituent: Boron, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.08	<0.08	<0.08	<0.08	<0.08		<0.08		
5/11/2016						<0.08		0.0275 (J)	0.242
6/23/2016	<0.08	<0.08	<0.08				<0.08		
6/24/2016					0.0109 (J)	0.0067 (J)			
6/27/2016				0.0052 (J)					
6/28/2016								0.035 (J)	0.245
8/16/2016	<0.08	<0.08	<0.08		<0.08		<0.08		
8/17/2016				<0.08		<0.08		0.028 (J)	0.26
10/13/2016	<0.08		<0.08						
10/14/2016		<0.08		<0.08	<0.08		<0.08		
10/17/2016						<0.08		0.032 (J)	0.25
12/5/2016			<0.08						
12/6/2016	<0.08	<0.08		<0.08	<0.08	<0.08	<0.08	<0.05	0.27
2/14/2017	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08		
2/15/2017								0.035 (J)	0.28
4/10/2017			<0.08						
4/11/2017	<0.08	<0.08		<0.08	<0.08	<0.08	<0.08		
4/12/2017								0.052	0.29
6/26/2017	<0.08	<0.08	<0.08		<0.08	<0.08	<0.08		
6/27/2017				<0.08				<0.05	0.29
10/10/2017	<0.08	<0.08	<0.08						
10/11/2017				<0.08	<0.08	<0.08	<0.08		0.31
10/12/2017								0.049 (J)	
6/5/2018	<0.08	<0.08	<0.08	<0.08			<0.08		
6/6/2018					<0.08	<0.08		0.07	0.37
10/16/2018									0.35
12/13/2018	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08		
12/17/2018								0.098	
3/28/2019				<0.08	<0.08	<0.08	<0.08		
3/29/2019	<0.08	<0.08	<0.08						
4/1/2019								0.16	0.46
9/12/2019							<0.08		
9/13/2019			<0.08						
9/16/2019	0.13	0.089		<0.08	0.05	<0.08			0.39
9/17/2019								0.077	
3/17/2020		<0.08		<0.08	<0.08		<0.08		
3/18/2020	<0.08		<0.08			<0.08			
3/25/2020								0.12	0.45
9/14/2020	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	0.082	0.43
3/30/2021	0.041 (J)	0.045 (J)	0.072 (J)						
3/31/2021					<0.08	<0.08	<0.08	0.15	
4/7/2021				<0.08					0.68
8/17/2021	<0.08	<0.08		<0.08		<0.08			
8/18/2021			<0.08		<0.08		<0.08		
8/19/2021								0.091	0.54
2/9/2022	<0.08	<0.08		<0.08	<0.08	<0.08	<0.08		
2/10/2022			<0.08						0.53
2/11/2022								0.09	
8/17/2022	<0.08	<0.08							
8/18/2022			<0.08	<0.08	0.072 (J)	<0.08	<0.08		0.57
8/19/2022								0.083	

Time Series

Constituent: Boron, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.08								
5/12/2016		0.599	1.38	1.57	0.562	0.195			1.99
5/13/2016							3.71	1.87	
6/28/2016	0.0054 (J)	0.52	1.29	1.36	0.546				
6/29/2016						0.198 (J)		1.67	1.88
6/30/2016							3.8		
8/18/2016	<0.08	0.51	1.3	1.5	0.54	0.24			
8/22/2016							3.3	1.7	2
10/17/2016	<0.08	0.58	1.6						
10/18/2016				1.9	0.55			2.1	2.5
10/19/2016						0.37	4.5		
12/6/2016	<0.08	0.5							
12/7/2016			1.5	1.5	0.56	0.4	4.8		
12/8/2016								1.7	1.9
2/15/2017	<0.08	0.5	1.5	1.5		0.38			
2/16/2017					0.58		3.9	2.3	2.3
4/12/2017	<0.08	0.47	1.4	1.7					
4/13/2017					0.56	0.34	3.8	1.9	2
6/27/2017	<0.08	0.51	1.6	1.7	0.56	0.33			
6/28/2017							3.6	1.9	2.3
10/11/2017	<0.08	0.49	1.5						
10/12/2017				1.6	0.57	0.47	3.9	1.9	2.6
6/6/2018	<0.08								
6/7/2018		0.45	1.6	1.7	0.59	0.35			2.1
6/8/2018							4.3	1.8	
10/16/2018				1.5					
10/18/2018							4.9		2.3
12/14/2018	<0.08	0.47	1.4			0.44			
12/17/2018					0.55			1.8	
4/1/2019	<0.08	0.57	1.7	1.6					
4/2/2019					0.53	0.32	5.3	2	2
9/16/2019	<0.08								
9/17/2019		0.43	1.4	1.4	0.55	0.43	5	1.8	1.8
3/23/2020								1.7	1.9
3/24/2020						0.37			
3/26/2020	<0.08						6		
3/27/2020		0.49	1.5	1.4	0.59				
9/14/2020	<0.08	0.49							
9/15/2020			1.5	1.4	0.57	0.38	6.2	1.9	1.8
3/30/2021							6.4	1.9	1.6
3/31/2021				1.4					
4/1/2021					0.55	0.31			
4/6/2021			1.6						
4/7/2021	<0.08	0.59							
8/18/2021						0.32	6.6		
8/19/2021		0.59	1.7	1.6	0.72			2.1	1.9
8/20/2021	0.043 (J)								
2/10/2022	<0.08				0.63		6.4		
2/11/2022		0.48		1.2		0.27		1.7	1.5
2/14/2022			1.5						
8/18/2022	0.061 (J)	0.55							
8/19/2022			1.4	1.3					

Time Series

Constituent: Boron, total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/22/2022									
8/23/2022							6.8	1.7	1.6
8/31/2022					0.67	0.31			

Time Series

Constituent: Boron, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.08	0.0359 (J)	0.0678 (J)	1.54		
5/12/2016	1.4	0.411	0.691						
6/27/2016				0.0051 (J)	0.0354 (J)	0.0767 (J)			
6/29/2016	1.25	0.373 (J)	0.557				1.52		
8/17/2016				<0.08	0.039 (J)	0.067			
8/19/2016		0.37	0.58						
8/22/2016	1.3						1.6		
10/17/2016				<0.08		0.059			
10/18/2016	1.7	0.41	0.68		0.039 (J)		2.4		
12/6/2016				<0.08	0.03 (J)	0.054			
12/7/2016	1.3	0.36	0.6				1.6		
2/14/2017				<0.08	0.031 (J)	0.063			
2/15/2017			0.82						
2/16/2017	1.4	0.38 (J)					1.6		
4/12/2017				<0.08	0.039 (J)	0.068			
4/13/2017	1.4	0.4	0.54				1.7		
6/27/2017				<0.08	0.028 (J)	0.067	1.8		
6/28/2017	1.4	0.35	0.59						
10/11/2017				<0.08	0.026 (J)				
10/12/2017	1.4	0.4	0.54			0.075	1.8		
6/6/2018				<0.08	<0.08	0.059	1.8		
6/7/2018	1.4	0.41	0.71						
10/18/2018								3.5	0.82
12/14/2018				<0.08	<0.08	0.064			
12/17/2018	1.2	0.4	0.6				1.6		
4/1/2019					0.025 (J)	0.076	1.7		
4/2/2019	1.2	0.44	0.52	<0.08					
9/16/2019				0.04 (J)			1.6		
9/17/2019	1.1				<0.08	0.11			
9/18/2019		0.52	0.54						
2/13/2020								3.4	
3/23/2020	0.83								
3/24/2020		0.34	0.55						
3/25/2020				<0.08		0.089	1.6		
3/26/2020					0.055 (J)				
9/14/2020				<0.08	<0.08	0.1	1.7		
9/15/2020	1.2	0.5	0.38						
3/30/2021	1.1								
3/31/2021		0.47	0.51				1.5		
4/1/2021				<0.08	0.069 (J)	0.14			
4/5/2021								3.2	
8/18/2021	1.1	0.44	0.42	<0.08	0.047 (J)	0.14			
8/19/2021							1.5	2.2	
2/9/2022				<0.08	<0.08			3.2	0.9
2/10/2022		0.54	0.45			0.16	1.3		
2/11/2022	1								
8/18/2022					0.1	0.14	1.4		
8/19/2022				<0.08					
8/22/2022	1.2	0.57	0.46						
8/24/2022								3.2	1.1

Time Series

Constituent: Boron, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.08				
10/17/2018	<0.08							
10/18/2018					0.067	3.8	2.6	
2/8/2022		<0.08	<0.08					
2/9/2022	<0.08			<0.08	0.16		2.7	
2/10/2022						4.1		0.44
8/22/2022							2.7	
8/23/2022	<0.08	<0.08				4.8		
8/24/2022			<0.08	0.083	0.2			0.43

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.000156 (J)	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025		
5/11/2016						<0.0025		<0.0025	<0.0025
6/23/2016	<0.0025	<0.0025	<0.0025				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				<0.0025					
6/28/2016								<0.0025	<0.0025
8/16/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
8/17/2016				<0.0025		<0.0025		<0.0025	<0.0025
10/13/2016	<0.0025		<0.0025						
10/14/2016		<0.0025		<0.0025	<0.0025		<0.0025		
10/17/2016						<0.0025		<0.0025	<0.0025
12/5/2016			<0.0025						
12/6/2016	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/14/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
2/15/2017								<0.0025	<0.0025
4/10/2017			<0.0025						
4/11/2017	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	0.0011 (J)		
4/12/2017								<0.0025	<0.0025
6/26/2017	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				<0.0025				<0.0025	<0.0025
3/26/2018	<0.0025	<0.0025	<0.0025		<0.0025				
3/27/2018				<0.0025		<0.0025	<0.0025	<0.0025	<0.0025
10/5/2018	<0.0025	<0.0025	<0.0025		<0.0025				
10/8/2018				<0.0025		<0.0025	<0.0025		
10/9/2018								<0.0025	
10/16/2018									<0.0025
2/18/2019	<0.0025	<0.0025				<0.0025			
2/19/2019			<0.0025	<0.0025	<0.0025		<0.0025		
2/20/2019								<0.0025	<0.0025
3/28/2019				<0.0025	<0.0025	<0.0025	<0.0025		
3/29/2019	<0.0025	<0.0025	<0.0025						
4/1/2019								<0.0025	<0.0025
9/12/2019							<0.0025		
9/13/2019			<0.0025						
9/16/2019	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025			<0.0025
9/17/2019								<0.0025	
2/13/2020	<0.0025	<0.0025	<0.0025						
2/17/2020				<0.0025			<0.0025		
2/18/2020					<0.0025	<0.0025			<0.0025
2/19/2020								<0.0025	
3/17/2020		<0.0025		<0.0025	<0.0025		<0.0025		
3/18/2020	<0.0025		<0.0025			<0.0025			
3/25/2020								<0.0025	<0.0025
9/14/2020	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
3/30/2021	<0.0025	<0.0025	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	<0.0025	
4/7/2021				<0.0025					<0.0025
8/17/2021	<0.0025	<0.0025		<0.0025		<0.0025			
8/18/2021			<0.0025		<0.0025		<0.0025		
8/19/2021								<0.0025	0.00022 (J)
2/9/2022	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025	<0.0025		

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
2/10/2022			<0.0025						<0.0025
2/11/2022								<0.0025	
8/17/2022	<0.0025	<0.0025							
8/18/2022			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		<0.0025
8/19/2022								<0.0025	

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025								
5/12/2016		<0.0025	0.000136 (J)	0.000265 (J)	<0.0025	<0.0025			0.000108 (J)
5/13/2016							0.00016 (J)	<0.0025	
6/28/2016	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
6/29/2016						<0.0025		<0.0025	0.0001 (J)
6/30/2016							0.0002 (J)		
8/18/2016	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
8/22/2016							<0.0025	<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025	<0.0025						
10/18/2016				<0.0025	<0.0025			<0.0025	<0.0025
10/19/2016						<0.0025	<0.0025		
12/6/2016	<0.0025	<0.0025							
12/7/2016			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
12/8/2016								<0.0025	<0.0025
2/15/2017	<0.0025	<0.0025	<0.0025	0.00044 (J)		<0.0025			
2/16/2017						<0.0025	<0.0025	0.00036 (J)	<0.0025
4/12/2017	<0.0025	<0.0025	<0.0025	<0.0025					
4/13/2017						<0.0025	<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/28/2017							<0.0025	<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
3/28/2018							<0.0025	<0.0025	<0.0025
10/8/2018	<0.0025	<0.0025	<0.0025		<0.0025	<0.0025			
10/9/2018								<0.0025	
10/16/2018				<0.0025					
10/18/2018							<0.0025		<0.0025
2/20/2019	<0.0025	<0.0025	<0.0025	0.00033 (J)	<0.0025	<0.0025	0.00023 (J)	<0.0025	<0.0025
4/1/2019	<0.0025	<0.0025	<0.0025	<0.0025					
4/2/2019					<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
9/16/2019	<0.0025								
9/17/2019		<0.0025	<0.0025	0.00034 (J)	<0.0025	<0.0025	0.00018 (J)	<0.0025	<0.0025
2/18/2020									<0.0025
2/19/2020	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025	<0.0025		<0.0025	
2/20/2020							0.00032 (J)		
3/23/2020								<0.0025	<0.0025
3/24/2020						<0.0025			
3/26/2020	<0.0025						<0.0025		
3/27/2020		<0.0025	0.00057 (J)	0.00042 (J)	<0.0025				
9/14/2020	<0.0025	<0.0025							
9/15/2020			<0.0025	0.00032 (J)	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	<0.0025	0.0003 (J)	<0.0025				
2/10/2021						<0.0025	0.00035 (J)	<0.0025	<0.0025
3/30/2021							<0.0025	<0.0025	<0.0025
3/31/2021				0.00027 (J)					
4/1/2021					<0.0025	<0.0025			
4/6/2021			<0.0025						
4/7/2021	<0.0025	<0.0025							
8/18/2021						<0.0025	<0.0025		
8/19/2021		<0.0025	<0.0025	0.00026 (J)	<0.0025			<0.0025	<0.0025
8/20/2021	<0.0025								
2/10/2022	<0.0025				<0.0025		<0.0025		
2/11/2022		<0.0025		0.00024 (J)		<0.0025		<0.0025	<0.0025

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/14/2022			<0.0025						
8/18/2022	<0.0025	<0.0025							
8/19/2022			<0.0025	0.00024 (J)					
8/22/2022								<0.0025	<0.0025
8/23/2022							<0.0025		
8/31/2022					<0.0025	<0.0025			

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.0025	<0.0025	<0.0025	<0.0025		
5/12/2016	<0.0025	<0.0025	<0.0025						
6/27/2016				<0.0025	<0.0025	<0.0025			
6/29/2016	<0.0025	<0.0025	<0.0025				<0.0025		
8/17/2016				<0.0025	<0.0025	<0.0025			
8/19/2016		<0.0025	<0.0025						
8/22/2016	<0.0025						<0.0025		
10/17/2016				<0.0025		<0.0025			
10/18/2016	<0.0025	<0.0025	<0.0025		<0.0025		<0.0025		
12/6/2016				<0.0025	<0.0025	<0.0025			
12/7/2016	<0.0025	<0.0025	<0.0025				<0.0025		
2/14/2017				<0.0025	<0.0025	<0.0025			
2/15/2017			<0.0025						
2/16/2017	0.00039 (J)	<0.0025					<0.0025		
4/12/2017				<0.0025	<0.0025	<0.0025			
4/13/2017	<0.0025	<0.0025	<0.0025				<0.0025		
6/27/2017				<0.0025	<0.0025	<0.0025	<0.0025		
6/28/2017	<0.0025	<0.0025	<0.0025						
3/27/2018			<0.0025	<0.0025	<0.0025	<0.0025			
3/28/2018	<0.0025	<0.0025					<0.0025		
10/8/2018	<0.0025	<0.0025	<0.0025	<0.0025					
10/9/2018					<0.0025	<0.0025	<0.0025		
2/19/2019		<0.0025	<0.0025						
2/20/2019	<0.0025			<0.0025	<0.0025	<0.0025	<0.0025		
4/1/2019					<0.0025	<0.0025	<0.0025		
4/2/2019	<0.0025	<0.0025	<0.0025	<0.0025					
9/16/2019				<0.0025			<0.0025		
9/17/2019	<0.0025				<0.0025	<0.0025			
9/18/2019		<0.0025	<0.0025						
2/18/2020	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
2/19/2020							<0.0025		
3/23/2020	<0.0025								
3/24/2020		<0.0025	<0.0025						
3/25/2020				0.00022 (J)		0.00031 (J)	<0.0025		
3/26/2020					<0.0025				
9/14/2020				<0.0025	<0.0025	<0.0025	<0.0025		
9/15/2020	<0.0025	<0.0025	<0.0025						
2/9/2021				<0.0025	<0.0025	<0.0025	<0.0025		
2/10/2021	<0.0025	<0.0025	<0.0025						
3/30/2021	<0.0025								
3/31/2021		<0.0025	<0.0025				<0.0025		
4/1/2021				<0.0025	<0.0025	<0.0025			
8/18/2021	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
8/19/2021							<0.0025		
2/9/2022				<0.0025	<0.0025			<0.0025	<0.0025
2/10/2022		<0.0025	<0.0025			<0.0025	<0.0025		
2/11/2022	<0.0025								
8/18/2022					<0.0025	<0.0025	<0.0025		
8/19/2022				<0.0025					
8/22/2022	<0.0025	<0.0025	<0.0025						
8/24/2022								<0.0025	<0.0025

Time Series

Constituent: Cadmium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022		<0.0025	<0.0025					
2/9/2022	<0.0025			<0.0025	<0.0025		<0.0025	
2/10/2022						<0.0025		<0.0025
8/22/2022							<0.0025	
8/23/2022	<0.0025	<0.0025				<0.0025		
8/24/2022			<0.0025	<0.0025	<0.0025			<0.0025

Time Series

Constituent: Calcium, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	23.1								
5/12/2016		16.6	37.7	14.5	0.75	34.8			13.2
5/13/2016							56.9	35.3	
6/28/2016	21	14.4	35.8	14.7	0.768				
6/29/2016						33.1		34.6	15.8
6/30/2016							46.4		
8/18/2016	20	15	37	15	0.7	35			
8/22/2016							48	38	15
10/17/2016	21	15	37						
10/18/2016				16	0.75			36	14
10/19/2016						38.5 (D)	51		
12/6/2016	21	14							
12/7/2016			38	15	0.73	39	50		
12/8/2016								36	11
2/15/2017	23	17	45	17		44			
2/16/2017					0.81		51	41	14
4/12/2017	23	16	39	14					
4/13/2017					0.88	45	35	39	17
6/27/2017	22	15	38	16	0.76	42			
6/28/2017							36	36	15
10/11/2017	23	16	44						
10/12/2017				17	1.1	48	43	39	17
6/6/2018	22								
6/7/2018		15	44	16	0.84	49			11
6/8/2018							90	37	
10/16/2018				16					
10/18/2018							100		
12/14/2018	21	16	37			46			12
12/17/2018					0.94			42	
4/1/2019	20	17	39	16					
4/2/2019					0.92	46	89	38	14
9/16/2019	23								
9/17/2019		17	38	17	1	51	87	44	14
3/23/2020								46	13
3/24/2020						58			
3/26/2020	22						81		
3/27/2020		18	41	17	1.5				
9/14/2020	22	19							
9/15/2020			40	17	1.1	54	74	47	14
3/30/2021							68	50	14
3/31/2021				17					
4/1/2021					1.2	57			
4/6/2021			42						
4/7/2021	23	19							
8/18/2021						55	55		
8/19/2021		20	40	17	1.1			45	12
8/20/2021	23								
2/10/2022	23				1.2		55		
2/11/2022		19		16		58		46	13
2/14/2022			41						
8/18/2022	22	21							
8/19/2022			39	17					

Time Series

Constituent: Calcium, total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/22/2022								42	13
8/23/2022							52		
8/31/2022					1.2	58			

Time Series

Constituent: Calcium, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				21				
10/17/2018	22							
10/18/2018					33	120	64	
2/8/2022		4	4.7					
2/9/2022	22			20	35		68	
2/10/2022						150		46
8/22/2022							64	
8/23/2022	24	4.6				150		
8/24/2022			5	21	35			47

Time Series

Constituent: Chloride, Total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	9.04								
5/12/2016		6.29	11.1	9.47	8.56	9.11			10.8
5/13/2016							4.87	8.16	
6/28/2016	8.8	5.4	10	9.8	7.8				
6/29/2016						8.3		7.6	11
6/30/2016							4.7		
8/18/2016	9.3	5.8	11	10	8.5	8.8			
8/22/2016							5	8.2	11
10/17/2016	8.3	5.4	11						
10/18/2016				9.4	8			7.7	10
10/19/2016						8.3	5.1		
12/6/2016	8.9	5.6							
12/7/2016			11	9.8	8	8.4	5.6		
12/8/2016								7.8	9.7
2/15/2017	8.7	5.4	11	9.8		8.1			
2/16/2017					7.7		7.4	7.4	9.8
4/12/2017	8.6	5.6	10	9.2					
4/13/2017					7.5	7.9	8.9	7.5	10
6/27/2017	9.3	5.9	11	9.5	8	8.3			
6/28/2017							10	7.9	12
10/11/2017	8.8	5.7	10						
10/12/2017				9.2	7.6	8	7.4	7.4	11
6/6/2018	8.8								
6/7/2018		6.2	10	9.3	7.7	8			9.9
6/8/2018							9	7.2	
10/16/2018				10					
10/18/2018							16		11
12/14/2018	9.1	7.5	10			8.1			
12/17/2018					8.1			7.3	
4/1/2019	9	7.7	9.9	9.2					
4/2/2019					8.2	8.2	15	7.3	11
9/16/2019	9.3								
9/17/2019		8.4	11	10	8.4	8.3	13	7.4	11
3/23/2020								7.7	10
3/24/2020						7.8			
3/26/2020	9.4						12		
3/27/2020		9	11	10	8.5				
9/14/2020	10	11							
9/15/2020			11	10	8.6	8.4	11	7.7	11
3/30/2021							11	8.3	9.9
3/31/2021				11					
4/1/2021					9.2	9.2			
4/6/2021			11						
4/7/2021	9	10							
8/18/2021						8.9	15		
8/19/2021		12	11	11	9.5			9.4	10
8/20/2021	9.9								
2/10/2022	10				9.8		19		
2/11/2022		12		12		8.4		10	9.6
2/14/2022			14						
8/18/2022	9.5	12							
8/19/2022			13	11					

Time Series

Constituent: Chloride, Total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/22/2022									
8/23/2022							16	9.6	9.4
8/31/2022					9.6	8			

Time Series

Constituent: Chloride, Total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				4.3				
10/17/2018	8.3							
10/18/2018					5.5	9.3	12	
2/8/2022		4.1	8.9					
2/9/2022	5.8			2.5	6.9		11	
2/10/2022						10		12
8/22/2022							12	
8/23/2022	6.1	3.9				8.7		
8/24/2022			9.3	2.7	7			10

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.002	0.0142	0.00393 (J)	<0.005	0.00634 (J)		<0.002		
5/11/2016						0.00217 (J)		<0.002	<0.002
6/23/2016	<0.002	0.0118	0.0027 (J)				<0.002		
6/24/2016					0.0053 (J)	0.0015 (J)			
6/27/2016				<0.005					
6/28/2016								<0.002	<0.002
8/16/2016	<0.002	0.0099	0.0038		0.0071		<0.002		
8/17/2016				<0.005		0.0011 (J)		<0.002	<0.002
10/13/2016	<0.002		0.0031						
10/14/2016		0.0045		<0.005	0.0067		0.0012 (J)		
10/17/2016						0.0032		<0.002	<0.002
12/5/2016			0.0027						
12/6/2016	<0.002	0.0043		<0.005	0.0063	0.0028	<0.002	<0.002	<0.002
2/14/2017	<0.002	0.014	0.0037	<0.005	0.0076	0.0046	<0.002		
2/15/2017								<0.002	<0.002
4/10/2017			0.0037						
4/11/2017	<0.002	0.014		<0.005	0.0098	0.005	<0.002		
4/12/2017								<0.002	<0.002
6/26/2017	<0.002	0.014	0.0047		0.012	0.0061	0.0021 (J)		
6/27/2017				<0.005				<0.002	<0.002
3/26/2018	<0.002	0.013	0.0042		0.012				
3/27/2018				<0.005		0.0058	<0.002	<0.002	<0.002
6/5/2018	0.0014 (J)	0.014	0.0046	<0.005			<0.002		
6/6/2018					0.015	0.0048		<0.002	<0.002
10/5/2018	0.0014 (J)	0.016	0.0058		0.015				
10/8/2018				<0.005		0.0098	0.0011 (J)		
10/9/2018								<0.002	
10/16/2018									<0.002
2/18/2019	0.0017 (J)	0.012				0.0059			
2/19/2019			0.0038	<0.005	0.014		<0.002		
2/20/2019								<0.002	<0.002
3/28/2019				<0.005	0.013	0.0046	<0.002		
3/29/2019	0.0017 (J)	0.014	0.0043						
4/1/2019								<0.002	<0.002
9/12/2019							0.0023 (J)		
9/13/2019			0.0056						
9/16/2019	0.0017 (J)	0.014		0.0015 (J)	0.019	0.0064			<0.002
9/17/2019								<0.002	
2/13/2020	<0.002	0.011	0.0036						
2/17/2020				<0.005			<0.002		
2/18/2020					0.02	0.0062			<0.002
2/19/2020								<0.002	
3/17/2020		0.014		<0.005	0.018		<0.002		
3/18/2020	0.0024		0.0047			0.0047			
3/25/2020								<0.002	<0.002
5/19/2020	<0.002	0.014	0.0051	<0.005	0.021	0.0058	<0.002		
9/14/2020	<0.002	0.014	0.005	0.0021	0.018	0.0054	<0.002	<0.002	<0.002
2/9/2021	<0.002	0.014	0.0052	0.0023	0.019	0.0053	<0.002	<0.002	<0.002
3/30/2021	0.0026	0.014	0.0047						
3/31/2021					0.018	0.0037	<0.002	<0.002	
4/7/2021				0.0024					<0.002
8/17/2021	<0.002	0.013		0.0047		0.0053			

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/18/2021			0.0056		0.02		<0.002		
8/19/2021								<0.002	<0.002
2/9/2022	0.0017 (J)	0.014		0.0023	0.019	0.0048	<0.002		
2/10/2022			0.0048						<0.002
2/11/2022								<0.002	
8/17/2022	0.0016 (J)	0.013							
8/18/2022			0.004	0.0028	0.018	0.0064	0.0022		<0.002
8/19/2022								<0.002	

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.002								
5/12/2016		<0.002	<0.002	0.0335	0.00943 (J)	0.0077 (J)			<0.002
5/13/2016							0.00771 (J)	0.0151	
6/28/2016	<0.002	<0.002	0.0008 (J)	0.0339	0.0093 (J)				
6/29/2016						0.0036 (J)		0.0141	0.0009 (J)
6/30/2016							0.007 (J)		
8/18/2016	<0.002	<0.002	<0.002	0.034	0.0085	0.0027			
8/22/2016							0.007	0.015	<0.002
10/17/2016	0.0023 (J)	<0.002	0.0012 (J)						
10/18/2016				0.033	0.0088			0.013	<0.002
10/19/2016						0.00335 (JD)	0.0064		
12/6/2016	<0.002	<0.002							
12/7/2016			0.0012 (J)	0.032	0.0079	0.0027	0.0063		
12/8/2016								0.013	<0.002
2/15/2017	<0.002	<0.002	<0.002	0.03		0.0044			
2/16/2017					0.0097		0.007	0.015	<0.002
4/12/2017	<0.002	<0.002	<0.002	0.035					
4/13/2017					0.0098	0.0047	0.0061	0.016	<0.002
6/27/2017	<0.002	<0.002	<0.002	0.035	0.0096	0.0029			
6/28/2017							0.0059	0.016	<0.002
3/27/2018	<0.002	<0.002	<0.002	0.031	0.0098	0.0045			
3/28/2018							0.0082	0.014	<0.002
6/6/2018	<0.002								
6/7/2018		<0.002	<0.002	0.032	0.01	0.0083			<0.002
6/8/2018							0.0086	0.015	
10/8/2018	<0.002	<0.002	<0.002		0.013	0.0055			
10/9/2018								0.017	
10/16/2018				0.032					
10/18/2018							0.009		<0.002
2/20/2019	<0.002	<0.002	0.0016 (J)	0.038	0.013	0.0061	0.011	0.017	<0.002
4/1/2019	<0.002	<0.002	<0.002	0.032					
4/2/2019					0.01	0.004	0.0092	0.014	<0.002
9/16/2019	<0.002								
9/17/2019		0.0017 (J)	0.0026	0.037	0.013	0.0078	0.011	0.017	0.0022 (J)
2/18/2020									<0.002
2/19/2020	<0.002	<0.002	<0.002	0.038	0.014	0.0045		0.017	
2/20/2020							0.011		
3/23/2020								0.015	<0.002
3/24/2020						0.0079			
3/26/2020	<0.002						0.0096		
3/27/2020		<0.002	0.0019 (J)	0.034	0.011				
9/14/2020	<0.002	<0.002							
9/15/2020			<0.002	0.034	0.012	0.0091	0.01	0.015	<0.002
2/9/2021	<0.002	<0.002	<0.002	0.035	0.012				
2/10/2021						0.008	0.01	0.015	<0.002
3/30/2021							0.0098	0.014	<0.002
3/31/2021				0.034					
4/1/2021					0.012	0.0046			
4/6/2021			<0.002						
4/7/2021	<0.002	<0.002							
8/18/2021						0.012	0.019		
8/19/2021		<0.002	<0.002	0.032	0.011			0.014	<0.002

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.002								
2/10/2022	<0.002				0.012		0.01		
2/11/2022		<0.002		0.032		0.0079		0.015	<0.002
2/14/2022			<0.002						
8/18/2022	<0.002	<0.002							
8/19/2022			0.0066	0.032					
8/22/2022								0.013	<0.002
8/23/2022							0.0095		
8/31/2022					0.012	0.0088			

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.002	<0.002	<0.002	<0.002		
5/12/2016	<0.002	<0.002	<0.002						
6/27/2016				<0.002	<0.002	<0.002			
6/29/2016	0.0012 (J)	0.0007 (J)	0.0013 (J)				<0.002		
8/17/2016				<0.002	<0.002	<0.002			
8/19/2016		<0.002	<0.002						
8/22/2016	<0.002							<0.002	
10/17/2016				<0.002		<0.002			
10/18/2016	<0.002	<0.002	<0.002		<0.002		<0.002		
12/6/2016				<0.002	<0.002	<0.002			
12/7/2016	<0.002	<0.002	<0.002				<0.002		
2/14/2017				<0.002	<0.002	<0.002			
2/15/2017			<0.002						
2/16/2017	<0.002	<0.002						<0.002	
4/12/2017				<0.002	<0.002	0.0011 (J)			
4/13/2017	<0.002	<0.002	0.0014 (J)				<0.002		
6/27/2017				<0.002	<0.002	<0.002	<0.002		
6/28/2017	<0.002	<0.002	0.0025						
3/27/2018			0.0012 (J)	<0.002	<0.002	0.0012 (J)			
3/28/2018	<0.002	<0.002					<0.002		
6/6/2018				<0.002	<0.002	0.0013 (J)	<0.002		
6/7/2018	<0.002	<0.002	<0.002						
10/8/2018	<0.002	0.0012 (J)	0.0017 (J)	<0.002					
10/9/2018					<0.002	0.0016 (J)	<0.002		
10/18/2018								<0.0025	<0.002
2/19/2019		<0.002	<0.002						
2/20/2019	0.0015 (J)			<0.002	<0.002	0.0021 (J)	<0.002		
4/1/2019					<0.002	0.0013 (J)	<0.002		
4/2/2019	<0.002	0.0012 (J)	0.0011 (J)	<0.002					
9/16/2019				<0.002			<0.002		
9/17/2019	0.0016 (J)				<0.002	0.0031			
9/18/2019		0.0024 (J)	0.0024 (J)						
2/18/2020	<0.002	0.0015 (J)	<0.002	<0.002	<0.002	0.0015 (J)			
2/19/2020							<0.002		
3/23/2020	<0.002								
3/24/2020		<0.002	<0.002						
3/25/2020				<0.002		<0.002	<0.002		
3/26/2020					<0.002				
9/14/2020				<0.002	<0.002	<0.002	<0.002		
9/15/2020	0.002	0.0025	0.0017 (J)						
2/9/2021				<0.002	<0.002	<0.002	<0.002		
2/10/2021	<0.002	0.0015 (J)	0.0017 (J)						
3/30/2021	<0.002								
3/31/2021		<0.002	0.0016 (J)				<0.002		
4/1/2021				<0.002	<0.002	<0.002			
8/18/2021	0.0022	<0.002	0.0019 (J)	<0.002	0.0026	<0.002			
8/19/2021							<0.002		
2/9/2022				<0.002	<0.002			0.0058	<0.002
2/10/2022		<0.002	0.0015 (J)			<0.002	<0.002		
2/11/2022	<0.002								
8/18/2022					<0.002	0.055	<0.002		
8/19/2022				<0.002					

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	0.0016 (J)	0.0022	0.0017 (J)						
8/24/2022								0.0051	<0.002

Time Series

Constituent: Chromium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.0046				
10/17/2018	0.0027							
10/18/2018					0.0049	<0.002	<0.002	
2/8/2022		0.0018 (J)	0.003					
2/9/2022	0.028			<0.002	0.0036		<0.002	
2/10/2022						<0.002		<0.002
8/22/2022							0.003	
8/23/2022	0.014	0.0024				<0.002		
8/24/2022			0.0034	<0.002	0.0037			<0.002

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.0184	<0.0025	<0.0025	0.0132	<0.0025		<0.0025		
5/11/2016						<0.0025		0.0191	0.0378
6/23/2016	0.0168	0.0004 (J)	0.0004 (J)				<0.0025		
6/24/2016					<0.0025	<0.0025			
6/27/2016				0.0099 (J)					
6/28/2016								0.0192	0.0332
8/16/2016	0.016	<0.0025	<0.0025		0.00051 (J)		<0.0025		
8/17/2016				0.01		0.00041 (J)		0.022	0.03
10/13/2016	0.02		0.0004 (J)						
10/14/2016		<0.0025		0.013	<0.0025		<0.0025		
10/17/2016						<0.0025		0.05	0.032
12/5/2016			<0.0025						
12/6/2016	0.016	<0.0025		0.016	<0.0025	<0.0025	<0.0025	0.04	0.029
2/14/2017	0.011	<0.0025	<0.0025	0.018	<0.0025	<0.0025	<0.0025		
2/15/2017								0.038	0.029
4/10/2017			<0.0025						
4/11/2017	0.0098	<0.0025		0.015	<0.0025	<0.0025	<0.0025		
4/12/2017								0.018	0.028
6/26/2017	0.01	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025		
6/27/2017				0.0088				0.014	0.029
3/26/2018	0.0065	<0.0025	<0.0025		<0.0025				
3/27/2018				0.014		<0.0025	<0.0025	0.026	0.024
6/5/2018	0.0028	<0.0025	<0.0025	0.0095			<0.0025		
6/6/2018					<0.0025	<0.0025		0.018	0.026
10/5/2018	0.00075 (J)	<0.0025	0.00058 (J)		<0.0025				
10/8/2018				0.0047		<0.0025	<0.0025		
10/9/2018								0.03	
10/16/2018									0.023
2/18/2019	0.0008 (J)	<0.0025				<0.0025			
2/19/2019			<0.0025	0.005	<0.0025		<0.0025		
2/20/2019								0.034	0.024
3/28/2019				0.0042	<0.0025	<0.0025	<0.0025		
3/29/2019	0.00072 (J)	<0.0025	<0.0025						
4/1/2019								0.025	0.021
9/12/2019							<0.0025		
9/13/2019			0.00018 (J)						
9/16/2019	0.0014 (J)	<0.0025		0.0045	<0.0025	<0.0025			0.022
9/17/2019								0.022	
2/13/2020	0.0014 (J)	<0.0025	<0.0025						
2/17/2020				0.0044			<0.0025		
2/18/2020					<0.0025	<0.0025			0.018
2/19/2020								0.027	
3/17/2020		<0.0025		0.0039	<0.0025		<0.0025		
3/18/2020	0.0021 (J)		0.00016 (J)			0.00032 (J)			
3/25/2020								0.029	0.024
9/14/2020	0.0013 (J)	<0.0025	0.00031 (J)	0.002 (J)	<0.0025	<0.0025	<0.0025	0.022	0.019
2/9/2021	0.0013 (J)	<0.0025	0.00023 (J)	0.0011 (J)	<0.0025	<0.0025	<0.0025	0.03	0.019
3/30/2021	0.0013 (J)	0.00021 (J)	<0.0025						
3/31/2021					<0.0025	<0.0025	<0.0025	0.026	
4/7/2021				0.0013 (J)					0.019
8/17/2021	0.00072 (J)	<0.0025		0.0011 (J)		<0.0025			
8/18/2021			0.00057 (J)		<0.0025		<0.0025		

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								0.022	0.014
2/9/2022	0.00089 (J)	<0.0025		0.00045 (J)	<0.0025	<0.0025	<0.0025		
2/10/2022			<0.0025						0.021
2/11/2022								0.023	
8/17/2022	0.00055 (J)	<0.0025							
8/18/2022			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		0.012
8/19/2022								0.022	

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.00648 (J)								
5/12/2016		0.0145	0.00605 (J)	0.267	0.00303 (J)	<0.0025			0.261
5/13/2016							0.116	<0.0025	
6/28/2016	0.0051 (J)	0.011	0.0115	0.255	0.0029 (J)				
6/29/2016						0.0007 (J)		0.0006 (J)	0.23
6/30/2016							0.112		
8/18/2016	0.0035	0.0099	0.011	0.26	0.0029	0.00078 (J)			
8/22/2016							0.13	0.00066 (J)	0.25
10/17/2016	0.003	0.01	0.017						
10/18/2016				0.28	0.0034			0.00095 (J)	0.26
10/19/2016						0.000845 (JD)	0.14		
12/6/2016	0.0036	0.0079							
12/7/2016			0.0043	0.26	0.003	0.00056 (J)	0.11		
12/8/2016								0.00078 (J)	0.26
2/15/2017	0.004	0.0073	0.0059	0.24		0.00069 (J)			
2/16/2017					0.0033		0.11	0.00049 (J)	0.23
4/12/2017	0.0039	0.0078	0.017	0.28					
4/13/2017					0.0034	0.00049 (J)	0.094	<0.0025	0.19
6/27/2017	0.0042	0.0068	0.013	0.29	0.0037	0.00041 (J)			
6/28/2017							0.085	<0.0025	0.19
3/27/2018	0.0035	0.0035	0.0083	0.27	0.0037	<0.0025			
3/28/2018							0.16	<0.0025	0.18
6/6/2018	0.0038								
6/7/2018		0.0039	0.0025	0.3	0.0037	<0.0025			0.21
6/8/2018							0.19	<0.0025	
10/8/2018	0.0037	0.0036	0.0071		0.0044	0.00046 (J)			
10/9/2018								<0.0025	
10/16/2018				0.27					
10/18/2018							0.21		0.16
2/20/2019	0.0032	0.004	0.011	0.26	0.0038	0.00035 (J)	0.19	0.00012 (J)	0.18
4/1/2019	0.0029	0.003	0.014	0.26					
4/2/2019					0.0041	<0.0025	0.18	<0.0025	0.13
9/16/2019	0.003								
9/17/2019		0.0024 (J)	0.0096	0.27	0.0042	0.00048 (J)	0.16	0.00013 (J)	0.13
2/18/2020									0.12
2/19/2020	0.0027	0.0018 (J)	0.0099	0.28	0.0047	0.00034 (J)		0.00015 (J)	
2/20/2020							0.14		
3/23/2020								<0.0025	0.22
3/24/2020						0.00044 (J)			
3/26/2020	0.0024 (J)						0.15		
3/27/2020		0.002 (J)	0.0093	0.28	0.0047				
9/14/2020	0.001 (J)	0.0022 (J)							
9/15/2020			0.0076	0.25	0.0043	0.00041 (J)	0.12	0.00016 (J)	0.098
2/9/2021	0.0014 (J)	0.0024 (J)	0.0052	0.26	0.0045				
2/10/2021						0.00049 (J)	0.11	0.00013 (J)	0.17
3/30/2021							0.11	<0.0025	0.15
3/31/2021				0.26					
4/1/2021					0.0049	0.00041 (J)			
4/6/2021			0.0072						
4/7/2021	0.0017 (J)	0.0018 (J)							
8/18/2021						0.00043 (J)	0.095		
8/19/2021		0.0021 (J)	0.0047	0.27	0.0051			<0.0025	0.2

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.0019 (J)								
2/10/2022	0.00079 (J)				0.0049		0.09		
2/11/2022		0.0015 (J)		0.23		0.00036 (J)		0.00045 (J)	0.14
2/14/2022			0.0065						
8/18/2022	0.001 (J)	0.0019 (J)							
8/19/2022			0.01	0.25					
8/22/2022								<0.0025	0.11
8/23/2022							0.088		
8/31/2022					0.0054	0.00045 (J)			

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.0025	0.0116	0.00265 (J)	0.0156		
5/12/2016	<0.0025	0.00619 (J)	<0.0025						
6/27/2016				0.002 (J)	0.0143	0.0012 (J)			
6/29/2016	<0.0025	0.0051 (J)	<0.0025				0.0147		
8/17/2016				0.0018 (J)	0.012	0.00049 (J)			
8/19/2016		0.0045	<0.0025						
8/22/2016	<0.0025							0.017	
10/17/2016				0.0016 (J)		<0.0025			
10/18/2016	<0.0025	0.0043	<0.0025		0.0099		0.017		
12/6/2016				0.0012 (J)	0.011	<0.0025			
12/7/2016	<0.0025	0.0034	<0.0025				0.014		
2/14/2017				0.0022 (J)	0.0093	<0.0025			
2/15/2017			<0.0025						
2/16/2017	<0.0025	0.0031					0.014		
4/12/2017				0.0023 (J)	0.0062	<0.0025			
4/13/2017	<0.0025	0.0031	<0.0025				0.014		
6/27/2017				0.0045	0.021	<0.0025	0.013		
6/28/2017	<0.0025	0.0029	<0.0025						
3/27/2018			<0.0025	0.004	0.0054	<0.0025			
3/28/2018	<0.0025	0.0022 (J)					0.0087		
6/6/2018				0.0021 (J)	0.0034	<0.0025	0.0064		
6/7/2018	<0.0025	0.0022 (J)	<0.0025						
10/8/2018	<0.0025	0.0021 (J)	<0.0025	<0.0025					
10/9/2018					0.013	<0.0025	0.0049		
10/18/2018								0.0092	0.0086
2/19/2019		0.0018 (J)	<0.0025						
2/20/2019	0.00011 (J)			0.00011 (J)	0.0057	0.00014 (J)	0.01		
4/1/2019					0.0046	<0.0025	0.01		
4/2/2019	<0.0025	0.0018 (J)	<0.0025	<0.0025					
9/16/2019				0.00013 (J)			0.001 (J)		
9/17/2019	8.7E-05 (J)				0.0039	0.00013 (J)			
9/18/2019		0.002 (J)	0.00013 (J)						
2/18/2020	0.00014 (J)	0.0018 (J)	<0.0025	<0.0025	0.0067	<0.0025			
2/19/2020							0.0082		
3/23/2020	0.00016 (J)								
3/24/2020		0.0016 (J)	<0.0025						
3/25/2020				0.00027 (J)		0.00032 (J)	0.0064		
3/26/2020					0.0033				
9/14/2020				<0.0025	0.0063	<0.0025	0.00048 (J)		
9/15/2020	0.00022 (J)	0.0014 (J)	<0.0025						
2/9/2021				<0.0025	0.0069	<0.0025	0.0032		
2/10/2021	0.00017 (J)	0.0015 (J)	<0.0025						
3/30/2021	0.00016 (J)								
3/31/2021		0.0011 (J)	<0.0025				0.0046		
4/1/2021				<0.0025	0.0029	<0.0025			
4/5/2021								0.0012 (J)	
4/7/2021									0.00097 (J)
8/18/2021	0.00016 (J)	0.001 (J)	<0.0025	0.00024 (J)	0.0021 (J)	0.00021 (J)			0.00025 (J)
8/19/2021							0.00072 (J)	0.0013 (J)	
2/9/2022				<0.0025	0.0024 (J)			0.00093 (J)	<0.0025
2/10/2022		0.0016 (J)	<0.0025			<0.0025	0.0022 (J)		
2/11/2022	<0.0025								

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/18/2022					0.0012 (J)	0.00075 (J)	0.00084 (J)		
8/19/2022				<0.0025					
8/22/2022	<0.0025	0.001 (J)	<0.0025						
8/24/2022								0.001 (J)	<0.0025

Time Series

Constituent: Cobalt (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.0021 (J)				
10/17/2018	0.00051 (J)							
10/18/2018					<0.0025	0.0076	0.0064	
9/18/2020			0.0057					
4/2/2021	0.0003 (J)	0.00019 (J)	0.007					
8/18/2021		0.0003 (J)						
8/19/2021	0.00028 (J)							
8/20/2021			0.006					
2/8/2022		0.00028 (J)	0.0052					
2/9/2022	<0.0025			0.0024 (J)	<0.0025		0.00061 (J)	
2/10/2022						0.0025		0.002 (J)
8/22/2022							0.0012 (J)	
8/23/2022	<0.0025	0.00046 (J)				0.0029		
8/24/2022			0.0059	0.0016 (J)	<0.0025			0.0013 (J)

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.275 (U)	0.441	0.31 (U)	-0.013 (U)	0.188 (U)		0.338 (U)		
5/11/2016						0.284 (U)		0.26 (U)	0.182 (U)
6/23/2016	0.077 (U)	0.155 (U)	0.455 (U)				0.358 (U)		
6/24/2016					1.2	0.974			
6/27/2016				0.667 (U)					
6/28/2016								1.57	0.858
8/16/2016	0.13 (U)	0.621	0.162 (U)		0.168 (U)		0.224 (U)		
8/17/2016				0.148 (U)		0.202 (U)		0.548 (U)	0.367 (U)
10/13/2016	0.309 (U)		0.327 (U)						
10/14/2016		0.765		0.448 (U)	0.345 (U)		0.999		
10/17/2016						0.114 (U)		-0.0725 (U)	0.551
12/5/2016			0.233 (U)						
12/6/2016	0.346 (U)	0.29 (U)		0.51	0.221 (U)	0.251 (U)	0.387 (U)	0.496	0.438
2/14/2017	0.352 (U)	0.111 (U)	0.237 (U)	0.302 (U)	-0.026 (U)	-0.0166 (U)	0.207 (U)		
2/15/2017								0.321 (U)	-0.0831 (U)
4/10/2017			0.00056 (U)						
4/11/2017	0.274 (U)	0.195 (U)		-0.0184 (U)	0.135 (U)	-0.168 (U)	0.219 (U)		
4/12/2017								-0.0397 (U)	0.343 (U)
6/26/2017	0.36	0.0975 (U)	-0.257 (U)		0.332 (U)	0.184 (U)	0.151 (U)		
6/27/2017				-0.0536 (U)				0.47	0.369
3/26/2018	0.522	0.124 (U)	0.141 (U)		0.226 (U)				
3/27/2018				0.207 (U)		0.164 (U)	0.252 (U)	0.136 (U)	0.172 (U)
6/5/2018	0.106 (U)	0.0496 (U)	0.163 (U)	-0.0364 (U)			0.255 (U)		
6/6/2018					0.175 (U)	0.308		0.123 (U)	0.153 (U)
10/5/2018	0.522	0.474	0.568		0.5				
10/8/2018				0.478		-0.0974 (U)	0.764		
10/9/2018								0.387	
10/16/2018									1.06
2/18/2019	0.362	0.25 (U)				0.0112 (U)			
2/19/2019			0.14 (U)	0.32 (U)	0.231 (U)		0.044 (U)		
2/20/2019								0.0159 (U)	0.708
3/28/2019				0.0254 (U)	0.31 (U)	0.0974 (U)	0.115 (U)		
3/29/2019	0.311 (U)	-0.0232 (U)	0.0992 (U)						
4/1/2019								0.452	0.173 (U)
9/12/2019							0.102 (U)		
9/13/2019			0.339 (U)						
9/16/2019	0.157 (U)	-0.245 (U)		-0.0172 (UR)	0.333 (U)	0.0843 (U)			0.251 (U)
9/17/2019								0.226 (U)	
2/13/2020	0.152 (U)	0.205 (U)	0.287 (U)						
2/17/2020				-0.0319 (U)			-0.0291 (U)		
2/18/2020					0.313 (U)	0.199 (U)			0.203 (U)
2/19/2020								0.0222 (U)	
3/17/2020		0.582 (U)		0.436 (U)	-0.0428 (U)		-0.196 (U)		
3/18/2020	0.21 (U)		0.536			0.226 (U)			
3/25/2020								0.253 (U)	0.204 (U)
9/14/2020	-0.13 (U)	0.107 (U)	0.637 (U)	-0.197 (U)	0.161 (U)	0.0399 (U)	-0.949 (U)	0.125 (U)	-0.0264 (U)
2/9/2021	0.225 (U)	0.0251 (U)	0.151 (U)	0.478	0.259 (U)	0.0123 (U)	0.0364 (U)	-0.0573 (U)	0.114 (U)
3/30/2021	0.408 (U)	0.311 (U)	-0.211 (U)						
3/31/2021					0.106 (U)	0.236 (U)	0.279 (U)	0.188 (U)	
4/7/2021				0.0851 (U)					0.0576 (U)
8/17/2021	0.651	0.192 (U)		0.228 (U)		1.54			
8/18/2021			0.16 (U)		0.228 (U)		0.242 (U)		

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.433								
5/12/2016		0.0531 (U)	0.106 (U)	0.344 (U)	0.0196 (U)	0.134 (U)			0.556
5/13/2016							0.103 (U)	-0.115 (U)	
6/28/2016	0.435 (U)	0.483 (U)	0.735 (U)	0.256 (U)	0.418 (U)				
6/29/2016						0.391 (U)		0.396 (U)	0.162 (U)
6/30/2016							0.593 (U)		
8/18/2016	0.214 (U)	0.286 (U)	0.212 (U)	0.503 (U)	0.199 (U)	0.498 (U)			
8/22/2016							0.17 (U)	-0.102 (U)	0.433 (U)
10/17/2016	0.316 (U)	0.472	-0.187 (U)						
10/18/2016				0.171 (U)	0.0404 (U)			0.352 (U)	0.741
10/19/2016						0.639	0.433		
12/6/2016	0.0575 (U)	0.903							
12/7/2016			0.701	0.375 (U)	0.426	0.239 (U)	0.435 (U)		
12/8/2016								0.431 (U)	1.06
2/15/2017	-0.0321 (U)	-0.223 (U)	0.155 (U)	0.0801 (U)		0.175 (U)			
2/16/2017					0.163 (U)		0.101 (U)	0.146 (U)	0.382 (U)
4/12/2017	0.00949 (U)	0.21 (U)	0.233 (U)	0.197 (U)					
4/13/2017					0.0522 (U)	-0.00846 (U)	-0.0014 (U)	0.127 (U)	0.189 (U)
6/27/2017	0.183 (U)	0.0574 (U)	0.302	0.0274 (U)	0.222 (U)	0.186 (U)			
6/28/2017							0.512	0.11 (U)	0.84
3/27/2018	0.445	0.145 (U)	0.306 (U)	0.285 (U)	0.387 (U)	0.249 (U)			
3/28/2018							0.428	0.247 (U)	0.334 (U)
6/6/2018	0.0775 (U)								
6/7/2018		0.235 (U)	0.211 (U)	0.64	0.283 (U)	0.172 (U)			0.235 (U)
6/8/2018							0.32 (U)	0.0462 (U)	
10/8/2018	0.865	0.64	0.636		0.799	0.682			
10/9/2018								0.584	
10/16/2018				0.731					
10/18/2018							0.304 (U)		0.399
2/20/2019	0.161 (U)	0.222 (U)	0.147 (U)	0.573	0.0684 (U)	0.278 (U)	0.139 (U)	0.114 (U)	0.353
4/1/2019	0.372	0.36	-0.138 (U)	0.0499 (U)					
4/2/2019					0.167 (U)	-0.0476 (U)	0.336 (U)	0.11 (U)	0.271 (U)
9/16/2019	0.569 (U)								
9/17/2019		0.143 (U)	0.264 (U)	0.441 (U)	0.558	0.235 (U)	0.449	0.302 (U)	0.591
2/18/2020									0.474
2/19/2020	0.166 (U)	0.218 (U)	0.0061 (U)	0.415 (U)	0.0321 (U)	0.217 (U)		0.308 (U)	
2/20/2020							0.22 (U)		
3/23/2020								0.171 (U)	0.258 (U)
3/24/2020						0.426			
3/26/2020	0.604						0.366 (U)		
3/27/2020		0.235 (U)	0.206 (U)	0.39 (U)	0.305 (U)				
9/14/2020	0.575	0.613							
9/15/2020			0.131 (U)	0.546	-0.0426 (U)	0.661	1.74	1.55	0.831
2/9/2021	0.146 (U)	0.307 (U)	-0.121 (U)	0.222 (U)	-0.00967 (U)				
2/10/2021						0.55	0.423 (U)	0.235 (U)	0.331 (U)
3/30/2021							0.439 (U)	0.511	0.572
3/31/2021				0.311 (U)					
4/1/2021					0.0901 (U)	0.0517 (U)			
4/6/2021			-0.0391 (U)						
4/7/2021	0.0695 (U)	0.356 (U)							
8/18/2021						0.13 (U)	0.277 (U)		
8/19/2021		0.228 (U)	-0.0806 (U)	0.518	0.037 (U)			-0.0514 (U)	-0.21 (U)

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	0.0109 (U)								
2/10/2022	0.279 (U)				0.595		0.244 (U)		
2/11/2022		0.631		0.5		0.233 (U)		0.456 (U)	0.259 (U)
2/14/2022			0.377 (U)						
8/18/2022	0.384 (U)	0.377 (U)							
8/19/2022			0.378 (U)	0.459					
8/22/2022								0.356 (U)	0.475 (U)
8/23/2022							0.345 (U)		
8/31/2022					0.31 (U)	0.434 (U)			

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				0.0394 (U)	0.214 (U)	2.05	0.134 (U)		
5/12/2016	0.216 (U)	0.285 (U)	0.801						
6/27/2016				0.624 (U)	0.581 (U)	2.9			
6/29/2016	0.253 (U)	1.1	0.423 (U)				0.665 (U)		
8/17/2016				0.572	0.665	2.57			
8/19/2016		0.367 (U)	0.869						
8/22/2016	0.115 (U)						0.391 (U)		
10/17/2016				0.307 (U)		2.08			
10/18/2016	0.593	0.276 (U)	0.881		0.453		0.521		
12/6/2016				0.122 (U)	0.368 (U)	2.25			
12/7/2016	0.897	0.318 (U)	0.455				0.367 (U)		
2/14/2017				0.166 (U)	0.328 (U)	1.77			
2/15/2017			0.635						
2/16/2017	0.132 (U)	0.168 (U)					0.076 (U)		
4/12/2017				0.355 (U)	0.206 (U)	2.72			
4/13/2017	0.287 (U)	0.3 (U)	0.413				0.239 (U)		
6/27/2017				0.0783 (U)	0.598	2.07	0.268 (U)		
6/28/2017	0.143 (U)	0.0844 (U)	0.331 (U)						
3/27/2018			0.61	0.0443 (U)	0.546	2.3			
3/28/2018	0.38	0.0661 (U)					0.378		
6/6/2018				0.127 (U)	0.165 (U)	1.59	-0.0272 (U)		
6/7/2018	0.514	0.222 (U)	0.64						
10/8/2018	0.374	0.499	0.437	0.77					
10/9/2018					0.385	3.01	0.565		
10/18/2018								0.698	1.64
2/19/2019		0.532	0.301 (U)						
2/20/2019	0.239 (U)			0.25 (U)	0.433	2.5	0.425		
4/1/2019					0.675	1.91	-0.0113 (U)		
4/2/2019	0.218 (U)	0.313 (U)	0.516	0.3 (U)					
9/16/2019				0.0805 (U)			-0.116 (U)		
9/17/2019	-0.04 (U)				0.341 (U)	2.04			
9/18/2019		0.101 (U)	0.285 (U)						
2/18/2020	0.287 (U)	0.0109 (U)	0.399	-0.0675 (U)	0.326 (U)	2.06			
2/19/2020							0.0604 (U)	0.216 (U)	
3/23/2020	0.384								
3/24/2020		0.188 (U)	0.183 (U)						
3/25/2020				0.411 (U)		2.99	0.206 (U)		
3/26/2020					0.151 (U)				
9/14/2020				0.334 (U)	0.123 (U)	2.16	0.502 (U)		
9/15/2020	1.6	1.82	1.03						
2/9/2021				0.273 (U)	0.721	2.92	0.0162 (U)		
2/10/2021	0.5	0.167 (U)	0.46						
3/30/2021	0.955								
3/31/2021		0.0687 (U)	0.37 (U)				0.153 (U)		
4/1/2021				0.544	0.329 (U)	2.26			
8/18/2021	0.505	0.026 (U)	0.603	-0.0332 (U)	0.726	1.68			
8/19/2021							0.145 (U)		
2/9/2022				0.145 (U)	0.659			0.229 (U)	0.412 (U)
2/10/2022		0.346 (U)	0.204 (U)			2.08	0.179 (U)		
2/11/2022	0.689								
8/18/2022					0.309 (U)	2.58	0.275 (U)		
8/19/2022				0.243 (U)					

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	0.565	0.632	0.0738 (U)						
8/24/2022								0.456	0.241 (U)

Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.551 (U)				
10/17/2018	0.0623 (U)							
10/18/2018					0.882	1.59	0.188 (U)	
2/18/2020		0.163 (U)						
2/8/2022		0.0627 (U)	-0.0564 (U)					
2/9/2022	0.332 (U)			0.237 (U)	0.31 (U)		0.274 (U)	
2/10/2022						0.366 (U)		0.418 (U)
8/22/2022							0.401 (U)	
8/23/2022	0.565	0.432 (U)				0.986		
8/24/2022			0.234 (U)	0.0981 (U)	0.125 (U)			0.458

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.1	0.0537 (J)	0.0648 (J)	0.041 (J)	0.0192 (J)		0.0188 (J)		
5/11/2016						0.108 (J)		0.019 (J)	0.033 (J)
6/23/2016	<0.1	0.03 (J)	0.05 (J)				<0.1		
6/24/2016					0.02 (J)	0.08 (J)			
6/27/2016				0.03 (J)					
6/28/2016								<0.1	0.08 (J)
8/16/2016	<0.1	<0.2	<0.2		<0.1		<0.1		
8/17/2016				<0.2		<0.1		<0.1	<0.1
10/13/2016	<0.1		<0.2						
10/14/2016		<0.2		<0.2	<0.1		<0.1		
10/17/2016						<0.1		<0.1	<0.1
12/5/2016			<0.2						
12/6/2016	<0.1	<0.2		<0.2	<0.1	0.091 (J)	<0.1	<0.1	<0.1
2/14/2017	<0.1	<0.2	<0.2	<0.2	<0.1	0.1 (J)	<0.1		
2/15/2017								<0.1	<0.1
4/10/2017			<0.2						
4/11/2017	<0.1	<0.2		<0.2	<0.1	<0.1	<0.1		
4/12/2017								<0.1	<0.1
6/26/2017	<0.1	<0.2	<0.2		<0.1	<0.1	<0.1		
6/27/2017				<0.2				<0.1	<0.1
10/10/2017	<0.1	<0.2	<0.2						
10/11/2017				<0.2	<0.1	<0.1	<0.1		<0.1
10/12/2017								<0.1	
3/26/2018	<0.1	<0.2	<0.2		<0.1				
3/27/2018				<0.2		<0.1	<0.1	<0.1	<0.1
6/5/2018	<0.1	<0.2	<0.2	<0.2			<0.1		
6/6/2018					<0.1	<0.1		<0.1	<0.1
10/5/2018	<0.1	<0.2	<0.2		<0.1				
10/8/2018				<0.2		<0.1	<0.1		
10/9/2018								<0.1	
10/16/2018									<0.1
2/18/2019	<0.1	0.05 (J)				0.066 (J)			
2/19/2019			0.06 (J)	0.044 (J)	<0.1		<0.1		
2/20/2019								<0.1	<0.1
3/28/2019				0.037 (J)	0.026 (J)	0.052 (J)	<0.1		
3/29/2019	<0.1	0.053 (J)	0.056 (J)						
4/1/2019								<0.1	<0.1
9/12/2019							<0.1		
9/13/2019			0.049 (J)						
9/16/2019	<0.1	0.054 (J)		0.04 (J)	0.026 (J)	0.055 (J)			<0.1
9/17/2019								<0.1	
2/13/2020	<0.1	0.051 (J)	0.066 (J)						
2/17/2020				0.041 (J)			<0.1		
2/18/2020					<0.1	0.068 (J)			<0.1
2/19/2020								<0.1	
3/17/2020		0.038 (J)		0.041 (J)	0.029 (J)		0.03 (J)		
3/18/2020	<0.1		0.078 (J)			<0.1			
3/25/2020								0.031 (J)	0.058 (J)
9/14/2020	<0.1	0.033 (J)	0.038 (J)	0.028 (J)	<0.1	0.035 (J)	<0.1	<0.1	<0.1
2/9/2021	<0.1	0.055 (J)	0.059 (J)	0.037 (J)	<0.1	0.059 (J)	<0.1	<0.1	<0.1
3/30/2021	<0.1	0.048 (J)	0.052 (J)						
3/31/2021					<0.1	0.051 (J)	<0.1	0.047 (J)	

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
4/7/2021				0.054 (J)					<0.1
8/17/2021	0.052 (J)	0.096 (J)		0.079 (J)		0.093 (J)			
8/18/2021			0.16		0.066 (J)		0.07 (J)		
8/19/2021								<0.1	<0.1
2/9/2022	0.034 (J)	0.11		0.069 (J)	0.049 (J)	0.083 (J)	0.044 (J)		
2/10/2022			0.061 (J)						<0.1
2/11/2022								0.03 (J)	
8/17/2022	0.088 (J)	0.076 (J)							
8/18/2022			0.051 (J)	0.044 (J)	0.034 (J)	0.056 (J)	0.036 (J)		0.034 (J)
8/19/2022								<0.1	

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	0.11 (J)								
5/12/2016		0.042 (J)	0.031 (J)	0.1071 (J)	0.011 (J)	0.066 (J)			0.259 (J)
5/13/2016							0.0343 (J)	0.0126 (J)	
6/28/2016	0.18 (J)	0.15 (J)	0.03 (J)	0.26 (J)	0.09 (J)				
6/29/2016						0.17 (J)		0.18 (J)	0.45
6/30/2016							0.18 (J)		
8/18/2016	0.12 (J)	<0.1	<0.1	0.14 (J)	<0.1	<0.2			
8/22/2016							<0.1	<0.1	0.33
10/17/2016	0.082 (J)	<0.1	<0.1						
10/18/2016				0.12 (J)	<0.1			<0.1	0.26
10/19/2016						<0.2	<0.1		
12/6/2016	0.11 (J)	<0.1							
12/7/2016			<0.1	0.13 (J)	<0.1	<0.2	<0.1		
12/8/2016								<0.1	0.28
2/15/2017	0.13 (J)	<0.1	<0.1	0.12 (J)		0.089 (J)			
2/16/2017					<0.1		<0.1	<0.1	0.28
4/12/2017	0.088 (J)	<0.1	<0.1	0.11 (J)					
4/13/2017					<0.1	<0.2	<0.1	<0.1	0.2
6/27/2017	0.1 (J)	<0.1	<0.1	0.13 (J)	<0.1	<0.2			
6/28/2017							<0.1	<0.1	0.22
10/11/2017	<0.2	<0.1	<0.1						
10/12/2017				0.13 (J)	<0.1	<0.2	<0.1	<0.1	0.18 (J)
3/27/2018	<0.2	<0.1	<0.1	0.12 (J)	<0.1	<0.2			
3/28/2018							<0.1	<0.1	0.19 (J)
6/6/2018	<0.2								
6/7/2018		<0.1	<0.1	0.14 (J)	<0.1	<0.2			0.21
6/8/2018							<0.1	<0.1	
10/8/2018	<0.2	<0.1	<0.1		<0.1	<0.2			
10/9/2018								<0.1	
10/16/2018				0.14 (J)					
10/18/2018							<0.1		0.23
2/20/2019	0.052 (J)	<0.1	<0.1	0.33	<0.1	0.034 (J)	<0.1	<0.1	0.2
4/1/2019	0.048 (J)	<0.1	<0.1	0.072 (J)					
4/2/2019					<0.1	0.045 (J)	0.05 (J)	<0.1	0.15 (J)
9/16/2019	0.065 (J)								
9/17/2019		0.04 (J)	0.028 (J)	0.1	<0.1	0.047 (J)	0.034 (J)	<0.1	0.14
2/18/2020									0.16
2/19/2020	0.064 (J)	0.027 (J)	0.026 (J)	0.13	<0.1	0.046 (J)		<0.1	
2/20/2020							<0.1		
3/23/2020								0.057 (J)	0.25
3/24/2020						0.058 (J)			
3/26/2020	0.081 (J)						0.091 (J)		
3/27/2020		0.045 (J)	0.041 (J)	0.13	0.027 (J)				
9/14/2020	0.042 (J)	<0.1							
9/15/2020			0.04 (J)	0.15	0.037 (J)	0.052 (J)	<0.1	<0.1	0.15
2/9/2021	0.074 (J)	<0.1	<0.1	0.14	<0.1				
2/10/2021						0.03 (J)	<0.1	<0.1	0.19
3/30/2021							0.1 (J)	<0.1	0.18
3/31/2021				0.12					
4/1/2021					<0.1	0.051 (J)			
4/6/2021			<0.1						
4/7/2021	0.066 (J)	0.053 (J)							

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/18/2021						0.087 (J)	0.099 (J)		
8/19/2021		<0.1	<0.1	0.12	0.038 (J)			<0.1	0.17
8/20/2021	0.082 (J)								
2/10/2022	0.06 (J)				<0.1		0.039 (J)		
2/11/2022		0.045 (J)		0.14		0.064 (J)		<0.1	0.14
2/14/2022			0.035 (J)						
8/18/2022	0.052 (J)	0.038 (J)							
8/19/2022			<0.1	0.11					
8/22/2022								0.041 (J)	0.22
8/23/2022							0.1 (J)		
8/31/2022					0.058 (J)	0.058 (J)			

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				0.133 (J)	0.245 (J)	0.362	0.076 (J)		
5/12/2016	0.079 (J)	0.029 (J)	0.0341 (J)						
6/27/2016				0.21 (J)	0.23 (J)	0.45			
6/29/2016	0.15 (J)	0.04 (J)	0.04 (J)				0.13 (J)		
8/17/2016				0.14 (J)	0.22	0.54			
8/19/2016		<0.1	<0.2						
8/22/2016	0.083 (J)						<0.2		
10/17/2016				0.11 (J)		0.51			
10/18/2016	<0.2	<0.1	<0.2		0.24		<0.2		
12/6/2016				0.14 (J)	0.26	0.58			
12/7/2016	<0.2	<0.1	<0.2				<0.2		
2/14/2017				0.2	0.17 (J)	0.39			
2/15/2017			0.092 (J)						
2/16/2017	0.12 (J)	0.1 (J)					0.097 (J)		
4/12/2017				0.089 (J)	0.2	0.41			
4/13/2017	<0.2	<0.1	<0.2				<0.2		
6/27/2017				0.085 (J)	0.23	0.47	<0.2		
6/28/2017	0.1 (J)	<0.1	<0.2						
10/11/2017				0.089 (J)	0.21				
10/12/2017	<0.2	<0.1	<0.2			0.47	<0.2		
3/27/2018			<0.2	<0.2	0.19 (J)	0.4			
3/28/2018	<0.2	<0.1					<0.2		
6/6/2018				<0.2	0.2	0.4	<0.2		
6/7/2018	<0.2	<0.1	<0.2						
10/8/2018	<0.2	<0.1	<0.2	<0.2					
10/9/2018					0.2	0.47	<0.2		
10/18/2018								<0.1	<0.2
2/19/2019		<0.1	0.055 (J)						
2/20/2019	0.051 (J)			0.092 (J)	0.2	0.32	0.074 (J)		
4/1/2019					0.12 (J)	0.21	0.041 (J)		
4/2/2019	0.066 (J)	<0.1	0.036 (J)	0.1 (J)					
9/16/2019				0.099 (J)			0.057 (J)		
9/17/2019	0.077 (J)				0.2	0.47			
9/18/2019		0.028 (J)	0.044 (J)						
2/18/2020	0.073 (J)	<0.1	0.082 (J)	0.11	0.2	0.38			
2/19/2020							0.061 (J)		
3/23/2020	0.11								
3/24/2020		<0.1	0.081 (J)						
3/25/2020				0.13		0.31	0.079 (J)		
3/26/2020					0.14				
9/14/2020				0.076 (J)	0.11	0.29	0.037 (J)		
9/15/2020	0.061 (J)	<0.1	0.052 (J)						
2/9/2021				0.12	0.22	0.37	0.05 (J)		
2/10/2021	0.049 (J)	<0.1	0.046 (J)						
3/30/2021	0.074 (J)								
3/31/2021		<0.1	0.046 (J)				0.073 (J)		
4/1/2021				0.14	0.25	0.38			
8/18/2021	0.12	0.054 (J)	0.11	0.19	0.31	0.48			
8/19/2021							0.078 (J)		
2/9/2022				0.19	0.27			<0.1	0.028 (J)
2/10/2022		<0.1	0.066 (J)			0.44	0.098 (J)		
2/11/2022	0.092 (J)								

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/18/2022					0.14	0.54	0.51		
8/19/2022				0.12					
8/22/2022	0.09 (J)	0.038 (J)	0.052 (J)						
8/24/2022								0.035 (J)	0.037 (J)

Time Series

Constituent: Fluoride, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.1				
10/17/2018	0.087 (J)							
10/18/2018					<0.2	<0.1	0.083 (J)	
2/8/2022		<0.1	<0.1					
2/9/2022	<0.1			<0.1	0.028 (J)		0.033 (J)	
2/10/2022						<0.1		0.15
8/22/2022							0.043 (J)	
8/23/2022	0.043 (J)	0.029 (J)				0.036 (J)		
8/24/2022			0.069 (J)	0.031 (J)	0.046 (J)			0.21

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	<0.001
6/23/2016	<0.001	<0.001	0.0001 (J)				<0.001		
6/24/2016					<0.001	<0.001			
6/27/2016				<0.001					
6/28/2016								<0.001	<0.001
8/16/2016	<0.001	<0.001	<0.001		<0.001		<0.001		
8/17/2016				<0.001		<0.001		<0.001	<0.001
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		<0.001	<0.001		<0.001		
10/17/2016						<0.001		<0.001	<0.001
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/14/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
2/15/2017								<0.001	<0.001
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
4/12/2017								<0.001	<0.001
6/26/2017	<0.001	<0.001	<0.001		<0.001	<0.001	<0.001		
6/27/2017				<0.001				<0.001	<0.001
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				<0.001		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018				<0.001	<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				<0.001	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								<0.001	<0.001
9/12/2019							<0.001		
9/13/2019			0.00014 (J)						
9/16/2019	<0.001	<0.001		<0.001	0.00017 (J)	<0.001			<0.001
9/17/2019								0.00013 (J)	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					<0.001	<0.001			<0.001
2/19/2020								0.00014 (J)	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	0.00022 (J)		0.00022 (J)			0.00021 (J)			
3/25/2020								<0.001	<0.001
9/14/2020	<0.001	<0.001	0.00014 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00013 (J)	<0.001
3/30/2021	<0.001	<0.001	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			0.00023 (J)		<0.001		0.0003 (J)		

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.001	<0.001
2/9/2022	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
2/10/2022			<0.001						<0.001
2/11/2022								<0.001	
8/17/2022	0.00018 (J)	0.00044 (J)							
8/18/2022			<0.001	<0.001	<0.001	<0.001	<0.001		<0.001
8/19/2022								<0.001	

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.001	<0.001	<0.001			<0.0013
5/13/2016							<0.001	<0.001	
6/28/2016	<0.001	<0.001	<0.001	<0.001	<0.001				
6/29/2016						<0.001		<0.001	0.0005 (J)
6/30/2016							<0.001		
8/18/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
8/22/2016							<0.001	<0.001	<0.0013
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				<0.001	<0.001			<0.001	<0.0013
10/19/2016						<0.001	<0.001		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	<0.001	<0.001	<0.001	<0.001		
12/8/2016								<0.001	<0.0013
2/15/2017	<0.001	<0.001	<0.001	<0.001		<0.001			
2/16/2017					<0.001		<0.001	<0.001	0.00035 (J)
4/12/2017	<0.001	<0.001	<0.001	<0.001					
4/13/2017					<0.001	<0.001	<0.001	<0.001	<0.0013
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
6/28/2017							<0.001	<0.001	0.00041 (J)
3/27/2018	<0.001	0.00039 (J)	<0.001	<0.001	<0.001	<0.001			
3/28/2018							<0.001	<0.001	<0.0013
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.001	<0.001	<0.001			<0.0013
6/8/2018							<0.001	<0.001	
10/8/2018	<0.001	<0.001	<0.001		<0.001	<0.001			
10/9/2018								<0.001	
10/16/2018				<0.001					
10/18/2018							<0.001		<0.0013
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00027 (J)
4/1/2019	<0.001	<0.001	<0.001	<0.001					
4/2/2019					<0.001	<0.001	<0.001	<0.001	<0.0013
9/16/2019	<0.001								
9/17/2019		<0.001	0.00016 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	0.00025 (J)
2/18/2020									0.00025 (J)
2/19/2020	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001	
2/20/2020							<0.001		
3/23/2020								<0.001	0.00023 (J)
3/24/2020						<0.001			
3/26/2020	<0.001						<0.001		
3/27/2020		<0.001	0.00066 (J)	0.00023 (J)	0.00013 (J)				
9/14/2020	<0.001	<0.001							
9/15/2020			<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.00017 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001				
2/10/2021						0.00017 (J)	0.00029 (J)	<0.001	0.0003 (J)
3/30/2021							<0.001	<0.001	0.00018 (J)
3/31/2021				<0.001					
4/1/2021					<0.001	<0.001			
4/6/2021			<0.001						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.00071 (J)		
8/19/2021		<0.001	<0.001	<0.001	<0.001			<0.001	0.00034 (J)

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	0.0002 (J)				<0.001		<0.001		
2/11/2022		<0.001		<0.001		<0.001		0.00033 (J)	0.00021 (J)
2/14/2022			<0.001						
8/18/2022	<0.001	<0.001							
8/19/2022			0.00028 (J)	<0.001					
8/22/2022								<0.001	0.00028 (J)
8/23/2022							<0.001		
8/31/2022					<0.001	<0.001			

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.001	<0.001	<0.001	<0.001		
5/12/2016	<0.001	<0.001	<0.001						
6/27/2016				<0.001	<0.001	<0.001			
6/29/2016	9E-05 (J)	<0.001	9E-05 (J)				<0.001		
8/17/2016				<0.001	0.00085 (J)	<0.001			
8/19/2016		<0.001	<0.001						
8/22/2016	<0.001						<0.001		
10/17/2016				<0.001		<0.001			
10/18/2016	<0.001	<0.001	<0.001		<0.001		<0.001		
12/6/2016				<0.001	<0.001	<0.001			
12/7/2016	<0.001	<0.001	<0.001				<0.001		
2/14/2017				<0.001	<0.001	<0.001			
2/15/2017			<0.001						
2/16/2017	<0.001	<0.001					<0.001		
4/12/2017				<0.001	<0.001	<0.001			
4/13/2017	<0.001	<0.001	<0.001				<0.001		
6/27/2017				<0.001	<0.001	<0.001	<0.001		
6/28/2017	<0.001	<0.001	<0.001						
3/27/2018			<0.001	<0.001	<0.001	<0.001			
3/28/2018	<0.001	<0.001					<0.001		
6/6/2018				<0.001	<0.001	<0.001	<0.001		
6/7/2018	<0.001	<0.001	<0.001						
10/8/2018	<0.001	<0.001	<0.001	<0.001					
10/9/2018					<0.001	<0.001	<0.001		
10/18/2018								<0.001	<0.001
2/19/2019		<0.001	<0.001						
2/20/2019	<0.001			<0.001	<0.001	<0.001	<0.001		
4/1/2019					<0.001	<0.001	<0.001		
4/2/2019	<0.001	<0.001	<0.001	<0.001					
9/16/2019				<0.001			<0.001		
9/17/2019	<0.001				<0.001	<0.001			
9/18/2019		<0.001	<0.001						
2/18/2020	<0.001	0.00018 (J)	<0.001	<0.001	<0.001	<0.001			
2/19/2020							<0.001		
3/23/2020	<0.001								
3/24/2020		<0.001	<0.001						
3/25/2020				0.0002 (J)		0.00029 (J)	<0.001		
3/26/2020					<0.001				
9/14/2020				<0.001	<0.001	<0.001	<0.001		
9/15/2020	0.00022 (J)	0.00019 (J)	<0.001						
2/9/2021				<0.001	0.00014 (J)	0.00062 (J)	<0.001		
2/10/2021	0.00016 (J)	0.00016 (J)	<0.001						
3/30/2021	0.0002 (J)								
3/31/2021		0.00015 (J)	<0.001				<0.001		
4/1/2021				<0.001	0.00015 (J)	<0.001			
8/18/2021	0.00041 (J)	<0.001	<0.001	<0.001	<0.001	<0.001			
8/19/2021							<0.001		
2/9/2022				<0.001	<0.001			<0.001	<0.001
2/10/2022		<0.001	<0.001			<0.001	<0.001		
2/11/2022	<0.001								
8/18/2022					<0.001	<0.001	<0.001		
8/19/2022				<0.001					

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	0.0002 (J)	0.00017 (J)	<0.001						
8/24/2022								<0.001	<0.001

Time Series

Constituent: Lead (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.001				
10/17/2018	<0.001							
10/18/2018					<0.001	<0.001	<0.001	
2/8/2022		<0.001	<0.001					
2/9/2022	<0.001			<0.001	<0.001		<0.001	
2/10/2022						<0.001		<0.001
8/22/2022							0.00019 (J)	
8/23/2022	<0.001	<0.001				<0.001		
8/24/2022			<0.001	<0.001	<0.001			<0.001

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005		
5/11/2016						<0.005		<0.005	<0.005
6/23/2016	0.0013 (J)	<0.005	<0.005				<0.005		
6/24/2016					<0.005	<0.005			
6/27/2016				<0.005					
6/28/2016								<0.005	0.0013 (J)
8/16/2016	<0.005	<0.005	<0.005		<0.005		<0.005		
8/17/2016				<0.005		<0.005		<0.005	<0.005
10/13/2016	<0.005		<0.005						
10/14/2016		<0.005		<0.005	<0.005		<0.005		
10/17/2016						<0.005		<0.005	<0.005
12/5/2016			<0.005						
12/6/2016	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/14/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
2/15/2017								<0.005	<0.005
4/10/2017			<0.005						
4/11/2017	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005		
4/12/2017								<0.005	<0.005
6/26/2017	<0.005	<0.005	<0.005		<0.005	<0.005	<0.005		
6/27/2017				<0.005				<0.005	<0.005
3/26/2018	0.0024 (J)	<0.005	<0.005		0.0013 (J)				
3/27/2018				<0.005		<0.005	0.0017 (J)	<0.005	0.0029 (J)
6/5/2018	0.0018 (J)	<0.005	0.0011 (J)	0.0015 (J)			<0.005		
6/6/2018					<0.005	<0.005		<0.005	0.0017 (J)
10/5/2018	0.0018 (J)	<0.005	0.0012 (J)		<0.005				
10/8/2018				<0.005		<0.005	<0.005		
10/9/2018								<0.005	
10/16/2018									0.0031 (J)
2/18/2019	<0.005	<0.005				<0.005			
2/19/2019			<0.005	<0.005	<0.005		<0.005		
2/20/2019								<0.005	0.0031 (J)
3/28/2019				<0.005	<0.005	<0.005	<0.005		
3/29/2019	<0.005	<0.005	<0.005						
4/1/2019								<0.005	0.0017 (J)
9/12/2019							<0.005		
9/13/2019			<0.005						
9/16/2019	0.0034	<0.005		<0.005	<0.005	<0.005			<0.005
9/17/2019								<0.005	
2/13/2020	<0.005	<0.005	<0.005						
2/17/2020				<0.005			<0.005		
2/18/2020					<0.005	<0.005			<0.005
2/19/2020								<0.005	
3/17/2020		<0.005		<0.005	<0.005		<0.005		
3/18/2020	<0.005		<0.005			<0.005			
3/25/2020								<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/30/2021	<0.005	<0.005	<0.005						
3/31/2021					<0.005	<0.005	<0.005	<0.005	
4/7/2021				<0.005					<0.005
8/17/2021	<0.005	<0.005		<0.005		<0.005			
8/18/2021			<0.005		<0.005		<0.005		

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.005	<0.005
2/9/2022	0.0011 (J)	<0.005		<0.005	<0.005	<0.005	0.00094 (J)		
2/10/2022			<0.005						0.0022 (J)
2/11/2022								<0.005	
8/17/2022	0.0035 (J)	0.0016 (J)							
8/18/2022			0.0015 (J)	0.0014 (J)	0.0012 (J)	0.00086 (J)	0.0019 (J)		0.0033 (J)
8/19/2022								0.0011 (J)	

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.005								
5/12/2016		<0.005	<0.005	<0.005	<0.005	<0.005			<0.05 (O)
5/13/2016							<0.005	<0.005	
6/28/2016	<0.005	<0.005	<0.005	0.0024 (J)	<0.005				
6/29/2016						<0.005		<0.005	0.0043 (J)
6/30/2016							0.0032 (J)		
8/18/2016	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
8/22/2016							<0.005	<0.005	0.0051
10/17/2016	<0.005	<0.005	<0.005						
10/18/2016				<0.005	<0.005			<0.005	0.0038 (J)
10/19/2016						<0.005	0.0042 (J)		
12/6/2016	<0.005	<0.005							
12/7/2016			<0.005	<0.005	<0.005	<0.005	<0.005		
12/8/2016								<0.005	0.0043 (J)
2/15/2017	<0.005	<0.005	<0.005	<0.005		<0.005			
2/16/2017					<0.005		0.0034 (J)	<0.005	0.0047 (J)
4/12/2017	<0.005	<0.005	<0.005	<0.005					
4/13/2017					<0.005	<0.005	<0.005	<0.005	0.004 (J)
6/27/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
6/28/2017							<0.005	<0.005	0.0032 (J)
3/27/2018	<0.005	<0.005	<0.005	0.0034 (J)	<0.005	0.0014 (J)			
3/28/2018							0.0056	<0.005	0.0053
6/6/2018	<0.005								
6/7/2018		<0.005	<0.005	0.003 (J)	<0.005	<0.005			0.0038 (J)
6/8/2018							0.0042 (J)	0.0022 (J)	
10/8/2018	<0.005	0.0014 (J)	0.0011 (J)		0.0015 (J)	<0.005			
10/9/2018								<0.005	
10/16/2018				0.0034 (J)					
10/18/2018							0.0054		0.0062
2/20/2019	<0.005	<0.005	<0.005	0.0038 (J)	<0.005	<0.005	0.0054	<0.005	0.0048 (J)
4/1/2019	0.0011 (J)	<0.005	<0.005	0.0025 (J)					
4/2/2019					<0.005	<0.005	0.0041 (J)	0.0021 (J)	0.0046 (J)
9/16/2019	<0.005								
9/17/2019		<0.005	<0.005	0.0037	<0.005	<0.005	0.005	<0.005	0.0042
2/18/2020									0.0036 (J)
2/19/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005	
2/20/2020							0.0045 (J)		
3/23/2020								<0.005	0.0045 (J)
3/24/2020						<0.005			
3/26/2020	<0.005						0.0046 (J)		
3/27/2020		<0.005	<0.005	0.0038 (J)	<0.005				
9/14/2020	<0.005	<0.005							
9/15/2020			<0.005	0.0037 (J)	<0.005	<0.005	0.0049 (J)	<0.005	0.0037 (J)
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005				
2/10/2021						<0.005	0.0055	<0.005	0.0047 (J)
3/30/2021							0.0043 (J)	<0.005	<0.005
3/31/2021				<0.005					
4/1/2021					<0.005	<0.005			
4/6/2021			<0.005						
4/7/2021	<0.005	<0.005							
8/18/2021						<0.005	0.0047 (J)		
8/19/2021		<0.005	<0.005	<0.005	<0.005			<0.005	0.0046 (J)

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.005								
2/10/2022	<0.005				<0.005		0.0039 (J)		
2/11/2022		<0.005		0.0027 (J)		<0.005		0.0072	0.0037 (J)
2/14/2022			<0.005						
8/18/2022	0.0012 (J)	0.0012 (J)							
8/19/2022			0.0015 (J)	0.0038 (J)					
8/22/2022								0.0012 (J)	0.003 (J)
8/23/2022							0.0032 (J)		
8/31/2022					0.0012 (J)	<0.005			

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.005	<0.05 (O)	<0.005	<0.005		
5/12/2016	<0.005	<0.005	<0.005						
6/27/2016				<0.005	0.0031 (J)	0.0013 (J)			
6/29/2016	<0.005	<0.005	0.0027 (J)				<0.005		
8/17/2016				<0.005	0.0046 (J)	<0.005			
8/19/2016		<0.005	<0.005						
8/22/2016	<0.005						<0.005		
10/17/2016				<0.005		<0.005			
10/18/2016	<0.005	<0.005	0.0032 (J)		0.0036 (J)		<0.005		
12/6/2016				<0.005	0.0043 (J)	<0.005			
12/7/2016	<0.005	<0.005	0.0043 (J)				<0.005		
2/14/2017				<0.005	0.0043 (J)	<0.005			
2/15/2017			<0.005						
2/16/2017	<0.005	<0.005					<0.005		
4/12/2017				<0.005	0.0051	<0.005			
4/13/2017	<0.005	<0.005	0.0036 (J)				<0.005		
6/27/2017				<0.005	0.0033 (J)	<0.005	<0.005		
6/28/2017	<0.005	<0.005	0.0032 (J)						
3/27/2018			0.005	<0.005	0.0061	0.0023 (J)			
3/28/2018	0.0038 (J)	0.0033 (J)					<0.005		
6/6/2018				<0.005	0.004 (J)	0.0018 (J)	<0.005		
6/7/2018	0.0013 (J)	<0.005	0.0027 (J)						
10/8/2018	0.0019 (J)	0.0011 (J)	0.0035 (J)	<0.005					
10/9/2018					0.0053	0.002 (J)	<0.005		
10/18/2018								0.0029 (J)	0.0015 (J)
2/19/2019		<0.005	<0.005						
2/20/2019	<0.005			<0.005	0.006	<0.005	<0.005		
4/1/2019					0.0058	0.0021 (J)	<0.005		
4/2/2019	0.0027 (J)	0.0026 (J)	0.0041 (J)	<0.005					
9/16/2019				<0.005			<0.005		
9/17/2019	<0.005				0.0049	<0.005			
9/18/2019		<0.005	0.0043						
2/18/2020	<0.005	<0.005	<0.005	<0.005	0.0052	<0.005			
2/19/2020							<0.005		
3/23/2020	<0.005								
3/24/2020		<0.005	<0.005						
3/25/2020				<0.005		<0.005	<0.005		
3/26/2020					0.006				
9/14/2020				<0.005	0.0051	<0.005	<0.005		
9/15/2020	<0.005	<0.005	<0.005						
2/9/2021				<0.005	0.0052	<0.005	<0.005		
2/10/2021	<0.005	<0.005	<0.005						
3/30/2021	<0.005								
3/31/2021		<0.005	<0.005				<0.005		
4/1/2021				<0.005	0.0053	<0.005			
8/18/2021	<0.005	<0.005	<0.005	<0.005	0.0034 (J)	<0.005			
8/19/2021							<0.005		
2/9/2022				0.0013 (J)	0.0048 (J)			<0.005	0.0031 (J)
2/10/2022		<0.005	0.0029 (J)			0.0015 (J)	<0.005		
2/11/2022	0.0011 (J)								
8/18/2022					0.0061	0.0025 (J)	0.0014 (J)		
8/19/2022				0.0023 (J)					

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	<0.005	0.00087 (J)	0.002 (J)						
8/24/2022								0.00099 (J)	0.0032 (J)

Time Series

Constituent: Lithium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.069				
10/17/2018	0.0027 (J)							
10/18/2018					0.0017 (J)	0.015	0.004 (J)	
3/2/2020				<0.005				
4/2/2021		<0.005						
4/7/2021				0.02				
8/18/2021		<0.005		0.0095				
2/8/2022		0.0015 (J)	0.0025 (J)					
2/9/2022	0.012			0.01	<0.005		0.0026 (J)	
2/10/2022						0.01		0.0029 (J)
8/22/2022							0.0036 (J)	
8/23/2022	0.022	0.0011 (J)				0.01		
8/24/2022			0.0023 (J)	0.011	<0.005			0.0025 (J)

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		<0.0002		
5/11/2016						<0.0002		<0.0002	<0.0002
6/23/2016	<0.0002	<0.0002	<0.0002				<0.0002		
6/24/2016					<0.0002	<0.0002			
6/27/2016				<0.0002					
6/28/2016								<0.0002	<0.0002
8/16/2016	<0.0002	<0.0002	<0.0002		<0.0002		7.2E-05 (J)		
8/17/2016				<0.0002		<0.0002		<0.0002	<0.0002
10/13/2016	<0.0002		<0.0002						
10/14/2016		<0.0002		<0.0002	<0.0002		<0.0002		
10/17/2016						<0.0002		<0.0002	<0.0002
12/5/2016			0.00012 (J)						
12/6/2016	0.00012 (J)	0.00011 (J)		0.00011 (J)	8.7E-05 (J)	0.00011 (J)	0.00012 (J)	0.00013 (J)	0.0001 (J)
2/14/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
2/15/2017								<0.0002	<0.0002
4/10/2017			<0.0002						
4/11/2017	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002	<0.0002		
4/12/2017								<0.0002	<0.0002
6/26/2017	<0.0002	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002		
6/27/2017				<0.0002				<0.0002	<0.0002
3/26/2018	8.9E-05 (J)	<0.0002	<0.0002		<0.0002				
3/27/2018				<0.0002		<0.0002	<0.0002	<0.0002	<0.0002
6/5/2018	<0.0002	<0.0002	<0.0002	7.5E-05 (J)			<0.0002		
6/6/2018					<0.0002	<0.0002		<0.0002	<0.0002
10/5/2018	<0.0002	<0.0002	<0.0002		<0.0002				
10/8/2018				<0.0002		<0.0002	<0.0002		
10/9/2018								<0.0002	
10/16/2018									<0.0002
2/18/2019	<0.0002	<0.0002				<0.0002			
2/19/2019			<0.0002	<0.0002	<0.0002		<0.0002		
2/20/2019								<0.0002	<0.0002
3/28/2019				<0.0002	<0.0002	<0.0002	<0.0002		
3/29/2019	7E-05 (J)	<0.0002	<0.0002						
4/1/2019								<0.0002	<0.0002
9/12/2019							<0.0002		
9/13/2019			<0.0002						
9/16/2019	<0.0002	<0.0002		<0.0002	0.0005	0.00027			<0.0002
9/17/2019								<0.0002	
12/3/2019					<0.0002	<0.0002			
2/13/2020	<0.0002	<0.0002	<0.0002						
2/17/2020				<0.0002			<0.0002		
2/18/2020					<0.0002	<0.0002			<0.0002
2/19/2020								<0.0002	
3/17/2020		<0.0002		<0.0002	<0.0002		<0.0002		
3/18/2020	<0.0002		<0.0002			<0.0002			
3/25/2020								<0.0002	<0.0002
9/14/2020	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
3/30/2021	<0.0002	<0.0002	<0.0002						
3/31/2021					<0.0002	<0.0002	<0.0002	<0.0002	
4/7/2021				<0.0002					<0.0002
8/17/2021	<0.0002	<0.0002		<0.0002		<0.0002			

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/18/2021			<0.0002		<0.0002		<0.0002		
8/19/2021								<0.0002	<0.0002
2/9/2022	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002	<0.0002		
2/10/2022			<0.0002						<0.0002
2/11/2022								<0.0002	
8/17/2022	<0.0002	<0.0002							
8/18/2022			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		<0.0002
8/19/2022								<0.0002	

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0002								
5/12/2016		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			<0.0002
5/13/2016							<0.0002	<0.0002	
6/28/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002				
6/29/2016						<0.0002		<0.0002	<0.0002
6/30/2016							<0.0002		
8/18/2016	<0.0002	<0.0002	<0.0002	0.00011 (J)	<0.0002	<0.0002			
8/22/2016							0.00014 (J)	<0.0002	7.3E-05 (J)
10/17/2016	<0.0002	<0.0002	8.9E-05 (J)						
10/18/2016				0.00012 (J)	<0.0002			<0.0002	<0.0002
10/19/2016						<0.0002	<0.0002		
12/6/2016	9.3E-05 (J)	0.00011 (J)							
12/7/2016			0.00012 (J)	0.00017 (J)	7.6E-05 (J)	0.00011 (J)	0.00014 (J)		
12/8/2016								<0.0002	<0.0002
2/15/2017	<0.0002	<0.0002	<0.0002	0.00011 (J)		<0.0002			
2/16/2017						<0.0002	8.4E-05 (J)	<0.0002	<0.0002
4/12/2017	<0.0002	<0.0002	<0.0002	7.2E-05 (J)					
4/13/2017						<0.0002	<0.0002	<0.0002	<0.0002
6/27/2017	<0.0002	<0.0002	<0.0002	8.4E-05 (J)	<0.0002	<0.0002			
6/28/2017							<0.0002	<0.0002	<0.0002
3/27/2018	<0.0002	<0.0002	0.0001 (J)	0.00014 (J)	<0.0002	<0.0002			
3/28/2018							8.3E-05 (J)	<0.0002	<0.0002
6/6/2018	<0.0002								
6/7/2018		<0.0002	<0.0002	0.00013 (J)	<0.0002	0.00011 (J)			8.2E-05 (J)
6/8/2018							0.00014 (J)	<0.0002	
10/8/2018	<0.0002	<0.0002	<0.0002		<0.0002	<0.0002			
10/9/2018								<0.0002	
10/16/2018				<0.0002					
10/18/2018							0.00021		<0.0002
2/20/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00026	<0.0002	<0.0002
4/1/2019	<0.0002	<0.0002	<0.0002	<0.0002					
4/2/2019						<0.0002	<0.0002	0.0002	<0.0002
9/16/2019	<0.0002								
9/17/2019		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00014 (J)	<0.0002	<0.0002
2/18/2020									<0.0002
2/19/2020	<0.0002	<0.0002	0.0002	0.00016 (J)	<0.0002	<0.0002		<0.0002	
2/20/2020							0.00022		
3/23/2020								<0.0002	<0.0002
3/24/2020						<0.0002			
3/26/2020	<0.0002						0.00019 (J)		
3/27/2020		<0.0002	<0.0002	0.00011 (J)	<0.0002				
9/14/2020	<0.0002	<0.0002							
9/15/2020			<0.0002	<0.0002	<0.0002	<0.0002	0.00013 (J)	<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	0.00013 (J)	<0.0002				
2/10/2021						<0.0002	0.00018 (J)	<0.0002	<0.0002
3/30/2021							0.00022	<0.0002	0.00013 (J)
3/31/2021				0.00018 (J)					
4/1/2021					<0.0002	<0.0002			
4/6/2021			<0.0002						
4/7/2021	<0.0002	<0.0002							
8/18/2021						0.00017 (J)	0.00022		
8/19/2021		<0.0002	<0.0002	<0.0002	<0.0002			<0.0002	<0.0002

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.0002								
2/10/2022	<0.0002				<0.0002		<0.0002		
2/11/2022		<0.0002		<0.0002		<0.0002		<0.0002	<0.0002
2/14/2022			<0.0002						
8/18/2022	<0.0002	<0.0002							
8/19/2022			<0.0002	<0.0002					
8/31/2022					<0.0002	0.00013 (J)			
10/31/2022							<0.0002	<0.0002	<0.0002

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.0002	<0.0002	<0.0002	<0.0002		
5/12/2016	<0.0002	<0.0002	<0.0002						
6/27/2016				<0.0002	<0.0002	<0.0002			
6/29/2016	<0.0002	<0.0002	<0.0002				<0.0002		
8/17/2016				<0.0002	<0.0002	<0.0002			
8/19/2016		<0.0002	7.1E-05 (J)						
8/22/2016	<0.0002						<0.0002		
10/17/2016				<0.0002		<0.0002			
10/18/2016	<0.0002	<0.0002	<0.0002		<0.0002		<0.0002		
12/6/2016				0.00011 (J)	0.00011 (J)	7.6E-05 (J)			
12/7/2016	0.0001 (J)	9.9E-05 (J)	0.00011 (J)				0.0001 (J)		
2/14/2017				<0.0002	<0.0002	<0.0002			
2/15/2017			<0.0002						
2/16/2017	<0.0002	<0.0002					<0.0002		
4/12/2017				<0.0002	<0.0002	<0.0002			
4/13/2017	<0.0002	<0.0002	<0.0002				<0.0002		
6/27/2017				<0.0002	<0.0002	<0.0002	<0.0002		
6/28/2017	<0.0002	<0.0002	<0.0002						
3/27/2018			<0.0002	<0.0002	<0.0002	<0.0002			
3/28/2018	<0.0002	<0.0002					<0.0002		
6/6/2018				<0.0002	<0.0002	<0.0002	<0.0002		
6/7/2018	<0.0002	<0.0002	0.00028						
10/8/2018	<0.0002	<0.0002	<0.0002	<0.0002					
10/9/2018					<0.0002	<0.0002	<0.0002		
10/18/2018								<0.0002	<0.0002
2/19/2019		<0.0002	<0.0002						
2/20/2019	<0.0002			<0.0002	<0.0002	<0.0002	<0.0002		
4/1/2019					<0.0002	<0.0002	<0.0002		
4/2/2019	<0.0002	<0.0002	<0.0002	<0.0002					
9/16/2019				<0.0002			<0.0002		
9/17/2019	<0.0002				<0.0002	<0.0002			
9/18/2019		<0.0002	<0.0002						
2/18/2020	<0.0002	<0.0002	0.00011 (J)	<0.0002	<0.0002	<0.0002			
2/19/2020							<0.0002		
3/23/2020	<0.0002								
3/24/2020		<0.0002	<0.0002						
3/25/2020				<0.0002		<0.0002	<0.0002		
3/26/2020					<0.0002				
9/14/2020				<0.0002	<0.0002	<0.0002	<0.0002		
9/15/2020	<0.0002	<0.0002	<0.0002						
2/9/2021				<0.0002	<0.0002	<0.0002	<0.0002		
2/10/2021	<0.0002	<0.0002	<0.0002						
3/30/2021	<0.0002								
3/31/2021		<0.0002	<0.0002				<0.0002		
4/1/2021				<0.0002	<0.0002	<0.0002			
8/18/2021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			
8/19/2021							<0.0002		
2/9/2022				<0.0002	<0.0002			<0.0002	<0.0002
2/10/2022		<0.0002	<0.0002			<0.0002	<0.0002		
2/11/2022	<0.0002								
8/18/2022					<0.0002	<0.0002	<0.0002		
8/19/2022				<0.0002					

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/24/2022									
10/31/2022	<0.0002	<0.0002	<0.0002					<0.0002	<0.0002

Time Series

Constituent: Mercury (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				8.4E-05 (J)				
10/17/2018	<0.0002							
10/18/2018					<0.0002	<0.0002	<0.0002	
2/8/2022		<0.0002	0.00022					
2/9/2022	<0.0002			<0.0002	<0.0002		<0.0002	
2/10/2022						<0.0002		<0.0002
8/24/2022			0.00024	<0.0002	<0.0002			<0.0002
10/31/2022	<0.0002	<0.0002				<0.0002	<0.0002	

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.015	<0.015	<0.015	<0.015	<0.015		<0.015		
5/11/2016						0.00278 (J)		<0.015	<0.015
6/23/2016	<0.015	<0.015	<0.015				<0.015		
6/24/2016					<0.015	0.0022 (J)			
6/27/2016				<0.015					
6/28/2016								<0.015	<0.015
8/16/2016	<0.015	<0.015	<0.015		<0.015		<0.015		
8/17/2016				<0.015		0.0018 (J)		<0.015	<0.015
10/13/2016	<0.015		<0.015						
10/14/2016		<0.015		<0.015	<0.015		<0.015		
10/17/2016						0.0014 (J)		<0.015	<0.015
12/5/2016			<0.015						
12/6/2016	<0.015	<0.015		<0.015	<0.015	0.00095 (J)	<0.015	<0.015	<0.015
2/14/2017	<0.015	<0.015	<0.015	<0.015	0.0011 (J)	<0.015	<0.015		
2/15/2017								<0.015	<0.015
4/10/2017			<0.015						
4/11/2017	<0.015	<0.015		<0.015	<0.015	0.0011 (J)	<0.015		
4/12/2017								<0.015	<0.015
6/26/2017	<0.015	<0.015	<0.015		<0.015	0.0016 (J)	<0.015		
6/27/2017				<0.015				<0.015	<0.015
3/26/2018	<0.015	<0.015	<0.015		<0.015		<0.015	<0.015	<0.015
3/27/2018				<0.015		<0.015	<0.015	<0.015	<0.015
10/5/2018	<0.015	<0.015	<0.015		<0.015		<0.015		
10/8/2018				<0.015		<0.015	<0.015		
10/9/2018								<0.015	
10/16/2018									<0.015
2/18/2019	<0.015	<0.015				0.00085 (J)			
2/19/2019			<0.015	<0.015	<0.015		<0.015		
2/20/2019								<0.015	<0.015
3/28/2019				<0.015	<0.015	<0.015	<0.015		
3/29/2019	<0.015	<0.015	<0.015						
4/1/2019								<0.015	<0.015
9/12/2019							<0.015		
9/13/2019			<0.015						
9/16/2019	<0.015	<0.015		<0.015	<0.015	0.00069 (J)			<0.015
9/17/2019								<0.015	
2/13/2020	<0.015	<0.015	<0.015						
2/17/2020				<0.015			<0.015		
2/18/2020					<0.015	0.00075 (J)			<0.015
2/19/2020								<0.015	
3/17/2020		<0.015		<0.015	<0.015		<0.015		
3/18/2020	<0.015		<0.015			0.00064 (J)			
3/25/2020								<0.015	<0.015
9/14/2020	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/9/2021	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
3/30/2021	<0.015	<0.015	<0.015						
3/31/2021					<0.015	<0.015	<0.015	<0.015	
4/7/2021				<0.015					<0.015
8/17/2021	<0.015	<0.015		<0.015		<0.015			
8/18/2021			<0.015		<0.015		<0.015		
8/19/2021								<0.015	<0.015
2/9/2022	<0.015	<0.015		<0.015	<0.015	<0.015	<0.015		

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
2/10/2022			<0.015						<0.015
2/11/2022								<0.015	
8/17/2022	<0.015	<0.015							
8/18/2022			<0.015	<0.015	<0.015	<0.015	<0.015		<0.015
8/19/2022								<0.015	

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.015								
5/12/2016		<0.015	<0.015	<0.015	<0.015	<0.015			<0.015
5/13/2016							<0.015	<0.015	
6/28/2016	0.0012 (J)	<0.015	<0.015	<0.015	<0.015				
6/29/2016						<0.015		<0.015	<0.015
6/30/2016							<0.015		
8/18/2016	0.0011 (J)	<0.015	<0.015	<0.015	<0.015	<0.015			
8/22/2016							<0.015	<0.015	<0.015
10/17/2016	<0.015	<0.015	<0.015						
10/18/2016				<0.015	<0.015			<0.015	<0.015
10/19/2016						<0.015	<0.015		
12/6/2016	<0.015	<0.015							
12/7/2016			<0.015	<0.015	<0.015	<0.015	<0.015		
12/8/2016								<0.015	<0.015
2/15/2017	<0.015	<0.015	0.003 (J)	<0.015		<0.015			
2/16/2017					<0.015		<0.015	<0.015	<0.015
4/12/2017	<0.015	<0.015	<0.015	<0.015					
4/13/2017					<0.015	<0.015	<0.015	<0.015	<0.015
6/27/2017	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015			
6/28/2017							<0.015	<0.015	<0.015
3/27/2018	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015			
3/28/2018							<0.015	<0.015	<0.015
10/8/2018	<0.015	<0.015	<0.015		<0.015	<0.015			
10/9/2018								<0.015	
10/16/2018				<0.015					
10/18/2018							<0.015		<0.015
2/20/2019	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
4/1/2019	<0.015	<0.015	<0.015	<0.015					
4/2/2019					<0.015	<0.015	<0.015	<0.015	<0.015
9/16/2019	<0.015								
9/17/2019		<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/18/2020									<0.015
2/19/2020	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		<0.015	
2/20/2020							<0.015		
3/23/2020								<0.015	<0.015
3/24/2020						<0.015			
3/26/2020	<0.015						<0.015		
3/27/2020		<0.015	0.00081 (J)	<0.015	<0.015				
9/14/2020	<0.015	<0.015							
9/15/2020			<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
2/9/2021	<0.015	<0.015	<0.015	<0.015	<0.015				
2/10/2021						<0.015	<0.015	<0.015	<0.015
3/30/2021							<0.015	<0.015	<0.015
3/31/2021				<0.015					
4/1/2021					<0.015	<0.015			
4/6/2021			<0.015						
4/7/2021	<0.015	<0.015							
8/18/2021						<0.015	<0.015		
8/19/2021		<0.015	<0.015	<0.015	<0.015			<0.015	<0.015
8/20/2021	<0.015								
2/10/2022	<0.015				<0.015		<0.015		
2/11/2022		<0.015		<0.015		<0.015		<0.015	<0.015

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/14/2022			<0.015						
8/18/2022	<0.015	<0.015							
8/19/2022			<0.015	<0.015					
8/22/2022								<0.015	<0.015
8/23/2022							<0.015		
8/31/2022					<0.015	<0.015			

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.015	0.00343 (J)	<0.015	<0.015		
5/12/2016	<0.015	<0.015	<0.015						
6/27/2016				0.0007 (J)	0.0033 (J)	0.0008 (J)			
6/29/2016	<0.015	<0.015	<0.015				0.0021 (J)		
8/17/2016				<0.015	0.002 (J)	<0.015			
8/19/2016		<0.015	<0.015						
8/22/2016	<0.015						0.00099 (J)		
10/17/2016				<0.015		<0.015			
10/18/2016	<0.015	<0.015	<0.015		0.0012 (J)		0.0014 (J)		
12/6/2016				<0.015	0.0021 (J)	<0.015			
12/7/2016	<0.015	<0.015	<0.015				0.001 (J)		
2/14/2017				<0.015	<0.015	<0.015			
2/15/2017			<0.015						
2/16/2017	<0.015	<0.015					<0.015		
4/12/2017				<0.015	0.0033 (J)	<0.015			
4/13/2017	<0.015	<0.015	<0.015				0.001 (J)		
6/27/2017				0.00099 (J)	0.0021 (J)	<0.015	<0.015		
6/28/2017	<0.015	<0.015	<0.015						
3/27/2018			<0.015	<0.015	<0.015	<0.015			
3/28/2018	<0.015	<0.015					<0.015		
10/8/2018	<0.015	<0.015	<0.015	<0.015					
10/9/2018					<0.015	<0.015	<0.015		
2/19/2019		<0.015	<0.015						
2/20/2019	<0.015			<0.015	0.0013 (J)	<0.015	0.00075 (J)		
4/1/2019					<0.015	<0.015	<0.015		
4/2/2019	<0.015	<0.015	<0.015	<0.015					
9/16/2019				<0.015			0.00067 (J)		
9/17/2019	<0.015				0.0014 (J)	<0.015			
9/18/2019		<0.015	<0.015						
2/18/2020	<0.015	<0.015	<0.015	<0.015	0.0014 (J)	<0.015			
2/19/2020							0.00063 (J)		
3/23/2020	<0.015								
3/24/2020		<0.015	<0.015						
3/25/2020				<0.015		<0.015	<0.015		
3/26/2020					0.001 (J)				
9/14/2020				<0.015	0.0012 (J)	<0.015	<0.015		
9/15/2020	<0.015	<0.015	<0.015						
2/9/2021				<0.015	0.0014 (J)	<0.015	0.00063 (J)		
2/10/2021	<0.015	<0.015	<0.015						
3/30/2021	<0.015								
3/31/2021		<0.015	<0.015				<0.015		
4/1/2021				<0.015	0.0009 (J)	<0.015			
8/18/2021	<0.015	<0.015	<0.015	<0.015	0.0016 (J)	<0.015			
8/19/2021							<0.015		
2/9/2022				<0.015	0.0012 (J)			<0.015	<0.015
2/10/2022		<0.015	<0.015			<0.015	<0.015		
2/11/2022	<0.015								
8/18/2022					0.0011 (J)	0.00073 (J)	<0.015		
8/19/2022				<0.015					
8/22/2022	<0.015	<0.015	<0.015						
8/24/2022								<0.015	<0.015

Time Series

Constituent: Molybdenum (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/8/2022		<0.015	<0.015					
2/9/2022	0.0011 (J)			<0.015	<0.015		0.0057 (J)	
2/10/2022						<0.015		0.0017 (J)
8/22/2022							0.0062 (J)	
8/23/2022	0.0013 (J)	<0.015				0.00079 (J)		
8/24/2022			<0.015	<0.015	<0.015			0.00081 (J)

Time Series

Constituent: pH (S.U.) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	5.51	6.83	6.34	6.14	5.75		5.84		
5/11/2016						6.49		5.7	5.84
8/16/2016	5.42	6.73	6.35		5.72		5.64		
8/17/2016				6.1		6.42		5.55	5.71
10/13/2016	5.52		6.34						
10/14/2016		6.47		6.14	5.71		5.59		
10/17/2016						6.44		5.45	5.69
12/5/2016			6.32						
12/6/2016	5.33	6.74		6.19	5.68	6.48	5.46	5.49	5.58
2/14/2017	5.29	6.85	6.33	6.34	5.57	6.18	5.29		
2/15/2017								5.29	5.54
4/10/2017			6.31						
4/11/2017	5.21	6.75		6.16	5.7	6.49	5.54		
4/12/2017								5.39	5.47
6/26/2017	5.25	6.82	6.35		5.68	6.48	5.54		
6/27/2017				6.08					5.47
10/10/2017	5.49	6.87	6.37						
10/11/2017				6.16	5.63	6.42	5.43		5.58
10/12/2017								5.3	
3/26/2018	5.39	6.77	6.32		5.89				
3/27/2018				6.12		6.53	5.52	5.58	5.65
6/5/2018	5.38	6.73	6.27	6.06			5.59		
6/6/2018					5.62	6.7		5.43	5.32
10/5/2018	5.46	6.81	6.37		5.76		5.7		
10/8/2018				6.16		6.53			
10/9/2018								5.29	
10/16/2018									5.34
3/28/2019				6.15	5.88	6.53	5.67		
3/29/2019	5.22	6.81	6.31						
4/1/2019								5.46	5.24
9/12/2019							5.59		
9/13/2019			6.36						
9/16/2019	5.22	6.82		6.05	5.8	6.44			5.32
9/17/2019								5.31	
2/13/2020	5.09	6.59	6.24						
2/17/2020				6.1			5.73		
2/18/2020					5.76	6.38			5.09
2/19/2020								5.07	
3/17/2020		6.83		6.02	5.87		5.62		
3/18/2020	5.37		6.4			6.36			
3/25/2020								5.26	5.16
5/19/2020	5.37	6.8	6.37	6.03	5.8	6.38	5.61		
9/14/2020	5.11	6.73	6.52	5.98	5.84	6.4	5.82	5.51	5.14
2/9/2021	5.25	6.75	6.4	6.06	5.8	6.38	5.53	5.23	5.24
3/30/2021	5.28	6.73	6.27						
3/31/2021					5.72	6.33	5.5	5.3	
4/7/2021				6.12					5.18
8/17/2021	5.26	6.84		6.08		6.41			
8/18/2021			6.45		5.85		5.51		
8/19/2021								5.21	5.23
2/9/2022	5.28	7.01		6.17	5.84	6.38	5.56		
2/10/2022			6.38						5.11

Time Series

Constituent: pH (S.U.) Analysis Run 12/11/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	6.28								
5/12/2016		6.09	5.79	4.76	5.29	6.21			4.36
5/13/2016							4.7	5.55	
8/18/2016	6.23	6	5.75	4.73	5.3	6.24			
8/22/2016							4.68	5.5	4.37
10/17/2016	6.27	6.01	5.73						
10/18/2016				4.62	5.23			5.46	4.26
10/19/2016						6.2	4.65		
12/6/2016	6.28	5.98							
12/7/2016			5.75	4.63	5.31	6.19	4.69		
12/8/2016								5.39	4.28
2/15/2017	6.21	5.74	5.58	4.51		6.25			
2/16/2017					4.77		4.77	5.32	4.29
4/12/2017	6.15	6.01	5.85	4.67					
4/13/2017					5.28	6.21	4.79	5.47	4.24
6/27/2017	6.23	6.05	5.86	4.66	5.22	6.27			
6/28/2017							4.78	5.5	4.28
10/11/2017	6.26	6.14	5.98						
10/12/2017				4.76	5.43	6.33	4.86	5.57	4.32
3/27/2018	6.32	6.25	5.87	4.61	5.28	6.26			
3/28/2018							4.74	5.74	4.25
6/6/2018	6.1								
6/7/2018		5.93	5.81	4.62	5.26	6.21			4.26
6/8/2018							4.69	5.52	
10/8/2018	6.16	6.02	5.83		5.29	6.17			
10/9/2018								5.51	
10/16/2018				4.59					
10/18/2018							4.7		4.3
4/1/2019	6.14	6.06	5.89	4.72					
4/2/2019					5.27	6.26	4.72	5.5	4.33
9/16/2019	6.18								
9/17/2019		5.98	5.78	4.65	5.26	6.23	4.77	5.55	4.37
2/18/2020									4.3
2/19/2020	6.07	5.94	5.75	4.58	5.16	6.16		5.53	
2/20/2020							4.64		
3/23/2020								5.51	4.19
3/24/2020						6.21			
3/26/2020	6.1						4.74		
3/27/2020		5.89	5.74	4.51	5.17				
9/14/2020	6.11	6							
9/15/2020			6.01	4.87	5.56	6.42	4.94	5.51	4.3
2/9/2021	6.13	5.98	5.85	4.26	5.22				
2/10/2021						6.23	4.8	5.55	4.22
3/30/2021							4.82	5.57	4.32
3/31/2021				4.77					
4/1/2021					5.24	6.25			
4/6/2021			5.84						
4/7/2021	6.44	6.07							
8/18/2021						6.26	4.83		
8/19/2021		5.99	5.86	4.63	5.28			5.61	4.28
8/20/2021	6.13								
2/10/2022	6.19				5.21		4.86		

Time Series

Constituent: pH (S.U.) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
2/11/2022		6.02		4.59		6.39		5.65	4.27
2/14/2022			5.77						
8/18/2022	6.12	5.78							
8/19/2022			5.62	4.61					
8/22/2022								5.54	4.3
8/23/2022							4.8		
8/31/2022					5.1	6.26			
10/25/2022					5.23	6.27			
10/31/2022							4.89	5.53	4.32
11/16/2022					5.17	6.23			

Time Series

Constituent: pH (S.U.) Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				6.39	6.66	6.35	6.24		
5/12/2016	5.95	5.675 (D)	6.18						
8/17/2016				6.28	6.55	6.45			
8/19/2016		5.65	5.84						
8/22/2016	5.96						6.15		
10/17/2016				6.3		6.43			
10/18/2016	5.9	5.71	5.89		6.59		6.11		
12/6/2016				6.3	6.51	6.48			
12/7/2016	6.03	5.71	5.87				6.14		
2/14/2017				6.31	6.3	6.39			
2/15/2017			6.04						
2/16/2017	6.03	5.7					5.95		
4/12/2017				6.23	6.43	6.35			
4/13/2017	5.93	5.7	5.85				6.09		
6/27/2017				6.23	6.56	6.41	6.09		
6/28/2017	6	5.66	5.9						
10/11/2017				6.09	6.4				
10/12/2017	6.09	5.73	6.07			6.41	6.16		
3/27/2018			5.99	6.2	6.6	6.66			
3/28/2018	6.08	5.89					6.3		
6/6/2018				5.99	6.56	6.42	6.12		
6/7/2018	6.1	5.66	5.97						
10/8/2018	6.14	5.74	5.94	6.3					
10/9/2018					6.56	6.51	6.06		
4/1/2019					6.57	6.41	6.11		
4/2/2019	6.09	5.65	5.87	6.25					
9/16/2019				6.26			6.11		
9/17/2019	6.27				6.41	6.5			
9/18/2019		5.66	5.97						
2/13/2020								5.89	
2/18/2020	6.06	5.59	5.95	6.32	6.35	6.39			
2/19/2020							6.03	5.86	
3/23/2020	6.12								
3/24/2020		5.62	6						
3/25/2020				6.31		6.35	6.01		
3/26/2020					6.52				
9/14/2020				6.29	6.31	6.56	6.33		
9/15/2020	6.1	5.65	5.89						
2/9/2021				6.34	6.42	6.35	6.21		
2/10/2021	6.21	5.58	5.85						
3/30/2021	6.17								
3/31/2021		5.73	5.93				6.2		
4/1/2021				6.31	6.44	6.32			
4/5/2021								5.96	
4/7/2021									6.28
8/18/2021	6.26	5.76	6.01	6.33	6.61	6.48			6.35
8/19/2021							6.22	5.91	
2/9/2022				6.33	6.77			5.95	6.66
2/10/2022		5.78	6.13			6.47	6.25		
2/11/2022	6.31								
8/18/2022					6.77	6.8	6.52		
8/19/2022				6.24					

Time Series

Constituent: pH (S.U.) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	6.17	5.62	5.91						
8/24/2022								5.87	9.96
10/31/2022	6.29	5.72	6						

Time Series

Constituent: pH (S.U.) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
2/13/2020		5.29						
2/18/2020		5.54						
3/2/2020				6.53				
9/18/2020			5.29					
4/2/2021	6.62	5.38	5.03					
4/7/2021				7.04				
8/18/2021		5.4		6.5				
8/19/2021	6.68							
8/20/2021			5.13					
2/8/2022		5.42	4.92					
2/9/2022	6.55			6.57	6.71		6.25	
2/10/2022						6.11		6.61
8/22/2022							6.27	
8/23/2022	6.75	5.39				6.14		
8/24/2022			5.09	6.61	6.74			6.86
10/31/2022	6.69	5.46				6.96	6.48	

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005		
5/11/2016						<0.005		<0.005	<0.005
6/23/2016	<0.005	<0.005	<0.005				<0.005		
6/24/2016					<0.005	<0.005			
6/27/2016				<0.005					
6/28/2016								<0.005	<0.005
8/16/2016	<0.005	<0.005	<0.005		<0.005		<0.005		
8/17/2016				<0.005		<0.005		<0.005	<0.005
10/13/2016	<0.005		<0.005						
10/14/2016		<0.005		<0.005	<0.005		<0.005		
10/17/2016						<0.005		<0.005	<0.005
12/5/2016			<0.005						
12/6/2016	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/14/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
2/15/2017								<0.005	<0.005
4/10/2017			<0.005						
4/11/2017	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005		
4/12/2017								<0.005	<0.005
6/26/2017	<0.005	<0.005	<0.005		0.00029 (J)	0.00041 (J)	<0.005		
6/27/2017				<0.005				<0.005	<0.005
3/26/2018	<0.005	<0.005	<0.005		<0.005				
3/27/2018				<0.005		<0.005	<0.005	<0.005	<0.005
6/5/2018	0.00065 (J)	0.00098 (J)	0.00041 (J)	0.00029 (J)			0.00039 (J)		
6/6/2018					<0.005	<0.005		<0.005	<0.005
10/5/2018	0.00031 (J)	0.00028 (J)	<0.005		0.00024 (J)				
10/8/2018				<0.005		0.00041 (J)	<0.005		
10/9/2018								<0.005	
10/16/2018									0.00046 (J)
2/18/2019	<0.005	0.00017 (J)				<0.005			
2/19/2019			<0.005	<0.005	0.00012 (J)		<0.005		
2/20/2019								<0.005	<0.005
3/28/2019				<0.005	<0.005	<0.005	<0.005		
3/29/2019	<0.005	<0.005	<0.005						
4/1/2019								<0.005	<0.005
9/12/2019							<0.005		
9/13/2019			<0.005						
9/16/2019	<0.005	<0.005		<0.005	<0.005	<0.005			<0.005
9/17/2019								<0.005	
2/13/2020	<0.005	<0.005	<0.005						
2/17/2020				<0.005			<0.005		
2/18/2020					<0.005	<0.005			<0.005
2/19/2020								<0.005	
3/17/2020		<0.005		<0.005	<0.005		<0.005		
3/18/2020	<0.005		<0.005			<0.005			
3/25/2020								<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/30/2021	<0.005	<0.005	<0.005						
3/31/2021					<0.005	<0.005	<0.005	<0.005	
4/7/2021				<0.005					<0.005
8/17/2021	<0.005	<0.005		<0.005		<0.005			
8/18/2021			<0.005		<0.005		<0.005		

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								<0.005	<0.005
2/9/2022	<0.005	<0.005		<0.005	<0.005	<0.005	<0.005		
2/10/2022			<0.005						<0.005
2/11/2022								<0.005	
8/17/2022	<0.005	<0.005							
8/18/2022			<0.005	<0.005	<0.005	<0.005	<0.005		<0.005
8/19/2022								<0.005	

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.005								
5/12/2016		<0.005	<0.005	0.00965 (J)	<0.005	<0.005			0.00396 (J)
5/13/2016							0.023	<0.005	
6/28/2016	<0.005	<0.005	<0.005	0.0101	<0.005				
6/29/2016						<0.005		<0.005	0.0053 (J)
6/30/2016							0.0263		
8/18/2016	0.00031 (J)	<0.005	<0.005	0.0014	0.00053 (J)	<0.005			
8/22/2016							0.0066	<0.005	0.0012 (J)
10/17/2016	<0.005	0.0003 (J)	<0.005						
10/18/2016				0.0013	<0.005			<0.005	<0.005
10/19/2016						<0.005	0.0057		
12/6/2016	<0.005	<0.005							
12/7/2016			<0.005	0.0007 (J)	<0.005	<0.005	0.006		
12/8/2016								<0.005	<0.005
2/15/2017	<0.005	<0.005	0.00066 (J)	0.00075 (J)		<0.005			
2/16/2017					<0.005		0.0055	<0.005	<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005					
4/13/2017					<0.005	<0.005	0.0049	<0.005	<0.005
6/27/2017	<0.005	<0.005	<0.005	0.0013	0.001 (J)	0.00024 (J)			
6/28/2017							0.0047	0.00096 (J)	0.00064 (J)
3/27/2018	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
3/28/2018							0.0085	<0.005	<0.005
6/6/2018	<0.005								
6/7/2018		0.00064 (J)	0.00084 (J)	0.0014	0.0013	0.00064 (J)			0.00066 (J)
6/8/2018							0.014	0.00063 (J)	
10/8/2018	<0.005	<0.005	<0.005		0.0014	0.00028 (J)			
10/9/2018								0.0005 (J)	
10/16/2018				0.0021					
10/18/2018							0.017		0.00049 (J)
2/20/2019	<0.005	<0.005	<0.005	0.0034	0.0012 (J)	<0.005	0.027	<0.005	0.0011 (J)
4/1/2019	<0.005	<0.005	<0.005	<0.005					
4/2/2019					0.0021	<0.005	0.0075	<0.005	<0.005
9/16/2019	<0.005								
9/17/2019		<0.005	<0.005	<0.005	<0.005	<0.005	0.0036	<0.005	<0.005
2/18/2020									<0.005
2/19/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		<0.005	
2/20/2020							0.0024 (J)		
3/23/2020								<0.005	<0.005
3/24/2020						<0.005			
3/26/2020	<0.005						0.0019 (J)		
3/27/2020		<0.005	<0.005	<0.005	<0.005				
9/14/2020	<0.005	<0.005							
9/15/2020			<0.005	<0.005	<0.005	<0.005	0.003 (J)	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005				
2/10/2021						<0.005	0.0016 (J)	<0.005	<0.005
3/30/2021							<0.005	<0.005	<0.005
3/31/2021				<0.005					
4/1/2021					<0.005	<0.005			
4/6/2021			<0.005						
4/7/2021	<0.005	<0.005							
8/18/2021						<0.005	0.002 (J)		
8/19/2021		<0.005	<0.005	<0.005	<0.005			<0.005	<0.005

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.005								
2/10/2022	<0.005				0.00092 (J)		0.0021 (J)		
2/11/2022		<0.005		<0.005		<0.005		<0.005	<0.005
2/14/2022			<0.005						
8/18/2022	<0.005	<0.005							
8/19/2022			<0.005	<0.005					
8/22/2022								0.00099 (J)	<0.005
8/23/2022							0.00085 (J)		
8/31/2022					0.001 (J)	<0.005			

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.005	<0.005	<0.005	<0.005		
5/12/2016	<0.005	<0.005	<0.005						
6/27/2016				<0.005	<0.005	<0.005			
6/29/2016	<0.005	<0.005	<0.005				<0.005		
8/17/2016				<0.005	<0.005	<0.005			
8/19/2016		<0.005	<0.005						
8/22/2016	<0.005						<0.005		
10/17/2016				<0.005		<0.005			
10/18/2016	<0.005	<0.005	<0.005		<0.005		<0.005		
12/6/2016				<0.005	<0.005	<0.005			
12/7/2016	<0.005	<0.005	<0.005				<0.005		
2/14/2017				<0.005	<0.005	<0.005			
2/15/2017			<0.005						
2/16/2017	<0.005	<0.005					<0.005		
4/12/2017				0.00034 (J)	<0.005	<0.005			
4/13/2017	<0.005	<0.005	<0.005				<0.005		
6/27/2017				0.00057 (J)	<0.005	<0.005	<0.005		
6/28/2017	<0.005	<0.005	0.00033 (J)						
3/27/2018			<0.005	<0.005	<0.005	<0.005			
3/28/2018	<0.005	<0.005					<0.005		
6/6/2018				0.00032 (J)	<0.005	<0.005	<0.005		
6/7/2018	<0.005	<0.005	<0.005						
10/8/2018	<0.005	<0.005	0.00026 (J)	<0.005					
10/9/2018					0.00034 (J)	<0.005	<0.005		
10/18/2018								0.0045	<0.005
2/19/2019		<0.005	0.00021 (J)						
2/20/2019	<0.005			<0.005	<0.005	<0.005	<0.005		
4/1/2019					<0.005	<0.005	<0.005		
4/2/2019	<0.005	<0.005	<0.005	<0.005					
9/16/2019				<0.005			<0.005		
9/17/2019	<0.005				<0.005	<0.005			
9/18/2019		<0.005	<0.005						
2/18/2020	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
2/19/2020							<0.005		
3/23/2020	<0.005								
3/24/2020		<0.005	<0.005						
3/25/2020				<0.005		<0.005	<0.005		
3/26/2020					<0.005				
9/14/2020				<0.005	<0.005	<0.005	<0.005		
9/15/2020	<0.005	<0.005	<0.005						
2/9/2021				<0.005	<0.005	<0.005	<0.005		
2/10/2021	<0.005	<0.005	<0.005						
3/30/2021	<0.005								
3/31/2021		<0.005	<0.005				<0.005		
4/1/2021				<0.005	<0.005	<0.005			
8/18/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005			
8/19/2021							<0.005		
2/9/2022				<0.005	<0.005			0.0061	<0.005
2/10/2022		<0.005	<0.005			<0.005	<0.005		
2/11/2022	<0.005								
8/18/2022					<0.005	<0.005	<0.005		
8/19/2022				<0.005					

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	<0.005	<0.005	<0.005						
8/24/2022								0.0062	<0.005

Time Series

Constituent: Selenium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				0.00046 (J)				
10/17/2018	<0.0013							
10/18/2018					0.00047 (J)	0.00059 (J)	0.00026 (J)	
2/8/2022		<0.005	<0.005					
2/9/2022	0.0022 (J)			<0.005	<0.005		<0.005	
2/10/2022						<0.005		<0.005
8/22/2022							<0.005	
8/23/2022	0.0014 (J)	<0.005				<0.005		
8/24/2022			<0.005	<0.005	<0.005			<0.005

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	0.6766 (J)	0.4053 (J)	<1	0.686 (J)	2.82		0.4716 (J)		
5/11/2016						3.75		7.43	6.31
6/23/2016	0.94 (J)	0.55 (J)	0.3 (J)				0.46 (J)		
6/24/2016					2.3	3			
6/27/2016				0.61 (J)					
6/28/2016								6.3	3.7
8/16/2016	1.2	<1	<1		1.5		<1		
8/17/2016				<1		1.8		11	2.4
10/13/2016	2.9		<1						
10/14/2016		<1		<1	1.2		<1		
10/17/2016						1.4		4.4	2.1
12/5/2016			<1						
12/6/2016	3.2	<1		<1	1.3	1.4	<1	11	1.9
2/14/2017	0.76 (J)	<1	<1	<1	1.9	1.1	<1		
2/15/2017								1.3	1.2
4/10/2017			<1						
4/11/2017	<1	<1		<1	1.3	1	<1		
4/12/2017								2.8	1
6/26/2017	0.74 (J)	<1	<1		1.5	0.99 (J)	<1		
6/27/2017				<1				8.2	1.2
10/10/2017	0.76 (J)	<1	<1						
10/11/2017				<1	0.98 (J)	0.93 (J)	<1		0.82 (J)
10/12/2017								1.3	
6/5/2018	<1	<1	<1	<1			<1		
6/6/2018					1.8	0.89 (J)		2.9	0.89 (J)
10/16/2018									1.3
12/13/2018	<1	<1	<1	<1	1.4	0.76 (J)	<1		
12/17/2018								16	
3/28/2019				<1	1.9	1.2	<1		
3/29/2019	<1	0.65 (J)	<1						
4/1/2019								21	0.81 (J)
9/12/2019							<1		
9/13/2019			<1						
9/16/2019	0.98 (J)	0.68 (J)		<1	0.92 (J)	1.1			0.72 (J)
9/17/2019								2.3	
3/17/2020		0.78 (J)		0.61 (J)	1.6		0.55 (J)		
3/18/2020	1.2		0.45 (J)			1.3			
3/25/2020								14	0.58 (J)
9/14/2020	0.58 (J)	<1	<1	<1	0.82 (J)	0.96 (J)	<1	2.2	0.59 (J)
3/30/2021	1.2	<1	<1						
3/31/2021					1.1	1.1	<1	15	
4/7/2021				<1					1.3
8/17/2021	<1	<1		<1		1.1			
8/18/2021			1		0.9 (J)		<1		
8/19/2021								2.2	<1
2/9/2022	1	1.2		<1	1.3	1.1	<1		
2/10/2022			<1						<1
2/11/2022								2.1	
8/17/2022	0.94 (J)	0.87 (J)							
8/18/2022			<1	<1	<1	<1	<1		<1
8/19/2022								4.5	

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	30.1								
5/12/2016		89.7	194	194	9.9	125			255
5/13/2016							484	212	
6/28/2016	25	76	200	200	11				
6/29/2016						120		220	270
6/30/2016							490		
8/18/2016	24	78	180	190	14	130			
8/22/2016							500	220	270
10/17/2016	23	73	190						
10/18/2016				190	15			210	240
10/19/2016						140	520		
12/6/2016	28	76							
12/7/2016			200	200	17	160	510		
12/8/2016								220	240
2/15/2017	33	73	190	190		160			
2/16/2017					17		450	210	230
4/12/2017	30	70	170	170					
4/13/2017					15	140	380	190	220
6/27/2017	33	78	200	200	19	160			
6/28/2017							390	220	240
10/11/2017	33	72	190						
10/12/2017				190	20	170	430	210	210
6/6/2018	41								
6/7/2018		69	190	190	25	170			210
6/8/2018							870	220	
10/16/2018				200					
10/18/2018							1200		210
12/14/2018	43	74	190			180			
12/17/2018					28			270	
4/1/2019	48	82	180	190					
4/2/2019					31	180	1100	240	220
9/16/2019	44								
9/17/2019		79	200	220	33	200	1100	260	220
3/23/2020								250	220
3/24/2020						190			
3/26/2020	44						1000		
3/27/2020		81	180	190	35				
9/14/2020	41	89							
9/15/2020			180	190	36	190	860	250	200
3/30/2021							960	270	220
3/31/2021				200					
4/1/2021					37	210			
4/6/2021			190						
4/7/2021	54	96							
8/18/2021						200	940		
8/19/2021		82	190	200	38			280	230
8/20/2021	60								
2/10/2022	41				45		890		
2/11/2022		94		200		190		260	230
2/14/2022			220						
8/18/2022	50	95							
8/19/2022			200	180					

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/22/2022									
8/23/2022							910	260	220
8/31/2022					49	220			

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				0.866 (J)	21.6	61.6	313		
5/12/2016	76.9	85.3	131						
6/27/2016				0.86 (J)	17	64			
6/29/2016	78	84	120				280		
8/17/2016				<1	19	63			
8/19/2016		81	120						
8/22/2016	78						300		
10/17/2016				<1		64			
10/18/2016	70	83	130		17		280		
12/6/2016				<1	18	72			
12/7/2016	80	85	140				280		
2/14/2017				1	21	73			
2/15/2017			120						
2/16/2017	77	83					300		
4/12/2017				<1	18	64			
4/13/2017	70	79	100				280		
6/27/2017				<1	19	77	340		
6/28/2017	82	90	120						
10/11/2017				<1	15				
10/12/2017	76	87	120			74	310		
6/6/2018				<1	14	74	320		
6/7/2018	79	94	100						
10/18/2018								550	140
12/14/2018				<1	10	72			
12/17/2018	88	99	96				330		
4/1/2019					16	67	310		
4/2/2019	92	100	95	1.3					
9/16/2019				0.53 (J)			310		
9/17/2019	99				8.7	77			
9/18/2019		100	95						
3/23/2020	120								
3/24/2020		100	71						
3/25/2020				0.58 (J)		62	300		
3/26/2020					15				
9/14/2020				0.46 (J)	17	81	220		
9/15/2020	130	110	72						
3/30/2021	140								
3/31/2021		120	75				240		
4/1/2021				<1	18	74			
8/18/2021	130	110	66	<1	12	78			
8/19/2021							160		
2/9/2022				0.88 (J)	7.1			<1	150
2/10/2022		100	73			80	190		
2/11/2022	120								
8/18/2022					5.3	78	200		
8/19/2022				<1					
8/22/2022	130	110	61						
8/24/2022								540	170

Time Series

Constituent: Sulfate, total (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				6				
10/17/2018	4							
10/18/2018					92	570	250	
2/8/2022		<1	<1					
2/9/2022	38			0.76 (J)	100		240	
2/10/2022						720		110
8/22/2022							240	
8/23/2022	36	<1				640		
8/24/2022			<1	0.78 (J)	100			100

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	<0.001	<0.001	<0.001	<0.001	<0.001		<0.001		
5/11/2016						<0.001		<0.001	<0.001
6/23/2016	8E-05 (J)	<0.001	<0.001				<0.001		
6/24/2016					0.0001 (J)	<0.001			
6/27/2016				<0.001					
6/28/2016								0.0001 (J)	<0.001
8/16/2016	9.5E-05 (J)	<0.001	<0.001		<0.001		<0.001		
8/17/2016				<0.001		<0.001		<0.001	<0.001
10/13/2016	<0.001		<0.001						
10/14/2016		<0.001		<0.001	<0.001		<0.001		
10/17/2016						<0.001		<0.001	<0.001
12/5/2016			<0.001						
12/6/2016	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/14/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
2/15/2017								<0.001	<0.001
4/10/2017			<0.001						
4/11/2017	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
4/12/2017								<0.001	<0.001
6/26/2017	<0.001	<0.001	<0.001		<0.001	<0.001	<0.001		
6/27/2017				<0.001				<0.001	<0.001
3/26/2018	<0.001	<0.001	<0.001		<0.001				
3/27/2018				<0.001		<0.001	<0.001	<0.001	<0.001
6/5/2018	<0.001	<0.001	<0.001	<0.001			<0.001		
6/6/2018				<0.001	<0.001	<0.001		<0.001	<0.001
10/5/2018	<0.001	<0.001	<0.001		<0.001				
10/8/2018				<0.001		<0.001	<0.001		
10/9/2018								<0.001	
10/16/2018									<0.001
2/18/2019	<0.001	<0.001				<0.001			
2/19/2019			<0.001	<0.001	<0.001		<0.001		
2/20/2019								<0.001	<0.001
3/28/2019				<0.001	<0.001	<0.001	<0.001		
3/29/2019	<0.001	<0.001	<0.001						
4/1/2019								<0.001	<0.001
9/12/2019							<0.001		
9/13/2019			<0.001						
9/16/2019	<0.001	<0.001		<0.001	<0.001	<0.001			<0.001
9/17/2019								<0.001	
2/13/2020	<0.001	<0.001	<0.001						
2/17/2020				<0.001			<0.001		
2/18/2020					0.00033 (J)	0.00049 (J)			0.00016 (J)
2/19/2020								0.00075 (J)	
3/17/2020		<0.001		<0.001	<0.001		<0.001		
3/18/2020	0.00049 (J)		<0.001			0.00021 (J)			
3/25/2020								<0.001	<0.001
9/14/2020	0.00039 (J)	0.00016 (J)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/30/2021	0.00035 (J)	0.00034 (J)	<0.001						
3/31/2021					<0.001	<0.001	<0.001	<0.001	
4/7/2021				<0.001					<0.001
8/17/2021	<0.001	<0.001		<0.001		<0.001			
8/18/2021			<0.001		<0.001		0.0003 (J)		

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
8/19/2021								0.00024 (J)	0.00015 (J)
2/9/2022	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001		
2/10/2022			<0.001						<0.001
2/11/2022								<0.001	
8/17/2022	<0.001	<0.001							
8/18/2022			<0.001	<0.001	<0.001	<0.001	<0.001		<0.001
8/19/2022								<0.001	

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.001								
5/12/2016		<0.001	<0.001	<0.001	<0.001	<0.001			<0.001
5/13/2016							<0.001	<0.001	
6/28/2016	<0.001	<0.001	<0.001	9E-05 (J)	<0.001				
6/29/2016						<0.001		<0.001	0.0002 (J)
6/30/2016							0.0002 (J)		
8/18/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
8/22/2016							0.00015 (J)	<0.001	0.00018 (J)
10/17/2016	<0.001	<0.001	<0.001						
10/18/2016				<0.001	<0.001			<0.001	0.00016 (J)
10/19/2016						<0.001	0.00012 (J)		
12/6/2016	<0.001	<0.001							
12/7/2016			<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)		
12/8/2016								<0.001	0.0001 (J)
2/15/2017	<0.001	<0.001	<0.001	8.5E-05 (J)		<0.001			
2/16/2017					<0.001		0.00013 (J)	<0.001	0.00014 (J)
4/12/2017	<0.001	<0.001	<0.001	9.5E-05 (J)					
4/13/2017					<0.001	<0.001	0.00012 (J)	<0.001	0.00021 (J)
6/27/2017	<0.001	<0.001	<0.001	0.0001 (J)	<0.001	<0.001			
6/28/2017							0.00013 (J)	<0.001	0.00018 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001			
3/28/2018							0.00011 (J)	<0.001	9E-05 (J)
6/6/2018	<0.001								
6/7/2018		<0.001	<0.001	<0.001	<0.001	<0.001			0.00014 (J)
6/8/2018							0.00019 (J)	<0.001	
10/8/2018	<0.001	<0.001	<0.001		<0.001	<0.001			
10/9/2018								<0.001	
10/16/2018				0.0001 (J)					
10/18/2018							0.00019 (J)		0.00018 (J)
2/20/2019	<0.001	<0.001	<0.001	9.8E-05 (J)	<0.001	<0.001	0.00021 (J)	<0.001	0.00018 (J)
4/1/2019	<0.001	<0.001	<0.001	9.5E-05 (J)					
4/2/2019					<0.001	<0.001	0.00016 (J)	<0.001	0.00017 (J)
9/16/2019	<0.001								
9/17/2019		<0.001	<0.001	0.00016 (J)	<0.001	<0.001	0.00025 (J)	<0.001	0.00021 (J)
2/18/2020									0.00033 (J)
2/19/2020	0.00034 (J)	0.00022 (J)	0.00018 (J)	0.00031 (J)	<0.001	<0.001		<0.001	
2/20/2020							0.00066 (J)		
3/23/2020								<0.001	0.00016 (J)
3/24/2020						<0.001			
3/26/2020	<0.001						0.00029 (J)		
3/27/2020		<0.001	0.0011	0.00045 (J)	<0.001				
9/14/2020	0.00023 (J)	<0.001							
9/15/2020			0.00035 (J)	0.00027 (J)	<0.001	<0.001	0.00027 (J)	<0.001	0.00028 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001				
2/10/2021						0.00024 (J)	0.00068 (J)	<0.001	0.00025 (J)
3/30/2021							0.00024 (J)	<0.001	0.00018 (J)
3/31/2021				<0.001					
4/1/2021					<0.001	<0.001			
4/6/2021			0.00017 (J)						
4/7/2021	<0.001	<0.001							
8/18/2021						<0.001	0.00022 (J)		
8/19/2021		<0.001	<0.001	<0.001	<0.001			<0.001	0.00018 (J)

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/20/2021	<0.001								
2/10/2022	<0.001				<0.001		<0.001		
2/11/2022		<0.001		<0.001		<0.001		<0.001	<0.001
2/14/2022			<0.001						
8/18/2022	<0.001	<0.001							
8/19/2022			<0.001	<0.001					
8/22/2022								<0.001	<0.001
8/23/2022							<0.001		
8/31/2022					<0.001	<0.001			

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				<0.001	<0.001	<0.001	<0.001		
5/12/2016	<0.001	<0.001	<0.001						
6/27/2016				<0.001	<0.001	<0.001			
6/29/2016	<0.001	<0.001	<0.001				<0.001		
8/17/2016				<0.001	<0.001	<0.001			
8/19/2016		<0.001	<0.001						
8/22/2016	<0.001						<0.001		
10/17/2016				<0.001		<0.001			
10/18/2016	<0.001	<0.001	<0.001		<0.001		<0.001		
12/6/2016				<0.001	<0.001	<0.001			
12/7/2016	<0.001	<0.001	<0.001				<0.001		
2/14/2017				<0.001	<0.001	<0.001			
2/15/2017			<0.001						
2/16/2017	<0.001	<0.001					<0.001		
4/12/2017				<0.001	<0.001	<0.001			
4/13/2017	<0.001	<0.001	<0.001				<0.001		
6/27/2017				<0.001	<0.001	<0.001	<0.001		
6/28/2017	<0.001	<0.001	<0.001						
3/27/2018			<0.001	<0.001	<0.001	<0.001			
3/28/2018	<0.001	<0.001					<0.001		
6/6/2018				<0.001	<0.001	<0.001	<0.001		
6/7/2018	<0.001	<0.001	<0.001						
10/8/2018	<0.001	<0.001	<0.001	<0.001					
10/9/2018					<0.001	<0.001	<0.001		
10/18/2018								<0.001	<0.001
2/19/2019		<0.001	<0.001						
2/20/2019	<0.001			<0.001	<0.001	<0.001	<0.001		
4/1/2019					<0.001	<0.001	<0.001		
4/2/2019	<0.001	<0.001	<0.001	<0.001					
9/16/2019				<0.001			<0.001		
9/17/2019	<0.001				<0.001	0.00023 (J)			
9/18/2019		<0.001	<0.001						
2/18/2020	<0.001	<0.001	<0.001	0.00028 (J)	0.00022 (J)	0.0002 (J)			
2/19/2020							0.00027 (J)		
3/23/2020	<0.001								
3/24/2020		<0.001	<0.001						
3/25/2020				0.00049 (J)		0.00079 (J)	<0.001		
3/26/2020					<0.001				
9/14/2020				<0.001	<0.001	<0.001	<0.001		
9/15/2020	<0.001	0.00038 (J)	0.00016 (J)						
2/9/2021				<0.001	<0.001	<0.001	<0.001		
2/10/2021	<0.001	<0.001	<0.001						
3/30/2021	<0.001								
3/31/2021		<0.001	<0.001				<0.001		
4/1/2021				0.00023 (J)	0.00042 (J)	0.00021 (J)			
8/18/2021	<0.001	<0.001	<0.001	0.00017 (J)	<0.001	<0.001			
8/19/2021							0.0004 (J)		
2/9/2022				<0.001	<0.001			<0.001	<0.001
2/10/2022		<0.001	<0.001			<0.001	<0.001		
2/11/2022	<0.001								
8/18/2022					<0.001	<0.001	<0.001		
8/19/2022				<0.001					

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
8/22/2022	<0.001	<0.001	<0.001						
8/24/2022								<0.001	<0.001

Time Series

Constituent: Thallium (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				<0.001				
10/17/2018	<0.001							
10/18/2018					<0.001	<0.001	<0.001	
2/8/2022		<0.001	<0.001					
2/9/2022	<0.001			<0.001	<0.001		<0.001	
2/10/2022						<0.001		<0.001
8/22/2022							<0.001	
8/23/2022	<0.001	<0.001				<0.001		
8/24/2022			<0.001	<0.001	<0.001			<0.001

Time Series

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-4 (bg)	SGWA-5 (bg)	SGWC-10	SGWC-11
5/10/2016	44	96	110	100	59		64		
5/11/2016						91		68	80
6/23/2016	38	91	118				58		
6/24/2016					39	78			
6/27/2016				117					
6/28/2016								41	134
8/16/2016	22	100	110		38		52		
8/17/2016				86		100		70	42
10/13/2016	66		120						
10/14/2016		100		80	34		58		
10/17/2016						58		6	24
12/5/2016			110						
12/6/2016	54	110		110	70	98	72	40	70
2/14/2017	18	76	86	98	32	78	52		
2/15/2017								18	34
4/10/2017			120						
4/11/2017	50	120		110	64	110	78		
4/12/2017								18	36
6/26/2017	60	110	130		64	110	80		
6/27/2017				18				50	8
10/10/2017	36	100	110						
10/11/2017				94	42	120	64		56
10/12/2017								46	
6/5/2018	8	74	76	80			50		
6/6/2018					46	120		38	40
10/16/2018									100
12/13/2018	16	110	100	4 (J)	4 (J)	94	58		
12/17/2018								38	
3/28/2019				79	43	110	58		
3/29/2019	<10	72	110						
4/1/2019								82	33
9/12/2019							22		
9/13/2019			200						
9/16/2019	17	91		42	19	57			<10
9/17/2019								17	
3/17/2020		100		98	52		30		
3/18/2020	25		110			140			
3/25/2020								59	38
9/14/2020	20	93	95	71	55	110	36	45	39
3/30/2021	32	110	110						
3/31/2021					57	120	35	64	
4/7/2021				95					40
8/17/2021	27	110		97		130			
8/18/2021			120		66		53		
8/19/2021								54	36
2/9/2022	45	100		93	54	110	60		
2/10/2022			130						39
2/11/2022								44	
8/17/2022	82	130							
8/18/2022			170	88	64	140	94		54
8/19/2022								63	

Time Series

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
5/11/2016	195								
5/12/2016		190	309	298	46	261			386
5/13/2016							728	366	
6/28/2016	200	198	333	337	60				
6/29/2016						323		370	436
6/30/2016							742		
8/18/2016	200	180	320	310	48	310			
8/22/2016							670	350	290
10/17/2016	160	140	320						
10/18/2016				320	60			340	200
10/19/2016						330 (D)	700		
12/6/2016	220	110							
12/7/2016			340	270	64	370	720		
12/8/2016								350	370
2/15/2017	200	160	340	310		350			
2/16/2017					40		600	340	350
4/12/2017	180	140	300	280					
4/13/2017					76	390	640	350	380
6/27/2017	200	170	320	290	50	350			
6/28/2017							540	340	320
10/11/2017	190	170	340						
10/12/2017				330	68	380	640	370	350
6/6/2018	260								
6/7/2018		190	340	310	74	360			320
6/8/2018							820	320	
10/16/2018				350					
10/18/2018							1200		370
12/14/2018	190	140	280			390			
12/17/2018					42			250	
4/1/2019	200	190	330	330					
4/2/2019					73	400	1700	420	370
9/16/2019	200								
9/17/2019		170	310	320	59	380	1600	400	320
3/23/2020								390	330
3/24/2020						430			
3/26/2020	200						1600		
3/27/2020		200	330	330	99				
9/14/2020	190	190							
9/15/2020			360	340	90	440	1500	450	350
3/30/2021							1500	420	350
3/31/2021				300					
4/1/2021					88	410			
4/6/2021			320						
4/7/2021	210	200							
8/18/2021						450	1400		
8/19/2021		210	370	320	100			440	340
8/20/2021	220								
2/10/2022	210				100		1400		
2/11/2022		200		310		440		440	350
2/14/2022			360						
8/18/2022	230	240							
8/19/2022			370	320					

Time Series

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20
8/22/2022									
8/23/2022							1300	450	370
11/16/2022					110	430			

Time Series

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9	PZ-41S	PZ-43S
5/11/2016				104	222	330	527		
5/12/2016	260	212	288						
6/27/2016				112	275	423			
6/29/2016	311	214	272				562		
8/17/2016				86	220	410			
8/19/2016		230	290						
8/22/2016	390						500		
10/17/2016				60		370			
10/18/2016	300	190	270		210		490		
12/6/2016				90	250	420			
12/7/2016	310	230	300				510		
2/14/2017				54	210	370			
2/15/2017			260						
2/16/2017	310	200					520		
4/12/2017				64	200	370			
4/13/2017	300	220	300				590		
6/27/2017				40	180	380	550		
6/28/2017	290	190	250						
10/11/2017				82	210				
10/12/2017	290	230	280			400	560		
6/6/2018				100	210	410	590		
6/7/2018	260	210	220						
10/18/2018								670	230
12/14/2018				44	170	390			
12/17/2018	310	260	30				510		
4/1/2019					200	370	580		
4/2/2019	300	240	250	91					
9/16/2019				76			550		
9/17/2019	290				140	380			
9/18/2019		470	490						
3/23/2020	330								
3/24/2020		250	210						
3/25/2020				94		360	540		
3/26/2020					180				
9/14/2020				99	200	360	470		
9/15/2020	390	250	210						
3/30/2021	380								
3/31/2021		240	220				430		
4/1/2021				83	200	360			
8/18/2021	380	260	210	140	210	410			
8/19/2021							380		
2/9/2022				130	170			820	310
2/10/2022		250	230			400	410		
2/11/2022	350								
8/18/2022					200	420	470		
8/19/2022				150					
8/22/2022	380	3400	220						
8/24/2022								920	350

Time Series


Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/1/2022 2:43 PM

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-39S	PZ-14S	PZ-13S	PZ-44I	PZ-17I	PZ-40I	PZ-42I	PZ-69I
10/16/2018				180				
10/17/2018	140							
10/18/2018					260	840	440	
2/8/2022		48	37					
2/9/2022	150			120	240		470	
2/10/2022						1200		320
8/22/2022							500	
8/23/2022	170	65				100		
8/24/2022			86	200	280			290


FIGURE B.

Box & Whiskers Plot




Constituent: Antimony Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Antimony Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Arsenic Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Barium Analysis Run 12/1/2022 2:43 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 12/1/2022 2:43 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Boron, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cadmium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Calcium, total Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chloride, Total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Chromium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lead Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Lithium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Mercury Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: pH Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Selenium Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Sulfate, total Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Thallium Analysis Run 12/1/2022 2:44 PM
Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot




Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:44 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

Box & Whiskers Plot



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 2:45 PM
 Plant Scherer Client: Southern Company Data: Scherer AP

FIGURE C.

Outlier Summary

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 2:47 PM

	SGWC-20 Lithium (mg/L)	SGWC-7 Lithium (mg/L)
5/11/2016		<0.05 (O)
5/12/2016	<0.005 (O)	

FIGURE D.

Appendix III Interwell Prediction Limits - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 10:50 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.13	n/a	8/18/2022	0.57	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-13	0.13	n/a	8/18/2022	0.55	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-14	0.13	n/a	8/19/2022	1.4	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-15	0.13	n/a	8/19/2022	1.3	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-16	0.13	n/a	8/31/2022	0.67	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-17	0.13	n/a	8/31/2022	0.31	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-18	0.13	n/a	8/23/2022	6.8	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-19	0.13	n/a	8/22/2022	1.7	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-20	0.13	n/a	8/22/2022	1.6	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-21	0.13	n/a	8/22/2022	1.2	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-22	0.13	n/a	8/22/2022	0.57	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-23	0.13	n/a	8/22/2022	0.46	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-8	0.13	n/a	8/18/2022	0.14	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Boron, total (mg/L)	SGWC-9	0.13	n/a	8/18/2022	1.4	Yes	133	n/a	n/a	92.48	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Calcium, total (mg/L)	SGWC-12	20	n/a	8/18/2022	22	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-13	20	n/a	8/18/2022	21	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-14	20	n/a	8/19/2022	39	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-17	20	n/a	8/31/2022	58	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-18	20	n/a	8/23/2022	52	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-19	20	n/a	8/22/2022	42	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-21	20	n/a	8/22/2022	36	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-22	20	n/a	8/22/2022	28	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-23	20	n/a	8/22/2022	22	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-8	20	n/a	8/18/2022	50	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Calcium, total (mg/L)	SGWC-9	20	n/a	8/18/2022	44	Yes	133	n/a	n/a	0	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Chloride, Total (mg/L)	SGWC-10	3.119	n/a	8/19/2022	9.2	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-11	3.119	n/a	8/18/2022	9.9	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-12	3.119	n/a	8/18/2022	9.5	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-13	3.119	n/a	8/18/2022	12	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-14	3.119	n/a	8/19/2022	13	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-15	3.119	n/a	8/19/2022	11	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-16	3.119	n/a	8/31/2022	9.6	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-17	3.119	n/a	8/31/2022	8	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-18	3.119	n/a	8/23/2022	16	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-19	3.119	n/a	8/22/2022	9.6	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-20	3.119	n/a	8/22/2022	9.4	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-21	3.119	n/a	8/22/2022	10	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-22	3.119	n/a	8/22/2022	11	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-23	3.119	n/a	8/22/2022	12	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-7	3.119	n/a	8/18/2022	3.5	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-8	3.119	n/a	8/18/2022	13	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Chloride, Total (mg/L)	SGWC-9	3.119	n/a	8/18/2022	17	Yes	133	0.6217	0.2475	0	None	ln(x)	0.000418	Param Inter 1 of 2
Fluoride, total (mg/L)	SGWC-20	0.16	n/a	8/22/2022	0.22	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-8	0.16	n/a	8/18/2022	0.54	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
Fluoride, total (mg/L)	SGWC-9	0.16	n/a	8/18/2022	0.51	Yes	161	n/a	n/a	57.14	n/a	n/a	0.00007541	NP Inter (NDs) 1 of 2
pH (S.U.)	SGWC-11	7.01	5.09	8/18/2022	5.06	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-15	7.01	5.09	8/19/2022	4.61	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-18	7.01	5.09	8/23/2022	4.8	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	8/22/2022	4.3	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
Sulfate, total (mg/L)	SGWC-10	3.75	n/a	8/19/2022	4.5	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-12	3.75	n/a	8/18/2022	50	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-13	3.75	n/a	8/18/2022	95	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-14	3.75	n/a	8/19/2022	200	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-15	3.75	n/a	8/19/2022	180	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-16	3.75	n/a	8/31/2022	49	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-17	3.75	n/a	8/31/2022	220	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-18	3.75	n/a	8/23/2022	910	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-19	3.75	n/a	8/22/2022	260	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-20	3.75	n/a	8/22/2022	220	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-21	3.75	n/a	8/22/2022	130	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-22	3.75	n/a	8/22/2022	110	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-23	3.75	n/a	8/22/2022	61	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-7	3.75	n/a	8/18/2022	5.3	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2

Appendix III Interwell Prediction Limits - Significant Results


Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 10:50 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Sulfate, total (mg/L)	SGWC-8	3.75	n/a	8/18/2022	78	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Sulfate, total (mg/L)	SGWC-9	3.75	n/a	8/18/2022	200	Yes	133	n/a	n/a	50.38	n/a	n/a	0.0001113	NP Inter (NDs) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	200	n/a	8/18/2022	230	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	200	n/a	8/18/2022	240	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	200	n/a	8/19/2022	370	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	200	n/a	8/19/2022	320	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	200	n/a	11/16/2022	430	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	200	n/a	8/23/2022	1300	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	200	n/a	8/22/2022	450	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	200	n/a	8/22/2022	370	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	200	n/a	8/22/2022	380	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	200	n/a	8/22/2022	3400	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	200	n/a	8/22/2022	220	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	200	n/a	8/18/2022	420	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	200	n/a	8/18/2022	470	Yes	133	n/a	n/a	0.7519	n/a	n/a	0.0001113	NP Inter (normality) 1 of 2

Exceeds Limit: SGWC-11, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20, SGWC-21...

Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 133 background values. 92.48% NDs. Annual per-constituent alpha = 0.003998. Individual comparison alpha = 0.0001113 (1 of 2). Comparing 18 points to limit.

Constituent: Boron, total Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-12, SGWC-13, SGWC-14, SGWC-17, SGWC-18, SGWC-19, SGWC-21, SGWC-22, SGWC-23, SGWC-8...

Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 133 background values. Annual per-constituent alpha = 0.003998. Individual comparison alpha = 0.0001113 (1 of 2). Comparing 18 points to limit.

Constituent: Calcium, total Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-10, SGWC-11, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19...

Prediction Limit

Interwell Parametric



Background Data Summary (based on natural log transformation): Mean=0.6217, Std. Dev.=0.2475, n=133. Normality test: Chi Squared @alpha = 0.01, calculated = 10.38, critical = 14.07. Kappa = 2.084 (c=7, w=18, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.000418. Comparing 18 points to limit.


Constituent: Chloride, Total Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Hollow symbols indicate censored values.

Exceeds Limit: SGWC-20, SGWC-8, SGWC-9

Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 161 background values. 57.14% NDs. Annual per-constituent alpha = 0.002711. Individual comparison alpha = 0.00007541 (1 of 2). Comparing 18 points to limit.

Constituent: Fluoride, total Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limits: SGWC-11, SGWC-15, SGWC-18, SGWC-20

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 154 background values. Annual per-constituent alpha = 0.005971. Individual comparison alpha = 0.0001661 (1 of 2). Comparing 18 points to limit.

Constituent: pH Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-10, SGWC-12, SGWC-13, SGWC-14, SGWC-15, SGWC-16, SGWC-17, SGWC-18, SGWC-19, SGWC-20...

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 133 background values. 50.38% NDs. Annual per-constituent alpha = 0.003998. Individual comparison alpha = 0.0001113 (1 of 2). Comparing 18 points to limit.

Constituent: Sulfate, total Analysis Run 12/2/2022 10:46 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

Exceeds Limit: SGWC-12, SGWC-13,
SGWC-14, SGWC-15, SGWC-17, SGWC-
18, SGWC-19, SGWC-20, SGWC-21,
SGWC-22...

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 133 background values. 0.7519% NDs. Annual per-constituent alpha = 0.003998. Individual comparison alpha = 0.0001113 (1 of 2). Comparing 18 points to limit.

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
5/10/2016	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08			
5/11/2016							0.0678 (J)	0.0359 (J)	<0.08
5/12/2016									
5/13/2016									
6/23/2016	<0.08	<0.08			<0.08	<0.08			
6/24/2016				0.0109 (J)					
6/27/2016			0.0052 (J)				0.0767 (J)	0.0354 (J)	0.0051 (J)
6/28/2016									
6/29/2016									
6/30/2016									
8/16/2016	<0.08	<0.08		<0.08	<0.08	<0.08			
8/17/2016			<0.08				0.067	0.039 (J)	<0.08
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	<0.08						<0.08		
10/14/2016		<0.08	<0.08	<0.08	<0.08				
10/17/2016							0.059		<0.08
10/18/2016								0.039 (J)	
10/19/2016									
12/5/2016							<0.08		
12/6/2016	<0.08	<0.08	<0.08	<0.08	<0.08		0.054	0.03 (J)	<0.08
12/7/2016									
12/8/2016									
2/14/2017	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	0.063	0.031 (J)	<0.08
2/15/2017									
2/16/2017									
4/10/2017							<0.08		
4/11/2017	<0.08	<0.08	<0.08	<0.08	<0.08				
4/12/2017							0.068	0.039 (J)	<0.08
4/13/2017									
6/26/2017	<0.08	<0.08		<0.08	<0.08	<0.08			
6/27/2017			<0.08				0.067	0.028 (J)	<0.08
6/28/2017									
10/10/2017	<0.08	<0.08					<0.08		
10/11/2017			<0.08	<0.08	<0.08			0.026 (J)	<0.08
10/12/2017							0.075		
6/5/2018	<0.08	<0.08	<0.08		<0.08	<0.08			
6/6/2018				<0.08			0.059	<0.08	<0.08
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08			
12/14/2018							0.064	<0.08	<0.08
12/17/2018									
3/28/2019			<0.08	<0.08	<0.08				
3/29/2019	<0.08	<0.08				<0.08			
4/1/2019							0.076	0.025 (J)	
4/2/2019									<0.08
9/12/2019					<0.08				
9/13/2019						<0.08			

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
9/16/2019	0.13	0.089	<0.08	0.05					0.04 (J)
9/17/2019							0.11	<0.08	
9/18/2019									
3/17/2020		<0.08	<0.08	<0.08	<0.08				
3/18/2020	<0.08					<0.08			
3/23/2020									
3/24/2020									
3/25/2020							0.089		<0.08
3/26/2020								0.055 (J)	
3/27/2020									
9/14/2020	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	0.1	<0.08	<0.08
9/15/2020									
3/30/2021	0.041 (J)	0.045 (J)					0.072 (J)		
3/31/2021				<0.08	<0.08				
4/1/2021							0.14	0.069 (J)	<0.08
4/6/2021									
4/7/2021			<0.08						
8/17/2021	<0.08	<0.08	<0.08						
8/18/2021				<0.08	<0.08	<0.08	0.14	0.047 (J)	<0.08
8/19/2021									
8/20/2021									
2/9/2022	<0.08	<0.08	<0.08	<0.08	<0.08			<0.08	<0.08
2/10/2022						<0.08	0.16		
2/11/2022									
2/14/2022									
8/17/2022	<0.08	<0.08							
8/18/2022			<0.08	0.072 (J)	<0.08	<0.08	0.14	0.1	
8/19/2022									<0.08
8/22/2022									
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-9	SGWC-11	SGWC-12	SGWC-10	SGWC-21	SGWC-23	SGWC-20	SGWC-13
5/10/2016									
5/11/2016	<0.08	1.54	0.242	<0.08	0.0275 (J)				
5/12/2016						1.4	0.691	1.99	0.599
5/13/2016									
6/23/2016									
6/24/2016	0.0067 (J)								
6/27/2016									
6/28/2016			0.245	0.0054 (J)	0.035 (J)				0.52
6/29/2016		1.52				1.25	0.557	1.88	
6/30/2016									
8/16/2016									
8/17/2016	<0.08		0.26		0.028 (J)				
8/18/2016				<0.08					0.51
8/19/2016							0.58		
8/22/2016		1.6				1.3		2	
10/13/2016									
10/14/2016									
10/17/2016	<0.08		0.25	<0.08	0.032 (J)				0.58
10/18/2016		2.4				1.7	0.68	2.5	
10/19/2016									
12/5/2016									
12/6/2016	<0.08		0.27	<0.08	<0.08				0.5
12/7/2016		1.6				1.3	0.6		
12/8/2016								1.9	
2/14/2017	<0.08								
2/15/2017			0.28	<0.08	0.035 (J)		0.82		0.5
2/16/2017		1.6				1.4		2.3	
4/10/2017									
4/11/2017	<0.08								
4/12/2017			0.29	<0.08	0.052				0.47
4/13/2017		1.7				1.4	0.54	2	
6/26/2017	<0.08								
6/27/2017		1.8	0.29	<0.08	<0.08				0.51
6/28/2017						1.4	0.59	2.3	
10/10/2017									
10/11/2017	<0.08		0.31	<0.08					0.49
10/12/2017		1.8			0.049 (J)	1.4	0.54	2.6	
6/5/2018									
6/6/2018	<0.08	1.8	0.37	<0.08	0.07				
6/7/2018						1.4	0.71	2.1	0.45
6/8/2018									
10/16/2018			0.35						
10/18/2018								2.3	
12/13/2018	<0.08								
12/14/2018				<0.08					0.47
12/17/2018		1.6			0.098	1.2	0.6		
3/28/2019	<0.08								
3/29/2019									
4/1/2019		1.7	0.46	<0.08	0.16				0.57
4/2/2019						1.2	0.52	2	
9/12/2019									
9/13/2019									

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-9	SGWC-11	SGWC-12	SGWC-10	SGWC-21	SGWC-23	SGWC-20	SGWC-13
9/16/2019	<0.08	1.6	0.39	<0.08					
9/17/2019					0.077	1.1		1.8	0.43
9/18/2019							0.54		
3/17/2020									
3/18/2020	<0.08								
3/23/2020						0.83		1.9	
3/24/2020							0.55		
3/25/2020		1.6	0.45		0.12				
3/26/2020				<0.08					
3/27/2020									0.49
9/14/2020	<0.08	1.7	0.43	<0.08	0.082				0.49
9/15/2020						1.2	0.38	1.8	
3/30/2021						1.1		1.6	
3/31/2021	<0.08	1.5			0.15		0.51		
4/1/2021									
4/6/2021									
4/7/2021			0.68	<0.08					0.59
8/17/2021	<0.08								
8/18/2021						1.1	0.42		
8/19/2021		1.5	0.54		0.091			1.9	0.59
8/20/2021				0.043 (J)					
2/9/2022	<0.08								
2/10/2022		1.3	0.53	<0.08			0.45		
2/11/2022					0.09	1		1.5	0.48
2/14/2022									
8/17/2022									
8/18/2022	<0.08	1.4	0.57	0.061 (J)					0.55
8/19/2022					0.083				
8/22/2022						1.2	0.46	1.6	
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	1.38	0.195	1.57	0.411	0.562		
5/13/2016						1.87	3.71
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	1.29		1.36		0.546		
6/29/2016		0.198 (J)		0.373 (J)		1.67	
6/30/2016							3.8
8/16/2016							
8/17/2016							
8/18/2016	1.3	0.24	1.5		0.54		
8/19/2016				0.37			
8/22/2016						1.7	3.3
10/13/2016							
10/14/2016							
10/17/2016	1.6						
10/18/2016			1.9	0.41	0.55	2.1	
10/19/2016		0.37					4.5
12/5/2016							
12/6/2016							
12/7/2016	1.5	0.4	1.5	0.36	0.56		4.8
12/8/2016						1.7	
2/14/2017							
2/15/2017	1.5	0.38	1.5				
2/16/2017				0.38 (J)	0.58	2.3	3.9
4/10/2017							
4/11/2017							
4/12/2017	1.4		1.7				
4/13/2017		0.34		0.4	0.56	1.9	3.8
6/26/2017							
6/27/2017	1.6	0.33	1.7		0.56		
6/28/2017				0.35		1.9	3.6
10/10/2017							
10/11/2017	1.5						
10/12/2017		0.47	1.6	0.4	0.57	1.9	3.9
6/5/2018							
6/6/2018							
6/7/2018	1.6	0.35	1.7	0.41	0.59		
6/8/2018						1.8	4.3
10/16/2018			1.5				
10/18/2018							4.9
12/13/2018							
12/14/2018	1.4	0.44					
12/17/2018				0.4	0.55	1.8	
3/28/2019							
3/29/2019							
4/1/2019	1.7		1.6				
4/2/2019		0.32		0.44	0.53	2	5.3
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Boron, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	1.4	0.43	1.4		0.55	1.8	5
9/18/2019				0.52			
3/17/2020							
3/18/2020							
3/23/2020						1.7	
3/24/2020		0.37		0.34			
3/25/2020							
3/26/2020							6
3/27/2020	1.5		1.4		0.59		
9/14/2020							
9/15/2020	1.5	0.38	1.4	0.5	0.57	1.9	6.2
3/30/2021						1.9	6.4
3/31/2021			1.4	0.47			
4/1/2021		0.31			0.55		
4/6/2021	1.6						
4/7/2021							
8/17/2021							
8/18/2021		0.32		0.44			6.6
8/19/2021	1.7		1.6		0.72	2.1	
8/20/2021							
2/9/2022							
2/10/2022				0.54	0.63		6.4
2/11/2022		0.27	1.2			1.7	
2/14/2022	1.5						
8/17/2022							
8/18/2022							
8/19/2022	1.4		1.3				
8/22/2022				0.57		1.7	
8/23/2022							6.8
8/31/2022		0.31			0.67		

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
5/10/2016	3	10.1	11.4	6.22	2.64	12.3			
5/11/2016							47.6	27.2	8.7
5/12/2016									
5/13/2016									
6/23/2016	2.42	8.45			1.65	11.3			
6/24/2016				5.55					
6/27/2016			9.16				47	27.9	7.48
6/28/2016									
6/29/2016									
6/30/2016									
8/16/2016	2.1	9.4		5	1.3	11			
8/17/2016			9.6				45	23	8
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	2.7					12			
10/14/2016		10	11	5.4	1.4				
10/17/2016							47		8.6
10/18/2016								24	
10/19/2016									
12/5/2016						12			
12/6/2016	2.1	10	11	4.8	1.4		45	23	8.2
12/7/2016									
12/8/2016									
2/14/2017	1.8	11	12	4.6	1.4	13	49	24	7.2
2/15/2017									
2/16/2017									
4/10/2017						12			
4/11/2017	1.8	10	11	5	1.4				
4/12/2017							50	25	6.7
4/13/2017									
6/26/2017	1.7	10		4.9	1.5	13			
6/27/2017			9.5				50	23	6.2
6/28/2017									
10/10/2017	2.3	11				14			
10/11/2017			11	5.5	1.6			22	6.5
10/12/2017							51		
6/5/2018	2.6	11	9.7		1.5	13			
6/6/2018				4.1			51	19	4.2
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	1.7	10	9.4	4.3	1.4	12			
12/14/2018							46	16	6.5
12/17/2018									
3/28/2019			8.7	4.8	1.4				
3/29/2019	2	11				12			
4/1/2019							45	18	
4/2/2019									6.7
9/12/2019					1.6				
9/13/2019						14			

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	37.7	34.8	14.5	21.9	0.75		
5/13/2016						35.3	56.9
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	35.8		14.7		0.768		
6/29/2016		33.1		21.8		34.6	
6/30/2016							46.4
8/16/2016							
8/17/2016							
8/18/2016	37	35	15		0.7		
8/19/2016				22			
8/22/2016						38	48
10/13/2016							
10/14/2016							
10/17/2016	37						
10/18/2016			16	23	0.75	36	
10/19/2016		38.5 (D)					51
12/5/2016							
12/6/2016							
12/7/2016	38	39	15	23	0.73		50
12/8/2016						36	
2/14/2017							
2/15/2017	45	44	17				
2/16/2017				27	0.81	41	51
4/10/2017							
4/11/2017							
4/12/2017	39		14				
4/13/2017		45		27	0.88	39	35
6/26/2017							
6/27/2017	38	42	16		0.76		
6/28/2017				25		36	36
10/10/2017							
10/11/2017	44						
10/12/2017		48	17	27	1.1	39	43
6/5/2018							
6/6/2018							
6/7/2018	44	49	16	26	0.84		
6/8/2018						37	90
10/16/2018			16				
10/18/2018							100
12/13/2018							
12/14/2018	37	46					
12/17/2018				28	0.94	42	
3/28/2019							
3/29/2019							
4/1/2019	39		16				
4/2/2019		46		26	0.92	38	89
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Calcium, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	38	51	17		1	44	87
9/18/2019				27			
3/17/2020							
3/18/2020							
3/23/2020						46	
3/24/2020		58		31			
3/25/2020							
3/26/2020							81
3/27/2020	41		17		1.5		
9/14/2020							
9/15/2020	40	54	17	28	1.1	47	74
3/30/2021						50	68
3/31/2021			17	30			
4/1/2021		57			1.2		
4/6/2021	42						
4/7/2021							
8/17/2021							
8/18/2021		55		30			55
8/19/2021	40		17		1.1	45	
8/20/2021							
2/9/2022							
2/10/2022				27	1.2		55
2/11/2022		58	16			46	
2/14/2022	41						
8/17/2022							
8/18/2022							
8/19/2022	39		17				
8/22/2022				28		42	
8/23/2022							52
8/31/2022		58			1.2		

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
5/10/2016	1.9	1.51	2.77	3.45	1.98	1.94			
5/11/2016							12.6	9.65	2.44
5/12/2016									
5/13/2016									
6/23/2016	2.2	1.8			2.1	2.2			
6/24/2016				3.5					
6/27/2016			2.9				13	6.7	2.5
6/28/2016									
6/29/2016									
6/30/2016									
8/16/2016	2.1	1.5		3.4	1.8	2			
8/17/2016			2.4				14	6.4	2.4
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	2					1.9			
10/14/2016		1.4	2.1	3.1	1.8				
10/17/2016							12		2.3
10/18/2016								5.9	
10/19/2016									
12/5/2016						1.9			
12/6/2016	2.2	1.5	1.7	3	1.8		12	5.9	2.3
12/7/2016									
12/8/2016									
2/14/2017	2	1.5	1.5	2.4	1.8	1.9	12	5.8	1.9
2/15/2017									
2/16/2017									
4/10/2017						1.8			
4/11/2017	1.8	1.3	1.7	2.5	1.7				
4/12/2017							11	5.6	1.6
4/13/2017									
6/26/2017	1.9	1.4		2.6	1.7	1.9			
6/27/2017			2.2				12	5.7	1.6
6/28/2017									
10/10/2017	1.8	1.3				1.8			
10/11/2017			1.7	2.4	1.6			5	1.6
10/12/2017							11		
6/5/2018	1.7	1.3	2		1.6	1.9			
6/6/2018				2			11	4.6	1.3
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	1.7	1.3	1.9	2	1.7	2			
12/14/2018							11	4.2	1.8
12/17/2018									
3/28/2019			2.2	2	1.7				
3/29/2019	1.5	1.2				1.8			
4/1/2019							10	4.6	
4/2/2019									2
9/12/2019					1.5				
9/13/2019						1.7			

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	11.1	9.11	9.47	10.6	8.56		
5/13/2016						8.16	4.87
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	10		9.8		7.8		
6/29/2016		8.3		9.7		7.6	
6/30/2016							4.7
8/16/2016							
8/17/2016							
8/18/2016	11	8.8	10		8.5		
8/19/2016				11			
8/22/2016						8.2	5
10/13/2016							
10/14/2016							
10/17/2016	11						
10/18/2016			9.4	10	8	7.7	
10/19/2016		8.3					5.1
12/5/2016							
12/6/2016							
12/7/2016	11	8.4	9.8	10	8		5.6
12/8/2016						7.8	
2/14/2017							
2/15/2017	11	8.1	9.8				
2/16/2017				9.8	7.7	7.4	7.4
4/10/2017							
4/11/2017							
4/12/2017	10		9.2				
4/13/2017		7.9		9.6	7.5	7.5	8.9
6/26/2017							
6/27/2017	11	8.3	9.5		8		
6/28/2017				10		7.9	10
10/10/2017							
10/11/2017	10						
10/12/2017		8	9.2	9.7	7.6	7.4	7.4
6/5/2018							
6/6/2018							
6/7/2018	10	8	9.3	10	7.7		
6/8/2018						7.2	9
10/16/2018			10				
10/18/2018							16
12/13/2018							
12/14/2018	10	8.1					
12/17/2018				10	8.1	7.3	
3/28/2019							
3/29/2019							
4/1/2019	9.9		9.2				
4/2/2019		8.2		10	8.2	7.3	15
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Chloride, Total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	11	8.3	10		8.4	7.4	13
9/18/2019				10			
3/17/2020							
3/18/2020							
3/23/2020						7.7	
3/24/2020		7.8		10			
3/25/2020							
3/26/2020							12
3/27/2020	11		10		8.5		
9/14/2020							
9/15/2020	11	8.4	10	11	8.6	7.7	11
3/30/2021						8.3	11
3/31/2021			11	11			
4/1/2021		9.2			9.2		
4/6/2021	11						
4/7/2021							
8/17/2021							
8/18/2021		8.9		11			15
8/19/2021	11		11		9.5	9.4	
8/20/2021							
2/9/2022							
2/10/2022				10	9.8		19
2/11/2022		8.4	12			10	
2/14/2022	14						
8/17/2022							
8/18/2022							
8/19/2022	13		11				
8/22/2022				11		9.6	
8/23/2022							16
8/31/2022		8			9.6		

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-2 (bg)	SGWC-11	SGWC-10	SGWC-9
5/10/2016	<0.1	0.0648 (J)	0.041 (J)	0.0192 (J)	0.0188 (J)	0.0537 (J)			
5/11/2016							0.033 (J)	0.019 (J)	0.076 (J)
5/12/2016									
5/13/2016									
6/23/2016	<0.1	0.05 (J)			<0.1	0.03 (J)			
6/24/2016				0.02 (J)					
6/27/2016			0.03 (J)						
6/28/2016							0.08 (J)	<0.1	
6/29/2016									0.13 (J)
6/30/2016									
8/16/2016	<0.1	<0.1		<0.1	<0.1	<0.1			
8/17/2016			<0.1				<0.1	<0.1	
8/18/2016									
8/19/2016									
8/22/2016									<0.1
10/13/2016	<0.1	<0.1							
10/14/2016			<0.1	<0.1	<0.1	<0.1			
10/17/2016							<0.1	<0.1	
10/18/2016									<0.1
10/19/2016									
12/5/2016		<0.1							
12/6/2016	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
12/7/2016									<0.1
12/8/2016									
2/14/2017	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1			
2/15/2017							<0.1	<0.1	
2/16/2017									0.097 (J)
4/10/2017		<0.1							
4/11/2017	<0.1		<0.1	<0.1	<0.1	<0.1			
4/12/2017							<0.1	<0.1	
4/13/2017									<0.1
6/26/2017	<0.1	<0.1		<0.1	<0.1	<0.1			
6/27/2017			<0.1				<0.1	<0.1	<0.1
6/28/2017									
10/10/2017	<0.1	<0.1				<0.1			
10/11/2017			<0.1	<0.1	<0.1		<0.1		
10/12/2017								<0.1	<0.1
3/26/2018	<0.1	<0.1		<0.1		<0.1			
3/27/2018			<0.1		<0.1		<0.1	<0.1	
3/28/2018									<0.1
6/5/2018	<0.1	<0.1	<0.1		<0.1	<0.1			
6/6/2018				<0.1			<0.1	<0.1	<0.1
6/7/2018									
6/8/2018									
10/5/2018	<0.1	<0.1		<0.1		<0.1			
10/8/2018			<0.1		<0.1				
10/9/2018								<0.1	<0.1
10/16/2018							<0.1		
10/18/2018									
2/18/2019	<0.1					0.05 (J)			
2/19/2019		0.06 (J)	0.044 (J)	<0.1	<0.1				
2/20/2019							<0.1	<0.1	0.074 (J)

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-24 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-2 (bg)	SGWC-11	SGWC-10	SGWC-9
3/28/2019			0.037 (J)	0.026 (J)	<0.1				
3/29/2019	<0.1	0.056 (J)				0.053 (J)			
4/1/2019							<0.1	<0.1	0.041 (J)
4/2/2019									
9/12/2019					<0.1				
9/13/2019		0.049 (J)							
9/16/2019	<0.1		0.04 (J)	0.026 (J)		0.054 (J)	<0.1		0.057 (J)
9/17/2019								<0.1	
9/18/2019									
2/13/2020	<0.1	0.066 (J)				0.051 (J)			
2/17/2020			0.041 (J)		<0.1				
2/18/2020				<0.1			<0.1		
2/19/2020								<0.1	0.061 (J)
2/20/2020									
3/17/2020			0.041 (J)	0.029 (J)	0.03 (J)	0.038 (J)			
3/18/2020	<0.1	0.078 (J)							
3/23/2020									
3/24/2020									
3/25/2020							0.058 (J)	0.031 (J)	0.079 (J)
3/26/2020									
3/27/2020									
9/14/2020	<0.1	0.038 (J)	0.028 (J)	<0.1	<0.1	0.033 (J)	<0.1	<0.1	0.037 (J)
9/15/2020									
2/9/2021	<0.1	0.059 (J)	0.037 (J)	<0.1	<0.1	0.055 (J)	<0.1	<0.1	0.05 (J)
2/10/2021									
3/30/2021	<0.1	0.052 (J)				0.048 (J)			
3/31/2021				<0.1	<0.1			0.047 (J)	0.073 (J)
4/1/2021									
4/6/2021									
4/7/2021			0.054 (J)				<0.1		
8/17/2021	0.052 (J)		0.079 (J)			0.096 (J)			
8/18/2021		0.16		0.066 (J)	0.07 (J)				
8/19/2021							<0.1	<0.1	0.078 (J)
8/20/2021									
2/9/2022	0.034 (J)		0.069 (J)	0.049 (J)	0.044 (J)	0.11			
2/10/2022		0.061 (J)					<0.1		0.098 (J)
2/11/2022								0.03 (J)	
2/14/2022									
8/17/2022	0.088 (J)					0.076 (J)			
8/18/2022		0.051 (J)	0.044 (J)	0.034 (J)	0.036 (J)		0.034 (J)		0.51
8/19/2022								<0.1	
8/22/2022									
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-6	SGWC-7	SGWC-8	SGWC-12	SGWC-20	SGWC-21	SGWC-13	SGWC-23
5/10/2016									
5/11/2016	0.108 (J)	0.133 (J)	0.245 (J)	0.362	0.11 (J)				
5/12/2016						0.259 (J)	0.079 (J)	0.042 (J)	0.0341 (J)
5/13/2016									
6/23/2016									
6/24/2016	0.08 (J)								
6/27/2016		0.21 (J)	0.23 (J)	0.45					
6/28/2016					0.18 (J)			0.15 (J)	
6/29/2016						0.45	0.15 (J)		0.04 (J)
6/30/2016									
8/16/2016									
8/17/2016	<0.1	0.14 (J)	0.22	0.54					
8/18/2016					0.12 (J)			<0.1	
8/19/2016									<0.1
8/22/2016						0.33	0.083 (J)		
10/13/2016									
10/14/2016									
10/17/2016	<0.1	0.11 (J)		0.51	0.082 (J)			<0.1	
10/18/2016			0.24			0.26	<0.1		<0.1
10/19/2016									
12/5/2016									
12/6/2016	0.091 (J)	0.14 (J)	0.26	0.58	0.11 (J)			<0.1	
12/7/2016							<0.1		<0.1
12/8/2016						0.28			
2/14/2017	0.1 (J)	0.2	0.17 (J)	0.39					
2/15/2017					0.13 (J)			<0.1	0.092 (J)
2/16/2017						0.28	0.12 (J)		
4/10/2017									
4/11/2017	<0.1								
4/12/2017		0.089 (J)	0.2	0.41	0.088 (J)			<0.1	
4/13/2017						0.2	<0.1		<0.1
6/26/2017	<0.1								
6/27/2017		0.085 (J)	0.23	0.47	0.1 (J)			<0.1	
6/28/2017						0.22	0.1 (J)		<0.1
10/10/2017									
10/11/2017	<0.1	0.089 (J)	0.21		<0.1			<0.1	
10/12/2017				0.47		0.18 (J)	<0.1		<0.1
3/26/2018									
3/27/2018	<0.1	<0.1	0.19 (J)	0.4	<0.1			<0.1	<0.1
3/28/2018						0.19 (J)	<0.1		
6/5/2018									
6/6/2018	<0.1	<0.1	0.2	0.4	<0.1				
6/7/2018						0.21	<0.1	<0.1	<0.1
6/8/2018									
10/5/2018									
10/8/2018	<0.1	<0.1			<0.1		<0.1	<0.1	<0.1
10/9/2018			0.2	0.47					
10/16/2018									
10/18/2018						0.23			
2/18/2019	0.066 (J)								
2/19/2019									0.055 (J)
2/20/2019		0.092 (J)	0.2	0.32	0.052 (J)	0.2	0.051 (J)	<0.1	

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-6	SGWC-7	SGWC-8	SGWC-12	SGWC-20	SGWC-21	SGWC-13	SGWC-23
3/28/2019	0.052 (J)								
3/29/2019									
4/1/2019			0.12 (J)	0.21	0.048 (J)			<0.1	
4/2/2019		0.1 (J)				0.15 (J)	0.066 (J)		0.036 (J)
9/12/2019									
9/13/2019									
9/16/2019	0.055 (J)	0.099 (J)			0.065 (J)				
9/17/2019			0.2	0.47		0.14	0.077 (J)	0.04 (J)	
9/18/2019									0.044 (J)
2/13/2020									
2/17/2020									
2/18/2020	0.068 (J)	0.11	0.2	0.38		0.16	0.073 (J)		0.082 (J)
2/19/2020					0.064 (J)			0.027 (J)	
2/20/2020									
3/17/2020									
3/18/2020	<0.1								
3/23/2020						0.25	0.11		
3/24/2020									0.081 (J)
3/25/2020		0.13		0.31					
3/26/2020			0.14		0.081 (J)				
3/27/2020								0.045 (J)	
9/14/2020	0.035 (J)	0.076 (J)	0.11	0.29	0.042 (J)			<0.1	
9/15/2020						0.15	0.061 (J)		0.052 (J)
2/9/2021	0.059 (J)	0.12	0.22	0.37	0.074 (J)			<0.1	
2/10/2021						0.19	0.049 (J)		0.046 (J)
3/30/2021						0.18	0.074 (J)		
3/31/2021	0.051 (J)								0.046 (J)
4/1/2021		0.14	0.25	0.38					
4/6/2021									
4/7/2021					0.066 (J)			0.053 (J)	
8/17/2021	0.093 (J)								
8/18/2021		0.19	0.31	0.48			0.12		0.11
8/19/2021						0.17		<0.1	
8/20/2021					0.082 (J)				
2/9/2022	0.083 (J)	0.19	0.27						
2/10/2022				0.44	0.06 (J)				0.066 (J)
2/11/2022						0.14	0.092 (J)	0.045 (J)	
2/14/2022									
8/17/2022									
8/18/2022	0.056 (J)		0.14	0.54	0.052 (J)			0.038 (J)	
8/19/2022		0.12							
8/22/2022						0.22	0.09 (J)		0.052 (J)
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	0.031 (J)	0.066 (J)	0.1071 (J)	0.029 (J)	0.011 (J)		
5/13/2016						0.0126 (J)	0.0343 (J)
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	0.03 (J)		0.26 (J)		0.09 (J)		
6/29/2016		0.17 (J)		0.04 (J)		0.18 (J)	
6/30/2016							0.18 (J)
8/16/2016							
8/17/2016							
8/18/2016	<0.1	<0.1	0.14 (J)		<0.1		
8/19/2016				<0.1			
8/22/2016						<0.1	<0.1
10/13/2016							
10/14/2016							
10/17/2016	<0.1						
10/18/2016			0.12 (J)	<0.1	<0.1	<0.1	
10/19/2016		<0.1					<0.1
12/5/2016							
12/6/2016							
12/7/2016	<0.1	<0.1	0.13 (J)	<0.1	<0.1		<0.1
12/8/2016						<0.1	
2/14/2017							
2/15/2017	<0.1	0.089 (J)	0.12 (J)				
2/16/2017				0.1 (J)	<0.1	<0.1	<0.1
4/10/2017							
4/11/2017							
4/12/2017	<0.1		0.11 (J)				
4/13/2017		<0.1		<0.1	<0.1	<0.1	<0.1
6/26/2017							
6/27/2017	<0.1	<0.1	0.13 (J)		<0.1		
6/28/2017				<0.1		<0.1	<0.1
10/10/2017							
10/11/2017	<0.1						
10/12/2017		<0.1	0.13 (J)	<0.1	<0.1	<0.1	<0.1
3/26/2018							
3/27/2018	<0.1	<0.1	0.12 (J)		<0.1		
3/28/2018				<0.1		<0.1	<0.1
6/5/2018							
6/6/2018							
6/7/2018	<0.1	<0.1	0.14 (J)	<0.1	<0.1		
6/8/2018						<0.1	<0.1
10/5/2018							
10/8/2018	<0.1	<0.1		<0.1	<0.1		
10/9/2018						<0.1	
10/16/2018			0.14 (J)				
10/18/2018							<0.1
2/18/2019							
2/19/2019				<0.1			
2/20/2019	<0.1	0.034 (J)	0.33		<0.1	<0.1	<0.1

Prediction Limit

Constituent: Fluoride, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
3/28/2019							
3/29/2019							
4/1/2019	<0.1		0.072 (J)				
4/2/2019		0.045 (J)		<0.1	<0.1	<0.1	0.05 (J)
9/12/2019							
9/13/2019							
9/16/2019							
9/17/2019	0.028 (J)	0.047 (J)	0.1		<0.1	<0.1	0.034 (J)
9/18/2019				0.028 (J)			
2/13/2020							
2/17/2020							
2/18/2020				<0.1			
2/19/2020	0.026 (J)	0.046 (J)	0.13		<0.1	<0.1	
2/20/2020							<0.1
3/17/2020							
3/18/2020							
3/23/2020						0.057 (J)	
3/24/2020		0.058 (J)		<0.1			
3/25/2020							
3/26/2020							0.091 (J)
3/27/2020	0.041 (J)		0.13		0.027 (J)		
9/14/2020							
9/15/2020	0.04 (J)	0.052 (J)	0.15	<0.1	0.037 (J)	<0.1	<0.1
2/9/2021	<0.1		0.14		<0.1		
2/10/2021		0.03 (J)		<0.1		<0.1	<0.1
3/30/2021						<0.1	0.1 (J)
3/31/2021			0.12	<0.1			
4/1/2021		0.051 (J)			<0.1		
4/6/2021	<0.1						
4/7/2021							
8/17/2021							
8/18/2021		0.087 (J)		0.054 (J)			0.099 (J)
8/19/2021	<0.1		0.12		0.038 (J)	<0.1	
8/20/2021							
2/9/2022							
2/10/2022				<0.1	<0.1		0.039 (J)
2/11/2022		0.064 (J)	0.14			<0.1	
2/14/2022	0.035 (J)						
8/17/2022							
8/18/2022							
8/19/2022	<0.1		0.11				
8/22/2022				0.038 (J)		0.041 (J)	
8/23/2022							0.1 (J)
8/31/2022		0.058 (J)			0.058 (J)		

Prediction Limit

Constituent: pH (S.U.) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-23	SGWC-15	SGWC-22	SGWC-14	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	5.29	6.18	4.76	5.675 (D)	5.79		
5/13/2016						5.55	4.7
8/16/2016							
8/17/2016							
8/18/2016	5.3		4.73		5.75		
8/19/2016		5.84		5.65			
8/22/2016						5.5	4.68
10/13/2016							
10/14/2016							
10/17/2016					5.73		
10/18/2016	5.23	5.89	4.62	5.71		5.46	
10/19/2016							4.65
12/5/2016							
12/6/2016							
12/7/2016	5.31	5.87	4.63	5.71	5.75		4.69
12/8/2016						5.39	
2/14/2017							
2/15/2017		6.04	4.51		5.58		
2/16/2017	4.77			5.7		5.32	4.77
4/10/2017							
4/11/2017							
4/12/2017			4.67		5.85		
4/13/2017	5.28	5.85		5.7		5.47	4.79
6/26/2017							
6/27/2017	5.22		4.66		5.86		
6/28/2017		5.9		5.66		5.5	4.78
10/10/2017							
10/11/2017					5.98		
10/12/2017	5.43	6.07	4.76	5.73		5.57	4.86
3/26/2018							
3/27/2018	5.28	5.99	4.61		5.87		
3/28/2018				5.89		5.74	4.74
6/5/2018							
6/6/2018							
6/7/2018	5.26	5.97	4.62	5.66	5.81		
6/8/2018						5.52	4.69
10/5/2018							
10/8/2018	5.29	5.94		5.74	5.83		
10/9/2018						5.51	
10/16/2018			4.59				
10/18/2018							4.7
3/28/2019							
3/29/2019							
4/1/2019			4.72		5.89		
4/2/2019	5.27	5.87		5.65		5.5	4.72
9/12/2019							
9/13/2019							
9/16/2019							
9/17/2019	5.26		4.65		5.78	5.55	4.77
9/18/2019		5.97		5.66			

Prediction Limit

Constituent: pH (S.U.) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-23	SGWC-15	SGWC-22	SGWC-14	SGWC-19	SGWC-18
2/13/2020							
2/17/2020							
2/18/2020		5.95		5.59			
2/19/2020	5.16		4.58		5.75	5.53	
2/20/2020							4.64
3/17/2020							
3/18/2020							
3/23/2020						5.51	
3/24/2020		6		5.62			
3/25/2020							
3/26/2020							4.74
3/27/2020	5.17		4.51		5.74		
5/19/2020							
9/14/2020							
9/15/2020	5.56	5.89	4.87	5.65	6.01	5.51	4.94
2/9/2021	5.22		4.26		5.85		
2/10/2021		5.85		5.58		5.55	4.8
3/30/2021						5.57	4.82
3/31/2021		5.93	4.77	5.73			
4/1/2021	5.24						
4/6/2021					5.84		
4/7/2021							
8/17/2021							
8/18/2021		6.01		5.76			4.83
8/19/2021	5.28		4.63		5.86	5.61	
8/20/2021							
2/9/2022							
2/10/2022	5.21	6.13		5.78			4.86
2/11/2022			4.59			5.65	
2/14/2022					5.77		
8/17/2022							
8/18/2022							
8/19/2022			4.61		5.62		
8/22/2022		5.91		5.62		5.54	
8/23/2022							4.8
8/31/2022	5.1						

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
5/10/2016	0.6766 (J)	0.4053 (J)	0.686 (J)	2.82	0.4716 (J)	<1			
5/11/2016							61.6	21.6	0.866 (J)
5/12/2016									
5/13/2016									
6/23/2016	0.94 (J)	0.55 (J)			0.46 (J)	0.3 (J)			
6/24/2016				2.3					
6/27/2016			0.61 (J)				64	17	0.86 (J)
6/28/2016									
6/29/2016									
6/30/2016									
8/16/2016	1.2	<1		1.5	<1	<1			
8/17/2016			<1				63	19	<1
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	2.9					<1			
10/14/2016		<1	<1	1.2	<1				
10/17/2016							64		<1
10/18/2016								17	
10/19/2016									
12/5/2016						<1			
12/6/2016	3.2	<1	<1	1.3	<1		72	18	<1
12/7/2016									
12/8/2016									
2/14/2017	0.76 (J)	<1	<1	1.9	<1	<1	73	21	1
2/15/2017									
2/16/2017									
4/10/2017						<1			
4/11/2017	<1	<1	<1	1.3	<1				
4/12/2017							64	18	<1
4/13/2017									
6/26/2017	0.74 (J)	<1		1.5	<1	<1			
6/27/2017			<1				77	19	<1
6/28/2017									
10/10/2017	0.76 (J)	<1				<1			
10/11/2017			<1	0.98 (J)	<1			15	<1
10/12/2017							74		
6/5/2018	<1	<1	<1		<1	<1			
6/6/2018				1.8			74	14	<1
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	<1	<1	<1	1.4	<1	<1			
12/14/2018							72	10	<1
12/17/2018									
3/28/2019			<1	1.9	<1				
3/29/2019	<1	0.65 (J)				<1			
4/1/2019							67	16	
4/2/2019									1.3
9/12/2019					<1				
9/13/2019						<1			

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
9/16/2019	0.98 (J)	0.68 (J)	<1	0.92 (J)					0.53 (J)
9/17/2019							77	8.7	
9/18/2019									
3/17/2020		0.78 (J)	0.61 (J)	1.6	0.55 (J)				
3/18/2020	1.2					0.45 (J)			
3/23/2020									
3/24/2020									
3/25/2020							62		0.58 (J)
3/26/2020								15	
3/27/2020									
9/14/2020	0.58 (J)	<1	<1	0.82 (J)	<1	<1	81	17	0.46 (J)
9/15/2020									
3/30/2021	1.2	<1				<1			
3/31/2021				1.1	<1				
4/1/2021							74	18	<1
4/6/2021									
4/7/2021			<1						
8/17/2021	<1	<1	<1						
8/18/2021				0.9 (J)	<1	1	78	12	<1
8/19/2021									
8/20/2021									
2/9/2022	1	1.2	<1	1.3	<1			7.1	0.88 (J)
2/10/2022						<1	80		
2/11/2022									
2/14/2022									
8/17/2022	0.94 (J)	0.87 (J)							
8/18/2022			<1	<1	<1	<1	78	5.3	
8/19/2022									<1
8/22/2022									
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-9	SGWC-11	SGWC-12	SGWC-10	SGWC-21	SGWC-23	SGWC-20	SGWC-13
9/16/2019	1.1	310	0.72 (J)	44					
9/17/2019					2.3	99		220	79
9/18/2019							95		
3/17/2020									
3/18/2020	1.3								
3/23/2020						120		220	
3/24/2020							71		
3/25/2020		300	0.58 (J)		14				
3/26/2020				44					
3/27/2020									81
9/14/2020	0.96 (J)	220	0.59 (J)	41	2.2				89
9/15/2020						130	72	200	
3/30/2021						140		220	
3/31/2021	1.1	240			15		75		
4/1/2021									
4/6/2021									
4/7/2021			1.3	54					96
8/17/2021	1.1								
8/18/2021						130	66		
8/19/2021		160	<1		2.2			230	82
8/20/2021				60					
2/9/2022	1.1								
2/10/2022		190	<1	41			73		
2/11/2022					2.1	120		230	94
2/14/2022									
8/17/2022									
8/18/2022	<1	200	<1	50					95
8/19/2022					4.5				
8/22/2022						130	61	220	
8/23/2022									
8/31/2022									

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	194	125	194	85.3	9.9		
5/13/2016						212	484
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	200		200		11		
6/29/2016		120		84		220	
6/30/2016							490
8/16/2016							
8/17/2016							
8/18/2016	180	130	190		14		
8/19/2016				81			
8/22/2016						220	500
10/13/2016							
10/14/2016							
10/17/2016	190						
10/18/2016			190	83	15	210	
10/19/2016		140					520
12/5/2016							
12/6/2016							
12/7/2016	200	160	200	85	17		510
12/8/2016						220	
2/14/2017							
2/15/2017	190	160	190				
2/16/2017				83	17	210	450
4/10/2017							
4/11/2017							
4/12/2017	170		170				
4/13/2017		140		79	15	190	380
6/26/2017							
6/27/2017	200	160	200		19		
6/28/2017				90		220	390
10/10/2017							
10/11/2017	190						
10/12/2017		170	190	87	20	210	430
6/5/2018							
6/6/2018							
6/7/2018	190	170	190	94	25		
6/8/2018						220	870
10/16/2018			200				
10/18/2018							1200
12/13/2018							
12/14/2018	190	180					
12/17/2018				99	28	270	
3/28/2019							
3/29/2019							
4/1/2019	180		190				
4/2/2019		180		100	31	240	1100
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Sulfate, total (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	200	200	220		33	260	1100
9/18/2019				100			
3/17/2020							
3/18/2020							
3/23/2020						250	
3/24/2020		190		100			
3/25/2020							
3/26/2020							1000
3/27/2020	180		190		35		
9/14/2020							
9/15/2020	180	190	190	110	36	250	860
3/30/2021						270	960
3/31/2021			200	120			
4/1/2021		210			37		
4/6/2021	190						
4/7/2021							
8/17/2021							
8/18/2021		200		110			940
8/19/2021	190		200		38	280	
8/20/2021							
2/9/2022							
2/10/2022				100	45		890
2/11/2022		190	200			260	
2/14/2022	220						
8/17/2022							
8/18/2022							
8/19/2022	200		180				
8/22/2022				110		260	
8/23/2022							910
8/31/2022		220			49		

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-2 (bg)	SGWA-25 (bg)	SGWA-3 (bg)	SGWA-5 (bg)	SGWA-24 (bg)	SGWC-8	SGWC-7	SGWC-6
5/10/2016	44	96	100	59	64	110			
5/11/2016							330	222	104
5/12/2016									
5/13/2016									
6/23/2016	38	91			58	118			
6/24/2016				39					
6/27/2016			117				423	275	112
6/28/2016									
6/29/2016									
6/30/2016									
8/16/2016	22	100		38	52	110			
8/17/2016			86				410	220	86
8/18/2016									
8/19/2016									
8/22/2016									
10/13/2016	66					120			
10/14/2016		100	80	34	58				
10/17/2016							370		60
10/18/2016								210	
10/19/2016									
12/5/2016						110			
12/6/2016	54	110	110	70	72		420	250	90
12/7/2016									
12/8/2016									
2/14/2017	18	76	98	32	52	86	370	210	54
2/15/2017									
2/16/2017									
4/10/2017						120			
4/11/2017	50	120	110	64	78				
4/12/2017							370	200	64
4/13/2017									
6/26/2017	60	110		64	80	130			
6/27/2017			18				380	180	40
6/28/2017									
10/10/2017	36	100				110			
10/11/2017			94	42	64			210	82
10/12/2017							400		
6/5/2018	8	74	80		50	76			
6/6/2018				46			410	210	100
6/7/2018									
6/8/2018									
10/16/2018									
10/18/2018									
12/13/2018	16	110	4 (J)	4 (J)	58	100			
12/14/2018							390	170	44
12/17/2018									
3/28/2019			79	43	58				
3/29/2019	<10	72				110			
4/1/2019							370	200	
4/2/2019									91
9/12/2019					22				
9/13/2019						200			

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-4 (bg)	SGWC-9	SGWC-11	SGWC-12	SGWC-10	SGWC-21	SGWC-23	SGWC-20	SGWC-13
9/16/2019	57	550	<10	200					
9/17/2019					17	290		320	170
9/18/2019							490		
3/17/2020									
3/18/2020	140								
3/23/2020						330		330	
3/24/2020							210		
3/25/2020		540	38		59				
3/26/2020				200					
3/27/2020									200
9/14/2020	110	470	39	190	45				190
9/15/2020						390	210	350	
3/30/2021						380		350	
3/31/2021	120	430			64		220		
4/1/2021									
4/6/2021									
4/7/2021			40	210					200
8/17/2021	130								
8/18/2021						380	210		
8/19/2021		380	36		54			340	210
8/20/2021				220					
2/9/2022	110								
2/10/2022		410	39	210			230		
2/11/2022					44	350		350	200
2/14/2022									
8/17/2022									
8/18/2022	140	470	54	230					240
8/19/2022					63				
8/22/2022						380	220	370	
8/23/2022									
11/16/2022									

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
5/10/2016							
5/11/2016							
5/12/2016	309	261	298	212	46		
5/13/2016						366	728
6/23/2016							
6/24/2016							
6/27/2016							
6/28/2016	333		337		60		
6/29/2016		323		214		370	
6/30/2016							742
8/16/2016							
8/17/2016							
8/18/2016	320	310	310		48		
8/19/2016				230			
8/22/2016						350	670
10/13/2016							
10/14/2016							
10/17/2016	320						
10/18/2016			320	190	60	340	
10/19/2016		330 (D)					700
12/5/2016							
12/6/2016							
12/7/2016	340	370	270	230	64		720
12/8/2016						350	
2/14/2017							
2/15/2017	340	350	310				
2/16/2017				200	40	340	600
4/10/2017							
4/11/2017							
4/12/2017	300		280				
4/13/2017		390		220	76	350	640
6/26/2017							
6/27/2017	320	350	290		50		
6/28/2017				190		340	540
10/10/2017							
10/11/2017	340						
10/12/2017		380	330	230	68	370	640
6/5/2018							
6/6/2018							
6/7/2018	340	360	310	210	74		
6/8/2018						320	820
10/16/2018			350				
10/18/2018							1200
12/13/2018							
12/14/2018	280	390					
12/17/2018				260	42	250	
3/28/2019							
3/29/2019							
4/1/2019	330		330				
4/2/2019		400		240	73	420	1700
9/12/2019							
9/13/2019							

Prediction Limit

Constituent: Total Dissolved Solids [TDS] (mg/L) Analysis Run 12/2/2022 10:50 AM View: Appendix III
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-14	SGWC-17	SGWC-15	SGWC-22	SGWC-16	SGWC-19	SGWC-18
9/16/2019							
9/17/2019	310	380	320		59	400	1600
9/18/2019				470			
3/17/2020							
3/18/2020							
3/23/2020						390	
3/24/2020		430		250			
3/25/2020							
3/26/2020							1600
3/27/2020	330		330		99		
9/14/2020							
9/15/2020	360	440	340	250	90	450	1500
3/30/2021						420	1500
3/31/2021			300	240			
4/1/2021		410			88		
4/6/2021	320						
4/7/2021							
8/17/2021							
8/18/2021		450		260			1400
8/19/2021	370		320		100	440	
8/20/2021							
2/9/2022							
2/10/2022				250	100		1400
2/11/2022		440	310			440	
2/14/2022	360						
8/17/2022							
8/18/2022							
8/19/2022	370		320				
8/22/2022				3400		450	
8/23/2022							1300
11/16/2022		430			110		

FIGURE E.

Interwell Prediction Limits - October 2022 pH Resample - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 11:04 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
pH (S.U.)	SGWC-18	7.01	5.09	10/31/2022	4.89	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	10/31/2022	4.32	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2

Interwell Prediction Limits - October 2022 pH Resample - All Results


Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 11:04 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
pH (S.U.)	SGWC-16	7.01	5.09	10/25/2022	5.23	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-17	7.01	5.09	10/25/2022	6.27	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-18	7.01	5.09	10/31/2022	4.89	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-19	7.01	5.09	10/31/2022	5.53	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-20	7.01	5.09	10/31/2022	4.32	Yes	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-21	7.01	5.09	10/31/2022	6.29	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-22	7.01	5.09	10/31/2022	5.72	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-23	7.01	5.09	10/31/2022	6	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2

Exceeds Limits: SGWC-18, SGWC-20

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 154 background values. Annual per-constituent alpha = 0.005971. Individual comparison alpha = 0.0001661 (1 of 2). Comparing 8 points to limit. Assumes 10 future values.

Constituent: pH Analysis Run 12/2/2022 11:04 AM View: Appendix III - Resample
Plant Scherer Client: Southern Company Data: Scherer AP

Prediction Limit

Constituent: pH (S.U.) Analysis Run 12/2/2022 11:04 AM View: Appendix III - Resample

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWA-1 (bg)	SGWA-3 (bg)	SGWA-2 (bg)	SGWA-24 (bg)	SGWA-5 (bg)	SGWA-25 (bg)	SGWA-4 (bg)	SGWC-16	SGWC-23
5/10/2016	5.51	5.75	6.83	6.34	5.84	6.14			
5/11/2016							6.49		
5/12/2016								5.29	6.18
5/13/2016									
8/16/2016	5.42	5.72	6.73	6.35	5.64				
8/17/2016						6.1	6.42		
8/18/2016								5.3	
8/19/2016									5.84
8/22/2016									
10/13/2016	5.52			6.34					
10/14/2016		5.71	6.47		5.59	6.14			
10/17/2016							6.44		
10/18/2016								5.23	5.89
10/19/2016									
12/5/2016				6.32					
12/6/2016	5.33	5.68	6.74		5.46	6.19	6.48		
12/7/2016								5.31	5.87
12/8/2016									
2/14/2017	5.29	5.57	6.85	6.33	5.29	6.34	6.18		
2/15/2017									6.04
2/16/2017								4.77	
4/10/2017				6.31					
4/11/2017	5.21	5.7	6.75		5.54	6.16	6.49		
4/13/2017								5.28	5.85
6/26/2017	5.25	5.68	6.82	6.35	5.54		6.48		
6/27/2017						6.08		5.22	
6/28/2017									5.9
10/10/2017	5.49		6.87	6.37					
10/11/2017		5.63			5.43	6.16	6.42		
10/12/2017								5.43	6.07
3/26/2018	5.39	5.89	6.77	6.32					
3/27/2018					5.52	6.12	6.53	5.28	5.99
3/28/2018									
6/5/2018	5.38		6.73	6.27	5.59	6.06			
6/6/2018		5.62					6.7		
6/7/2018								5.26	5.97
6/8/2018									
10/5/2018	5.46	5.76	6.81	6.37	5.7				
10/8/2018						6.16	6.53	5.29	5.94
10/9/2018									
10/18/2018									
3/28/2019		5.88			5.67	6.15	6.53		
3/29/2019	5.22		6.81	6.31					
4/2/2019								5.27	5.87
9/12/2019					5.59				
9/13/2019				6.36					
9/16/2019	5.22	5.8	6.82			6.05	6.44		
9/17/2019								5.26	
9/18/2019									5.97
2/13/2020	5.09		6.59	6.24					
2/17/2020					5.73	6.1			
2/18/2020		5.76					6.38		5.95

Prediction Limit

Constituent: pH (S.U.) Analysis Run 12/2/2022 11:04 AM View: Appendix III - Resample
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-20	SGWC-17	SGWC-19	SGWC-18
5/10/2016						
5/11/2016						
5/12/2016	5.95	5.675 (D)	4.36	6.21		
5/13/2016					5.55	4.7
8/16/2016						
8/17/2016						
8/18/2016				6.24		
8/19/2016		5.65				
8/22/2016	5.96		4.37		5.5	4.68
10/13/2016						
10/14/2016						
10/17/2016						
10/18/2016	5.9	5.71	4.26		5.46	
10/19/2016				6.2		4.65
12/5/2016						
12/6/2016						
12/7/2016	6.03	5.71		6.19		4.69
12/8/2016			4.28		5.39	
2/14/2017						
2/15/2017				6.25		
2/16/2017	6.03	5.7	4.29		5.32	4.77
4/10/2017						
4/11/2017						
4/13/2017	5.93	5.7	4.24	6.21	5.47	4.79
6/26/2017						
6/27/2017				6.27		
6/28/2017	6	5.66	4.28		5.5	4.78
10/10/2017						
10/11/2017						
10/12/2017	6.09	5.73	4.32	6.33	5.57	4.86
3/26/2018						
3/27/2018				6.26		
3/28/2018	6.08	5.89	4.25		5.74	4.74
6/5/2018						
6/6/2018						
6/7/2018	6.1	5.66	4.26	6.21		
6/8/2018					5.52	4.69
10/5/2018						
10/8/2018	6.14	5.74		6.17		
10/9/2018					5.51	
10/18/2018			4.3			4.7
3/28/2019						
3/29/2019						
4/2/2019	6.09	5.65	4.33	6.26	5.5	4.72
9/12/2019						
9/13/2019						
9/16/2019						
9/17/2019	6.27		4.37	6.23	5.55	4.77
9/18/2019		5.66				
2/13/2020						
2/17/2020						
2/18/2020	6.06	5.59	4.3			

Prediction Limit

Constituent: pH (S.U.) Analysis Run 12/2/2022 11:04 AM View: Appendix III - Resample
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-22	SGWC-20	SGWC-17	SGWC-19	SGWC-18
2/19/2020				6.16	5.53	
2/20/2020						4.64
3/17/2020						
3/18/2020						
3/23/2020	6.12		4.19		5.51	
3/24/2020		5.62		6.21		
3/26/2020						4.74
3/27/2020						
5/19/2020						
9/14/2020						
9/15/2020	6.1	5.65	4.3	6.42	5.51	4.94
2/9/2021						
2/10/2021	6.21	5.58	4.22	6.23	5.55	4.8
3/30/2021	6.17		4.32		5.57	4.82
3/31/2021		5.73				
4/1/2021				6.25		
4/7/2021						
8/17/2021						
8/18/2021	6.26	5.76		6.26		4.83
8/19/2021			4.28		5.61	
2/9/2022						
2/10/2022		5.78				4.86
2/11/2022	6.31		4.27	6.39	5.65	
8/17/2022						
8/18/2022						
8/22/2022	6.17	5.62	4.3		5.54	
8/23/2022						4.8
8/31/2022				6.26		
10/25/2022				6.27		
10/31/2022	6.29	5.72	4.32		5.53	4.89

FIGURE F.


Interwell Prediction Limits - November 2022 pH Resample - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/2/2022, 11:06 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
pH (S.U.)	SGWC-16	7.01	5.09	11/16/2022	5.17	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2
pH (S.U.)	SGWC-17	7.01	5.09	11/16/2022	6.23	No	154	n/a	n/a	0	n/a	n/a	0.0001661	NP Inter (normality) 1 of 2

Within Limits

Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 154 background values. Annual per-constituent alpha = 0.005971. Individual comparison alpha = 0.0001661 (1 of 2). Comparing 2 points to limit. Assumes 16 future values.

Constituent: pH Analysis Run 12/2/2022 11:05 AM View: Appendix III - Resample
Plant Scherer Client: Southern Company Data: Scherer AP

FIGURE G.

Appendix III Trend Tests - Prediction Limit Exceedances - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWC-11	0.05263	150	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5473	130	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.04932	-86	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02222	78	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.03452	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01329	98	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3049	90	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5828	109	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.5849	91	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-13	0.8941	114	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	3.973	145	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	1.93	110	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.44	80	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.294	111	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.434	-97	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1793	-80	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1565	83	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.084	130	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2513	86	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	1.952	127	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.8279	118	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2846	78	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5207	-103	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.453	132	74	Yes	19	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.004385	-104	-98	Yes	23	39.13	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-20	-0.02154	-130	-98	Yes	23	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-11	-0.1087	-160	-87	Yes	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.0262	107	92	Yes	22	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1494	-78	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1399	-80	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.023	118	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.791	165	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.64	143	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	9.505	93	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	9.948	117	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.214	119	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-10.91	-131	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.703	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.355	94	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	7.399	80	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	8.013	78	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	21.64	132	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.63	75	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	10.03	94	74	Yes	19	0	n/a	n/a	0.01	NP

Appendix III Trend Tests - Prediction Limit Exceedances - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/11/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Boron, total (mg/L)	SGWA-1 (bg)	0	-5	-74	No	19	89.47	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-2 (bg)	0	-5	-74	No	19	89.47	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-24 (bg)	0	-12	-74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-25 (bg)	0	16	74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-3 (bg)	0	-5	-74	No	19	84.21	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-4 (bg)	0	16	74	No	19	94.74	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWA-5 (bg)	0	0	74	No	19	100	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-11	0.05263	150	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-13	-0.004074	-26	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-14	0.02179	45	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-15	-0.03478	-55	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-16	0.01162	62	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-17	0	3	74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-18	0.5473	130	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-19	0	-1	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-20	-0.07984	-66	-74	No	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-21	-0.04932	-86	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-22	0.02222	78	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-23	-0.03452	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-8	0.01329	98	74	Yes	19	0	n/a	n/a	0.01	NP
Boron, total (mg/L)	SGWC-9	-0.02317	-43	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-1 (bg)	-0.08372	-61	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-2 (bg)	0.3049	90	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-24 (bg)	0.5828	109	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-25 (bg)	-0.2813	-70	-74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-3 (bg)	0.1032	35	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-4 (bg)	0.5849	91	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWA-5 (bg)	0.04756	64	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-12	0	27	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-13	0.8941	114	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-14	0.5298	59	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-17	3.973	145	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-18	1.53	29	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-19	1.93	110	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-21	1.44	80	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-22	1.294	111	74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-23	-1.434	-97	-74	Yes	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-8	0.7266	67	74	No	19	0	n/a	n/a	0.01	NP
Calcium, total (mg/L)	SGWC-9	-1.677	-58	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-1 (bg)	0	-14	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-2 (bg)	0	-8	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-24 (bg)	0.09697	47	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-25 (bg)	0	-3	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-3 (bg)	-0.1793	-80	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-4 (bg)	0	14	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWA-5 (bg)	0	14	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-10	0.0485	20	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-11	0.1736	41	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-12	0.1565	83	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-13	1.084	130	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-14	0	24	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-15	0.2105	74	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-16	0.2513	86	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-17	0	-10	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-18	1.952	127	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-19	0.1225	30	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-20	-0.05257	-37	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-21	0.8279	118	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-22	0.04011	48	74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-23	0.2846	78	74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-7	-0.5207	-103	-74	Yes	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-8	0	-15	-74	No	19	0	n/a	n/a	0.01	NP
Chloride, Total (mg/L)	SGWC-9	1.453	132	74	Yes	19	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-1 (bg)	0	-59	-98	No	23	86.96	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-2 (bg)	-0.003904	-62	-98	No	23	43.48	n/a	n/a	0.01	NP


Appendix III Trend Tests - Prediction Limit Exceedances - All Results Page 2

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:03 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Fluoride, total (mg/L)	SGWA-24 (bg)	-0.008249	-88	-98	No	23	43.48	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-25 (bg)	-0.002988	-63	-98	No	23	43.48	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-3 (bg)	0	-17	-98	No	23	65.22	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-4 (bg)	-0.004385	-104	-98	Yes	23	39.13	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWA-5 (bg)	0	-44	-98	No	23	78.26	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-20	-0.02154	-130	-98	Yes	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-6	0	8	98	No	23	13.04	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-7	-0.006861	-39	-98	No	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-8	-0.01022	-38	-98	No	23	0	n/a	n/a	0.01	NP
Fluoride, total (mg/L)	SGWC-9	-0.00547	-53	-98	No	23	39.13	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-1 (bg)	-0.03788	-89	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-2 (bg)	0.004825	21	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-24 (bg)	0.008286	44	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-25 (bg)	-0.01753	-78	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-3 (bg)	0.021	54	92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-4 (bg)	-0.01746	-78	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWA-5 (bg)	-0.005633	-18	-92	No	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-11	-0.1087	-160	-87	Yes	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-15	-0.01159	-42	-87	No	21	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-18	0.0262	107	92	Yes	22	0	n/a	n/a	0.01	NP
pH (S.U.)	SGWC-20	0	-3	-92	No	22	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-1 (bg)	0	3	74	No	19	26.32	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-2 (bg)	0	25	74	No	19	63.16	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-24 (bg)	0	9	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-25 (bg)	0	24	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-3 (bg)	-0.1494	-78	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-4 (bg)	-0.1399	-80	-74	Yes	19	5.263	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWA-5 (bg)	0	27	74	No	19	84.21	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-10	-0.1751	-16	-74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-12	5.023	118	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-13	2.57	67	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-14	0	4	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-15	0	6	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-16	5.791	165	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-17	13.64	143	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-18	86.65	60	74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-19	9.505	93	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-20	-5.325	-68	-74	No	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-21	9.948	117	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-22	5.214	119	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-23	-10.91	-131	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-7	-1.703	-91	-74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-8	2.355	94	74	Yes	19	0	n/a	n/a	0.01	NP
Sulfate, total (mg/L)	SGWC-9	-14.04	-51	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-1 (bg)	-1.258	-11	-74	No	19	5.263	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-2 (bg)	1.868	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-24 (bg)	1.876	28	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-25 (bg)	-2.681	-40	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-3 (bg)	3.369	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-4 (bg)	7.399	80	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWA-5 (bg)	-1.864	-23	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-12	2.918	53	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-13	8.013	78	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-14	5.581	58	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-15	2.379	30	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-17	21.64	132	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-18	144.8	61	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-19	16.63	75	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-20	0	-8	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-21	10.58	45	74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-22	10.03	94	74	Yes	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-23	-12.41	-73	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-8	0	-4	-74	No	19	0	n/a	n/a	0.01	NP
Total Dissolved Solids [TDS] (mg/L)	SGWC-9	-13.97	-51	-74	No	19	0	n/a	n/a	0.01	NP

Sen's Slope Estimator

SGWA-1 (bg)




n = 19
Slope = 0
units per year.
Mann-Kendall
statistic = -5
critical = -74
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-2 (bg)




n = 19
Slope = 0
units per year.
Mann-Kendall
statistic = -5
critical = -74
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-24 (bg)




n = 19
Slope = 0
units per year.
Mann-Kendall
statistic = -12
critical = -74
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-25 (bg)




n = 19
Slope = 0
units per year.
Mann-Kendall
statistic = 16
critical = 74
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-11



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-13



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-14



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-15



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-16



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-17



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-18



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-19



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-20



Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-21




n = 19
 Slope = -0.04932
 units per year.
 Mann-Kendall
 statistic = -86
 critical = -74
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-22




n = 19
 Slope = 0.02222
 units per year.
 Mann-Kendall
 statistic = 78
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-23




n = 19
 Slope = -0.03452
 units per year.
 Mann-Kendall
 statistic = -91
 critical = -74
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-8



n = 19
 Slope = 0.01329
 units per year.
 Mann-Kendall
 statistic = 98
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).


Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-9




Constituent: Boron, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-1 (bg)




Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-2 (bg)



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-24 (bg)



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-25 (bg)




n = 19
 Slope = -0.2813
 units per year.
 Mann-Kendall
 statistic = -70
 critical = -74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-3 (bg)




n = 19
 Slope = 0.1032
 units per year.
 Mann-Kendall
 statistic = 35
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-4 (bg)




n = 19
 Slope = 0.5849
 units per year.
 Mann-Kendall
 statistic = 91
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-5 (bg)




n = 19
 Slope = 0.04756
 units per year.
 Mann-Kendall
 statistic = 64
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-12




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 27
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-13




n = 19
 Slope = 0.8941
 units per year.
 Mann-Kendall
 statistic = 114
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-14




n = 19
 Slope = 0.5298
 units per year.
 Mann-Kendall
 statistic = 59
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-17




n = 19
 Slope = 3.973
 units per year.
 Mann-Kendall
 statistic = 145
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-18



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-19



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-21



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-22



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-23



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-8



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-9



Constituent: Calcium, total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-1 (bg)



Constituent: Chloride, Total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-2 (bg)




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = -8
 critical = -74
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:00 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-24 (bg)




n = 19
 Slope = 0.09697
 units per year.
 Mann-Kendall
 statistic = 47
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-25 (bg)




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = -3
 critical = -74
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-3 (bg)




n = 19
 Slope = -0.1793
 units per year.
 Mann-Kendall
 statistic = -80
 critical = -74
 Decreasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-4 (bg)




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 14
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-5 (bg)




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 14
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-10




n = 19
 Slope = 0.0485
 units per year.
 Mann-Kendall
 statistic = 20
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-11




n = 19
 Slope = 0.1736
 units per year.
 Mann-Kendall
 statistic = 41
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-12




n = 19
 Slope = 0.1565
 units per year.
 Mann-Kendall
 statistic = 83
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-13




n = 19
 Slope = 1.084
 units per year.
 Mann-Kendall
 statistic = 130
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-14




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 24
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-15




n = 19
 Slope = 0.2105
 units per year.
 Mann-Kendall
 statistic = 74
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-16




n = 19
 Slope = 0.2513
 units per year.
 Mann-Kendall
 statistic = 86
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-17




n = 19
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = -10
 critical = -74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-18




n = 19
 Slope = 1.952
 units per year.
 Mann-Kendall
 statistic = 127
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-19



n = 19
 Slope = 0.1225
 units per year.
 Mann-Kendall
 statistic = 30
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).


Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-20




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-21




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-22




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-23




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-7




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-8




Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator
SGWC-9



Constituent: Chloride, Total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator
SGWA-1 (bg)



Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-2 (bg)




n = 23
Slope = -0.003904
units per year.
Mann-Kendall
statistic = -62
critical = -98
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-24 (bg)




n = 23
Slope = -0.008249
units per year.
Mann-Kendall
statistic = -88
critical = -98
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-25 (bg)




n = 23
Slope = -0.002988
units per year.
Mann-Kendall
statistic = -63
critical = -98
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-3 (bg)




n = 23
Slope = 0
units per year.
Mann-Kendall
statistic = -17
critical = -98
Trend not sig-
nificant at 99%
confidence level
($\alpha = 0.005$ per
tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-20



Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator

SGWC-6



Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-7



n = 23
 Slope = -0.006861
 units per year.
 Mann-Kendall
 statistic = -39
 critical = -98
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-8



n = 23
 Slope = -0.01022
 units per year.
 Mann-Kendall
 statistic = -38
 critical = -98
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWC-9



n = 23
 Slope = -0.00547
 units per year.
 Mann-Kendall
 statistic = -53
 critical = -98
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Fluoride, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-1 (bg)




n = 22
 Slope = -0.03788
 units per year.
 Mann-Kendall
 statistic = -89
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-2 (bg)



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-24 (bg)



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-25 (bg)



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-4 (bg)




n = 22
 Slope = -0.01746
 units per year.
 Mann-Kendall
 statistic = -78
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-5 (bg)




n = 22
 Slope = -0.005633
 units per year.
 Mann-Kendall
 statistic = -18
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-11




n = 21
 Slope = -0.1087
 units per year.
 Mann-Kendall
 statistic = -160
 critical = -87
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-15




n = 21
 Slope = -0.01159
 units per year.
 Mann-Kendall
 statistic = -42
 critical = -87
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-18



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-20



Constituent: pH Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-1 (bg)



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-2 (bg)



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-24 (bg)



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-25 (bg)



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-14



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-15



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-16



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-17



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-18




n = 19
 Slope = 86.65
 units per year.
 Mann-Kendall
 statistic = 60
 critical = 74
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-19




n = 19
 Slope = 9.505
 units per year.
 Mann-Kendall
 statistic = 93
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-20




n = 19
 Slope = -5.325
 units per year.
 Mann-Kendall
 statistic = -68
 critical = -74
 Trend not sig-
 nificant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-21




n = 19
 Slope = 9.948
 units per year.
 Mann-Kendall
 statistic = 117
 critical = 74
 Increasing trend
 significant at 99%
 confidence level
 (α = 0.005 per
 tail).

Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-22



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-23



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-7



Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator

SGWC-8




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWC-9




Constituent: Sulfate, total Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-1 (bg)




Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator SGWA-2 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP


Sen's Slope Estimator SGWA-24 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-25 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-12



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-13



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:01 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-14



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-15



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-17



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-18



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-19



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-20



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-21



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-22



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-23



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-8



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-9



Constituent: Total Dissolved Solids [TDS] Analysis Run 12/1/2022 3:02 PM View: Appendix III - Trend Tes
Plant Scherer Client: Southern Company Data: Scherer AP


FIGURE H.

Upper Tolerance Limit Summary Table

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:06 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony (mg/L)	n/a	0.0021	n/a	n/a	n/a	n/a	119	n/a	n/a	94.12	n/a	n/a	0.002234	NP Inter(NDs)
Arsenic (mg/L)	n/a	0.0015	n/a	n/a	n/a	n/a	154	n/a	n/a	86.36	n/a	n/a	0.0003711	NP Inter(NDs)
Barium (mg/L)	n/a	0.071	n/a	n/a	n/a	n/a	154	n/a	n/a	0	n/a	n/a	0.0003711	NP Inter(normality)
Beryllium (mg/L)	n/a	0.0025	n/a	n/a	n/a	n/a	154	n/a	n/a	94.16	n/a	n/a	0.0003711	NP Inter(NDs)
Cadmium (mg/L)	n/a	0.0025	n/a	n/a	n/a	n/a	147	n/a	n/a	98.64	n/a	n/a	0.0005313	NP Inter(NDs)
Chromium (mg/L)	n/a	0.021	n/a	n/a	n/a	n/a	161	n/a	n/a	29.81	n/a	n/a	0.0002591	NP Inter(normality)
Cobalt (mg/L)	n/a	0.02	n/a	n/a	n/a	n/a	154	n/a	n/a	63.64	n/a	n/a	0.0003711	NP Inter(NDs)
Combined Radium 226 + 228 (pCi/L)	n/a	1.54	n/a	n/a	n/a	n/a	154	n/a	n/a	0	n/a	n/a	0.0003711	NP Inter(normality)
Fluoride, total (mg/L)	n/a	0.16	n/a	n/a	n/a	n/a	161	n/a	n/a	57.14	n/a	n/a	0.0002591	NP Inter(NDs)
Lead (mg/L)	n/a	0.001	n/a	n/a	n/a	n/a	154	n/a	n/a	92.86	n/a	n/a	0.0003711	NP Inter(NDs)
Lithium (mg/L)	n/a	0.005	n/a	n/a	n/a	n/a	154	n/a	n/a	87.66	n/a	n/a	0.0003711	NP Inter(NDs)
Mercury (mg/L)	n/a	0.0005	n/a	n/a	n/a	n/a	156	n/a	n/a	91.67	n/a	n/a	0.0003349	NP Inter(NDs)
Molybdenum (mg/L)	n/a	0.015	n/a	n/a	n/a	n/a	147	n/a	n/a	91.84	n/a	n/a	0.0005313	NP Inter(NDs)
Selenium (mg/L)	n/a	0.005	n/a	n/a	n/a	n/a	154	n/a	n/a	91.56	n/a	n/a	0.0003711	NP Inter(NDs)
Thallium (mg/L)	n/a	0.001	n/a	n/a	n/a	n/a	154	n/a	n/a	92.21	n/a	n/a	0.0003711	NP Inter(NDs)


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 119 background values. 94.12% NDs. 96.29% coverage at alpha=0.01; 97.46% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.002234.

Constituent: Antimony Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 86.36% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Arsenic Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 154 background values. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Barium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 94.16% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Beryllium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 147 background values. 98.64% NDs. 97.07% coverage at alpha=0.01; 97.85% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0005313.

Constituent: Cadmium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

Tolerance Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 161 background values. 29.81% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0002591.

Constituent: Chromium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 63.64% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Cobalt Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

Tolerance Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 154 background values. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Combined Radium 226 + 228 Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 161 background values. 57.14% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0002591.

Constituent: Fluoride, total Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 92.86% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Lead Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 87.66% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Lithium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 156 background values. 91.67% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003349.

Constituent: Mercury Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 147 background values. 91.84% NDs. 97.07% coverage at alpha=0.01; 97.85% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0005313.

Constituent: Molybdenum Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP


Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 91.56% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Selenium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

Tolerance Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric tolerance limit because censored data exceeded 50%. Limit is highest of 154 background values. 92.21% NDs. 97.07% coverage at alpha=0.01; 98.24% coverage at alpha=0.05; 99.41% coverage at alpha=0.5. Report alpha = 0.0003711.

Constituent: Thallium Analysis Run 12/1/2022 3:05 PM View: Appendix IV - UTLs
Plant Scherer Client: Southern Company Data: Scherer AP

FIGURE I.

SCHERER ASH POND GWPS				
Constituent Name	MCL	CCR-Rule Specified	Background Limit	GWPS
Antimony, Total (mg/L)	0.006		0.0021	0.006
Arsenic, Total (mg/L)	0.01		0.0015	0.01
Barium, Total (mg/L)	2		0.071	2
Beryllium, Total (mg/L)	0.004		0.0025	0.004
Cadmium, Total (mg/L)	0.005		0.0025	0.005
Chromium, Total (mg/L)	0.1		0.021	0.1
Cobalt, Total (mg/L)		0.006	0.02	0.02
Combined Radium, Total (pCi/L)	5		1.54	5
Fluoride, Total (mg/L)	4		0.16	4
Lead, Total (mg/L)		0.015	0.001	0.015
Lithium, Total (mg/L)		0.04	0.005	0.04
Mercury, Total (mg/L)	0.002		0.0005	0.002
Molybdenum, Total (mg/L)		0.1	0.015	0.1
Selenium, Total (mg/L)	0.05		0.005	0.05
Thallium, Total (mg/L)	0.002		0.001	0.002

Grey cell indicates Background Limit is higher than MCL or CCR-Rule Specified Level

**GWPS = Groundwater Protection Standard*

**MCL = Maximum Contaminant Level*

**CCR = Coal Combustion Residuals*

FIGURE J.

Confidence Intervals - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/12/2022, 12:13 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Cobalt (mg/L)	SGWC-10	0.0307	0.02169	0.02	Yes	22	0.0262	0.008387	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02768	0.02086	0.02	Yes	22	0.02427	0.006349	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2742	0.2569	0.02	Yes	22	0.2655	0.01603	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-18	0.1512	0.1116	0.02	Yes	22	0.1314	0.0369	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-20	0.2124	0.1575	0.02	Yes	22	0.185	0.0512	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/12/2022, 12:13 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony (mg/L)	SGWC-10	0.002	0.0014	0.006	No	16	0.001963	0.00015	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-13	0.002	0.0004	0.006	No	16	0.0019	0.0004	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-18	0.002	0.0012	0.006	No	15	0.001947	0.0002066	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-19	0.0021	0.002	0.006	No	16	0.002006	0.000025	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-20	0.002	0.0019	0.006	No	15	0.001993	0.00002582	93.33	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-21	0.002	0.0019	0.006	No	16	0.001994	0.000025	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-22	0.0022	0.002	0.006	No	16	0.002013	0.00005	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-23	0.002	0.00098	0.006	No	16	0.001936	0.000255	93.75	None	No	0.01	NP (NDs)
Antimony (mg/L)	SGWC-7	0.002	0.0004	0.006	No	16	0.0019	0.0004	93.75	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-10	0.001	0.00074	0.01	No	22	0.0009468	0.000142	86.36	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-11	0.00103	0.001	0.01	No	22	0.001005	0.0000967	59.09	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-12	0.001	0.00091	0.01	No	22	0.0008986	0.0002387	59.09	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-13	0.0014	0.00088	0.01	No	22	0.0009745	0.0001599	81.82	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-14	0.0012	0.0007	0.01	No	22	0.000975	0.0001742	77.27	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-15	0.001446	0.0009117	0.01	No	22	0.001297	0.0004769	18.18	Kaplan-Meier	No	0.01	Param.
Arsenic (mg/L)	SGWC-16	0.001	0.00055	0.01	No	22	0.0009282	0.0001889	86.36	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-17	0.001	0.00075	0.01	No	22	0.000917	0.0001751	72.73	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-18	0.003159	0.001863	0.01	No	22	0.002511	0.001207	0	None	No	0.01	Param.
Arsenic (mg/L)	SGWC-19	0.001	0.00068	0.01	No	22	0.0009664	0.00011	90.91	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-20	0.0008499	0.0005005	0.01	No	22	0.0009527	0.0004193	40.91	Kaplan-Meier	No	0.01	Param.
Arsenic (mg/L)	SGWC-21	0.001	0.00076	0.01	No	22	0.0009891	0.00005117	95.45	Kaplan-Meier	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-22	0.001	0.00089	0.01	No	22	0.0008605	0.0002574	72.73	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-23	0.001	0.00079	0.01	No	22	0.0009727	0.00009254	90.91	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-6	0.001	0.0006	0.01	No	22	0.0009318	0.0001777	86.36	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-7	0.001	0.0009	0.01	No	22	0.0008945	0.0001913	72.73	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-8	0.001	0.001	0.01	No	22	0.0008986	0.0002026	72.73	None	No	0.01	NP (NDs)
Arsenic (mg/L)	SGWC-9	0.001	0.00074	0.01	No	22	0.0008764	0.0002134	59.09	None	No	0.01	NP (NDs)
Barium (mg/L)	SGWC-10	0.03201	0.02769	2	No	22	0.02985	0.004026	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-11	0.04289	0.0385	2	No	22	0.0407	0.004083	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-12	0.05222	0.04185	2	No	22	0.04625	0.01022	0	None	x^2	0.01	Param.
Barium (mg/L)	SGWC-13	0.03475	0.02812	2	No	22	0.03144	0.006173	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-14	0.05828	0.05052	2	No	22	0.0544	0.007232	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-15	0.03762	0.03134	2	No	22	0.03448	0.005848	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-16	0.02725	0.02083	2	No	22	0.02404	0.005982	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-17	0.02352	0.01937	2	No	22	0.02145	0.003865	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-18	0.02307	0.01544	2	No	22	0.0197	0.007489	0	None	sqrt(x)	0.01	Param.
Barium (mg/L)	SGWC-19	0.0399	0.03257	2	No	22	0.03624	0.006828	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-20	0.03306	0.02477	2	No	22	0.02892	0.007724	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-21	0.11	0.0914	2	No	22	0.1	0.01262	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-22	0.08975	0.07953	2	No	22	0.08464	0.009517	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-23	0.08245	0.06787	2	No	22	0.07516	0.01358	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-6	0.1125	0.07101	2	No	22	0.09174	0.03863	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-7	0.2927	0.2489	2	No	22	0.2708	0.04082	0	None	No	0.01	Param.
Barium (mg/L)	SGWC-8	0.19	0.17	2	No	22	0.1807	0.02006	0	None	No	0.01	NP (normality)
Barium (mg/L)	SGWC-9	0.06576	0.05423	2	No	22	0.06	0.01074	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-10	0.0025	0.00026	0.004	No	22	0.002398	0.0004776	95.45	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-14	0.0025	0.00053	0.004	No	22	0.002306	0.0006303	90.91	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-15	0.00046	0.00037	0.004	No	22	0.0005241	0.000302	13.64	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-17	0.0025	0.00028	0.004	No	22	0.002399	0.0004733	95.45	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-18	0.0025	0.00033	0.004	No	22	0.001421	0.001105	50	None	No	0.01	NP (normality)
Beryllium (mg/L)	SGWC-19	0.0025	0.0002	0.004	No	22	0.001973	0.0009943	77.27	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-20	0.0008063	0.0006648	0.004	No	22	0.0007355	0.0001319	0	None	No	0.01	Param.
Beryllium (mg/L)	SGWC-22	0.0025	0.00033	0.004	No	22	0.002401	0.0004626	95.45	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-6	0.0025	0.0002	0.004	No	22	0.002395	0.0004904	95.45	None	No	0.01	NP (NDs)
Beryllium (mg/L)	SGWC-8	0.0025	0.0003	0.004	No	22	0.002295	0.0006637	90.91	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-11	0.0025	0.00022	0.005	No	21	0.002391	0.0004975	95.24	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-14	0.0025	0.00057	0.005	No	21	0.002296	0.0006494	90.48	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-15	0.0025	0.00027	0.005	No	21	0.001144	0.001091	38.1	None	No	0.01	NP (normality)
Cadmium (mg/L)	SGWC-18	0.0025	0.00032	0.005	No	21	0.001854	0.001047	71.43	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-19	0.0025	0.00036	0.005	No	21	0.002398	0.000467	95.24	None	No	0.01	NP (NDs)

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/12/2022, 12:13 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Cadmium (mg/L)	SGWC-20	0.0025	0.000108	0.005	No	21	0.002272	0.0007207	90.48	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-21	0.0025	0.00039	0.005	No	21	0.0024	0.0004604	95.24	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-6	0.0025	0.00022	0.005	No	21	0.002391	0.0004975	95.24	None	No	0.01	NP (NDs)
Cadmium (mg/L)	SGWC-8	0.0025	0.00031	0.005	No	21	0.002396	0.0004779	95.24	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-12	0.0023	0.002	0.1	No	22	0.002014	0.00006396	95.45	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-13	0.002	0.0017	0.1	No	22	0.001986	0.00006396	95.45	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-14	0.0026	0.0019	0.1	No	22	0.002086	0.001075	68.18	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-15	0.03475	0.03247	0.1	No	22	0.03361	0.002126	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-16	0.01172	0.009905	0.1	No	22	0.01081	0.001687	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-17	0.007319	0.004595	0.1	No	22	0.005957	0.002537	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-18	0.01022	0.00758	0.1	No	22	0.00906	0.002784	0	None	x^(1/3)	0.01	Param.
Chromium (mg/L)	SGWC-19	0.01565	0.01427	0.1	No	22	0.01496	0.001287	0	None	No	0.01	Param.
Chromium (mg/L)	SGWC-20	0.0022	0.0009	0.1	No	22	0.001959	0.0002404	90.91	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-21	0.002	0.002	0.1	No	22	0.001914	0.0002274	72.73	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-22	0.0022	0.0015	0.1	No	22	0.001873	0.0004119	63.64	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-23	0.001723	0.001326	0.1	No	22	0.001805	0.0003552	40.91	Kaplan-Meier	No	0.01	Param.
Chromium (mg/L)	SGWC-7	0.0026	0.002	0.1	No	22	0.002027	0.0001279	95.45	None	No	0.01	NP (NDs)
Chromium (mg/L)	SGWC-8	0.0021	0.0016	0.1	No	22	0.004282	0.01134	59.09	None	No	0.01	NP (NDs)
Cobalt (mg/L)	PZ-13S	0.007063	0.004857	0.02	No	5	0.00596	0.000658	0	None	No	0.01	Param.
Cobalt (mg/L)	PZ-14S	0.0005626	0.0000524	0.02	No	4	0.0003075	0.0001124	0	None	No	0.01	Param.
Cobalt (mg/L)	PZ-39S	0.0025	0.00028	0.02	No	5	0.001218	0.001174	40	None	No	0.031	NP (normality)
Cobalt (mg/L)	PZ-41S	0.0092	0.00093	0.02	No	5	0.002726	0.003622	0	None	No	0.031	NP (normality)
Cobalt (mg/L)	PZ-43S	0.0086	0.00025	0.02	No	5	0.002964	0.003299	40	None	No	0.031	NP (selected)
Cobalt (mg/L)	SGWC-10	0.0307	0.02169	0.02	Yes	22	0.0262	0.008387	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-11	0.02768	0.02086	0.02	Yes	22	0.02427	0.006349	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-12	0.003781	0.002289	0.02	No	22	0.003035	0.00139	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-13	0.006426	0.00288	0.02	No	22	0.005059	0.003726	0	None	sqrt(x)	0.01	Param.
Cobalt (mg/L)	SGWC-14	0.01111	0.006945	0.02	No	22	0.00903	0.003883	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-15	0.2742	0.2569	0.02	Yes	22	0.2655	0.01603	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-16	0.004411	0.003592	0.02	No	22	0.004001	0.0007622	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-17	0.00078	0.00041	0.02	No	22	0.000868	0.0007989	18.18	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-18	0.1512	0.1116	0.02	Yes	22	0.1314	0.0369	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-19	0.0025	0.00045	0.02	No	22	0.00146	0.001085	50	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-20	0.2124	0.1575	0.02	Yes	22	0.185	0.0512	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-21	0.0025	0.00016	0.02	No	22	0.001646	0.001157	63.64	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-22	0.003101	0.001733	0.02	No	22	0.002531	0.001408	0	None	sqrt(x)	0.01	Param.
Cobalt (mg/L)	SGWC-23	0.0025	0.00013	0.02	No	22	0.002392	0.0005053	95.45	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-6	0.0025	0.0016	0.02	No	22	0.002043	0.001125	40.91	None	No	0.01	NP (normality)
Cobalt (mg/L)	SGWC-7	0.01003	0.004793	0.02	No	22	0.007414	0.004882	0	None	No	0.01	Param.
Cobalt (mg/L)	SGWC-8	0.0025	0.00075	0.02	No	22	0.001859	0.0009988	63.64	None	No	0.01	NP (NDs)
Cobalt (mg/L)	SGWC-9	0.01158	0.005413	0.02	No	22	0.008497	0.005747	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	PZ-41S	0.9159	-0.1164	5	No	4	0.3998	0.2273	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-10	0.452	0.102	5	No	22	0.2985	0.3501	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-11	0.4918	0.1766	5	No	22	0.3342	0.2936	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-12	0.4137	0.1627	5	No	22	0.2882	0.2338	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-13	0.4461	0.1859	5	No	22	0.316	0.2424	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-14	0.3438	0.06901	5	No	22	0.2064	0.2559	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-15	0.4677	0.2627	5	No	22	0.3652	0.191	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-16	0.3529	0.1125	5	No	22	0.2327	0.2239	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-17	0.4099	0.1832	5	No	22	0.2966	0.2111	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-18	0.435	0.22	5	No	22	0.3807	0.3381	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-19	0.396	0.11	5	No	22	0.2856	0.3413	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-20	0.5806	0.2863	5	No	22	0.4335	0.2741	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-21	0.565	0.218	5	No	22	0.4457	0.3576	0	None	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	SGWC-22	0.4667	0.1427	5	No	22	0.3586	0.4078	0	None	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-23	0.6271	0.3656	5	No	22	0.4964	0.2436	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-6	0.377	0.1398	5	No	22	0.2584	0.2209	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-7	0.5278	0.3179	5	No	22	0.4228	0.1955	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-8	2.523	2.067	5	No	22	2.295	0.4239	0	None	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	SGWC-9	0.3589	0.133	5	No	22	0.246	0.2105	0	None	No	0.01	Param.

Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/12/2022, 12:13 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Fluoride, total (mg/L)	SGWC-10	0.1	0.047	4	No	23	0.08813	0.02679	82.61	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-11	0.1	0.08	4	No	23	0.09152	0.02062	82.61	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-12	0.09471	0.06209	4	No	23	0.1046	0.05444	17.39	Kaplan-Meier	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-13	0.1	0.045	4	No	23	0.08435	0.03109	65.22	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-14	0.1	0.04	4	No	23	0.07961	0.03167	69.57	Kaplan-Meier	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-15	0.14	0.11	4	No	23	0.1387	0.05316	0	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-16	0.1	0.09	4	No	23	0.08526	0.02855	73.91	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-17	0.2	0.051	4	No	23	0.1173	0.07293	39.13	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-18	0.1	0.099	4	No	23	0.09249	0.03021	60.87	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-19	0.18	0.057	4	No	23	0.09524	0.02927	82.61	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-20	0.2498	0.1816	4	No	23	0.2191	0.071	0	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-21	0.09432	0.06944	4	No	23	0.1215	0.0577	30.43	Kaplan-Meier	ln(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-22	0.1	0.1	4	No	23	0.08648	0.02661	73.91	None	No	0.01	NP (NDs)
Fluoride, total (mg/L)	SGWC-23	0.2	0.046	4	No	23	0.1146	0.07222	39.13	None	No	0.01	NP (normality)
Fluoride, total (mg/L)	SGWC-6	0.1418	0.1034	4	No	23	0.1245	0.03897	13.04	None	sqrt(x)	0.01	Param.
Fluoride, total (mg/L)	SGWC-7	0.2319	0.1815	4	No	23	0.2067	0.04819	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-8	0.4654	0.3731	4	No	23	0.4192	0.08825	0	None	No	0.01	Param.
Fluoride, total (mg/L)	SGWC-9	0.1088	0.05588	4	No	23	0.1418	0.1034	39.13	Kaplan-Meier	x^(1/3)	0.01	Param.
Lead (mg/L)	SGWC-10	0.001	0.00014	0.015	No	22	0.0008818	0.0003044	86.36	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-12	0.001	0.0002	0.015	No	22	0.0009636	0.0001706	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-13	0.001	0.00039	0.015	No	22	0.0009723	0.0001301	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-14	0.001	0.00066	0.015	No	22	0.0009136	0.0002366	86.36	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-15	0.001	0.00023	0.015	No	22	0.000965	0.0001642	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-16	0.001	0.00013	0.015	No	22	0.0009605	0.0001855	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-17	0.001	0.00017	0.015	No	22	0.0009623	0.000177	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-18	0.001	0.00071	0.015	No	22	0.0009545	0.0001608	90.91	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-19	0.001	0.00033	0.015	No	22	0.0009695	0.0001428	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-20	0.0013	0.00025	0.015	No	22	0.0007018	0.0005143	40.91	None	No	0.01	NP (normality)
Lead (mg/L)	SGWC-21	0.001	0.00041	0.015	No	22	0.0007855	0.0003624	72.73	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-22	0.001	0.00019	0.015	No	22	0.0008114	0.0003561	77.27	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-23	0.001	0.00009	0.015	No	22	0.0009586	0.000194	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-6	0.001	0.0002	0.015	No	22	0.0009636	0.0001706	95.45	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-7	0.001	0.00085	0.015	No	22	0.0009155	0.0002514	86.36	None	No	0.01	NP (NDs)
Lead (mg/L)	SGWC-8	0.001	0.00062	0.015	No	22	0.0009505	0.0001683	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	PZ-14S	0.001786	0.0008781	0.04	No	4	0.00315	0.002142	50	Kaplan-Meier	sqrt(x)	0.01	Param.
Lithium (mg/L)	PZ-44I	0.04299	0.004494	0.04	No	6	0.02075	0.02414	16.67	Kaplan-Meier	ln(x)	0.01	Param.
Lithium (mg/L)	SGWC-10	0.005	0.0011	0.04	No	22	0.004823	0.0008315	95.45	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-11	0.005	0.0029	0.04	No	22	0.004059	0.001351	63.64	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-12	0.005	0.0012	0.04	No	22	0.00465	0.001133	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-13	0.005	0.0014	0.04	No	22	0.004664	0.001089	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-14	0.005	0.0015	0.04	No	22	0.004664	0.00109	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-15	0.005	0.0034	0.04	No	22	0.004145	0.0009526	50	None	No	0.01	NP (normality)
Lithium (mg/L)	SGWC-16	0.005	0.0015	0.04	No	22	0.004668	0.001075	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-17	0.005	0.0014	0.04	No	22	0.004836	0.0007675	95.45	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-18	0.004687	0.003894	0.04	No	22	0.004595	0.0007128	22.73	Kaplan-Meier	No	0.01	Param.
Lithium (mg/L)	SGWC-19	0.0072	0.0022	0.04	No	22	0.004668	0.001256	81.82	Kaplan-Meier	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-20	0.004678	0.00376	0.04	No	21	0.004219	0.0008322	4.762	None	No	0.01	Param.
Lithium (mg/L)	SGWC-21	0.005	0.0038	0.04	No	22	0.004355	0.001311	77.27	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-22	0.005	0.0033	0.04	No	22	0.004449	0.001277	81.82	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-23	0.005	0.0032	0.04	No	22	0.004159	0.0009979	45.45	None	No	0.01	NP (normality)
Lithium (mg/L)	SGWC-6	0.005	0.0023	0.04	No	22	0.004709	0.0009541	90.91	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-7	0.005356	0.00431	0.04	No	21	0.004833	0.0009478	0	None	No	0.01	Param.
Lithium (mg/L)	SGWC-8	0.005	0.0023	0.04	No	22	0.004023	0.001482	68.18	None	No	0.01	NP (NDs)
Lithium (mg/L)	SGWC-9	0.005	0.0014	0.04	No	22	0.004836	0.0007675	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-10	0.0002	0.00013	0.002	No	22	0.0001968	0.00001492	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-11	0.0002	0.0001	0.002	No	22	0.0001955	0.00002132	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-12	0.0002	0.000093	0.002	No	22	0.0001951	0.00002281	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-13	0.0002	0.00011	0.002	No	22	0.0001959	0.00001919	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-14	0.0002	0.00012	0.002	No	22	0.0001868	0.00003441	81.82	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-15	0.0002	0.00012	0.002	No	22	0.0001598	0.00004436	45.45	None	No	0.01	NP (normality)


Confidence Intervals - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/12/2022, 12:13 PM

Constituent	Well	Upper Lim.	Lower Lim.	Compliance	Sig.	N	Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Mercury (mg/L)	SGWC-16	0.0002	0.000076	0.002	No	22	0.0001944	0.00002644	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-17	0.0002	0.00017	0.002	No	22	0.0001873	0.00002963	81.82	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-18	0.0001706	0.0001127	0.002	No	22	0.0001799	0.00004521	31.82	Kaplan-Meier	No	0.01	Param.
Mercury (mg/L)	SGWC-20	0.0002	0.00013	0.002	No	22	0.0001857	0.00003807	86.36	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-21	0.0002	0.0001	0.002	No	22	0.0001955	0.00002132	95.45	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-22	0.0002	0.000099	0.002	No	22	0.0001954	0.00002153	95.45	Kaplan-Meier	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-23	0.00028	0.00011	0.002	No	22	0.0001896	0.00004189	81.82	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-6	0.0002	0.00011	0.002	No	22	0.0001959	0.00001919	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-7	0.0002	0.00011	0.002	No	22	0.0001959	0.00001919	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-8	0.0002	0.000076	0.002	No	22	0.0001944	0.00002644	95.45	None	No	0.01	NP (NDs)
Mercury (mg/L)	SGWC-9	0.0002	0.0001	0.002	No	22	0.0001955	0.00002132	95.45	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-12	0.015	0.0012	0.1	No	21	0.01368	0.004166	90.48	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-14	0.015	0.003	0.1	No	21	0.01375	0.003954	90.48	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-6	0.015	0.00099	0.1	No	21	0.01365	0.004258	90.48	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-7	0.00343	0.0012	0.1	No	21	0.004282	0.005379	19.05	None	No	0.01	NP (normality)
Molybdenum (mg/L)	SGWC-8	0.015	0.0008	0.1	No	21	0.01364	0.004282	90.48	None	No	0.01	NP (NDs)
Molybdenum (mg/L)	SGWC-9	0.015	0.00099	0.1	No	21	0.009008	0.007096	57.14	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-11	0.005	0.00046	0.05	No	22	0.004794	0.0009679	95.45	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-12	0.005	0.00031	0.05	No	22	0.004787	0.0009999	95.45	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-13	0.005	0.00064	0.05	No	22	0.004588	0.001334	90.91	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-14	0.005	0.00084	0.05	No	22	0.004614	0.001251	90.91	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-15	0.005	0.0014	0.05	No	22	0.004186	0.002525	54.55	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-16	0.005	0.0013	0.05	No	22	0.003611	0.001899	63.64	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-17	0.005	0.00064	0.05	No	22	0.004371	0.001622	86.36	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-18	0.01043	0.003451	0.05	No	22	0.00803	0.008114	4.545	None	sqrt(x)	0.01	Param.
Selenium (mg/L)	SGWC-19	0.005	0.00099	0.05	No	22	0.004231	0.001672	81.82	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-20	0.005	0.00396	0.05	No	22	0.004016	0.001796	68.18	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-23	0.005	0.00033	0.05	No	22	0.004355	0.001663	86.36	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-6	0.005	0.00057	0.05	No	22	0.004374	0.001613	86.36	None	No	0.01	NP (NDs)
Selenium (mg/L)	SGWC-7	0.005	0.00034	0.05	No	22	0.004788	0.0009935	95.45	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-10	0.001	0.00075	0.002	No	22	0.0009132	0.0002473	86.36	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-11	0.001	0.00016	0.002	No	22	0.0009232	0.0002486	90.91	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-12	0.001	0.00034	0.002	No	22	0.000935	0.0002111	90.91	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-13	0.001	0.00022	0.002	No	22	0.0009645	0.0001663	95.45	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-14	0.0011	0.00035	0.002	No	22	0.0009	0.0002738	81.82	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-15	0.001	0.000098	0.002	No	22	0.0005842	0.0004338	50	None	No	0.01	NP (normality)
Thallium (mg/L)	SGWC-17	0.001	0.00024	0.002	No	22	0.0009655	0.000162	95.45	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-18	0.0003267	0.0001669	0.002	No	22	0.0002689	0.0001788	13.64	None	x^(1/3)	0.01	Param.
Thallium (mg/L)	SGWC-20	0.0002618	0.0001593	0.002	No	22	0.0002282	0.0001223	13.64	None	ln(x)	0.01	Param.
Thallium (mg/L)	SGWC-22	0.001	0.00038	0.002	No	22	0.0009718	0.0001322	95.45	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-23	0.001	0.00016	0.002	No	22	0.0009618	0.0001791	95.45	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-6	0.001	0.00049	0.002	No	22	0.0008714	0.0002842	81.82	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-7	0.001	0.00042	0.002	No	22	0.0009382	0.0002025	90.91	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-8	0.001	0.00079	0.002	No	22	0.0008832	0.0002761	81.82	None	No	0.01	NP (NDs)
Thallium (mg/L)	SGWC-9	0.001	0.0004	0.002	No	22	0.0009395	0.0001967	90.91	None	No	0.01	NP (NDs)

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Antimony Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Antimony Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Arsenic Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Arsenic Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Barium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Beryllium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Beryllium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Cadmium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Chromium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Chromium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Chromium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01 except as noted. Normality Test: Shapiro Wilk, alpha based



Constituent: Cobalt Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Fluoride, total Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Fluoride, total Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Fluoride, total Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Lead Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Lead Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Lead Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Lithium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Lithium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Lithium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Lithium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Mercury Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Mercury Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Mercury Analysis Run 12/12/2022 12:10 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Molybdenum Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Selenium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Selenium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Selenium Analysis Run 12/12/2022 12:10 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium Analysis Run 12/12/2022 12:11 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Thallium Analysis Run 12/12/2022 12:11 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium Analysis Run 12/12/2022 12:11 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

Confidence Interval

Constituent: Antimony (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-13	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/11/2016	<0.002					
5/12/2016		<0.002			<0.002	<0.002
5/13/2016			<0.002	<0.002		
6/28/2016	0.0014 (J)	0.0004 (J)				
6/29/2016				<0.002	<0.002	<0.002
6/30/2016			0.0012 (J)			
8/17/2016	<0.002					
8/18/2016		<0.002				
8/22/2016			<0.002	<0.002	<0.002	<0.002
10/17/2016	<0.002	<0.002				
10/18/2016				<0.002	<0.002	<0.002
10/19/2016			<0.002			
12/6/2016	<0.002	<0.002				
12/7/2016			<0.002			<0.002
12/8/2016				<0.002	<0.002	
2/15/2017	<0.002	<0.002 (F1)				
2/16/2017			<0.002	<0.002	<0.002	<0.002
4/12/2017	<0.002	<0.002				
4/13/2017			<0.002	<0.002	<0.002	<0.002
6/27/2017	<0.002	<0.002				
6/28/2017			<0.002	<0.002	<0.002	<0.002
3/27/2018	<0.002	<0.002				
3/28/2018			<0.002	<0.002	<0.002	<0.002
10/8/2018		<0.002				<0.002
10/9/2018	<0.002			<0.002		
2/20/2019	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
2/18/2020					<0.002	<0.002
2/19/2020	<0.002	<0.002		<0.002		
2/20/2020			<0.002			
2/9/2021	<0.002	<0.002				
2/10/2021			<0.002	<0.002	<0.002	<0.002
8/18/2021			<0.002			<0.002
8/19/2021	<0.002	<0.002		<0.002	<0.002	
2/10/2022			<0.002			
2/11/2022	<0.002	<0.002		<0.002	<0.002	<0.002
8/18/2022		<0.002				
8/19/2022	<0.002					
8/22/2022				0.0021	0.0019 (J)	0.0019 (J)
8/23/2022			<0.002			
Mean	0.001963	0.0019	0.001947	0.002006	0.001993	0.001994
Std. Dev.	0.00015	0.0004	0.0002066	2.5E-05	2.582E-05	2.5E-05
Upper Lim.	0.002	0.002	0.002	0.0021	0.002	0.002
Lower Lim.	0.0014	0.0004	0.0012	0.002	0.0019	0.0019

Confidence Interval

Constituent: Antimony (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-7
5/11/2016			<0.002
5/12/2016	<0.002	<0.002	
6/27/2016			0.0004 (J)
6/29/2016	<0.002	<0.002	
8/17/2016			<0.002
8/19/2016	<0.002	<0.002	
10/18/2016	<0.002	<0.002	<0.002
12/6/2016			<0.002
12/7/2016	<0.002	<0.002	
2/14/2017			<0.002
2/15/2017		<0.002	
2/16/2017	<0.002		
4/12/2017			<0.002
4/13/2017	<0.002	<0.002	
6/27/2017			<0.002
6/28/2017	<0.002	<0.002	
3/27/2018		<0.002	<0.002
3/28/2018	<0.002		
10/8/2018	<0.002	<0.002	
10/9/2018			<0.002
2/19/2019	<0.002	<0.002	
2/20/2019			<0.002
2/18/2020	<0.002	<0.002	<0.002
2/9/2021			<0.002
2/10/2021	<0.002	<0.002	
8/18/2021	<0.002	<0.002	<0.002
2/9/2022			<0.002
2/10/2022	<0.002	<0.002	
8/18/2022			<0.002
8/22/2022	0.0022	0.00098 (J)	
Mean	0.002013	0.001936	0.0019
Std. Dev.	5E-05	0.000255	0.0004
Upper Lim.	0.0022	0.002	0.002
Lower Lim.	0.002	0.00098	0.0004

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.001	0.00103 (J)	<0.001			
5/12/2016				<0.001	<0.001	<0.0013
6/28/2016	<0.001	0.0011 (J)	0.001 (J)	<0.001	<0.001	0.0026 (J)
8/17/2016	<0.001	0.0011 (J)				
8/18/2016			0.00091 (J)	<0.001	<0.001	0.0015
10/17/2016	<0.001	0.0011 (J)	<0.001	<0.001	<0.001	
10/18/2016						0.0019
12/6/2016	<0.001	0.00072 (J)	<0.001	<0.001		
12/7/2016					<0.001	0.00079 (J)
2/15/2017	0.0005 (J)	0.0011 (J)	0.00076 (J)	<0.001	<0.001	0.00073 (J)
4/12/2017	<0.001	0.00076 (J)	0.00046 (J)	0.00047 (J)	0.00057 (J)	0.0009 (J)
6/27/2017	0.00074 (J)	0.0011 (J)	0.0011 (J)	0.00088 (J)	0.00058 (J)	0.0011 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0013
6/6/2018	<0.001	<0.001	<0.001			
6/7/2018				<0.001	<0.001	<0.0013
10/8/2018			0.0007 (J)	0.00069 (J)	0.0007 (J)	
10/9/2018	<0.001					
10/16/2018		<0.001				<0.0013
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	0.00075 (J)
4/1/2019	0.00059 (J)	0.0011 (J)	0.0012 (J)	0.0014	0.0012 (J)	0.0016
9/16/2019		<0.001	<0.001			
9/17/2019	<0.001			<0.001	<0.001	0.0008 (J)
2/18/2020		<0.001				
2/19/2020	<0.001		0.00032 (J)	<0.001	<0.001	0.001
3/25/2020	<0.001	<0.001				
3/26/2020			0.00032 (J)			
3/27/2020				<0.001	0.0014	0.0016
9/14/2020	<0.001	<0.001	<0.001	<0.001		
9/15/2020					<0.001	0.0014
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	0.0013
3/31/2021	<0.001					0.0012
4/6/2021					<0.001	
4/7/2021		<0.001	<0.001	<0.001		
8/19/2021	<0.001	<0.001		<0.001	<0.001	0.0014
8/20/2021			<0.001			
2/10/2022		<0.001	<0.001			
2/11/2022	<0.001			<0.001		0.0021
2/14/2022					<0.001	
8/18/2022		<0.001	<0.001	<0.001		
8/19/2022	<0.001				<0.001	0.00066 (J)
Mean	0.0009468	0.001005	0.0008986	0.0009745	0.000975	0.001297
Std. Dev.	0.000142	9.67E-05	0.0002387	0.0001599	0.0001742	0.0004769
Upper Lim.	0.001	0.00103	0.001	0.0014	0.0012	0.001446
Lower Lim.	0.00074	0.001	0.00091	0.00088	0.0007	0.0009117

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	<0.001	<0.001			<0.0013	<0.001
5/13/2016			0.00161 (J)	<0.001		
6/28/2016	<0.001					
6/29/2016		<0.001		<0.001	0.0018 (J)	<0.001
6/30/2016			0.004 (J)			
8/18/2016	<0.001	<0.001				
8/22/2016			0.0012 (J)	<0.001	0.001 (J)	<0.001
10/18/2016	<0.001			<0.001	0.00085 (J)	<0.001
10/19/2016		0.001045 (JD)	0.0019			
12/7/2016	<0.001	<0.001	0.0012 (J)			<0.001
12/8/2016				<0.001	<0.0013	
2/15/2017		0.00059 (J)				
2/16/2017	<0.001		0.00086 (J)	<0.001	<0.0013	<0.001
4/13/2017	<0.001	0.00066 (J)	0.00058 (J)	<0.001	<0.0013	<0.001
6/27/2017	0.00055 (J)	0.00075 (J)				
6/28/2017			0.0011 (J)	0.00068 (J)	0.00094 (J)	0.00076 (J)
3/27/2018	<0.001	<0.001				
3/28/2018			0.0015	<0.001	<0.0013	<0.001
6/7/2018	<0.001	<0.001			<0.0013	<0.001
6/8/2018			0.002	<0.001		
10/8/2018	0.00054 (J)	0.00075 (J)				<0.001
10/9/2018				0.00058 (J)		
10/18/2018			0.0031		<0.0013	
2/20/2019	<0.001	<0.001	0.003	<0.001	<0.0013	<0.001
4/2/2019	<0.001	<0.001	0.0027	<0.001	<0.0013	<0.001
9/17/2019	<0.001	<0.001	0.0029	<0.001	0.00037 (J)	<0.001
2/18/2020					0.00032 (J)	<0.001
2/19/2020	<0.001	<0.001		<0.001		
2/20/2020			0.0031			
3/23/2020				<0.001	0.0005 (J)	<0.001
3/24/2020		<0.001				
3/26/2020			0.0047			
3/27/2020	<0.001					
9/15/2020	<0.001	<0.001	0.0045	<0.001	0.00051 (J)	<0.001
2/9/2021	<0.001					
2/10/2021		0.00038 (J)	0.0033	<0.001	0.00059 (J)	<0.001
3/30/2021			0.0028	<0.001	0.00049 (J)	<0.001
4/1/2021	0.00033 (J)	<0.001				
8/18/2021		<0.001	0.0028			<0.001
8/19/2021	<0.001			<0.001	0.00066 (J)	
2/10/2022	<0.001		0.0043			
2/11/2022		<0.001		<0.001	0.00081 (J)	<0.001
8/22/2022				<0.001	0.00042 (J)	<0.001
8/23/2022			0.0021			
8/31/2022	<0.001	<0.001				
Mean	0.0009282	0.000917	0.002511	0.0009664	0.0009527	0.0009891
Std. Dev.	0.0001889	0.0001751	0.001207	0.00011	0.0004193	5.117E-05
Upper Lim.	0.001	0.001	0.003159	0.001	0.0008499	0.001
Lower Lim.	0.00055	0.00075	0.001863	0.00068	0.0005005	0.00076

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			<0.001	<0.001	<0.001	<0.001
5/12/2016	<0.001	<0.001				
6/27/2016			<0.001	0.0009 (J)	<0.001	
6/29/2016	<0.001	<0.001				0.0009 (J)
8/17/2016			<0.001	0.0006 (J)	<0.001	
8/19/2016	<0.001	<0.001				
8/22/2016						<0.001
10/17/2016			<0.001		<0.001	
10/18/2016	<0.001	<0.001		<0.001		0.00074 (J)
12/6/2016			<0.001	<0.001	<0.001	
12/7/2016	<0.001	<0.001				0.00079 (J)
2/14/2017			0.0006 (J)	0.00059 (J)	0.0005 (J)	
2/15/2017		<0.001				
2/16/2017	<0.001					0.00056 (J)
4/12/2017			0.00046 (J)	0.00058 (J)	<0.001	
4/13/2017	0.0006 (J)	0.00061 (J)				0.00079 (J)
6/27/2017			<0.001	<0.001	0.00076 (J)	0.0011 (J)
6/28/2017	0.00089 (J)	0.00079 (J)				
3/27/2018		<0.001	<0.001	<0.001	<0.001	
3/28/2018	<0.001					<0.001
6/6/2018			<0.001	<0.001	<0.001	<0.001
6/7/2018	<0.001	<0.001				
10/8/2018	<0.001	<0.001	<0.001			
10/9/2018				0.00057 (J)	0.00053 (J)	0.00068 (J)
2/19/2019	<0.001	<0.001				
2/20/2019			<0.001	<0.001	<0.001	<0.001
4/1/2019				<0.001	0.001 (J)	<0.001
4/2/2019	<0.001	<0.001	<0.001			
9/16/2019			<0.001			<0.001
9/17/2019				<0.001	0.00035 (J)	
9/18/2019	0.00035 (J)	<0.001				
2/18/2020	0.00034 (J)	<0.001	<0.001	<0.001	<0.001	
2/19/2020						0.00039 (J)
3/24/2020	<0.001	<0.001				
3/25/2020			0.00044 (J)		0.00063 (J)	<0.001
3/26/2020				<0.001		
9/14/2020			<0.001	<0.001	<0.001	<0.001
9/15/2020	<0.001	<0.001				
2/9/2021			<0.001	<0.001	<0.001	<0.001
2/10/2021	<0.001	<0.001				
3/31/2021	<0.001	<0.001				0.00033 (J)
4/1/2021			<0.001	0.00044 (J)	<0.001	
8/18/2021	<0.001	<0.001	<0.001	<0.001	<0.001	
8/19/2021						<0.001
2/9/2022			<0.001	<0.001		
2/10/2022	0.00031 (J)	<0.001			<0.001	<0.001
8/18/2022				<0.001	<0.001	<0.001
8/19/2022			<0.001			
8/22/2022	0.00044 (J)	<0.001				
Mean	0.0008605	0.0009727	0.0009318	0.0008945	0.0008986	0.0008764
Std. Dev.	0.0002574	9.254E-05	0.0001777	0.0001913	0.0002026	0.0002134
Upper Lim.	0.001	0.001	0.001	0.001	0.001	0.001

Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.00089	0.00079	0.0006	0.0009	0.001	0.00074

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.0294	0.038	0.0324			
5/12/2016				0.0198	0.067	0.041
6/28/2016	0.0293	0.0363	0.0321	0.0208	0.0668	0.0435
8/17/2016	0.029	0.033				
8/18/2016			0.03	0.022	0.06	0.043
10/17/2016	0.027	0.035	0.032	0.024	0.06	
10/18/2016						0.041
12/6/2016	0.03	0.035	0.032	0.025		
12/7/2016					0.063	0.042
2/15/2017	0.025	0.036	0.036	0.026	0.061	0.038
4/12/2017	0.028	0.038	0.037	0.029	0.062	0.038
6/27/2017	0.034	0.042	0.042	0.031	0.06	0.041
3/27/2018	0.031	0.039	0.043	0.029	0.055	0.035
6/6/2018	0.027	0.041	0.048			
6/7/2018				0.032	0.057	0.035
10/8/2018			0.049	0.033	0.053	
10/9/2018	0.032					
10/16/2018		0.037				0.031
2/20/2019	0.036	0.044	0.054	0.041	0.053	0.036
4/1/2019	0.039	0.041	0.051	0.038	0.054	0.034
9/16/2019		0.045	0.052			
9/17/2019	0.029			0.036	0.048	0.034
2/18/2020		0.044				
2/19/2020	0.027		0.053	0.033	0.047	0.031
3/25/2020	0.036	0.046				
3/26/2020			0.051			
3/27/2020				0.034	0.049	0.028
9/14/2020	0.027	0.042	0.057	0.039		
9/15/2020					0.05	0.031
2/9/2021	0.028	0.043	0.058	0.036	0.046	0.029
3/31/2021	0.036					0.028
4/6/2021					0.048	
4/7/2021		0.046	0.058	0.037		
8/19/2021	0.025	0.045		0.036	0.042	0.027
8/20/2021			0.057			
2/10/2022		0.045	0.057			
2/11/2022	0.025			0.034		0.027
2/14/2022					0.047	
8/18/2022		0.044	0.056	0.036		
8/19/2022	0.027				0.048	0.025
Mean	0.02985	0.0407	0.04625	0.03144	0.0544	0.03448
Std. Dev.	0.004026	0.004083	0.01022	0.006173	0.007232	0.005848
Upper Lim.	0.03201	0.04289	0.05222	0.03475	0.05828	0.03762
Lower Lim.	0.02769	0.0385	0.04185	0.02812	0.05052	0.03134

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.0163	0.0157			0.0436	0.0914
5/13/2016			0.0138	0.0507		
6/28/2016	0.0165					
6/29/2016		0.0161 (J)		0.0485	0.0466	0.0933
6/30/2016			0.0145 (J)			
8/18/2016	0.017	0.016				
8/22/2016			0.014	0.044	0.038	0.086
10/18/2016	0.017			0.042	0.039	0.093
10/19/2016		0.021 (D)	0.016			
12/7/2016	0.017	0.018	0.015			0.096
12/8/2016				0.045	0.038	
2/15/2017		0.02				
2/16/2017	0.017		0.013	0.04	0.034	0.091
4/13/2017	0.019	0.019	0.012	0.037	0.028	0.088
6/27/2017	0.02	0.019				
6/28/2017			0.012	0.04	0.03	0.094
3/27/2018	0.021	0.02				
3/28/2018			0.029	0.034	0.027	0.09
6/7/2018	0.022	0.02			0.029	0.092
6/8/2018			0.032	0.035		
10/8/2018	0.025	0.021				0.092
10/9/2018				0.037		
10/18/2018			0.033		0.027	
2/20/2019	0.027	0.023	0.034	0.036	0.03	0.1
4/2/2019	0.023	0.02	0.028	0.03	0.023	0.087
9/17/2019	0.029	0.025	0.026	0.035	0.025	0.097
2/18/2020					0.023	0.11
2/19/2020	0.029	0.022		0.034		
2/20/2020			0.023			
3/23/2020				0.032	0.024	0.1
3/24/2020		0.024				
3/26/2020			0.02			
3/27/2020	0.027					
9/15/2020	0.031	0.025	0.02	0.034	0.024	0.13
2/9/2021	0.03					
2/10/2021		0.023	0.016	0.031	0.023	0.12
3/30/2021			0.015	0.03	0.021	0.12
4/1/2021	0.029	0.022				
8/18/2021		0.024	0.022			0.12
8/19/2021	0.029			0.027	0.02	
2/10/2022	0.034		0.013			
2/11/2022		0.025		0.032	0.022	0.11
8/22/2022				0.023	0.021	0.1
8/23/2022			0.012			
8/31/2022	0.033	0.033				
Mean	0.02404	0.02145	0.0197	0.03624	0.02892	0.1
Std. Dev.	0.005982	0.003865	0.007489	0.006828	0.007724	0.01262
Upper Lim.	0.02725	0.02352	0.02307	0.0399	0.03306	0.11
Lower Lim.	0.02083	0.01937	0.01544	0.03257	0.02477	0.0914

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.0933	0.295	0.251	0.0494
5/12/2016	0.1	0.0959				
6/27/2016			0.101	0.353	0.205	
6/29/2016	0.0991	0.0957				0.0535
8/17/2016			0.094	0.29	0.16	
8/19/2016	0.096	0.093				
8/22/2016						0.049
10/17/2016			0.11		0.17	
10/18/2016	0.096	0.093		0.29		0.049
12/6/2016			0.11	0.31	0.16	
12/7/2016	0.09	0.09				0.048
2/14/2017			0.056	0.3	0.18	
2/15/2017		0.09				
2/16/2017	0.091					0.056
4/12/2017			0.048	0.3	0.18	
4/13/2017	0.091	0.081				0.063
6/27/2017			0.058	0.36	0.18	0.067
6/28/2017	0.1	0.085				
3/27/2018		0.076	0.021	0.27	0.17	
3/28/2018	0.084					0.069
6/6/2018			0.014	0.24	0.18	0.069
6/7/2018	0.084	0.082				
10/8/2018	0.084	0.077	0.069			
10/9/2018				0.28	0.17	0.077
2/19/2019	0.075	0.064				
2/20/2019			0.052	0.28	0.2	0.077
4/1/2019				0.24	0.19	0.071
4/2/2019	0.076	0.068	0.069			
9/16/2019			0.13			0.077
9/17/2019				0.23	0.19	
9/18/2019	0.078	0.068				
2/18/2020	0.085	0.065	0.083	0.25	0.17	
2/19/2020						0.065
3/24/2020	0.081	0.065				
3/25/2020			0.12		0.19	0.066
3/26/2020				0.23		
9/14/2020			0.14	0.27	0.18	0.059
9/15/2020	0.083	0.064				
2/9/2021			0.12	0.26	0.18	0.054
2/10/2021	0.078	0.066				
3/31/2021	0.072	0.059				0.061
4/1/2021			0.12	0.26	0.17	
8/18/2021	0.074	0.056	0.13	0.24	0.16	
8/19/2021						0.043
2/9/2022			0.13	0.21		
2/10/2022	0.07	0.064			0.18	0.047
8/18/2022				0.2	0.16	0.05
8/19/2022			0.15			
8/22/2022	0.075	0.056				
Mean	0.08464	0.07516	0.09174	0.2708	0.1807	0.06
Std. Dev.	0.009517	0.01358	0.03863	0.04082	0.02006	0.01074
Upper Lim.	0.08975	0.08245	0.1125	0.2927	0.19	0.06576

Confidence Interval

Constituent: Barium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.07953	0.06787	0.07101	0.2489	0.17	0.05423

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-14	SGWC-15	SGWC-17	SGWC-18	SGWC-19
5/11/2016	<0.0025					
5/12/2016		<0.0025	<0.0025	<0.0025		
5/13/2016					<0.0025	<0.0025
6/28/2016	<0.0025	<0.0025	0.0003 (J)			
6/29/2016				<0.0025		0.0002 (J)
6/30/2016					0.0003 (J)	
8/17/2016	<0.0025					
8/18/2016		<0.0025	0.00037 (J)	<0.0025		
8/22/2016					<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025				
10/18/2016			<0.0025			<0.0025
10/19/2016				<0.0025	<0.0025	
12/6/2016	<0.0025					
12/7/2016		<0.0025	<0.0025	<0.0025	<0.0025	
12/8/2016						<0.0025
2/15/2017	<0.0025	<0.0025	0.00037 (J)	<0.0025		
2/16/2017					<0.0025	<0.0025
4/12/2017	<0.0025	<0.0025	0.00035 (J)			
4/13/2017				<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	0.0004 (J)	<0.0025		
6/28/2017					<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	0.00041 (J)	<0.0025		
3/28/2018					0.00036 (J)	<0.0025
6/6/2018	<0.0025					
6/7/2018		<0.0025	0.00038 (J)	<0.0025		
6/8/2018					0.00035 (J)	<0.0025
10/8/2018		<0.0025		<0.0025		
10/9/2018	<0.0025					<0.0025
10/16/2018			0.0004 (J)			
10/18/2018					<0.0025	
2/20/2019	<0.0025	<0.0025	0.00042 (J)	<0.0025	0.00033 (J)	0.00016 (J)
4/1/2019	<0.0025	<0.0025	0.00034 (J)			
4/2/2019				<0.0025	<0.0025	<0.0025
9/17/2019	<0.0025	<0.0025	0.00046 (J)	<0.0025	0.00035 (J)	<0.0025
2/19/2020	0.00026 (J)	<0.0025	0.00045 (J)	<0.0025		<0.0025
2/20/2020					0.00049 (J)	
3/23/2020						<0.0025
3/24/2020				<0.0025		
3/25/2020	<0.0025					
3/26/2020					0.00033 (J)	
3/27/2020		0.00053 (J)	0.00059 (J)			
9/14/2020	<0.0025					
9/15/2020		0.0002 (J)	0.00053 (J)	<0.0025	0.0003 (J)	0.00018 (J)
2/9/2021	<0.0025	<0.0025	0.00044 (J)			
2/10/2021				0.00028 (J)	0.00036 (J)	0.00019 (J)
3/30/2021					0.00025 (J)	0.00018 (J)
3/31/2021	<0.0025		0.00045 (J)			
4/1/2021				<0.0025		
4/6/2021		<0.0025				
8/18/2021				<0.0025	0.00035 (J)	
8/19/2021	<0.0025	<0.0025	0.00033 (J)			<0.0025
2/10/2022					<0.0025	

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-14	SGWC-15	SGWC-17	SGWC-18	SGWC-19
2/11/2022	<0.0025		0.0004 (J)	<0.0025		<0.0025
2/14/2022		<0.0025				
8/19/2022	<0.0025	<0.0025	0.00039 (J)			
8/22/2022						<0.0025
8/23/2022					<0.0025	
8/31/2022				<0.0025		
Mean	0.002398	0.002306	0.0005241	0.002399	0.001421	0.001973
Std. Dev.	0.0004776	0.0006303	0.000302	0.0004733	0.001105	0.0009943
Upper Lim.	0.0025	0.0025	0.00046	0.0025	0.0025	0.0025
Lower Lim.	0.00026	0.00053	0.00037	0.00028	0.00033	0.0002

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-20	SGWC-22	SGWC-6	SGWC-8
5/11/2016			<0.0025	<0.0025
5/12/2016	0.000742 (J)	<0.0025		
6/27/2016			<0.0025	<0.0025
6/29/2016	0.0007 (J)	<0.0025		
8/17/2016			<0.0025	<0.0025
8/19/2016		<0.0025		
8/22/2016	0.00074 (J)			
10/17/2016			<0.0025	<0.0025
10/18/2016	0.00075 (J)	<0.0025		
12/6/2016			<0.0025	<0.0025
12/7/2016		<0.0025		
12/8/2016	0.00093 (J)			
2/14/2017			<0.0025	<0.0025
2/16/2017	0.00091 (J)	<0.0025		
4/12/2017			<0.0025	<0.0025
4/13/2017	0.00065 (J)	<0.0025		
6/27/2017			<0.0025	<0.0025
6/28/2017	0.00073 (J)	<0.0025		
3/27/2018			<0.0025	<0.0025
3/28/2018	0.00079 (J)	<0.0025		
6/6/2018			<0.0025	<0.0025
6/7/2018	0.00086 (J)	<0.0025		
10/8/2018		<0.0025	<0.0025	
10/9/2018				<0.0025
10/18/2018	0.00079 (J)			
2/19/2019		<0.0025		
2/20/2019	0.00077 (J)		<0.0025	<0.0025
4/1/2019				<0.0025
4/2/2019	0.00043 (J)	<0.0025	<0.0025	
9/16/2019			<0.0025	
9/17/2019	0.00057 (J)			0.00019 (J)
9/18/2019		<0.0025		
2/18/2020	0.00052 (J)	<0.0025	<0.0025	<0.0025
3/23/2020	0.00077 (J)			
3/24/2020		<0.0025		
3/25/2020			0.0002 (J)	0.0003 (J)
9/14/2020			<0.0025	<0.0025
9/15/2020	0.00078 (J)	0.00033 (J)		
2/9/2021			<0.0025	<0.0025
2/10/2021	0.0009 (J)	<0.0025		
3/30/2021	0.00058 (J)			
3/31/2021		<0.0025		
4/1/2021			<0.0025	<0.0025
8/18/2021		<0.0025	<0.0025	<0.0025
8/19/2021	0.00091 (J)			
2/9/2022			<0.0025	
2/10/2022		<0.0025		<0.0025
2/11/2022	0.00074 (J)			
8/18/2022				<0.0025
8/19/2022			<0.0025	
8/22/2022	0.00062 (J)	<0.0025		
Mean	0.0007355	0.002401	0.002395	0.002295

Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-20	SGWC-22	SGWC-6	SGWC-8
Std. Dev.	0.0001319	0.0004626	0.0004904	0.0006637
Upper Lim.	0.0008063	0.0025	0.0025	0.0025
Lower Lim.	0.0006648	0.00033	0.0002	0.0003

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-14	SGWC-15	SGWC-18	SGWC-19	SGWC-20
5/11/2016	<0.0025					
5/12/2016		0.000136 (J)	0.000265 (J)			0.000108 (J)
5/13/2016				0.00016 (J)	<0.0025	
6/28/2016	<0.0025	<0.0025	0.0003 (J)			
6/29/2016					<0.0025	0.0001 (J)
6/30/2016				0.0002 (J)		
8/17/2016	<0.0025					
8/18/2016		<0.0025	<0.0025			
8/22/2016				<0.0025	<0.0025	<0.0025
10/17/2016	<0.0025	<0.0025				
10/18/2016			<0.0025		<0.0025	<0.0025
10/19/2016				<0.0025		
12/6/2016	<0.0025					
12/7/2016		<0.0025	<0.0025	<0.0025		
12/8/2016					<0.0025	<0.0025
2/15/2017	<0.0025	<0.0025	0.00044 (J)			
2/16/2017				<0.0025	0.00036 (J)	<0.0025
4/12/2017	<0.0025	<0.0025	<0.0025			
4/13/2017				<0.0025	<0.0025	<0.0025
6/27/2017	<0.0025	<0.0025	<0.0025			
6/28/2017				<0.0025	<0.0025	<0.0025
3/27/2018	<0.0025	<0.0025	<0.0025			
3/28/2018				<0.0025	<0.0025	<0.0025
10/8/2018		<0.0025				
10/9/2018					<0.0025	
10/16/2018	<0.0025		<0.0025			
10/18/2018				<0.0025		<0.0025
2/20/2019	<0.0025	<0.0025	0.00033 (J)	0.00023 (J)	<0.0025	<0.0025
4/1/2019	<0.0025	<0.0025	<0.0025			
4/2/2019				<0.0025	<0.0025	<0.0025
9/16/2019	<0.0025					
9/17/2019		<0.0025	0.00034 (J)	0.00018 (J)	<0.0025	<0.0025
2/18/2020	<0.0025					<0.0025
2/19/2020		<0.0025	0.0003 (J)		<0.0025	
2/20/2020				0.00032 (J)		
3/23/2020					<0.0025	<0.0025
3/25/2020	<0.0025					
3/26/2020				<0.0025		
3/27/2020		0.00057 (J)	0.00042 (J)			
9/14/2020	<0.0025					
9/15/2020		<0.0025	0.00032 (J)	<0.0025	<0.0025	<0.0025
2/9/2021	<0.0025	<0.0025	0.0003 (J)			
2/10/2021				0.00035 (J)	<0.0025	<0.0025
3/30/2021				<0.0025	<0.0025	<0.0025
3/31/2021			0.00027 (J)			
4/6/2021		<0.0025				
4/7/2021	<0.0025					
8/18/2021				<0.0025		
8/19/2021	0.00022 (J)	<0.0025	0.00026 (J)		<0.0025	<0.0025
2/10/2022	<0.0025			<0.0025		
2/11/2022			0.00024 (J)		<0.0025	<0.0025
2/14/2022		<0.0025				

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-14	SGWC-15	SGWC-18	SGWC-19	SGWC-20
8/18/2022	<0.0025					
8/19/2022		<0.0025	0.00024 (J)			
8/22/2022					<0.0025	<0.0025
8/23/2022				<0.0025		
Mean	0.002391	0.002296	0.001144	0.001854	0.002398	0.002272
Std. Dev.	0.0004975	0.0006494	0.001091	0.001047	0.000467	0.0007207
Upper Lim.	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025
Lower Lim.	0.00022	0.00057	0.00027	0.00032	0.00036	0.000108

Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-21	SGWC-6	SGWC-8
5/11/2016		<0.0025	<0.0025
5/12/2016	<0.0025		
6/27/2016		<0.0025	<0.0025
6/29/2016	<0.0025		
8/17/2016		<0.0025	<0.0025
8/22/2016	<0.0025		
10/17/2016		<0.0025	<0.0025
10/18/2016	<0.0025		
12/6/2016		<0.0025	<0.0025
12/7/2016	<0.0025		
2/14/2017		<0.0025	<0.0025
2/16/2017	0.00039 (J)		
4/12/2017		<0.0025	<0.0025
4/13/2017	<0.0025		
6/27/2017		<0.0025	<0.0025
6/28/2017	<0.0025		
3/27/2018		<0.0025	<0.0025
3/28/2018	<0.0025		
10/8/2018	<0.0025	<0.0025	
10/9/2018			<0.0025
2/20/2019	<0.0025	<0.0025	<0.0025
4/1/2019			<0.0025
4/2/2019	<0.0025	<0.0025	
9/16/2019		<0.0025	
9/17/2019	<0.0025		<0.0025
2/18/2020	<0.0025	<0.0025	<0.0025
3/23/2020	<0.0025		
3/25/2020		0.00022 (J)	0.00031 (J)
9/14/2020		<0.0025	<0.0025
9/15/2020	<0.0025		
2/9/2021		<0.0025	<0.0025
2/10/2021	<0.0025		
3/30/2021	<0.0025		
4/1/2021		<0.0025	<0.0025
8/18/2021	<0.0025	<0.0025	<0.0025
2/9/2022		<0.0025	
2/10/2022			<0.0025
2/11/2022	<0.0025		
8/18/2022			<0.0025
8/19/2022		<0.0025	
8/22/2022	<0.0025		
Mean	0.0024	0.002391	0.002396
Std. Dev.	0.0004604	0.0004975	0.0004779
Upper Lim.	0.0025	0.0025	0.0025
Lower Lim.	0.00039	0.00022	0.00031

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16	SGWC-17
5/11/2016	<0.002					
5/12/2016		<0.002	<0.002	0.0335	0.00943 (J)	0.0077 (J)
6/28/2016	<0.002	<0.002	0.0008 (J)	0.0339	0.0093 (J)	
6/29/2016						0.0036 (J)
8/18/2016	<0.002	<0.002	<0.002	0.034	0.0085	0.0027
10/17/2016	0.0023 (J)	<0.002	0.0012 (J)			
10/18/2016				0.033	0.0088	
10/19/2016						0.00335 (JD)
12/6/2016	<0.002	<0.002				
12/7/2016			0.0012 (J)	0.032	0.0079	0.0027
2/15/2017	<0.002	<0.002	<0.002	0.03		0.0044
2/16/2017					0.0097	
4/12/2017	<0.002	<0.002	<0.002	0.035		
4/13/2017					0.0098	0.0047
6/27/2017	<0.002	<0.002	<0.002	0.035	0.0096	0.0029
3/27/2018	<0.002	<0.002	<0.002	0.031	0.0098	0.0045
6/6/2018	<0.002					
6/7/2018		<0.002	<0.002	0.032	0.01	0.0083
10/8/2018	<0.002	<0.002	<0.002		0.013	0.0055
10/16/2018				0.032		
2/20/2019	<0.002	<0.002	0.0016 (J)	0.038	0.013	0.0061
4/1/2019	<0.002	<0.002	<0.002	0.032		
4/2/2019					0.01	0.004
9/16/2019	<0.002					
9/17/2019		0.0017 (J)	0.0026	0.037	0.013	0.0078
2/19/2020	<0.002	<0.002	<0.002	0.038	0.014	0.0045
3/24/2020						0.0079
3/26/2020	<0.002					
3/27/2020		<0.002	0.0019 (J)	0.034	0.011	
9/14/2020	<0.002	<0.002				
9/15/2020			<0.002	0.034	0.012	0.0091
2/9/2021	<0.002	<0.002	<0.002	0.035	0.012	
2/10/2021						0.008
3/31/2021				0.034		
4/1/2021					0.012	0.0046
4/6/2021			<0.002			
4/7/2021	<0.002	<0.002				
8/18/2021						0.012
8/19/2021		<0.002	<0.002	0.032	0.011	
8/20/2021	<0.002					
2/10/2022	<0.002				0.012	
2/11/2022		<0.002		0.032		0.0079
2/14/2022			<0.002			
8/18/2022	<0.002	<0.002				
8/19/2022			0.0066	0.032		
8/31/2022					0.012	0.0088
Mean	0.002014	0.001986	0.002086	0.03361	0.01081	0.005957
Std. Dev.	6.396E-05	6.396E-05	0.001075	0.002126	0.001687	0.002537
Upper Lim.	0.0023	0.002	0.0026	0.03475	0.01172	0.007319
Lower Lim.	0.002	0.0017	0.0019	0.03247	0.009905	0.004595

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22	SGWC-23
5/12/2016			<0.002	<0.002	<0.002	<0.002
5/13/2016	0.00771 (J)	0.0151				
6/29/2016		0.0141	0.0009 (J)	0.0012 (J)	0.0007 (J)	0.0013 (J)
6/30/2016	0.007 (J)					
8/19/2016					<0.002	<0.002
8/22/2016	0.007	0.015	<0.002	<0.002		
10/18/2016		0.013	<0.002	<0.002	<0.002	<0.002
10/19/2016	0.0064					
12/7/2016	0.0063			<0.002	<0.002	<0.002
12/8/2016		0.013	<0.002			
2/15/2017						<0.002
2/16/2017	0.007	0.015	<0.002	<0.002	<0.002	
4/13/2017	0.0061	0.016	<0.002	<0.002	<0.002	0.0014 (J)
6/28/2017	0.0059	0.016	<0.002	<0.002	<0.002	0.0025
3/27/2018						0.0012 (J)
3/28/2018	0.0082	0.014	<0.002	<0.002	<0.002	
6/7/2018			<0.002	<0.002	<0.002	<0.002
6/8/2018	0.0086	0.015				
10/8/2018				<0.002	0.0012 (J)	0.0017 (J)
10/9/2018		0.017				
10/18/2018	0.009		<0.002			
2/19/2019					<0.002	<0.002
2/20/2019	0.011	0.017	<0.002	0.0015 (J)		
4/2/2019	0.0092	0.014	<0.002	<0.002	0.0012 (J)	0.0011 (J)
9/17/2019	0.011	0.017	0.0022 (J)	0.0016 (J)		
9/18/2019					0.0024 (J)	0.0024 (J)
2/18/2020			<0.002	<0.002	0.0015 (J)	<0.002
2/19/2020		0.017				
2/20/2020	0.011					
3/23/2020		0.015	<0.002	<0.002		
3/24/2020					<0.002	<0.002
3/26/2020	0.0096					
9/15/2020	0.01	0.015	<0.002	0.002	0.0025	0.0017 (J)
2/10/2021	0.01	0.015	<0.002	<0.002	0.0015 (J)	0.0017 (J)
3/30/2021	0.0098	0.014	<0.002	<0.002		
3/31/2021					<0.002	0.0016 (J)
8/18/2021	0.019			0.0022	<0.002	0.0019 (J)
8/19/2021		0.014	<0.002			
2/10/2022	0.01				<0.002	0.0015 (J)
2/11/2022		0.015	<0.002	<0.002		
8/22/2022		0.013	<0.002	0.0016 (J)	0.0022	0.0017 (J)
8/23/2022	0.0095					
Mean	0.00906	0.01496	0.001959	0.001914	0.001873	0.001805
Std. Dev.	0.002784	0.001287	0.0002404	0.0002274	0.0004119	0.0003552
Upper Lim.	0.01022	0.01565	0.0022	0.002	0.0022	0.001723
Lower Lim.	0.00758	0.01427	0.0009	0.002	0.0015	0.001326

Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7	SGWC-8
5/11/2016	<0.002	<0.002
6/27/2016	<0.002	<0.002
8/17/2016	<0.002	<0.002
10/17/2016		<0.002
10/18/2016	<0.002	
12/6/2016	<0.002	<0.002
2/14/2017	<0.002	<0.002
4/12/2017	<0.002	0.0011 (J)
6/27/2017	<0.002	<0.002
3/27/2018	<0.002	0.0012 (J)
6/6/2018	<0.002	0.0013 (J)
10/9/2018	<0.002	0.0016 (J)
2/20/2019	<0.002	0.0021 (J)
4/1/2019	<0.002	0.0013 (J)
9/17/2019	<0.002	0.0031
2/18/2020	<0.002	0.0015 (J)
3/25/2020		<0.002
3/26/2020	<0.002	
9/14/2020	<0.002	<0.002
2/9/2021	<0.002	<0.002
4/1/2021	<0.002	<0.002
8/18/2021	0.0026	<0.002
2/9/2022	<0.002	
2/10/2022		<0.002
8/18/2022	<0.002	0.055
Mean	0.002027	0.004282
Std. Dev.	0.0001279	0.01134
Upper Lim.	0.0026	0.0021
Lower Lim.	0.002	0.0016

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.0191	0.0378	0.00648 (J)			
5/12/2016				0.0145	0.00605 (J)	0.267
6/28/2016	0.0192	0.0332	0.0051 (J)	0.011	0.0115	0.255
8/17/2016	0.022	0.03				
8/18/2016			0.0035	0.0099	0.011	0.26
10/17/2016	0.05	0.032	0.003	0.01	0.017	
10/18/2016						0.28
12/6/2016	0.04	0.029	0.0036	0.0079		
12/7/2016					0.0043	0.26
2/15/2017	0.038	0.029	0.004	0.0073	0.0059	0.24
4/12/2017	0.018	0.028	0.0039	0.0078	0.017	0.28
6/27/2017	0.014	0.029	0.0042	0.0068	0.013	0.29
3/27/2018	0.026	0.024	0.0035	0.0035	0.0083	0.27
6/6/2018	0.018	0.026	0.0038			
6/7/2018				0.0039	0.0025	0.3
10/8/2018			0.0037	0.0036	0.0071	
10/9/2018	0.03					
10/16/2018		0.023				0.27
2/20/2019	0.034	0.024	0.0032	0.004	0.011	0.26
4/1/2019	0.025	0.021	0.0029	0.003	0.014	0.26
9/16/2019		0.022	0.003			
9/17/2019	0.022			0.0024 (J)	0.0096	0.27
2/18/2020		0.018				
2/19/2020	0.027		0.0027	0.0018 (J)	0.0099	0.28
3/25/2020	0.029	0.024				
3/26/2020			0.0024 (J)			
3/27/2020				0.002 (J)	0.0093	0.28
9/14/2020	0.022	0.019	0.001 (J)	0.0022 (J)		
9/15/2020					0.0076	0.25
2/9/2021	0.03	0.019	0.0014 (J)	0.0024 (J)	0.0052	0.26
3/31/2021	0.026					0.26
4/6/2021					0.0072	
4/7/2021		0.019	0.0017 (J)	0.0018 (J)		
8/19/2021	0.022	0.014		0.0021 (J)	0.0047	0.27
8/20/2021			0.0019 (J)			
2/10/2022		0.021	0.00079 (J)			
2/11/2022	0.023			0.0015 (J)		0.23
2/14/2022					0.0065	
8/18/2022		0.012	0.001 (J)	0.0019 (J)		
8/19/2022	0.022				0.01	0.25
Mean	0.0262	0.02427	0.003035	0.005059	0.00903	0.2655
Std. Dev.	0.008387	0.006349	0.00139	0.003726	0.003883	0.01603
Upper Lim.	0.0307	0.02768	0.003781	0.006426	0.01111	0.2742
Lower Lim.	0.02169	0.02086	0.002289	0.00288	0.006945	0.2569

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.00303 (J)	<0.0025			0.261	<0.0025
5/13/2016			0.116	<0.0025		
6/28/2016	0.0029 (J)					
6/29/2016		0.0007 (J)		0.0006 (J)	0.23	<0.0025
6/30/2016			0.112			
8/18/2016	0.0029	0.00078 (J)				
8/22/2016			0.13	0.00066 (J)	0.25	<0.0025
10/18/2016	0.0034			0.00095 (J)	0.26	<0.0025
10/19/2016		0.000845 (JD)	0.14			
12/7/2016	0.003	0.00056 (J)	0.11			<0.0025
12/8/2016				0.00078 (J)	0.26	
2/15/2017		0.00069 (J)				
2/16/2017	0.0033		0.11	0.00049 (J)	0.23	<0.0025
4/13/2017	0.0034	0.00049 (J)	0.094	<0.0025	0.19	<0.0025
6/27/2017	0.0037	0.00041 (J)				
6/28/2017			0.085	<0.0025	0.19	<0.0025
3/27/2018	0.0037	<0.0025				
3/28/2018			0.16	<0.0025	0.18	<0.0025
6/7/2018	0.0037	<0.0025			0.21	<0.0025
6/8/2018			0.19	<0.0025		
10/8/2018	0.0044	0.00046 (J)				<0.0025
10/9/2018				<0.0025		
10/18/2018			0.21		0.16	
2/20/2019	0.0038	0.00035 (J)	0.19	0.00012 (J)	0.18	0.00011 (J)
4/2/2019	0.0041	<0.0025	0.18	<0.0025	0.13	<0.0025
9/17/2019	0.0042	0.00048 (J)	0.16	0.00013 (J)	0.13	8.7E-05 (J)
2/18/2020					0.12	0.00014 (J)
2/19/2020	0.0047	0.00034 (J)		0.00015 (J)		
2/20/2020			0.14			
3/23/2020				<0.0025	0.22	0.00016 (J)
3/24/2020		0.00044 (J)				
3/26/2020			0.15			
3/27/2020	0.0047					
9/15/2020	0.0043	0.00041 (J)	0.12	0.00016 (J)	0.098	0.00022 (J)
2/9/2021	0.0045					
2/10/2021		0.00049 (J)	0.11	0.00013 (J)	0.17	0.00017 (J)
3/30/2021			0.11	<0.0025	0.15	0.00016 (J)
4/1/2021	0.0049	0.00041 (J)				
8/18/2021		0.00043 (J)	0.095			0.00016 (J)
8/19/2021	0.0051			<0.0025	0.2	
2/10/2022	0.0049		0.09			
2/11/2022		0.00036 (J)		0.00045 (J)	0.14	<0.0025
8/22/2022				<0.0025	0.11	<0.0025
8/23/2022			0.088			
8/31/2022	0.0054	0.00045 (J)				
Mean	0.004001	0.000868	0.1314	0.00146	0.185	0.001646
Std. Dev.	0.0007622	0.0007989	0.0369	0.001085	0.0512	0.001157
Upper Lim.	0.004411	0.00078	0.1512	0.0025	0.2124	0.0025
Lower Lim.	0.003592	0.00041	0.1116	0.00045	0.1575	0.00016

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			<0.0025	0.0116	0.00265 (J)	0.0156
5/12/2016	0.00619 (J)	<0.0025				
6/27/2016			0.002 (J)	0.0143	0.0012 (J)	
6/29/2016	0.0051 (J)	<0.0025				0.0147
8/17/2016			0.0018 (J)	0.012	0.00049 (J)	
8/19/2016	0.0045	<0.0025				
8/22/2016						0.017
10/17/2016			0.0016 (J)		<0.0025	
10/18/2016	0.0043	<0.0025		0.0099		0.017
12/6/2016			0.0012 (J)	0.011	<0.0025	
12/7/2016	0.0034	<0.0025				0.014
2/14/2017			0.0022 (J)	0.0093	<0.0025	
2/15/2017		<0.0025				
2/16/2017	0.0031					0.014
4/12/2017			0.0023 (J)	0.0062	<0.0025	
4/13/2017	0.0031	<0.0025				0.014
6/27/2017			0.0045	0.021	<0.0025	0.013
6/28/2017	0.0029	<0.0025				
3/27/2018		<0.0025	0.004	0.0054	<0.0025	
3/28/2018	0.0022 (J)					0.0087
6/6/2018			0.0021 (J)	0.0034	<0.0025	0.0064
6/7/2018	0.0022 (J)	<0.0025				
10/8/2018	0.0021 (J)	<0.0025	<0.0025			
10/9/2018				0.013	<0.0025	0.0049
2/19/2019	0.0018 (J)	<0.0025				
2/20/2019			0.00011 (J)	0.0057	0.00014 (J)	0.01
4/1/2019				0.0046	<0.0025	0.01
4/2/2019	0.0018 (J)	<0.0025	<0.0025			
9/16/2019			0.00013 (J)			0.001 (J)
9/17/2019				0.0039	0.00013 (J)	
9/18/2019	0.002 (J)	0.00013 (J)				
2/18/2020	0.0018 (J)	<0.0025	<0.0025	0.0067	<0.0025	
2/19/2020						0.0082
3/24/2020	0.0016 (J)	<0.0025				
3/25/2020			0.00027 (J)		0.00032 (J)	0.0064
3/26/2020				0.0033		
9/14/2020			<0.0025	0.0063	<0.0025	0.00048 (J)
9/15/2020	0.0014 (J)	<0.0025				
2/9/2021			<0.0025	0.0069	<0.0025	0.0032
2/10/2021	0.0015 (J)	<0.0025				
3/31/2021	0.0011 (J)	<0.0025				0.0046
4/1/2021			<0.0025	0.0029	<0.0025	
8/18/2021	0.001 (J)	<0.0025	0.00024 (J)	0.0021 (J)	0.00021 (J)	
8/19/2021						0.00072 (J)
2/9/2022			<0.0025	0.0024 (J)		
2/10/2022	0.0016 (J)	<0.0025			<0.0025	0.0022 (J)
8/18/2022				0.0012 (J)	0.00075 (J)	0.00084 (J)
8/19/2022			<0.0025			
8/22/2022	0.001 (J)	<0.0025				
Mean	0.002531	0.002392	0.002043	0.007414	0.001859	0.008497
Std. Dev.	0.001408	0.0005053	0.001125	0.004882	0.0009988	0.005747
Upper Lim.	0.003101	0.0025	0.0025	0.01003	0.0025	0.01158

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.001733	0.00013	0.0016	0.004793	0.00075	0.005413

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-41S	PZ-39S	PZ-14S	PZ-13S
10/17/2018		0.00051 (J)		
10/18/2018	0.0092			
9/18/2020				0.0057
4/2/2021		0.0003 (J)	0.00019 (J)	0.007
4/5/2021	0.0012 (J)			
8/18/2021			0.0003 (J)	
8/19/2021	0.0013 (J)	0.00028 (J)		
8/20/2021				0.006
2/8/2022			0.00028 (J)	0.0052
2/9/2022	0.00093 (J)	<0.0025		
8/23/2022		<0.0025	0.00046 (J)	
8/24/2022	0.001 (J)			0.0059
Mean	0.002726	0.001218	0.0003075	0.00596
Std. Dev.	0.003622	0.001174	0.0001124	0.000658
Upper Lim.	0.0092	0.0025	0.0005626	0.007063
Lower Lim.	0.00093	0.00028	5.24E-05	0.004857

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.26 (U)	0.182 (U)	0.433			
5/12/2016				0.0531 (U)	0.106 (U)	0.344 (U)
6/28/2016	1.57	0.858	0.435 (U)	0.483 (U)	0.735 (U)	0.256 (U)
8/17/2016	0.548 (U)	0.367 (U)				
8/18/2016			0.214 (U)	0.286 (U)	0.212 (U)	0.503 (U)
10/17/2016	-0.0725 (U)	0.551	0.316 (U)	0.472	-0.187 (U)	
10/18/2016						0.171 (U)
12/6/2016	0.496	0.438	0.0575 (U)	0.903		
12/7/2016					0.701	0.375 (U)
2/15/2017	0.321 (U)	-0.0831 (U)	-0.0321 (U)	-0.223 (U)	0.155 (U)	0.0801 (U)
4/12/2017	-0.0397 (U)	0.343 (U)	0.00949 (U)	0.21 (U)	0.233 (U)	0.197 (U)
6/27/2017	0.47	0.369	0.183 (U)	0.0574 (U)	0.302	0.0274 (U)
3/27/2018	0.136 (U)	0.172 (U)	0.445	0.145 (U)	0.306 (U)	0.285 (U)
6/6/2018	0.123 (U)	0.153 (U)	0.0775 (U)			
6/7/2018				0.235 (U)	0.211 (U)	0.64
10/8/2018			0.865	0.64	0.636	
10/9/2018	0.387					
10/16/2018		1.06				0.731
2/20/2019	0.0159 (U)	0.708	0.161 (U)	0.222 (U)	0.147 (U)	0.573
4/1/2019	0.452	0.173 (U)	0.372	0.36	-0.138 (U)	0.0499 (U)
9/16/2019		0.251 (U)	0.569 (U)			
9/17/2019	0.226 (U)			0.143 (U)	0.264 (U)	0.441 (U)
2/18/2020		0.203 (U)				
2/19/2020	0.0222 (U)		0.166 (U)	0.218 (U)	0.0061 (U)	0.415 (U)
3/25/2020	0.253 (U)	0.204 (U)				
3/26/2020			0.604			
3/27/2020				0.235 (U)	0.206 (U)	0.39 (U)
9/14/2020	0.125 (U)	-0.0264 (U)	0.575	0.613		
9/15/2020					0.131 (U)	0.546
2/9/2021	-0.0573 (U)	0.114 (U)	0.146 (U)	0.307 (U)	-0.121 (U)	0.222 (U)
3/31/2021	0.188 (U)					0.311 (U)
4/6/2021					-0.0391 (U)	
4/7/2021		0.0576 (U)	0.0695 (U)	0.356 (U)		
8/19/2021	0.102 (U)	0.755		0.228 (U)	-0.0806 (U)	0.518
8/20/2021			0.0109 (U)			
2/10/2022		0.11 (U)	0.279 (U)			
2/11/2022	0.436			0.631		0.5
2/14/2022					0.377 (U)	
8/18/2022		0.393 (U)	0.384 (U)	0.377 (U)		
8/19/2022	0.606				0.378 (U)	0.459
Mean	0.2985	0.3342	0.2882	0.316	0.2064	0.3652
Std. Dev.	0.3501	0.2936	0.2338	0.2424	0.2559	0.191
Upper Lim.	0.452	0.4918	0.4137	0.4461	0.3438	0.4677
Lower Lim.	0.102	0.1766	0.1627	0.1859	0.06901	0.2627

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.0196 (U)	0.134 (U)			0.556	0.216 (U)
5/13/2016			0.103 (U)	-0.115 (U)		
6/28/2016	0.418 (U)					
6/29/2016		0.391 (U)		0.396 (U)	0.162 (U)	0.253 (U)
6/30/2016			0.593 (U)			
8/18/2016	0.199 (U)	0.498 (U)				
8/22/2016			0.17 (U)	-0.102 (U)	0.433 (U)	0.115 (U)
10/18/2016	0.0404 (U)			0.352 (U)	0.741	0.593
10/19/2016		0.639	0.433			
12/7/2016	0.426	0.239 (U)	0.435 (U)			0.897
12/8/2016				0.431 (U)	1.06	
2/15/2017		0.175 (U)				
2/16/2017	0.163 (U)		0.101 (U)	0.146 (U)	0.382 (U)	0.132 (U)
4/13/2017	0.0522 (U)	-0.00846 (U)	-0.0014 (U)	0.127 (U)	0.189 (U)	0.287 (U)
6/27/2017	0.222 (U)	0.186 (U)				
6/28/2017			0.512	0.11 (U)	0.84	0.143 (U)
3/27/2018	0.387 (U)	0.249 (U)				
3/28/2018			0.428	0.247 (U)	0.334 (U)	0.38
6/7/2018	0.283 (U)	0.172 (U)			0.235 (U)	0.514
6/8/2018			0.32 (U)	0.0462 (U)		
10/8/2018	0.799	0.682				0.374
10/9/2018				0.584		
10/18/2018			0.304 (U)		0.399	
2/20/2019	0.0684 (U)	0.278 (U)	0.139 (U)	0.114 (U)	0.353	0.239 (U)
4/2/2019	0.167 (U)	-0.0476 (U)	0.336 (U)	0.11 (U)	0.271 (U)	0.218 (U)
9/17/2019	0.558	0.235 (U)	0.449	0.302 (U)	0.591	-0.04 (U)
2/18/2020					0.474	0.287 (U)
2/19/2020	0.0321 (U)	0.217 (U)		0.308 (U)		
2/20/2020			0.22 (U)			
3/23/2020				0.171 (U)	0.258 (U)	0.384
3/24/2020		0.426				
3/26/2020			0.366 (U)			
3/27/2020	0.305 (U)					
9/15/2020	-0.0426 (U)	0.661	1.74	1.55	0.831	1.6
2/9/2021	-0.00967 (U)					
2/10/2021		0.55	0.423 (U)	0.235 (U)	0.331 (U)	0.5
3/30/2021			0.439 (U)	0.511	0.572	0.955
4/1/2021	0.0901 (U)	0.0517 (U)				
8/18/2021		0.13 (U)	0.277 (U)			0.505
8/19/2021	0.037 (U)			-0.0514 (U)	-0.21 (U)	
2/10/2022	0.595		0.244 (U)			
2/11/2022		0.233 (U)		0.456 (U)	0.259 (U)	0.689
8/22/2022				0.356 (U)	0.475 (U)	0.565
8/23/2022			0.345 (U)			
8/31/2022	0.31 (U)	0.434 (U)				
Mean	0.2327	0.2966	0.3807	0.2856	0.4335	0.4457
Std. Dev.	0.2239	0.2111	0.3381	0.3413	0.2741	0.3576
Upper Lim.	0.3529	0.4099	0.435	0.396	0.5806	0.565
Lower Lim.	0.1125	0.1832	0.22	0.11	0.2863	0.218

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.0394 (U)	0.214 (U)	2.05	0.134 (U)
5/12/2016	0.285 (U)	0.801				
6/27/2016			0.624 (U)	0.581 (U)	2.9	
6/29/2016	1.1	0.423 (U)				0.665 (U)
8/17/2016			0.572	0.665	2.57	
8/19/2016	0.367 (U)	0.869				
8/22/2016						0.391 (U)
10/17/2016			0.307 (U)		2.08	
10/18/2016	0.276 (U)	0.881		0.453		0.521
12/6/2016			0.122 (U)	0.368 (U)	2.25	
12/7/2016	0.318 (U)	0.455				0.367 (U)
2/14/2017			0.166 (U)	0.328 (U)	1.77	
2/15/2017		0.635				
2/16/2017	0.168 (U)					0.076 (U)
4/12/2017			0.355 (U)	0.206 (U)	2.72	
4/13/2017	0.3 (U)	0.413				0.239 (U)
6/27/2017			0.0783 (U)	0.598	2.07	0.268 (U)
6/28/2017	0.0844 (U)	0.331 (U)				
3/27/2018		0.61	0.0443 (U)	0.546	2.3	
3/28/2018	0.0661 (U)					0.378
6/6/2018			0.127 (U)	0.165 (U)	1.59	-0.0272 (U)
6/7/2018	0.222 (U)	0.64				
10/8/2018	0.499	0.437	0.77			
10/9/2018				0.385	3.01	0.565
2/19/2019	0.532	0.301 (U)				
2/20/2019			0.25 (U)	0.433	2.5	0.425
4/1/2019				0.675	1.91	-0.0113 (U)
4/2/2019	0.313 (U)	0.516	0.3 (U)			
9/16/2019			0.0805 (U)			-0.116 (U)
9/17/2019				0.341 (U)	2.04	
9/18/2019	0.101 (U)	0.285 (U)				
2/18/2020	0.0109 (U)	0.399	-0.0675 (U)	0.326 (U)	2.06	
2/19/2020						0.0604 (U)
3/24/2020	0.188 (U)	0.183 (U)				
3/25/2020			0.411 (U)		2.99	0.206 (U)
3/26/2020				0.151 (U)		
9/14/2020			0.334 (U)	0.123 (U)	2.16	0.502 (U)
9/15/2020	1.82	1.03				
2/9/2021			0.273 (U)	0.721	2.92	0.0162 (U)
2/10/2021	0.167 (U)	0.46				
3/31/2021	0.0687 (U)	0.37 (U)				0.153 (U)
4/1/2021			0.544	0.329 (U)	2.26	
8/18/2021	0.026 (U)	0.603	-0.0332 (U)	0.726	1.68	
8/19/2021						0.145 (U)
2/9/2022			0.145 (U)	0.659		
2/10/2022	0.346 (U)	0.204 (U)			2.08	0.179 (U)
8/18/2022				0.309 (U)	2.58	0.275 (U)
8/19/2022			0.243 (U)			
8/22/2022	0.632	0.0738 (U)				
Mean	0.3586	0.4964	0.2584	0.4228	2.295	0.246
Std. Dev.	0.4078	0.2436	0.2209	0.1955	0.4239	0.2105
Upper Lim.	0.4667	0.6271	0.377	0.5278	2.523	0.3589

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.1427	0.3656	0.1398	0.3179	2.067	0.133

Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-41S
10/18/2018	0.698
2/19/2020	0.216 (U)
2/9/2022	0.229 (U)
8/24/2022	0.456
Mean	0.3998
Std. Dev.	0.2273
Upper Lim.	0.9159
Lower Lim.	-0.1164

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	0.019 (J)	0.033 (J)	0.11 (J)			
5/12/2016				0.042 (J)	0.031 (J)	0.1071 (J)
6/28/2016	<0.1	0.08 (J)	0.18 (J)	0.15 (J)	0.03 (J)	0.26 (J)
8/17/2016	<0.1	<0.1				
8/18/2016			0.12 (J)	<0.1	<0.1	0.14 (J)
10/17/2016	<0.1	<0.1	0.082 (J)	<0.1	<0.1	
10/18/2016						0.12 (J)
12/6/2016	<0.1	<0.1	0.11 (J)	<0.1		
12/7/2016					<0.1	0.13 (J)
2/15/2017	<0.1	<0.1	0.13 (J)	<0.1	<0.1	0.12 (J)
4/12/2017	<0.1	<0.1	0.088 (J)	<0.1	<0.1	0.11 (J)
6/27/2017	<0.1	<0.1	0.1 (J)	<0.1	<0.1	0.13 (J)
10/11/2017		<0.1	<0.2	<0.1	<0.1	
10/12/2017	<0.1					0.13 (J)
3/27/2018	<0.1	<0.1	<0.2	<0.1	<0.1	0.12 (J)
6/6/2018	<0.1	<0.1	<0.2			
6/7/2018				<0.1	<0.1	0.14 (J)
10/8/2018			<0.2	<0.1	<0.1	
10/9/2018	<0.1					
10/16/2018		<0.1				0.14 (J)
2/20/2019	<0.1	<0.1	0.052 (J)	<0.1	<0.1	0.33
4/1/2019	<0.1	<0.1	0.048 (J)	<0.1	<0.1	0.072 (J)
9/16/2019		<0.1	0.065 (J)			
9/17/2019	<0.1			0.04 (J)	0.028 (J)	0.1
2/18/2020		<0.1				
2/19/2020	<0.1		0.064 (J)	0.027 (J)	0.026 (J)	0.13
3/25/2020	0.031 (J)	0.058 (J)				
3/26/2020			0.081 (J)			
3/27/2020				0.045 (J)	0.041 (J)	0.13
9/14/2020	<0.1	<0.1	0.042 (J)	<0.1		
9/15/2020					0.04 (J)	0.15
2/9/2021	<0.1	<0.1	0.074 (J)	<0.1	<0.1	0.14
3/31/2021	0.047 (J)					0.12
4/6/2021					<0.1	
4/7/2021		<0.1	0.066 (J)	0.053 (J)		
8/19/2021	<0.1	<0.1		<0.1	<0.1	0.12
8/20/2021			0.082 (J)			
2/10/2022		<0.1	0.06 (J)			
2/11/2022	0.03 (J)			0.045 (J)		0.14
2/14/2022					0.035 (J)	
8/18/2022		0.034 (J)	0.052 (J)	0.038 (J)		
8/19/2022	<0.1				<0.1	0.11
Mean	0.08813	0.09152	0.1046	0.08435	0.07961	0.1387
Std. Dev.	0.02679	0.02062	0.05444	0.03109	0.03167	0.05316
Upper Lim.	0.1	0.1	0.09471	0.1	0.1	0.14
Lower Lim.	0.047	0.08	0.06209	0.045	0.04	0.11

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	0.011 (J)	0.066 (J)			0.259 (J)	0.079 (J)
5/13/2016			0.0343 (J)	0.0126 (J)		
6/28/2016	0.09 (J)					
6/29/2016		0.17 (J)		0.18 (J)	0.45	0.15 (J)
6/30/2016			0.18 (J)			
8/18/2016	<0.1	<0.2				
8/22/2016			<0.1	<0.1	0.33	0.083 (J)
10/18/2016	<0.1			<0.1	0.26	<0.2
10/19/2016		<0.2	<0.1			
12/7/2016	<0.1	<0.2	<0.1			<0.2
12/8/2016				<0.1	0.28	
2/15/2017		0.089 (J)				
2/16/2017	<0.1		<0.1	<0.1	0.28	0.12 (J)
4/13/2017	<0.1	<0.2	<0.1	<0.1	0.2	<0.2
6/27/2017	<0.1	<0.2				
6/28/2017			<0.1	<0.1	0.22	0.1 (J)
10/12/2017	<0.1	<0.2	<0.1	<0.1	0.18 (J)	<0.2
3/27/2018	<0.1	<0.2				
3/28/2018			<0.1	<0.1	0.19 (J)	<0.2
6/7/2018	<0.1	<0.2			0.21	<0.2
6/8/2018			<0.1	<0.1		
10/8/2018	<0.1	<0.2				<0.2
10/9/2018				<0.1		
10/18/2018			<0.1		0.23	
2/20/2019	<0.1	0.034 (J)	<0.1	<0.1	0.2	0.051 (J)
4/2/2019	<0.1	0.045 (J)	0.05 (J)	<0.1	0.15 (J)	0.066 (J)
9/17/2019	<0.1	0.047 (J)	0.034 (J)	<0.1	0.14	0.077 (J)
2/18/2020					0.16	0.073 (J)
2/19/2020	<0.1	0.046 (J)		<0.1		
2/20/2020			<0.1			
3/23/2020				0.057 (J)	0.25	0.11
3/24/2020		0.058 (J)				
3/26/2020			0.091 (J)			
3/27/2020	0.027 (J)					
9/15/2020	0.037 (J)	0.052 (J)	<0.1	<0.1	0.15	0.061 (J)
2/9/2021	<0.1					
2/10/2021		0.03 (J)	<0.1	<0.1	0.19	0.049 (J)
3/30/2021			0.1 (J)	<0.1	0.18	0.074 (J)
4/1/2021	<0.1	0.051 (J)				
8/18/2021		0.087 (J)	0.099 (J)			0.12
8/19/2021	0.038 (J)			<0.1	0.17	
2/10/2022	<0.1		0.039 (J)			
2/11/2022		0.064 (J)		<0.1	0.14	0.092 (J)
8/22/2022				0.041 (J)	0.22	0.09 (J)
8/23/2022			0.1 (J)			
8/31/2022	0.058 (J)	0.058 (J)				
Mean	0.08526	0.1173	0.09249	0.09524	0.2191	0.1215
Std. Dev.	0.02855	0.07293	0.03021	0.02927	0.071	0.0577
Upper Lim.	0.1	0.2	0.1	0.18	0.2498	0.09432
Lower Lim.	0.09	0.051	0.099	0.057	0.1816	0.06944

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			0.133 (J)	0.245 (J)	0.362	0.076 (J)
5/12/2016	0.029 (J)	0.0341 (J)				
6/27/2016			0.21 (J)	0.23 (J)	0.45	
6/29/2016	0.04 (J)	0.04 (J)				0.13 (J)
8/17/2016			0.14 (J)	0.22	0.54	
8/19/2016	<0.1	<0.2				
8/22/2016						<0.2
10/17/2016			0.11 (J)		0.51	
10/18/2016	<0.1	<0.2		0.24		<0.2
12/6/2016			0.14 (J)	0.26	0.58	
12/7/2016	<0.1	<0.2				<0.2
2/14/2017			0.2	0.17 (J)	0.39	
2/15/2017		0.092 (J)				
2/16/2017	0.1 (J)					0.097 (J)
4/12/2017			0.089 (J)	0.2	0.41	
4/13/2017	<0.1	<0.2				<0.2
6/27/2017			0.085 (J)	0.23	0.47	<0.2
6/28/2017	<0.1	<0.2				
10/11/2017			0.089 (J)	0.21		
10/12/2017	<0.1	<0.2			0.47	<0.2
3/27/2018		<0.2	<0.2	0.19 (J)	0.4	
3/28/2018	<0.1					<0.2
6/6/2018			<0.2	0.2	0.4	<0.2
6/7/2018	<0.1	<0.2				
10/8/2018	<0.1	<0.2	<0.2			
10/9/2018				0.2	0.47	<0.2
2/19/2019	<0.1	0.055 (J)				
2/20/2019			0.092 (J)	0.2	0.32	0.074 (J)
4/1/2019				0.12 (J)	0.21	0.041 (J)
4/2/2019	<0.1	0.036 (J)	0.1 (J)			
9/16/2019			0.099 (J)			0.057 (J)
9/17/2019				0.2	0.47	
9/18/2019	0.028 (J)	0.044 (J)				
2/18/2020	<0.1	0.082 (J)	0.11	0.2	0.38	
2/19/2020						0.061 (J)
3/24/2020	<0.1	0.081 (J)				
3/25/2020			0.13		0.31	0.079 (J)
3/26/2020				0.14		
9/14/2020			0.076 (J)	0.11	0.29	0.037 (J)
9/15/2020	<0.1	0.052 (J)				
2/9/2021			0.12	0.22	0.37	0.05 (J)
2/10/2021	<0.1	0.046 (J)				
3/31/2021	<0.1	0.046 (J)				0.073 (J)
4/1/2021			0.14	0.25	0.38	
8/18/2021	0.054 (J)	0.11	0.19	0.31	0.48	
8/19/2021						0.078 (J)
2/9/2022			0.19	0.27		
2/10/2022	<0.1	0.066 (J)			0.44	0.098 (J)
8/18/2022				0.14	0.54	0.51
8/19/2022			0.12			
8/22/2022	0.038 (J)	0.052 (J)				
Mean	0.08648	0.1146	0.1245	0.2067	0.4192	0.1418

Confidence Interval

Constituent: Fluoride, total (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Std. Dev.	0.02661	0.07222	0.03897	0.04819	0.08825	0.1034
Upper Lim.	0.1	0.2	0.1418	0.2319	0.4654	0.1088
Lower Lim.	0.1	0.046	0.1034	0.1815	0.3731	0.05588

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16
5/11/2016	<0.001	<0.001				
5/12/2016			<0.001	<0.001	<0.001	<0.001
6/28/2016	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
8/17/2016	<0.001					
8/18/2016		<0.001	<0.001	<0.001	<0.001	<0.001
10/17/2016	<0.001	<0.001	<0.001	<0.001		
10/18/2016					<0.001	<0.001
12/6/2016	<0.001	<0.001	<0.001			
12/7/2016				<0.001	<0.001	<0.001
2/15/2017	<0.001	<0.001	<0.001	<0.001	<0.001	
2/16/2017						<0.001
4/12/2017	<0.001	<0.001	<0.001	<0.001	<0.001	
4/13/2017						<0.001
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/27/2018	<0.001	<0.001	0.00039 (J)	<0.001	<0.001	<0.001
6/6/2018	<0.001	<0.001				
6/7/2018			<0.001	<0.001	<0.001	<0.001
10/8/2018		<0.001	<0.001	<0.001		<0.001
10/9/2018	<0.001					
10/16/2018					<0.001	
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
4/1/2019	<0.001	<0.001	<0.001	<0.001	<0.001	
4/2/2019						<0.001
9/16/2019		<0.001				
9/17/2019	0.00013 (J)		<0.001	0.00016 (J)	<0.001	<0.001
2/19/2020	0.00014 (J)	<0.001	<0.001	<0.001	<0.001	<0.001
3/25/2020	<0.001					
3/26/2020		<0.001				
3/27/2020			<0.001	0.00066 (J)	0.00023 (J)	0.00013 (J)
9/14/2020	<0.001	<0.001	<0.001			
9/15/2020				<0.001	<0.001	<0.001
2/9/2021	0.00013 (J)	<0.001	<0.001	<0.001	<0.001	<0.001
3/31/2021	<0.001				<0.001	
4/1/2021						<0.001
4/6/2021				<0.001		
4/7/2021		<0.001	<0.001			
8/19/2021	<0.001		<0.001	<0.001	<0.001	<0.001
8/20/2021		<0.001				
2/10/2022		0.0002 (J)				<0.001
2/11/2022	<0.001		<0.001		<0.001	
2/14/2022				<0.001		
8/18/2022		<0.001	<0.001			
8/19/2022	<0.001			0.00028 (J)	<0.001	
8/31/2022						<0.001
Mean	0.0008818	0.0009636	0.0009723	0.0009136	0.000965	0.0009605
Std. Dev.	0.0003044	0.0001706	0.0001301	0.0002366	0.0001642	0.0001855
Upper Lim.	0.001	0.001	0.001	0.001	0.001	0.001
Lower Lim.	0.00014	0.0002	0.00039	0.00066	0.00023	0.00013

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21	SGWC-22
5/12/2016	<0.001			<0.0013	<0.001	<0.001
5/13/2016		<0.001	<0.001			
6/29/2016	<0.001		<0.001	0.0005 (J)	9E-05 (J)	<0.001
6/30/2016		<0.001				
8/18/2016	<0.001					
8/19/2016						<0.001
8/22/2016		<0.001	<0.001	<0.0013	<0.001	
10/18/2016			<0.001	<0.0013	<0.001	<0.001
10/19/2016	<0.001	<0.001				
12/7/2016	<0.001	<0.001			<0.001	<0.001
12/8/2016			<0.001	<0.0013		
2/15/2017	<0.001					
2/16/2017		<0.001	<0.001	0.00035 (J)	<0.001	<0.001
4/13/2017	<0.001	<0.001	<0.001	<0.0013	<0.001	<0.001
6/27/2017	<0.001					
6/28/2017		<0.001	<0.001	0.00041 (J)	<0.001	<0.001
3/27/2018	<0.001					
3/28/2018		<0.001	<0.001	<0.0013	<0.001	<0.001
6/7/2018	<0.001			<0.0013	<0.001	<0.001
6/8/2018		<0.001	<0.001			
10/8/2018	<0.001				<0.001	<0.001
10/9/2018			<0.001			
10/18/2018		<0.001		<0.0013		
2/19/2019						<0.001
2/20/2019	<0.001	<0.001	<0.001	0.00027 (J)	<0.001	
4/2/2019	<0.001	<0.001	<0.001	<0.0013	<0.001	<0.001
9/17/2019	<0.001	<0.001	<0.001	0.00025 (J)	<0.001	
9/18/2019						<0.001
2/18/2020				0.00025 (J)	<0.001	0.00018 (J)
2/19/2020	<0.001		<0.001			
2/20/2020		<0.001				
3/23/2020			<0.001	0.00023 (J)	<0.001	
3/24/2020	<0.001					<0.001
3/26/2020		<0.001				
9/15/2020	<0.001	<0.001	<0.001	0.00017 (J)	0.00022 (J)	0.00019 (J)
2/10/2021	0.00017 (J)	0.00029 (J)	<0.001	0.0003 (J)	0.00016 (J)	0.00016 (J)
3/30/2021		<0.001	<0.001	0.00018 (J)	0.0002 (J)	
3/31/2021						0.00015 (J)
4/1/2021	<0.001					
8/18/2021	<0.001	0.00071 (J)			0.00041 (J)	<0.001
8/19/2021			<0.001	0.00034 (J)		
2/10/2022		<0.001				<0.001
2/11/2022	<0.001		0.00033 (J)	0.00021 (J)	<0.001	
8/22/2022			<0.001	0.00028 (J)	0.0002 (J)	0.00017 (J)
8/23/2022		<0.001				
8/31/2022	<0.001					
Mean	0.0009623	0.0009545	0.0009695	0.0007018	0.0007855	0.0008114
Std. Dev.	0.000177	0.0001608	0.0001428	0.0005143	0.0003624	0.0003561
Upper Lim.	0.001	0.001	0.001	0.0013	0.001	0.001
Lower Lim.	0.00017	0.00071	0.00033	0.00025	0.00041	0.00019

Confidence Interval

Constituent: Lead (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
 Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8
5/11/2016		<0.001	<0.001	<0.001
5/12/2016	<0.001			
6/27/2016		<0.001	<0.001	<0.001
6/29/2016	9E-05 (J)			
8/17/2016		<0.001	0.00085 (J)	<0.001
8/19/2016	<0.001			
10/17/2016		<0.001		<0.001
10/18/2016	<0.001		<0.001	
12/6/2016		<0.001	<0.001	<0.001
12/7/2016	<0.001			
2/14/2017		<0.001	<0.001	<0.001
2/15/2017	<0.001			
4/12/2017		<0.001	<0.001	<0.001
4/13/2017	<0.001			
6/27/2017		<0.001	<0.001	<0.001
6/28/2017	<0.001			
3/27/2018	<0.001	<0.001	<0.001	<0.001
6/6/2018		<0.001	<0.001	<0.001
6/7/2018	<0.001			
10/8/2018	<0.001	<0.001		
10/9/2018			<0.001	<0.001
2/19/2019	<0.001			
2/20/2019		<0.001	<0.001	<0.001
4/1/2019			<0.001	<0.001
4/2/2019	<0.001	<0.001		
9/16/2019		<0.001		
9/17/2019			<0.001	<0.001
9/18/2019	<0.001			
2/18/2020	<0.001	<0.001	<0.001	<0.001
3/24/2020	<0.001			
3/25/2020		0.0002 (J)		0.00029 (J)
3/26/2020			<0.001	
9/14/2020		<0.001	<0.001	<0.001
9/15/2020	<0.001			
2/9/2021		<0.001	0.00014 (J)	0.00062 (J)
2/10/2021	<0.001			
3/31/2021	<0.001			
4/1/2021		<0.001	0.00015 (J)	<0.001
8/18/2021	<0.001	<0.001	<0.001	<0.001
2/9/2022		<0.001	<0.001	
2/10/2022	<0.001			<0.001
8/18/2022			<0.001	<0.001
8/19/2022		<0.001		
8/22/2022	<0.001			
Mean	0.0009586	0.0009636	0.0009155	0.0009505
Std. Dev.	0.000194	0.0001706	0.0002514	0.0001683
Upper Lim.	0.001	0.001	0.001	0.001
Lower Lim.	9E-05	0.0002	0.00085	0.00062

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.005	<0.005	<0.005			
5/12/2016				<0.005	<0.005	<0.005
6/28/2016	<0.005	0.0013 (J)	<0.005	<0.005	<0.005	0.0024 (J)
8/17/2016	<0.005	<0.005				
8/18/2016			<0.005	<0.005	<0.005	<0.005
10/17/2016	<0.005	<0.005	<0.005	<0.005	<0.005	
10/18/2016						<0.005
12/6/2016	<0.005	<0.005	<0.005	<0.005		
12/7/2016					<0.005	<0.005
2/15/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
6/27/2017	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/27/2018	<0.005	0.0029 (J)	<0.005	<0.005	<0.005	0.0034 (J)
6/6/2018	<0.005	0.0017 (J)	<0.005			
6/7/2018				<0.005	<0.005	0.003 (J)
10/8/2018			<0.005	0.0014 (J)	0.0011 (J)	
10/9/2018	<0.005					
10/16/2018		0.0031 (J)				0.0034 (J)
2/20/2019	<0.005	0.0031 (J)	<0.005	<0.005	<0.005	0.0038 (J)
4/1/2019	<0.005	0.0017 (J)	0.0011 (J)	<0.005	<0.005	0.0025 (J)
9/16/2019		<0.005	<0.005			
9/17/2019	<0.005			<0.005	<0.005	0.0037
2/18/2020		<0.005				
2/19/2020	<0.005		<0.005	<0.005	<0.005	<0.005
3/25/2020	<0.005	<0.005				
3/26/2020			<0.005			
3/27/2020				<0.005	<0.005	0.0038 (J)
9/14/2020	<0.005	<0.005	<0.005	<0.005		
9/15/2020					<0.005	0.0037 (J)
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/31/2021	<0.005					<0.005
4/6/2021					<0.005	
4/7/2021		<0.005	<0.005	<0.005		
8/19/2021	<0.005	<0.005		<0.005	<0.005	<0.005
8/20/2021			<0.005			
2/10/2022		0.0022 (J)	<0.005			
2/11/2022	<0.005			<0.005		0.0027 (J)
2/14/2022					<0.005	
8/18/2022		0.0033 (J)	0.0012 (J)	0.0012 (J)		
8/19/2022	0.0011 (J)				0.0015 (J)	0.0038 (J)
Mean	0.004823	0.004059	0.00465	0.004664	0.004664	0.004145
Std. Dev.	0.0008315	0.001351	0.001133	0.001089	0.00109	0.0009526
Upper Lim.	0.005	0.005	0.005	0.005	0.005	0.005
Lower Lim.	0.0011	0.0029	0.0012	0.0014	0.0015	0.0034

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-21
5/12/2016	<0.005	<0.005			<0.05 (O)	<0.005
5/13/2016			<0.005	<0.005		
6/28/2016	<0.005					
6/29/2016		<0.005		<0.005	0.0043 (J)	<0.005
6/30/2016			0.0032 (J)			
8/18/2016	<0.005	<0.005				
8/22/2016			<0.005	<0.005	0.0051	<0.005
10/18/2016	<0.005			<0.005	0.0038 (J)	<0.005
10/19/2016		<0.005	0.0042 (J)			
12/7/2016	<0.005	<0.005	<0.005			<0.005
12/8/2016				<0.005	0.0043 (J)	
2/15/2017		<0.005				
2/16/2017	<0.005		0.0034 (J)	<0.005	0.0047 (J)	<0.005
4/13/2017	<0.005	<0.005	<0.005	<0.005	0.004 (J)	<0.005
6/27/2017	<0.005	<0.005				
6/28/2017			<0.005	<0.005	0.0032 (J)	<0.005
3/27/2018	<0.005	0.0014 (J)				
3/28/2018			0.0056	<0.005	0.0053	0.0038 (J)
6/7/2018	<0.005	<0.005			0.0038 (J)	0.0013 (J)
6/8/2018			0.0042 (J)	0.0022 (J)		
10/8/2018	0.0015 (J)	<0.005				0.0019 (J)
10/9/2018				<0.005		
10/18/2018			0.0054		0.0062	
2/20/2019	<0.005	<0.005	0.0054	<0.005	0.0048 (J)	<0.005
4/2/2019	<0.005	<0.005	0.0041 (J)	0.0021 (J)	0.0046 (J)	0.0027 (J)
9/17/2019	<0.005	<0.005	0.005	<0.005	0.0042	<0.005
2/18/2020					0.0036 (J)	<0.005
2/19/2020	<0.005	<0.005		<0.005		
2/20/2020			0.0045 (J)			
3/23/2020				<0.005	0.0045 (J)	<0.005
3/24/2020		<0.005				
3/26/2020			0.0046 (J)			
3/27/2020	<0.005					
9/15/2020	<0.005	<0.005	0.0049 (J)	<0.005	0.0037 (J)	<0.005
2/9/2021	<0.005					
2/10/2021		<0.005	0.0055	<0.005	0.0047 (J)	<0.005
3/30/2021			0.0043 (J)	<0.005	<0.005	<0.005
4/1/2021	<0.005	<0.005				
8/18/2021		<0.005	0.0047 (J)			<0.005
8/19/2021	<0.005			<0.005	0.0046 (J)	
2/10/2022	<0.005		0.0039 (J)			
2/11/2022		<0.005		0.0072	0.0037 (J)	0.0011 (J)
8/22/2022				0.0012 (J)	0.003 (J)	<0.005
8/23/2022			0.0032 (J)			
8/31/2022	0.0012 (J)	<0.005				
Mean	0.004668	0.004836	0.004595	0.004668	0.004219	0.004355
Std. Dev.	0.001075	0.0007675	0.0007128	0.001256	0.0008322	0.001311
Upper Lim.	0.005	0.005	0.004687	0.0072	0.004678	0.005
Lower Lim.	0.0015	0.0014	0.003894	0.0022	0.00376	0.0038

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016			<0.005	<0.05 (O)	<0.005	<0.005
5/12/2016	<0.005	<0.005				
6/27/2016			<0.005	0.0031 (J)	0.0013 (J)	
6/29/2016	<0.005	0.0027 (J)				<0.005
8/17/2016			<0.005	0.0046 (J)	<0.005	
8/19/2016	<0.005	<0.005				
8/22/2016						<0.005
10/17/2016			<0.005		<0.005	
10/18/2016	<0.005	0.0032 (J)		0.0036 (J)		<0.005
12/6/2016			<0.005	0.0043 (J)	<0.005	
12/7/2016	<0.005	0.0043 (J)				<0.005
2/14/2017			<0.005	0.0043 (J)	<0.005	
2/15/2017		<0.005				
2/16/2017	<0.005					<0.005
4/12/2017			<0.005	0.0051	<0.005	
4/13/2017	<0.005	0.0036 (J)				<0.005
6/27/2017			<0.005	0.0033 (J)	<0.005	<0.005
6/28/2017	<0.005	0.0032 (J)				
3/27/2018		0.005	<0.005	0.0061	0.0023 (J)	
3/28/2018	0.0033 (J)					<0.005
6/6/2018			<0.005	0.004 (J)	0.0018 (J)	<0.005
6/7/2018	<0.005	0.0027 (J)				
10/8/2018	0.0011 (J)	0.0035 (J)	<0.005			
10/9/2018				0.0053	0.002 (J)	<0.005
2/19/2019	<0.005	<0.005				
2/20/2019			<0.005	0.006	<0.005	<0.005
4/1/2019				0.0058	0.0021 (J)	<0.005
4/2/2019	0.0026 (J)	0.0041 (J)	<0.005			
9/16/2019			<0.005			<0.005
9/17/2019				0.0049	<0.005	
9/18/2019	<0.005	0.0043				
2/18/2020	<0.005	<0.005	<0.005	0.0052	<0.005	
2/19/2020						<0.005
3/24/2020	<0.005	<0.005				
3/25/2020			<0.005		<0.005	<0.005
3/26/2020				0.006		
9/14/2020			<0.005	0.0051	<0.005	<0.005
9/15/2020	<0.005	<0.005				
2/9/2021			<0.005	0.0052	<0.005	<0.005
2/10/2021	<0.005	<0.005				
3/31/2021	<0.005	<0.005				<0.005
4/1/2021			<0.005	0.0053	<0.005	
8/18/2021	<0.005	<0.005	<0.005	0.0034 (J)	<0.005	
8/19/2021						<0.005
2/9/2022			0.0013 (J)	0.0048 (J)		
2/10/2022	<0.005	0.0029 (J)			0.0015 (J)	<0.005
8/18/2022				0.0061	0.0025 (J)	0.0014 (J)
8/19/2022			0.0023 (J)			
8/22/2022	0.00087 (J)	0.002 (J)				
Mean	0.004449	0.004159	0.004709	0.004833	0.004023	0.004836
Std. Dev.	0.001277	0.0009979	0.0009541	0.0009478	0.001482	0.0007675
Upper Lim.	0.005	0.005	0.005	0.005356	0.005	0.005

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-22	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.0033	0.0032	0.0023	0.00431	0.0023	0.0014

Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-14S	PZ-44I
10/16/2018		0.069
3/2/2020		<0.005
4/2/2021	<0.005	
4/7/2021		0.02
8/18/2021	<0.005	0.0095
2/8/2022	0.0015 (J)	
2/9/2022		0.01
8/23/2022	0.0011 (J)	
8/24/2022		0.011
Mean	0.00315	0.02075
Std. Dev.	0.002142	0.02414
Upper Lim.	0.001786	0.04299
Lower Lim.	0.0008781	0.004494

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.0002	<0.0002	<0.0002			
5/12/2016				<0.0002	<0.0002	<0.0002
6/28/2016	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
8/17/2016	<0.0002	<0.0002				
8/18/2016			<0.0002	<0.0002	<0.0002	0.00011 (J)
10/17/2016	<0.0002	<0.0002	<0.0002	<0.0002	8.9E-05 (J)	
10/18/2016						0.00012 (J)
12/6/2016	0.00013 (J)	0.0001 (J)	9.3E-05 (J)	0.00011 (J)		
12/7/2016					0.00012 (J)	0.00017 (J)
2/15/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00011 (J)
4/12/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	7.2E-05 (J)
6/27/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	8.4E-05 (J)
3/27/2018	<0.0002	<0.0002	<0.0002	<0.0002	0.0001 (J)	0.00014 (J)
6/6/2018	<0.0002	<0.0002	<0.0002			
6/7/2018				<0.0002	<0.0002	0.00013 (J)
10/8/2018			<0.0002	<0.0002	<0.0002	
10/9/2018	<0.0002					
10/16/2018		<0.0002				<0.0002
2/20/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
4/1/2019	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
9/16/2019		<0.0002	<0.0002			
9/17/2019	<0.0002			<0.0002	<0.0002	<0.0002
2/18/2020		<0.0002				
2/19/2020	<0.0002		<0.0002	<0.0002	0.0002	0.00016 (J)
3/25/2020	<0.0002	<0.0002				
3/26/2020			<0.0002			
3/27/2020				<0.0002	<0.0002	0.00011 (J)
9/14/2020	<0.0002	<0.0002	<0.0002	<0.0002		
9/15/2020					<0.0002	<0.0002
2/9/2021	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.00013 (J)
3/31/2021	<0.0002					0.00018 (J)
4/6/2021					<0.0002	
4/7/2021		<0.0002	<0.0002	<0.0002		
8/19/2021	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
8/20/2021			<0.0002			
2/10/2022		<0.0002	<0.0002			
2/11/2022	<0.0002			<0.0002		<0.0002
2/14/2022					<0.0002	
8/18/2022		<0.0002	<0.0002	<0.0002		
8/19/2022	<0.0002				<0.0002	<0.0002
Mean	0.0001968	0.0001955	0.0001951	0.0001959	0.0001868	0.0001598
Std. Dev.	1.492E-05	2.132E-05	2.281E-05	1.919E-05	3.441E-05	4.436E-05
Upper Lim.	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
Lower Lim.	0.00013	0.0001	9.3E-05	0.00011	0.00012	0.00012

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-16	SGWC-17	SGWC-18	SGWC-20	SGWC-21	SGWC-22
5/12/2016	<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
5/13/2016			<0.0002			
6/28/2016	<0.0002					
6/29/2016		<0.0002		<0.0002	<0.0002	<0.0002
6/30/2016			<0.0002			
8/18/2016	<0.0002	<0.0002				
8/19/2016						<0.0002
8/22/2016			0.00014 (J)	7.3E-05 (J)	<0.0002	
10/18/2016	<0.0002			<0.0002	<0.0002	<0.0002
10/19/2016		<0.0002	<0.0002			
12/7/2016	7.6E-05 (J)	0.00011 (J)	0.00014 (J)		0.0001 (J)	9.9E-05 (J)
12/8/2016				<0.0002		
2/15/2017		<0.0002				
2/16/2017	<0.0002		8.4E-05 (J)	<0.0002	<0.0002	<0.0002
4/13/2017	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
6/27/2017	<0.0002	<0.0002				
6/28/2017			<0.0002	<0.0002	<0.0002	<0.0002
3/27/2018	<0.0002	<0.0002				
3/28/2018			8.3E-05 (J)	<0.0002	<0.0002	<0.0002
6/7/2018	<0.0002	0.00011 (J)		8.2E-05 (J)	<0.0002	<0.0002
6/8/2018			0.00014 (J)			
10/8/2018	<0.0002	<0.0002			<0.0002	<0.0002
10/18/2018			0.00021	<0.0002		
2/19/2019						<0.0002
2/20/2019	<0.0002	<0.0002	0.00026	<0.0002	<0.0002	
4/2/2019	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
9/17/2019	<0.0002	<0.0002	0.00014 (J)	<0.0002	<0.0002	
9/18/2019						<0.0002
2/18/2020				<0.0002	<0.0002	<0.0002
2/19/2020	<0.0002	<0.0002				
2/20/2020			0.00022			
3/23/2020				<0.0002	<0.0002	
3/24/2020		<0.0002				<0.0002
3/26/2020			0.00019 (J)			
3/27/2020	<0.0002					
9/15/2020	<0.0002	<0.0002	0.00013 (J)	<0.0002	<0.0002	<0.0002
2/9/2021	<0.0002					
2/10/2021		<0.0002	0.00018 (J)	<0.0002	<0.0002	<0.0002
3/30/2021			0.00022	0.00013 (J)	<0.0002	
3/31/2021						<0.0002
4/1/2021	<0.0002	<0.0002				
8/18/2021		0.00017 (J)	0.00022		<0.0002	<0.0002
8/19/2021	<0.0002			<0.0002		
2/10/2022	<0.0002		<0.0002			<0.0002
2/11/2022		<0.0002		<0.0002	<0.0002	
8/31/2022	<0.0002	0.00013 (J)				
10/31/2022			<0.0002	<0.0002	<0.0002	<0.0002
Mean	0.0001944	0.0001873	0.0001799	0.0001857	0.0001955	0.0001954
Std. Dev.	2.644E-05	2.963E-05	4.521E-05	3.807E-05	2.132E-05	2.153E-05
Upper Lim.	0.0002	0.0002	0.0001706	0.0002	0.0002	0.0002
Lower Lim.	7.6E-05	0.00017	0.0001127	0.00013	0.0001	9.9E-05

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016		<0.0002	<0.0002	<0.0002	<0.0002
5/12/2016	<0.0002				
6/27/2016		<0.0002	<0.0002	<0.0002	
6/29/2016	<0.0002				<0.0002
8/17/2016		<0.0002	<0.0002	<0.0002	
8/19/2016	7.1E-05 (J)				
8/22/2016					<0.0002
10/17/2016		<0.0002		<0.0002	
10/18/2016	<0.0002		<0.0002		<0.0002
12/6/2016		0.00011 (J)	0.00011 (J)	7.6E-05 (J)	
12/7/2016	0.00011 (J)				0.0001 (J)
2/14/2017		<0.0002	<0.0002	<0.0002	
2/15/2017	<0.0002				
2/16/2017					<0.0002
4/12/2017		<0.0002	<0.0002	<0.0002	
4/13/2017	<0.0002				<0.0002
6/27/2017		<0.0002	<0.0002	<0.0002	<0.0002
6/28/2017	<0.0002				
3/27/2018	<0.0002	<0.0002	<0.0002	<0.0002	
3/28/2018					<0.0002
6/6/2018		<0.0002	<0.0002	<0.0002	<0.0002
6/7/2018	0.00028				
10/8/2018	<0.0002	<0.0002			
10/9/2018			<0.0002	<0.0002	<0.0002
2/19/2019	<0.0002				
2/20/2019		<0.0002	<0.0002	<0.0002	<0.0002
4/1/2019			<0.0002	<0.0002	<0.0002
4/2/2019	<0.0002	<0.0002			
9/16/2019		<0.0002			<0.0002
9/17/2019			<0.0002	<0.0002	
9/18/2019	<0.0002				
2/18/2020	0.00011 (J)	<0.0002	<0.0002	<0.0002	
2/19/2020					<0.0002
3/24/2020	<0.0002				
3/25/2020		<0.0002		<0.0002	<0.0002
3/26/2020			<0.0002		
9/14/2020		<0.0002	<0.0002	<0.0002	<0.0002
9/15/2020	<0.0002				
2/9/2021		<0.0002	<0.0002	<0.0002	<0.0002
2/10/2021	<0.0002				
3/31/2021	<0.0002				<0.0002
4/1/2021		<0.0002	<0.0002	<0.0002	
8/18/2021	<0.0002	<0.0002	<0.0002	<0.0002	
8/19/2021					<0.0002
2/9/2022		<0.0002	<0.0002		
2/10/2022	<0.0002			<0.0002	<0.0002
8/18/2022			<0.0002	<0.0002	<0.0002
8/19/2022		<0.0002			
10/31/2022	<0.0002				
Mean	0.0001896	0.0001959	0.0001959	0.0001944	0.0001955
Std. Dev.	4.189E-05	1.919E-05	1.919E-05	2.644E-05	2.132E-05
Upper Lim.	0.00028	0.0002	0.0002	0.0002	0.0002

Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-23	SGWC-6	SGWC-7	SGWC-8	SGWC-9
Lower Lim.	0.00011	0.00011	0.00011	7.6E-05	0.0001

Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-12	SGWC-14	SGWC-6	SGWC-7	SGWC-8	SGWC-9
5/11/2016	<0.015		<0.015	0.00343 (J)	<0.015	<0.015
5/12/2016		<0.015				
6/27/2016			0.0007 (J)	0.0033 (J)	0.0008 (J)	
6/28/2016	0.0012 (J)	<0.015				
6/29/2016						0.0021 (J)
8/17/2016			<0.015	0.002 (J)	<0.015	
8/18/2016	0.0011 (J)	<0.015				
8/22/2016						0.00099 (J)
10/17/2016	<0.015	<0.015	<0.015		<0.015	
10/18/2016				0.0012 (J)		0.0014 (J)
12/6/2016	<0.015		<0.015	0.0021 (J)	<0.015	
12/7/2016		<0.015				0.001 (J)
2/14/2017			<0.015	<0.015	<0.015	
2/15/2017	<0.015	0.003 (J)				
2/16/2017						<0.015
4/12/2017	<0.015	<0.015	<0.015	0.0033 (J)	<0.015	
4/13/2017						0.001 (J)
6/27/2017	<0.015	<0.015	0.00099 (J)	0.0021 (J)	<0.015	<0.015
3/27/2018	<0.015	<0.015	<0.015	<0.015	<0.015	
3/28/2018						<0.015
10/8/2018	<0.015	<0.015	<0.015			
10/9/2018				<0.015	<0.015	<0.015
2/20/2019	<0.015	<0.015	<0.015	0.0013 (J)	<0.015	0.00075 (J)
4/1/2019	<0.015	<0.015		<0.015	<0.015	<0.015
4/2/2019			<0.015			
9/16/2019	<0.015		<0.015			0.00067 (J)
9/17/2019		<0.015		0.0014 (J)	<0.015	
2/18/2020			<0.015	0.0014 (J)	<0.015	
2/19/2020	<0.015	<0.015				0.00063 (J)
3/25/2020			<0.015		<0.015	<0.015
3/26/2020	<0.015			0.001 (J)		
3/27/2020		0.00081 (J)				
9/14/2020	<0.015		<0.015	0.0012 (J)	<0.015	<0.015
9/15/2020		<0.015				
2/9/2021	<0.015	<0.015	<0.015	0.0014 (J)	<0.015	0.00063 (J)
3/31/2021						<0.015
4/1/2021			<0.015	0.0009 (J)	<0.015	
4/6/2021		<0.015				
4/7/2021	<0.015					
8/18/2021			<0.015	0.0016 (J)	<0.015	
8/19/2021		<0.015				<0.015
8/20/2021	<0.015					
2/9/2022			<0.015	0.0012 (J)		
2/10/2022	<0.015				<0.015	<0.015
2/14/2022		<0.015				
8/18/2022	<0.015			0.0011 (J)	0.00073 (J)	<0.015
8/19/2022		<0.015	<0.015			
Mean	0.01368	0.01375	0.01365	0.004282	0.01364	0.009008
Std. Dev.	0.004166	0.003954	0.004258	0.005379	0.004282	0.007096
Upper Lim.	0.015	0.015	0.015	0.00343	0.015	0.015
Lower Lim.	0.0012	0.003	0.00099	0.0012	0.0008	0.00099

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15	SGWC-16
5/11/2016	<0.005	<0.005				
5/12/2016			<0.005	<0.005	0.00965 (J)	<0.005
6/28/2016	<0.005	<0.005	<0.005	<0.005	0.0101	<0.005
8/17/2016	<0.005					
8/18/2016		0.00031 (J)	<0.005	<0.005	0.0014	0.00053 (J)
10/17/2016	<0.005	<0.005	0.0003 (J)	<0.005		
10/18/2016					0.0013	<0.005
12/6/2016	<0.005	<0.005	<0.005			
12/7/2016				<0.005	0.0007 (J)	<0.005
2/15/2017	<0.005	<0.005	<0.005	0.00066 (J)	0.00075 (J)	
2/16/2017						<0.005
4/12/2017	<0.005	<0.005	<0.005	<0.005	<0.005	
4/13/2017						<0.005
6/27/2017	<0.005	<0.005	<0.005	<0.005	0.0013	0.001 (J)
3/27/2018	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
6/6/2018	<0.005	<0.005				
6/7/2018			0.00064 (J)	0.00084 (J)	0.0014	0.0013
10/8/2018		<0.005	<0.005	<0.005		0.0014
10/16/2018	0.00046 (J)				0.0021	
2/20/2019	<0.005	<0.005	<0.005	<0.005	0.0034	0.0012 (J)
4/1/2019	<0.005	<0.005	<0.005	<0.005	<0.005	
4/2/2019						0.0021
9/16/2019	<0.005	<0.005				
9/17/2019			<0.005	<0.005	<0.005	<0.005
2/18/2020	<0.005					
2/19/2020		<0.005	<0.005	<0.005	<0.005	<0.005
3/25/2020	<0.005					
3/26/2020		<0.005				
3/27/2020			<0.005	<0.005	<0.005	<0.005
9/14/2020	<0.005	<0.005	<0.005			
9/15/2020				<0.005	<0.005	<0.005
2/9/2021	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/31/2021					<0.005	
4/1/2021						<0.005
4/6/2021				<0.005		
4/7/2021	<0.005	<0.005	<0.005			
8/19/2021	<0.005		<0.005	<0.005	<0.005	<0.005
8/20/2021		<0.005				
2/10/2022	<0.005	<0.005				0.00092 (J)
2/11/2022			<0.005		<0.005	
2/14/2022				<0.005		
8/18/2022	<0.005	<0.005	<0.005			
8/19/2022				<0.005	<0.005	
8/31/2022						0.001 (J)
Mean	0.004794	0.004787	0.004588	0.004614	0.004186	0.003611
Std. Dev.	0.0009679	0.0009999	0.001334	0.001251	0.002525	0.001899
Upper Lim.	0.005	0.005	0.005	0.005	0.005	0.005
Lower Lim.	0.00046	0.00031	0.00064	0.00084	0.0014	0.0013

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-23	SGWC-6
5/11/2016						<0.005
5/12/2016	<0.005			0.00396 (J)	<0.005	
5/13/2016		0.023	<0.005			
6/27/2016						<0.005
6/29/2016	<0.005		<0.005	0.0053 (J)	<0.005	
6/30/2016		0.0263				
8/17/2016						<0.005
8/18/2016	<0.005					
8/19/2016					<0.005	
8/22/2016		0.0066	<0.005	0.0012 (J)		
10/17/2016						<0.005
10/18/2016			<0.005	<0.005	<0.005	
10/19/2016	<0.005	0.0057				
12/6/2016						<0.005
12/7/2016	<0.005	0.006			<0.005	
12/8/2016			<0.005	<0.005		
2/14/2017						<0.005
2/15/2017	<0.005				<0.005	
2/16/2017		0.0055	<0.005	<0.005		
4/12/2017						0.00034 (J)
4/13/2017	<0.005	0.0049	<0.005	<0.005	<0.005	
6/27/2017	0.00024 (J)					0.00057 (J)
6/28/2017		0.0047	0.00096 (J)	0.00064 (J)	0.00033 (J)	
3/27/2018	<0.005				<0.005	<0.005
3/28/2018		0.0085	<0.005	<0.005		
6/6/2018						0.00032 (J)
6/7/2018	0.00064 (J)			0.00066 (J)	<0.005	
6/8/2018		0.014	0.00063 (J)			
10/8/2018	0.00028 (J)				0.00026 (J)	<0.005
10/9/2018			0.0005 (J)			
10/18/2018		0.017		0.00049 (J)		
2/19/2019					0.00021 (J)	
2/20/2019	<0.005	0.027	<0.005	0.0011 (J)		<0.005
4/2/2019	<0.005	0.0075	<0.005	<0.005	<0.005	<0.005
9/16/2019						<0.005
9/17/2019	<0.005	0.0036	<0.005	<0.005		
9/18/2019					<0.005	
2/18/2020				<0.005	<0.005	<0.005
2/19/2020	<0.005		<0.005			
2/20/2020		0.0024 (J)				
3/23/2020			<0.005	<0.005		
3/24/2020	<0.005				<0.005	
3/25/2020						<0.005
3/26/2020		0.0019 (J)				
9/14/2020						<0.005
9/15/2020	<0.005	0.003 (J)	<0.005	<0.005	<0.005	
2/9/2021						<0.005
2/10/2021	<0.005	0.0016 (J)	<0.005	<0.005	<0.005	
3/30/2021		<0.005	<0.005	<0.005		
3/31/2021					<0.005	
4/1/2021	<0.005					<0.005
8/18/2021	<0.005	0.002 (J)			<0.005	<0.005

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-19	SGWC-20	SGWC-23	SGWC-6
8/19/2021			<0.005	<0.005		
2/9/2022						<0.005
2/10/2022		0.0021 (J)			<0.005	
2/11/2022	<0.005		<0.005	<0.005		
8/19/2022						<0.005
8/22/2022			0.00099 (J)	<0.005	<0.005	
8/23/2022		0.00085 (J)				
8/31/2022	<0.005					
Mean	0.004371	0.00803	0.004231	0.004016	0.004355	0.004374
Std. Dev.	0.001622	0.008114	0.001672	0.001796	0.001663	0.001613
Upper Lim.	0.005	0.01043	0.005	0.005	0.005	0.005
Lower Lim.	0.00064	0.003451	0.00099	0.00396	0.00033	0.00057

Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7
5/11/2016	<0.005
6/27/2016	<0.005
8/17/2016	<0.005
10/18/2016	<0.005
12/6/2016	<0.005
2/14/2017	<0.005
4/12/2017	<0.005
6/27/2017	<0.005
3/27/2018	<0.005
6/6/2018	<0.005
10/9/2018	0.00034 (J)
2/20/2019	<0.005
4/1/2019	<0.005
9/17/2019	<0.005
2/18/2020	<0.005
3/26/2020	<0.005
9/14/2020	<0.005
2/9/2021	<0.005
4/1/2021	<0.005
8/18/2021	<0.005
2/9/2022	<0.005
8/18/2022	<0.005
Mean	0.004788
Std. Dev.	0.0009935
Upper Lim.	0.005
Lower Lim.	0.00034

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-10	SGWC-11	SGWC-12	SGWC-13	SGWC-14	SGWC-15
5/11/2016	<0.001	<0.001	<0.001			
5/12/2016				<0.001	<0.001	<0.001
6/28/2016	0.0001 (J)	<0.001	<0.001	<0.001	<0.001	9E-05 (J)
8/17/2016	<0.001	<0.001				
8/18/2016			<0.001	<0.001	<0.001	<0.001
10/17/2016	<0.001	<0.001	<0.001	<0.001	<0.001	
10/18/2016						<0.001
12/6/2016	<0.001	<0.001	<0.001	<0.001		
12/7/2016					<0.001	<0.001
2/15/2017	<0.001	<0.001	<0.001	<0.001	<0.001	8.5E-05 (J)
4/12/2017	<0.001	<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)
6/27/2017	<0.001	<0.001	<0.001	<0.001	<0.001	0.0001 (J)
3/27/2018	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6/6/2018	<0.001	<0.001	<0.001			
6/7/2018				<0.001	<0.001	<0.001
10/8/2018			<0.001	<0.001	<0.001	
10/9/2018	<0.001					
10/16/2018		<0.001				0.0001 (J)
2/20/2019	<0.001	<0.001	<0.001	<0.001	<0.001	9.8E-05 (J)
4/1/2019	<0.001	<0.001	<0.001	<0.001	<0.001	9.5E-05 (J)
9/16/2019		<0.001	<0.001			
9/17/2019	<0.001			<0.001	<0.001	0.00016 (J)
2/18/2020		0.00016 (J)				
2/19/2020	0.00075 (J)		0.00034 (J)	0.00022 (J)	0.00018 (J)	0.00031 (J)
3/25/2020	<0.001	<0.001				
3/26/2020			<0.001			
3/27/2020				<0.001	0.0011	0.00045 (J)
9/14/2020	<0.001	<0.001	0.00023 (J)	<0.001		
9/15/2020					0.00035 (J)	0.00027 (J)
2/9/2021	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
3/31/2021	<0.001					<0.001
4/6/2021					0.00017 (J)	
4/7/2021		<0.001	<0.001	<0.001		
8/19/2021	0.00024 (J)	0.00015 (J)		<0.001	<0.001	<0.001
8/20/2021			<0.001			
2/10/2022		<0.001	<0.001			
2/11/2022	<0.001			<0.001		<0.001
2/14/2022					<0.001	
8/18/2022		<0.001	<0.001	<0.001		
8/19/2022	<0.001				<0.001	<0.001
Mean	0.0009132	0.0009232	0.000935	0.0009645	0.0009	0.0005842
Std. Dev.	0.0002473	0.0002486	0.0002111	0.0001663	0.0002738	0.0004338
Upper Lim.	0.001	0.001	0.001	0.001	0.0011	0.001
Lower Lim.	0.00075	0.00016	0.00034	0.00022	0.00035	9.8E-05

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-20	SGWC-22	SGWC-23	SGWC-6
5/11/2016						<0.001
5/12/2016	<0.001		<0.001	<0.001	<0.001	
5/13/2016		<0.001				
6/27/2016						<0.001
6/29/2016	<0.001		0.0002 (J)	<0.001	<0.001	
6/30/2016		0.0002 (J)				
8/17/2016						<0.001
8/18/2016	<0.001					
8/19/2016				<0.001	<0.001	
8/22/2016		0.00015 (J)	0.00018 (J)			
10/17/2016						<0.001
10/18/2016			0.00016 (J)	<0.001	<0.001	
10/19/2016	<0.001	0.00012 (J)				
12/6/2016						<0.001
12/7/2016	<0.001	9.5E-05 (J)		<0.001	<0.001	
12/8/2016			0.0001 (J)			
2/14/2017						<0.001
2/15/2017	<0.001				<0.001	
2/16/2017		0.00013 (J)	0.00014 (J)	<0.001		
4/12/2017						<0.001
4/13/2017	<0.001	0.00012 (J)	0.00021 (J)	<0.001	<0.001	
6/27/2017	<0.001					<0.001
6/28/2017		0.00013 (J)	0.00018 (J)	<0.001	<0.001	
3/27/2018	<0.001				<0.001	<0.001
3/28/2018		0.00011 (J)	9E-05 (J)	<0.001		
6/6/2018						<0.001
6/7/2018	<0.001		0.00014 (J)	<0.001	<0.001	
6/8/2018		0.00019 (J)				
10/8/2018	<0.001			<0.001	<0.001	<0.001
10/18/2018		0.00019 (J)	0.00018 (J)			
2/19/2019				<0.001	<0.001	
2/20/2019	<0.001	0.00021 (J)	0.00018 (J)			<0.001
4/2/2019	<0.001	0.00016 (J)	0.00017 (J)	<0.001	<0.001	<0.001
9/16/2019						<0.001
9/17/2019	<0.001	0.00025 (J)	0.00021 (J)			
9/18/2019				<0.001	<0.001	
2/18/2020			0.00033 (J)	<0.001	<0.001	0.00028 (J)
2/19/2020	<0.001					
2/20/2020		0.00066 (J)				
3/23/2020			0.00016 (J)			
3/24/2020	<0.001			<0.001	<0.001	
3/25/2020						0.00049 (J)
3/26/2020		0.00029 (J)				
9/14/2020						<0.001
9/15/2020	<0.001	0.00027 (J)	0.00028 (J)	0.00038 (J)	0.00016 (J)	
2/9/2021						<0.001
2/10/2021	0.00024 (J)	0.00068 (J)	0.00025 (J)	<0.001	<0.001	
3/30/2021		0.00024 (J)	0.00018 (J)			
3/31/2021				<0.001	<0.001	
4/1/2021	<0.001					0.00023 (J)
8/18/2021	<0.001	0.00022 (J)		<0.001	<0.001	0.00017 (J)
8/19/2021			0.00018 (J)			

Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV
Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-17	SGWC-18	SGWC-20	SGWC-22	SGWC-23	SGWC-6
2/9/2022						<0.001
2/10/2022		<0.001		<0.001	<0.001	
2/11/2022	<0.001		<0.001			
8/19/2022						<0.001
8/22/2022			<0.001	<0.001	<0.001	
8/23/2022		<0.001				
8/31/2022	<0.001					
Mean	0.0009655	0.0002689	0.0002282	0.0009718	0.0009618	0.0008714
Std. Dev.	0.000162	0.0001788	0.0001223	0.0001322	0.0001791	0.0002842
Upper Lim.	0.001	0.0003267	0.0002618	0.001	0.001	0.001
Lower Lim.	0.00024	0.0001669	0.0001593	0.00038	0.00016	0.00049

Confidence Interval


Constituent: Thallium (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV

Plant Scherer Client: Southern Company Data: Scherer AP

	SGWC-7	SGWC-8	SGWC-9
5/11/2016	<0.001	<0.001	<0.001
6/27/2016	<0.001	<0.001	
6/29/2016			<0.001
8/17/2016	<0.001	<0.001	
8/22/2016			<0.001
10/17/2016		<0.001	
10/18/2016	<0.001		<0.001
12/6/2016	<0.001	<0.001	
12/7/2016			<0.001
2/14/2017	<0.001	<0.001	
2/16/2017			<0.001
4/12/2017	<0.001	<0.001	
4/13/2017			<0.001
6/27/2017	<0.001	<0.001	<0.001
3/27/2018	<0.001	<0.001	
3/28/2018			<0.001
6/6/2018	<0.001	<0.001	<0.001
10/9/2018	<0.001	<0.001	<0.001
2/20/2019	<0.001	<0.001	<0.001
4/1/2019	<0.001	<0.001	<0.001
9/16/2019			<0.001
9/17/2019	<0.001	0.00023 (J)	
2/18/2020	0.00022 (J)	0.0002 (J)	
2/19/2020			0.00027 (J)
3/25/2020		0.00079 (J)	<0.001
3/26/2020	<0.001		
9/14/2020	<0.001	<0.001	<0.001
2/9/2021	<0.001	<0.001	<0.001
3/31/2021			<0.001
4/1/2021	0.00042 (J)	0.00021 (J)	
8/18/2021	<0.001	<0.001	
8/19/2021			0.0004 (J)
2/9/2022	<0.001		
2/10/2022		<0.001	<0.001
8/18/2022	<0.001	<0.001	<0.001
Mean	0.0009382	0.0008832	0.0009395
Std. Dev.	0.0002025	0.0002761	0.0001967
Upper Lim.	0.001	0.001	0.001
Lower Lim.	0.00042	0.00079	0.0004

Non-Parametric Confidence Interval

Compliance Limit is not exceeded.



Normality testing disabled.

Constituent: Cobalt Analysis Run 12/12/2022 12:11 PM View: Appendix IV - Non-Parametric
Plant Scherer Client: Southern Company Data: Scherer AP

Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 12/12/2022 12:13 PM View: Appendix IV - Non-Parametric
Plant Scherer Client: Southern Company Data: Scherer AP

	PZ-43S
10/18/2018	0.0086
4/7/2021	0.00097 (J)
8/18/2021	0.00025 (J)
2/9/2022	<0.0025
8/24/2022	<0.0025
Mean	0.002964
Std. Dev.	0.003299
Upper Lim.	0.0086
Lower Lim.	0.00025

FIGURE K.

Appendix IV Trend Tests - Confidence Interval Exceedances - Significant Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:23 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.002829	-167	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.002112	-172	-92	Yes	22	4.545	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003072	-187	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02232	-140	-92	Yes	22	0	n/a	n/a	0.01	NP


Appendix IV Trend Tests - Confidence Interval Exceedances - All Results

Plant Scherer Client: Southern Company Data: Scherer AP Printed 12/1/2022, 3:23 PM

Constituent	Well	Slope	Calc.	Critical	Sig.	N	%NDs	Normality	Xform	Alpha	Method
Cobalt (mg/L)	SGWA-1 (bg)	-0.002829	-167	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-2 (bg)	0	3	92	No	22	90.91	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-24 (bg)	0	-23	-92	No	22	63.64	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-25 (bg)	-0.002112	-172	-92	Yes	22	4.545	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-3 (bg)	0	17	92	No	22	95.45	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-4 (bg)	0	7	92	No	22	90.91	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWA-5 (bg)	0	0	92	No	22	100	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-10	0	-2	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-11	-0.003072	-187	-92	Yes	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-15	-0.001185	-31	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-18	-0.004011	-46	-92	No	22	0	n/a	n/a	0.01	NP
Cobalt (mg/L)	SGWC-20	-0.02232	-140	-92	Yes	22	0	n/a	n/a	0.01	NP

Sen's Slope Estimator

SGWA-1 (bg)




n = 22
 Slope = -0.002829
 units per year.
 Mann-Kendall
 statistic = -167
 critical = -92
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-2 (bg)




n = 22
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = 3
 critical = 92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-24 (bg)




n = 22
 Slope = 0
 units per year.
 Mann-Kendall
 statistic = -23
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWA-25 (bg)




n = 22
 Slope = -0.002112
 units per year.
 Mann-Kendall
 statistic = -172
 critical = -92
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-3 (bg)



Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-4 (bg)



Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWA-5 (bg)



Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator


SGWC-10



Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-11




n = 22
 Slope = -0.003072
 units per year.
 Mann-Kendall
 statistic = -187
 critical = -92
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-15




n = 22
 Slope = -0.001185
 units per year.
 Mann-Kendall
 statistic = -31
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-18




n = 22
 Slope = -0.004011
 units per year.
 Mann-Kendall
 statistic = -46
 critical = -92
 Trend not sig-
 nificant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:22 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

Sen's Slope Estimator

SGWC-20



n = 22
 Slope = -0.02232
 units per year.
 Mann-Kendall
 statistic = -140
 critical = -92
 Decreasing trend
 significant at 99%
 confidence level
 ($\alpha = 0.005$ per
 tail).

Constituent: Cobalt Analysis Run 12/1/2022 3:23 PM View: Appendix IV - Trend Tests
 Plant Scherer Client: Southern Company Data: Scherer AP

APPENDIX G

Remedy Selection and Design Progress Report



REPORT

2022 Semi-Annual Remedy Selection and Design Progress Report

Georgia Power Company, Plant Scherer Ash Pond 1

Submitted to:



241 Ralph McGill Boulevard
Atlanta, Georgia 30308

Submitted by:

WSP USA Inc.

5170 Peachtree Road Building 100 Suite 300, Atlanta, Georgia, USA 30341
+1 770 496 1893

January 31, 2023



Table of Contents

1.0 INTRODUCTION	5
1.1 Evaluation of Corrective Measures	5
1.2 Adaptive Site Management	7
2.0 AP-1 CLOSURE ACTIVITIES	7
3.0 SUMMARY OF WORK COMPLETED	7
3.1 Nature and Extent Delineation	8
3.2 Supplemental Data Collection	9
3.3 Transect Soil Borings Investigation	9
4.0 ALTERNATE SOURCE DEMONSTRATION	10
5.0 UPDATED SITE CONCEPTUAL MODEL	10
6.0 CORRECTIVE MEASURES ALTERNATIVES	10
7.0 PLANNED ACTIVITIES	11
8.0 REFERENCES	12

Tables

Table 1: Evaluation of Remedial Technologies

Table 2: Summary of Monitoring Well, Assessment Well, and Piezometer Construction

Table 3: Proposed ACM Supplemental Data Collection and Analysis Tasks for January through June 2023

Figures

Figure 1: Site Location Map

Figure 2: Monitoring Well and Piezometer Location Map

Figure 3: Potentiometric Surface Map – August 16, 2022

Figure 4: Cobalt Isoconcentration Map – August 2022

Figure 4A: Insert A Cobalt Isoconcentration Map – August 2022

Figure 4B: Insert B Cobalt Isoconcentration Map – August 2022

Figure 4C: Insert C Cobalt Isoconcentration Map – August 2022

Figure 5: Transect Soil Boring Locations

Appendices

Appendix A: EDR GeoCheck® Report

Appendix B: Transect Soil Boring Investigation Boring Logs

Appendix C: Grain Size Analysis Results

Certification

This *2022 Semi-Annual Remedy Selection and Design Progress Report*, Georgia Power Company – Plant Scherer-Ash Pond 1 (AP-1), has been prepared in accordance with the United States Environmental Protection Agency coal combustion residual rule, specifically 40 Code of Federal (CFR) 227.97(a) and the Georgia Environmental Protection Division Rules for Solid Waste Management 341-3-4-.10(6)(a). I hereby certify that I am a qualified groundwater scientist, in accordance with the Georgia Rules of Solid Waste Management, and 40 CFR Part 258.50(g).

WSP USA Inc.



Dawn L. Prell, CPG
Senior Hydrogeologist



Rhonda Quinn, PG
Georgia Registered Professional Geologist No. 1031



Todd H. Rees, PhD, PE
Georgia Licensed Professional Engineer No. 047845

1.0 INTRODUCTION

In accordance with the United States Environmental Protection Agency (US EPA) coal combustion residuals (CCR) rule [40 Code of Federal Regulations (CFR) 257 Subpart D]; published in 80 FR 21302-21501, April 17, 2015 (CCR Rule; USEPA, 2015), WSP USA Inc. (WSP) has prepared this *2022 Semi-Annual Remedy Selection and Design Progress Report Plant Scherer Ash Pond 1* (Semi-Annual Progress Report) for Georgia Power Company (Georgia Power) Plant Scherer Ash Pond 1 (AP-1 or Site). Specifically, this Semi-Annual Progress Report has been prepared pursuant to 40 CFR § 257.97(a) and the Georgia Environmental Protection Division (GA EPD) Rules for Solid Waste Management 391-3-4-.10(6)(a). This Semi-Annual Progress Report documents activities conducted in support of the previously submitted *Assessment of Corrective Measures Report – Plant Scherer Ash Pond 1* (ACM Report; Golder, 2022a).

Plant Scherer is a coal-fired power generation facility located in northeast Monroe County approximately 5 miles south of Juliette, GA. A site location map is included as Figure 1.

Pursuant to § 257.96, Georgia Power initiated an ACM for AP-1 on November 18, 2021, to address the occurrence of cobalt in groundwater at statistically significant levels (SSLs). Subsequently, Georgia Power completed an ACM report on April 15, 2022 and posted it to the CCR compliance website in May 2022.

A potable well survey of potential groundwater wells within a two-mile radius of AP-1 was conducted in December 2022 and consisted of reviewing federal, state, and county records, and online resources. A survey conducted by Environmental Data Resources (EDR) is included in Appendix A. Additional federal, state, and county records, and online sources outside of the EDR survey were also reviewed by WSP. The Monroe County Health Department did not respond to WSP's request for information. The findings from the December 2022 well survey are consistent with the 2020 well survey (NewFields, 2020).

In addition to the assessment monitoring program at the Site, Georgia Power conducted a human health and ecological risk assessment of cobalt SSLs in groundwater at AP-1, which includes Site data through March 2020. The risk evaluation provides one of many lines of evidence that will be reviewed and factored into the remedy selection process, which will be completed in accordance with § 257.97. Based on this risk evaluation, “constituents evaluated from AP-1 are not expected to pose a risk to human health or the environment. Accordingly, no further risk evaluation for groundwater or surface water is warranted” (Wood, 2021). Cobalt data collected since March 2020 are consistent with data used in the risk evaluation; therefore, the conclusions of the *2021 Risk Evaluation Report* are supported by current conditions.

1.1 Evaluation of Corrective Measures

Pursuant to § 257.97, Georgia Power is evaluating the potential corrective measures in the ACM report to identify a remedy or combination of remedies as soon as feasible. The following corrective measures are being evaluated for potential use at AP-1:

- Geochemical Approaches (In-Situ Injection)
- Hydraulic Containment (Pump and Treat)
- Monitored Natural Attenuation (MNA)
- In-Situ Solidification/Stabilization (ISS)

- Permeable Reactive Barrier (PRB)
- Subsurface Vertical Barrier Wall (SVBW).

An evaluation of remedial technologies is presented in Table 1. As required by the CCR Rule, this semi-annual progress report describes the progress made in selecting and designing a remedy.

The following remedial alternatives have been retained for further evaluation.

- **Geochemical Approaches (In-Situ Injection):** An injection well network, or other means of introducing reagents or air into the subsurface, is used to provide suitable reagents for either anaerobic or aerobic attenuation of constituents present as SSLs including cobalt. Under aerobic conditions, soluble iron or manganese and oxygen (either via air sparging or through a chemical oxidant) would be injected to promote the formation of iron or manganese (oxy-) hydroxides for subsequent sorption of cobalt onto these mineral phases. If sufficient iron is present in groundwater, the use of air sparging alone may be considered to precipitate iron (oxy-) hydroxides for sorption. In-situ chemical oxidation (ISCO) or in-situ chemical reduction (ISCR) can be used to chemically alter the redox environment in the subsurface to affect the mobility of certain inorganic compounds.
- **Hydraulic Containment (Pump and Treat):** Hydraulic containment involves extracting groundwater from wells or collection trenches to depress the water table and locally control the flow of groundwater. The proposed technology for a pump-and-treat system would include the installation of vertical and/or angled groundwater extraction wells downgradient of the area(s) targeted for treatment. Groundwater extraction wells are feasible to install and can be designed and screened in the unconsolidated saprolite, transition zone, and fractured bedrock materials at the site for effective hydraulic capture. Groundwater extraction wells installed in bedrock can alternatively be completed as open-hole borings to maximize groundwater removal from multiple water-bearing fracture zones at varying depths.
- **Monitored Natural Attenuation (MNA):** MNA relies on natural attenuation processes to achieve site-specific remediation objectives within a reasonable time frame relative to more active methods. Under certain conditions (e.g., through sorption and/or mineral precipitation), MNA effectively reduces the dissolved concentrations of inorganic constituents in groundwater.
- **Permeable Reactive Barrier (PRB):** PRB technology typically involves the installation of a permeable subsurface wall constructed with reactive media for the removal of constituents as groundwater flows through the media. Either ZVI-Carbon matrix or solid carbon (bio-barrier) are likely viable for the removal of cobalt from groundwater. The carbon could be composed of peat moss, mulch or another carbon source. Exact placement of the PRB would be contingent on finalization of the nature and extent characterization. PRBs can also be constructed as “funnel and gate” systems, where a barrier wall directs groundwater to a smaller “treatment gate” filled with reactive media.
- **Subsurface Vertical Barrier Wall (SVBW):** This approach involves placing a barrier to groundwater flow in the subsurface to prevent future migration of dissolved constituents in groundwater to downgradient areas. In general, barrier walls are designed to provide containment; and when fully encompassing, SVBWs require a pump and treatment system to maintain inward hydraulic gradients and treat extracted water. Barrier walls can also be used in downgradient applications to limit potential influence to/from surface water features.

A variety of barrier materials can be used, including cement and/or bentonite slurries, geomembrane composite materials, or driven materials such as steel or vinyl sheet pile.

1.2 Adaptive Site Management

Georgia Power proactively initiated adaptive site management as outlined in the ACM Report (Golder, 2022) to support the groundwater remedy selection process and address potential changes in site conditions as appropriate during the AP-1 closure. The adaptive site management approach will take existing site conditions, including natural attenuation mechanisms, into account. Characterization activities to evaluate attenuation mechanisms at the Site may include collection of data necessary to progressively evaluate the existing and long-term effectiveness of these processes in the aquifer and reduce uncertainty for decision making at each screening step as listed in the EPA guidelines for MNA (US EPA 2007, 2015). The 2007 MNA technical guidance specific to inorganic contaminants contained four “tiers.” The 2015 MNA guidance, which expands on and is designed to be a companion to the 2007 MNA guidance, retains these four “tiers,” but describes them as “phases.”

- **Phase I:** Demonstration that the groundwater plume is *not expanding*.
- **Phase II:** Determination that the *mechanism and rate* of the attenuation process are sufficient.
- **Phase III:** Determination that the *capacity* of the aquifer is sufficient to attenuate the mass of contaminant within the plume and the *stability* of the immobilized contaminant is sufficient to resist re-mobilization.
- **Phase IV:** Design of a *performance monitoring program* based on an understanding of the mechanism of the attenuation process, and establishment of contingency remedies tailored to site-specific characteristics.

2.0 AP-1 CLOSURE ACTIVITIES

The *Amended Written Closure Plan* (Georgia Power, 2020) was prepared in accordance with 40 CFR 257, Subpart D and meets the requirements of 40 CFR 257.102(b) and 391-3-4-.10. The surface impoundment (AP-1) at Plant Scherer will be closed by consolidating the CCR within the 550-acre impoundment to a smaller footprint in accordance with 391-3-4-.10 and 40 CFR 257.102(b)(1)(iii). The proposed closure footprint will consist of two principal regions within the existing AP-1 footprint in the remaining area; a closure-by-removal area located to the north and the consolidated closure-in-place footprint in the south. The two proposed closure areas will be separated by a new northern embankment berm (referenced herein as the north berm) that will buttress the consolidated CCR materials within the consolidated closure-in-place footprint and for the limit of the final cover. The reduced footprint of the consolidated CCR will then be closed in place. Site work including infrastructure updates have begun in anticipation of closure as the CCR permit is under review with GA EPD.

3.0 SUMMARY OF WORK COMPLETED

The following sections summarize field investigation activities and supplemental data collected since identifying the SSLs to support site characterization and delineation of Appendix IV SSLs, as well as evaluation of the corrective measures presented in the ACM report. This data will be used to evaluate the feasibility, mechanisms, rates, and stability of identified remedial alternatives to address SSLs of cobalt in groundwater at AP-1. An evaluation of this data as they relate to remedy selection alternatives is ongoing and will be presented in future report(s).

3.1 Nature and Extent Delineation

CCR compliance groundwater monitoring-related activities have been performed for AP-1 since September 2016 pursuant to the CCR rule. Georgia Power initiated an assessment monitoring program in November 2018 after identifying statistically significant increases (SSIs) of Appendix III parameters in groundwater. Pursuant to § 257.95, samples were collected from the detection and assessment monitoring wells and analyzed for Appendix IV constituents.

Assessment monitoring groundwater data show SSLs of cobalt at monitoring wells SGWC-10, SGWC-11, SGWC-15, SGWC-18, and SGWC-20 at concentrations exceeding the Groundwater Protection Standards (GWPS). Details are provided in the *2022 Annual Groundwater Monitoring and Corrective Action Report* (Golder, 2023).

The locations of the Site monitoring wells and piezometers are shown on Figure 2. Table 2 provides a summary of construction details for each of the Site monitoring wells and piezometers, respectively. A potentiometric surface map illustrating the August 2022 potentiometric surface elevations is provided as Figure 3.

Horizontal and Vertical Delineation

To characterize the nature and extent of cobalt SSLs, multiple piezometers have been installed and sampled at the Site; refer to the table below for constituent delineation status. Figures 4, 4A, 4B, and 4C present isoconcentration contours for the cobalt exceedances of the GWPS.

Detection Monitoring Well with Cobalt SSL	Vertical Assessment Well	Horizontal Assessment Well Location
SGWC-10	PZ-69 ^[1]	PZ-13S
SGWC-11	P-44 ^[1]	PZ-14S
SGWC-15	PZ-17 ^[1]	PZ-39S
SGWC-18	PZ-40 ^[1]	PZ-41S
SGWC-20	PZ-42 ^[1]	PZ-43S

Note:

[1] Delineation is complete pending statistical data evaluations at locations PZ-17I, PZ-40I, PZ-42I, PZ-44I and PZ-69I. A minimum of four data points is needed to perform the required statistical analyses. Reported sample results at each of these locations are below the GWPS.

Based on review of the analytical results, statistical analyses, and the isoconcentration contours, horizontal and vertical delineations are complete. Horizontal delineation for cobalt is defined by assessment monitoring wells PZ-13S, PZ-14S, PZ-39S, PZ-41S and PZ-43S. There are no SSLs for any of the horizontal assessment wells and therefore horizontal delineation is deemed complete. Vertical delineation for cobalt is defined using assessment monitoring wells PZ-69I, PZ-44I, PZ-17I, PZ-40I, and PZ-42I. Reported results from each of three monitoring events to date are below the GWPS and therefore, vertical delineation is deemed complete. However, in accordance with the statistical analysis plan, a minimum of four data points is needed to perform the required statistical operations to confirm delineation. Details regarding the data for specific well pairs used for delineation are described in detail in the *2022 Annual Groundwater Monitoring and Corrective Action Report* (Golder, 2023).

3.2 Supplemental Data Collection

Groundwater samples collected from the detection and assessment monitoring well networks in August 2022 were analyzed for major ions (magnesium, potassium, sodium, total and bicarbonate alkalinity), and minor ions (iron and manganese). Results are included in the *2022 Annual Groundwater Monitoring and Corrective Action Report* (Golder, 2023) and described below.

Groundwater and aquifer solids collected to date along with proposed data collection described below will be used to evaluate the feasibility, mechanisms, rates, and stability of identified remedial alternatives to address SSLs of cobalt in groundwater at AP-1.

3.3 Transect Soil Borings Investigation

In October 2022, WSP collected overburden soil samples along three primary transect lines each consisting of three borings at (or in the vicinity of) select wells exhibiting SSLs of cobalt (SGWC-15, SGWC-18, SGWC-20), and three borings immediately upgradient to (~100 feet, direction based on groundwater flow direction) these wells. Transect lines and soil boring locations are presented on Figure 5. The soil boring investigation was not performed in the vicinity of wells SGWC-10 and SGWC-11 because groundwater type is different at those locations. A total of 26 samples were collected from these borings at depths targeting the soil/groundwater interface and approximate mid screen interval of the adjacent monitoring well at each boring. Actual sample depths selected were dependent on the aquifer materials characteristics and at the discretion of the field geologist. Additional samples were selected based on non-typical materials encountered. Boring logs generated from this investigation are included in Appendix B.

The soil samples were submitted for laboratory analysis for physical parameters, percent solids, and grain size as well as the following analyses for chemical and mineralogical characterization:

- Sequential Extraction Procedure (SEP): This test consists of a five-step extraction (modified) of metals from solids to provide the provenance of the constituents of concern (COCs) (i.e., the operationally defined fraction that contains the COC). This, in turn, provides information on metal mobility (Tessier 1979). For instance, metals bound in the carbonate fraction or that are exchangeable are much more likely to become mobile with changes to pH and groundwater geochemistry, while metals bound within a sulfide or silicate fractions are not as likely to be released to groundwater under natural conditions. In MNA applications, determining the metal distribution over five major fractions provide the attenuation potential using a modified sequential extraction method. COCs found in the various phases allows for development of a site-specific equilibrium model for adsorption.
- Cation exchange capacity (CEC): The CEC represents the total number of negative charge sites in a given amount of solid at which cation adsorption and desorption can occur.
- Total sulfur content: The amount of sulfur (or relative percent by mass) of a soil or rock is relevant to understanding which metals are likely to coprecipitate with or form sulfide minerals as part of the MNA evaluation.
- Clay specific and Rietveld X-ray diffraction (XRD): Understanding the mineralogy using clay specific and Rietveld XRD allows the determination of the mineralogical composition and abundance of each crystalline mineral phase in source and upgradient/downgradient materials. Clay-specific XRD is important where there

is the likelihood of high clay content in aquifer materials as different clay types can act differently for attenuation.

- One additional sample (SB-15B, 31.5') was selected due to the presence of a crystalline structure (pyrite) and submitted for Rietveld XRD analysis to determine mineralogy.

Grain size analysis results are presented in Appendix C. Results from the remaining analyses are pending and will be discussed in subsequent reports.

4.0 ALTERNATE SOURCE DEMONSTRATION

An Alternate Source Demonstration (ASD) addendum for naturally occurring cobalt at monitoring wells SGWC-10 and SGWC-11 may be considered for the site. The ASD, as applicable, would be prepared to satisfy the requirements of § 257.95(g)(3)(ii), which allows the owner or operator to demonstrate that a source other than the CCR Unit has caused an SSL. This ASD would present the results of investigations performed to evaluate the presence of naturally occurring cobalt present throughout the region and sitewide in the rock materials underlying AP-1 at Plant Scherer.

5.0 UPDATED SITE CONCEPTUAL MODEL

The additional data collected since the issuance of the ACM, together with evaluations and interpretations (described above), allow the development of a more refined conceptual site model (CSM) and will be used to supplement the current *Hydrogeologic Assessment Report* (Golder, 2021). The following summarizes the current understanding of the CSM within the context of selecting an appropriate groundwater corrective measure for AP-1.

- The August 2022 potentiometric surface shows groundwater flow is generally from the northwest towards AP-1 and radially to the northeast and east, southeast and south, and southwest from AP-1, which sits on a topographic high, as shown on Figure 3. The latest water level data collected in 2022 confirmed groundwater flow in the uppermost aquifer to be consistent with the CSM.
- The boring logs from the recently completed transect soil boring investigation will be used to refine subsurface geology and evaluated during the remedy selection process. Results from soil samples will be used to support geochemical modeling and evaluate aquifer adsorption and attenuation capacity.

6.0 CORRECTIVE MEASURES ALTERNATIVES

Table 1 presents a summary of each of the remedial alternatives presented as part of the ACM. Table 3 provides a summary of additional data planned to be collected to further evaluate the feasibility of these. The retention evaluation (Retained for Further Evaluation or Not Retained) for each potential remedial alternative is included on Table 1. Each of the alternatives described in Section 1.1 and listed below are retained for further evaluation:

- Geochemical Approaches (In-Situ Injection)
- Hydraulic Containment (Pump and Treat)
- Monitored Natural Attenuation (MNA)
- Permeable Reactive Barrier (PRB)
- Subsurface Vertical Barrier Wall (SVBW)

During the ACM process it has been determined that some alternatives (a) cannot be implemented at AP-1, (b) would be difficult to implement, or (c) other alternatives are more suitable based on the site-specific conditions and geochemistry. As such, phytoremediation and ISS has been removed from consideration as a remedial alternative for the site as described below:

- Phytoremediation has not been retained due to relatively thick overburden in hydraulic connection with partially weathered rock. Other options are considered more suitable. In addition, the presence of site utilities beyond the limits of AP-1 in the areas of cobalt detections limit the amount of space available to install phytoremediation components. The stability of the dam along the eastern side of AP-1 may also be of concern if phytoremediation construction is completed at the base of the dam in the immediate vicinity of the wells with identified SSLs. As such, phytoremediation has been dismissed on deficiencies of effectiveness and the depth and geology of the affected area.
- ISS has not been retained for consideration at AP-1. ISS has been more widely implemented as a source control measure. Because the cobalt detections at AP-1 are relatively low and cobalt SSLs are localized to a few locations, and the occurrence of cobalt at these locations are likely due to groundwater pH variations along the flow paths, ISS is not practical for groundwater remediation beyond the AP-1 boundary. As such, ISS has been dismissed on deficiencies of effectiveness.

7.0 PLANNED ACTIVITIES

Georgia Power has initiated activities as outlined in the ACM Report (Golder, 2022a) to support the groundwater remedy selection process and address potential changes in Site conditions as appropriate. The adaptive site management approach toward remedy selection may be adjusted as new Site information and technologies become available. To this end, Georgia Power will continue its data collection efforts as necessary in support of efforts to refine the CSM and to further evaluate the feasibility of each corrective measure retained for further evaluation.

Additional field investigation activities and data analyses are planned as described in Table 1 to evaluate potential remedial alternatives. Supplementary data collection and evaluation activities proposed to be completed within the next 6 months are presented on Table 3, with the key elements summarized below.

- Collect additional groundwater quality data to complete statistical analyses of delineation data. In addition to Appendix III/IV constituents, wells may also be analyzed for major cations/anions and other parameters for characterization of groundwater and evaluation of potential remedies.
- Collect groundwater samples utilizing direct push technologies along previous transects to evaluate localized variability of groundwater pH. These samples will be used to assess correlation between groundwater pH conditions and cobalt plume at the site in the context of remedy selection.
- Evaluate site soil data for attenuation mechanism and rates, aquifer capacity for attenuation, and mineralogical characterization.

Georgia Power will continue to prepare semi-annual progress reports to document AP-1 groundwater conditions, results associated with additional data collection, and the progress in selecting and designing a groundwater remedy in accordance with § 257.97(a). Georgia Power will include these future semi-annual progress reports with routine groundwater monitoring and corrective action reports to meet the requirements of § 257.105(h)(12), § 257.106(h)(9), and § 257.107(h)(9), respectively.

8.0 REFERENCES

Georgia EPD, 2016. Chapter 391-3-4 Rules for Solid Waste Management, Georgia Environmental Protection Division.

Georgia Power, 2020. Amended Written Closure Plan 40 CFR 257.102, Plant Scherer Ash Pond 1, October 30, 2020.

Golder, 2021, *Hydrogeologic Assessment Report, Plant Scherer Ash Pond 1 (AP-1)*, Golder Associates Inc., September 2021.

Golder, 2022a. *Assessment of Corrective Measures Report – Plant Scherer Ash Pond 1 (AP-1)*, Golder Associates USA Inc., April 15, 2022.

Golder, 2023 *2022 Annual Groundwater Monitoring and Corrective Action Report – Plant Scherer Ash Pond 1 (AP-1)*, WSP Golder USA, January 31, 2023.

US EPA 2007. Monitored Natural Attenuation for Inorganic Contaminants in Ground Water. Volume 1 – Technical Basis for Assessment. National Risk Management Laboratory. EPA/600/R-07/139. October 2007.

US EPA, 2015. *Use of Monitored Natural Attenuation for Inorganic Contaminants in Groundwater at Superfund Sites*. U.S. Environmental Protection Agency Office of Solid Waste and Emergency Response Directive, August 2015.

US EPA, 40 CFR 257, Subpart D, 80 Fed. Reg. 21468 (April 17, 2015, revised August 2016).

Wood, 2021. *Risk Evaluation Report, Plant Scherer Ash Pond 1, Juliette Georgia*, January 2021.

Tables

TABLE 1
Evaluation of Remedial Technologies
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		
	Description	Performance	Reliability
Geochemical Approaches (in situ injection)	Use of an injection well network, or other means of introducing reagents or air into the subsurface, to provide suitable reagents for either anaerobic or aerobic attenuation of cobalt (Co). Under anaerobic conditions, Co would be attenuated within sparingly soluble sulfide minerals. Under aerobic conditions, soluble iron or manganese and oxygen (either via air sparging or through a chemical oxidant) would be injected to promote the formation of iron or manganese (oxy-) hydroxides for subsequent sorption of Co onto these mineral phases. If sufficient iron is present in groundwater, the use of air sparging alone may be considered to precipitate iron (oxy-) hydroxides for sorption. In-situ chemical oxidation (ISCO) or in-situ chemical reduction (ISCR) can be used to chemically alter the redox environment in the subsurface to affect the mobility of certain inorganic compounds, including Co.	The effective immobilization of Co has been shown under aerobic and anaerobic conditions; however, the anaerobic approach (involving the injection of an electron donor together with iron or manganese and sulfur) requires careful study and testing. While aerobic approaches are somewhat less complex, additional aquifer characterization is needed to further evaluate these options.	Reliability dependent on permeability of the subsurface and the amount and distribution of secondary iron or manganese (oxy-) hydroxides (for aerobic approach), or electron donors and soluble iron or manganese and sulfur that can be consistently distributed (for anaerobic approach). Reliable technology if injected materials can be distributed throughout the impacted aquifer. Bench- and/or pilot-scale treatability testing programs are needed to understand the biogeochemical processes that would effectively reduce migration of Co in groundwater.
Hydraulic Containment (pump- and-treat)	Hydraulic containment refers to the use of groundwater extraction to induce a hydraulic gradient for hydraulic capture or control the migration of impacted groundwater. This approach uses extraction wells or trenches to capture groundwater, which may subsequently require above-ground treatment and permitted discharge to a receiving water feature, reinjection into the groundwater, or reuse (e.g., land application, CCR conditioning, etc.). It is applicable to a variable mix of inorganic constituents, including dissolved Co.	Pump and treat (P&T) is effective at providing hydraulic control, but it is unclear whether full groundwater remediation can be achieved without further understanding attenuation mechanisms at the Site. At AP-1, implementation of the corrective measure is contingent on completing additional assessment activities (i.e., high-resolution site characterization, additional pump tests, flow modeling, and capture zone analysis). This is needed to refine the constituent distribution in the subsurface to target specific zones for pumping for improved mass recovery efficiency/ effectiveness and to further evaluate the potential remedy performance.	Generally reliable for hydraulic containment, but uncertainty exists whether groundwater remediation goals can be achieved within a reasonable time frame without further understanding attenuation mechanisms.

TABLE 1
Evaluation of Remedial Technologies
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		
	Description	Performance	Reliability
Monitored Natural Attenuation (MNA)	MNA relies on natural attenuation processes to achieve site-specific remediation objectives within a reasonable time frame relative to more active methods. Under certain conditions (e.g., through sorption, mineral precipitation or oxidation-reduction reactions), MNA effectively reduces the dissolved concentrations of inorganic constituents in groundwater. Attenuation mechanisms for inorganic constituents at CCR sites, including Co at AP-1, are either physical (e.g., dilution, dispersion, flushing, and related processes) or chemical (sorption or oxidation reduction reactions). Chemical attenuation processes include precipitation, and sorption reactions such as adsorption on the surfaces of soil minerals, absorption into the matrix of soil minerals, or partitioning into organic matter. Further, oxidation-reduction (redox) reactions, via abiotic or biotic processes, can transform the valence states of some inorganic constituents to less soluble and thus less mobile forms. For Co, the main attenuation processes include sorption to iron and manganese oxides and formation of sparingly soluble sulfide minerals.	Physical and chemical MNA mechanisms for Co, including dilution, dispersion, sorption, and oxidation reduction reactions can be effective at achieving groundwater protection standards (GWPS) within a reasonable time frame. Source control will improve the mass balance such that the buffer capacity of the aquifer is unlikely to be exhausted, and the attenuation processes already at work for Co at AP-1 will further enhance ongoing MNA.	Reliable as long as sufficient attenuation capacity is present. MNA is reliable and can either be used as a stand-alone corrective measure for groundwater impacted by dissolved Co, or in combination with a second technology.
In-Situ Solidification / Stabilization (ISS)	ISS, also referred to as single auger mixing or deep soil mixing, uses a crane-mounted large-diameter auger system to drill into affected soils and uniformly mix the soils with cement to create a monolith (solidification) or with appropriate chemical additives to chemically bind constituents within the solid matrix (stabilization). This remedy can also be achieved by a cutter head on an excavator if treatment depths do not exceed the reach of the excavator. Additional equipment utilized for treatment primarily consists of a grout mixing plant, a grout pump and a mixing rig designed to encapsulate constituents in a monolithic solid of high structural integrity, thereby minimizing constituent migration.	Groundwater impacts would be addressed through the processes of natural attenuation. This alternative would isolate/secure the area of influence outside the CCR unit in a bound matrix, and over time, allow the concentrations of constituents of concern (COCs) in downgradient groundwater to decline to below applicable standards.	In-situ stabilization can be a reliable corrective measure for Co in groundwater. Reliability is dependent on the permeability of the subsurface and mechanics of injection.
Permeable Reactive Barrier (PRB)	Permeable reactive barrier (PRB) technology typically involves the installation of a permeable subsurface wall constructed with reactive media for the removal of constituents as groundwater passes through. Either ZVI-Carbon matrix or solid carbon (bio-barrier) are likely viable for the concurrent removal of Co. The carbon could be composed of peat moss, mulch or another carbon source. Exact placement of the PRB would be contingent on finalization of the nature and extent characterization. PRB walls are typically keyed into the bedrock. While the shallow groundwater in the residuum and fractured bedrock is connected to the groundwater in more competent bedrock, the higher permeability/conductivity of the PRB is not expected to impede groundwater flow. PRBs can also be	PRBs have been shown to effectively address Co in groundwater. The approach is expected to achieve GWPS for Co as impacted groundwater passes through the reactive barrier. Furthermore, additional testing is required to select the appropriate sorptive media mix.	Reliable groundwater corrective measure technology, but loss of reactivity over time may require re-installation depending on the duration of the remedy. Additional data collection, including conducting a bench and/or pilot study, is needed to select the appropriate reactive media mix and dosages for a PRB wall.

TABLE 1
Evaluation of Remedial Technologies
Georgia Power Company – Plant Scherer Ash Pond 1
Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		
	Description	Performance	Reliability
	constructed as “funnel and gate” systems, where a barrier wall directs groundwater to a smaller “treatment gate” filled with reactive media.		
Phyto Remediation (TreeWell®)	Phytoremediation uses trees and other plants to degrade or immobilize constituents or achieve hydraulic control without the need for an above-ground water treatment system and infrastructure. Within the context of AP-1, this corrective measure would likely use an engineered (proprietary) TreeWell® phytoremediation system along the point of compliance or downgradient edge of the impacted groundwater for hydraulic control. The system promotes root development to the targeted groundwater zone (depth), allowing for hydraulic control of impacted groundwater. In addition, immobilization of Co within the root zone as well as incidental uptake of dissolved Co with groundwater is expected to occur concurrent with hydraulic control.	Once established (typically at the end of the third growing season), a TreeWell® system is effective for providing hydraulic containment of groundwater, and potential reduction of Co concentration through immobilization and/or uptake and sequestration in the tree biomass; however, the main purpose is to provide hydraulic control. Given the likely construction of a SVBW for groundwater control at AP-1, phytoremediation is not practicable.	Engineered phytoremediation is a proven technology where hydrogeologic factors are taken into account (e.g., hydraulic conductivity, flow velocity, depth to impacted groundwater zone, etc.). This is considered an active remedial approach through the use of trees as the "pumps" driving the system. Careful design will be needed to select the proper species, which will include consideration of groundwater chemistry, plant uptake of constituents, and groundwater flow modeling to evaluate the required number and placement of TreeWell® units.
Subsurface Vertical Barrier Walls (SVBW)	This approach involves placing a barrier to groundwater flow in the subsurface to prevent future migration of dissolved constituents in groundwater from beneath the walled area to downgradient areas. In general, barrier walls are designed to provide containment; and when fully encompassing, SVBWs require a pump and treatment system to maintain inward hydraulic gradients and treat extracted water. Barrier walls can also be used in downgradient applications to limit potential influence to/from surface water features. A variety of barrier materials can be used, including cement and/or bentonite slurries, geomembrane composite materials, or driven materials such as steel or vinyl sheet pile.	Barrier walls are a proven technology for groundwater cutoff at impoundments. Slurry walls are limited by the depth of installation, which is approximately 90 ft below ground surface. However, site-specific geologic and technology-specific considerations may limit this depth to shallower installations. Within the context of AP-1, a barrier wall might be used in conjunction with a “funnel and gate” system for a PRB rather than a stand-alone technology. As such, groundwater with Co above GWPS could either be directed to “treatment gates” for passive treatment (in a PRB) or migration of impacted groundwater could be minimized via barrier wall installation. Additional subsurface investigations, aquifer testing, and compatibility testing with site-specific groundwater will be needed.	Generally reliable as a barrier to groundwater flow; however, treatment of downgradient groundwater is incidental and not the primary objective.

TABLE 1
Evaluation of Remedial Technologies
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		
	Ease of Implementation	Potential Impacts	Time Requirement to Begin/Complete
Geochemical Approaches (in situ injection)	Moderate. Installation of injection well network or other injection infrastructure would be required. Alternative installation approaches may be considered, such as along the downgradient edge of impacted groundwater, which would function similar to a PRB application. Potential for clogging of aquifer matrix and/or injection well infrastructure. Chemical distribution during injections (i.e., radius of influence) needs to be evaluated.	Minimal impacts are expected if remedy works as designed, based on a thorough pre-design investigation, geochemical modeling, and bench/pilot study results. Redox-altering processes have the potential to mobilize naturally occurring constituents as an unintended consequence if not properly studied and implemented.	Design of a geochemical in situ injection ‘system’ will require numerical groundwater flow and geochemical modeling, bench scale testing and may require a pilot test to obtain final design parameters which may take up to 24 months. After design, installation of the injection network can be accomplished relatively quickly (1 to 2 months). Once installed, the time required to achieve GWPS within the treatment area may be relatively quick but depends on the attenuation process kinetics of each targeted constituent. The time for complete distribution of the injected materials throughout the treatment area is also variable.
Hydraulic Containment (pump- and-treat)	Moderate. Proven approach, and supplemental installation of extraction wells/trenches is straightforward. The extracted groundwater may potentially require an above-ground treatment system. A variety of sorption and precipitation approaches exist for ex-situ treatment of Co. Operation and maintenance (O&M) requirements are expected to include upkeep of infrastructure components (pumps, pipes, tanks, instrumentation and controls, above-ground treatment system) and handling of treatment residuals.	The main potential impacts are related to the presence and operation of an on-site above-ground water treatment facility and related infrastructure to convey and treat extracted groundwater. Pumping activity may unintentionally alter the geochemistry within the hydraulic capture zone.	Design of a pump and treatment system will require additional aquifer testing, numerical groundwater modeling, and if needed, design of a treatment system for the extracted groundwater (which itself will require significant treatability testing). Installation of extraction wells and/or trenches can be accomplished relatively quickly (1 to 2 months) and if required, the treatment system would require up to an additional year to construct and start-up. The initiation of the approach would be contingent on the start-up of the wastewater treatment infrastructure. Hydraulic containment can be achieved relatively quickly after startup of the extraction system, but uncertainty exists with respect to the time to achieve GWPS without additional data collection to better understand attenuation mechanisms for Co.
Monitored Natural Attenuation (MNA)	Easy. Easy to implement with respect to infrastructure, monitoring and reporting. Proven approach, but additional data are needed to show that the existing attenuation capacity is sufficient to meet site objectives within a reasonable timeframe. A monitoring well network already exists to implement future groundwater monitoring efforts.	No impacts are anticipated; MNA relies on the natural processes active in the aquifer matrix to reduce constituent concentrations.	Design of an MNA remedy demonstrates that attenuation mechanisms and capacity are naturally present in the groundwater system and will require an MNA evaluation and groundwater and geochemical modeling and can take up to 1 year. The infrastructure to initiate MNA is already in place but may require some additional wells. MNA is expected to be successful within a reasonable time frame following pond closure. Engineering measures will be implemented during closure of the CCR unit to minimize potential impacts to the subsurface during closure activities and routine groundwater monitoring will be used to verify that groundwater impacts remain stable or decrease over time.

TABLE 1
Evaluation of Remedial Technologies
Georgia Power Company – Plant Scherer Ash Pond 1
Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		
	Ease of Implementation	Potential Impacts	Time Requirement to Begin/Complete
In-Situ Solidification / Stabilization (ISS)	Difficult. ISS has been proven effective and stabilizing waste masses to prevent leaching, but very intensive program to solidify an entire CCR unit. Significant heavy equipment and traffic on-Site and working on the AP-1 unit. ISS has not been commonly used to stabilize entire ash units as part of a closure strategy.	Following completion, potential impacts of the remedy will be negligible. During construction, general construction safety risks would be elevated above less-intensive remedies.	Design of an In-situ stabilization remedy for AP-1 will take several years to complete and will require bench scale testing to determine the appropriate amendment mix for a variety of overburden geologic materials. Pilot testing will also be needed to verify the ability of equipment to solidify material at depth. Following design, implementation of solidify the AP-1 CCR mass could take many years after may be delayed by availability of specialized contractors and equipment.
Permeable Reactive Barrier (PRB)	Moderate to Difficult. Trenching would be required to install a mix of reactive materials in the subsurface. Continuous trenching may be the most feasible construction method. Installation methods and materials are readily available. Once installed, treatment will be passive and O&M requirements are minimal if replacement of the PRB is not necessary.	Minimal impacts are expected following the construction of the remedy. However, ZVI has the potential to create anaerobic conditions downgradient of the PRB wall that may mobilize redox-sensitive naturally occurring constituents. These conditions need to be carefully monitored. Short-term impacts during the construction of the remedy can be mitigated through appropriate planning and health and safety measures.	Design of a PRB may take up to 2 years, including bench/column testing for selection of reactive media and dosages (percent by weight), selection of ballast material for target hydraulic conductivity of the mixed porous media, and numerical groundwater modeling required to evaluate post-installation flow. Installation of a PRB can be accomplished relatively quickly (6 to 12 months), depending on the final location and configuration. Once installed, the time to achieve GWPS downgradient of the PRB is anticipated to be relatively quick.
Phytoremediation	Reasonably implementable to moderate. Engineered approach has been proven effective, and specific depth zones can be targeted. Species are selected and trees are installed such that the root zone can intercept impacted groundwater flow paths. Area must be clear of above and below-ground structures (i.e., power lines). The system, once established (approximately three growing seasons), is a self-maintaining, sustainable remedial system that has no external energy requirements and little maintenance (i.e., efforts normally associated with landscaping).	Minimal impacts are expected. In fact, there are several positive impacts expected, including enhanced aesthetics, wildlife habitat, and limited energy consumption.	The design phase may take up to 6 months, and some groundwater modeling may be required. Depending on the number of required units, the installation effort is expected to last several weeks. Hydraulic capture/control is expected approximately three years after planting and system performance is expected to further improve over time.
Subsurface Vertical Barrier Walls (SVBW)	Moderate to difficult. Trenching will be required to fill in the various slurry mixes; alternatively, sheet pile installations can be accomplished without excavation of trenches. The application of barrier walls is limited by the depth of installation, which similar to PRBs, should be keyed into a low permeability layer such as a thick clay layer, PWR, or bedrock. Installation methods and materials are readily available.	Minimal impacts are expected following the construction of the remedy. Short-term impacts during the construction of the remedy can be mitigated through appropriate planning and health and safety measures. Changes to groundwater flow patterns due to installation of the barrier wall are expected, which can affect other aspects of groundwater corrective action.	The design phase may take up to 24 months and is likely to include additional aquifer testing and numerical groundwater modeling. Installation of a barrier wall can be accomplished relatively quickly (6 to 12 months), depending on the final location and configuration. Once installed, preventing migration of constituents dissolved in groundwater is anticipated to be relatively quick. Since this approach does not treat the downgradient area of impacted groundwater but prevents migration, it will likely have to be maintained long-term and coupled with other approaches.

TABLE 1
Evaluation of Remedial Technologies
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		Relative Costs	Retention Evaluation
	Institutional Requirements	Other Env. Or Public Health Requirements		
Geochemical Approaches (in situ injection)	Deed restrictions may be necessary until in-situ treatment has achieved GWPS. A new UIC permit (for in-situ injections) would be required to implement this corrective measure. No other institutional requirements are expected at this time.	None expected at this point. Potential for mobilization of redox-sensitive constituents exists during implementation of an anerobic attenuation approach. Following installation, the remedy is passive.	Medium (depending on expanse of injection network required and injectate volume required per derived design parameters)	Retained for further analysis; can be applied for Co as a sparingly soluble mineral or could be applied to raise the groundwater pH to promote immobilization through sorption mechanisms.
Hydraulic Containment (pump- and-treat)	Depending on the effluent management strategy, modifications to the existing NPDES permit may be required, or obtaining a new underground injection control (UIC) permit may be needed if groundwater reinjection is chosen. In addition, deed restrictions may be required as long as groundwater conditions are above regulatory standards for unrestricted use.	Above-ground treatment components may need to be present for an extended period of time, generating residuals requiring management and disposal.	Medium to high (depending on remedy duration, complexity of above-ground treatment system, and volume of water processed)	Retained for further analysis; extracted water could be routed to wastewater treatment infrastructure built for dewatering and closure of ponds at the site.
Monitored Natural Attenuation (MNA)	MNA may require the implementation of institutional controls, such as deed restrictions, to preclude potential exposure to groundwater within the footprint of impacted groundwater until GWPS are achieved.	Little to no physical disruption to remediation areas and no adverse construction-related impacts are expected on the surrounding community.	Low to medium	Retained for further analysis; may be used as a stand-alone corrective measure or in conjunction with other potential groundwater corrective measures.
In-Situ Solidification / Stabilization (ISS)	Deed restrictions may be necessary until groundwater concentrations are below GWPS. No other institutional requirements that may limit application of this technology are expected at this time.	Changes to groundwater chemistry relative to the mobility of Appendix IV constituents following completion of ISS, where large volumes of amendments (typically Portland cement) are added to the subsurface, are unknown and would require pilot testing. Significant Site construction work.	Very high, significant equipment, labor and reactant/stabilization demand.	Not Retained for further analysis. ISS has been more widely implemented as a source control measure. Because the cobalt detections at AP-1 are relatively low and cobalt SSLs are localized to a few locations, and the occurrence of cobalt at these locations are likely due to groundwater pH variations along the flow paths, ISS is not practical for groundwater remediation beyond the AP-1 boundary.
Permeable Reactive Barrier (PRB)	Deed restrictions may be necessary for groundwater areas upgradient of the PRB (if not installed along the waste boundary). No other institutional requirements are expected at this time.	None expected at this point. Following installation, the remedy is passive. However, certain treatment media (such as ZVI) have the potential to mobilize naturally occurring constituents downgradient of the PRB.	Medium to high (for installation) - minimal O&M requirements if replacement is not necessary	Retained for further analysis; capable of treating Co when PRB can be placed appropriately given physical Site constraints.

TABLE 1
Evaluation of Remedial Technologies
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Corrective Measure	REGULATORY CITATION FOR CRITERIA: 40 CFR 257.96(C)(1)		Relative Costs	Retention Evaluation
	Institutional Requirements	Other Env. Or Public Health Requirements		
Phytoremediation	Deed restrictions may be necessary for groundwater areas upgradient of the phytoremediation layout. No other institutional requirements are expected at this time.	None expected at this point. Following installation, the remedy is passive and does not require external energy.	Medium (for installation) - minimal O&M requirements	Not retained due to deficiencies. Other options more suitable for this site, due to relatively thick overburden including partially weathered rock, and site layout.
Subsurface Vertical Barrier Walls (SVBW)	Deed restrictions may be necessary for groundwater areas downgradient of the barrier wall until remedial goals are met. No other institutional requirements are expected at this time.	If groundwater extraction associated with barrier walls is necessary to maintain inward gradients, above-ground treatment components may need to be present for an extended period of time, generating residuals requiring management and disposal.	Medium to high (depending on length and depth of wall and need for treatment of extracted water)	Retained for further analysis; capable of limiting Co migration in groundwater.

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
AP-1 MONITORING WELL NETWORK												
SGWA-1	Upgradient	Overburden	1119233.10	2399899.81	544.27	544.1	546.83	53.7	503.57	493.57	10	2/11/2015
SGWA-2	Upgradient	Bedrock	1119237.67	2399908.19	544.20	544.0	546.94	98.5	458.55	448.55	10	2/17/2015
SGWA-3	Upgradient	Overburden	1120224.15	2399296.64	543.03	542.9	545.83	53.0	502.88	492.88	10	11/18/2015
SGWA-4	Upgradient	Overburden	1121477.05	2401124.64	544.96	544.8	547.66	63.3	494.31	484.31	10	11/17/2015
SGWA-5	Upgradient	Overburden	1118088.42	2397426.26	505.93	505.7	508.48	32.8	485.53	475.53	10	11/18/2015
SGWC-6	Downgradient	Overburden	1122167.18	2401979.98	507.87	507.7	510.49	27.8	492.67	482.67	10	11/12/2015
SGWC-7	Downgradient	Bedrock	1122668.61	2402259.75	503.65	503.5	506.40	37.9	478.45	468.45	10	11/11/2015
SGWC-8	Downgradient	Overburden/Bedrock	1122865.98	2402979.50	511.68	511.5	514.28	42.8	481.48	471.48	10	11/11/2015
SGWC-9	Downgradient	Overburden	1122634.64	2403455.19	507.88	507.6	510.62	38.0	482.63	472.63	10	11/6/2015
SGWC-10	Downgradient	Overburden	1121895.85	2404046.92	506.80	506.6	509.41	32.8	486.60	476.60	10	11/5/2015
SGWC-11	Downgradient	Overburden	1121542.11	2404332.12	508.77	508.6	511.47	42.9	478.62	468.62	10	10/29/2015
SGWC-12	Downgradient	Overburden	1121576.75	2405009.92	497.80	497.7	500.53	50.4	460.70	450.70	10	10/30/2015
SGWC-13	Downgradient	Overburden	1121274.85	2405761.20	480.17	479.9	482.71	37.8	454.92	444.92	10	11/4/2015
SGWC-14	Downgradient	Overburden	1120966.13	2406329.89	473.52	473.3	476.72	38.7	448.52	438.52	10	2/24/2015
SGWC-15	Downgradient	Overburden	1120191.20	2407093.92	479.76	479.7	482.75	48.3	444.86	434.86	10	2/26/2015
SGWC-16	Downgradient	Overburden	1119221.42	2407155.89	457.18	457.0	460.31	43.5	428.23	418.23	10	3/3/2015
SGWC-17	Downgradient	Overburden	1118308.77	2407267.44	415.13	414.9	418.00	27.6	400.83	390.83	10	3/11/2015
SGWC-18	Downgradient	Overburden	1116947.75	2406931.32	510.41	510.3	513.29	47.5	476.21	466.21	10	3/17/2015
SGWC-19	Downgradient	Overburden	1116024.59	2406097.05	476.13	475.8	478.94	37.7	451.63	441.63	10	3/18/2015
SGWC-20	Downgradient	Overburden	1116020.73	2405307.67	501.69	501.5	504.60	28.1	486.49	476.49	10	11/19/2015
SGWC-21	Downgradient	Overburden	1115409.88	2404197.33	484.92	484.7	487.67	27.9	470.17	460.17	10	5/6/2015
SGWC-22	Downgradient	Overburden	1115540.08	2403001.81	515.51	515.4	518.02	52.7	478.91	468.91	10	1/22/2015
SGWC-23	Downgradient	Bedrock	1116693.80	2402131.07	520.17	520.0	523.10	52.8	480.72	470.72	10	2/3/2015
SGWA-24	Upgradient	Overburden	1118121.96	2400743.52	489.47	489.3	492.38	43.1	461.62	451.62	10	2/10/2015
SGWA-25	Upgradient	Overburen	1120555.28	2400857.08	523.45	523.2	526.49	48.3	488.60	478.60	10	2/18/2015

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
AP-1 ASSESSMENT MONITORING WELL NETWORK												
PZ-13S	Downgradient	Overburden	1121957.03	2404227.47	517.68	517.5	520.51	48.3	482.58	472.58	10	4/1/2015
PZ-14S	Downgradient	Overburden	1121852.80	2404820.56	509.03	508.7	512.13	48.4	474.18	464.18	10	3/26/2015
PZ-17I	Downgradient	Bedrock	1120190.27	2407107.37	480.20	479.9	483.03	100.4	393.20	383.20	10	2/27/2015
PZ-39S	Downgradient	Overburden	1120178.43	2407470.49	471.99	471.8	474.58	82.8	405.79	395.79	10	8/21/2018
PZ-40I	Downgradient	Bedrock	1116960.39	2406934.72	510.19	510.1	512.55	86.5	437.09	427.09	10	8/15/2018
PZ-41S	Downgradient	Overburden	1116799.18	2407124.98	488.66	488.6	491.50	47.9	453.56	443.56	5	8/16/2018
PZ-42I	Downgradient	Bedrock	1116013.79	2405294.12	500.65	500.5	503.18	107.7	414.45	404.45	10	8/21/2018
PZ-43S	Downgradient	Overburden	1115598.12	2405507.16	501.34	501.2	504.03	57.8	460.69	450.69	10	8/17/2018
PZ-44I	Downgradient	Bedrock	1121515.40	2404330.23	507.91	507.9	510.36	116.5	403.86	393.86	10	9/5/2018
PZ-69I	Downgradient	Bedrock	1121906.36	2404051.35	506.44	506.0	508.85	108.9	410.00	400.00	10	1/13/2022
PIEZOMETERS												
PZ-2I	Downgradient	Bedrock	1115544.85	2402990.76	515.06	514.8	517.56	86.8	440.91	430.91	10	1/27/2015
PZ-3S	Downgradient	Overburden	1116085.04	2402533.80	514.57	514.4	517.29	52.9	474.77	464.77	10	1/29/2015
PZ-5I	Downgradient	Bedrock	1117484.15	2401816.71	520.73	520.6	523.26	49.8	484.03	474.03	10	2/4/2015
PZ-9I	Upgradient	Bedrock	1120562.72	2400862.76	523.61	523.3	526.57	83.5	453.51	443.51	10	2/19/2015
PZ-10S	Downgradient	Overburden	1122338.03	2401768.92	514.78	514.4	517.53	38.1	489.88	479.88	10	5/5/2015
PZ-11S	Downgradient	Overburden	1123169.22	2402767.44	526.19	526.0	529.31	49.2	490.54	480.54	10	4/6/2015
PZ-12S	Downgradient	Overburden	1122684.90	2403618.46	514.64	514.5	517.69	47.5	480.54	470.54	10	4/1/2015
PZ-14I	Downgradient	Bedrock	1121866.36	2404822.43	510.03	509.7	512.89	98.4	424.93	414.93	10	3/25/2015
PZ-15S	Downgradient	Overburden	1121486.96	2405558.59	497.59	497.4	500.60	43.3	467.74	457.74	10	4/28/2015
PZ-19I	Downgradient	Bedrock	1118588.47	2407251.56	414.74	414.5	417.76	75.1	353.04	343.04	10	3/4/2015
PZ-19S	Downgradient	Overburden	1118587.24	2407241.54	414.79	414.5	417.80	28.3	399.94	389.94	10	3/4/2015
PZ-20I	Downgradient	Bedrock	1118318.15	2407273.36	414.46	414.3	417.41	82.7	345.11	335.11	10	3/10/2015
PZ-21S	Downgradient	Overburden	1117639.19	2407006.52	470.85	470.6	473.74	28.1	457.60	447.60	10	3/12/2015
PZ-25S	Downgradient	Overburden	1121848.11	2404567.52	525.78	525.5	528.24	58.8	480.78	470.68	10	5/25/2016
PZ-25I	Downgradient	Overburden	1121837.80	2404573.04	526.02	525.8	528.39	128.6	410.97	400.97	10	5/24/2016

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PIEZOMETERS - continued												
PZ-26S	Downgradient	Overburden	1121696.65	2405733.23	489.17	489.1	491.65	48.6	454.27	444.27	10	6/1/2016
PZ-27D	Downgradient	Bedrock	1121558.94	2406023.17	472.66	472.4	475.43	129.0	367.61	347.61	20	6/17/2016
PZ-27S	Downgradient	Overburden	1121565.33	2406028.25	473.18	473.1	475.80	48.7	438.33	428.33	10	5/26/2016
PZ-28I	Downgradient	Bedrock	1121394.06	2406373.94	481.59	481.4	484.18	72.7	422.84	412.84	10	6/3/2016
PZ-29S	Downgradient	Overburden	1121269.19	2406618.29	488.70	488.5	491.31	48.8	453.70	443.70	10	5/26/2016
PZ-30I	Downgradient	Bedrock	1121073.53	2407078.99	475.71	475.6	478.31	89.8	400.46	390.46	10	6/2/2016
PZ-31I	Downgradient	Bedrock	1121204.03	2407445.73	464.16	464.0	466.89	79.9	399.06	389.06	10	6/2/2016
PZ-32D	Downgradient	Bedrock	1121089.64	2407719.37	462.56	462.4	465.42	129.6	366.56	336.56	30	6/1/2016
PZ-32S	Downgradient	Overburden	1121089.22	2407698.44	462.52	462.3	465.06	59.8	417.47	407.47	10	6/1/2016
PZ-33I	Downgradient	Overburden	1121245.25	2409064.05	466.55	466.4	469.38	79.4	400.65	390.65	10	6/8/2016
PZ-34S	Downgradient	Overburden	1121331.59	2409288.37	441.08	440.8	443.67	48.8	405.53	395.53	10	6/4/2016
PZ-35I	Downgradient	Overburden	1121598.57	2406058.33	474.72	474.6	474.40	55.8	429.27	419.27	10	6/22/2016
PZ-36I	Downgradient	Bedrock	1120410.99	2407256.25	478.96	478.9	481.52	99.7	393.56	383.56	10	6/5/2016
PZ-36S	Downgradient	Overburden	1120401.04	2407248.04	479.50	479.4	482.35	59.0	434.40	424.40	10	8/22/2018
PZ-37I	Downgradient	Overburden/Bedrock	1121178.48	2408419.19	479.68	479.5	482.18	75.2	418.48	408.48	10	6/2/2016
PZ-38I	Downgradient	Overburden	1121475.86	2406352.98	482.38	482.2	482.24	76.0	418.43	408.43	10	6/23/2016
PZ-45D	Downgradient	Bedrock	1125296.24	2400250.55	509.94	509.7	512.33	167.6	399.74	344.74	55	3/9/2020
PZ-46D	Downgradient	Overburden/Bedrock	1123512.22	2400923.25	447.37	447.1	450.28	56.7	423.57	393.57	30	3/17/2020
PZ-47D	Downgradient	Bedrock	1126623.42	2404366.80	406.91	406.8	410.01	29.2	396.66	381.66	15	3/11/2020
PZ-48S	Downgradient	Overburden	1125014.71	2405779.92	441.45	441.3	444.33	64.0	390.55	380.55	10	3/4/2020
PZ-49D	Downgradient	Bedrock	1123429.73	2410615.29	365.13	364.9	367.41	108.5	288.88	258.88	30	3/6/2020
PZ-49S	Downgradient	Overburden	1123434.46	2410605.99	365.29	365.2	367.89	27.7	350.19	340.19	10	3/7/2020
PZ-50D	Upgradient	Bedrock	1103125.91	2408306.87	470.70	470.7	473.78	103.1	380.66	370.66	10	3/18/2020
PZ-51D	Upgradient	Bedrock	1119239.99	2399955.07	543.47	543.2	546.04	128.9	427.17	417.17	10	3/8/2020
PZ-52	Downgradient	Overburden	1122822.91	2403622.69	519.68	519.4	521.84	79.4	452.43	442.43	10	3/17/2020
PZ-53	Downgradient	Overburden	1121932.34	2404813.43	513.81	513.6	516.64	48.0	478.61	468.61	10	3/19/2020

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PIEZOMETERS - continued												
PZ-54	Downgradient	Overburden	1121509.71	2406555.15	490.27	490.2	492.96	47.8	455.17	445.17	10	3/19/2020
PZ-55	Downgradient	Overburden	1121931.60	2409132.43	444.25	444.2	447.21	39.1	418.15	408.15	10	3/20/2020
PZ-56	Downgradient	Bedrock	1123524.68	2409037.21	431.10	430.8	433.68	48.8	395.10	385.10	10	3/19/2020
PZ-57	Downgradient	Overburden/Bedrock	1123405.64	2407361.88	436.55	436.4	439.51	62.1	387.45	377.45	10	3/19/2020
PZ-58	Downgradient	Overburden	1123299.43	2405207.09	489.35	489.3	492.21	49.0	453.25	443.25	10	3/16/2020
PZ-59S	Downgradient	Overburden	1125213.65	2407658.45	383.13	382.8	385.93	27.1	368.83	358.83	10	3/20/2020
PZ-59D	Downgradient	Bedrock	1125229.89	2407668.93	383.16	382.9	385.86	72.0	328.86	313.86	15	3/27/2020
PZ-60D	Downgradient	Bedrock	1124410.72	2408242.87	386.53	386.4	389.34	102.9	317.03	286.73	30	3/29/2020
PZ-60S	Downgradient	Overburden	1124400.44	2408243.59	386.66	386.4	389.88	23.5	376.36	366.36	10	3/31/2020
PZ-61	Downgradient	Overburden/Bedrock	1122537.21	2408531.43	436.84	436.8	439.27	52.5	397.34	387.34	10	4/11/2020
PZ-62	Downgradient	Overburden	1122370.34	2406175.11	498.45	498.3	501.32	55.1	456.00	446.00	10	4/9/2020
PZ-63	Downgradient	Bedrock	1123955.38	2404060.61	499.12	498.9	501.54	42.7	468.87	458.87	10	4/12/2020
PZ-64	Downgradient	Bedrock	1123724.36	2406404.18	476.09	476.0	479.52	72.5	416.99	406.99	10	4/8/2020
PZ-65	Downgradient	Overburden	1121937.16	2407733.04	429.77	429.6	432.42	32.8	409.57	399.57	10	4/11/2020
PZ-66D	Downgradient	Bedrock	1124644.48	2409028.45	424.64	424.4	427.60	269.2	-	-	open borehole	4/2/2020
PZ-66	Downgradient	Bedrock	1124664.10	2409115.98	418.68	418.4	421.24	62.9	373.38	358.38	15	5/8/2020
PZ-67D	Downgradient	Bedrock	1125764.81	2408259.40	424.86	424.7	428.48	304.8	-	-	open borehole	4/1/2020
PZ-67	Downgradient	Overburden	1125782.26	2408248.89	423.37	423.2	425.94	42.7	393.47	383.47	10	4/25/2020
PZ-68	Downgradient	Overburden	1125116.59	2407181.92	392.34	392.1	395.55	23.4	382.14	372.14	10	4/15/2020
LPZ-01	Upgradient	Overburden/Bedrock	1117001.58	2398513.19	550.47	550.0	553.29	69.1	495.97	485.97	10	11/10/2015
LPZ-02	Upgradient	Overburden	1119972.34	2398004.93	511.42	511.1	514.52	23.4	501.07	491.07	10	11/20/2015
LPZ-03	Upgradient	Overburden	1117883.86	2398657.00	512.55	512.2	515.45	38.3	487.15	477.15	10	11/18/2015
LPZ-04	Upgradient	Overburden	1115962.59	2397083.47	458.31	458.1	461.24	43.1	440.11	430.11	10	11/19/2015
LPZ-05	Upgradient	Overburden	1115328.95	2399698.53	521.81	521.5	524.51	106.4	479.41	469.41	10	11/5/2015

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
GYPSUM CELL 1												
GWC-1	Downgradient	Overburden	1120077.85	2411555.32	371.77	371.6	374.95	39.4	346.91	336.91	10	10/28/2009
GWC-2	Downgradient	Overburden	1119816.59	2411493.53	377.02	376.9	380.22	57.8	332.12	322.12	10	10/8/2009
GWC-3	Downgradient	Overburden	1119615.01	2411201.98	409.97	409.6	412.66	49.5	373.20	363.20	10	10/29/2009
GWC-4	Downgradient	Overburden	1119255.96	2411041.82	408.50	408.4	411.75	42.8	378.70	368.70	10	11/21/2009
GWC-5	Downgradient	Overburden	1118897.72	2411025.88	393.37	393.3	396.69	38.2	372.84	362.84	10	10/22/2009
GWC-6	Downgradient	Bedrock	1118575.69	2410872.56	412.48	412.4	415.80	47.9	377.52	367.52	10	10/21/2009
GWC-7	Downgradient	Overburden	1118243.67	2410645.91	414.51	414.4	418.27	58.4	369.84	359.84	10	10/20/2009
GWC-8A	Downgradient	Overburden	1117917.32	2410375.16	398.65	398.6	401.62	48.0	364.30	354.30	10	3/29/2017
GWC-9	Downgradient	Overburden	1117955.40	2410167.75	383.21	382.8	386.18	19.9	376.02	366.02	10	11/4/2009
GWC-10	Downgradient	Overburden	1118306.77	2410018.28	389.49	388.9	392.87	39.5	367.50	357.50	10	11/3/2009
GWC-11	Downgradient	Overburden	1118648.98	2409778.84	399.21	398.8	402.33	33.5	377.81	367.81	10	11/3/2009
GWC-12	Downgradient	Overburden	1118977.87	2409554.57	409.66	409.2	412.89	37.2	384.94	374.94	10	11/3/2009
GWC-13	Downgradient	Overburden	1119338.68	2409390.95	416.71	416.5	419.77	42.8	386.52	376.52	10	11/2/2009
GWC-14	Downgradient	Overburden	1119655.05	2409111.75	400.41	400.2	403.60	28.4	386.09	376.09	10	11/4/2009
GWA-15	Upgradient	Overburden	1120009.40	2409282.43	412.00	411.7	415.01	28.3	395.51	385.51	10	11/4/2009
GWA-16	Upgradient	Overburden	1120248.68	2409579.75	441.01	440.9	444.24	58.3	396.71	386.71	10	10/13/2009
GWA-17	Upgradient	Overburden	1120210.57	2409946.73	442.92	442.8	445.84	46.3	409.27	399.27	10	9/28/2009
GWC-18	Downgradient	Overburden	1119998.73	2410261.85	436.40	436.3	439.66	62.9	389.49	379.49	10	9/29/2009
GWC-19	Downgradient	Overburden	1119645.70	2410713.20	426.34	426.3	430.20	73.9	382.45	372.45	10	10/2/2009
GWC-20	Downgradient	Overburden	1119950.51	2411195.38	423.03	423.0	426.30	72.9	363.85	353.85	10	10/6/2009

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
PAC ASH CELL												
GWA-21	Upgradient	Overburden	1120675.73	2409462.70	419.81	419.7	422.58	19.9	412.04	402.04	10	6/29/2010
GWA-22	Upgradient	Overburden/Bedrock	1120962.12	2409473.22	442.01	442.0	444.50	42.5	412.29	402.29	10	6/30/2010
GWC-29	Downgradient	Overburden	1119875.58	2408717.95	396.98	396.9	399.64	27.1	382.78	372.78	10	6/28/2010
GWA-45	Upgradient	Overburden	1120669.03	2407889.56	448.33	448.3	451.08	35.8	425.99	415.99	10	6/23/2010
GWA-46	Upgradient	Overburden	1120783.23	2408235.69	458.37	458.3	461.13	46.3	424.38	414.38	10	6/23/2010
GWA-47	Upgradient	Overburden	1120862.63	2408585.01	463.03*	462.9	465.77	57.9	421.74	411.74	10	6/22/2010
GWA-48	Upgradient	Overburden	1120953.42	2408939.48	459.00	458.8	461.73	74.9	407.74	397.74	10	6/22/2010
GWA-49	Upgradient	Overburden	1121030.08	2409288.38	430.16	429.9	432.88	40.0	401.81	391.81	10	6/21/2010
GWC-50	Downgradient	Overburden	1119917.51	2408956.10	404.44	404.3	407.16	37.8	380.88	370.88	10	6/28/2010
GWC-51	Downgradient	Overburden	1119835.51	2408436.95	407.37	407.3	410.15	29.9	393.78	383.78	10	7/27/2010
GWC-52	Downgradient	Overburden	1119972.34	2408203.99	414.43	414.4	417.13	32.8	394.53	384.53	10	6/24/2010
GWC-53	Downgradient	Overburden	1120319.65	2407943.05	433.10	432.9	435.83	30.9	412.84	402.84	10	6/23/2010

TABLE 2
SUMMARY OF MONITORING WELL, ASSESSMENT WELL, AND PIEZOMETER CONSTRUCTION
Georgia Power Company - Plant Scherer Ash Pond 1
Juliette, Georgia

Well ID	Hydraulic Location	Screened Matrix	NAD 83 Northing ^[1]	NAD 83 Easting ^[1]	Ground Surface Elevation at Concrete Pad (feet NAVD88)	Ground Surface Elevation (feet NAVD88) ^[2]	Top of Casing Elevation (feet NAVD88) ^[2]	Well Depth (ft BTOC) ^[3]	Top of Screen Elevation (feet NAVD88) ^[2]	Bottom of Screen Elevation (feet NAVD88) ^[2]	Screen Length (feet)	Date of Installation
CELL 3												
GWC-30	Downgradient	Overburden/Bedrock	1119366.69	2408976.35	392.19	392.0	394.49	21.5	384.04	374.04	10	1/24/2020
GWC-31	Downgradient	Overburden	1118970.00	2409062.02	390.13	390.0	392.78	21.8	380.68	370.68	10	1/23/2020
GWC-32	Downgradient	Overburden	1118749.53	2409084.83	407.25	406.9	410.03	38.1	381.95	371.95	10	1/21/2020
GWC-33A	Downgradient	Overburden	1118458.68	2409359.58	391.32	390.9	393.96	27.1	376.87	366.87	10	1/25/2020
GWC-34	Downgradient	Overburden	1118248.26	2409680.41	386.48	386.2	389.29	22.1	377.23	367.23	10	1/13/2020
GWC-35	Downgradient	Overburden	1117860.46	2409906.21	385.35	385.1	387.90	22.8	375.10	365.10	10	1/12/2020
GWC-36	Downgradient	Overburden	1117561.29	2409681.44	422.52	422.0	425.12	48.5	386.62	376.62	10	1/10/2020
GWC-37	Downgradient	Overburden	1117239.70	2409636.56	427.38	427.2	429.80	44.6	395.23	385.23	10	1/8/2020
GWC-38	Downgradient	Overburden	1116786.45	2409533.11	416.23	416.0	418.68	41.7	386.98	376.98	10	1/7/2020
GWA-39	Upgradient	Bedrock	1116967.57	2408671.68	454.59	454.2	457.62	62.4	405.24	395.24	10	12/20/2019
GWA-40	Upgradient	Overburden	1117365.24	2408730.04	461.25	461.2	463.84	47.5	427.15	417.15	10	12/18/2020
GWA-41	Upgradient	Overburden	1118096.97	2408412.15	431.70	431.4	434.12	46.7	403.75	393.75	10	1/26/2020
GWA-42	Upgradient	Overburden	1118500.68	2408233.53	402.57	402.2	405.19	21.8	393.37	383.37	10	1/27/2020
GWA-43	Upgradient	Overburden	1118861.38	2408484.42	398.42	398.1	400.94	21.8	389.12	379.12	10	1/26/2020
GWA-44A	Upgradient	Overburden	1119296.99	2408569.76	396.83	396.5	399.62	23.9	386.58	376.58	10	1/27/2020
GWA-54	Upgradient	Bedrock	1117751.40	2408588.52	448.78	448.6	451.49	51.7	409.83	399.83	10	12/21/2020

Notes:

ft = feet; feet bgs = feet below ground surface; ft BTOC = feet below top of casing

(1) Coordinates in North American Datum (NAD) 1983, State Plane, Georgia-West, feet.

(2) Vertical elevations are in feet relative to the North American Vertical Datum (NAVD) 1988.

(3) Total well depth accounts for sump if data provided on well construction logs.

(4) Survey data provided by Jordan Engineering, Inc., July 2020.

(5) - = not applicable



TABLE 3
Proposed ACM Supplementary Data Collection Tasks for January through June 2023
 Georgia Power Company – Plant Scherer Ash Pond 1
 Juliette, Georgia

Data Collection Event	Applicable CMs^[1]	Applicability / Rationale	Field Component	Parameters of Interest (POI)
Groundwater Sampling	ISI P&T MNA SVBW	Evaluation of attenuation mechanisms and rates and aquifer capacity for attenuation to determine the viability of in-situ injections for remedy selection.	Collect groundwater samples from existing well network currently sampled under the assessment monitoring program as well as additional site piezometers within migration pathway.	In addition to routine App III/IV parameters; sulfide, iron, manganese, magnesium, sodium, potassium, bicarbonate alkalinity, dissolved organic carbon (DOC), and total hardness to be collected at select locations.
Transect Investigation	ISI P&T MNA SVBW	Evaluation of groundwater along groundwater flow paths to assess correlation between groundwater pH conditions and cobalt plume to evaluate the applicability of various CMs.	Drilling program to install boreholes to collect groundwater samples where previous transect borings were completed to delineate areas of low pH and potential sources of acidification	In addition to routine App III/IV parameters; sulfide, iron (ferrous, ferric), manganese, magnesium, sodium, potassium, bicarbonate alkalinity, dissolved organic carbon (DOC), and total hardness to be collected at select locations.
Aquifer solids sampling (Collect/Submit archived soil/rock cores) as needed	ISI P&T MNA SVBW	Evaluation of attenuation mechanisms and rates and aquifer capacity for attenuation and/or mineralogical composition to determine the viability of MNA and/or the treatability for ISI.	No field component. Soils samples collected in late 2022.	Pending results from sequential extraction procedure (SEP) for analysis of cobalt (Co) to characterize the aquifer solid matrix; x-ray diffraction (XRD) analysis for mineralogy; total Co, aluminum, iron, and manganese.

[1] Applicable Corrective Measures retained for further evaluation (CMs):

- a) Geochemical Approaches (ISI)
- b) Hydraulic Containment (P&T)
- c) Monitored Natural Attenuation (MNA)
- d) Subsurface Vertical Barrier Wall (SVBW).

Figures



LEGEND

- PROPERTY BOUNDARY
- AP-1 PERMIT BOUNDARY

Service Layer Credits: USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset,



CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA



PROJECT
2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
SITE LOCATION MAP

CONSULTANT



YYYY-MM-DD	2023-01-12
PREPARED	DJC
DESIGN	CT
CHECKED	RQ
REVIEWED/APPROVED	DLP

PROJECT No. CONTROL
 GL166235022.000 GL166235022.000K000.mxd

Rev.
 0

FIGURE
 1

1" IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM: ANS/A



- LEGEND**
- DETECTION MONITORING WELL LOCATION
 - ▲ ASSESSMENT MONITORING WELL LOCATION
 - PIEZOMETER LOCATION

NOTE
MONITORING WELL LOCATIONS PROVIDED BY JORDAN ENGINEERING.

- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY SOUTHERN COMPANY SERVICES.




CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA

TITLE
MONITORING WELL AND PIEZOMETER LOCATION MAP

	CONSULTANT	YYYY-MM-DD	2022-11-16
		PREPARED	DJC
		DESIGN	CT
		REVIEW	RQ
		APPROVED	DLP

Path: H:\166k-Projects\GL166235022-Georgia Power-Plant Scherer\GIS\REMEDY SELECTION REPORT\GL_166235022_000K001.mxd

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB



- LEGEND**
- SCHERER ASH POND-CCR DETECTION MONITORING WELL
 - ◆ CELL 1 LANDFILL DETECTION MONITORING WELL
 - PAC ASH LANDFILL DETECTION MONITORING WELL
 - ◆ CELL 3 DETECTION MONITORING WELL
 - PIEZOMETER
 - STREAM GAUGE LOCATION
 - ▲ ASSESSMENT MONITORING WELL LOCATION
 - INFERRED POTENTIOMETRIC SURFACE CONTOUR (FT-NAVD 88)
 - STREAM
 - PROPERTY BOUNDARY
 - PONDS
 - NM ELEVATION NOT MEASURED

- NOTES**
1. GROUNDWATER ELEVATION MEASUREMENTS OBTAINED AUGUST 16, 2022 BY GOLDR ASSOCIATES.
 2. GROUNDWATER ELEVATIONS DISPLAYED IN FEET-NORTH AMERICAN VERTICAL DATUM (FT-NAVD 88).
 3. DEEP AND INTERMEDIATE WELL GROUNDWATER ELEVATIONS WERE NOT USED TO GENERATE GROUNDWATER CONTOURS.
 4. PZ-50D IS NOT SHOWN; ITS LOCATION IS BEYOND THE MAPPED LIMITS.
 5. GWC-12*, PZ-46D* AND PZ-67D* WERE NOT USED FOR CONTOURING.

- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY JORDAN ENGINEERING.



CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA



PROJECT
 2022 SEMI-ANNUAL REMEDY SELECTION REPORT


TITLE
POTENTIOMETRIC SURFACE MAP
 AUGUST 16, 2022

CONSULTANT	DATE	REVISION
	YYYY-MM-DD	2022-11-16
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP



Path: H:\166235022\166235022-Georgia Power-Plant Scherer\GIS\REMEDY SELECTION REPORT\GL_166235022_000K002.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB



LEGEND

- GROUNDWATER ELEVATION CONTOUR (FT. NAVD) - (AUGUST 2022)
- ISOCONCENTRATION CONTOUR
- ▲ ASSESSMENT MONITORING WELL
- PIEZOMETER
- SCHERER ASH POND-CCR DETECTION MONITORING WELL
- PAC ASH CELL DETECTION MONITORING WELL
- CELL 1 LANDFILL DETECTION MONITORING WELL
- CELL 3 LANDFILL DETECTION MONITORING WELL
- DIORITE SILL (OZpd)
- DIABASE (Td)

ANALYTE	UNITS	SCREENING / TARGET LEVELS			
		RSL	MCL	SITE-SPECIFIC BACKGROUND (UPPER TOLERANCE LIMIT)	GWPS
COBALT, TOTAL	mg/L	0.006	N/R	0.02	0.02

RSL = REGIONAL SCREENING LEVEL
MCL = MAXIMUM CONTAMINANT LEVEL
GWPS = GROUNDWATER PROTECTION STANDARD
N/R = NOT REPORTED

- NOTES**
- ALL LOCATIONS AND BOUNDARIES ARE APPROXIMATE.
 - THE GREEN ISOCONTOUR IS THE APPROXIMATE EXTENT OF COBALT ABOVE 0.02 MG/L IN GROUNDWATER AND IS BASED ON THE AVAILABLE DATA FROM SURROUNDING WELLS AND PIEZOMETERS SHOWN ON THE FIGURE.
 - CONCENTRATIONS REPORTED IN MILLIGRAMS PER LITER (MG/L), SAMPLED IN AUGUST 2022. J FLAGS INDICATE ESTIMATED VALUE.
 - THE GEOLOGY PRESENTED ON THIS FIGURE IS TAKEN FROM THE GEOLOGIC MAP PREPARED BY PETROLOGIC SOLUTIONS INC. IN 2020.

- REFERENCE**
- COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 - MONITORING WELL/PIEZOMETER LOCATIONS SURVEYED BY JORDAN ENGINEERING, INC.



CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA

PROJECT
 2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
COBALT ISOCONCENTRATION MAP
 AUGUST 2022

CONSULTANT	DATE	REVISION
	YYYY-MM-DD	2022-11-16
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB

Service Layer Credits: Source: Esri, Maxar, Earthstar, Geographics, and the GIS User Community



LEGEND

- GROUNDWATER ELEVATION CONTOUR (FT. NAVD) - (AUGUST 2022)
- ISOCONCENTRATION CONTOUR
- ASSESSMENT MONITORING WELL
- PIEZOMETER
- SCHERER ASH POND-CCR DETECTION MONITORING WELL
- DIABASE (Td)

ANALYTE	UNITS	SCREENING / TARGET LEVELS			
		RSL	MCL	SITE-SPECIFIC BACKGROUND (UPPER TOLERANCE LIMIT)	GWPS
COBALT, TOTAL	mg/L	0.006	N/R	0.02	0.02

RSL = REGIONAL SCREENING LEVEL
MCL = MAXIMUM CONTAMINANT LEVEL
GWPS = GROUNDWATER PROTECTION STANDARD
N/R = NOT REPORTED

- NOTES**
- ALL LOCATIONS AND BOUNDARIES ARE APPROXIMATE.
 - THE GREEN ISOCONTOUR IS THE APPROXIMATE EXTENT OF COBALT ABOVE 0.02 MG/L IN GROUNDWATER AND IS BASED ON THE AVAILABLE DATA FROM SURROUNDING WELLS AND PIEZOMETERS SHOWN ON THE FIGURE.
 - CONCENTRATIONS REPORTED IN MILLIGRAMS PER LITER (MG/L), SAMPLED IN AUGUST 2022.

- REFERENCE**
- COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 - MONITORING WELL/PIEZOMETER LOCATIONS SURVEYED BY JORDAN ENGINEERING, INC.



CLIENT
GEORGIA POWER COMPANY
PLANT SCHERER
JULIETTE, GEORGIA

PROJECT
2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
INSET A COBALT ISOCONCENTRATION MAP
AUGUST 2022

CONSULTANT	YYYY-MM-DD	2022-03-02
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP

Path: H:\166235022\Georgia Power\Plant Scherer\GIS\REMEDY SELECTION REPORT\GL_166235022_000K004.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB



LEGEND

- GROUNDWATER ELEVATION CONTOUR (FT. NAVD) - (AUGUST 2022)
- ISOCONCENTRATION CONTOUR
- ▲ ASSESSMENT MONITORING WELL
- PIEZOMETER
- SCHERER ASH POND-CCR DETECTION MONITORING WELL

ANALYTE	UNITS	SCREENING / TARGET LEVELS			
		RSL	MCL	SITE-SPECIFIC BACKGROUND (UPPER TOLERANCE LIMIT)	GWPS
COBALT, TOTAL	mg/L	0.006	N/R	0.02	0.02

RSL = REGIONAL SCREENING LEVEL
MCL = MAXIMUM CONTAMINANT LEVEL
GWPS = GROUNDWATER PROTECTION STANDARD
N/R = NOT REPORTED

- NOTES**
- ALL LOCATIONS AND BOUNDARIES ARE APPROXIMATE.
 - THE GREEN ISOCONTOUR IS THE APPROXIMATE EXTENT OF COBALT ABOVE 0.02 MG/L IN GROUNDWATER AND IS BASED ON THE AVAILABLE DATA FROM SURROUNDING WELLS AND PIEZOMETERS SHOWN ON THE FIGURE.
 - CONCENTRATIONS REPORTED IN MILLIGRAMS PER LITER (MG/L), SAMPLED IN AUGUST 2022.

- REFERENCE**
- COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 - MONITORING WELL/PIEZOMETER LOCATIONS SURVEYED BY JORDAN ENGINEERING, INC.



CLIENT
GEORGIA POWER COMPANY
PLANT SCHERER
JULIETTE, GEORGIA

PROJECT
2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
INSET B COBALT ISOCONCENTRATION MAP
AUGUST 2022

CONSULTANT	DATE	REVISION
	YYYY-MM-DD	2022-11-17
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP

Path: H:\166k-Projects\GL166235022-Georgia Power-Plant Scherer\GIS\REMEDY SELECTION REPORT\GL_166235022_000K005.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB



LEGEND


- GROUNDWATER ELEVATION CONTOUR (FT. NAVD) - (AUGUST 2022)
- ISOCONCENTRATION CONTOUR
- ▲ ASSESSMENT MONITORING WELL
- SCHERER ASH POND-CCR DETECTION MONITORING WELL
- █ DIORITE DIKE (OZpd)

ANALYTE	UNITS	SCREENING / TARGET LEVELS			
		RSL	MCL	SITE-SPECIFIC BACKGROUND (UPPER TOLERANCE LIMIT)	GWPS
COBALT, TOTAL	mg/L	0.006	N/R	0.02	0.02

RSL = REGIONAL SCREENING LEVEL
MCL = MAXIMUM CONTAMINANT LEVEL
GWPS = GROUNDWATER PROTECTION STANDARD
N/R = NOT REPORTED

- NOTES**
- ALL LOCATIONS AND BOUNDARIES ARE APPROXIMATE.
 - THE GREEN ISOCONTOUR IS THE APPROXIMATE EXTENT OF COBALT ABOVE 0.02 MG/L IN GROUNDWATER AND IS BASED ON THE AVAILABLE DATA FROM SURROUNDING WELLS AND PIEZOMETERS SHOWN ON THE FIGURE.
 - CONCENTRATIONS REPORTED IN MILLIGRAMS PER LITER (MG/L), SAMPLED IN AUGUST 2022.

- REFERENCE**
- COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 - MONITORING WELL/PIEZOMETER LOCATIONS SURVEYED BY JORDAN ENGINEERING, INC.



CLIENT
GEORGIA POWER COMPANY
PLANT SCHERER
JULIETTE, GEORGIA

PROJECT
2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
INSET B COBALT ISOCONCENTRATION MAP
AUGUST 2022

CONSULTANT	DATE	REVISION
	YYYY-MM-DD	2022-11-17
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP

Path: H:\Bk\Projects\GL166235022\Georgia Power-Plant Scherer\GIS\REMEDY SELECTION REPORT\GL_166235022_000K006.mxd

Service Layer Credits: Source: Esri, Maxar, Earthstar, Geographics, and the GIS User Community


IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSB



- LEGEND**
- SCHERER ASH POND-CCR DETECTION MONITORING WELL
 - ⊕ CELL 1 LANDFILL DETECTION MONITORING WELL
 - ⊕ PAC ASH LANDFILL DETECTION MONITORING WELL
 - ⊕ CELL 3 DETECTION MONITORING WELL
 - ⊕ PIEZOMETER
 - ⊕ STREAM GAUGE LOCATION
 - ▲ ASSESSMENT MONITORING WELL LOCATION
 - SOIL BORING
 - INFERRED POTENTIOMETRIC SURFACE CONTOUR (FT-NAVD 88)
 - STREAM
 - PROPERTY BOUNDARY
 - PONDS
 - NM ELEVATION NOT MEASURED

- NOTES**
1. GROUNDWATER ELEVATION MEASUREMENTS OBTAINED AUGUST 16, 2022 BY GOLDER ASSOCIATES.
 2. GROUNDWATER ELEVATIONS DISPLAYED IN FEET-NORTH AMERICAN VERTICAL DATUM (FT-NAVD 88).
 3. DEEP AND INTERMEDIATE WELL GROUNDWATER ELEVATIONS WERE NOT USED TO GENERATE GROUNDWATER CONTOURS.

- REFERENCE**
1. COORDINATE SYSTEM: NAD 1983 STATE PLAN GEORGIA WEST (U.S. FEET).
 2. MONITORING WELL/PIEZOMETER LOCATIONS PROVIDED BY JORDAN ENGINEERING.



CLIENT
GEORGIA POWER COMPANY
 PLANT SCHERER
 JULIETTE, GEORGIA



PROJECT
2022 SEMI-ANNUAL REMEDY SELECTION REPORT

TITLE
TRANSECT SOIL BORING LOCATIONS

CONSULTANT	YYYY-MM-DD	2023-01-03
	PREPARED	DJC
	DESIGN	CT
	REVIEW	RQ
	APPROVED	DLP

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET HAS BEEN MODIFIED FROM ANSIB

Appendix A

EDR GeoCheck® Report

Plant Scherer

10988 GA 87

Juliette, GA 31046

Inquiry Number: 7195252.2s

December 05, 2022

The EDR GeoCheck® Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-6
Physical Setting Source Map Findings	A-7
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2022 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

GEOCHECK® - PHYSICAL SETTING SOURCE REPORT

TARGET PROPERTY ADDRESS

PLANT SCHERER
10988 GA 87
JULIETTE, GA 31046

TARGET PROPERTY COORDINATES

Latitude (North):	33.074533 - 33° 4' 28.32"
Longitude (West):	83.814697 - 83° 48' 52.91"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	237235.2
UTM Y (Meters):	3662882.2
Elevation:	501 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	33083-A7 EAST JULIETTE, GA
Version Date:	1973

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
13207C0150D	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EAST JULIETTE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Pennsylvanian
Series: Felsic paragneiss and schist
Code: mm1 (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Metamorphic Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: WATER
Soil Surface Texture: Not reported
Hydrologic Group: Not reported
Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches
Depth to Bedrock Max: > 0 inches

No Layer Information available.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	2.000
Federal FRDS PWS	2.000
State Database	2.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS40000261838	1/2 - 1 Mile SE
A2	USGS40000261847	1/2 - 1 Mile ESE
B5	USGS40000261841	1/2 - 1 Mile ESE
C7	USGS40000261809	1 - 2 Miles SSE
8	USGS40000261804	1 - 2 Miles SSE
D9	USGS40000261824	1 - 2 Miles SE
E11	USGS40000261799	1 - 2 Miles SSE
D13	USGS40000261819	1 - 2 Miles SE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A3	0000008220	1/2 - 1 Mile ESE
B4	0000008219	1/2 - 1 Mile ESE
C6	0000008216	1 - 2 Miles SSE
E10	0000008213	1 - 2 Miles SSE
D12	0000008218	1 - 2 Miles SE

PHYSICAL SETTING SOURCE MAP - 7195252.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- Wildlife Areas

SITE NAME: Plant Scherer
 ADDRESS: 10988 GA 87
 Juliette GA 31046
 LAT/LONG: 33.074533 / 83.814697

CLIENT: Golder Associates, Inc.
 CONTACT: Chris Tidwell
 INQUIRY #: 7195252.2s
 DATE: December 05, 2022 1:12 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
SE
1/2 - 1 Mile
Lower

FED USGS USGS40000261838

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y008	Type:	Well
Description:	Not Reported	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

A2
ESE
1/2 - 1 Mile
Lower

FED USGS USGS40000261847

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y004	Type:	Well
Description:	GA POWER PLNT SCHERER,CW3	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	19770418
Well Depth:	165	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1977-04-20
Feet below surface:	12.0	Feet to sea level:	Not Reported
Note:	Not Reported		

A3
ESE
1/2 - 1 Mile
Lower

GA WELLS 000008220

County code:	207	Well num:	15Y004
Remarks:	GA POWER PLNT SCHERER,CW3	Lat:	330406
Lon:	0834813	Latlon datum:	NAD27
Alt:	465.0	Alt datum:	NGVD29
Depth:	165.0	Depth to casing:	52.0
Casing dia:	6.0	Casing matl:	S
Depth to top:	52.0	Depth to bot:	165.0
Opening type:	X	Constr date:	19770418
Discharge:	75.0	Prim use:	J
Aquifer code:	Not Reported	Edr id:	000008220

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B4
ESE
1/2 - 1 Mile
Lower

GA WELLS 000008219

County code:	207	Well num:	15Y002
Remarks:	GA POWER-PLNT SCHERER,CW1	Lat:	330404
Lon:	0834804	Latlon datum:	NAD27
Alt:	470.0	Alt datum:	NGVD29
Depth:	308.0	Depth to casing:	25.0
Casing dia:	6.0	Casing matl:	S
Depth to top:	25.0	Depth to bot:	308.0
Opening type:	X	Constr date:	197405
Discharge:	69.0	Prim use:	J
Aquifer code:	Not Reported	Edr id:	000008219

B5
ESE
1/2 - 1 Mile
Lower

FED USGS USGS40000261841

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y002	Type:	Well
Description:	GA POWER-PLNT SCHERER,CW1	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	197405
Well Depth:	308	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

C6
SSE
1 - 2 Miles
Lower

GA WELLS 000008216

County code:	207	Well num:	15Y005
Remarks:	GA POWER PLNT SCHERER,PW2	Lat:	330324
Lon:	0834812	Latlon datum:	NAD27
Alt:	420.0	Alt datum:	NGVD29
Depth:	405.0	Depth to casing:	109.0
Casing dia:	6.0	Casing matl:	S
Depth to top:	109.0	Depth to bot:	405.0
Opening type:	X	Constr date:	19780803
Discharge:	136.0	Prim use:	J
Aquifer code:	Not Reported	Edr id:	000008216

C7
SSE
1 - 2 Miles
Lower

FED USGS USGS40000261809

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y005	Type:	Well
Description:	GA POWER PLNT SCHERER,PW2	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	19780803
Well Depth:	405	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1978-08-03
Feet below surface:	35.0	Feet to sea level:	Not Reported
Note:	Not Reported		

8
SSE
1 - 2 Miles
Lower

FED USGS USGS40000261804

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y007	Type:	Well
Description:	Not Reported	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

D9
SE
1 - 2 Miles
Lower

FED USGS USGS40000261824

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y009	Type:	Well
Description:	Not Reported	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

E10
SSE
1 - 2 Miles
Lower

GA WELLS 000008213

County code:	207	Well num:	15Y003
Remarks:	GA POWER-PLNT SCHERER,CW2	Lat:	330314
Lon:	0834813	Latlon datum:	NAD27
Alt:	410.0	Alt datum:	NGVD29
Depth:	350.0	Depth to casing:	135.0
Casing dia:	6.0	Casing matl:	S
Depth to top:	135.0	Depth to bot:	350.0
Opening type:	X	Constr date:	197411
Discharge:	33.0	Prim use:	J
Aquifer code:	Not Reported	Edr id:	000008213

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E11
SSE
1 - 2 Miles
Lower

FED USGS USGS40000261799

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y003	Type:	Well
Description:	GA POWER-PLNT SCHERER,CW2	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	197411
Well Depth:	350	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1974-11
Feet below surface:	20.0	Feet to sea level:	Not Reported
Note:	Not Reported		

D12
SE
1 - 2 Miles
Lower

GA WELLS 000008218

County code:	207	Well num:	15Y006
Remarks:	GA POWER PLNT SCHERER,PW5	Lat:	330340
Lon:	0834734	Latlon datum:	NAD27
Alt:	485.0	Alt datum:	NGVD29
Depth:	290.0	Depth to casing:	51.0
Casing dia:	6.0	Casing matl:	S
Depth to top:	51.0	Depth to bot:	290.0
Opening type:	X	Constr date:	19770425
Discharge:	12.0	Prim use:	J
Aquifer code:	Not Reported	Edr id:	000008218

D13
SE
1 - 2 Miles
Lower

FED USGS USGS40000261819

Organization ID:	USGS-GA	Organization Name:	USGS Georgia Water Science Center
Monitor Location:	15Y006	Type:	Well
Description:	GA POWER PLNT SCHERER,PW5	HUC:	03070103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	19770425
Well Depth:	290	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1977-05-03
Feet below surface:	24.0	Feet to sea level:	Not Reported
Note:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for MONROE County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level \geq 2 pCi/L and \leq 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for MONROE COUNTY, GA

Number of sites tested: 1

<u>Area</u>	<u>Average Activity</u>	<u>% <4 pCi/L</u>	<u>% 4-20 pCi/L</u>	<u>% >20 pCi/L</u>
Living Area - 1st Floor	0.500 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	1.200 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Georgia GIS Clearinghouse

Telephone: 706-542-1581

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Georgia Public Supply Wells

Source: Georgia Department of Community Affairs

Telephone: 404-894-0127

USGS Georgia Water Wells

Source: USGS, Georgia District Office

Telephone: 770-903-9100

OTHER STATE DATABASE INFORMATION

DNR Managed Lands

Source: Department of Natural Resources

Telephone: 706-557-3032

This dataset provides 1:24,000-scale data depicting boundaries of land parcels making up the public lands managed by the Georgia Department of Natural Resources (GDNR). It includes polygon representations of State Parks, State Historic Parks, State Conservation Parks, State Historic Sites, Wildlife Management Areas, Public Fishing Areas, Fish Hatcheries, Natural Areas and other specially-designated areas. The data were collected and located by the Georgia Department of Natural Resources. Boundaries were digitized from survey plats or other information.

RADON

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix B

Transect Soil Boring Investigation Boring Logs

RECORD OF BOREHOLE SB-15A

SHEET 1 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 48.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0		0.00 - 1.00 brown SAND, organics present, dry hand auger 10ft	SW		478.70 1.00					
		1.00 - 5.00 red SAND, top fill material, medium to fine grained, dry	SW							
5	475	5.00 - 10.00 burnt orange with top fill SAND, medium to fine grained, dry	SW		474.70 5.00					
10	470	10.00 - 12.00 burnt orange silty SAND, fine grained, dry	SM		469.70 10.00					
		12.00 - 15.70 burnt orange silty CLAY, lean, low plasticity, dry	CL		467.70 12.00					
15	465	15.70 - 17.40 red burnt orange SAND, fine to medium grained, black spotting, dry	SW		464.00 15.70					
		17.40 - 18.60 red orange clayey SAND, fine grained with black spotting, some white streaks	SC		462.30 17.40					
		wet at 17.4	CL		461.10 460.60					
20	460	18.60 - 19.10 red orange silty CLAY, lean, low plasticity, black spotting, wet			19.10					
		19.10 - 27.80 red/orange silty SAND, fine to medium grained, some lean clay, low plasticity, black spots, wet	SM							
25	455									
		27.80 - 32.00 reddish brown SAND and SILT, fine to medium grained, black spotting, some white streaking, wet	ML		451.90 27.80					
30	450									
		32.00 - 35.00 reddish brown SAND and SILT, fine to medium grained, black spotting, pink streaking, some white streaking, wet	ML		447.70 32.00					SGWC-15A (31.3-33.3)
35	445	35.00 - 36.00 No recovery			444.70 35.00 443.70					
		36.00 - 40.10 orange red silty SAND, black spotting, pink streaking, some white streaking, wet	SM		36.00					
40	440				439.60					

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPFJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

Log continued on next page

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-15A

SHEET 2 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 48.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
40		40.10 - 47.00 yellowish brown SILT and SAND, fine to coarse grained, orange white black streaks, wet	SM	[Graphic Log Pattern]	40.10					
45	435									SGWC-15A (42-44)
		47.00 - 48.00 gray SILT and SAND, fine to medium grained	ML	[Graphic Log Pattern]	432.70 47.00 431.70					SGWC-15A (46-48)
		Boring completed at 48.00 ft								
50	430									
55	425									
60	420									
65	415									
70	410									
75	405									
80	400									

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-15B

SHEET 1 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 50.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0		0.00 - 1.00 brown SAND, pebble sized fill material and organics present, dry hand auger 10ft	SP		478.70					
		1.00 - 7.00 red SAND, fine to medium grained, top fill, some pebbles of fill material, dry	SW		472.70					
5	475									
		7.00 - 11.00 red SAND, fine to medium grained, top fill, pebble size quartz present, dry	SW		468.70					
10	470									
		11.00 - 13.00 dark red silty SAND, fine grained, biotite mica present, dry	SM		466.70					
15	465									
		13.00 - 15.00 dark red sandy CLAY, fine to medium grained, lean low plasticity clay, some burnt orange streaks, dry	CL		464.70					
		15.00 - 17.00 burnt orange SAND, black streaking, trace biotite mica, dry	SW		462.70					
20	460									
		17.00 - 23.60 burnt orange SAND, fine grained, black and white streaking, pink spotting, some biotite mica present, dry	SP		456.10					
25	455									
		23.60 - 25.00 reddish brown SAND and SILT, fine to coarse grained, significant biotite mica content, black white and pink streaking, wet at 23.6ft	ML		454.70					
		25.00 - 28.00 reddish brown SAND and SILT, fine to coarse grained, significant biotite mica content, black mottling, less white streaking, wet	ML		451.70					
30	450									SGWC-15B (28-30)
		28.00 - 31.00 reddish brown SAND and SILT, fine to coarse grained, prevalent white and pink streaking, black mottling, wet	ML		448.70					
		31.00 - 35.00 reddish brown SAND and SILT, fine to coarse grained, less white streaking, prominent mottled orange and black, wet	ML		444.70					SGWC-15B (31.5) - Crystalline Structure retained for XRD sample; possibly Pyrite
35	445									
		35.00 - 48.00 reddish brown SILT and SAND, fine to coarse grained, increased biotite mica content, white, black, red, and pink streaking, wet	SM		35.00					
40	440									

Log continued on next page

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-15B

SHEET 2 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 50.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
40		35.00 - 48.00 reddish brown SILT and SAND, fine to coarse grained, increased biotite mica content, white, black, red, and pink streaking, wet <i>(Continued)</i>	SM	[Graphic Log: Dotted pattern]	431.70					SGWC-15B (42-44)
45	435				48.00					
50	430	48.00 - 50.00 yellowish brown SAND and SILT, fine to coarse grained, increased biotite mica content, white, black, red, and pink streaking, wet probe refusal at 50ft	ML	[Graphic Log: Vertical lines]	429.70					SGWC-15B (48-50)
		Boring completed at 50.00 ft								
55	425									
60	420									
65	415									
70	410									
75	405									
80	400									

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDR NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-15C

SHEET 1 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 45.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0		0.00 - 5.00 red silty SAND with some clay, weathered, compressed, noncohesive fill material, dry hand auger refusal at 3.2 ft	SM		474.70					
5	475	5.00 - 10.00 red sandy SILT, some clay, highly weathered, compressed non-cohesive, dry	ML		5.00					
10	470	10.00 - 15.00 orange red SAND and SILT with trace clay, fine to coarse grained, highly weathered non-cohesive with some saprolite, dry	ML		469.70					
15	465	15.00 - 20.00 red SAND and SILT, fine to coarse grained, highly weathered with organic matter, loose, dry	ML		464.70					
20	460	20.00 - 28.90 pink and red SAND and SILT, fine to coarse grained, light gray streaking, highly weathered, trace biotite/quartz, dry	ML		459.70					
25	455		ML							
30	450	28.90 - 30.00 weak red SAND and SILT, fine to coarse grained, trace organics, trace biotite, black mottling, trace pink, loose to very loose wet at 28.9	ML		450.80					SGWC-15C (28-30)
		30.00 - 35.00 SILT and SAND, fine to coarse grained, trace organics, trace biotite, black mottling, trace pink, loose to very loose, wet, Increased organic matter, white sand streaks, wet	SC		449.70					
35	445	35.00 - 40.00 red SILT and SAND, fine to coarse grained, trace gravel, streaks of white sand, black nodules of organic material, very loose, trace biotite, wet	SC		444.70					
40	440	Log continued on next page			439.70					

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-15C

SHEET 2 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 45.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/21/22
 DATE COMPLETED: 10/21/22

NORTHING: 1,120,191.20
 EASTING: 2,407,093.92
 GS ELEVATION: 479.70 ft
 TOC ELEVATION: 482.75 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV.	PID (ppm)	NUMBER	TYPE	REC / ATT	
					DEPTH (ft)					
40		40.00 - 45.00 yellowish brown SILT and SAND, fine to coarse grained, trace fine gravel of weathered schist, compact, wet	SM	[Graphic Log: Dotted pattern]	40.00					
45	435	Boring completed at 45.00 ft			434.70					SGWC-15C (43-45)
50	430									
55	425									
60	420									
65	415									
70	410									
75	405									
80	400									

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDR NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-18B

SHEET 1 of 1

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 39.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,947.75
 EASTING: 2,406,931.32
 GS ELEVATION: 510.30 ft
 TOC ELEVATION: 513.29 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0	510	0.00 - 1.00 brown SAND, pebbles of fill material, organics present, medium grained, dry hand auger to 10 ft	SP		509.30 1.00					
		1.00 - 5.00 red SAND, fine grained top fill material, dry	SP							
5	505	5.00 - 10.00 red clayey SAND, top fill material, burnt orange at 8ft, dry	SC		505.30 5.00					
10	500	10.00 - 11.50 no recovery			500.30 10.00					
		11.50 - 14.00 orange SAND, fine to medium grained, subrounded, some pebbles of biotite gneiss, dry	SW		498.80 11.50					
		14.00 - 15.00 tan SAND, medium to coarse grained, subangular, dry	SW		496.30 14.00					
15	495	15.00 - 16.00 no recovery			495.30 15.00					
		16.00 - 18.00 red SAND, very fine to medium grained, black streaking, dry	SW		494.30 16.00					
		18.00 - 20.00 burnt orange silty SAND, very fine grained with black and white streaks, dry	SM		492.30 18.00					
20	490	20.00 - 21.50 no recovery			490.30 20.00					
		21.50 - 23.00 orange silty SAND, fine to coarse grained, subangular, white and black streaks, dry	SM		488.80 21.50					
		23.00 - 30.00 pale brown silty SAND, fine to coarse grained, subangular, black streaks lighter in color with depth (25-30ft), dry	SM		487.30 23.00					
25	485									
30	480	30.00 - 39.00 brown silty SAND, fine to coarse grained, subrounded, orange, red, white, and black streaking, dry probe refusal at 39ft	SM		480.30 30.00					SGWC-18B (28-30)
35	475									SGWC-18B (37-39)
40		Boring completed at 39.00 ft			471.30					

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-18C

SHEET 1 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 57.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,947.75
 EASTING: 2,406,931.32
 GS ELEVATION: 510.30 ft
 TOC ELEVATION: 513.29 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0	510	0.00 - 1.00 brown SAND, organics present, some pebbles of fill material, dry hand auger refusal at 2ft	SP	[Dotted pattern]	509.30					
		1.00 - 1.50 red SAND, fine to medium grained fill material, dry	SP	[Dotted pattern]	508.80					
		1.50 - 9.00 red sandy CLAY, fine grained, low plasticity, dry	SC	[Diagonal hatching]	1.50					
5	505									
		9.00 - 14.10 rusty red silty SAND, fine to medium grained, dry	SM	[Dotted pattern]	501.30					
10	500				9.00					
		14.10 - 16.20 red SAND, fine to medium grained, subangular, white streaking, dry	SW	[Dotted pattern]	496.20					
15	495				14.10					
		16.20 - 19.00 red SAND, fine to coarse grained, subangular, black and white streaking, dry color gets darker with depth	SW	[Dotted pattern]	494.10					
		19.00 - 22.00 rusty red SAND, fine to coarse grained, subangular, black mottling, dry	SW	[Dotted pattern]	491.30					
20	490				19.00					
		22.00 - 28.00 tan and orange SAND, fine to coarse grained, subangular, white and black streaking, pink mottling, dry	SW	[Dotted pattern]	488.30					
25	485				22.00					
		28.00 - 33.00 pink and gray SAND and SILT, fine to medium grained, subangular, white, black, and tan streaking moist at 30ft	ML	[Vertical lines]	482.30					
30	480				28.00					
		33.00 - 39.00 reddish brown SAND and SILT, fine to medium grained, large black spots, white tan streaks wet at 37ft	ML	[Vertical lines]	477.30					SGWC-18C (32-34)
35	475				33.00					
		Log continued on next page	ML	[Vertical lines]	471.30					
40					39.00					

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-18C

SHEET 2 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 57.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,947.75
 EASTING: 2,406,931.32
 GS ELEVATION: 510.30 ft
 TOC ELEVATION: 513.29 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
40	470	39.00 - 50.00 yellowish brown SAND and SILT, fine to coarse grained, white, gray, tan, and pink streaks, wet (<i>Continued</i>)	ML		460.30					SGWC-18C (43-45)
45	465				50.00					
50	460	50.00 - 51.50 no recovery			458.80					
		51.50 - 53.50 orange white SAND and SILT, fine to medium grained, brown and tan streaking, black mottling, micaceous, wet	ML		51.50					
55	455	53.50 - 57.00 pale brown silty SAND, fine to medium grained, black and pink streaking, contains weathered fragments of biotite gneiss, micaceous, wet	SM	456.80 53.50					SGWC-18C (55-57)
		Boring completed at 57.00 ft				453.30				
60	450									
65	445									
70	440									
75	435									
80										

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06 GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-18D

SHEET 1 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 51.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,947.75
 EASTING: 2,406,931.32
 GS ELEVATION: 510.30 ft
 TOC ELEVATION: 513.29 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV.	PID (ppm)	NUMBER	TYPE	REC / ATT	
					DEPTH (ft)					
0	510	0.00 - 1.00 brown SAND, medium grained, angular, pebbles of fill material, organics present, dry hand auger 10ft 1.00 - 5.00 red SAND, fine to medium grained, subangular, fill material, dry	SW		509.30 1.00					
5	505	5.00 - 14.00 orange brown SAND, some clay/silt content, fine to medium grained, subrounded, dry	SW		505.30 5.00					
10	500		SW							
15	495	14.00 - 16.00 rusty orange silty SAND, fine grained, subrounded, dry	SM		496.30 14.00					
		16.00 - 19.50 rusty orange SAND, fine to medium grained, subrounded, black and gray mottling, dry	SW		494.30 16.00					
20	490	19.50 - 19.80 white and gray SAND, some pebbles. fine to coarse grained, subangular, dry 19.80 - 20.00 red silty SAND, fine grained, subrounded, dry 20.00 - 24.50 red orange SAND, fine to medium grained, subrounded, white and gray streaking, black mottling, dry	SW SM SW		490.80 20.00					
25	485	24.50 - 27.50 burnt orange SAND, fine to medium grained, subrounded, black mottling, dry	SW		485.80 24.50					
30	480	27.50 - 31.00 yellowish red SILT and SAND, fine to coarse grained, subrounded, black mottling, increased biotite mica content, dry lighter in color with depth	SM		482.80 27.50					SGWC-18D (28-30)
		31.00 - 34.00 orange silty SAND, fine to medium grained, subrounded, black mottling, white sandy lenses, dry	SM		479.30 31.00					
35	475	34.00 - 35.00 orange tan silty SAND, fine to medium grained, white streaking, black mottling, dry 35.00 - 38.70 brown orange silty SAND, fine to medium grained, subangular, white streaking, black mottling, dry	SM SM		476.30 34.00 475.30 35.00					
40		38.70 - 40.00 orange silty SAND, fine to medium grained, subrounded, tan and white	SM		471.60 38.70 470.30					

Log continued on next page

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-18D

SHEET 2 of 2

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 51.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,947.75
 EASTING: 2,406,931.32
 GS ELEVATION: 510.30 ft
 TOC ELEVATION: 513.29 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE			SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	
40	470	streaking, black mottling wet at 39ft			40.00				
		40.00 - 40.80 no recovery			40.80				
		40.80 - 43.00 orange silty SAND, fine to medium grained, brown and black mottling, wet	SM		467.30				SGWC-18D (42.5-44.5)
		43.00 - 46.00 grayish brown silty SAND, fine to medium grained, black, white, and gray streaking, wet	SM		43.00				
45	465				464.30				
		46.00 - 51.00 grayish brown silty SAND, fine to medium grained, subangular, gray and white streaking, black mottling, wet probe refusal at 51ft	SM		46.00				SGWC-18D (47.5-49.5)
50	460				459.30				
		Boring completed at 51.00 ft							
55	455								
60	450								
65	445								
70	440								
75	435								
80									

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-20B

SHEET 1 of 1

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 40.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,020.73
 EASTING: 2,405,307.67
 GS ELEVATION: 501.50 ft
 TOC ELEVATION: 504.60 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0		0.00 - 1.50 rusty brown silty SAND, fine grained, some biotite mica present, organics present, dry	SM		500.00					
		Hang auger to 10ft			1.50					
		1.50 - 3.50 rusty red silty SAND, fine grained, small pebbles present, some biotite mica present, organics present, dry	SM		498.00					
		3.50 - 4.00 dark red SAND and SILT, fine to coarse grained, increasing biotite mica content, some moisture	ML		497.50					
		4.00 - 5.00 red brown SAND and SILT, fine to coarse grained, increasing biotite mica content, subangular with orange clay	ML		496.50					
		4.00 - 5.00 red brown SAND and SILT, fine to coarse grained, increasing biotite mica content, subangular with orange clay	ML		5.00					
		5.00 - 6.00 red brown SAND and SILT, fine to coarse grained, increasing clay content, decreasing biotite mica content	ML		495.50					
		5.00 - 6.00 red brown SAND and SILT, fine to coarse grained, increasing clay content, decreasing biotite mica content	ML		495.00					
		6.00 - 6.50 rusty red SAND and SILT, fine to coarse grained, darker red with increasing depth	ML		6.50					
		6.50 - 10.00 red SAND and SILT, fine to coarse grained, increasing biotite mica after approximately 7.5 ft	ML		491.50					
		10.00 - 15.00 redish brown SAND and SILT, fine to medium grained, increasing moisture with depth	ML		10.00					
		15.00 - 18.00 red SAND and SILT, fine to coarse grained, black streaking wet at 16ft	ML		486.50					SGWC-20B (14-15)
		18.00 - 19.00 grey orange brown SAND and SILT, fine to coarse grained, subrounded	ML		15.00					
		18.00 - 19.00 grey orange brown SAND and SILT, fine to coarse grained, subrounded	ML		483.50					
		19.00 - 20.75 orange brown SAND and SILT, fine to coarse grained, black streaking, increased biotite mica content	ML		18.00					
		19.00 - 20.75 orange brown SAND and SILT, fine to coarse grained, black streaking, increased biotite mica content	ML		482.50					
		20.75 - 23.50 red brown black SAND and SILT, fine to coarse grained	ML		480.75					
		20.75 - 23.50 red brown black SAND and SILT, fine to coarse grained	ML		20.75					
		23.50 - 25.00 brown SAND and SILT, fine to coarse grained dry at 23.5 ft	ML		478.00					SGWC-20B (23.5-24.5)
		23.50 - 25.00 brown SAND and SILT, fine to coarse grained dry at 23.5 ft	ML		23.50					
		25.00 - 25.50 no recovery			476.50					
		25.00 - 25.50 no recovery			476.00					
		25.50 - 27.00 tan SAND, fine to medium grained, black streaking	SW		25.50					
		25.50 - 27.00 tan SAND, fine to medium grained, black streaking	SW		474.50					
		27.00 - 30.00 rusty brown SAND, fine to medium grained, increasing biotite mica content, black streaking	SW		27.00					
		27.00 - 30.00 rusty brown SAND, fine to medium grained, increasing biotite mica content, black streaking	SW		471.50					
		30.00 - 33.00 red brown tan SAND and SILT, fine to coarse grained, black streaking, increased biotite mica content, increased sand content at approximately 31ft	ML		30.00					
		30.00 - 33.00 red brown tan SAND and SILT, fine to coarse grained, black streaking, increased biotite mica content, increased sand content at approximately 31ft	ML		468.50					
		33.00 - 36.00 brown red tan SAND and SILT, fine to coarse grained, black streaking, biotite mica present	ML		33.00					
		33.00 - 36.00 brown red tan SAND and SILT, fine to coarse grained, black streaking, biotite mica present	ML		465.50					
		36.00 - 36.17 black and brown SAND, medium to coarse grained, organics present, biotite mica present	SW		36.17					
		36.00 - 36.17 black and brown SAND, medium to coarse grained, organics present, biotite mica present	ML		463.75					
		36.17 - 37.75 tan brown SAND and SILT, fine to coarse grained, black streaking	ML		37.75					SGWC-20B (37.5-38.5)
		36.17 - 37.75 tan brown SAND and SILT, fine to coarse grained, black streaking	ML		37.75					
		37.75 - 40.00 yellowish brown SAND and SILT, fine to coarse grained, biotite mica present, black streaking	ML		461.50					
		37.75 - 40.00 yellowish brown SAND and SILT, fine to coarse grained, biotite mica present, black streaking	ML		461.50					
		Boring completed at 40.00 ft								

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-20C

SHEET 1 of 1

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 35.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,020.73
 EASTING: 2,405,307.67
 GS ELEVATION: 501.50 ft
 TOC ELEVATION: 504.60 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0		0.00 - 5.00 rusty red sandy SILT, fine grained, some biotite mica, few organics, biotite mica increasing at approximately 4ft, dry hand auger to 10ft.	SM		496.50					
5		5.00 - 6.50 dark rusty red sandy SILT, fine grained, biotite mica present, dry	SM		495.00					
495		6.50 - 8.50 rusty orange brown sandy SILT, black spotting, dry	SM		493.00					
10		8.50 - 10.00 rusty red brown SAND and SILT, fine to medium grained, black spotting, large biotite mica fragment 2-3in diameter, dry	SM		491.50					
490		10.00 - 11.80 No recovery			489.70					
15		11.80 - 16.75 reddish brown SAND and SILT, fine to medium grained, biotite mica present, some black streaking. wet at 12.5 ft	ML		484.75					SGWC-20C (13-14)
485		16.75 - 17.50 brown SAND and SILT, fine to medium grained, some black streaking, biotite mica present, wet	ML		484.00					
20		17.50 - 20.50 pale red SAND and SILT, fine to medium grained, black streaking, biotite mica present, wet	ML		481.00					SGWC-20C (19-20)
480		20.50 - 21.25 brown orange silty SAND, fine to medium grained, black streaking, biotite mica present, wet	SM		480.25					
25		21.25 - 24.00 red white black SAND and SILT, fine to medium grained, black streaking, white mottling, wet	SM		477.50					
475		24.00 - 26.00 white red black SAND and SILT, fine to medium grained, black and white streaking, increased biotite mica content, wet	SM		475.50					
30		26.00 - 26.80 tan red SAND and SILT, fine to medium grained, black streaking, biotite mica present, wet	SM		474.70					
470		26.80 - 31.00 red black orange tan SAND and SILT, fine grained, black streaking, increased biotite mica content, wet bright orange at approximately 30ft	SM		470.50					
35		31.00 - 32.85 red brown SAND and SILT, fine to medium grained, black organic nodules, biotite mica present, wet	SM		468.65					
465		32.85 - 35.00 brown SAND and SILT, fine to medium grained, white black and red streaking, increased biotite mica content, wet	SM		466.50					SGWC-20C (33.5-34.5)
40		Boring completed at 35.00 ft								

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPFJ GOLDBER NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



RECORD OF BOREHOLE SB-20D

SHEET 1 of 1

PROJECT: Plant Scherer
 PROJECT NUMBER: 20139484
 DRILLED DEPTH: 35.00 ft

DRILL RIG: Geoprobe 6620
 DATE STARTED: 10/18/22
 DATE COMPLETED: 10/18/22

NORTHING: 1,116,020.73
 EASTING: 2,405,307.67
 GS ELEVATION: 501.50 ft
 TOC ELEVATION: 504.60 ft

DEPTH (ft)	ELEVATION (ft)	SOIL PROFILE				SAMPLES				Sample Notes
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV. DEPTH (ft)	PID (ppm)	NUMBER	TYPE	REC / ATT	
0	500	0.00 - 5.00 red sandy SILT, some clay, fine grained, some biotite mica, top soil, dry hand auger refusal at 5 ft	ML		496.50					
5	495	5.00 - 8.00 rusty red SILT, trace gravel of schist, brown streaking, dry	ML		5.00					
10	490	8.00 - 14.00 red sandy SILT, fine to medium grained, brown streaking, increased biotite mica at approximately 10ft, dry	ML		493.50					SGWC-20D (8-9)
15	485	14.00 - 21.25 yellowish brown sandy SILT, fine to medium grained, brown and black streaking, increased sand content, dry	ML		487.50					
20	480	21.25 - 27.00 red brown sandy SILT, fine to medium grained, tan and black streaking, dry	ML		480.25					SGWC-20D (18.5-19.5)
25	475	27.00 - 30.00 brown red sandy SILT, fine to medium grained, black and brown streaking, dry	ML		474.50					
30	470	30.00 - 35.00 yellowish brown SILT and SAND, black, brown, tan, and red streaking wet at 30ft	SM		471.50					SGWC-20D (33-34)
35	465	Boring completed at 35.00 ft				466.50				

AA BOREHOLE RECORD NO WELL PLANT SCHERER PZ (1).GPJ GOLDR NJ-PA 05-24-06.GDT 1/13/23

LOG SCALE: 1 in = 5 ft
 DRILLING COMPANY: Cascade Drilling
 DRILLER: Kelly Grant

GA INSPECTOR: C. Mayer
 CHECKED BY: Christopher Tidwell, PG
 DATE: 1/13/23



Appendix C

Grain Size Analysis Results

SCS/GPC - PLANT SCHERER/GA
SUMMARY OF SOIL DATA


Sample Identification	Sample Type	Sample Depth	Soil Classification	Natural Moisture %	Atterberg Limits				Grain Size Distribution			Compaction		Gs	Unit Weight		Permeability (cm/sec)	Additional Tests Conducted (See Notes)
									% Finer No. 4 Sieve	% Finer No. 200 Sieve	% Finer 0.002 mm	Maximum Dry Density (lb/cuft)	Optimum Moisture %		Moisture %	Dry (lb/cuft)		
					L.L.	P.L.	P.I.	L.I.										
SGWC-15A	Bag	31.3-33.3'	(ML)	74.0	-	-	-	-	100.0	52.8	5.6	-	-	-	-	-	-	-
SGWC-15A	Bag	42.0-44.0'	SM	56.7	-	-	-	-	100.0	46.7	5.2	-	-	-	-	-	-	-
SGWC-15A	Bag	46.0-48.0'	SM	21.8	-	-	-	-	100.0	46.3	8.0	-	-	-	-	-	-	-
SGWC-15B	Bag	28.0-30.0'	(ML)	49.5	-	-	-	-	100.0	56.2	8.9	-	-	-	-	-	-	-
SGWC-15B	Bag	42.0-44.0'	SM	64.3	-	-	-	-	100.0	45.5	6.1	-	-	-	-	-	-	-
SGWC-15B	Bag	48.0-50.0'	(ML)	42.9	-	-	-	-	100.0	51.0	7.1	-	-	-	-	-	-	-
SGWC-15C	Bag	28.0-30.0'	(ML)	60.4	-	-	-	-	100.0	57.5	11.6	-	-	-	-	-	-	-
SGWC-15C	Bag	43.0-45.0'	SM	48.1	-	-	-	-	95.0	43.3	6.1	-	-	-	-	-	-	-
SGWC-18B	Bag	28.0-30.0'	SM	26.9	-	-	-	-	100.0	30.1	3.0	-	-	-	-	-	-	-
SGWC-18B	Bag	37.0-39.0'	SM	30.1	-	-	-	-	100.0	31.7	3.0	-	-	-	-	-	-	-
SGWC-18C	Bag	32.0-34.0'	(ML)	42.4	-	-	-	-	100.0	59.9	9.0	-	-	-	-	-	-	-
SGWC-18C	Bag	43.0-45.0'	(ML)	51.7	-	-	-	-	100.0	54.4	4.4	-	-	-	-	-	-	-
SGWC-18C	Bag	55.0-57.0'	SM	20.9	-	-	-	-	100.0	31.1	4.1	-	-	-	-	-	-	-
SGWC-18D	Bag	28.0-30.0'	SM	24.8	-	-	-	-	100.0	43.0	4.5	-	-	-	-	-	-	-
SGWC-18D	Bag	42.5-44.5'	SM	33.8	-	-	-	-	100.0	36.6	4.2	-	-	-	-	-	-	-

ABBREVIATIONS: LIQUID LIMIT (LL)
PLASTIC LIMIT (PL)
PLASTICITY INDEX (PI)
LIQUIDITY INDEX (LI)
SPECIFIC GRAVITY (Gs)
MOISTURE (Mc)

NOTES: T = TRIAXIAL TEST
U = UNCONFINED COMPRESSION TEST
C = CONSOLIDATION TEST
DS = DIRECT SHEAR TEST
O = ORGANIC CONTENT
P = pH


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15A** Depth: **31.3-33.3'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			

U.S. Standard Sieves and Numbers	Particle Size (mm)	% Passing	Classification	Percentage
	12.0"	304.8	100.0	Cobbles
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	98.3	Medium Sand	7.6
#40	0.43	92.4		
#60	0.25	84.2		
#100	0.15	61.6	Fine Sand	39.6
#200	0.075	52.8		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	52.8
	0.033	38.9		
	0.022	29.9		
	0.013	19.0		
	0.0093	15.0		
	0.0066	11.0		
	0.0033	7.0		
0.0014	5.0			

ATTERBERG LIMITS
Method -B (Dry preparation)

M _v	LL	PL	PI	LI
74.0				


LL (oven-dried)
 < 0.75 = ORGANIC (LOOH)

DESCRIPTION: SAND and SILT, fine to medium sand; reddish brown.
 USCS: (ML)

TECH SN
 DATE 10/24/22
 CHECK
 REVIEW
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15A** Depth: **42.0-44.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.7	Coarse Sand	0.3
#20	0.85	97.6		
#40	0.43	86.6	Medium Sand	13.1
#60	0.25	75.8		
#100	0.15	65.5		
#200	0.075	46.7	Fine Sand	39.9



Hydrometer Analysis	Hydrometer Analysis		Fines Silt or Clay	46.7
	(mm)	% Finer		
	0.075	46.7		
	0.075	33.6		
	0.075	27.0		
	0.075	20.5		
0.075	14.0			
0.075	11.2			
0.075	6.5			
0.075	4.7			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
56.7				

DESCRIPTION: SILT and SAND, fine to coarse; yellowish brown.


USCS: SM

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
SAMPLE ID: **SGWC-15A** Depth: **46.0-48.0'**
TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0	Fine Gravel	0.0
0.375"	9.5	100.0		
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	97.5	Medium Sand	18.5
#40	0.43	81.5		
#60	0.25	68.9		
#100	0.15	62.4	Fine Sand	35.3
#200	0.075	46.3		



Hydrometer Analysis	Hydrometer Analysis		Fines Silt or Clay	46.3
	(mm)	% Finer		
	0.075	46.3		
	0.075	46.3		
	0.075	46.3		
	0.075	46.3		
	0.075	46.3		
0.075	46.3			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_c	LL	PL	PI	LI
21.8				

LL (oven-dried)
< 0.75 = ORGANIC (LO/OH)


DESCRIPTION: SILT and SAND, fine to medium; gray.

USCS: SM

TECH SN
DATE 10/24/22
CHECK *[Signature]*
REVIEW *[Signature]*
APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
 ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15B** Depth: **28.0-30.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0	Coarse Gravel	0.0
	0.75"	19.0	100.0		
	0.50"	12.7	100.0		
	0.375"	9.5	100.0	Fine Gravel	0.0
	#4	4.8	100.0		
	#10	2.00	99.8	Coarse Sand	0.2
	#20	0.85	95.6		
	#40	0.43	84.7	Medium Sand	15.1
	#60	0.25	78.0		
	#100	0.15	69.6	Fine Sand	28.6
	#200	0.075	56.2		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	56.2
	0.032	43.7		
	0.021	34.8		
	0.013	25.0		
	0.0091	19.6		
	0.0065	16.1		
	0.0032	10.7		
0.0014	8.0			

ATTERBERG LIMITS
 Method -B (Dry preparation)

M _L	LL	PL	PI	LI
49.5				


DESCRIPTION: SAND and SILT, fine to coarse sand; reddish brown.
 USCS: (ML)

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15B** Depth: **42.0-44.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0	Coarse Gravel	0.0
	1.5"	37.5	100.0		
	1.0"	25.0	100.0		
	0.75"	19.0	100.0	Fine Gravel	0.0
	0.50"	12.7	100.0		
	0.375"	9.5	100.0		
	#4	4.8	100.0	Coarse Sand	0.7
	#10	2.00	99.3		
	#20	0.85	93.1	Medium Sand	16.8
	#40	0.43	82.6		
	#60	0.25	74.3		
	#100	0.15	63.4	Fine Sand	37.1
	#200	0.075	45.5		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	45.5
	0.034	31.8		
	0.022	23.2		
	0.013	19.3		
	0.0093	13.5		
	0.0066	11.6		
	0.0033	6.8		
0.0014	5.8			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_z	LL	PL	PI	LI
64.3				


LL (oven-dried)
 < 0.75 - ORGANIC (OL/OH)

DESCRIPTION: SILT and SAND, fine to coarse; reddish brown.
 USCS: SM

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318


PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15B** Depth: **48.0-50.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.3	Coarse Sand	0.7
#20	0.85	96.0	Medium Sand	11.5
#40	0.43	87.8		
#60	0.25	78.5		
#100	0.15	66.0		
#200	0.075	51.0	Fine Sand	36.7

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	51.0
	0.033	39.1		
	0.021	33.5		
	0.013	24.2		
	0.0092	17.7		
	0.0066	13.0		
0.0033	8.4			
0.0014	6.5			



ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
	42.9			

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

DESCRIPTION: SAND and SILT, fine to coarse sand; yellowish brown.
 USCS: (ML)

TECH: SN
 DATE: 10/24/22
 CHECK: [Signature]
 REVIEW: [Signature]
 APPROVE: [Signature]

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**

SAMPLE ID: **SGWC-15C**


Depth: **28.0-30.0'**

TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0	Coarse Gravel	0.0
	1.5"	37.5	100.0		
	1.0"	25.0	100.0		
	0.75"	19.0	100.0	Fine Gravel	0.0
	0.50"	12.7	100.0		
	0.375"	9.5	100.0		
	#4	4.8	100.0	Coarse Sand	0.6
	#10	2.00	99.4		
	#20	0.85	99.1	Medium Sand	1.4
	#40	0.43	97.9		
	#60	0.25	92.6		
	#100	0.15	76.0	Fine Sand	40.4
	#200	0.075	57.5		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	57.5
	0.032	48.0		
	0.021	41.5		
	0.012	30.5		
	0.0089	25.8		
	0.0064	21.2		
	0.0032	14.8		
0.0014	10.2			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_d	LL	PL	PI	LI
60.4				

DESCRIPTION: SAND and SILT, fine to coarse sand; weak red.

USCS: (ML)

LL (oven-dried)

< 0.75 = ORGANIC (LO/OH)

TECH SN

DATE 10/24/22


CHECK *[Signature]*

REVIEW *[Signature]*

APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-15C** Depth: **43.0-45.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0		
0.75"	19.0	100.0	Coarse Gravel	0.0
0.50"	12.7	97.3		
0.375"	9.5	95.0	Fine Gravel	5.0
#4	4.8	95.0		
#10	2.00	94.8	Coarse Sand	0.2
#20	0.85	92.5		
#40	0.43	84.9	Medium Sand	9.9
#60	0.25	76.5		
#100	0.15	62.4	Fine Sand	41.6
#200	0.075	43.3		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	43.3
	0.034	31.5		
	0.022	24.1		
	0.013	16.7		
	0.0093	12.0		
	0.0066	10.2		
0.0033	7.4			
0.0014	5.6			

ATTERBERG LIMITS

Method -B (Dry preparation)

M _v	LL	PL	PI	LI
48.1				

LL (oven-dried)
 < 0.75 - ORGANIC (OL/OH)


DESCRIPTION: SILT and SAND, fine to coarse, trace fine gravel; yellowish brown.

USCS: SM

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-18B** Depth: **28.0-30.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0		
	0.75"	19.0	100.0	Coarse Gravel	0.0
	0.50"	12.7	100.0		
	0.375"	9.5	100.0	Fine Gravel	0.0
	#4	4.8	100.0		
	#10	2.00	99.9	Coarse Sand	0.1
	#20	0.85	92.5		
	#40	0.43	74.7	Medium Sand	25.2
	#60	0.25	61.0		
	#100	0.15	46.2	Fine Sand	44.6
	#200	0.075	30.1		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	30.1
	0.035	18.0		
	0.023	14.4		
	0.013	9.9		
	0.0095	7.2		
	0.0067	5.4		
	0.0033	3.6		
0.0014	2.7			

ATTERBERG LIMITS
Method -B (Dry preparation)

M _c	LL	PL	PI	LI
26.9				


DESCRIPTION: SILTY SAND, fine to coarse; pale brown.
 USCS: SM

LL (oven-dried)
 < 0.75 = ORGANIC
 (OL/OH)

TECH: SN
 DATE: 10/24/22
 CHECK: [Signature]
 REVIEW: [Signature]
 APPROVE: [Signature]


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-18B** Depth: **37.0-39.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0		
	3.0"	75.0	100.0	Cobbles	0.0
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0		
	0.75"	19.0	100.0	Coarse Gravel	0.0
	0.50"	12.7	100.0		
	0.375"	9.5	100.0		
	#4	4.8	100.0	Fine Gravel	0.0
	#10	2.00	99.9	Coarse Sand	0.1
	#20	0.85	95.0		
	#40	0.43	81.7	Medium Sand	18.3
	#60	0.25	68.4		
	#100	0.15	51.8		
	#200	0.075	31.7	Fine Sand	50.0



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	31.7
	0.075	22.9		
	0.022	16.5		
	0.013	11.0		
	0.0095	7.3		
	0.0067	6.4		
	0.0033	3.7		
0.0014	2.8			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
30.1				

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

DESCRIPTION: SILTY SAND, fine to coarse; brown.
 USCS: SM

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**

SAMPLE ID: **SGWC-18C**


Depth: **32.0-34.0'**

TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	% Passing	Particle Size	Classification	Percentage
	(mm)		(mm)		
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0	Coarse Gravel	0.0
	0.75"	19.0	100.0		
	0.50"	12.7	100.0		
	0.375"	9.5	100.0	Fine Gravel	0.0
	#4	4.8	100.0		
	#10	2.00	100.0	Coarse Sand	0.0
	#20	0.85	98.0		
	#40	0.43	92.3	Medium Sand	7.7
	#60	0.25	86.5		
	#100	0.15	77.2		
	#200	0.075	59.9	Fine Sand	32.4



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	59.9
	0.032	44.7		
	0.021	35.4		
	0.013	26.1		
	0.0091	19.6		
	0.0065	15.8		
	0.0033	10.2		
0.0014	8.4			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
42.4				

LL (oven-dried)
< 0.75 = ORGANIC (LO/OH)

DESCRIPTION: SAND and SILT, fine to medium sand; reddish brown.
USCS: (ML)


TECH SN
DATE 10/24/22
CHECK [Signature]
REVIEW [Signature]
APPROVE [Signature]

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS

ASTM D421, D422, D4318


PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-18C**
 TYPE: **Bag**

Depth: **43.0-45.0'**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	% Passing	Particle Size	Classification	Percentage
	(mm)		(mm)		
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0	Coarse Gravel	0.0
	0.75"	19.0	100.0		
	0.50"	12.7	100.0		
	0.375"	9.5	100.0	Fine Gravel	0.0
	#4	4.8	100.0		
	#10	2.00	99.8	Coarse Sand	0.2
	#20	0.85	98.7	Medium Sand	5.4
	#40	0.43	94.4		
	#60	0.25	87.4		
	#100	0.15	75.7		
	#200	0.075	54.4	Fine Sand	39.9



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	54.4
	0.033	35.6		
	0.022	27.4		
	0.013	21.0		
	0.0092	14.6		
	0.0066	10.0		
	0.0033	6.4		
0.0014	3.7			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
51.7				


LL (oven-dried)
 < 0.75 = ORGANIC
 (OL/OH)

DESCRIPTION: SAND and SILT, fine to coarse sand; yellowish brown.
 USCS: (ML)

TECH SN
 DATE 10/24/22
 CHECK [Signature]
 REVIEW [Signature]
 APPROVE [Signature]


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-18C** Depth: **55.0-57.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0		
0.75"	19.0	100.0	Coarse Gravel	0.0
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.8	Coarse Sand	0.2
#20	0.85	93.1		
#40	0.43	77.2	Medium Sand	22.6
#60	0.25	63.6		
#100	0.15	48.3		
#200	0.075	31.1		
			Fine Sand	46.1



Hydrometer Analysis	% Finer		Fines Silt or Clay	31.1
	(mm)			
	0.035	21.6		
	0.022	17.3		
	0.013	14.7		
	0.0094	9.5		
	0.0067	7.8		
0.0033	6.0			
0.0014	3.5			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_c	LL	PL	PI	LI
20.9				

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

DESCRIPTION: SILTY SAND, fine to coarse; pale brown.
 USCS: SM

TECH: SN
 DATE: 10/24/22
 CHECK: *[Signature]*
 REVIEW: *[Signature]*
 APPROVE: *[Signature]*

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**

SAMPLE ID: **SGWC-18D**

Depth: **28.0-30.0'**


TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage	
	(mm)	% Passing			
	12.0"	304.8	100.0	Cobbles	0.0
	3.0"	75.0	100.0		
	2.5"	63.5	100.0		
	2.0"	50.0	100.0		
	1.5"	37.5	100.0		
	1.0"	25.0	100.0		
	0.75"	19.0	100.0	Coarse Gravel	0.0
	0.50"	12.7	100.0		
	0.375"	9.5	100.0	Fine Gravel	0.0
	#4	4.8	100.0		
	#10	2.00	99.9		
	#20	0.85	98.8		
	#40	0.43	94.4	Medium Sand	5.5
	#60	0.25	82.8		
	#100	0.15	64.5		
	#200	0.075	43.0	Fine Sand	51.4

Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	43.0
	0.034	34.8		
	0.022	26.3		
	0.013	16.0		
	0.0093	11.3		
	0.0067	8.5		
	0.0033	6.6		
0.0014	3.8			



ATTERBERG LIMITS
Method -B (Dry preparation)

M_v	LL	PL	PI	LI
	24.8			

LL (oven-dried)
< 0.75 = ORGANIC (OL/OH)

DESCRIPTION: SILT and SAND, fine to coarse; yellowish red.

USCS: SM

TECH SN
DATE 10/24/22
CHECK
REVIEW
APPROVE

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS


ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**

SAMPLE ID: **SGWC-18D**


Depth: **42.5-44.5'**

TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	% Passing	Classification	Percentage
	(mm)			
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0		
0.75"	19.0	100.0	Coarse Gravel	0.0
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	100.0		
#20	0.85	98.8	Coarse Sand	0.0
#40	0.43	83.4		
#60	0.25	64.5	Medium Sand	16.6
#100	0.15	50.8		
#200	0.075	36.6		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	36.6
	0.034	28.8		
	0.022	22.7		
	0.013	15.7		
	0.0093	10.5		
	0.0066	8.7		
	0.0033	6.1		
0.0014	3.5			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_d	LL	PL	PI	LI
33.8				

LL (oven-dried)
< 0.75 = ORGANIC (OL/OH)

DESCRIPTION: **SILTY SAND, fine to medium; grayish brown.**

USCS: **SM**

TECH SN
DATE 10/24/22
CHECK
REVIEW
APPROVE

SCS/GPC - PLANT SCHERER/GA
SUMMARY OF SOIL DATA


Sample Identification	Sample Type	Sample Depth	Soil Classification	Natural Moisture %	Atterberg Limits				Grain Size Distribution			Compaction		Gs	Unit Weight		Permeability (cm/sec)	Additional Tests Conducted (See Notes)
									% Finer No. 4 Sieve	% Finer No. 200 Sieve	% Finer 0.002 mm	Maximum Dry Density (lb/cuft)	Optimum Moisture %		Moisture %	Dry (lb/cuft)		
					L.L.	P.L.	P.I.	L.I.										
SGWC-18D	Bag	47.5-49.5'	SM	27.6	-	-	-	-	100.0	35.1	3.9	-	-	-	-	-	-	-
SGWC-20B	Bag	14.0-15.0'	(ML)	52.9	-	-	-	-	100.0	58.4	26.7	-	-	-	-	-	-	-
SGWC-20B	Bag	23.5-24.5'	(ML)	37.9	-	-	-	-	100.0	60.5	6.0	-	-	-	-	-	-	-
SGWC-20B	Bag	37.5-38.5'	(ML)	34.2	-	-	-	-	100.0	50.8	7.1	-	-	-	-	-	-	-
SGWC-20C	Bag	13.0-14.0'	(ML)	44.2	-	-	-	-	100.0	62.1	21.6	-	-	-	-	-	-	-
SGWC-20C	Bag	19.0-20.0'	(ML)	44.2	-	-	-	-	100.0	53.4	16.8	-	-	-	-	-	-	-
SGWC-20C	Bag	33.5-34.5'	SM	37.9	-	-	-	-	100.0	42.5	6.7	-	-	-	-	-	-	-
SGWC-20D	Bag	8.0-9.0'	(ML)	31.5	-	-	-	-	100.0	83.6	43.7	-	-	-	-	-	-	-
SGWC-20D	Bag	18.5-19.5'	(ML)	44.3	-	-	-	-	100.0	73.6	15.9	-	-	-	-	-	-	-
SGWC-20D	Bag	33.0-34.0'	SM	58.8	-	-	-	-	100.0	45.3	5.4	-	-	-	-	-	-	-

ABBREVIATIONS: LIQUID LIMIT (LL)
 PLASTIC LIMIT (PL)
 PLASTICITY INDEX (PI)
 LIQUIDITY INDEX (LI)
 SPECIFIC GRAVITY (Gs)
 MOISTURE (Mc)

NOTES: T = TRIAXIAL TEST
 U = UNCONFINED COMPRESSION TEST
 C = CONSOLIDATION TEST
 DS = DIRECT SHEAR TEST
 O = ORGANIC CONTENT
 P = pH


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
SAMPLE ID: **SGWC-18D** Depth: **47.5-49.5'**
TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	97.5		
#40	0.43	79.2	Medium Sand	20.8
#60	0.25	64.4		
#100	0.15	51.9		
#200	0.075	35.1	Fine Sand	44.1



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	35.1
	0.035	24.7		
	0.022	20.1		
	0.013	14.6		
	0.0093	11.0		
	0.0067	8.2		
	0.0033	4.6		
0.0014	3.7			

ATTERBERG LIMITS
Method -B (Dry preparation)

M _L	LL	PL	PI	LI
27.6				

DESCRIPTION: SILTY SAND, fine to medium; grayish brown.


USCS: SM

LL (oven-dried)
< 0.75 = ORGANIC (OL/OH)

TECH SN
DATE 10/24/22
CHECK *[Signature]*
REVIEW *[Signature]*
APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20B** Depth: **14.0-15.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	99.8		
#40	0.43	99.3	Medium Sand	0.7
#60	0.25	92.3		
#100	0.15	74.0		
#200	0.075	58.4	Fine Sand	40.9



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	58.4
	0.031	56.2		
	0.020	50.4		
	0.012	43.6		
	0.0085	38.7		
	0.0061	34.9		
0.0031	29.1			
0.0013	25.2			

ATTERBERG LIMITS
Method -B (Dry preparation)

M_p	LL	PL	PI	LI
52.9				

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)


DESCRIPTION: SAND and SILT, fine to medium sand; reddish brown.

USCS: (ML)

TECH SN
 DATE 10/24/22
 CHECK *W*
 REVIEW
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
 ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20B** Depth: **23.5-24.5'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0	Fine Gravel	0.0
0.375"	9.5	100.0		
#4	4.8	100.0		
#10	2.00	99.9	Coarse Sand	0.1
#20	0.85	98.6	Medium Sand	7.8
#40	0.43	92.0		
#60	0.25	84.1		
#100	0.15	74.9		
#200	0.075	60.5	Fine Sand	31.6



Hydrometer Analysis	% Finer		Fines Silt or Clay	60.5
	(mm)	% Finer		
	0.032	45.1		
	0.021	36.5		
	0.013	27.8		
	0.0091	20.2		
	0.0065	15.4		
0.0033	9.6			
0.0014	4.8			

ATTERBERG LIMITS
 Method -B (Dry preparation)

M _c	LL	PL	PI	LI
37.9				


LL (oven-dried)
 <0.75 = ORGANIC (LO/OL)

DESCRIPTION: SAND and SILT, fine to coarse sand; brown.
 USCS: (ML)

TECH SN
 DATE 10/24/22
 CHECK [Signature]
 REVIEW [Signature]
 APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20B** Depth: **37.5-38.5'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.5	Coarse Sand	0.5
#20	0.85	97.8		
#40	0.43	92.7	Medium Sand	6.8
#60	0.25	84.8		
#100	0.15	70.7		
#200	0.075	50.8	Fine Sand	42.0



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	50.8
	0.033	38.6		
	0.021	32.3		
	0.013	23.4		
	0.0091	18.9		
	0.0065	15.3		
	0.0033	9.0		
0.0014	6.3			

ATTERBERG LIMITS
Method -B (Dry preparation)

M _d	LL	PL	PI	LI
34.2				

DESCRIPTION: SAND and SILT, fine to coarse sand; yellowish brown.
 USCS: (ML)


LL (oven-dried)
 < 0.75 = ORGANIC (LO/OH)

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318


PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
SAMPLE ID: **SGWC-20C**
TYPE: **Bag**

Depth: **13.0-14.0'**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	% Passing	Classification	Percentage
	(mm)			
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0	Fine Gravel	0.0
0.375"	9.5	100.0		
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	100.0	Medium Sand	0.8
#40	0.43	99.2		
#60	0.25	93.2		
#100	0.15	79.9	Fine Sand	37.0
#200	0.075	62.1		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	62.1
	0.032	47.4		
	0.021	41.7		
	0.012	34.1		
	0.0089	29.4		
	0.0063	26.6		
	0.0031	22.8		
0.0013	20.9			

ATTERBERG LIMITS

Method -B (Dry preparation)

M _c	LL	PL	PI	LI
44.2				

LL (oven-dried)
< 0.75 = ORGANIC (LO/OH)


DESCRIPTION: SAND and SILT, fine to medium sand; reddish brown.

USCS: (ML)

TECH: SN
DATE: 10/24/22
CHECK: *[Signature]*
REVIEW: *[Signature]*
APPROVE: *[Signature]*


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20C** Depth: **19.0-20.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.7	Coarse Sand	0.3
#20	0.85	97.4	Medium Sand	8.2
#40	0.43	91.5		
#60	0.25	84.2		
#100	0.15	69.7	Fine Sand	38.1
#200	0.075	53.4		



Hydrometer Analysis	Hydrometer Analysis		Fines Silt or Clay	53.4
	(mm)	% Finer		
	0.075	49.5		
	0.020	44.1		
	0.012	34.2		
	0.0088	29.7		
	0.0063	25.2		
0.0031	19.8			
0.0013	15.3			

ATTERBERG LIMITS

Method -B (Dry preparation)

M_p	LL	PL	PI	LI
44.2				

LL (oven-dried)
 < 0.75 = ORGANIC (OL/OH)

DESCRIPTION: SAND and SILT, fine to medium sand; pale red.


USCS: (ML)

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318


PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
SAMPLE ID: **SGWC-20C**
TYPE: **Bag**

Depth: **33.5-34.5'**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
	12.0"	304.8	100.0	
	3.0"	75.0	100.0	Cobbles
	2.5"	63.5	100.0	
	2.0"	50.0	100.0	
	1.5"	37.5	100.0	
	1.0"	25.0	100.0	
	0.75"	19.0	100.0	Coarse Gravel
	0.50"	12.7	100.0	
	0.375"	9.5	100.0	
	#4	4.8	100.0	Fine Gravel
	#10	2.00	100.0	Coarse Sand
	#20	0.85	98.1	
	#40	0.43	92.1	Medium Sand
	#60	0.25	81.3	
	#100	0.15	60.4	
	#200	0.075	42.5	Fine Sand



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	42.5
	0.034	34.1		
	0.022	29.4		
	0.013	20.8		
	0.0092	16.1		
	0.0066	13.3		
0.0033	9.5			
0.0014	5.7			

ATTERBERG LIMITS

Method -B (Dry preparation)

M_c	LL	PL	PI	LI
37.9				

LL (oven-dried)
< 0.75 - ORGANIC (OL/OH)


DESCRIPTION: SILT and SAND, fine to medium; brown.

USCS: SM

TECH SN
DATE 10/24/22
CHECK *[Signature]*
REVIEW *[Signature]*
APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
 ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20D** Depth: **8.0-9.0'**
 TYPE: **Bag**



COBBLES	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
	GRAVEL		SAND			

U.S. Standard Sieves Sizes and Numbers	Particle Size	Particle Size	Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0	Coarse Gravel	0.0
0.75"	19.0	100.0		
0.50"	12.7	100.0	Fine Gravel	0.0
0.375"	9.5	100.0		
#4	4.8	100.0		
#10	2.00	100.0	Coarse Sand	0.0
#20	0.85	99.4	Medium Sand	3.3
#40	0.43	96.7		
#60	0.25	94.2		
#100	0.15	90.9	Fine Sand	13.1
#200	0.075	83.6		



Hydrometer Analysis	(mm)	% Finer	Fines Silt or Clay	83.6
	0.028	78.7		
	0.018	71.3		
	0.011	62.9		
	0.0079	56.5		
	0.0057	51.8		
0.0029	47.2			
0.0012	40.7			

ATTERBERG LIMITS
 Method -B (Dry preparation)

M_c	LL	PL	PI	LI
31.5				

LL (oven-dried)
 < 0.75 = ORGANIC (LO/OH)

DESCRIPTION: sandy SILT, fine to medium sand; red.


USCS: (ML)

TECH	SN
DATE	10/24/22
CHECK	<i>[Signature]</i>
REVIEW	<i>[Signature]</i>
APPROVE	

PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
SAMPLE ID: **SGWC-20D**
TYPE: **Bag**


Depth: **18.5-19.5'**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers

Particle Size (mm)	% Passing	Classification	Percentage
12.0"	304.8	100.0	
3.0"	75.0	100.0	Cobbles 0.0
2.5"	63.5	100.0	
2.0"	50.0	100.0	
1.5"	37.5	100.0	
1.0"	25.0	100.0	
0.75"	19.0	100.0	Coarse Gravel 0.0
0.50"	12.7	100.0	
0.375"	9.5	100.0	
#4	4.8	100.0	Fine Gravel 0.0
#10	2.00	100.0	Coarse Sand 0.0
#20	0.85	99.5	
#40	0.43	96.7	Medium Sand 3.3
#60	0.25	92.5	
#100	0.15	86.5	
#200	0.075	73.6	Fine Sand 23.0



Hydrometer Analysis

(mm)	% Finer	Classification	Percentage
0.030	60.3	Fines	73.6
0.020	47.7		
0.012	36.9	Silt or Clay	
0.0088	29.7		
0.0063	25.2		
0.0032	18.9		
0.0013	14.4		

ATTERBERG LIMITS

Method -B (Dry preparation)

M_v	LL	PL	PI	LI
44.3				

LL (oven-dried)
< 0.75 = ORGANIC (LO/OH)


DESCRIPTION: sandy SILT, fine to medium sand; yellowish brown.

USCS: (ML)

TECH SN
DATE 10/24/22
CHECK *[Signature]*
REVIEW *[Signature]*
APPROVE


PARTICLE SIZE DISTRIBUTION & ATTERBERG LIMITS
 ASTM D421, D422, D4318

PROJECT NAME: **SCS/GPC - PLANT SCHERER/GA**
 SAMPLE ID: **SGWC-20D** Depth: **33.0-34.0'**
 TYPE: **Bag**



	Coarse	Fine	Coarse	Medium	Fine	Silt or Clay
COBBLES	GRAVEL		SAND			FINES

U.S. Standard Sieves Sizes and Numbers	Particle Size		Classification	Percentage
	(mm)	% Passing		
12.0"	304.8	100.0	Cobbles	0.0
3.0"	75.0	100.0		
2.5"	63.5	100.0		
2.0"	50.0	100.0		
1.5"	37.5	100.0		
1.0"	25.0	100.0		
0.75"	19.0	100.0	Coarse Gravel	0.0
0.50"	12.7	100.0		
0.375"	9.5	100.0	Fine Gravel	0.0
#4	4.8	100.0		
#10	2.00	99.9	Coarse Sand	0.1
#20	0.85	97.5		
#40	0.43	89.5	Medium Sand	10.4
#60	0.25	81.5		
#100	0.15	66.3		
#200	0.075	45.3		
			Fine Sand	44.2



Hydrometer Analysis	Hydrometer Analysis		Fines Silt or Clay	45.3
	(mm)	% Finer		
	0.075	45.3		
	0.075	35.0		
	0.075	27.6		
	0.075	19.3		
0.075	15.6			
0.075	10.1			
0.075	7.4			
0.075	4.6			

ATTERBERG LIMITS
 Method -B (Dry preparation)

M _L	LL	PL	PI	LI
58.8				

LL (oven-dried)
 <0.75 - ORGANIC (LO/OH)

DESCRIPTION: SILT and SAND, fine to coarse; yellowish brown.
 USCS: SM

TECH SN
 DATE 10/24/22
 CHECK *[Signature]*
 REVIEW *[Signature]*
 APPROVE

wsp

wsp.com