

Prepared for:
Georgia Power Company

2017 Annual Groundwater Monitoring and
Corrective Action Report

Plant McIntosh
Ash Pond 1 (AP-1)

January 31, 2018

www.erm.com

Georgia Power Company

2017 Annual Groundwater Monitoring and Corrective Action Report

Plant McIntosh
Ash Pond 1 (AP-1)

January 31, 2018




Hunter Sartain, P.E.
Principal



Greg Jirak, P.G.
Project Manager

Environmental Resources Management
The Towers at Wildwood
3200 Windy Hill Rd., Suite 1500 West
Atlanta, GA 30339
Phone: +1-678-486-2700




CERTIFICATION STATEMENT

This 2017 Annual Groundwater Monitoring and Corrective Action Report, Georgia Power Company - Plant McIntosh – Ash Pond 1 (AP-1) has been prepared to comply with the United States Environmental Protection Agency (USEPA) coal combustion residual (CCR) rule (40 Code of Federal Regulations [CFR] 257 Subpart D; published in 80 FR 21302-21501, April 17, 2015) by a licensed Professional Engineer with Environmental Resources Management - Southeast, Inc. (ERM).

CONSULTANT

Signature:



Date:

1/31/19

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	SITE LOCATION AND DESCRIPTION	1
1.1.1	Regional Geology	1
1.1.2	Site Geology and Hydrogeology	1
1.2	GROUNDWATER MONITORING SYSTEM	2
2.0	GROUNDWATER MONITORING ACTIVITIES	2
2.1	MONITORING WELL INSTALLATION AND MAINTENANCE	2
2.2	DETECTION MONITORING	2
2.2.1	Background Monitoring	3
2.2.2	Initial Detection Monitoring	3
3.0	SAMPLE METHODOLOGY & ANALYSES	3
3.1	GROUNDWATER ELEVATION MEASUREMENT	3
3.2	GROUNDWATER GRADIENT AND FLOW VELOCITY	3
3.3	GROUNDWATER SAMPLING	4
3.4	LABORATORY ANALYSES	4
3.5	QUALITY ASSURANCE & QUALITY CONTROL	5
4.0	STATISTICAL ANALYSIS	5
4.1	STATISTICAL METHOD	5
4.2	STATISTICAL ANALYSES RESULTS	6
4.3	APPENDIX IV BACKGROUND DATA	7
5.0	MONITORING PROGRAM STATUS	7
6.0	CONCLUSIONS & FUTURE ACTIONS	7
7.0	REFERENCES	7

FIGURES

1. Site Location Map
2. Site Plan and Well Location Map
3. Potentiometric Surface Contour Map – October 2017

TABLES

1. Monitoring Well Network Summary
2. Groundwater Sampling Event Summary
3. Summary of Historical Groundwater Elevations
4. Groundwater Flow Velocity Calculations – October 2017
5. Plant McIntosh Ash Pond 1 Analytical Data Summary

APPENDICES

- A. Analytical Data Reports
- B. Statistical Analyses

1.0 INTRODUCTION

In accordance with the United States Environmental Protection Agency (USEPA) coal combustion residual (CCR) rule (40 Code of Federal Regulations [CFR] 257 Subpart D; published in 80 FR 21302-21501, April 17, 2015), this *2017 Annual Groundwater Monitoring and Corrective Action Report* has been prepared to document groundwater monitoring activities conducted at Georgia Power Company's (GPC's) Plant McIntosh (the site), Ash Pond 1 (AP-1) and satisfy the requirements of §257.90(e). Groundwater monitoring and reporting for the site is performed in accordance with the requirements §257.90 through §257.98.

This report documents the activities completed to establish the groundwater monitoring program and actions through the 2017 calendar year.

1.1 SITE LOCATION AND DESCRIPTION

The site is located at 981 Old Augusta Central Road in Effingham County, Georgia, approximately 4 miles northeast of Rincon, and 20 miles north-northeast of the city of Savannah (Figure 1, Site Location Map). The plant property is on the west bank of the Savannah River at Big Kiffer Point. AP-1 is located on the eastern portion of the plant property (Figure 2, Site Plan and Well Location Map).

1.1.1 Regional Geology

Rincon, Georgia is located within the Coastal Plain Province of Georgia. Coastal Plain sediments are composed of stratified clay, silt, sand, and limestone, resting on much older igneous and metamorphic basement rocks. These older, crystalline rocks dip to the south and east causing the overlying sediments to form a wedge-shaped deposit, which is thickest to the east and the south. The Coastal Plain deposits crop out at the land surface in bands, from the oldest to the most recent, from the Fall Line to the coast. Pleistocene-aged deposits are at the surface in this region. Recharge to the major aquifers in the area is to the northeast of the site, where these formations outcrop.

1.1.2 Site Geology and Hydrogeology

The site is situated on sediments that were deposited from Cretaceous to Pleistocene and consist of stratified marine deposits and materials eroded from crystalline rock of the Piedmont Region. Boring logs describe soils at AP-1 as interbedded clays, silts, and sands typical of Coastal Plain sediments.

The uppermost aquifer at the site is the surficial aquifer, characterized by silty, sandy clays, clayey silts, silty sands, and fine to medium grained sands. Monitoring wells were screened in the surficial aquifer between approximately 29 and 1 feet (ft) above mean sea level (MSL).

1.2 GROUNDWATER MONITORING SYSTEM

Pursuant to §257.91, GPC installed a groundwater monitoring system within the uppermost aquifer at AP-1. The monitoring system is designed to monitor groundwater passing the waste boundary of AP-1 within the uppermost aquifer. Wells were located to serve as upgradient or downgradient monitoring points based on groundwater flow direction (Table 1, Monitoring Well Network Summary).

2.0 GROUNDWATER MONITORING ACTIVITIES

As required by §257.90(e), the following describes monitoring-related activities performed during the preceding year. Since this is the first *Annual Groundwater Monitoring and Corrective Action Report*, it also describes activities performed prior to 2017 to establish the groundwater monitoring program. All groundwater sampling was performed in accordance with §257.93. Samples were collected from each well in the monitoring system shown on Figure 2.

Pursuant to §257.90(e)(3), Table 2, Groundwater Sampling Event Summary, presents a summary of groundwater sampling events completed at AP-1.

2.1 MONITORING WELL INSTALLATION AND MAINTENANCE

In accordance with §257.91, a groundwater monitoring system was installed that (1) consists of a sufficient number of wells, (2) installed at appropriate locations and depths to yield groundwater samples from the uppermost aquifer, and (3) meets the performance standards of §257.91(a).

Eight (8) monitoring wells (MGWC-1, MGWC-2, MGWC-3, MGWA-5, MGWA-6, MGWC-7, MGWC-8, and MGWA-10) and two (2) piezometers (MGWC-4 and MGWA-9) were installed in November 2015. Two (2) additional monitoring wells (MGWA-11 and MGWC-12) and two (2) piezometers (PZ-13 and PZ-14) were installed in May 2016 and June 2016, respectively. Monitoring well and piezometer locations are shown on Figure 2.

The number, spacing, and depths of the groundwater monitoring wells were selected based on the characterization of site-specific hydrogeologic conditions and certified by a Professional Engineer (PE). Groundwater monitoring wells were designed to monitor the uppermost water-bearing zone.

2.2 DETECTION MONITORING

In accordance with §257.94(b), the detection groundwater monitoring program was implemented by collecting 8 background groundwater samples. In addition, a 9th round of groundwater samples were collected as the initial detection monitoring event.

2.2.1 Background Monitoring

A minimum of 8 independent samples were collected from each monitoring well within the well network and analyzed for Appendix III and IV constituents as part of the background monitoring period prior to October 17, 2017. Pursuant to §257.90(e)(3), data reports for the background sampling events are included in Appendix A, Analytical Data Reports. Background monitoring event analytical data is summarized in Table 5, Plant McIntosh Ash Pond 1 Analytical Data Summary.

2.2.2 Initial Detection Monitoring

Following background monitoring (and prior to October 17, 2017), the initial detection monitoring event was completed by collecting an additional round of groundwater samples. Groundwater samples were collected from each monitoring well and analyzed for Appendix III constituents according to §257.94(a). Data reports for the initial detection monitoring event are included in Appendix A.

3.0 SAMPLE METHODOLOGY & ANALYSES

The following sections describe the methods used to conduct groundwater monitoring at AP-1.

3.1 GROUNDWATER ELEVATION MEASUREMENT

Prior to each sampling event, groundwater elevations were recorded from piezometers and each well in the network at AP-1. Groundwater elevations recorded during the background and detection monitoring events are summarized in Table 3, Summary of Historical Groundwater Elevations. Groundwater elevation data was used to develop a potentiometric surface elevation contour map (Figure 3, Potentiometric Surface Contour Map – October 2017). The general direction of groundwater flow across the site is toward the east. The groundwater flow pattern observed during the October 2017 detection monitoring event is consistent with recordings made during the background monitoring period.

3.2 GROUNDWATER GRADIENT AND FLOW VELOCITY

The groundwater flow velocity at AP-1 was calculated using a derivation of Darcy's Law. Specifically,

$$V = \frac{K * i}{n_e}$$

Where:

V = Groundwater flow velocity ($\frac{\text{feet}}{\text{day}}$)

K = Average Permeability of the aquifer ($\frac{\text{feet}}{\text{day}}$)

i = Horizontal hydraulic gradient ($\frac{\text{feet}}{\text{feet}}$)

n_e = Effective porosity

Hydraulic conductivity measurements were calculated from slug test data collected in a subset of AP-1 wells. Hydraulic conductivity values ranged from 0.13 to 1.80 feet/day (ft/day). The average hydraulic conductivity used in the flow velocity calculations is 0.47 ft/day, which is within the standard range of hydraulic conductivity values for a silty sand. The hydraulic gradient was calculated between MGWA-10 and MGWC-3, and MGWA-6 and MGWC-1. An estimated effective porosity of 0.30 is used for the flow rate calculations for wells screened in silty sand soils, based on review of several resources (Driscoll, 1986; USEPA, 1989; Freeze and Cherry, 1979). Groundwater flow velocities were calculated and are tabulated on Table 4, Groundwater Flow Velocity Calculations – October 2017. The average groundwater flow velocity at AP-1 was calculated as 0.014 ft/day, 5.11 ft/year.

3.3 GROUNDWATER SAMPLING

Groundwater samples were collected in accordance with §257.93(a). Purging and sampling was performed using a peristaltic pump with the intake tubing lowered to the midpoint of the well screen (or as appropriate determined by the water level). All non-disposable equipment was decontaminated before use and between well locations using procedures described in the latest version of the Region IV USEPA Science and Ecosystem Support Division (SESD) *Operating Procedure for Field Equipment Cleaning and Decontamination* as a guide. Monitoring wells were purged and sampled using low-flow sampling procedures.

A SmarTroll® (In-Situ® field instrument) was used to monitor and record field water quality parameters (pH, conductivity, dissolved oxygen, temperature, and oxidation reduction potential [ORP]) during well purging to verify stabilization prior to sampling. Turbidity was monitored using a LaMotte 1970-USEPA Compliant Model 2020we® or HANNA Instruments Model HI93703® USEPA and ISO Compliant turbidity meter. Groundwater samples were collected when the following stabilization criteria were met:

- ± 0.1 standard units for pH
- $\pm 5\%$ for specific conductance
- $\pm 0.2 \text{ mg/L}$ or 10% for DO $> 0.5 \text{ mg/L}$ (whichever is greater). No criterion applies if DO $< 0.5 \text{ mg/L}$
- Turbidity measurements less than 5 NTU

Once stabilization was achieved, unfiltered samples were collected, placed in ice-packed coolers, and submitted to the analytical laboratory following chain-of-custody protocol.

3.4 LABORATORY ANALYSES

Groundwater samples collected for background monitoring included both Appendix III and Appendix IV parameters. Groundwater samples collected in October 2017 for detection monitoring were analyzed for Appendix III monitoring parameters only. Analytical methods used for groundwater sample analysis are listed on the analytical laboratory reports included in Appendix A.

Laboratory analyses were performed by the GPC Environmental Laboratory (GPCEL) in Smyrna, Georgia or Test America, Inc. (TAL), of Pensacola, Florida and St. Louis Missouri. Laboratory analysis was also performed by Pace Analytical Services, LLC (Pace), of Peachtree Corners, Georgia, and Greensberg, Pennsylvania. Pace, GPCEL, and TAL are accredited by National Environmental Laboratory Accreditation Program (NELAP) and maintain a NELAP certification for all parameters analyzed. In addition, GPCEL TAL, and Pace laboratories are certified to perform analysis by the State of Georgia. Groundwater data and chain of custody records for the monitoring events are presented in Appendix A.

3.5 QUALITY ASSURANCE & QUALITY CONTROL

During each sampling event, quality assurance/quality control samples (QA/QC) were collected at a rate of one sample per every 10 detection samples. QA/QC samples included field equipment rinsate blanks (FERB), field blanks (FB), and duplicate (DUP) samples. QA/QC sample data was evaluated during data validation (as described below) and is included in Appendix A.

Groundwater quality data in this report was independently validated in accordance with USEPA guidance (USEPA, 2011) and the analytical methods. Data validation generally consisted of reviewing sample integrity, holding times, laboratory method blanks, laboratory control samples, matrix spikes/matrix spike duplicate recoveries and relative percent differences (RPDs), post digestions spikes, laboratory and field duplicate RPDs, field and equipment blanks, and reporting limits. Where appropriate, validation qualifiers and flags are applied to the data using USEPA procedures as guidance (USEPA, 2017). Flagged data is identified in the statistical analysis reports described in the following section.

4.0 STATISTICAL ANALYSIS

Statistical analysis of Appendix III groundwater monitoring data was performed pursuant to §257.93 following the PE certified statistical method for AP-1.

4.1 STATISTICAL METHOD

The statistical test used to evaluate the groundwater monitoring data was both the interwell (boron, chloride, fluoride and sulfate) and intrawell (calcium, pH and total dissolved solids [TDS]) prediction limit (PL) method combined with the option of a 1-of-2 resampling strategy. The interwell PLs pool background data from the network of upgradient wells to calculate a PL, while the intrawell PLs utilize historical data from within a given well to establish a statistical limit for comparison of compliance data at the same well. An “initial exceedance” occurs when any downgradient well data exceed the PL.

If data from a sampling event initially exceed the PL, the resampling strategy may be used to verify the result. In 1-of-2 resampling, one independent resample may be collected and evaluated within 90 days to determine whether the initial exceedance is verified. If the resample exceeds the PL, the initial exceedance is verified and a statistically significant increase (SSI) is

determined. When the resample result does not verify the initial result, there is no SSI. If resampling is not performed, the initial exceedance is a confirmed exceedance.

The following guidance is also applicable to the statistical analysis method:

- Statistical analyses are not performed on analytes containing 100% non-detects (USEPA, 2009).
- When data contain less than or equal to 15% non-detects in background, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the practical quantitation limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, a non-detect adjustment such as the Kaplan-Meier or Regression on Order Statistics (ROS) method for adjustment of the mean and standard deviation will be used prior to constructing a parametric PL.
- Nonparametric PLs are used on data containing greater than 50% non-detects.

The Sanitas groundwater statistical software was used to perform the statistical analyses. Sanitas is a proprietary decision support software package that incorporates the statistical tests required of Subtitle C and D facilities by USEPA regulations and guidance as recommended in the *Unified Guidance* (USEPA, 2009) document.

4.2 STATISTICAL ANALYSES RESULTS

Analytical data from the initial detection monitoring event in October 2017 at AP-1 was statistically analyzed in accordance with the PE - certified statistical method. Resampling to confirm SSIs was not performed; therefore, initial SSIs are treated as verified. The statistical analysis and comparison to PLs are included as Appendix B.

Based on the statistical results presented in Appendix B, the following summarizes parameters exhibiting SSIs at each monitoring well:

- Boron: MGWC-1, MGWC-2, MGWC-3, MGWC-7, and MGWC-8
- Calcium: MGWC-8
- Chloride: MGWC-1, MGWC-2, MGWC-3, MGWC-7, and MGWC-8
- Fluoride: MGWC-7 and MGWC-12
- Sulfate: MGWC-1, MGWC-2, MGWC-3, MGWC-7, and MGWC-8
- TDS: MGWC-8
- pH: MGWC-2

Pursuant to §257.94(e), within 90 days from determining an SSI, GPC will either (1) prepare a demonstration that a source other than AP-1 was the cause, or (2) implement assessment monitoring per §257.95.

4.3 APPENDIX IV BACKGROUND DATA

Pursuant to §257.95, Appendix IV groundwater quality data is statistically analyzed and compared to groundwater protection standards if assessment monitoring is implemented. GPC is currently performing detection monitoring per §257.94 and has not implemented assessment monitoring at AP-1. Therefore, statistical analysis of the Appendix IV data has not been performed.

5.0 MONITORING PROGRAM STATUS

AP-1 is in detection monitoring. SSIs of Appendix III parameters have been identified. Pursuant to §257.94(e)(1), GPC has 90 days from the date of determination to either (1) prepare a demonstration that a source other than the CCR Unit was the cause, or (2) implement assessment monitoring per §257.95. GPC will address the reported SSIs in accordance with the requirements and options, of §257.94(e)(1-3) and (f).

6.0 CONCLUSIONS & FUTURE ACTIONS

Statistical evaluations of the groundwater monitoring data for AP-1 identified SSIs of Appendix III groundwater monitoring parameters. In accordance with §257.94(e)(1-2), GPC will conduct an alternate source demonstration or initiate assessment monitoring program within 90 days.

The first 2018 semi-annual detection monitoring event is planned for April 2018.

7.0 REFERENCES

Driscoll. 1986. *Groundwater and Wells. Second Edition*. Johnson Division, St. Paul, MN.


Freeze and Cherry. 1979. *Groundwater*. Prentice – Hall, Inc., Edgewood Cliffs, NJ.

Southern Company Services, Inc. 2002. *Savannah Electric Plant McIntosh Ash Monofill Site Acceptability Report*, Birmingham, AL.

Sanitas: Groundwater Statistical Software, Sanitas Technologies, Shawnee, KS, 2007.
www.sanitastech.com

USEPA. 1989. *RCRA Facility Investigation (RFI) Guidance, Volume II of IV: Soil, Groundwater, Subsurface Gas Releases*. EPA/530/SW-89-031. Office of Solid Waste Management Division, U.S. Environmental Protection Agency, Washington, D.C.

- USEPA. 2009. *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance*. Office of Resource Conservation and Recovery – Program Implementation and Information Division. March.
- USEPA. 2011. *Data Validation Standard Operating Procedures. Science and Ecosystem Support Division*. Region IV. Athens, GA. September.
- USEPA. 2015. Federal Register. Volume 80. No. 74. Friday April 17, 2015. Part II. Environmental Protection Agency. *40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*. [EPA-HQ-RCRA-2009-0640; FRL-9919-44-OSWER]. RIN-2050-AE81. April.
- USEPA. 2017. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. Office of Superfund Remediation and Technology Innovation. OLEM 9355.0-135 [EPA-540-R-2017-001]. Washington, DC. January.



Document Path: \\USATLDC01\\Data\\Atlanta\\Projects\\0372382 Southern Co McIntosh Well Samp.GJ\\Data Management\\McIntosh GIS\\MXD\\2017_09 HMP\\GWRpt_F1_McIntshALLUnitSiteLoc.mxd



**Environmental Resources
Management**



FOR

Georgia Power Company

SCALE	DRAWING NUMBER	SHEET	CONT'D	REV
As Shown	GWRpt_F1_McIntshALLUnitSiteLoc	1	As Shown	0

FIGURE 1
SITE LOCATION MAP

PLANT MCINTOSH ASH POND 1
RINCON, EFFINGHAM COUNTY, GEORGIA




**Environmental Resources
Management**
FOR


Georgia Power Company

SCALE	DRAWING NUMBER	SHEET	CONT'D	REV
As Shown	GWRpt_F2_AP_GWElev_100917	2	As Shown	0

FIGURE 2
SITE PLAN AND WELL LOCATION MAP
PLANT MCINTOSH ASH POND 1
RINCON, EFFINGHAM COUNTY, GEORGIA



Legend	
●	Monitoring Well
▲	Piezometer
→	Apparent Ground Water Flow Direction
—	Apparent Potentiometric Surface Contour
(49.00)	= Groundwater Elevation (10/09/17, Feet Above Mean Sea Level, Ft MSL)



Environmental Resources Management FOR Georgia Power Company

SCALE DRAWING NUMBER SHEET CONT'D REV

As Shown GWRpt_F3_AP_GWElev_100917 2 As Shown 0

FIGURE 3
POTENTIOMETRIC SURFACE CONTOUR MAP - OCTOBER 2017
PLANT MCINTOSH ASH POND 1
RINCON, EFFINGHAM COUNTY, GEORGIA

TABLE 1. MONITORING WELL NETWORK SUMMARY

Well ID	Hydraulic Location	Installation Date mm/dd/yyyy	Northing	Easting	Top of Casing Elevation (ft MSL)	Total Depth (ft BTOC)	Top of Screen Elevation (ft MSL)	Bottom of Screen Elevation (ft MSL)	Screen Length (ft)
MGWC-1	Downgradient	11/10/2015	856813.32	964287.17	65.08	55.78	19.30	9.30	10
MGWC-2	Downgradient	11/11/2015	856400.7	963958.28	48.26	37.06	21.20	11.20	10
MGWC-3	Downgradient	11/11/2015	856033.91	963658.13	52.34	38.44	23.90	13.90	10
MGWA-5	Upgradient	11/12/2015	855860.77	962763.08	64.09	62.79	11.30	1.30	10
MGWA-6	Upgradient	11/12/2015	856527.64	963130.05	60.83	41.63	29.20	19.20	10
MGWC-7	Downgradient	11/13/2015	857417.67	964007.37	54.19	41.99	22.20	12.20	10
MGWC-8	Downgradient	11/10/2015	857177.15	964141.60	62.36	52.26	20.10	10.10	10
MGWA-10	Upgradient	11/17/2015	855934.18	961406.35	64.69	52.79	21.90	11.90	10
MGWA-11	Upgradient	05/27/2016	855985.27	962070.17	67.51	55.61	21.90	11.90	10
MGWC-12	Downgradient	05/26/2016	855545.62	963110.1	66.80	52.70	24.10	14.10	10

Notes:

Wells were constructed of 2-inch inside diameter American Society for Testing and Materials (ASTM)

Schedule 40 PVC casing affixed to a pre-packed dual-wall slotted PVC screen.

ft = feet

MSL = mean sea level

BTOC = below top of casing

TABLE 2. GROUNDWATER SAMPLING EVENT SUMMARY

Well ID	Hydraulic Location	Summary of Sampling Events										Status of Monitoring Well
		May 5-6, 2016	June 20-21, 2016	August 8-16, 2016	September 26-29, 2016	November 14-16, 2016	January 10-19, 2017	February 27-March 2, 2017	April 17-25, 2017	July 13, 2017	October 9-10, 2017	
Purpose of Sampling Event		Background	Background	Background	Background	Background	Background	Background	Background	Background	Detection	
MGWC-1	Downgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWC-2	Downgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWC-3	Downgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWA-5	Upgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWA-6	Upgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWC-7	Downgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWC-8	Downgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWA-10	Upgradient	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	--	D01	Detection
MGWA-11	Upgradient	--	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	D01	Detection
MGMC-12	Downgradient	--	BG01	BG02	BG03	BG04	BG05	BG06	BG07	BG08	D01	Detection

Notes:

BGXX = Background Event and Number

DXX = Detection Event Number

-- = Not sampled

TABLE 3. SUMMARY OF HISTORICAL GROUNDWATER ELEVATIONS

Well ID	Top of Casing Elevation (ft MSL)	Groundwater Elevations (ft MSL)									
		5/4/2016	6/13/2016	8/8/2016	9/26/2016	11/14/2016	1/10/2017	2/27/2017	4/17/2017	7/17/2017	10/9/2017
MGWC-1	65.08	29.19	29.57	28.87	28.61	28.93	28.57	28.88	28.68	28.84	29.30
MGWC-2	48.26	28.84	29.25	28.41	28.36	28.63	28.57	28.76	28.60	28.77	28.83
MGWC-3	52.34	37.32	38.13	36.88	36.49	36.86	36.50	37.08	36.94	37.61	37.57
MGWA-5	64.09	43.82	44.92	43.09	42.30	43.11	43.07	43.87	43.51	44.67	44.46
MGWA-6	60.83	44.21	45.68	43.37	42.58	43.02	42.92	43.68	43.54	44.83	44.18
MGWC-7	54.19	36.25	37.59	35.30	34.70	35.11	34.85	35.32	35.20	35.91	35.86
MGWC-8	62.36	34.29	34.78	34.03	33.62	32.84	33.35	33.62	33.52	33.85	34.18
MGWA-10	64.69	48.53	49.69	47.42	43.81	47.69	48.20	48.90	48.37	49.56	49.00
MGWA-11	64.66	NM	46.89	44.73	46.37	44.83	45.08	45.86	45.42	46.64	46.22
MGMC-12	63.92	NM	41.32	40.01	39.43	40.20	39.99	40.71	40.41	40.33	40.61
MGWC-4	64.05	40.18	41.06	39.78	39.18	39.94	39.76	40.49	40.14	41.08	41.33
MGWA-9	59.05	40.58	42.76	39.45	38.90	39.57	39.68	40.62	40.12	41.53	40.81
PZ-13	40.66	NM	24.06	23.41	23.53	23.74	23.96	24.09	23.87	23.82	23.90
PZ-14	46.90	NM	31.15	30.37	30.16	28.52	30.54	30.96	30.80	31.16	31.32

Notes:

ft = feet NM = not measured

MSL = mean sea level

TABLE 4. GROUNDWATER FLOW VELOCITY CALCULATIONS - OCTOBER 2017

Well ID		h_1	h_2	K (ft/day)	n_e	dh	L (ft)	i (ft/ft)	Velocity (ft/day)		
MGWA-10	MGWC-3	49.00	37.57	0.47	0.30	11.43	2,286	0.005	0.008		
MGWA-6	MGWC-1	44.18	29.30			14.88	1,200	0.012	0.019		
									Avg. (ft/day)		
									0.014		

Notes:

K = hydraulic conductivity

i = hydraulic gradient

n_e = effective porosity

dh = difference between h_1 and h_2

h_1 and h_2 = groundwater elevation at location 1 and 2

L = distance between locations 1 and 2

ft = feet

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWA-5	MGWA-5	MGWA-5	MGWA-5	MGWA-5	MGWA-5	MGWA-5	MGWA-5
			05/05/2016	06/20/2016	08/15/2016	09/28/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	ND	ND (0.013 J)	ND (0.023 J)	ND	ND	ND	ND	ND
	Calcium	N/R	27	29.4	26	31	26	29	28	27
	Chloride	(250)	6.51	5.9	6.4	6.1	6.1	5.7	5.3	5.3
	Fluoride	4	ND (0.132 J)	ND (0.05 J)	ND (0.10 J)	ND (0.11 J)	ND (0.093 J)	ND (0.095 J)	ND (0.16 J)	ND
	Sulfate	(250)	4.47	7.7	7.5	7.8	6.7	6.7	5.6	5.1
	TDS	(500)	129	156	160	91	250	140	170	140
APPENDIX IV	Antimony	0.006	ND (0.0012 J)	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND	ND (0.00014 J)	ND	ND (0.00062 J)	ND	ND	ND	ND
	Barium	2	0.0295	0.031	0.032	0.038	0.035	0.039	0.037	0.035
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND (0.00024 J)	ND	ND	ND	ND	0.0032	ND
	Cobalt	N/R	ND	ND (0.000012 J)	ND	ND	ND	ND	ND	ND
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND	ND (0.0065 J)	0.0059	0.0075	0.0094	0.010	0.0076	0.0080
	Mercury	0.002	ND	ND	ND	ND	ND	ND	ND	ND
	Molybdenum	N/R	ND (0.0026 J)	ND (0.0014 J)	ND (0.0013 J)	ND (0.0012 J)	ND	ND	ND	ND
	Radium	5	0.480	0.184 U	0.577	0.107 U	0.333 U	0.511 U	0.105 U	0.279 U
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWA-6	MGWA-6	MGWA-6	MGWA-6	MGWA-6	MGWA-6	MGWA-6	MGWA-6
			05/05/2016	06/21/2016	08/15/2016	09/28/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	0.157	0.124	0.18	0.17	0.17	0.17	0.14	0.14
	Calcium	N/R	105	91.2	94	110	98	100	100	110
	Chloride	(250)	9.67	9.2	10	10	10	9.4	8.6	8.9
	Fluoride	4	ND (0.091 J)	ND (0.08 J)	ND	ND (0.084 J)	ND (0.084 J)	ND (0.099 J)	ND (0.15 J)	ND
	Sulfate	(250)	17.8	17	20	21	20	19	15	14
	TDS	(500)	281	303	310	170	340	310	330	290
APPENDIX IV	Antimony	0.006	ND	ND (0.0017 J)	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	0.0343	0.0352	0.035	0.033	0.020	0.022	0.021	0.018
	Barium	2	0.0595	0.0539	0.053	0.060	0.052	0.051	0.043	0.042
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0032	ND
	Cobalt	N/R	ND	ND (0.0003 J)	ND (0.00049 J)	ND (0.00043 J)	ND	ND	ND (0.00046 J)	ND (0.00044 J)
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND	ND	ND	ND	ND	ND	ND	ND
	Mercury	0.002	ND	ND	ND	ND	ND	ND	ND	ND
	Molybdenum	N/R	ND	ND	ND	ND	ND	ND	ND	ND
	Radium	5	0.694	0.511 U	0.467	0.926	0.863	0.820	0.236 U	0.316 U
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND (0.0001 J)	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWA-10 05/05/2016	MGWA-10 06/20/2016	MGWA-10 08/15/2016	MGWA-10 09/28/2016	MGWA-10 11/16/2016	MGWA-10 01/16/2017	MGWA-10 03/02/2017	MGWA-10 04/18/2017
APPENDIX III	Boron	N/R	ND	ND (0.011 J)	ND (0.022 J)	ND (0.023 J)	ND	ND (0.021 J)	ND	ND
	Calcium	N/R	8.83	8.1	6.1	7.2	5.2	3.8	5.4	5.0
	Chloride	(250)	7.35	7	7.5	7.0	7.5	7.7	6.9	6.8
	Fluoride	4	ND (0.046 J)	ND	ND	ND	ND	ND (0.12 J)	ND	ND
	Sulfate	(250)	2.46	2.5	1.9	1.9	1.7	ND	1.4	1.3
	TDS	(500)	78	80	58	29	140	36	78	16
APPENDIX IV	Antimony	0.006	ND (0.00112 J)	ND						
	Arsenic	0.01	ND	ND (0.00036 J)	ND (0.00096 J)	ND (0.00095 J)	ND	ND	ND	ND
	Barium	2	0.0376	0.033	0.029	0.032	0.027	0.022	0.027	0.024
	Beryllium	0.004	ND	ND (0.000033 J)	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND							
	Chromium	0.1	ND (0.00249 J)	ND (0.0026 J)	0.0029	0.0027	0.0026	0.0029	0.0063	0.0031
	Cobalt	N/R	ND	ND (0.00018 J)	ND	ND	ND	ND	ND	ND
	Lead	0.015	ND							
	Lithium	N/R	ND	ND (0.0071 J)	0.0065	0.0075	0.0081	0.0076	0.0073	0.0060
	Mercury	0.002	ND							
	Molybdenum	N/R	ND	ND (0.00031 J)	ND	ND	ND	ND	ND	ND
	Radium	5	0.879	0.305 U	0.577	0.770	0.427 U	1.10	1.01	0.635
	Selenium	0.05	ND	ND	ND (0.00062 J)	ND (0.00030 J)	ND	ND	ND	ND
	Thallium	0.002	ND							

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWA-11	MGWA-11	MGWA-11	MGWA-11	MGWA-11	MGWA-11	MGWA-11	MGWA-11
			06/20/2016	08/15/2016	09/28/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017	07/13/2017
APPENDIX III	Boron	N/R	ND (0.017 J)	ND (0.032 J)	ND (0.021 J)	ND	ND	ND	ND	ND
	Calcium	N/R	35.5	34	38	33	34	35	33	30
	Chloride	(250)	4.3	4.1	3.9	4.1	3.9	3.5	3.7	4.2
	Fluoride	4	ND (0.06 J)	ND (0.10 J)	ND (0.097 J)	ND (0.12 J)	ND (0.11 J)	ND (0.18 J)	ND (0.11 J)	ND (0.12 J)
	Sulfate	(250)	1	ND (0.73 J)	ND	ND	ND	ND	ND	1.4
	TDS	(500)	188	180	100	270	170	210	160	150
APPENDIX IV	Antimony	0.006	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND (0.003 J)	0.0033	0.0026	0.0013	ND	0.0015	ND (0.00071 J)	ND (0.00066 J)
	Barium	2	0.091	0.11	0.12	0.11	0.11	0.11	0.10	0.087
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND (0.00066 J)	ND	ND	ND	ND	0.0030	ND	ND
	Cobalt	N/R	ND (0.000039 J)	ND	ND	ND	ND	ND	ND	ND
	Lead	0.015	ND (0.000087 J)	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND (0.014 J)	0.020	0.019	0.021	0.020	0.019	0.016	0.011
	Mercury	0.002	ND	ND (0.000080 J)	ND	ND	ND	ND	ND	ND
	Molybdenum	N/R	ND (0.0052 J)	ND (0.0022 J)	ND (0.0018 J)	ND	ND (0.0011 J)	ND	ND	ND
	Radium	5	0.556 U	0.720	0.521 U	0.322 U	1.26	0.470	0.233 U	0.679
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-1	MGWC-1	MGWC-1	MGWC-1	MGWC-1	MGWC-1	MGWC-1	MGWC-1
			05/06/2016	06/21/2016	08/16/2016	09/28/2016	11/16/2016	01/19/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	0.567	1.55	0.85	0.70	0.88	1.5	0.89	1.1
	Calcium	N/R	92.5	119	84	92	83	110	89	100
	Chloride	(250)	13.2	15	14	14	14	14	13	13
	Fluoride	4	ND (0.28 J)	0.36	0.27	0.26	0.24	0.22	0.27	0.20
	Sulfate	(250)	106	210	120	110	130	160	130	120
	TDS	(500)	282	516	360	190	410	400	360	360
APPENDIX IV	Antimony	0.006	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND (0.00299 J)	ND (0.0047 J)	0.0030	0.0036	0.0030	0.0024	0.0027	0.0024
	Barium	2	0.11	0.165	0.094	0.10	0.096	0.12	0.097	0.092
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND (0.000126 J)	ND (0.0005 J)	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0036	ND
	Cobalt	N/R	ND	ND (0.0012 J)	ND (0.00047 J)	ND (0.00058 J)	ND	ND (0.00040 J)	ND	ND
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND (0.0128 J)	ND (0.0102 J)	0.012	0.012	0.013	0.011	0.013	0.0097
	Mercury	0.002	ND	ND	ND	ND	ND	ND	ND	ND
	Molybdenum	N/R	ND (0.0021 J)	ND (0.002 J)	ND (0.0019 J)	ND (0.0018 J)	ND	ND (0.0011 J)	ND (0.0012 J)	ND (0.0013 J)
	Radium	5	1.07	2.01	1.12	1.09	1.58	1.64	1.08	1.23
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND (0.00009 J)	ND	ND	ND	ND	ND	ND (0.000095 J)

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-2		MGWC-2		MGWC-2		MGWC-2	
			05/06/2016	06/21/2016	08/16/2016	09/29/2016	11/16/2016	01/18/2017	03/02/2017	04/19/2017
APPENDIX III	Boron	N/R	3.78	3.1	2.8	3.1	3.9	3.7	3.3	3.7
	Calcium	N/R	131	119	120	140	120	130	120	120
	Chloride	(250)	41	20	20	19	20	18	18	17
	Fluoride	4	ND (0.088 J)	ND (0.19 J)	ND (0.087 J)	ND	ND	ND	ND (0.15 J)	ND
	Sulfate	(250)	445	290	270	280	280	280	240	250
	TDS	(500)	661	692	650	640	680	630	660	600
APPENDIX IV	Antimony	0.006	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND	ND	ND	ND	ND (0.00068 J)	ND	ND (0.00065 J)	ND
	Barium	2	0.0605	0.0613	0.052	0.053	0.056	0.060	0.056	0.051
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	0.00166	ND (0.0008 J)	0.0034	0.0027	ND (0.0022 J)	0.0080	0.0050	ND (0.0011 J)
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0033	ND
	Cobalt	N/R	ND (0.00311 J)	ND (0.0031 J)	0.0034	0.0032	0.0032	0.0032	0.0042	0.0035
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND	ND (0.0047 J)	ND (0.0043 J)	ND (0.0048 J)	0.0058	0.0051	0.0061	ND (0.0042 J)
	Mercury	0.002	ND	ND	ND (0.000078 J)	ND	ND (0.00010 J)	ND	ND	ND
	Molybdenum	N/R	ND	ND	ND	ND	ND	ND	ND	ND
	Radium	5	0.633	1.19 U	0.516	0.665	0.694	0.688	0.484	0.599
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-3	MGWC-3	MGWC-3	MGWC-3	MGWC-3	MGWC-3	MGWC-3	MGWC-3
			05/06/2016	06/21/2016	08/16/2016	09/29/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	0.926	0.792	1.0	1.0	1.2	1.3	1.3	1.8
	Calcium	N/R	109	99.7	97	100	94	100	99	120
	Chloride	(250)	12.5	13	13	13	14	14	13	13
	Fluoride	4	ND (0.086 J)	ND (0.23 J)	ND	ND (0.082 J)	ND (0.087 J)	ND (0.086 J)	ND (0.15 J)	ND
	Sulfate	(250)	94.2	95	88	94	97	100	100	91
	TDS	(500)	380	392	360	380	420	380	410	360
APPENDIX IV	Antimony	0.006	ND	ND (0.0003 J)	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND (0.00154 J)	ND (0.0016 J)	0.0017	0.0013	0.0014	ND (0.00056 J)	0.0018	0.0018
	Barium	2	0.151	0.174	0.13	0.14	0.14	0.16	0.15	0.14
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0030	ND
	Cobalt	N/R	ND	ND (0.0006 J)	ND (0.00064 J)	ND (0.00054 J)	ND (0.00041 J)	ND (0.00051 J)	ND (0.00064 J)	ND (0.00057 J)
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND (0.0113 J)	ND (0.0103 J)	0.010	0.010	0.014	0.014	0.013	0.010
	Mercury	0.002	ND	ND	ND	ND	ND (0.000070 J)	ND	ND	ND
	Molybdenum	N/R	ND	ND	ND	ND	ND	ND	ND	ND
	Radium	5	1.41	1.71	1.75	1.43	1.90	1.90	1.37	1.42
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-7		MGWC-7		MGWC-7		MGWC-7	
			05/05/2016	06/21/2016	08/15/2016	09/28/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	0.855	1.15	1.3	1.3	1.3	1.3	1.3	1.5
	Calcium	N/R	45	52.8	50	58	50	52	52	56
	Chloride	(250)	13	13	14	13	13	13	13	12
	Fluoride	4	0.394	0.49	0.44	0.40	0.36	0.20	0.36	0.29
	Sulfate	(250)	116	170	170	170	170	180	180	160
	TDS	(500)	272	356	330	180	330	310	340	300
APPENDIX IV	Antimony	0.006	ND (0.00197 J)	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND (0.00143 J)	ND (0.0009 J)	ND (0.0012 J)	ND (0.00084 J)	ND	ND	ND (0.00090 J)	ND (0.00050 J)
	Barium	2	0.039	0.0152	0.015	0.014	0.013	0.014	0.013	0.011
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0034	ND
	Cobalt	N/R	ND (0.0036 J)	ND (0.0097 J)	0.0098	0.0095	0.0094	0.0099	0.013	0.0086
	Lead	0.015	ND	ND (0.0003 J)	ND	ND	ND	ND	ND	ND
	Lithium	N/R	0.0586	0.122	0.12	0.12	0.13	0.14	0.13	0.11
	Mercury	0.002	ND	ND	ND	ND	ND (0.000080 J)	ND	ND	ND
	Molybdenum	N/R	ND (0.00351 J)	ND	ND	ND	ND	ND	ND	ND
	Radium	5	0.750	1.01 U	1.30	1.06	0.855	1.59	1.40	0.684
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-8	MGWC-8	MGWC-8	MGWC-8	MGWC-8	MGWC-8	MGWC-8	MGWC-8
			05/05/2016	06/21/2016	08/15/2016	09/28/2016	11/16/2016	01/17/2017	03/02/2017	04/18/2017
APPENDIX III	Boron	N/R	0.976	0.862	0.80	0.80	0.98	1.6	1.8	2.4
	Calcium	N/R	41.2	44.7	27	32	27	32	33	59
	Chloride	(250)	10.1	10	9.5	9.2	9.5	10	9.3	10
	Fluoride	4	ND (0.103 J)	ND (0.1 J)	ND (0.11 J)	ND (0.10 J)	ND (0.091 J)	ND	ND (0.16 J)	ND
	Sulfate	(250)	144	160	120	130	130	150	160	180
	TDS	(500)	287	297	230	130	290	240	270	310
APPENDIX IV	Antimony	0.006	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND	ND	ND	ND	ND	ND	ND (0.00059 J)	
	Barium	2	0.0364	0.0386	0.030	0.034	0.034	0.038	0.037	0.040
	Beryllium	0.004	ND	ND (0.0004 J)	ND (0.00053 J)	ND (0.00049 J)	ND (0.00040 J)	ND (0.00084 J)	ND (0.00068 J)	ND (0.00067 J)
	Cadmium	0.005	ND (0.000784 J)	ND (0.0003 J)	ND	ND	ND	ND	ND	ND (0.00044 J)
	Chromium	0.1	ND	ND	ND	ND	ND	ND	0.0031	ND
	Cobalt	N/R	ND (0.00359 J)	ND (0.0033 J)	0.0038	0.0043	0.0040	0.0051	0.0064	0.0050
	Lead	0.015	ND	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND (0.0252 J)	ND (0.0228 J)	0.026	0.026	0.031	0.032	0.031	0.023
	Mercury	0.002	ND	ND	ND (0.00015 J)	ND	0.00021	ND (0.000076 J)	ND	ND (0.00018 J)
	Molybdenum	N/R	ND	ND	ND	ND	ND	ND	ND	ND (0.0037 J)
	Radium	5	1.21	0.895 U	1.64	2.17	1.49	1.75	1.03	1.83
	Selenium	0.05	ND	ND	ND (0.00033 J)	ND (0.00038 J)	ND	ND	ND	0.0024
	Thallium	0.002	ND	ND (0.0001 J)	ND (0.00016 J)	ND (0.00014 J)	ND (0.000090 J)	ND (0.00016 J)	ND (0.00018 J)	ND (0.00019 J)

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

TABLE 5. PLANT McINTOSH ASH POND 1
ANALYTICAL DATA SUMMARY

Substance		MCL/ (SMCL)	Well ID							
			MGWC-12	MGWC-12	MGWC-12	MGWC-12	MGWC-12	MGWC-12	MGWC-12	MGWC-12
			06/21/2016	08/16/2016	09/29/2016	11/16/2016	01/18/2017	03/02/2017	04/25/2017	07/13/2017
APPENDIX III	Boron	N/R	ND (0.0201 J)	0.055	ND	0.055	0.097	0.064	ND	ND
	Calcium	N/R	25.5	25	30	26	32	26	26	26
	Chloride	(250)	4.4	4.6	4.4	4.5	4.2	3.9	4.0	4.0
	Fluoride	4	ND (0.14 J)	0.29	0.26	0.25	0.26	0.28	0.25	0.21
	Sulfate	(250)	4	2.8	ND	3.0	4.1	4.6	4.4	4.8
	TDS	(500)	177	160	190	240	180	170	170	150
APPENDIX IV	Antimony	0.006	ND (0.0004 J)	ND	ND	ND	ND	ND	ND	ND
	Arsenic	0.01	ND (0.0015 J)	ND (0.00082 J)	0.0019	0.0017	ND (0.00096 J)	ND (0.00082 J)	ND	ND (0.00047 J)
	Barium	2	0.0439	0.041	0.052	0.044	0.056	0.040	0.042	0.043
	Beryllium	0.004	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	0.005	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	0.1	ND	ND	ND	ND	ND	0.0032	ND	ND
	Cobalt	N/R	ND	ND	ND	ND	ND	ND	ND	ND
	Lead	0.015	ND (0.0001 J)	ND	ND	ND	ND	ND	ND	ND
	Lithium	N/R	ND (0.0112 J)	0.014	0.017	0.016	0.015	0.015	0.013	0.014
	Mercury	0.002	ND	ND	ND	ND (0.000086 J)	ND	ND	ND	ND
	Molybdenum	N/R	ND (0.002 J)	ND (0.0012 J)	ND (0.0014 J)	ND	ND	ND	ND	ND
	Radium	5	0.292 U	0.232 U	1.11	0.798	0.302 U	0.437	0.391	0.470
	Selenium	0.05	ND	ND	ND	ND	ND	ND	ND	ND
	Thallium	0.002	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

1. MCL indicates Environmental Protection Agency (EPA) and Georgia Environmental Protection Division (EPD) maximum contaminant level.
2. (SMCL) indicates a secondary MCL that is established by EPA as a general guideline only (not enforced).
3. Results for substances are reported in milligrams per liter (mg/L). Radium results are reported in picocuries per liter (pCi/L).
4. ND (Not Detected) indicates the substance was not detected above the analytical method detection limit (MDL).
5. ND (value J) indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
6. N/R indicates a substance does not have an MCL or SMCL, but will be further evaluated statistically at the conclusion of all the background sampling events, as required by EPA's CCR rule.
7. TDS indicates total dissolved solids.
8. U indicates the substance was detected below the Minimum Detection Concentration (MDC) and the precision of the laboratory instruments could not produce a reliable value. Therefore, the value followed by U is qualified by the laboratory as estimated.
9. Appendix III = indicator parameters evaluated during Detection Monitoring; Appendix IV = parameters evaluated during Assessment Monitoring.

Appendix A

Analytical Data Reports

May 27, 2016

Joju Abraham
Southern Company Services
Earth Sciences & Env Eng
42 Inverness Center Parkway
Birmingham, AL 35242

RE: Workorder: 103222 CCR - McIntosh AP

Dear Joju Abraham:

The Environmental Laboratory has completed the analysis of your samples and reports the results on the attached pages. Our laboratory maintains current NELAC accreditation for those analytes listed under the scope of accreditation. Analytes not listed in this scope are currently not maintained under an accreditation program. The analytes of this report that are listed under our NELAC scope of accreditation meet all requirements of the NELAC standards, unless otherwise noted by data qualifiers. Internal clients can view the scope and effective dates of our accreditation at:

<http://environmental.southernco.com/gpc/environmental-lab/chem.html>

External clients can receive a copy of our scope of accreditation by contacting the laboratory.

All results relate only to the contents of the samples submitted. Samples will be disposed of after 30 days unless otherwise instructed. This report should only be reproduced in full with all associated records. This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

If you have any questions or comments, contact your Program Manager:

Maria Padilla
mrpadill@southernco.com
(404) 799-2188 / 8-530-2188

Respectfully submitted,



R. S. Dickerson
rsdicker@southernco.com
QA/QC Specialist

Report ID: 103222 - 5031417
GPC Report Page 1 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

SAMPLE SUMMARY

Workorder: 103222 CCR - McIntosh AP

Lab ID	Sample ID	Analysis Request Number	Matrix	Date Collected	Date Received
103222001	MGWA-9	N/A	Water	5/5/2016 12:44	5/6/2016 10:25
103222002	MGWA-5	N/A	Water	5/5/2016 15:50	5/6/2016 10:25
103222003	MGWC-8	N/A	Water	5/5/2016 17:22	5/6/2016 10:25
103222004	MGWA-10	N/A	Water	5/5/2016 13:30	5/6/2016 10:25
103222005	MGWA-6	N/A	Water	5/5/2016 17:30	5/6/2016 10:25
103222006	Dup-01	N/A	Water	5/5/2016 13:30	5/6/2016 10:25

Report ID: 103222 - 5031417
GPC Report Page 2 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

Georgia Power Environmental Laboratories
2480 Maner Road
Atlanta, Ga. 30339
Phone: (404) 799-2100
Fax: (404) 799-2141

CASE NARRATIVE

Workorder: 103222 CCR - McIntosh AP

Analyses for sample 103222001 (MGWA-9) were canceled per customer's request.

Report ID: 103222 - 5031417

GPC Report Page 3 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222002		Date Received:	5/6/2016 10:25		
Sample ID:	MGWA-5		Date Collected:	5/5/2016 15:50		
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	27.0	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 16:05 HAM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
TOTAL METALS				5/20/2016 12:10	MRP	5/20/2016 20:54 ELS
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 12:57 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Boron	<0.100	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/20/2016 12:10	MRP	5/20/2016 20:54 ELS
Molybdenum	0.00260J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Antimony	0.00120J	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Barium	0.0295	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 17:59 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 14:48	LBB
Sulfate	4.47	mg/L	0.3000	1.00	5/16/2016 22:11	LBB
Chloride	6.51	mg/L	0.2000	1.25	5/17/2016 14:48	LBB
Fluoride	0.1320J	mg/L	0.0100	0.3000	5/16/2016 22:11	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW

Report ID: 103222 - 5031417

GPC Report Page 4 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222002	Date Received:	5/6/2016 10:25
Sample ID:	MGWA-5	Date Collected:	5/5/2016 15:50
Sample Description	McIntosh AP	Matrix:	Water
Location	McIntosh AP		

Parameters	Results	Units	MDL	RL	Prepared	By	Analyzed	By	Qual
TDS	129	mg/L	25	25			5/9/2016 16:15	KLW	

Report ID: 103222 - 5031417
GPC Report Page 5 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222003		Date Received:	5/6/2016 10:25		
Sample ID:	MGWC-8		Date Collected:	5/5/2016 17:22		
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	41.2	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 16:12 HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
TOTAL METALS						
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:00 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	0.0252J	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Boron	0.976	mg/L	0.0400	0.200 5/9/2016 10:55	KLW	5/20/2016 20:07 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Cobalt	0.00359J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/20/2016 12:10	MRP	5/20/2016 21:08 ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Cadmium	0.000784J	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Barium	0.0364	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:38 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 15:27	LBB
Sulfate	144	mg/L	3.00	10.0	5/17/2016 15:27	LBB
Chloride	10.1	mg/L	0.4000	2.50	5/17/2016 15:27	LBB
Fluoride	0.1030J	mg/L	0.0100	0.3000	5/16/2016 22:49	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW
TDS	287	mg/L	25	25	5/9/2016 16:15	KLW

Report ID: 103222 - 5031417

GPC Report Page 6 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222004		Date Received:	5/6/2016 10:25		
Sample ID:	MGWA-10		Date Collected:	5/5/2016 13:30		
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS				5/9/2016 10:55	KLW	5/9/2016 16:54
Calcium	8.83	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 16:54
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
TOTAL METALS				5/9/2016 10:55	KLW	5/20/2016 18:42
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:02
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 18:42
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:42
Boron	<0.100	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 18:42
Chromium	0.00249J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:42
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:42
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:42
Selenium	<0.0100	mg/L	0.00200	0.0100 5/20/2016 12:10	MRP	5/20/2016 21:13
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:42
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:42
Antimony	0.00112J	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:42
Barium	0.0376	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:42
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:42
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:42
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 16:05	LBB
Sulfate	2.46	mg/L	0.3000	1.00	5/16/2016 23:28	LBB
Chloride	7.35	mg/L	0.2000	1.25	5/17/2016 16:05	LBB
Fluoride	0.0460J	mg/L	0.0100	0.3000	5/16/2016 23:28	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW

Report ID: 103222 - 5031417

GPC Report Page 7 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222004	Date Received:	5/6/2016 10:25
Sample ID:	MGWA-10	Date Collected:	5/5/2016 13:30
Sample Description	McIntosh AP	Matrix:	Water
Location	McIntosh AP		

Parameters	Results	Units	MDL	RL	Prepared	By	Analyzed	By	Qual
TDS	78	mg/L	25	25			5/9/2016 16:15	KLW	

Report ID: 103222 - 5031417
GPC Report Page 8 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222005		Date Received:	5/6/2016 10:25		
Sample ID:	MGWA-6		Date Collected:	5/5/2016 17:30		
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	105	mg/L	0.500	2.50 5/9/2016 10:55	KLW	5/10/2016 11:41 HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
TOTAL METALS						
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:10 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
INORGANICS						
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Boron	0.157	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Arsenic	0.0343	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/20/2016 12:10	MRP	5/20/2016 21:18 ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Barium	0.0595	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:47 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
NUTRIENTS						
TOTAL NUTRIENTS					5/17/2016 16:43	LBB
Sulfate	17.8	mg/L	0.3000	1.00	5/17/2016 00:06	LBB
Chloride	9.67	mg/L	0.2000	1.25	5/17/2016 16:43	LBB
Fluoride	0.0910J	mg/L	0.0100	0.3000	5/17/2016 00:06	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW
TDS	281	mg/L	25	25	5/9/2016 16:15	KLW

Report ID: 103222 - 5031417

GPC Report Page 9 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222006		Date Received:	5/6/2016 10:25		
Sample ID:	Dup-01		Date Collected:	5/5/2016 13:30		
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	8.70	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 17:06 HAM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
TOTAL METALS						
				5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:16 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Boron	<0.100	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Chromium	0.00255J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/20/2016 12:10	MRP	5/20/2016 21:22 ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Barium	0.0378	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 18:52 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 04:35	LBB
Sulfate	2.45	mg/L	0.3000	1.00	5/17/2016 04:35	LBB
Chloride	7.36	mg/L	0.2000	1.25	5/17/2016 17:22	LBB
Fluoride	0.0460J	mg/L	0.0100	0.3000	5/17/2016 04:35	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW

Report ID: 103222 - 5031417

GPC Report Page 10 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103222 CCR - McIntosh AP

Lab ID:	103222006	Date Received:	5/6/2016 10:25
Sample ID:	Dup-01	Date Collected:	5/5/2016 13:30
Sample Description	McIntosh AP	Matrix:	Water
Location	McIntosh AP		

Parameters	Results	Units	MDL	RL	Prepared	By	Analyzed	By	Qual
TDS	53	mg/L	25	25			5/9/2016 16:15	KLW	

Report ID: 103222 - 5031417
GPC Report Page 11 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS QUALIFIERS

Workorder: 103222 CCR - McIntosh AP

PARAMETER QUALIFIERS

- ND None detected at the laboratory Method Detection Limit
- MDL Method Detection Limit
- RL Reporting Limit
- J The reported value is between the laboratory method detection limit and the laboratory reporting limit

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch:	DIGM/4296	Analysis Method:	EPA 6010D		
QC Batch Method:	EPA 3005A				
Associated Lab Samples:	103222002	103222003	103222004	103222005	103222006

METHOD BLANK: 105704

Parameter	Units	Blank Result	Reporting Limit Qualifiers	
			Limits	Qualifiers
INORGANICS				
Calcium	mg/L	<0.500	0.500	

LABORATORY CONTROL SAMPLE: 105705

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec		
					Limits	Qualifiers	
INORGANICS							
Calcium	mg/L	5	5.13	103	80-120		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105706 105707 Original: 103222003

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec		
								Limit	RPD	Max
INORGANICS										
Calcium	mg/L	41.2	5	46.5	46.4	105	105	75-125	0	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105708 105709 Original: 103225001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec		
								Limit	RPD	Max
INORGANICS										
Calcium	mg/L	62.4	5	68.0	68.0	111	111	75-125	0	20

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch:	DIGM/4297	Analysis Method:	EPA 6020B		
QC Batch Method:	EPA 3005A				
Associated Lab Samples:	103222002	103222003	103222004	103222005	103222006

METHOD BLANK: 105710

Parameter	Units	Blank Result	Reporting	
			Limit	Qualifiers
TOTAL METALS				
Lithium	mg/L	<0.0500	0.0500	
Beryllium	mg/L	<0.00300	0.00300	
Boron	mg/L	<0.100	0.100	
Chromium	mg/L	<0.0100	0.0100	
Cobalt	mg/L	<0.0100	0.0100	
Arsenic	mg/L	<0.00500	0.00500	
Molybdenum	mg/L	<0.0100	0.0100	
Cadmium	mg/L	<0.00100	0.00100	
Antimony	mg/L	<0.00300	0.00300	
Barium	mg/L	<0.0100	0.0100	
Thallium	mg/L	<0.00100	0.00100	
Lead	mg/L	<0.00500	0.00500	

LABORATORY CONTROL SAMPLE: 105711

Parameter	Units	Spike Conc.	LCS	LCS	% Rec
			Result	% Rec	Limits Qualifiers
TOTAL METALS					
Lithium	mg/L	0.2	0.206	103	80-120
Beryllium	mg/L	0.1	0.0999	99.9	80-120
Boron	mg/L	0.1	0.103	103	80-120
Chromium	mg/L	0.1	0.103	103	80-120
Cobalt	mg/L	0.1	0.103	103	80-120
Arsenic	mg/L	0.1	0.0997	99.7	80-120
Molybdenum	mg/L	0.1	0.0990	99	80-120
Cadmium	mg/L	0.1	0.101	101	80-120
Antimony	mg/L	0.1	0.102	102	80-120
Barium	mg/L	0.1	0.100	100	80-120
Thallium	mg/L	0.1	0.0955	95.5	80-120
Lead	mg/L	0.1	0.101	101	80-120

Report ID: 103222 - 5031417

GPC Report Page 14 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105712 105713 Original: 103222002

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
TOTAL METALS											
Lithium	mg/L	0.00466	0.2	0.194	0.213	94.5	104	75-125	9.6	20	
Beryllium	mg/L	1.8e-005	0.1	0.0953	0.102	95.3	102	75-125	6.8	20	
Boron	mg/L	0.0191	0.1	0.111	0.125	91.5	106	75-125	14.7	20	
Chromium	mg/L	0.00040	0.1	0.102	0.109	102	109	75-125	6.6	20	
Cobalt	mg/L	2.4e-005	0.1	0.0997	0.107	99.7	106	75-125	6.1	20	
Arsenic	mg/L	0.00093	0.1	0.101	0.107	100	106	75-125	5.8	20	
Molybdenum	mg/L	0.0026	0.1	0.105	0.112	103	110	75-125	6.6	20	
Cadmium	mg/L	1.7e-005	0.1	0.101	0.108	101	108	75-125	6.7	20	
Antimony	mg/L	0.0012	0.1	0.104	0.111	103	110	75-125	6.6	20	
Barium	mg/L	0.0295	0.1	0.129	0.136	99.3	107	75-125	7.5	20	
Thallium	mg/L	1.2e-005	0.1	0.0958	0.102	95.8	102	75-125	6.3	20	
Lead	mg/L	5.3e-005	0.1	0.101	0.107	101	107	75-125	5.8	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105714 105715 Original: 103225001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
TOTAL METALS											
Lithium	mg/L	0.00037	0.2	0.213	0.218	106	109	75-125	2.8	20	
Beryllium	mg/L	2e-006	0.1	0.103	0.106	103	106	75-125	2.9	20	
Boron	mg/L	0.0271	0.1	0.132	0.136	105	109	75-125	3.7	20	
Chromium	mg/L	0.00039	0.1	0.105	0.107	104	106	75-125	1.9	20	
Cobalt	mg/L	3.7e-005	0.1	0.0999	0.102	99.8	102	75-125	2.2	20	
Arsenic	mg/L	0.00010	0.1	0.103	0.105	103	104	75-125	0.97	20	
Molybdenum	mg/L	0.00431	0.1	0.111	0.115	107	110	75-125	2.8	20	
Cadmium	mg/L	1e-006	0.1	0.105	0.107	105	107	75-125	1.9	20	
Antimony	mg/L	0.00066	0.1	0.109	0.111	108	110	75-125	1.8	20	
Barium	mg/L	0.0233	0.1	0.127	0.126	104	103	75-125	0.97	20	
Thallium	mg/L	0.00015	0.1	0.0995	0.101	99.3	101	75-125	1.7	20	
Lead	mg/L	3.9e-005	0.1	0.104	0.106	104	106	75-125	1.9	20	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch: GRAV/2863 Analysis Method: SM 2540C
QC Batch Method: SM 2540C
Associated Lab Samples: 103222002 103222003 103222004 103222005 103222006

METHOD BLANK: 105728

Parameter	Units	Blank Result	Reporting	
			Limit	Qualifiers
WET CHEMISTRY				
TDS	mg/l	<25	25	

LABORATORY CONTROL SAMPLE: 105731

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
WET CHEMISTRY						
TDS	mg/L	241	220	91.3	90-110	

SAMPLE DUPLICATE: 105729 Original: 103214001

Parameter	Units	Original Result	DUP Result	RPD	Max RPD Qualifiers
WET CHEMISTRY					

2013年7月20日星期二

Parameter	Units	Original Result	DUP Result	RPD	Max RPD Qualifiers
WET CHEMISTRY					

Report ID: 103222 - 5031417

GPC Report Page 16 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch:	HGPR/1651	Analysis Method:	EPA 7470A		
QC Batch Method:	EPA 7470A				
Associated Lab Samples:	103222002	103222003	103222004	103222005	103222006

METHOD BLANK: 105740

Parameter	Units	Blank Result	Reporting Limit Qualifiers	
			LCS	% Rec
TOTAL METALS				
Mercury	mg/L	<0.000500	0.000500	

METHOD BLANK: 105746

Parameter	Units	Blank Result	Reporting Limit Qualifiers	
			LCS	% Rec
TOTAL METALS				
Mercury	mg/L	<0.000500	0.000500	

LABORATORY CONTROL SAMPLE: 105741

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec
					Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.002	0.00201	100	80-120

LABORATORY CONTROL SAMPLE: 105742

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec
					Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.0122	0.0129	105	80-120

LABORATORY CONTROL SAMPLE: 105747

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec
					Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.002	0.00201	100	80-120

Report ID: 103222 - 5031417

GPC Report Page 17 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105743 105744 Original: 103222004

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
TOTAL METALS											
Mercury	mg/L	0	0.002	0.00204	0.00202	102	101	80-120	0.99	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105748 105749 Original: 103228003

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
TOTAL METALS											
Mercury	mg/L	0	0.002	0.00199	0.00194	100	97	80-120	3	20	

SAMPLE DUPLICATE: 105745 Original: 103222005

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Qualifiers
TOTAL METALS						
Mercury	mg/L	<0.000500	<0.000500	0	20	

SAMPLE DUPLICATE: 105750 Original: 103228004

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Qualifiers
TOTAL METALS						
Mercury	mg/L	<0.000500	<0.000500	0	20	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch:	IC/3027	Analysis Method:	EPA 300		
QC Batch Method:	EPA 300				
Associated Lab Samples:	103222002	103222003	103222004	103222005	103222006

METHOD BLANK: 105944

Parameter	Units	Blank Result	Reporting	
			Limit	Qualifiers
Sulfate	mg/L	<1.00	1.00	
Fluoride	mg/L	<0.3000	0.3000	

METHOD BLANK: 105954

Parameter	Units	Blank Result	Reporting	
			Limit	Qualifiers
Chloride	mg/L	<0.2500	0.2500	
Sulfate	mg/L	<1.00	1.00	
Fluoride	mg/L	<0.3000	0.3000	

LABORATORY CONTROL SAMPLE: 105945

Parameter	Units	Spike Conc.	LCS	LCS	% Rec
			Result	% Rec	Limits Qualifiers
Sulfate	mg/L	5	4.91	98.2	90-110
Fluoride	mg/L	0.5	0.5210	104	90-110

LABORATORY CONTROL SAMPLE: 105947

Parameter	Units	Spike Conc.	LCS	LCS	% Rec
			Result	% Rec	Limits Qualifiers
Chloride	mg/L	11.3	11.9	105	90-110
Fluoride	mg/L	6.83	7.00	102	90-110

LABORATORY CONTROL SAMPLE: 105955

Parameter	Units	Spike Conc.	LCS	LCS	% Rec
			Result	% Rec	Limits Qualifiers
Chloride	mg/L	0.5	0.5120	102	90-110
Sulfate	mg/L	5	5.06	101	90-110
Fluoride	mg/L	0.5	0.5330	107	90-110

Report ID: 103222 - 5031417

GPC Report Page 19 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105950 105951 Original: 103222005

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
Fluoride	mg/L	0.091	1	1.15	1.13	106	104	90-110	1.9	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105952 105953 Original: 103222005

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
Sulfate	mg/L	17.8	10	27.4	27.2	96	93.8	90-110	2.3	10	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103222 CCR - McIntosh AP

QC Batch:	DIGM/4324	Analysis Method:	EPA 6020B		
QC Batch Method:	EPA 3005A				
Associated Lab Samples:	103222002	103222003	103222004	103222005	103222006

METHOD BLANK: 106234

Parameter	Units	Blank Result	Reporting Limit Qualifiers	
			Limits	Qualifiers
TOTAL METALS				
Selenium	mg/L	<0.0100	0.0100	

LABORATORY CONTROL SAMPLE: 106235

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec	
					Limits	Qualifiers
TOTAL METALS						
Selenium	mg/L	0.3	0.315	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105712 105713 Original: 103222002

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec			Max RPD	RPD Qualifiers
								Limit	RPD	Qualifiers		
TOTAL METALS												
Selenium	mg/L	0.00046	0.3	0.282	0.274	93.9	91	75-125	3.1	20		

Report ID: 103222 - 5031417

GPC Report Page 21 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: 103222 CCR - McIntosh AP

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
103222002	MGWA-5	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103222003	MGWC-8	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103222004	MGWA-10	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103222005	MGWA-6	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103222006	Dup-01	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103222002	MGWA-5	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103222003	MGWC-8	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103222004	MGWA-10	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103222005	MGWA-6	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103222006	Dup-01	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103222002	MGWA-5	SM 2540C	GRAV/2863		
103222003	MGWC-8	SM 2540C	GRAV/2863		
103222004	MGWA-10	SM 2540C	GRAV/2863		
103222005	MGWA-6	SM 2540C	GRAV/2863		
103222006	Dup-01	SM 2540C	GRAV/2863		
103222002	MGWA-5	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103222003	MGWC-8	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103222004	MGWA-10	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103222005	MGWA-6	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103222006	Dup-01	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103222002	MGWA-5	EPA 300	IC/3027		
103222003	MGWC-8	EPA 300	IC/3027		
103222004	MGWA-10	EPA 300	IC/3027		
103222005	MGWA-6	EPA 300	IC/3027		
103222006	Dup-01	EPA 300	IC/3027		
103222002	MGWA-5	EPA 3005A	DIGM/4324	EPA 6020B	ICPM/1057
103222003	MGWC-8	EPA 3005A	DIGM/4324	EPA 6020B	ICPM/1057
103222004	MGWA-10	EPA 3005A	DIGM/4324	EPA 6020B	ICPM/1057

Report ID: 103222 - 5031417

GPC Report Page 22 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: 103222 CCR - McIntosh AP

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
103222005	MGWA-6	EPA 3005A	DIGM/4324	EPA 6020B	ICPM/1057
103222006	Dup-01	EPA 3005A	DIGM/4324	EPA 6020B	ICPM/1057

Report ID: 103222 - 5031417
GPC Report Page 23 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

Georgia Power Environmental Laboratories
2480 Maner Road
Atlanta, Ga. 30339
Phone: (404) 799-2100
Fax: (404) 799-2141

LABORATORY CERTIFICATIONS

Workorder: 103222 CCR - McIntosh AP

Certification Program	Certification Number
NELAC	E57554

Report ID: 103222 - 5031417
GPC Report Page 24 of 24

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

Sample Receipt Checklist



Client: McIntosh
Workorder No.: 103222
Carrier: FEDEX

of Samples: 6
Tracking No.:

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter	True	
Custody seals were present on cooler	True	
Custody seals on cooler were intact	True	
Custody seals were present on sample	False	
The cooler or samples do not appear to have been compromised or tampered with	True	
Samples were received on ice	True	
Cooler temperature is acceptable	True	
Cooler temperature is recorded	False	
COC is present	True	Overwrite present on COC without initial and date.
COC is filled out in ink and is legible	True	
COC is filled out with pertinent information	True	
The field sampler's name is on the COC	False	Sample Id MWGC -08 was labeled incorrectly on both COC and sample container label; sample was logged in based on verification email provided by customer.
Sample containers have legible labels	True	
Information on the sample label agrees with information on the COC	True	
Samples are received within holding times	True	
Containers are not broken or leaking	True	
Sample collection date/times are present	False	Missing collection time on COC for sample MGWC-08, sample was logged in based on sample container label.
Appropriate sample containers are used	True	
Sample bottles are completely filled	True	
Sample preservation is checked	True	
Sample preservation is acceptable	True	
There is sufficient sample volume for all requested analyses	True	
Containers requiring zero headspace have no headspace or the bubble is < 6mm (1/4 inch)	True	
Multiphasic samples are not present	True	
Samples do not require splitting or compositing	True	

Receiving Narrative:



May 27, 2016

Joju Abraham
Southern Company Services
Earth Sciences & Env Eng
42 Inverness Center Parkway
Birmingham, AL 35242

RE: Workorder: 103228 CCR - McIntosh AP

Dear Joju Abraham:

The Environmental Laboratory has completed the analysis of your samples and reports the results on the attached pages. Our laboratory maintains current NELAC accreditation for those analytes listed under the scope of accreditation. Analytes not listed in this scope are currently not maintained under an accreditation program. The analytes of this report that are listed under our NELAC scope of accreditation meet all requirements of the NELAC standards, unless otherwise noted by data qualifiers. Internal clients can view the scope and effective dates of our accreditation at:

<http://environmental.southernco.com/gpc/environmental-lab/chem.html>

External clients can receive a copy of our scope of accreditation by contacting the laboratory.

All results relate only to the contents of the samples submitted. Samples will be disposed of after 30 days unless otherwise instructed. This report should only be reproduced in full with all associated records. This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

If you have any questions or comments, contact your Program Manager:

Maria Padilla
mrpadill@southernco.com
(404) 799-2188 / 8-530-2188

Respectfully submitted,



R. S. Dickerson
rsdicker@southernco.com
QA/QC Specialist

Report ID: 103228 - 5029381
GPC Report Page 1 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

SAMPLE SUMMARY

Workorder: 103228 CCR - McIntosh AP

Lab ID	Sample ID	Analysis Request Number	Matrix	Date Collected	Date Received
103228001	FB-01	N/A	Water	5/5/2016 19:00	5/6/2016 16:02
103228002	EB-01	N/A	Water	5/5/2016 19:30	5/6/2016 16:02
103228003	MGWC-3	N/A	Water	5/6/2016 09:30	5/6/2016 16:02
103228004	MGWC-1	N/A	Water	5/6/2016 09:56	5/6/2016 16:02
103228005	MGWC-7	N/A	Water	5/5/2016 18:52	5/6/2016 16:02
103228006	MGWC-2	N/A	Water	5/6/2016 09:25	5/6/2016 16:02

Report ID: 103228 - 5029381
GPC Report Page 2 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228001		Date Received:	5/6/2016 16:02		
Sample ID:	FB-01		Date Collected:	5/5/2016 19:00		
Sample Description	McIntosh AP CCR (Field Balnk)			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	<0.500	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 18:06 HAM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
TOTAL METALS				5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:27 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Boron	<0.100	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Barium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:20 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 07:09	LBB
Sulfate	<1.00	mg/L	0.3000	1.00	5/17/2016 07:09	LBB
Chloride	<0.2500	mg/L	0.0400	0.2500	5/17/2016 07:09	LBB
Fluoride	<0.3000	mg/L	0.0100	0.3000	5/17/2016 07:09	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW

Report ID: 103228 - 5029381

GPC Report Page 3 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228001	Date Received:	5/6/2016 16:02						
Sample ID:	FB-01	Date Collected:	5/5/2016 19:00						
Sample Description	McIntosh AP CCR (Field Balnk)	Matrix:	Water						
Location	McIntosh AP								
Parameters	Results	Units	MDL	RL	Prepared	By	Analyzed	By	Qual
TDS	<25	mg/L	25	25			5/9/2016 16:15	KLW	

Report ID: 103228 - 5029381
GPC Report Page 4 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228002		Date Received:	5/6/2016 16:02		
Sample ID:	EB-01		Date Collected:	5/5/2016 19:30		
Sample Description	McIntosh AP CCR (Equipment Blank)			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	<0.500	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 18:12 HAM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
TOTAL METALS				5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:40 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	<0.0500	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Boron	<0.100	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Barium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:44 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 09:41	LBB
Sulfate	<1.00	mg/L	0.3000	1.00	5/17/2016 09:41	LBB
Chloride	<0.2500	mg/L	0.0400	0.2500	5/17/2016 09:41	LBB
Fluoride	<0.3000	mg/L	0.0100	0.3000	5/17/2016 09:41	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW

Report ID: 103228 - 5029381

GPC Report Page 5 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228002	Date Received:	5/6/2016 16:02						
Sample ID:	EB-01	Date Collected:	5/5/2016 19:30						
Sample Description	McIntosh AP CCR (Equipment Blank)	Matrix:	Water						
Location	McIntosh AP								
Parameters	Results	Units	MDL	RL	Prepared	By	Analyzed	By	Qual
TDS	<25	mg/L	25	25			5/9/2016 16:15	KLW	

Report ID: 103228 - 5029381

GPC Report Page 6 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228003		Date Received:	5/6/2016 16:02		
Sample ID:	MGWC-3		Date Collected:	5/6/2016 09:30		
Sample Description	McIntosh AP CCR – Groundwater			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	109	mg/L	0.500	2.50	5/9/2016 10:55	KLW
					5/10/2016 12:05	HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
TOTAL METALS						
Mercury	<0.000500	mg/L	0.000250	0.000500	5/10/2016 06:50	WCM
					5/10/2016 13:43	WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
INORGANICS						
Lithium	0.0113J	mg/L	0.0100	0.0500	5/9/2016 10:55	KLW
Beryllium	<0.00300	mg/L	0.000600	0.00300	5/9/2016 10:55	KLW
Boron	0.926	mg/L	0.0400	0.200	5/9/2016 10:55	KLW
Chromium	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW
Cobalt	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW
Arsenic	0.00154J	mg/L	0.00100	0.00500	5/9/2016 10:55	KLW
Selenium	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW
Molybdenum	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW
Cadmium	<0.00100	mg/L	0.000100	0.00100	5/9/2016 10:55	KLW
Antimony	<0.00300	mg/L	0.000600	0.00300	5/9/2016 10:55	KLW
Barium	0.151	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW
Thallium	<0.00100	mg/L	0.000200	0.00100	5/9/2016 10:55	KLW
Lead	<0.00500	mg/L	0.00100	0.00500	5/9/2016 10:55	KLW
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 18:00	LBB
Sulfate	94.2	mg/L	3.00	10.0	5/17/2016 18:00	LBB
Chloride	12.5	mg/L	0.4000	2.50	5/17/2016 18:00	LBB
Fluoride	0.0860J	mg/L	0.0100	0.3000	5/17/2016 10:19	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW
TDS	380	mg/L	25	25	5/9/2016 16:15	KLW

Report ID: 103228 - 5029381

GPC Report Page 7 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228004		Date Received:	5/6/2016 16:02		
Sample ID:	MGWC-1			Date Collected:	5/6/2016 09:56	
Sample Description	McIntosh AP			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	92.5	mg/L	0.200	1.00 5/9/2016 10:55	KLW	5/10/2016 12:11 HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
TOTAL METALS						
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:51 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	0.0128J	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Boron	0.567	mg/L	0.0200	0.100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Cobalt	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Arsenic	0.00299J	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Molybdenum	0.00210J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Cadmium	0.000126J	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Antimony	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Barium	0.110	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:53 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS						
Sulfate	106	mg/L	3.00	10.0	5/17/2016 18:39	LBB
Chloride	13.2	mg/L	0.4000	2.50	5/17/2016 18:39	LBB
Fluoride	0.2800J	mg/L	0.0100	0.3000	5/17/2016 10:58	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY						
TDS	282	mg/L	25	25	5/9/2016 16:15	KLW
					5/9/2016 16:15	KLW

Report ID: 103228 - 5029381

GPC Report Page 8 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228005		Date Received:	5/6/2016 16:02		
Sample ID:	MGWC-7			Date Collected:	5/5/2016 18:52	
Sample Description	Information Not Provided			Matrix:	Water	
Location	McIntosh AP					
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed
					By	Qual
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D				
INORGANICS						
Calcium	45.0	mg/L	0.100	0.500 5/9/2016 10:55	KLW	5/9/2016 18:30 HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A				
TOTAL METALS						
Mercury	<0.000500	mg/L	0.000250	0.000500 5/10/2016 06:50	WCM	5/10/2016 13:56 WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B				
Lithium	0.0586	mg/L	0.0100	0.0500 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Boron	0.855	mg/L	0.0400	0.200 5/9/2016 10:55	KLW	5/20/2016 20:17 ELS
Chromium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Cobalt	0.00360J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Arsenic	0.00143J	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Selenium	<0.0100	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Molybdenum	0.00351J	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Cadmium	<0.00100	mg/L	0.000100	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Antimony	0.00197J	mg/L	0.000600	0.00300 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Barium	0.0390	mg/L	0.00200	0.0100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Thallium	<0.00100	mg/L	0.000200	0.00100 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Lead	<0.00500	mg/L	0.00100	0.00500 5/9/2016 10:55	KLW	5/20/2016 19:58 ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300				
TOTAL NUTRIENTS					5/17/2016 19:17	LBB
Sulfate	116	mg/L	3.00	10.0	5/17/2016 19:17	LBB
Chloride	13.0	mg/L	0.4000	2.50	5/17/2016 19:17	LBB
Fluoride	0.3940	mg/L	0.0100	0.3000	5/17/2016 11:36	LBB
Analysis Desc: SM 2540C		Analytical Method: SM 2540C				
WET CHEMISTRY					5/9/2016 16:15	KLW
TDS	272	mg/L	25	25	5/9/2016 16:15	KLW

Report ID: 103228 - 5029381

GPC Report Page 9 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS

Workorder: 103228 CCR - McIntosh AP

Lab ID:	103228006		Date Received:	5/6/2016 16:02				
Sample ID:	MGWC-2			Date Collected:	5/6/2016 09:25			
Sample Description	Information Not Provided			Matrix:	Water			
Location	McIntosh AP							
Parameters	Results	Units	MDL	RL Prepared	By	Analyzed		
					By	Qual		
Analysis Desc: EPA 6010D		Preparation Method: EPA 3005A Analytical Method: EPA 6010D						
INORGANICS				5/9/2016 10:55	KLW	5/10/2016 12:54		
Calcium	131	mg/L	0.500	2.50	5/9/2016 10:55	KLW	5/10/2016 12:54	HAM
Analysis Desc: EPA 7470A		Preparation Method: EPA 7470A Analytical Method: EPA 7470A						
TOTAL METALS				5/10/2016 06:50	WCM	5/10/2016 13:59		
Mercury	<0.000500	mg/L	0.000250	0.000500	5/10/2016 06:50	WCM	5/10/2016 13:59	WCM
Analysis Desc: EPA 6020B		Preparation Method: EPA 3005A Analytical Method: EPA 6020B						
Lithium	<0.0500	mg/L	0.0100	0.0500	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Beryllium	<0.00300	mg/L	0.000600	0.00300	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Boron	3.78	mg/L	0.100	0.500	5/9/2016 10:55	KLW	5/20/2016 20:21	ELS
Chromium	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Cobalt	0.00311J	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Arsenic	<0.00500	mg/L	0.00100	0.00500	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Selenium	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Molybdenum	<0.0100	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Cadmium	0.00166	mg/L	0.000100	0.00100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Antimony	<0.00300	mg/L	0.000600	0.00300	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Barium	0.0605	mg/L	0.00200	0.0100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Thallium	<0.00100	mg/L	0.000200	0.00100	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Lead	<0.00500	mg/L	0.00100	0.00500	5/9/2016 10:55	KLW	5/20/2016 20:03	ELS
Analysis Desc: EPA 300		Analytical Method: EPA 300						
TOTAL NUTRIENTS					5/17/2016 19:55	LBB		
Sulfate	445	mg/L	7.50	25.0	5/17/2016 19:55	LBB		
Chloride	41.0	mg/L	1.00	6.25	5/17/2016 19:55	LBB		
Fluoride	0.0880J	mg/L	0.0100	0.3000	5/17/2016 12:15	LBB		
Analysis Desc: SM 2540C		Analytical Method: SM 2540C						
WET CHEMISTRY					5/9/2016 16:15	KLW		
TDS	661	mg/L	25	25	5/9/2016 16:15	KLW		

Report ID: 103228 - 5029381

GPC Report Page 10 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

ANALYTICAL RESULTS QUALIFIERS

Workorder: 103228 CCR - McIntosh AP

PARAMETER QUALIFIERS

- ND None detected at the laboratory Method Detection Limit
- MDL Method Detection Limit
- RL Reporting Limit
- J The reported value is between the laboratory method detection limit and the laboratory reporting limit

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

QC Batch:	DIGM/4296		Analysis Method:	EPA 6010D		
QC Batch Method:	EPA 3005A					
Associated Lab Samples:	103222002 103228002	103222003 103228003	103222004 103228004	103222005 103228005	103222006 103228006	103228001

METHOD BLANK: 105704

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Qualifiers	
INORGANICS					
Calcium	mg/L	<0.500	0.500		

LABORATORY CONTROL SAMPLE: 105705

Parameter	Units	Spike	LCS	LCS	% Rec	Limits	Qualifiers
		Conc.	Result	% Rec	Qualifiers		
INORGANICS							
Calcium	mg/L	5	5.13	103	80-120		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105708 105709 Original: 103225001

Parameter	Units	Original	Spike	MS	MSD	MS	MSD	% Rec	Max	RPD	RPD	Qualifiers
		Result	Conc.	Result	Result	% Rec	% Rec	Limit	RPD			
INORGANICS												
Calcium	mg/L	62.4	5	68.0	68.0	111	111	75-125	0	20		

Report ID: 103228 - 5029381

GPC Report Page 12 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

QC Batch:	DIGM/4297		Analysis Method:	EPA 6020B		
QC Batch Method:	EPA 3005A					
Associated Lab Samples:	103222002 103228002	103222003 103228003	103222004 103228004	103222005 103228005	103222006 103228006	1032228001
METHOD BLANK:	105710					

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
TOTAL METALS				
Lithium	mg/L	<0.0500	0.0500	
Beryllium	mg/L	<0.00300	0.00300	
Boron	mg/L	<0.100	0.100	
Chromium	mg/L	<0.0100	0.0100	
Cobalt	mg/L	<0.0100	0.0100	
Arsenic	mg/L	<0.00500	0.00500	
Selenium	mg/L	<0.0100	0.0100	
Molybdenum	mg/L	<0.0100	0.0100	
Cadmium	mg/L	<0.00100	0.00100	
Antimony	mg/L	<0.00300	0.00300	
Barium	mg/L	<0.0100	0.0100	
Thallium	mg/L	<0.00100	0.00100	
Lead	mg/L	<0.00500	0.00500	

LABORATORY CONTROL SAMPLE: 105711

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits Qualifiers
TOTAL METALS					
Lithium	mg/L	0.2	0.206	103	80-120
Beryllium	mg/L	0.1	0.0999	99.9	80-120
Boron	mg/L	0.1	0.103	103	80-120
Chromium	mg/L	0.1	0.103	103	80-120
Cobalt	mg/L	0.1	0.103	103	80-120
Arsenic	mg/L	0.1	0.0997	99.7	80-120
Selenium	mg/L	0.1	0.0987	98.7	80-120
Molybdenum	mg/L	0.1	0.0990	99	80-120
Cadmium	mg/L	0.1	0.101	101	80-120
Antimony	mg/L	0.1	0.102	102	80-120
Barium	mg/L	0.1	0.100	100	80-120
Thallium	mg/L	0.1	0.0955	95.5	80-120
Lead	mg/L	0.1	0.101	101	80-120

Report ID: 103228 - 5029381

GPC Report Page 13 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105714 105715 Original: 103225001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
TOTAL METALS											
Lithium	mg/L	0.00037	0.2	0.213	0.218	106	109	75-125	2.8	20	
Beryllium	mg/L	2e-006	0.1	0.103	0.106	103	106	75-125	2.9	20	
Boron	mg/L	0.0271	0.1	0.132	0.136	105	109	75-125	3.7	20	
Chromium	mg/L	0.00039	0.1	0.105	0.107	104	106	75-125	1.9	20	
Cobalt	mg/L	3.7e-005	0.1	0.0999	0.102	99.8	102	75-125	2.2	20	
Arsenic	mg/L	0.00010	0.1	0.103	0.105	103	104	75-125	0.97	20	
Selenium	mg/L	0.00013	0.1	0.102	0.105	102	105	75-125	2.9	20	
Molybdenum	mg/L	0.00431	0.1	0.111	0.115	107	110	75-125	2.8	20	
Cadmium	mg/L	1e-006	0.1	0.105	0.107	105	107	75-125	1.9	20	
Antimony	mg/L	0.00066	0.1	0.109	0.111	108	110	75-125	1.8	20	
Barium	mg/L	0.0233	0.1	0.127	0.126	104	103	75-125	0.97	20	
Thallium	mg/L	0.00015	0.1	0.0995	0.101	99.3	101	75-125	1.7	20	
Lead	mg/L	3.9e-005	0.1	0.104	0.106	104	106	75-125	1.9	20	

Report ID: 103228 - 5029381

GPC Report Page 14 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

QC Batch:	GRAV/2863		Analysis Method:	SM 2540C		
QC Batch Method:	SM 2540C					
Associated Lab Samples:	103222002 103228002	103222003 103228003	103222004 103228004	103222005 103228005	103222006 103228006	103228001

METHOD BLANK: 105728

Parameter	Units	Blank Result	Reporting Limit Qualifiers
-----------	-------	--------------	----------------------------

WET CHEMISTRY

TDS	mg/L	<25	25
-----	------	-----	----

LABORATORY CONTROL SAMPLE: 105731

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits Qualifiers
-----------	-------	-------------	------------	-----------	-------------------------

WET CHEMISTRY

TDS	mg/L	241	220	91.3	90-110
-----	------	-----	-----	------	--------

SAMPLE DUPLICATE: 105729

Original: 103214001

Parameter	Units	Original Result	DUP Result	RPD	Max RPD Qualifiers
-----------	-------	-----------------	------------	-----	--------------------

WET CHEMISTRY

TDS	mg/L	63	67	6.2	20
-----	------	----	----	-----	----

SAMPLE DUPLICATE: 105730

Original: 103228003

Parameter	Units	Original Result	DUP Result	RPD	Max RPD Qualifiers
-----------	-------	-----------------	------------	-----	--------------------

WET CHEMISTRY

TDS	mg/L	380	342	10.5	20
-----	------	-----	-----	------	----

Report ID: 103228 - 5029381

GPC Report Page 15 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

QC Batch:	HGPR/1651	Analysis Method:	EPA 7470A		
QC Batch Method:	EPA 7470A				
Associated Lab Samples:	103222002 103228002	103222003 103228003	103222004 103228004	103222005 103228005	103222006 103228006
					103228001

METHOD BLANK: 105740

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
TOTAL METALS				
Mercury	mg/L	<0.000500	0.000500	

METHOD BLANK: 105746

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
TOTAL METALS				
Mercury	mg/L	<0.000500	0.000500	

LABORATORY CONTROL SAMPLE: 105741

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.002	0.00201	100	80-120

LABORATORY CONTROL SAMPLE: 105742

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.0122	0.0129	105	80-120

LABORATORY CONTROL SAMPLE: 105747

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits Qualifiers
TOTAL METALS					
Mercury	mg/L	0.002	0.00201	100	80-120

Report ID: 103228 - 5029381

GPC Report Page 16 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105743 105744 Original: 103222004

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Max Qualifiers
TOTAL METALS											
Mercury	mg/L	0	0.002	0.00204	0.00202	102	101	80-120	0.99	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105748 105749 Original: 103228003

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Max Qualifiers
TOTAL METALS											
Mercury	mg/L	0	0.002	0.00199	0.00194	100	97	80-120	3	20	

SAMPLE DUPLICATE: 105745 Original: 103222005

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Qualifiers
TOTAL METALS						
Mercury	mg/L	<0.000500	<0.000500	0	20	

SAMPLE DUPLICATE: 105750 Original: 103228004

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	Qualifiers
TOTAL METALS						
Mercury	mg/L	<0.000500	<0.000500	0	20	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

QC Batch:	IC/3027	Analysis Method:	EPA 300		
QC Batch Method:	EPA 300				
Associated Lab Samples:	103222002 103228002	103222003 103228003	103222004 103228004	103222005 103228005	103222006 103228006
					103228001

METHOD BLANK: 105954

Parameter	Units	Blank Result	Reporting	
			Limit	Qualifiers
Chloride	mg/L	<0.2500	0.2500	
Sulfate	mg/L	<1.00	1.00	
Fluoride	mg/L	<0.3000	0.3000	

LABORATORY CONTROL SAMPLE: 105947

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec	
					Limits	Qualifiers
Chloride	mg/L	11.3	11.9	105	90-110	
Fluoride	mg/L	6.83	7.00	102	90-110	

LABORATORY CONTROL SAMPLE: 105955

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec	
					Limits	Qualifiers
Chloride	mg/L	0.5	0.5120	102	90-110	
Sulfate	mg/L	5	5.06	101	90-110	
Fluoride	mg/L	0.5	0.5330	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105956 105957 Original: 103228001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec		Max RPD	RPD Qualifiers
								Limit	RPD		
Chloride	mg/L	0	1	1.02	1.03	102	103	90-110	0	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105958 105959 Original: 103228001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec		Max RPD	RPD Qualifiers
								Limit	RPD		
Fluoride	mg/L	0	1	1.03	1.03	103	103	90-110	0	10	

Report ID: 103228 - 5029381

GPC Report Page 18 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA

Workorder: 103228 CCR - McIntosh AP

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 105960 105961 Original: 103228001

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD	Qualifiers
Sulfate	mg/L	0	10	9.94	9.98	99.4	99.8	90-110	0.4	10	

Report ID: 103228 - 5029381
GPC Report Page 19 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: 103228 CCR - McIntosh AP

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
103228001	FB-01	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228002	EB-01	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228003	MGWC-3	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228004	MGWC-1	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228005	MGWC-7	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228006	MGWC-2	EPA 3005A	DIGM/4296	EPA 6010D	ICP/5001
103228001	FB-01	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228002	EB-01	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228003	MGWC-3	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228004	MGWC-1	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228005	MGWC-7	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228006	MGWC-2	EPA 3005A	DIGM/4297	EPA 6020B	ICPM/1056
103228001	FB-01	SM 2540C	GRAV/2863		
103228002	EB-01	SM 2540C	GRAV/2863		
103228003	MGWC-3	SM 2540C	GRAV/2863		
103228004	MGWC-1	SM 2540C	GRAV/2863		
103228005	MGWC-7	SM 2540C	GRAV/2863		
103228006	MGWC-2	SM 2540C	GRAV/2863		
103228001	FB-01	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228002	EB-01	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228003	MGWC-3	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228004	MGWC-1	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228005	MGWC-7	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228006	MGWC-2	EPA 7470A	HGPR/1651	EPA 7470A	CVAA/1836
103228001	FB-01	EPA 300	IC/3027		
103228002	EB-01	EPA 300	IC/3027		
103228003	MGWC-3	EPA 300	IC/3027		
103228004	MGWC-1	EPA 300	IC/3027		
103228005	MGWC-7	EPA 300	IC/3027		

Report ID: 103228 - 5029381

GPC Report Page 20 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Georgia Power Environmental Laboratories.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: 103228 CCR - McIntosh AP

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
103228006	MGWC-2	EPA 300	IC/3027		

Report ID: 103228 - 5029381
GPC Report Page 21 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

Georgia Power Environmental Laboratories
2480 Maner Road
Atlanta, Ga. 30339
Phone: (404) 799-2100
Fax: (404) 799-2141

LABORATORY CERTIFICATIONS

Workorder: 103228 CCR - McIntosh AP

Certification Program	Certification Number
NELAC	E57554

Report ID: 103228 - 5029381
GPC Report Page 22 of 22

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Georgia Power Environmental Laboratories.

Sample Receipt Checklist



Client: McIntosh
 Workorder No.: 103228
 Carrier: HAND

of Samples: 6
 Tracking No:

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter	True	
Custody seals were present on cooler	False	
Custody seals were present on sample	False	
The cooler or samples do not appear to have been compromised or tampered with	True	
Samples were received on ice	True	
Cooler temperature is acceptable	True	
Cooler temperature is recorded	True	4.3
COC is present	True	
COC is filled out in ink and is legible	True	Overwrite present on COC without initial and date.
COC is filled out with pertinent information	True	Missing description field.
The field sampler's name is on the COC	True	
Sample containers have legible labels	True	
Information on the sample label agrees with information on the COC	False	Sample MGWC-01 sample collection time different from metal sample container label versus nutrient sample container label. Sample will be logged in using the information on COC.
Samples are received within holding times	True	
Containers are not broken or leaking	True	
Sample collection date/times are present	True	
Appropriate sample containers are used	True	
Sample bottles are completely filled	True	
Sample preservation is checked	True	
Sample preservation is acceptable	True	
There is sufficient sample volume for all requested analyses	True	
Containers requiring zero headspace have no headspace or the bubble is < 6mm (1/4 inch)	True	
Multiphasic samples are not present	True	
Samples do not require splitting or compositing	True	

Receiving Narrative:



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Laboratory Report

Prepared For:

**Georgia Power
2480 Maner Road
Atlanta, GA 30339**

Attention: Mr. Joju Abraham

Report Number: AZF0761


June 28, 2016

Project: CCR Event

Project #:Plant McIntosh

We appreciate the opportunity to provide the analytical support for your project. The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Approved:



Betsy McDaniel
Project Manager

This report may not be reproduced, except in full, without written approval from Pace Analytical Services, Inc. Pace Analytical Services, Inc. certifies that the following analytical results meet all requirements of the National Environmental Laboratory Accreditation Conference(NELAC).
All test results relate only to the samples analyzed.



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MGWA-10	AZF0761-01	Ground Water	06/20/16 14:50	06/21/16 14:45
MGWA-5	AZF0761-02	Ground Water	06/20/16 14:45	06/21/16 14:45
MGWA-11	AZF0761-03	Ground Water	06/20/16 16:49	06/21/16 14:45



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Report No.: AZF0761

Project: CCR Event

Client ID: MGWA-10

Lab Number ID: AZF0761-01

Date/Time Sampled: 6/20/2016 2:50:00PM

Date/Time Received: 6/21/2016 2:45:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	80	25	10	mg/L	SM 2540 C		1	06/23/16 15:45	06/23/16 15:45	6060592	JPT
Inorganic Anions											
Chloride	7.0	0.25	0.01	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 04:11	6060643	RLC
Fluoride	ND	0.30	0.02	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 04:11	6060643	RLC
Sulfate	2.5	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 04:11	6060643	RLC



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Report No.: AZF0761

Project: CCR Event

Client ID: MGWA-5

Lab Number ID: AZF0761-02

Date/Time Sampled: 6/20/2016 2:45:00PM

Date/Time Received: 6/21/2016 2:45:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	156	25	10	mg/L	SM 2540 C		1	06/23/16 15:45	06/23/16 15:45	6060592	JPT
Inorganic Anions											
Chloride	5.9	0.25	0.01	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 04:32	6060643	RLC
Fluoride	0.05	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:31	06/26/16 04:32	6060643	RLC
Sulfate	7.7	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 04:32	6060643	RLC



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Report No.: AZF0761

Project: CCR Event

Client ID: MGWA-11

Lab Number ID: AZF0761-03

Date/Time Sampled: 6/20/2016 4:49:00PM

Date/Time Received: 6/21/2016 2:45:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	188	25	10	mg/L	SM 2540 C		1	06/23/16 15:45	06/23/16 15:45	6060592	JPT
Inorganic Anions											
Chloride	4.3	0.25	0.01	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 06:17	6060643	RLC
Fluoride	0.06	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:31	06/26/16 06:17	6060643	RLC
Sulfate	1.0	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:31	06/26/16 06:17	6060643	RLC



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Report No.: AZF0761

General Chemistry - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes					
Batch 6060592 - SM 2540 C																
Blank (6060592-BLK1)							Prepared & Analyzed: 06/23/16									
Total Dissolved Solids	ND	25	10	mg/L												
LCS (6060592-BS1)												Prepared & Analyzed: 06/23/16				
Total Dissolved Solids	404	25	10	mg/L	400.00		101	84-108								
Duplicate (6060592-DUP1)					Source: AZF0760-01		Prepared & Analyzed: 06/23/16									
Total Dissolved Solids	77	25	10	mg/L		78			1	10						



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Report No.: AZF0761

Inorganic Anions - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
Batch 6060643 - EPA 300.0											
Blank (6060643-BLK1)											
Chloride	ND	0.25	0.01	mg/L							
Fluoride	ND	0.30	0.02	mg/L							
Sulfate	ND	1.0	0.05	mg/L							
LCS (6060643-BS1)											
Chloride	10.0	0.25	0.01	mg/L	10.010		100	90-110			
Fluoride	10.5	0.30	0.02	mg/L	10.010		105	90-110			
Sulfate	10.5	1.0	0.05	mg/L	10.010		105	90-110			
Matrix Spike (6060643-MS1)											
Chloride	13.1	0.25	0.01	mg/L	10.010	3.09	100	90-110			
Fluoride	10.5	0.30	0.02	mg/L	10.010	0.04	104	90-110			
Sulfate	12.4	1.0	0.05	mg/L	10.010	2.36	100	90-110			
Matrix Spike Dup (6060643-MSD1)											
Chloride	13.2	0.25	0.01	mg/L	10.010	3.09	101	90-110	0.4	15	
Fluoride	10.6	0.30	0.02	mg/L	10.010	0.04	105	90-110	0.9	15	
Sulfate	12.5	1.0	0.05	mg/L	10.010	2.36	101	90-110	0.5	15	



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Laboratory Certifications

Code	Description	Number	Expires
GADW	Georgia DW Inorganics Eff: 07/01/2015	812	06/30/2016
LA	Louisiana	02069	06/30/2016
NC	North Carolina	381	12/31/2016
NELAC	FL DOH (Non-Pot. Water, Solids) Eff: 07/01/2015	E87315	06/30/2016
NELDW	FL DOH NELAC (Drinking Water) Eff: 07/01/2015	E87315	06/30/2016
SC	South Carolina	98011001	06/30/2016
TX	Texas	T104704397-08-TX	03/31/2017
VA	Virginia	1340	12/14/2016



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016

Legend

Definition of Laboratory Terms

- ND** - Not Detected at levels equal to or greater than the MDL
BRL - Not Detected at levels equal to or greater than the RL
RL - Reporting Limit **MDL** - Method Detection Limit
SOP - Method run per Pace Standard Operating Procedure
CFU - Colony Forming Units
DF - Dilution Factor **TIC** - Tentatively Identified Compound
* - Analyte not included in the NELAC list of certified analytes.

Sample Information

N-Nitrosodiphenylamine breaks down to diphenylamine in the GCMS; both analytes are reported as N-Nitrosodiphenylamine. Pace is not NELAC certified for N-Nitrosodiphenylamine.

Phthalic acid and phthalic anhydride are reported as dimethyl phthalate

Maleic acid and maleic anhydride are reported as dimethyl malate

1,2-Diphenylhydrazine breaks down to azobenzene in the GCMS; both analytes are reported as azobenzene

Definition of Qualifiers

- J** Estimated value less than Reporting Limit (RL) but greater than Method Detection Limit(MDL) (CLP J-Flag).

Note: Unless otherwise noted, all results are reported on an as received basis.



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 28, 2016



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

LOG-IN CHECKLIST

Printed: 6/28/2016 5:45:22PM

Attn: Mr. Joju Abraham

Client: Georgia Power
Project: CCR Event
Date Received: 06/21/16 14:45

Work Order: AZF0761
Logged In By: Mohammad M. Rahman

OBSERVATIONS

#Samples: 3	#Containers: 9
Minimum Temp(C): 1.0	Maximum Temp(C): 1.0
Custody Seal(s) Used: Yes	

CHECKLIST ITEMS

COC included with Samples	YES
Sample Container(s) Intact	YES
Chain of Custody Complete	YES
Sample Container(s) Match COC	YES
Custody seal Intact	YES
Temperature in Compliance	YES
Sufficient Sample Volume for Analysis	YES
Zero Headspace Maintained for VOA Analyses	YES
Samples labeled preserved (If Applicable)	YES
Samples received within Allowable Hold Times	YES
Samples Received on Ice	YES
Preservation Confirmed	YES

Comments:

June 27, 2016

Maria Padilla
GA Power
2480 Maner Rd
Atlanta, GA 30339

RE: Project: PLANT MCINTOSH
Pace Project No.: 92302386

Dear Maria Padilla:

Enclosed are the analytical results for sample(s) received by the laboratory on June 22, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Melissa Sybert
melissa.sybert@pacelabs.com
Project Manager

Enclosures

cc: Betsy McDaniel, Pace Atlanta



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: PLANT MCINTOSH

Pace Project No.: 92302386

Asheville Certification IDs

2225 Riverside Drive, Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92302386001	MGWA-10	Water	06/20/16 14:50	06/22/16 10:00
92302386002	MGWA-5	Water	06/20/16 14:45	06/22/16 10:00
92302386003	MGWA-11	Water	06/20/16 16:49	06/22/16 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92302386001	MGWA-10	EPA 6020B	CDF	14	PASI-A
		EPA 7470	SER	1	PASI-A
92302386002	MGWA-5	EPA 6020B	CDF	14	PASI-A
		EPA 7470	SER	1	PASI-A
92302386003	MGWA-11	EPA 6020B	CDF	14	PASI-A
		EPA 7470	SER	1	PASI-A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
92302386001	MGWA-10						
EPA 6020B	Arsenic	0.00036J	mg/L	0.0050	06/24/16 20:13		
EPA 6020B	Barium	0.033	mg/L	0.010	06/24/16 20:13		
EPA 6020B	Beryllium	0.000033J	mg/L	0.0030	06/24/16 20:13		
EPA 6020B	Boron	0.011J	mg/L	0.10	06/24/16 20:13	B	
EPA 6020B	Calcium	8.1	mg/L	0.50	06/24/16 20:13		
EPA 6020B	Chromium	0.0026J	mg/L	0.010	06/24/16 20:13		
EPA 6020B	Cobalt	0.00018J	mg/L	0.010	06/24/16 20:13		
EPA 6020B	Lithium	0.0071J	mg/L	0.050	06/24/16 20:13		
EPA 6020B	Molybdenum	0.00031J	mg/L	0.010	06/24/16 20:13		
92302386002	MGWA-5						
EPA 6020B	Arsenic	0.00014J	mg/L	0.0050	06/24/16 20:16		
EPA 6020B	Barium	0.031	mg/L	0.010	06/24/16 20:16		
EPA 6020B	Boron	0.013J	mg/L	0.10	06/24/16 20:16	B	
EPA 6020B	Calcium	29.4	mg/L	0.50	06/24/16 20:16		
EPA 6020B	Chromium	0.00024J	mg/L	0.010	06/24/16 20:16		
EPA 6020B	Cobalt	0.000012J	mg/L	0.010	06/24/16 20:16		
EPA 6020B	Lithium	0.0065J	mg/L	0.050	06/24/16 20:16	B	
EPA 6020B	Molybdenum	0.0014J	mg/L	0.010	06/24/16 20:16		
92302386003	MGWA-11						
EPA 6020B	Arsenic	0.0030J	mg/L	0.0050	06/24/16 20:20		
EPA 6020B	Barium	0.091	mg/L	0.010	06/24/16 20:20		
EPA 6020B	Boron	0.017J	mg/L	0.10	06/24/16 20:20		
EPA 6020B	Calcium	35.5	mg/L	0.50	06/24/16 20:20		
EPA 6020B	Chromium	0.00066J	mg/L	0.010	06/24/16 20:20		
EPA 6020B	Cobalt	0.000039J	mg/L	0.010	06/24/16 20:20		
EPA 6020B	Lead	0.000087J	mg/L	0.0050	06/24/16 20:20		
EPA 6020B	Lithium	0.014J	mg/L	0.050	06/24/16 20:20		
EPA 6020B	Molybdenum	0.0052J	mg/L	0.010	06/24/16 20:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Sample: MGWA-10		Lab ID: 92302386001		Collected: 06/20/16 14:50		Received: 06/22/16 10:00		Matrix: Water	
Parameters	Results	Units	Report				Analyzed	CAS No.	Qual
			Limit	MDL	DF	Prepared			
6020 MET ICPMS								Analytical Method: EPA 6020B Preparation Method: EPA 3010A	
Antimony	ND	mg/L	0.0030	0.00010	1	06/23/16 18:10	06/24/16 20:13	7440-36-0	
Arsenic	0.00036J	mg/L	0.0050	0.000050	1	06/23/16 18:10	06/24/16 20:13	7440-38-2	
Barium	0.033	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:13	7440-39-3	
Beryllium	0.000033J	mg/L	0.0030	0.000020	1	06/23/16 18:10	06/24/16 20:13	7440-41-7	
Boron	0.011J	mg/L	0.10	0.00057	1	06/23/16 18:10	06/24/16 20:13	7440-42-8	B
Cadmium	ND	mg/L	0.0010	0.000060	1	06/23/16 18:10	06/24/16 20:13	7440-43-9	
Calcium	8.1	mg/L	0.50	0.10	1	06/23/16 18:10	06/24/16 20:13	7440-70-2	
Chromium	0.0026J	mg/L	0.010	0.00010	1	06/23/16 18:10	06/24/16 20:13	7440-47-3	
Cobalt	0.00018J	mg/L	0.010	0.000010	1	06/23/16 18:10	06/24/16 20:13	7440-48-4	
Lead	ND	mg/L	0.0050	0.000080	1	06/23/16 18:10	06/24/16 20:13	7439-92-1	
Lithium	0.0071J	mg/L	0.050	0.000070	1	06/23/16 18:10	06/24/16 20:13	7439-93-2	
Molybdenum	0.00031J	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:13	7439-98-7	
Selenium	ND	mg/L	0.010	0.00032	1	06/23/16 18:10	06/24/16 20:13	7782-49-2	
Thallium	ND	mg/L	0.0010	0.000020	1	06/23/16 18:10	06/24/16 20:13	7440-28-0	
7470 Mercury								Analytical Method: EPA 7470 Preparation Method: EPA 7470	
Mercury	ND	mg/L	0.00050	0.00010	1	06/24/16 16:38	06/27/16 01:26	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Sample: MGWA-5		Lab ID: 92302386002		Collected: 06/20/16 14:45		Received: 06/22/16 10:00		Matrix: Water	
Parameters	Results	Units	Report				Analyzed	CAS No.	Qual
			Limit	MDL	DF	Prepared			
6020 MET ICPMS								Analytical Method: EPA 6020B Preparation Method: EPA 3010A	
Antimony	ND	mg/L	0.0030	0.00010	1	06/23/16 18:10	06/24/16 20:16	7440-36-0	
Arsenic	0.00014J	mg/L	0.0050	0.000050	1	06/23/16 18:10	06/24/16 20:16	7440-38-2	
Barium	0.031	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:16	7440-39-3	
Beryllium	ND	mg/L	0.0030	0.000020	1	06/23/16 18:10	06/24/16 20:16	7440-41-7	
Boron	0.013J	mg/L	0.10	0.00057	1	06/23/16 18:10	06/24/16 20:16	7440-42-8	B
Cadmium	ND	mg/L	0.0010	0.000060	1	06/23/16 18:10	06/24/16 20:16	7440-43-9	
Calcium	29.4	mg/L	0.50	0.10	1	06/23/16 18:10	06/24/16 20:16	7440-70-2	
Chromium	0.00024J	mg/L	0.010	0.00010	1	06/23/16 18:10	06/24/16 20:16	7440-47-3	
Cobalt	0.000012J	mg/L	0.010	0.000010	1	06/23/16 18:10	06/24/16 20:16	7440-48-4	
Lead	ND	mg/L	0.0050	0.000080	1	06/23/16 18:10	06/24/16 20:16	7439-92-1	
Lithium	0.0065J	mg/L	0.050	0.000070	1	06/23/16 18:10	06/24/16 20:16	7439-93-2	B
Molybdenum	0.0014J	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:16	7439-98-7	
Selenium	ND	mg/L	0.010	0.00032	1	06/23/16 18:10	06/24/16 20:16	7782-49-2	
Thallium	ND	mg/L	0.0010	0.000020	1	06/23/16 18:10	06/24/16 20:16	7440-28-0	
7470 Mercury								Analytical Method: EPA 7470 Preparation Method: EPA 7470	
Mercury	ND	mg/L	0.00050	0.00010	1	06/24/16 16:38	06/27/16 01:28	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: PLANT MCINTOSH
Pace Project No.: 92302386

Sample: MGWA-11	Lab ID: 92302386003	Collected: 06/20/16 16:49	Received: 06/22/16 10:00	Matrix: Water					
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3010A							
Antimony	ND	mg/L	0.0030	0.00010	1	06/23/16 18:10	06/24/16 20:20	7440-36-0	
Arsenic	0.0030J	mg/L	0.0050	0.000050	1	06/23/16 18:10	06/24/16 20:20	7440-38-2	
Barium	0.091	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:20	7440-39-3	
Beryllium	ND	mg/L	0.0030	0.000020	1	06/23/16 18:10	06/24/16 20:20	7440-41-7	
Boron	0.017J	mg/L	0.10	0.00057	1	06/23/16 18:10	06/24/16 20:20	7440-42-8	
Cadmium	ND	mg/L	0.0010	0.000060	1	06/23/16 18:10	06/24/16 20:20	7440-43-9	
Calcium	35.5	mg/L	0.50	0.10	1	06/23/16 18:10	06/24/16 20:20	7440-70-2	
Chromium	0.00066J	mg/L	0.010	0.00010	1	06/23/16 18:10	06/24/16 20:20	7440-47-3	
Cobalt	0.000039J	mg/L	0.010	0.000010	1	06/23/16 18:10	06/24/16 20:20	7440-48-4	
Lead	0.000087J	mg/L	0.0050	0.000080	1	06/23/16 18:10	06/24/16 20:20	7439-92-1	
Lithium	0.014J	mg/L	0.050	0.000070	1	06/23/16 18:10	06/24/16 20:20	7439-93-2	
Molybdenum	0.0052J	mg/L	0.010	0.00011	1	06/23/16 18:10	06/24/16 20:20	7439-98-7	
Selenium	ND	mg/L	0.010	0.00032	1	06/23/16 18:10	06/24/16 20:20	7782-49-2	
Thallium	ND	mg/L	0.0010	0.000020	1	06/23/16 18:10	06/24/16 20:20	7440-28-0	
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	mg/L	0.00050	0.00010	1	06/24/16 16:38	06/27/16 01:30	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: PLANT MCINTOSH

Pace Project No.: 92302386

QC Batch:	MERP/9677	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury
Associated Lab Samples:	92302386001, 92302386002, 92302386003		

METHOD BLANK:	1762788	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 92302386001, 92302386002, 92302386003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/L	ND	0.00020	0.00010	06/27/16 00:38	

LABORATORY CONTROL SAMPLE: 1762789

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	.0025	0.0026	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1762790 1762791

Parameter	Units	92302105001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD	Qual
Mercury	mg/L	ND	.0025	.0025	0.0020	0.0020	79	81	75-125	2	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: PLANT MCINTOSH

Pace Project No.: 92302386

QC Batch: MPRP/22172 Analysis Method: EPA 6020B

QC Batch Method: EPA 3010A Analysis Description: 6020 MET

Associated Lab Samples: 92302386001, 92302386002, 92302386003

METHOD BLANK: 1763655 Matrix: Water

Associated Lab Samples: 92302386001, 92302386002, 92302386003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Antimony	mg/L	ND	0.0030	0.00010	06/24/16 19:22	
Arsenic	mg/L	ND	0.0050	0.000050	06/24/16 19:22	
Barium	mg/L	ND	0.010	0.00011	06/24/16 19:22	
Beryllium	mg/L	ND	0.0030	0.000020	06/24/16 19:22	
Boron	mg/L	0.0013J	0.10	0.00057	06/24/16 19:22	
Cadmium	mg/L	ND	0.0010	0.000060	06/24/16 19:22	
Calcium	mg/L	ND	0.50	0.10	06/24/16 19:22	
Chromium	mg/L	ND	0.010	0.00010	06/24/16 19:22	
Cobalt	mg/L	ND	0.010	0.000010	06/24/16 19:22	
Lead	mg/L	ND	0.0050	0.000080	06/24/16 19:22	
Lithium	mg/L	0.00066J	0.050	0.000070	06/24/16 19:22	
Molybdenum	mg/L	ND	0.010	0.00011	06/24/16 19:22	
Selenium	mg/L	ND	0.010	0.00032	06/24/16 19:22	
Thallium	mg/L	ND	0.0010	0.000020	06/24/16 19:22	

LABORATORY CONTROL SAMPLE: 1763656

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	mg/L	.1	0.094	94	80-120	
Arsenic	mg/L	.1	0.093	93	80-120	
Barium	mg/L	.1	0.097	97	80-120	
Beryllium	mg/L	.1	0.089	89	80-120	
Boron	mg/L	.1	0.096J	96	80-120	
Cadmium	mg/L	.1	0.093	93	80-120	
Calcium	mg/L	1.2	1.2	98	80-120	
Chromium	mg/L	.1	0.095	95	80-120	
Cobalt	mg/L	.1	0.096	96	80-120	
Lead	mg/L	.1	0.095	95	80-120	
Lithium	mg/L	.1	0.088	88	80-120	
Molybdenum	mg/L	.1	0.098	98	80-120	
Selenium	mg/L	.1	0.093	93	80-120	
Thallium	mg/L	.1	0.096	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1763657 1763658

Parameter	Units	92302382001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD RPD	Max Qual
Antimony	mg/L	0.00020J	.1	.1	0.093	0.093	93	93	75-125	0 20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: PLANT MCINTOSH

Pace Project No.: 92302386

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		92302382001	Spike Conc.	Spike Conc.	Result	MSD Result	% Rec	MSD % Rec	% Rec Limits	RPD	RPD	Qual	
Arsenic	mg/L	ND	.1	.1	0.093	0.093	93	93	75-125	1	20		
Barium	mg/L	0.014	.1	.1	0.11	0.11	96	97	75-125	1	20		
Beryllium	mg/L	0.000058J	.1	.1	0.089	0.090	89	90	75-125	2	20		
Boron	mg/L	0.0015J	.1	.1	0.10	0.098J	101	97	75-125	4	20		
Cadmium	mg/L	ND	.1	.1	0.092	0.093	92	93	75-125	0	20		
Calcium	mg/L	7.7	1.2	1.2	9.1	9.4	107	134	75-125	4	20	M1	
Chromium	mg/L	0.0076J	.1	.1	0.10	0.10	95	96	75-125	1	20		
Cobalt	mg/L	0.00010J	.1	.1	0.096	0.097	96	97	75-125	1	20		
Lead	mg/L	ND	.1	.1	0.093	0.094	93	94	75-125	1	20		
Lithium	mg/L	0.00056J	.1	.1	0.090	0.088	90	88	75-125	2	20		
Molybdenum	mg/L	ND	.1	.1	0.098	0.098	98	98	75-125	0	20		
Selenium	mg/L	ND	.1	.1	0.092	0.093	92	93	75-125	1	20		
Thallium	mg/L	ND	.1	.1	0.096	0.096	96	96	75-125	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: PLANT MCINTOSH

Pace Project No.: 92302386

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether, Styrene, and Vinyl chloride.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PLANT MCINTOSH
 Pace Project No.: 92302386

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92302386001	MGWA-10	EPA 3010A	MPRP/22172	EPA 6020B	ICPM/1341
92302386002	MGWA-5	EPA 3010A	MPRP/22172	EPA 6020B	ICPM/1341
92302386003	MGWA-11	EPA 3010A	MPRP/22172	EPA 6020B	ICPM/1341
92302386001	MGWA-10	EPA 7470	MERP/9677	EPA 7470	MERC/9320
92302386002	MGWA-5	EPA 7470	MERP/9677	EPA 7470	MERC/9320
92302386003	MGWA-11	EPA 7470	MERP/9677	EPA 7470	MERC/9320

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



Document Name:
Sample Condition Upon Receipt(SCUR)
Document No.:
F-ASV-CS-003-Rev.20

Document Revised: May 24, 2016
Page 1 of 2
Issuing Authority:
Pace Asheville Quality Office

Print or Type for Internal Use ONLY

Sample Condition Upon Receipt

Client Name:

Georgia Power

Project #:

WO# : 92302386



92302386

Courier: FedEx UPS USPS Client
 Commercial Pace Other: _____

Custody Seal Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____

Thermometer:
 IR Gun #5 SN:15527198

Correction Factor: 0.0°C Cooler Temp Corrected (°C): 3.7

Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?

Yes No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

Comments/Discrepancy:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Short Hold Time Analysis (<72 hr.)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Samples Field Filtered?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8. Note if sediment is visible in the dissolved container
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Includes Date/Time/ID/Analysis Matrix: <u>G-W</u>		10. <u>HNO3 pH<2</u> <u>HCl pH<2</u> <u>H2SO4 pH<2</u> <u>NaOH pH>12</u> <u>NaOH/ZnOAc pH>9</u>
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC,LLHg	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples checked for dechlorination?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Sample

Discrepancy: _____

Project Manager SCURF Review: MS

Date: 6/22/16

Project Manager SRF Review: MS

Date: 6/22/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers)



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Laboratory Report

Prepared For:

**Georgia Power
2480 Maner Road
Atlanta, GA 30339**

Attention: Mr. Joju Abraham

Report Number: AZF0829


June 29, 2016

Project: CCR Event

Project #:Plant McIntosh

We appreciate the opportunity to provide the analytical support for your project. The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Approved:



A handwritten signature in black ink, appearing to read "Betty McDaniel". Below the signature, the title "Project Manager" is printed in a small, black, sans-serif font.

This report may not be reproduced, except in full, without written approval from Pace Analytical Services, Inc.
All test results relate only to the samples analyzed.



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MGWA-6	AZF0829-01	Ground Water	06/21/16 08:48	06/22/16 15:15
Dup-1	AZF0829-02	Ground Water	06/21/16 00:00	06/22/16 15:15
MGWC-12	AZF0829-03	Ground Water	06/21/16 12:56	06/22/16 15:15
MGWC-3	AZF0829-04	Ground Water	06/21/16 11:00	06/22/16 15:15
FB-1	AZF0829-05	DI Water	06/21/16 15:45	06/22/16 15:15
FERB-1	AZF0829-06	DI Water	06/21/16 15:50	06/22/16 15:15
MGWC-7	AZF0829-07	Ground Water	06/21/16 09:20	06/22/16 15:15
MGWC-2	AZF0829-08	Ground Water	06/21/16 11:25	06/22/16 15:15
MGWC-1	AZF0829-09	Ground Water	06/21/16 12:30	06/22/16 15:15
MGWC-8	AZF0829-10	Ground Water	06/21/16 08:55	06/22/16 15:15



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWA-6

Lab Number ID: AZF0829-01

Date/Time Sampled: 6/21/2016 8:48:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	303	25	10	mg/L	SM 2540 C		1	06/23/16 15:45	06/23/16 15:45	6060592	JPT
Inorganic Anions											
Chloride	9.2	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 18:12	6060644	RLC
Fluoride	0.08	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 18:12	6060644	RLC
Sulfate	17	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 18:12	6060644	RLC
Metals, Total											
Antimony	0.0017	0.0030	0.0002	mg/L	EPA 6020B	B-01, J	1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Arsenic	0.0352	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Barium	0.0539	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Boron	0.124	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Calcium	91.2	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 12:50	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Cobalt	0.0003	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Thallium	0.0001	0.0010	0.00006	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Lithium	ND	0.0500	0.0012	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:02	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:08	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: Dup-1

Lab Number ID: AZF0829-02

Date/Time Sampled: 6/21/2016 12:00:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	306	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	9.1	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 18:33	6060644	RLC
Fluoride	0.24	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 18:33	6060644	RLC
Sulfate	17	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 18:33	6060644	RLC
Metals, Total											
Antimony	0.0006	0.0030	0.0002	mg/L	EPA 6020B	B-01, J	1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Arsenic	0.0361	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Barium	0.0539	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Boron	0.119	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Calcium	90.7	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 12:55	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Cobalt	0.0003	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Lithium	ND	0.0500	0.0012	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:07	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:10	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-12

Lab Number ID: AZF0829-03

Date/Time Sampled: 6/21/2016 12:56:00PM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	177	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	4.4	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 18:53	6060644	RLC
Fluoride	0.14	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 18:53	6060644	RLC
Sulfate	4.0	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 18:53	6060644	RLC
Metals, Total											
Antimony	0.0004	0.0030	0.0002	mg/L	EPA 6020B	B-01, J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Arsenic	0.0015	0.0050	0.0007	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Barium	0.0439	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Beryllium	ND	0.0030	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Boron	0.0201	0.100	0.0044	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Calcium	25.5	5.00	0.126	mg/L	EPA 6020B		10	06/24/16 07:50	06/25/16 13:00	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Cobalt	ND	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Lead	0.0001	0.0050	0.00008	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Molybdenum	0.0020	0.0100	0.0005	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Lithium	0.0112	0.0500	0.0012	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:12	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:13	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-3

Lab Number ID: AZF0829-04

Date/Time Sampled: 6/21/2016 11:00:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	392	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	13	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 19:55	6060644	RLC
Fluoride	0.23	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 19:55	6060644	RLC
Sulfate	95	5.0	0.26	mg/L	EPA 300.0		5	06/24/16 14:32	06/27/16 00:53	6060644	RLC
Metals, Total											
Antimony	0.0003	0.0030	0.0002	mg/L	EPA 6020B	B-01, J	1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Arsenic	0.0016	0.0050	0.0007	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Barium	0.174	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Boron	0.792	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Calcium	99.7	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 13:05	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Cobalt	0.0006	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Lithium	0.0103	0.0500	0.0012	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:17	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:15	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: FB-1

Lab Number ID: AZF0829-05

Date/Time Sampled: 6/21/2016 3:45:00PM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: DI Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	ND	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	ND	0.25	0.01	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:16	6060644	RLC
Fluoride	ND	0.30	0.02	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:16	6060644	RLC
Sulfate	ND	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:16	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Arsenic	ND	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Barium	ND	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Boron	ND	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Calcium	0.0231	0.500	0.0126	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Cobalt	ND	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Lithium	ND	0.0500	0.0012	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:22	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:17	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: FERB-1

Lab Number ID: AZF0829-06

Date/Time Sampled: 6/21/2016 3:50:00PM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: DI Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	ND	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	0.02	0.25	0.01	mg/L	EPA 300.0	B-01, J	1	06/24/16 14:32	06/25/16 20:37	6060644	RLC
Fluoride	ND	0.30	0.02	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:37	6060644	RLC
Sulfate	ND	1.0	0.05	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:37	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Arsenic	ND	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Barium	ND	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Boron	ND	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Calcium	0.0184	0.500	0.0126	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Chromium	0.0008	0.0100	0.0004	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Cobalt	ND	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Lithium	ND	0.0500	0.0012	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:40	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:26	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-7

Lab Number ID: AZF0829-07

Date/Time Sampled: 6/21/2016 9:20:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	356	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	13	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 20:57	6060644	RLC
Fluoride	0.49	0.30	0.02	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 20:57	6060644	RLC
Sulfate	170	5.0	0.26	mg/L	EPA 300.0		5	06/24/16 14:32	06/27/16 01:14	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Arsenic	0.0009	0.0050	0.0007	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Barium	0.0152	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Beryllium	ND	0.0030	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Boron	1.15	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Cadmium	ND	0.0010	0.0001	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Calcium	52.8	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 13:10	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Cobalt	0.0097	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Lead	0.0003	0.0050	0.00008	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Lithium	0.122	0.0500	0.0012	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:45	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:29	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-2

Lab Number ID: AZF0829-08

Date/Time Sampled: 6/21/2016 11:25:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	692	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	20	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 21:18	6060644	RLC
Fluoride	0.19	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 21:18	6060644	RLC
Sulfate	290	10	0.51	mg/L	EPA 300.0		10	06/24/16 14:32	06/27/16 01:34	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Arsenic	ND	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Barium	0.0613	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Boron	3.10	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Cadmium	0.0008	0.0010	0.0001	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Calcium	119	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 13:15	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Cobalt	0.0031	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Thallium	ND	0.0010	0.00006	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Lithium	0.0047	0.0500	0.0012	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:50	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:31	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-1

Lab Number ID: AZF0829-09

Date/Time Sampled: 6/21/2016 12:30:00PM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	516	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	15	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 23:01	6060644	RLC
Fluoride	0.36	0.30	0.02	mg/L	EPA 300.0		1	06/24/16 14:32	06/25/16 23:01	6060644	RLC
Sulfate	210	5.0	0.26	mg/L	EPA 300.0		5	06/24/16 14:32	06/27/16 01:55	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Arsenic	0.0047	0.0050	0.0007	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Barium	0.165	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Beryllium	ND	0.0030	0.00009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Boron	1.55	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Cadmium	0.0005	0.0010	0.0001	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Calcium	119	25.0	0.628	mg/L	EPA 6020B		50	06/24/16 07:50	06/25/16 13:20	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Cobalt	0.0012	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Molybdenum	0.0020	0.0100	0.0005	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Thallium	0.00009	0.0010	0.00006	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Lithium	0.0102	0.0500	0.0012	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 15:55	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:33	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Project: CCR Event

Client ID: MGWC-8

Lab Number ID: AZF0829-10

Date/Time Sampled: 6/21/2016 8:55:00AM

Date/Time Received: 6/22/2016 3:15:00PM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
General Chemistry											
Total Dissolved Solids	297	25	10	mg/L	SM 2540 C		1	06/24/16 18:20	06/24/16 18:20	6060630	JPT
Inorganic Anions											
Chloride	10	0.25	0.01	mg/L	EPA 300.0	B-01	1	06/24/16 14:32	06/25/16 23:22	6060644	RLC
Fluoride	0.10	0.30	0.02	mg/L	EPA 300.0	J	1	06/24/16 14:32	06/25/16 23:22	6060644	RLC
Sulfate	160	10	0.51	mg/L	EPA 300.0		10	06/24/16 14:32	06/27/16 02:16	6060644	RLC
Metals, Total											
Antimony	ND	0.0030	0.0002	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Arsenic	ND	0.0050	0.0007	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Barium	0.0386	0.0100	0.0003	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Beryllium	0.0004	0.0030	0.00009	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Boron	0.862	0.100	0.0044	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Cadmium	0.0003	0.0010	0.0001	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Calcium	44.7	5.00	0.126	mg/L	EPA 6020B		10	06/24/16 07:50	06/27/16 13:32	6060619	CSW
Chromium	ND	0.0100	0.0004	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Cobalt	0.0033	0.0100	0.0003	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Lead	ND	0.0050	0.00008	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Molybdenum	ND	0.0100	0.0005	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Selenium	ND	0.0100	0.0009	mg/L	EPA 6020B		1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Thallium	0.0001	0.0010	0.00006	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Lithium	0.0228	0.0500	0.0012	mg/L	EPA 6020B	J	1	06/24/16 07:50	06/24/16 16:00	6060619	CSW
Mercury	ND	0.00050	0.00013	mg/L	EPA 7470A		1	06/23/16 14:00	06/24/16 14:36	6060586	CSW



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

General Chemistry - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes					
Batch 6060592 - SM 2540 C																
Blank (6060592-BLK1)							Prepared & Analyzed: 06/23/16									
Total Dissolved Solids	ND	25	10	mg/L												
LCS (6060592-BS1)												Prepared & Analyzed: 06/23/16				
Total Dissolved Solids	404	25	10	mg/L	400.00		101	84-108								
Duplicate (6060592-DUP1)					Source: AZF0760-01		Prepared & Analyzed: 06/23/16									
Total Dissolved Solids	77	25	10	mg/L		78			1	10						
Batch 6060630 - SM 2540 C																
Blank (6060630-BLK1)							Prepared & Analyzed: 06/24/16									
Total Dissolved Solids	ND	25	10	mg/L												
LCS (6060630-BS1)												Prepared & Analyzed: 06/24/16				
Total Dissolved Solids	380	25	10	mg/L	400.00		95	84-108								
Duplicate (6060630-DUP1)					Source: AZF0829-03		Prepared & Analyzed: 06/24/16									
Total Dissolved Solids	183	25	10	mg/L		177			3	10						



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Inorganic Anions - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
Batch 6060644 - EPA 300.0											
Blank (6060644-BLK1)											
Chloride	0.02	0.25	0.01	mg/L							J
Fluoride	ND	0.30	0.02	mg/L							
Sulfate	ND	1.0	0.05	mg/L							
LCS (6060644-BS1)											
Chloride	10.2	0.25	0.01	mg/L	10.010		102	90-110			
Fluoride	10.6	0.30	0.02	mg/L	10.010		106	90-110			
Sulfate	10.5	1.0	0.05	mg/L	10.010		104	90-110			
Matrix Spike (6060644-MS1)											
Chloride	14.1	0.25	0.01	mg/L	10.010	4.40	97	90-110			
Fluoride	10.6	0.30	0.02	mg/L	10.010	0.14	104	90-110			
Sulfate	14.0	1.0	0.05	mg/L	10.010	4.01	100	90-110			
Matrix Spike (6060644-MS2)											
Chloride	11.3	0.25	0.01	mg/L	10.010	1.87	94	90-110			
Fluoride	10.1	0.30	0.02	mg/L	10.010	ND	101	90-110			
Sulfate	10.3	1.0	0.05	mg/L	10.010	0.57	97	90-110			
Matrix Spike Dup (6060644-MSD1)											
Chloride	14.5	0.25	0.01	mg/L	10.010	4.40	101	90-110	3	15	
Fluoride	10.8	0.30	0.02	mg/L	10.010	0.14	106	90-110	2	15	
Sulfate	14.0	1.0	0.05	mg/L	10.010	4.01	100	90-110	0.04	15	



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Metals, Total - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
Batch 6060586 - EPA 7470A											
Blank (6060586-BLK1)										Prepared: 06/23/16 Analyzed: 06/24/16	
Mercury	ND	0.00050	0.00013	mg/L							
LCS (6060586-BS1)											
Mercury	0.00234	0.00050	0.00013	mg/L	2.5000E-3		94	80-120			
Matrix Spike (6060586-MS1)										Source: AZF0829-02 Prepared: 06/23/16 Analyzed: 06/24/16	
Mercury	0.00221	0.00050	0.00013	mg/L	2.5000E-3	ND	88	75-125			
Matrix Spike Dup (6060586-MSD1)										Source: AZF0829-02 Prepared: 06/23/16 Analyzed: 06/24/16	
Mercury	0.00223	0.00050	0.00013	mg/L	2.5000E-3	ND	89	75-125	0.9	20	
Post Spike (6060586-PS1)										Source: AZF0829-02 Prepared: 06/23/16 Analyzed: 06/24/16	
Mercury	1.55			ug/L	1.6667	-0.00288	93	80-120			
Batch 6060619 - EPA 3005A											
Blank (6060619-BLK1)										Prepared & Analyzed: 06/24/16	
Antimony	0.0008	0.0030	0.0002	mg/L							J
Arsenic	ND	0.0050	0.0007	mg/L							
Barium	ND	0.0100	0.0003	mg/L							
Beryllium	ND	0.0030	0.00009	mg/L							
Boron	ND	0.100	0.0044	mg/L							
Cadmium	ND	0.0010	0.0001	mg/L							
Calcium	ND	0.500	0.0126	mg/L							
Chromium	ND	0.0100	0.0004	mg/L							
Cobalt	ND	0.0100	0.0003	mg/L							
Copper	ND	0.0050	0.0004	mg/L							
Lead	ND	0.0050	0.00008	mg/L							
Molybdenum	ND	0.0100	0.0005	mg/L							
Nickel	ND	0.0050	0.0005	mg/L							
Selenium	ND	0.0100	0.0009	mg/L							
Silver	ND	0.0050	0.0002	mg/L							
Thallium	ND	0.0010	0.00006	mg/L							
Vanadium	ND	0.0100	0.0016	mg/L							
Zinc	ND	0.0100	0.0013	mg/L							
Lithium	ND	0.0500	0.0012	mg/L							



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Metals, Total - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	----	-----	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 6060619 - EPA 3005A

LCS (6060619-BS1)	Prepared & Analyzed: 06/24/16										
Antimony	0.107	0.0030	0.0002	mg/L	0.10000	107	80-120				
Arsenic	0.103	0.0050	0.0007	mg/L	0.10000	103	80-120				
Barium	0.105	0.0100	0.0003	mg/L	0.10000	105	80-120				
Beryllium	0.104	0.0030	0.00009	mg/L	0.10000	104	80-120				
Boron	1.03	0.100	0.0044	mg/L	1.0000	103	80-120				
Cadmium	0.103	0.0010	0.0001	mg/L	0.10000	103	80-120				
Calcium	1.06	0.500	0.0126	mg/L	1.0000	106	80-120				
Chromium	0.106	0.0100	0.0004	mg/L	0.10000	106	80-120				
Cobalt	0.103	0.0100	0.0003	mg/L	0.10000	103	80-120				
Copper	0.101	0.0050	0.0004	mg/L	0.10000	101	80-120				
Lead	0.102	0.0050	0.00008	mg/L	0.10000	102	80-120				
Molybdenum	0.106	0.0100	0.0005	mg/L	0.10000	106	80-120				
Nickel	0.101	0.0050	0.0005	mg/L	0.10000	101	80-120				
Selenium	0.0985	0.0100	0.0009	mg/L	0.10000	98	80-120				
Silver	0.102	0.0050	0.0002	mg/L	0.10000	102	80-120				
Thallium	0.103	0.0010	0.00006	mg/L	0.10000	103	80-120				
Vanadium	0.105	0.0100	0.0016	mg/L	0.10000	105	80-120				
Zinc	0.105	0.0100	0.0013	mg/L	0.10000	105	80-120				
Lithium	0.110	0.0500	0.0012	mg/L	0.10000	110	80-120				

Matrix Spike (6060619-MS1)	Source: AZF0829-01				Prepared & Analyzed: 06/24/16			
Antimony	0.104	0.0030	0.0002	mg/L	0.10000	0.0017	103	75-125
Arsenic	0.141	0.0050	0.0007	mg/L	0.10000	0.0352	106	75-125
Barium	0.170	0.0100	0.0003	mg/L	0.10000	0.0539	116	75-125
Beryllium	0.0931	0.0030	0.00009	mg/L	0.10000	ND	93	75-125
Boron	1.02	0.100	0.0044	mg/L	1.0000	0.124	90	75-125
Cadmium	0.105	0.0010	0.0001	mg/L	0.10000	ND	105	75-125
Calcium	93.1	25.0	0.628	mg/L	1.0000	91.2	186	75-125
Chromium	0.103	0.0100	0.0004	mg/L	0.10000	ND	103	75-125
Cobalt	0.102	0.0100	0.0003	mg/L	0.10000	0.0003	102	75-125
Copper	0.0994	0.0050	0.0004	mg/L	0.10000	ND	99	75-125
Lead	0.0994	0.0050	0.00008	mg/L	0.10000	ND	99	75-125
Molybdenum	0.106	0.0100	0.0005	mg/L	0.10000	ND	106	75-125
Nickel	0.101	0.0050	0.0005	mg/L	0.10000	0.0006	100	75-125
Selenium	0.102	0.0100	0.0009	mg/L	0.10000	ND	102	75-125
Silver	0.0988	0.0050	0.0002	mg/L	0.10000	ND	99	75-125
Thallium	0.101	0.0010	0.00006	mg/L	0.10000	0.0001	101	75-125
Vanadium	0.105	0.0100	0.0016	mg/L	0.10000	ND	105	75-125
Zinc	0.103	0.0100	0.0013	mg/L	0.10000	0.0020	101	75-125
Lithium	0.0976	0.0500	0.0012	mg/L	0.10000	ND	98	75-125



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Report No.: AZF0829

Metals, Total - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	----	-----	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 6060619 - EPA 3005A

Matrix Spike Dup (6060619-MSD1)		Source: AZF0829-01			Prepared & Analyzed: 06/24/16						
Antimony	0.101	0.0030	0.0002	mg/L	0.10000	0.0017	100	75-125	3	20	
Arsenic	0.138	0.0050	0.0007	mg/L	0.10000	0.0352	103	75-125	2	20	
Barium	0.165	0.0100	0.0003	mg/L	0.10000	0.0539	111	75-125	3	20	
Beryllium	0.0903	0.0030	0.00009	mg/L	0.10000	ND	90	75-125	3	20	
Boron	1.01	0.100	0.0044	mg/L	1.0000	0.124	89	75-125	0.6	20	
Cadmium	0.101	0.0010	0.0001	mg/L	0.10000	ND	101	75-125	4	20	
Calcium	87.9	25.0	0.628	mg/L	1.0000	91.2	NR	75-125	6	20	QM-02
Chromium	0.102	0.0100	0.0004	mg/L	0.10000	ND	102	75-125	0.4	20	
Cobalt	0.100	0.0100	0.0003	mg/L	0.10000	0.0003	100	75-125	2	20	
Copper	0.0953	0.0050	0.0004	mg/L	0.10000	ND	95	75-125	4	20	
Lead	0.0968	0.0050	0.00008	mg/L	0.10000	ND	97	75-125	3	20	
Molybdenum	0.103	0.0100	0.0005	mg/L	0.10000	ND	103	75-125	3	20	
Nickel	0.0994	0.0050	0.0005	mg/L	0.10000	0.0006	99	75-125	2	20	
Selenium	0.100	0.0100	0.0009	mg/L	0.10000	ND	100	75-125	2	20	
Silver	0.0971	0.0050	0.0002	mg/L	0.10000	ND	97	75-125	2	20	
Thallium	0.0985	0.0010	0.00006	mg/L	0.10000	0.0001	98	75-125	2	20	
Vanadium	0.102	0.0100	0.0016	mg/L	0.10000	ND	102	75-125	3	20	
Zinc	0.101	0.0100	0.0013	mg/L	0.10000	0.0020	99	75-125	3	20	
Lithium	0.0963	0.0500	0.0012	mg/L	0.10000	ND	96	75-125	1	20	

Post Spike (6060619-PS1)		Source: AZF0829-01			Prepared & Analyzed: 06/24/16						
Antimony	94.9			ug/L	100.00	1.68	93	80-120			
Arsenic	139			ug/L	100.00	35.2	104	80-120			
Barium	168			ug/L	100.00	53.9	114	80-120			
Beryllium	90.9			ug/L	100.00	0.0379	91	80-120			
Boron	1020			ug/L	1000.0	124	89	80-120			
Cadmium	104			ug/L	100.00	0.0228	104	80-120			
Calcium	90800			ug/L	1000.0	91200	NR	80-120			QM-02
Chromium	102			ug/L	100.00	-0.135	102	80-120			
Cobalt	101			ug/L	100.00	0.343	100	80-120			
Copper	97.2			ug/L	100.00	-0.140	97	80-120			
Lead	97.3			ug/L	100.00	0.0771	97	80-120			
Molybdenum	106			ug/L	100.00	0.427	106	80-120			
Nickel	99.9			ug/L	100.00	0.641	99	80-120			
Selenium	104			ug/L	100.00	0.0736	104	80-120			
Silver	96.8			ug/L	100.00	0.0390	97	80-120			
Thallium	98.7			ug/L	100.00	0.139	99	80-120			
Vanadium	102			ug/L	100.00	-0.655	103	80-120			
Zinc	103			ug/L	100.00	2.05	101	80-120			
Lithium	96.4			ug/L	100.00	0.254	96	80-120			



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

Georgia Power
2480 Maner Road
Atlanta GA, 30339

Attention: Mr. Joju Abraham

June 29, 2016

Legend

Definition of Laboratory Terms

ND	- Not Detected at levels equal to or greater than the MDL
BRL	- Not Detected at levels equal to or greater than the RL
RL	- Reporting Limit MDL - Method Detection Limit
SOP	- Method run per Pace Standard Operating Procedure
CFU	- Colony Forming Units
DF	- Dilution Factor TIC - Tentatively Identified Compound

Sample Information

N-Nitrosodiphenylamine breaks down to diphenylamine in the GCMS; both analytes are reported as N-Nitrosodiphenylamine. Pace is not NELAC certified for N-Nitrosodiphenylamine.

Phthalic acid and phthalic anhydride are reported as dimethyl phthalate

Maleic acid and maleic anhydride are reported as dimethyl malate

1,2-Diphenylhydrazine breaks down to azobenzene in the GCMS; both analytes are reported as azobenzene

Definition of Qualifiers

QM-02 The spike recovery is outside acceptance limits due to insignificant spike amount as compared to sample concentration.

J Estimated value less than Reporting Limit (RL) but greater than Method Detection Limit(MDL) (CLP J-Flag).

B-01 Analyte was detected in the associated method blank at an estimated level equal to or greater than the MDL. Sample values reported as greater than the MDL and less than 10x the method blank value are reported as estimated values.

Note: Unless otherwise noted, all results are reported on an as received basis.

Georgia Power Environmental Laboratory

NELAP Certification #E57554

2480 Maner Road, BIN 39110

Atlanta, Georgia 30339

Phone: (404) 790-2100

Company: 8-530-2100

ANALYSIS REQUEST AND
CUSTODY SEAL 1D_s CHAIN OF CUSTODY RECORD20100421-0
20100421-00

Report To:

Southern Company Services
Joiu Abraham
241 Ralph McGill Blvd SE B10185Address:²Atlanta, GA 30308
404-506-7239Phone/Fax:³Joiu Abraham
Plant McIntosh LF #4Contact:⁴Project Location:⁵
Account Number:⁶Special Instructions:⁷

McIntosh AP CCR GW

Sample Shipment Date:⁸ 6/21/10Sample Received Date:⁹ Standard Turnaround Time
 # of Business Days (Rush)

(Must be cleared through Env. Lab. Prior to shipment)

Sampled By: **Amanda Stromm (AS)**
Myles Rogers (MR)Signature: **Will Virgin (WV)**Signature:
Authorization to subcontract analysis will be assumed
acceptable by customer unless stated otherwise.

LAB USE ONLY ¹³ LAB ID	Sample Number ¹⁴	Collection ¹⁵		Sample Description ¹⁶	Matrix	No. of Containers	PRESERVATIVE ²⁰		Sample Type Key: 22	Comments
		Date	Time				HNO ₃	N		
MGWA-0	6/21/10 0848			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	1
DUP-1	6/21/10 —			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GP	3	✓	✓	✓	2
MGNC-12	6/21/10 1256			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	3
MGNC-3	6/21/10 1100			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	4
FB-1	6/21/10 1545			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G PI	3	✓	✓	✓	5
FERB-1	6/21/10 1600			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G DI	3	✓	✓	✓	6
MGNC-7	6/21/10 0920			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	7
MGNC-2	6/21/10 1125			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	8
MGNC-1	6/21/10 1230			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	9
MGNC-8	6/21/10 08:55			EPA 6020 & EPA 7470 Metals app. III & IV TDS SM2540C	G GW	3	✓	✓	✓	10

LAB USE ONLY: Sample Receipt Information²⁸Date/Time 6/21/10 17:45
Received by: *Johnathan Goss*
Relinquished by: *Johnathan Goss*
Date/Time 6-22-10 @1030
Received by: *Johnathan Goss*
Relinquished by: *Johnathan Goss*
Date/Time
Date/Time
Date/Time
Date/Time



PACE ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Peachtree Corners, GA 30092
(770) 734-4200 FAX (770) 734-4201

LOG-IN CHECKLIST

Printed: 6/29/2016 4:46:33PM

Attn: Mr. Joju Abraham

Client: Georgia Power
Project: CCR Event
Date Received: 06/22/16 15:15

Work Order: AZF0829
Logged In By: Mohammad M. Rahman

OBSERVATIONS

#Samples: 10	#Containers: 30	
Minimum Temp(C): 2.0	Maximum Temp(C): 2.0	Custody Seal(s) Used: Yes

CHECKLIST ITEMS

COC included with Samples	YES
Sample Container(s) Intact	YES
Chain of Custody Complete	YES
Sample Container(s) Match COC	YES
Custody seal Intact	YES
Temperature in Compliance	YES
Sufficient Sample Volume for Analysis	YES
Zero Headspace Maintained for VOA Analyses	YES
Samples labeled preserved (If Applicable)	YES
Samples received within Allowable Hold Times	YES
Samples Received on Ice	YES
Preservation Confirmed	YES

Comments:

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-123939-1

Client Project/Site: CCR Plant McIntosh

For:

Georgia Power - Environmental Lab

Bin 39110

2480 Maner Road

Smyrna, Georgia 30080

Attn: Jolynn Locke

Cheyenne Whitmire

Authorized for release by:

8/9/2016 6:12:00 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	14
Chronicle	15
QC Association	18
QC Sample Results	19
Chain of Custody	22
Receipt Checklists	24
Certification Summary	25

Case Narrative

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Job ID: 400-123939-1

Laboratory: TestAmerica Pensacola

Narrative

**Job Narrative
400-123939-1**

RAD

Method(s) PrecSep_0: Insufficient sample volume was available to perform a sample duplicate (DUP) associated with Ra 228 analytical batch 160-262763. A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method Summary

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Pensacola

Sample Summary

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-123939-1	FB-01	Water	05/05/16 19:00	07/05/16 10:01
400-123939-2	EB-01	Water	05/05/16 19:30	07/05/16 10:01
400-123939-3	MGWC-03	Water	05/06/16 09:30	07/05/16 10:01
400-123939-4	MGWC-01	Water	05/06/16 09:56	07/05/16 10:01
400-123939-5	MGWC-07	Water	05/05/16 18:52	07/05/16 10:01
400-123939-6	MGWC-02	Water	05/06/16 09:25	07/05/16 10:01
400-123939-7	MGWA-09	Water	05/05/16 12:44	07/05/16 10:01
400-123939-8	MGWA-05	Water	05/05/16 15:50	07/05/16 10:01
400-123939-9	MWGC-08	Water	05/05/16 17:22	07/05/16 10:01
400-123939-10	MGWA-10	Water	05/05/16 13:30	07/05/16 10:01
400-123939-11	MGWA-06	Water	05/05/16 17:30	07/05/16 10:01
400-123939-12	DUP-01	Water	05/05/16 13:30	07/05/16 10:01

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: FB-01

Date Collected: 05/05/16 19:00
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.0644	U	0.0712	0.0714	1.00	0.173	pCi/L	07/07/16 11:25	07/29/16 07:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					07/07/16 11:25	07/29/16 07:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0883	U	0.210	0.210	1.00	0.364	pCi/L	07/07/16 11:25	07/28/16 13:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		40 - 110					07/07/16 11:25	07/28/16 13:04	1
Y Carrier	84.1		40 - 110					07/07/16 11:25	07/28/16 13:04	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.0239	U	0.222	0.222	5.00	0.364	pCi/L		07/30/16 00:26	1

Client Sample ID: EB-01

Date Collected: 05/05/16 19:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.0177	U	0.0816	0.0816	1.00	0.171	pCi/L	07/07/16 11:25	07/29/16 07:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.9		40 - 110					07/07/16 11:25	07/29/16 07:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.144	U	0.230	0.231	1.00	0.388	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.9		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	84.9		40 - 110					07/07/16 11:25	07/28/16 13:05	1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: EB-01

Lab Sample ID: 400-123939-2

Date Collected: 05/05/16 19:30

Matrix: Water

Date Received: 07/05/16 10:01

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.126	U	0.244	0.245	5.00	0.388	pCi/L		07/30/16 00:26	1

Client Sample ID: MGWC-03

Lab Sample ID: 400-123939-3

Date Collected: 05/06/16 09:30

Matrix: Water

Date Received: 07/05/16 10:01

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.18		0.235	0.258	1.00	0.179	pCi/L	07/07/16 11:25	07/29/16 10:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.7		40 - 110					07/07/16 11:25	07/29/16 10:26	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.232	U	0.256	0.257	1.00	0.420	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.7		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	85.2		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.41		0.348	0.364	5.00	0.420	pCi/L		07/30/16 00:26	1

Client Sample ID: MGWC-01

Lab Sample ID: 400-123939-4

Date Collected: 05/06/16 09:56

Matrix: Water

Date Received: 07/05/16 10:01

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.667		0.197	0.206	1.00	0.194	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.1		40 - 110					07/07/16 11:25	07/29/16 10:27	1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MGWC-01
Date Collected: 05/06/16 09:56
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-4
Matrix: Water

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.400	U	0.291	0.293	1.00	0.455	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.1		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	88.2		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.07		0.351	0.358	5.00	0.455	pCi/L	07/30/16 00:26		1

Client Sample ID: MGWC-07

Date Collected: 05/05/16 18:52
 Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.349		0.177	0.179	1.00	0.235	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	74.4		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.401	U	0.297	0.299	1.00	0.463	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	74.4		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	84.9		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.750		0.345	0.349	5.00	0.463	pCi/L	07/30/16 00:26		1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MGWC-02
Date Collected: 05/06/16 09:25
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.323		0.141	0.144	1.00	0.162	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.2		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.310	U	0.258	0.260	1.00	0.411	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.2		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	87.1		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.633		0.295	0.297	5.00	0.411	pCi/L		07/30/16 00:26	1

Client Sample ID: MGWA-09

Lab Sample ID: 400-123939-7

Matrix: Water

Date Collected: 05/05/16 12:44
 Date Received: 07/05/16 10:01

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.209		0.120	0.122	1.00	0.156	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.291	U	0.249	0.251	1.00	0.398	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.3		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	88.6		40 - 110					07/07/16 11:25	07/28/16 13:05	1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MGWA-09
Date Collected: 05/05/16 12:44
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-7
Matrix: Water

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.500		0.277	0.279	5.00	0.398	pCi/L		07/30/16 00:26	1

Client Sample ID: MGWA-05
Date Collected: 05/05/16 15:50
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-8
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.165	U	0.144	0.144	1.00	0.224	pCi/L	07/07/16 11:25	07/29/16 10:27	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.315	U	0.259	0.261	1.00	0.412	pCi/L	07/07/16 11:25	07/28/16 13:05	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	84.5		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.480		0.296	0.298	5.00	0.412	pCi/L		07/30/16 00:26	1

Client Sample ID: MWGC-08
Date Collected: 05/05/16 17:22
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-9
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.945		0.238	0.253	1.00	0.245	pCi/L	07/07/16 11:25	07/29/16 10:27	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		40 - 110					07/07/16 11:25	07/29/16 10:27	1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MWGC-08
Date Collected: 05/05/16 17:22
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-9
Matrix: Water

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.262	U	0.261	0.262	1.00	0.424	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier										
Ba Carrier	89.2		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	87.5		40 - 110					07/07/16 11:25	07/28/16 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.21		0.353	0.364	5.00	0.424	pCi/L	07/30/16 00:26		1

Client Sample ID: MGWA-10

Date Collected: 05/05/16 13:30
 Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.592		0.174	0.182	1.00	0.162	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier										
Ba Carrier	90.6		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.287	U	0.214	0.216	1.00	0.334	pCi/L	07/29/16 20:37	08/04/16 12:11	1
Carrier										
Ba Carrier	94.6		40 - 110					07/29/16 20:37	08/04/16 12:11	1
Y Carrier	81.5		40 - 110					07/29/16 20:37	08/04/16 12:11	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.879		0.276	0.282	5.00	0.334	pCi/L	08/05/16 16:07		1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MGWA-06
Date Collected: 05/05/16 17:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-11
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.431		0.182	0.187	1.00	0.237	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.0		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.263	U	0.279	0.280	1.00	0.456	pCi/L	07/29/16 20:37	08/04/16 12:12	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.5		40 - 110					07/29/16 20:37	08/04/16 12:12	1
Y Carrier	83.0		40 - 110					07/29/16 20:37	08/04/16 12:12	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.694		0.333	0.337	5.00	0.456	pCi/L		08/05/16 16:07	1

Client Sample ID: DUP-01

Lab Sample ID: 400-123939-12

Matrix: Water

Date Collected: 05/05/16 13:30
 Date Received: 07/05/16 10:01

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.419		0.181	0.185	1.00	0.237	pCi/L	07/07/16 11:25	07/29/16 10:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.7		40 - 110					07/07/16 11:25	07/29/16 10:27	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0178	U	0.200	0.200	1.00	0.366	pCi/L	07/07/16 11:25	07/28/16 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.7		40 - 110					07/07/16 11:25	07/28/16 13:05	1
Y Carrier	86.7		40 - 110					07/07/16 11:25	07/28/16 13:05	1

TestAmerica Pensacola

Client Sample Results

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: DUP-01
Date Collected: 05/05/16 13:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-12
Matrix: Water

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	(2σ+/-)						
Combined Radium 226 + 228	0.401		0.270	0.272	5.00	0.366	pCi/L		07/30/16 00:26	1

Definitions/Glossary

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: FB-01

Date Collected: 05/05/16 19:00

Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262648	07/29/16 07:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:04	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: EB-01

Date Collected: 05/05/16 19:30

Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262648	07/29/16 07:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWC-03

Date Collected: 05/06/16 09:30

Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:26	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWC-01

Date Collected: 05/06/16 09:56

Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MGWC-07

Date Collected: 05/05/16 18:52
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWC-02

Date Collected: 05/06/16 09:25
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWA-09

Date Collected: 05/05/16 12:44
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWA-05

Date Collected: 05/05/16 15:50
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Client Sample ID: MWGC-08

Date Collected: 05/05/16 17:22
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Client Sample ID: MGWA-10

Date Collected: 05/05/16 13:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			262763	07/29/16 20:37	MCJ	TAL SL
Total/NA	Analysis	9320		1	263544	08/04/16 12:11	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	263672	08/05/16 16:07	RTM	TAL SL

Client Sample ID: MGWA-06

Date Collected: 05/05/16 17:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			262763	07/29/16 20:37	MCJ	TAL SL
Total/NA	Analysis	9320		1	263544	08/04/16 12:12	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	263672	08/05/16 16:07	RTM	TAL SL

Client Sample ID: DUP-01

Date Collected: 05/05/16 13:30
Date Received: 07/05/16 10:01

Lab Sample ID: 400-123939-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			259558	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9315		1	262632	07/29/16 10:27	RTM	TAL SL
Total/NA	Prep	PrecSep_0			259562	07/07/16 11:25	SCB	TAL SL
Total/NA	Analysis	9320		1	262450	07/28/16 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	262766	07/30/16 00:26	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Pensacola

QC Association Summary

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Rad

Prep Batch: 259558

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-123939-1	FB-01	Total/NA	Water	PrecSep-21	5
400-123939-2	EB-01	Total/NA	Water	PrecSep-21	6
400-123939-3	MGWC-03	Total/NA	Water	PrecSep-21	7
400-123939-4	MGWC-01	Total/NA	Water	PrecSep-21	8
400-123939-5	MGWC-07	Total/NA	Water	PrecSep-21	9
400-123939-6	MGWC-02	Total/NA	Water	PrecSep-21	10
400-123939-7	MGWA-09	Total/NA	Water	PrecSep-21	11
400-123939-8	MGWA-05	Total/NA	Water	PrecSep-21	12
400-123939-9	MWGC-08	Total/NA	Water	PrecSep-21	13
400-123939-10	MGWA-10	Total/NA	Water	PrecSep-21	
400-123939-11	MGWA-06	Total/NA	Water	PrecSep-21	
400-123939-12	DUP-01	Total/NA	Water	PrecSep-21	
MB 160-259558/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-259558/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-123939-1 DU	FB-01	Total/NA	Water	PrecSep-21	

Prep Batch: 259562

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-123939-1	FB-01	Total/NA	Water	PrecSep_0	13
400-123939-2	EB-01	Total/NA	Water	PrecSep_0	
400-123939-3	MGWC-03	Total/NA	Water	PrecSep_0	
400-123939-4	MGWC-01	Total/NA	Water	PrecSep_0	
400-123939-5	MGWC-07	Total/NA	Water	PrecSep_0	
400-123939-6	MGWC-02	Total/NA	Water	PrecSep_0	
400-123939-7	MGWA-09	Total/NA	Water	PrecSep_0	
400-123939-8	MGWA-05	Total/NA	Water	PrecSep_0	
400-123939-9	MWGC-08	Total/NA	Water	PrecSep_0	
400-123939-12	DUP-01	Total/NA	Water	PrecSep_0	
MB 160-259562/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-259562/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-123939-1 DU	FB-01	Total/NA	Water	PrecSep_0	

Prep Batch: 262763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-123939-10	MGWA-10	Total/NA	Water	PrecSep_0	
400-123939-11	MGWA-06	Total/NA	Water	PrecSep_0	
MB 160-262763/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-262763/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-262763/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-259558/1-A

Matrix: Water

Analysis Batch: 262648

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 259558

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.09751	U	0.0993	0.0997	1.00	0.156	pCi/L	07/07/16 11:25	07/29/16 07:14	1
Carrier										
Ba Carrier	82.3			40 - 110				Prepared	Analyzed	Dil Fac
								07/07/16 11:25	07/29/16 07:14	1

Lab Sample ID: LCS 160-259558/2-A

Matrix: Water

Analysis Batch: 262648

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 259558

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Added									
Radium-226		11.2	13.90		1.52	1.00	0.316	pCi/L	125	68 - 137
Carrier										
Ba Carrier	65.8			40 - 110						

Lab Sample ID: 400-123939-1 DU

Matrix: Water

Analysis Batch: 262648

Client Sample ID: FB-01

Prep Type: Total/NA

Prep Batch: 259558

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	-0.0644	U	0.02800	U	0.0943	1.00	0.175	pCi/L	0.56	1
Carrier										
Ba Carrier	92.9			40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-259562/1-A

Matrix: Water

Analysis Batch: 262450

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 259562

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.2753	U	0.258	0.259	1.00	0.415	pCi/L	07/07/16 11:25	07/28/16 13:03	1
Carrier										
Ba Carrier	82.3			40 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	84.5			40 - 110				07/07/16 11:25	07/28/16 13:03	1
								07/07/16 11:25	07/28/16 13:03	1

TestAmerica Pensacola

QC Sample Results

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-259562/2-A

Matrix: Water

Analysis Batch: 262450

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 259562

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		MDC	Unit	%Rec	%Rec.	Limits
		Result	Qual		RL	1.00					
Radium-228	14.8	15.67		1.79			0.524	pCi/L	106	56 - 140	

Carrier

Carrier	LCS		Limits
	%Yield	Qualifier	
Ba Carrier	65.8		40 - 110
Y Carrier	81.5		40 - 110

Lab Sample ID: 400-123939-1 DU

Matrix: Water

Analysis Batch: 262450

Client Sample ID: FB-01

Prep Type: Total/NA

Prep Batch: 259562

Analyte	Sample		Sample		DU		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Radium-228	0.0883	U	-0.07249	U			0.231	1.00	0.424	pCi/L	0.36	1

Carrier

Carrier	DU		Limits
	%Yield	Qualifier	
Ba Carrier	92.9		40 - 110
Y Carrier	87.5		40 - 110

Lab Sample ID: MB 160-262763/1-A

Matrix: Water

Analysis Batch: 263544

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 262763

Analyte	MB		MB		Count		Total		RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.07102	U			0.197		0.197		1.00	0.366	pCi/L	07/29/16 20:37	08/04/16 12:11	1

Carrier

Carrier	MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	97.4		40 - 110	07/29/16 20:37	08/04/16 12:11	1
Y Carrier	85.2		40 - 110	07/29/16 20:37	08/04/16 12:11	1

Lab Sample ID: LCS 160-262763/2-A

Matrix: Water

Analysis Batch: 263544

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 262763

Analyte	Spike		LCS		Uncert.		RL	MDC	Unit	%Rec	%Rec.	Limits
	Added	Result	Qual	Uncert. (2σ+/-)	Total	Uncert. (2σ+/-)						
Radium-228	14.8	14.67		1.56	1.56	1.00	0.360	pCi/L	99	56 - 140		

Carrier

Carrier	LCS		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	95.7		40 - 110	07/29/16 20:37	08/04/16 12:11	1
Y Carrier	89.0		40 - 110	07/29/16 20:37	08/04/16 12:11	1

TestAmerica Pensacola

QC Sample Results

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCSD 160-262763/3-A

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 263544

Prep Batch: 262763

Analyte	Spike Added	LCSD Result	LCSD Qual	Total		RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
				Uncert. (2σ+/-)	1.49							
Radium-228	14.8	13.83		1.49	1.00	0.351	pCi/L		94	56 - 140	0.27	1

Carrier	LCSD	LCSD	Limits
	%Yield	Qualifier	
Ba Carrier	94.0		40 - 110
Y Carrier	88.6		40 - 110

TestAmerica Pensacola

Environmental Laboratory
2480 Maner Road, Bin 39110
Atlanta, Georgia 30339

TRANSFER OF SAMPLES

Phone: (404) 799-2100

Fax: (404) 799-2141

400-123939 COC



A SOUTHERN COMPANY



Sample Delivery Group No. 103229					
Lab Contact:		Project Name: McIntosh CCR		Vendor Laboratory Name and Address	
Email Results To:		<u>loklocke@southernco.com</u>		Test America 3355 McLemore Drive Pensacola, FL 32514 850-474-1001	
Turnaround Time: (or expected date of results)		21 days		Date of Sample Transfer 6-30-16	
Sample Date	Sample Time	No. of Containers	Project ID#	Laboratory ID#	Analysis Requested
5/5/2016	19:00	1	FB-01	1032290001	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
5/5/2016	19:30	1	EB-01	1032290002	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
5/6/2016	9:30	1	MGWC-03	1032290003	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
5/6/2016	9:56	1	MGWC-01	1032290004	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
5/5/2016	18:52	1	MGWC-07	1032290005	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
5/6/2016	9:25	1	MGWC-02	1032290006	Radium 226 SW-864 #9315/Radium 228 SW-846 #9320/Ra Combined
Comments: Samples preserved with HNO3 to <2 pH					
Transfer By (Signature): <i>Linday Johnson</i>			Received By: <i>Linday Johnson</i>		
Date / Time: 7/5/16 1001			Date / Time: 8/9/2016		

1
2
3
4
5
6
7
8
9
10
11
12
13



Environmental Laboratory

2480 Maner Road, Bin 39110
Atlanta, Georgia 30339

TRANSFER OF SAMPLES

Phone: (404) 799-2100

Fax: (404) 799-2141

卷之三

Sample Delivery Group No. 103223

Transfer By (Signature):

Climb Day

[Comments] Samples preserved with HNO₃ to <2 pH

1

7/15/16 1001

Date / Time:

Login Sample Receipt Checklist

Client: Georgia Power - Environmental Lab

Job Number: 400-123939-1

Login Number: 123939

List Source: TestAmerica Pensacola

List Number: 1

Creator: Perez, Trina M

Question

Answer

Comment

Radioactivity wasn't checked or is </= background as measured by a survey meter.

N/A

The cooler's custody seal, if present, is intact.

True

Sample custody seals, if present, are intact.

N/A

The cooler or samples do not appear to have been compromised or tampered with.

True

Samples were received on ice.

N/A

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

N/A

Thermal preservation not required.

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

Is the Field Sampler's name present on COC?

True

There are no discrepancies between the containers received and the COC.

True

Samples are received within Holding Time (excluding tests with immediate HTs)

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

Appropriate sample containers are used.

True

Sample bottles are completely filled.

True

Sample Preservation Verified.

True

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

True

Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").

N/A

Multiphasic samples are not present.

True

Samples do not require splitting or compositing.

True

Residual Chlorine Checked.

N/A

Certification Summary

Client: Georgia Power - Environmental Lab
 Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-16
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-16
Iowa	State Program	7	367	07-31-16 *
Kansas	NELAP	7	E-10253	10-31-16
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-16
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-15-9	09-30-16
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	08-31-16

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	003757	11-30-16
Iowa	State Program	7	373	12-01-16
Kansas	NELAP	7	E-10236	07-31-16 *
Kentucky (DW)	State Program	4	90125	12-31-16
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA160008	12-31-16
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542016-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Georgia Power - Environmental Lab
Project/Site: CCR Plant McIntosh

TestAmerica Job ID: 400-123939-1

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9997	08-31-16 *
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-16 *
Texas	NELAP	6	T104704193-15-9	07-31-17
USDA	Federal		P330-07-00122	01-09-17
Utah	NELAP	8	MO000542015-7	07-31-16 *
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-16 *
West Virginia DEP	State Program	3	381	08-31-16 *

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-125883-1

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

8/29/2016 1:32:22 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1	3
Table of Contents	2	4
Case Narrative	3	5
Detection Summary	4	6
Method Summary	9	6
Sample Summary	10	7
Client Sample Results	11	8
Definitions	24	8
Chronicle	25	9
QC Association	29	10
QC Sample Results	33	11
Chain of Custody	39	11
Receipt Checklists	41	12
Certification Summary	42	13
		14

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Job ID: 400-125883-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-125883-1

HPLC/IC

Method(s) 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: MGWC-2 (400-125883-10). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The following sample was diluted to bring the concentration of target analytes within the calibration range: MGWC-2 (400-125883-10). Elevated reporting limits (RLs) are provided.

Method(s) 7470A: The method blank for prep batch 319015 contained Mercury above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-10

Lab Sample ID: 400-125883-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.5		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	1.9		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00096 J		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.029		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.022 J		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	6.1		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0029		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0065		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Selenium	0.00062 J		0.0013	0.00024	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	58		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-125883-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.4		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.10 J		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	7.5		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.032		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.023 J		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	26		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.0059		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0013 J		0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	160		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-11

Lab Sample ID: 400-125883-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.1		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.10 J		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	0.73 J		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.0033		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.11		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.032 J		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	34		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.020		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0022 J		0.015	0.00085	mg/L	5	6020		Total Recoverable
Mercury	0.000080 J B		0.00020	0.000070	mg/L	1	7470A		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-11 (Continued)

Lab Sample ID: 400-125883-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	180		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-125883-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	20		1.0	0.70	mg/L	1		300.0	Total/NA
Arsenic	0.035		0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.053		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.18		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	94		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.00049	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	310		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-125883-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.44		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	170		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0012	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.015		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	50		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0098		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.12		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	330		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-125883-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.5		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.11	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	120		5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.030		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Beryllium	0.00053	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Boron	0.80		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	27		0.25	0.13	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-8 (Continued)

Lab Sample ID: 400-125883-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cobalt	0.0038		0.0025	0.00040	mg/L	5	6020		Total
Lithium	0.026		0.0050	0.0032	mg/L	5	6020		Recoverable
Selenium	0.00033	J	0.0013	0.00024	mg/L	5	6020		Total
Thallium	0.00016	J	0.00050	0.000085	mg/L	5	6020		Recoverable
Mercury	0.00015	J B	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	230		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-125883-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	20		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.039		0.0013	0.00046	mg/L	5	6020		Total
Barium	0.055		0.0025	0.00049	mg/L	5	6020		Recoverable
Boron	0.17		0.050	0.021	mg/L	5	6020		Total
Calcium	92		0.25	0.13	mg/L	5	6020		Recoverable
Cobalt	0.00044	J	0.0025	0.00040	mg/L	5	6020		Total
Total Dissolved Solids	310		5.0	3.4	mg/L	1	SM 2540C		Recoverable
									Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-125883-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.27		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	120		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0030		0.0013	0.00046	mg/L	5	6020		Total
Barium	0.094		0.0025	0.00049	mg/L	5	6020		Recoverable
Boron	0.85		0.050	0.021	mg/L	5	6020		Total
Calcium	84		0.25	0.13	mg/L	5	6020		Recoverable
Cobalt	0.00047	J	0.0025	0.00040	mg/L	5	6020		Total
Lithium	0.012		0.0050	0.0032	mg/L	5	6020		Recoverable
Molybdenum	0.0019	J	0.015	0.00085	mg/L	5	6020		Total
Total Dissolved Solids	360		5.0	3.4	mg/L	1	SM 2540C		Recoverable
									Total/NA

Client Sample ID: MGWC-3

Lab Sample ID: 400-125883-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-3 (Continued)

Lab Sample ID: 400-125883-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	88		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0017		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.13		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.0		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	97		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00064	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.010		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	360		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-125883-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	20		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.087	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	270		10	7.0	mg/L	10	300.0		Total/NA
Barium	0.052		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Cadmium	0.0034		0.0025	0.00034	mg/L	5	6020		Total Recoverable
Cobalt	0.0034		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.0043	J	0.0050	0.0032	mg/L	5	6020		Total Recoverable
Boron - DL	2.8		1.0	0.42	mg/L	100	6020		Total Recoverable
Calcium - DL	120		5.0	2.5	mg/L	100	6020		Total Recoverable
Mercury	0.000078	J	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	650		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-125883-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.6		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.29		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	2.8		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00082	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.041		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.055		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	25		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.014		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0012	J	0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	160		5.0	3.4	mg/L	1	SM 2540C		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: FB-1

Lab Sample ID: 400-125883-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mercury	0.000085	J	0.00020	0.000070	mg/L	1		7470A	Total/NA

Client Sample ID: FERB-1

Lab Sample ID: 400-125883-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.0018	J	0.0025	0.00049	mg/L	5		6020	Total
Mercury	0.000072	J	0.00020	0.000070	mg/L	1		7470A	Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
 SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-125883-1	MGWA-10	Water	08/15/16 13:00	08/17/16 09:17
400-125883-2	MGWA-5	Water	08/15/16 13:18	08/17/16 09:17
400-125883-3	MGWA-11	Water	08/15/16 13:45	08/17/16 09:17
400-125883-4	MGWA-6	Water	08/15/16 15:05	08/17/16 09:17
400-125883-5	MGWC-7	Water	08/15/16 15:05	08/17/16 09:17
400-125883-6	MGWC-8	Water	08/15/16 15:40	08/17/16 09:17
400-125883-7	DUP-1	Water	08/15/16 00:00	08/17/16 09:17
400-125883-8	MGWC-1	Water	08/16/16 10:20	08/18/16 10:07
400-125883-9	MGWC-3	Water	08/16/16 09:55	08/18/16 10:07
400-125883-10	MGWC-2	Water	08/16/16 11:55	08/18/16 10:07
400-125883-11	MGWC-12	Water	08/16/16 12:50	08/18/16 10:07
400-125883-12	FB-1	Water	08/16/16 13:00	08/18/16 10:07
400-125883-13	FERB-1	Water	08/16/16 13:05	08/18/16 10:07

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-10

Lab Sample ID: 400-125883-1

Date Collected: 08/15/16 13:00

Matrix: Water

Date Received: 08/17/16 09:17

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.5		1.0	0.89	mg/L			08/23/16 17:21	1
Fluoride	<0.082		0.20	0.082	mg/L			08/23/16 17:21	1
Sulfate	1.9		1.0	0.70	mg/L			08/23/16 17:21	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 18:33	5
Arsenic	0.00096 J		0.0013	0.00046	mg/L			08/22/16 18:33	5
Barium	0.029		0.0025	0.00049	mg/L			08/22/16 18:33	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 18:33	5
Boron	0.022 J		0.050	0.021	mg/L			08/22/16 18:33	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 18:33	5
Calcium	6.1		0.25	0.13	mg/L			08/22/16 18:33	5
Chromium	0.0029		0.0025	0.0011	mg/L			08/22/16 18:33	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			08/22/16 18:33	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 18:33	5
Lithium	0.0065		0.0050	0.0032	mg/L			08/22/16 18:33	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 18:33	5
Selenium	0.00062 J		0.0013	0.00024	mg/L			08/22/16 18:33	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 18:33	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			08/20/16 19:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	58		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-5

Lab Sample ID: 400-125883-2

Matrix: Water

Date Collected: 08/15/16 13:18

Date Received: 08/17/16 09:17

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.4		1.0	0.89	mg/L			08/23/16 18:29	1
Fluoride	0.10	J	0.20	0.082	mg/L			08/23/16 18:29	1
Sulfate	7.5		1.0	0.70	mg/L			08/23/16 18:29	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 18:38	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			08/22/16 18:38	5
Barium	0.032		0.0025	0.00049	mg/L			08/22/16 18:38	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 18:38	5
Boron	0.023	J	0.050	0.021	mg/L			08/22/16 18:38	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 18:38	5
Calcium	26		0.25	0.13	mg/L			08/22/16 18:38	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 18:38	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			08/22/16 18:38	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 18:38	5
Lithium	0.0059		0.0050	0.0032	mg/L			08/22/16 18:38	5
Molybdenum	0.0013	J	0.015	0.00085	mg/L			08/22/16 18:38	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 18:38	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 18:38	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			08/20/16 19:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-11

Lab Sample ID: 400-125883-3

Date Collected: 08/15/16 13:45

Matrix: Water

Date Received: 08/17/16 09:17

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.1		1.0	0.89	mg/L			08/23/16 18:52	1
Fluoride	0.10 J		0.20	0.082	mg/L			08/23/16 18:52	1
Sulfate	0.73 J		1.0	0.70	mg/L			08/23/16 18:52	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		08/19/16 09:30	08/22/16 19:00	5
Arsenic	0.0033		0.0013	0.00046	mg/L		08/19/16 09:30	08/22/16 19:00	5
Barium	0.11		0.0025	0.00049	mg/L		08/19/16 09:30	08/22/16 19:00	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		08/19/16 09:30	08/22/16 19:00	5
Boron	0.032 J		0.050	0.021	mg/L		08/19/16 09:30	08/22/16 19:00	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		08/19/16 09:30	08/22/16 19:00	5
Calcium	34		0.25	0.13	mg/L		08/19/16 09:30	08/22/16 19:00	5
Chromium	<0.0011		0.0025	0.0011	mg/L		08/19/16 09:30	08/22/16 19:00	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		08/19/16 09:30	08/22/16 19:00	5
Lead	<0.00035		0.0013	0.00035	mg/L		08/19/16 09:30	08/22/16 19:00	5
Lithium	0.020		0.0050	0.0032	mg/L		08/19/16 09:30	08/22/16 19:00	5
Molybdenum	0.0022 J		0.015	0.00085	mg/L		08/19/16 09:30	08/22/16 19:00	5
Selenium	<0.00024		0.0013	0.00024	mg/L		08/19/16 09:30	08/22/16 19:00	5
Thallium	<0.000085		0.00050	0.000085	mg/L		08/19/16 09:30	08/22/16 19:00	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000080	J B	0.00020	0.000070	mg/L		08/19/16 09:51	08/20/16 20:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	180		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-6

Lab Sample ID: 400-125883-4

Date Collected: 08/15/16 15:05

Matrix: Water

Date Received: 08/17/16 09:17

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			08/23/16 19:15	1
Fluoride	<0.082		0.20	0.082	mg/L			08/23/16 19:15	1
Sulfate	20		1.0	0.70	mg/L			08/23/16 19:15	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:05	5
Arsenic	0.035		0.0013	0.00046	mg/L			08/22/16 19:05	5
Barium	0.053		0.0025	0.00049	mg/L			08/22/16 19:05	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:05	5
Boron	0.18		0.050	0.021	mg/L			08/22/16 19:05	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:05	5
Calcium	94		0.25	0.13	mg/L			08/22/16 19:05	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:05	5
Cobalt	0.00049 J		0.0025	0.00040	mg/L			08/22/16 19:05	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:05	5
Lithium	<0.0032		0.0050	0.0032	mg/L			08/22/16 19:05	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:05	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:05	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:05	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			08/20/16 20:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 08/15/16 15:05

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			08/23/16 19:38	1
Fluoride	0.44		0.20	0.082	mg/L			08/23/16 19:38	1
Sulfate	170		5.0	3.5	mg/L			08/25/16 06:21	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:09	5
Arsenic	0.0012	J	0.0013	0.00046	mg/L			08/22/16 19:09	5
Barium	0.015		0.0025	0.00049	mg/L			08/22/16 19:09	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:09	5
Boron	1.3		0.050	0.021	mg/L			08/22/16 19:09	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:09	5
Calcium	50		0.25	0.13	mg/L			08/22/16 19:09	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:09	5
Cobalt	0.0098		0.0025	0.00040	mg/L			08/22/16 19:09	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:09	5
Lithium	0.12		0.0050	0.0032	mg/L			08/22/16 19:09	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:09	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:09	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:09	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			08/20/16 20:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	330		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-8

Date Collected: 08/15/16 15:40

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.5		1.0	0.89	mg/L			08/23/16 20:01	1
Fluoride	0.11	J	0.20	0.082	mg/L			08/23/16 20:01	1
Sulfate	120		5.0	3.5	mg/L			08/25/16 07:07	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:27	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			08/22/16 19:27	5
Barium	0.030		0.0025	0.00049	mg/L			08/22/16 19:27	5
Beryllium	0.00053	J	0.0025	0.00034	mg/L			08/22/16 19:27	5
Boron	0.80		0.050	0.021	mg/L			08/22/16 19:27	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:27	5
Calcium	27		0.25	0.13	mg/L			08/22/16 19:27	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:27	5
Cobalt	0.0038		0.0025	0.00040	mg/L			08/22/16 19:27	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:27	5
Lithium	0.026		0.0050	0.0032	mg/L			08/22/16 19:27	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:27	5
Selenium	0.00033	J	0.0013	0.00024	mg/L			08/22/16 19:27	5
Thallium	0.00016	J	0.00050	0.000085	mg/L			08/22/16 19:27	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00015	J B	0.00020	0.000070	mg/L			08/20/16 20:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	230		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: DUP-1

Date Collected: 08/15/16 00:00

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			08/23/16 20:23	1
Fluoride	<0.082		0.20	0.082	mg/L			08/23/16 20:23	1
Sulfate	20		1.0	0.70	mg/L			08/23/16 20:23	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:32	5
Arsenic	0.039		0.0013	0.00046	mg/L			08/22/16 19:32	5
Barium	0.055		0.0025	0.00049	mg/L			08/22/16 19:32	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:32	5
Boron	0.17		0.050	0.021	mg/L			08/22/16 19:32	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:32	5
Calcium	92		0.25	0.13	mg/L			08/22/16 19:32	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:32	5
Cobalt	0.00044 J		0.0025	0.00040	mg/L			08/22/16 19:32	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:32	5
Lithium	<0.0032		0.0050	0.0032	mg/L			08/22/16 19:32	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:32	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:32	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:32	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			08/20/16 20:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			08/19/16 17:19	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-1

Date Collected: 08/16/16 10:20

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			08/23/16 21:32	1
Fluoride	0.27		0.20	0.082	mg/L			08/23/16 21:32	1
Sulfate	120		5.0	3.5	mg/L			08/25/16 07:30	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:36	5
Arsenic	0.0030		0.0013	0.00046	mg/L			08/22/16 19:36	5
Barium	0.094		0.0025	0.00049	mg/L			08/22/16 19:36	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:36	5
Boron	0.85		0.050	0.021	mg/L			08/22/16 19:36	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:36	5
Calcium	84		0.25	0.13	mg/L			08/22/16 19:36	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:36	5
Cobalt	0.00047 J		0.0025	0.00040	mg/L			08/22/16 19:36	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:36	5
Lithium	0.012		0.0050	0.0032	mg/L			08/22/16 19:36	5
Molybdenum	0.0019 J		0.015	0.00085	mg/L			08/22/16 19:36	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:36	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:36	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			08/24/16 09:36	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	360		5.0	3.4	mg/L			08/20/16 16:18	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 08/16/16 09:55

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			08/23/16 21:55	1
Fluoride	<0.082		0.20	0.082	mg/L			08/23/16 21:55	1
Sulfate	88		5.0	3.5	mg/L			08/25/16 07:52	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:41	5
Arsenic	0.0017		0.0013	0.00046	mg/L			08/22/16 19:41	5
Barium	0.13		0.0025	0.00049	mg/L			08/22/16 19:41	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:41	5
Boron	1.0		0.050	0.021	mg/L			08/22/16 19:41	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:41	5
Calcium	97		0.25	0.13	mg/L			08/22/16 19:41	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:41	5
Cobalt	0.00064 J		0.0025	0.00040	mg/L			08/22/16 19:41	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:41	5
Lithium	0.010		0.0050	0.0032	mg/L			08/22/16 19:41	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:41	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:41	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:41	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			08/24/16 09:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	360		5.0	3.4	mg/L			08/20/16 16:18	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 08/16/16 11:55

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-10

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20		1.0	0.89	mg/L			08/24/16 04:54	1
Fluoride	0.087	J	0.20	0.082	mg/L			08/24/16 04:54	1
Sulfate	270		10	7.0	mg/L			08/25/16 10:10	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:45	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			08/22/16 19:45	5
Barium	0.052		0.0025	0.00049	mg/L			08/22/16 19:45	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:45	5
Cadmium	0.0034		0.0025	0.00034	mg/L			08/22/16 19:45	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:45	5
Cobalt	0.0034		0.0025	0.00040	mg/L			08/22/16 19:45	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:45	5
Lithium	0.0043	J	0.0050	0.0032	mg/L			08/22/16 19:45	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:45	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:45	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:45	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	2.8		1.0	0.42	mg/L			08/23/16 12:47	100
Calcium	120		5.0	2.5	mg/L			08/23/16 12:47	100

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000078	J	0.000020	0.000070	mg/L			08/24/16 09:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	650		5.0	3.4	mg/L			08/20/16 16:18	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-12

Lab Sample ID: 400-125883-11

Matrix: Water

Date Collected: 08/16/16 12:50

Date Received: 08/18/16 10:07

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.6		1.0	0.89	mg/L			08/24/16 06:48	1
Fluoride	0.29		0.20	0.082	mg/L			08/24/16 06:48	1
Sulfate	2.8		1.0	0.70	mg/L			08/24/16 06:48	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:50	5
Arsenic	0.00082 J		0.0013	0.00046	mg/L			08/22/16 19:50	5
Barium	0.041		0.0025	0.00049	mg/L			08/22/16 19:50	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:50	5
Boron	0.055		0.050	0.021	mg/L			08/22/16 19:50	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:50	5
Calcium	25		0.25	0.13	mg/L			08/22/16 19:50	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:50	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			08/22/16 19:50	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:50	5
Lithium	0.014		0.0050	0.0032	mg/L			08/22/16 19:50	5
Molybdenum	0.0012 J		0.015	0.00085	mg/L			08/22/16 19:50	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:50	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:50	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			08/24/16 09:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		5.0	3.4	mg/L			08/20/16 16:18	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: FB-1

Lab Sample ID: 400-125883-12

Matrix: Water

Date Collected: 08/16/16 13:00

Date Received: 08/18/16 10:07

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			08/24/16 07:11	1
Fluoride	<0.082		0.20	0.082	mg/L			08/24/16 07:11	1
Sulfate	<0.70		1.0	0.70	mg/L			08/24/16 07:11	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:54	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			08/22/16 19:54	5
Barium	<0.00049		0.0025	0.00049	mg/L			08/22/16 19:54	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:54	5
Boron	<0.021		0.050	0.021	mg/L			08/22/16 19:54	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:54	5
Calcium	<0.13		0.25	0.13	mg/L			08/22/16 19:54	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:54	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			08/22/16 19:54	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:54	5
Lithium	<0.0032		0.0050	0.0032	mg/L			08/22/16 19:54	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:54	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:54	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:54	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000085	J	0.00020	0.000070	mg/L			08/24/16 09:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			08/20/16 16:18	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: FERB-1

Date Collected: 08/16/16 13:05
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-13

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			08/24/16 07:34	1
Fluoride	<0.082		0.20	0.082	mg/L			08/24/16 07:34	1
Sulfate	<0.70		1.0	0.70	mg/L			08/24/16 07:34	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			08/22/16 19:59	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			08/22/16 19:59	5
Barium	0.0018	J	0.0025	0.00049	mg/L			08/22/16 19:59	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:59	5
Boron	<0.021		0.050	0.021	mg/L			08/22/16 19:59	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			08/22/16 19:59	5
Calcium	<0.13		0.25	0.13	mg/L			08/22/16 19:59	5
Chromium	<0.0011		0.0025	0.0011	mg/L			08/22/16 19:59	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			08/22/16 19:59	5
Lead	<0.00035		0.0013	0.00035	mg/L			08/22/16 19:59	5
Lithium	<0.0032		0.0050	0.0032	mg/L			08/22/16 19:59	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			08/22/16 19:59	5
Selenium	<0.00024		0.0013	0.00024	mg/L			08/22/16 19:59	5
Thallium	<0.000085		0.00050	0.000085	mg/L			08/22/16 19:59	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000072	J	0.00020	0.000070	mg/L			08/24/16 09:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			08/20/16 16:18	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 08/15/16 13:00

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 17:21	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 18:33	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 19:53	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 08/15/16 13:18

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 18:29	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 18:38	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 19:58	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: MGWA-11

Date Collected: 08/15/16 13:45

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 18:52	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:00	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 20:00	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 08/15/16 15:05

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 19:15	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:05	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 20:02	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 08/15/16 15:05
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 19:38	KH1	TAL PEN
Total/NA	Analysis	300.0		5	320190	08/25/16 06:21	DHW	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:09	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 20:03	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 08/15/16 15:40
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 20:01	KH1	TAL PEN
Total/NA	Analysis	300.0		5	320190	08/25/16 07:07	DHW	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:27	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 20:04	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: DUP-1

Date Collected: 08/15/16 00:00
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 20:23	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:32	RJB	TAL PEN
Total/NA	Prep	7470A			319015	08/19/16 09:51	JAP	TAL PEN
Total/NA	Analysis	7470A		1	319487	08/20/16 20:11	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319351	08/19/16 17:19	TET	TAL PEN

Client Sample ID: MGWC-1

Date Collected: 08/16/16 10:20
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 21:32	KH1	TAL PEN
Total/NA	Analysis	300.0		5	320190	08/25/16 07:30	DHW	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:36	RJB	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-1

Date Collected: 08/16/16 10:20
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:36	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Client Sample ID: MGWC-3

Date Collected: 08/16/16 09:55
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319951	08/23/16 21:55	KH1	TAL PEN
Total/NA	Analysis	300.0		5	320190	08/25/16 07:52	DHW	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:41	RJB	TAL PEN
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:41	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 08/16/16 11:55
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319972	08/24/16 04:54	KH1	TAL PEN
Total/NA	Analysis	300.0		10	320190	08/25/16 10:10	DHW	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:45	RJB	TAL PEN
Total Recoverable	Prep	3005A	DL		319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	100	319843	08/23/16 12:47	RJB	TAL PEN
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:43	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 08/16/16 12:50
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319972	08/24/16 06:48	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:50	RJB	TAL PEN
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:53	JAP	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Client Sample ID: MGWC-12

Date Collected: 08/16/16 12:50
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Client Sample ID: FB-1

Date Collected: 08/16/16 13:00
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319972	08/24/16 07:11	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:54	RJB	TAL PEN
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:55	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 08/16/16 13:05
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	319972	08/24/16 07:34	KH1	TAL PEN
Total Recoverable	Prep	3005A			319240	08/19/16 09:30	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	319655	08/22/16 19:59	RJB	TAL PEN
Total/NA	Prep	7470A			319456	08/21/16 12:32	DN1	TAL PEN
Total/NA	Analysis	7470A		1	319948	08/24/16 09:56	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	319415	08/20/16 16:18	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

HPLC/IC

Analysis Batch: 319951

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	300.0	
400-125883-2	MGWA-5	Total/NA	Water	300.0	
400-125883-3	MGWA-11	Total/NA	Water	300.0	
400-125883-4	MGWA-6	Total/NA	Water	300.0	
400-125883-5	MGWC-7	Total/NA	Water	300.0	
400-125883-6	MGWC-8	Total/NA	Water	300.0	
400-125883-7	DUP-1	Total/NA	Water	300.0	
400-125883-8	MGWC-1	Total/NA	Water	300.0	
400-125883-9	MGWC-3	Total/NA	Water	300.0	
MB 400-319951/6	Method Blank	Total/NA	Water	300.0	
LCS 400-319951/10	Lab Control Sample	Total/NA	Water	300.0	
400-125883-1 MS	MGWA-10	Total/NA	Water	300.0	
400-125883-1 MSD	MGWA-10	Total/NA	Water	300.0	

Analysis Batch: 319972

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-10	MGWC-2	Total/NA	Water	300.0	
400-125883-11	MGWC-12	Total/NA	Water	300.0	
400-125883-12	FB-1	Total/NA	Water	300.0	
400-125883-13	FERB-1	Total/NA	Water	300.0	
MB 400-319972/38	Method Blank	Total/NA	Water	300.0	
LCS 400-319972/39	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-319972/40	Lab Control Sample Dup	Total/NA	Water	300.0	
400-125883-10 MS	MGWC-2	Total/NA	Water	300.0	
400-125883-10 MSD	MGWC-2	Total/NA	Water	300.0	

Analysis Batch: 320190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-5	MGWC-7	Total/NA	Water	300.0	
400-125883-6	MGWC-8	Total/NA	Water	300.0	
400-125883-8	MGWC-1	Total/NA	Water	300.0	
400-125883-9	MGWC-3	Total/NA	Water	300.0	
400-125883-10	MGWC-2	Total/NA	Water	300.0	
MB 400-320190/85	Method Blank	Total/NA	Water	300.0	
LCS 400-320190/86	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-320190/87	Lab Control Sample Dup	Total/NA	Water	300.0	
400-125883-5 MS	MGWC-7	Total/NA	Water	300.0	
400-126027-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Metals

Prep Batch: 319015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	7470A	
400-125883-2	MGWA-5	Total/NA	Water	7470A	
400-125883-3	MGWA-11	Total/NA	Water	7470A	
400-125883-4	MGWA-6	Total/NA	Water	7470A	
400-125883-5	MGWC-7	Total/NA	Water	7470A	
400-125883-6	MGWC-8	Total/NA	Water	7470A	
400-125883-7	DUP-1	Total/NA	Water	7470A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1

SDG: AP

Metals (Continued)

Prep Batch: 319015 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-319015/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-319015/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-125883-1 MS	MGWA-10	Total/NA	Water	7470A	
400-125883-1 MSD	MGWA-10	Total/NA	Water	7470A	

Prep Batch: 319240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total Recoverable	Water	3005A	
400-125883-2	MGWA-5	Total Recoverable	Water	3005A	
400-125883-3	MGWA-11	Total Recoverable	Water	3005A	
400-125883-4	MGWA-6	Total Recoverable	Water	3005A	
400-125883-5	MGWC-7	Total Recoverable	Water	3005A	
400-125883-6	MGWC-8	Total Recoverable	Water	3005A	
400-125883-7	DUP-1	Total Recoverable	Water	3005A	
400-125883-8	MGWC-1	Total Recoverable	Water	3005A	
400-125883-9	MGWC-3	Total Recoverable	Water	3005A	
400-125883-10	MGWC-2	Total Recoverable	Water	3005A	
400-125883-10 - DL	MGWC-2	Total Recoverable	Water	3005A	
400-125883-11	MGWC-12	Total Recoverable	Water	3005A	
400-125883-12	FB-1	Total Recoverable	Water	3005A	
400-125883-13	FERB-1	Total Recoverable	Water	3005A	
MB 400-319240/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-319240/2-A ^1	Lab Control Sample	Total Recoverable	Water	3005A	
400-125883-2 MS	MGWA-5	Total Recoverable	Water	3005A	
400-125883-2 MSD	MGWA-5	Total Recoverable	Water	3005A	

Prep Batch: 319456

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-8	MGWC-1	Total/NA	Water	7470A	
400-125883-9	MGWC-3	Total/NA	Water	7470A	
400-125883-10	MGWC-2	Total/NA	Water	7470A	
400-125883-11	MGWC-12	Total/NA	Water	7470A	
400-125883-12	FB-1	Total/NA	Water	7470A	
400-125883-13	FERB-1	Total/NA	Water	7470A	
MB 400-319456/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-319456/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-125883-8 MS	MGWC-1	Total/NA	Water	7470A	
400-125883-8 MSD	MGWC-1	Total/NA	Water	7470A	

Analysis Batch: 319487

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	7470A	319015
400-125883-2	MGWA-5	Total/NA	Water	7470A	319015
400-125883-3	MGWA-11	Total/NA	Water	7470A	319015
400-125883-4	MGWA-6	Total/NA	Water	7470A	319015
400-125883-5	MGWC-7	Total/NA	Water	7470A	319015
400-125883-6	MGWC-8	Total/NA	Water	7470A	319015
400-125883-7	DUP-1	Total/NA	Water	7470A	319015
MB 400-319015/14-A	Method Blank	Total/NA	Water	7470A	319015
LCS 400-319015/15-A	Lab Control Sample	Total/NA	Water	7470A	319015
400-125883-1 MS	MGWA-10	Total/NA	Water	7470A	319015

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Metals (Continued)

Analysis Batch: 319487 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1 MSD	MGWA-10	Total/NA	Water	7470A	319015

Analysis Batch: 319655

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total Recoverable	Water	6020	319240
400-125883-2	MGWA-5	Total Recoverable	Water	6020	319240
400-125883-3	MGWA-11	Total Recoverable	Water	6020	319240
400-125883-4	MGWA-6	Total Recoverable	Water	6020	319240
400-125883-5	MGWC-7	Total Recoverable	Water	6020	319240
400-125883-6	MGWC-8	Total Recoverable	Water	6020	319240
400-125883-7	DUP-1	Total Recoverable	Water	6020	319240
400-125883-8	MGWC-1	Total Recoverable	Water	6020	319240
400-125883-9	MGWC-3	Total Recoverable	Water	6020	319240
400-125883-10	MGWC-2	Total Recoverable	Water	6020	319240
400-125883-11	MGWC-12	Total Recoverable	Water	6020	319240
400-125883-12	FB-1	Total Recoverable	Water	6020	319240
400-125883-13	FERB-1	Total Recoverable	Water	6020	319240
MB 400-319240/1-A ^5	Method Blank	Total Recoverable	Water	6020	319240
LCS 400-319240/2-A ^1	Lab Control Sample	Total Recoverable	Water	6020	319240
400-125883-2 MS	MGWA-5	Total Recoverable	Water	6020	319240
400-125883-2 MSD	MGWA-5	Total Recoverable	Water	6020	319240

Analysis Batch: 319843

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-10 - DL	MGWC-2	Total Recoverable	Water	6020	319240

Analysis Batch: 319948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-8	MGWC-1	Total/NA	Water	7470A	319456
400-125883-9	MGWC-3	Total/NA	Water	7470A	319456
400-125883-10	MGWC-2	Total/NA	Water	7470A	319456
400-125883-11	MGWC-12	Total/NA	Water	7470A	319456
400-125883-12	FB-1	Total/NA	Water	7470A	319456
400-125883-13	FERB-1	Total/NA	Water	7470A	319456
MB 400-319456/14-A	Method Blank	Total/NA	Water	7470A	319456
LCS 400-319456/15-A	Lab Control Sample	Total/NA	Water	7470A	319456
400-125883-8 MS	MGWC-1	Total/NA	Water	7470A	319456
400-125883-8 MSD	MGWC-1	Total/NA	Water	7470A	319456

General Chemistry

Analysis Batch: 319351

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	SM 2540C	
400-125883-2	MGWA-5	Total/NA	Water	SM 2540C	
400-125883-3	MGWA-11	Total/NA	Water	SM 2540C	
400-125883-4	MGWA-6	Total/NA	Water	SM 2540C	
400-125883-5	MGWC-7	Total/NA	Water	SM 2540C	
400-125883-6	MGWC-8	Total/NA	Water	SM 2540C	
400-125883-7	DUP-1	Total/NA	Water	SM 2540C	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

General Chemistry (Continued)

Analysis Batch: 319351 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-319351/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-319351/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-125883-2 DU	MGWA-5	Total/NA	Water	SM 2540C	

Analysis Batch: 319415

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-8	MGWC-1	Total/NA	Water	SM 2540C	
400-125883-9	MGWC-3	Total/NA	Water	SM 2540C	
400-125883-10	MGWC-2	Total/NA	Water	SM 2540C	
400-125883-11	MGWC-12	Total/NA	Water	SM 2540C	
400-125883-12	FB-1	Total/NA	Water	SM 2540C	
400-125883-13	FERB-1	Total/NA	Water	SM 2540C	
MB 400-319415/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-319415/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-125883-8 DU	MGWC-1	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-319951/6

Matrix: Water

Analysis Batch: 319951

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			08/23/16 15:04	1
Fluoride	<0.082		0.20	0.082	mg/L			08/23/16 15:04	1
Sulfate	<0.70		1.0	0.70	mg/L			08/23/16 15:04	1

Lab Sample ID: LCS 400-319951/10

Matrix: Water

Analysis Batch: 319951

Analyte	Spike		LCS	LCS	%Rec.		
	Added	Result	Qualifier	Unit	D	%Rec	Limits
Chloride	10.0	9.90		mg/L		99	90 - 110
Fluoride	10.0	10.2		mg/L		102	90 - 110
Sulfate	10.0	9.50		mg/L		95	90 - 110

Lab Sample ID: 400-125883-1 MS

Matrix: Water

Analysis Batch: 319951

Analyte	Sample	Sample	Spike	MS	MS	%Rec.		
	Result	Qualifier	Added	Result	Qualifier	Unit	D	Limits
Chloride	7.5		10.0	17.9		mg/L	104	80 - 120
Fluoride	<0.082		10.0	10.9		mg/L	109	80 - 120
Sulfate	1.9		10.0	12.5		mg/L	106	80 - 120

Lab Sample ID: 400-125883-1 MSD

Matrix: Water

Analysis Batch: 319951

Analyte	Sample	Sample	Spike	MSD	MSD	%Rec.		
	Result	Qualifier	Added	Result	Qualifier	Unit	D	RPD
Chloride	7.5		10.0	17.9		mg/L	104	80 - 120
Fluoride	<0.082		10.0	10.9		mg/L	109	80 - 120
Sulfate	1.9		10.0	12.5		mg/L	105	80 - 120

Lab Sample ID: MB 400-319972/38

Matrix: Water

Analysis Batch: 319972

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.89		1.0	0.89	mg/L			08/24/16 03:45	1
Fluoride	<0.082		0.20	0.082	mg/L			08/24/16 03:45	1
Sulfate	<0.70		1.0	0.70	mg/L			08/24/16 03:45	1

Lab Sample ID: LCS 400-319972/39

Matrix: Water

Analysis Batch: 319972

Analyte	Spike		LCS	LCS	%Rec.		
	Added	Result	Qualifier	Unit	D	%Rec	Limits
Chloride	10.0	9.86		mg/L		99	90 - 110
Fluoride	10.0	10.2		mg/L		102	90 - 110
Sulfate	10.0	9.46		mg/L		95	90 - 110

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-319972/40

Matrix: Water

Analysis Batch: 319972

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.83		mg/L		98	90 - 110	0	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	1	15
Sulfate	10.0	9.26		mg/L		93	90 - 110	2	15

Lab Sample ID: 400-125883-10 MS

Matrix: Water

Analysis Batch: 319972

Client Sample ID: MGWC-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	20		10.0	30.2		mg/L		101	80 - 120
Fluoride	0.087	J	10.0	11.0		mg/L		109	80 - 120
Sulfate	260	E	10.0	273	E 4	mg/L		91	80 - 120

Lab Sample ID: 400-125883-10 MSD

Matrix: Water

Analysis Batch: 319972

Client Sample ID: MGWC-2
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	20		10.0	30.1		mg/L		100	80 - 120	0	20
Fluoride	0.087	J	10.0	11.0		mg/L		109	80 - 120	0	20
Sulfate	260	E	10.0	279	E 4	mg/L		149	80 - 120	2	20

Lab Sample ID: MB 400-320190/85

Matrix: Water

Analysis Batch: 320190

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			08/24/16 23:53	1
Fluoride	<0.082		0.20	0.082	mg/L			08/24/16 23:53	1
Sulfate	<0.70		1.0	0.70	mg/L			08/24/16 23:53	1

Lab Sample ID: LCS 400-320190/86

Matrix: Water

Analysis Batch: 320190

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.82		mg/L		98	90 - 110
Fluoride	10.0	10.1		mg/L		101	90 - 110
Sulfate	10.0	9.47		mg/L		95	90 - 110

Lab Sample ID: LCSD 400-320190/87

Matrix: Water

Analysis Batch: 320190

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.81		mg/L		98	90 - 110	0	15
Fluoride	10.0	10.1		mg/L		101	90 - 110	1	15
Sulfate	10.0	9.45		mg/L		95	90 - 110	0	15

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 400-125883-5 MS

Matrix: Water

Analysis Batch: 320190

Client Sample ID: MGWC-7
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
Chloride	14		50.0	67.3		mg/L		106	80 - 120
Fluoride	0.49	J	50.0	56.1		mg/L		111	80 - 120
Sulfate	170		50.0	214		mg/L		95	80 - 120

Lab Sample ID: 400-126027-A-1 MSD

Matrix: Water

Analysis Batch: 320190

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD
	Result	Qualifier	Added	Result	Qualifier					
Chloride	<0.89		10.0	10.4		mg/L		104	80 - 120	0 20
Fluoride	<0.082		10.0	10.9		mg/L		109	80 - 120	1 20
Sulfate	<0.70		10.0	10.1		mg/L		101	80 - 120	1 20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-319240/1-A ^5

Matrix: Water

Analysis Batch: 319655

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 319240

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.0010		0.0025	0.0010	mg/L		08/19/16 09:30	08/22/16 18:11	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		08/19/16 09:30	08/22/16 18:11	5
Barium	<0.00049		0.0025	0.00049	mg/L		08/19/16 09:30	08/22/16 18:11	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		08/19/16 09:30	08/22/16 18:11	5
Boron	<0.021		0.050	0.021	mg/L		08/19/16 09:30	08/22/16 18:11	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		08/19/16 09:30	08/22/16 18:11	5
Calcium	<0.13		0.25	0.13	mg/L		08/19/16 09:30	08/22/16 18:11	5
Chromium	<0.0011		0.0025	0.0011	mg/L		08/19/16 09:30	08/22/16 18:11	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		08/19/16 09:30	08/22/16 18:11	5
Lead	<0.00035		0.0013	0.00035	mg/L		08/19/16 09:30	08/22/16 18:11	5
Lithium	<0.0032		0.0050	0.0032	mg/L		08/19/16 09:30	08/22/16 18:11	5
Molybdenum	<0.00085		0.015	0.00085	mg/L		08/19/16 09:30	08/22/16 18:11	5
Selenium	<0.00024		0.0013	0.00024	mg/L		08/19/16 09:30	08/22/16 18:11	5
Thallium	<0.000085		0.00050	0.000085	mg/L		08/19/16 09:30	08/22/16 18:11	5

Lab Sample ID: LCS 400-319240/2-A ^1

Matrix: Water

Analysis Batch: 319655

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 319240

Analyte	Spike	LCS	LCS	Unit	D	%Rec	
	Added	Result	Qualifier				
Antimony	0.0500	0.0539		mg/L		108	80 - 120
Arsenic	0.0500	0.0551		mg/L		110	80 - 120
Barium	0.0500	0.0460		mg/L		92	80 - 120
Beryllium	0.0500	0.0515		mg/L		103	80 - 120
Boron	0.100	0.108		mg/L		108	80 - 120
Cadmium	0.0500	0.0535		mg/L		107	80 - 120
Calcium	5.00	4.71		mg/L		94	80 - 120
Chromium	0.0500	0.0514		mg/L		103	80 - 120

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 400-319240/2-A ^1

Matrix: Water

Analysis Batch: 319655

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 319240

%Rec.

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Cobalt	0.0500	0.0507		mg/L	101	80 - 120	
Lead	0.0500	0.0507		mg/L	101	80 - 120	
Lithium	0.0500	0.0519		mg/L	104	80 - 120	
Molybdenum	0.0500	0.0525		mg/L	105	80 - 120	
Selenium	0.0500	0.0524		mg/L	105	80 - 120	
Thallium	0.0100	0.0103		mg/L	103	80 - 120	

Lab Sample ID: 400-125883-2 MS

Matrix: Water

Analysis Batch: 319655

Client Sample ID: MGWA-5

Prep Type: Total Recoverable

Prep Batch: 319240

%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Antimony	<0.0010		0.0500	0.0566		mg/L	113	75 - 125	
Arsenic	<0.00046		0.0500	0.0583		mg/L	117	75 - 125	
Barium	0.032		0.0500	0.0796		mg/L	95	75 - 125	
Beryllium	<0.00034		0.0500	0.0536		mg/L	107	75 - 125	
Boron	0.023 J		0.100	0.146		mg/L	123	75 - 125	
Cadmium	<0.00034		0.0500	0.0566		mg/L	113	75 - 125	
Calcium	26		5.00	31.0 4		mg/L	103	75 - 125	
Chromium	<0.0011		0.0500	0.0528		mg/L	106	75 - 125	
Cobalt	<0.00040		0.0500	0.0518		mg/L	104	75 - 125	
Lead	<0.00035		0.0500	0.0528		mg/L	106	75 - 125	
Lithium	0.0059		0.0500	0.0597		mg/L	108	75 - 125	
Molybdenum	0.0013 J		0.0500	0.0555		mg/L	108	75 - 125	
Selenium	<0.00024		0.0500	0.0536		mg/L	107	75 - 125	
Thallium	<0.000085		0.0100	0.0107		mg/L	107	75 - 125	

Lab Sample ID: 400-125883-2 MSD

Matrix: Water

Analysis Batch: 319655

Client Sample ID: MGWA-5

Prep Type: Total Recoverable

Prep Batch: 319240

%Rec.

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<0.0010		0.0500	0.0539		mg/L	108	75 - 125	5	20	
Arsenic	<0.00046		0.0500	0.0570		mg/L	114	75 - 125	2	20	
Barium	0.032		0.0500	0.0764		mg/L	89	75 - 125	4	20	
Beryllium	<0.00034		0.0500	0.0526		mg/L	105	75 - 125	2	20	
Boron	0.023 J		0.100	0.139		mg/L	116	75 - 125	5	20	
Cadmium	<0.00034		0.0500	0.0563		mg/L	113	75 - 125	1	20	
Calcium	26		5.00	31.0 4		mg/L	102	75 - 125	0	20	
Chromium	<0.0011		0.0500	0.0518		mg/L	104	75 - 125	2	20	
Cobalt	<0.00040		0.0500	0.0521		mg/L	104	75 - 125	1	20	
Lead	<0.00035		0.0500	0.0518		mg/L	104	75 - 125	2	20	
Lithium	0.0059		0.0500	0.0571		mg/L	102	75 - 125	4	20	
Molybdenum	0.0013 J		0.0500	0.0537		mg/L	105	75 - 125	3	20	
Selenium	<0.00024		0.0500	0.0534		mg/L	107	75 - 125	0	20	
Thallium	<0.000085		0.0100	0.0105		mg/L	105	75 - 125	2	20	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
SDG: AP

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-319015/14-A

Matrix: Water

Analysis Batch: 319487

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 319015

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000129	J	0.00020	0.000070	mg/L		08/19/16 09:51	08/20/16 19:33	1

Lab Sample ID: LCS 400-319015/15-A

Matrix: Water

Analysis Batch: 319487

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 319015

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Mercury	0.00101	0.000880		mg/L		87	80 - 120

Lab Sample ID: 400-125883-1 MS

Matrix: Water

Analysis Batch: 319487

Client Sample ID: MGWA-10

Prep Type: Total/NA

Prep Batch: 319015

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Mercury	<0.000070		0.00201	0.00177		mg/L		88	80 - 120

Lab Sample ID: 400-125883-1 MSD

Matrix: Water

Analysis Batch: 319487

Client Sample ID: MGWA-10

Prep Type: Total/NA

Prep Batch: 319015

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
Mercury	<0.000070		0.00201	0.00179		mg/L		89	80 - 120	1 20

Lab Sample ID: MB 400-319456/14-A

Matrix: Water

Analysis Batch: 319948

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 319456

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L		08/21/16 12:32	08/24/16 09:31	1

Lab Sample ID: LCS 400-319456/15-A

Matrix: Water

Analysis Batch: 319948

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 319456

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Mercury	0.00101	0.00103		mg/L		103	80 - 120

Lab Sample ID: 400-125883-8 MS

Matrix: Water

Analysis Batch: 319948

Client Sample ID: MGWC-1

Prep Type: Total/NA

Prep Batch: 319456

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Mercury	<0.000070		0.00201	0.00195		mg/L		97	80 - 120

Lab Sample ID: 400-125883-8 MSD

Matrix: Water

Analysis Batch: 319948

Client Sample ID: MGWC-1

Prep Type: Total/NA

Prep Batch: 319456

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
Mercury	<0.000070		0.00201	0.00194		mg/L		96	80 - 120	1 20

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
 SDG: AP

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-319351/1

Matrix: Water

Analysis Batch: 319351

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			08/19/16 17:19	1

Lab Sample ID: LCS 400-319351/2

Matrix: Water

Analysis Batch: 319351

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Total Dissolved Solids	293	270		mg/L		92	78 - 122

Lab Sample ID: 400-125883-2 DU

Matrix: Water

Analysis Batch: 319351

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Dissolved Solids	160		160		mg/L		0	5

Lab Sample ID: MB 400-319415/1

Matrix: Water

Analysis Batch: 319415

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			08/20/16 16:18	1

Lab Sample ID: LCS 400-319415/2

Matrix: Water

Analysis Batch: 319415

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Total Dissolved Solids	293	274		mg/L		94	78 - 122

Lab Sample ID: 400-125883-8 DU

Matrix: Water

Analysis Batch: 319415

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Total Dissolved Solids	360		360		mg/L		0	5

TestAmerica Pensacola

Chain of Custody Record

**3355 McLemore Drive
Pensacola, FL 32514**

TestAmerica Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information

Clien Contact:

Joli Abraham

Company:

Southern Company

Address:

241 Ralph McGill Blvd SE B10185

City:

Atlanta

State, Zip:

GA, 30308

Phone:

404-506-7239

Email:

Jabraham@southernco.com

Project Name:

PICL M & T Intosh

Site:

AP

Sampler:

EZR

Phone:

cheyenne.whitmire@testamericainc.com

Carrier Tracking No(s):

COC No.
400-57303-24790.1

Page:

1081

Date:

10/15/83

Job #:

10583

Lab P/M:

Whitmire, Cheyenne R

E-Mail:

cheyenne.whitmire@testamericainc.com

Analysis Requested

TAT Requested (days):

10

PO#:

WO #:

Project #:

SSOW#:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Preservation Code:

Special Instructions/Note:

Sample Date:

Sample Time:

Sample Type:

Matrix:

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-125883-1

SDG Number: AP

Login Number: 125883

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-5, 0.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-1
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-16
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-16
Iowa	State Program	7	367	07-31-16 *
Kansas	NELAP	7	E-10253	10-31-16
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-16
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-15-9	09-30-16
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	08-31-16

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-125883-2

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham

Authorized for release by:

9/22/2016 5:05:25 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	19
Chronicle	20
QC Association	24
QC Sample Results	25
Chain of Custody	27
Receipt Checklists	29
Certification Summary	30

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Job ID: 400-125883-2

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-125883-2

RAD

Method(s) 9315: Radium-226 Prep Batch 160-266813: The following samples have an RER (replicate error ratio) result outside of the acceptance criteria of 1 (1.48) for radium-226. Duplicate precision is demonstrated by acceptable relative percent difference (RPD), within the limit of 40% (30%). The data have been qualified and reported. MGWA-10 (400-125883-1), MGWA-5 (400-125883-2), MGWA-11 (400-125883-3), MGWA-6 (400-125883-4), MGWC-7 (400-125883-5), MGWC-8 (400-125883-6), DUP-1 (400-125883-7), MGWC-1 (400-125883-8), MGWC-3 (400-125883-9), MGWC-2 (400-125883-10), MGWC-12 (400-125883-11), FB-1 (400-125883-12), FERB-1 (400-125883-13), (LCS 160-266813/2-A), (LCSD 160-266813/3-A) and (MB 160-266813/1-A)

Method(s) PrecSep_0: Radium-228 preparation batch 160-266825. Insufficient sample volume was available to perform a sample duplicate (DUP) for the following samples: MGWA-10 (400-125883-1), MGWA-5 (400-125883-2), MGWA-11 (400-125883-3), MGWA-6 (400-125883-4), MGWC-7 (400-125883-5), MGWC-8 (400-125883-6), DUP-1 (400-125883-7), MGWC-1 (400-125883-8), MGWC-3 (400-125883-9), MGWC-2 (400-125883-10), MGWC-12 (400-125883-11), FB-1 (400-125883-12) and FERB-1 (400-125883-13). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision. Lot 400-126078 was run at a reduced aliquot due to limited sample available.

Method(s) PrecSep-21: Radium-226 preparation batch 160-266813. Insufficient sample volume was available to perform a sample duplicate (DUP) for the following samples: MGWA-10 (400-125883-1), MGWA-5 (400-125883-2), MGWA-11 (400-125883-3), MGWA-6 (400-125883-4), MGWC-7 (400-125883-5), MGWC-8 (400-125883-6), DUP-1 (400-125883-7), MGWC-1 (400-125883-8), MGWC-3 (400-125883-9), MGWC-2 (400-125883-10), MGWC-12 (400-125883-11), FB-1 (400-125883-12) and FERB-1 (400-125883-13). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision. Lot 400-126078 was run at a reduced aliquot due to limited sample available.

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
 SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-125883-1	MGWA-10	Water	08/15/16 13:00	08/17/16 09:17
400-125883-2	MGWA-5	Water	08/15/16 13:18	08/17/16 09:17
400-125883-3	MGWA-11	Water	08/15/16 13:45	08/17/16 09:17
400-125883-4	MGWA-6	Water	08/15/16 15:05	08/17/16 09:17
400-125883-5	MGWC-7	Water	08/15/16 15:05	08/17/16 09:17
400-125883-6	MGWC-8	Water	08/15/16 15:40	08/17/16 09:17
400-125883-7	DUP-1	Water	08/15/16 00:00	08/17/16 09:17
400-125883-8	MGWC-1	Water	08/16/16 10:20	08/18/16 10:07
400-125883-9	MGWC-3	Water	08/16/16 09:55	08/18/16 10:07
400-125883-10	MGWC-2	Water	08/16/16 11:55	08/18/16 10:07
400-125883-11	MGWC-12	Water	08/16/16 12:50	08/18/16 10:07
400-125883-12	FB-1	Water	08/16/16 13:00	08/18/16 10:07
400-125883-13	FERB-1	Water	08/16/16 13:05	08/18/16 10:07

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 08/15/16 13:00

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.415 *		0.0979	0.105	1.00	0.0795	pCi/L	08/26/16 16:00	09/19/16 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.5		40 - 110					08/26/16 16:00	09/19/16 09:36	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.162	U	0.229	0.229	1.00	0.382	pCi/L	08/26/16 22:38	09/13/16 12:46	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.5		40 - 110					08/26/16 22:38	09/13/16 12:46	1
Y Carrier	93.1		40 - 110					08/26/16 22:38	09/13/16 12:46	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.577		0.249	0.252	5.00	0.382	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWA-5
Date Collected: 08/15/16 13:18
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-2
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.265 *		0.0908	0.0939	1.00	0.102	pCi/L	08/26/16 16:00	09/19/16 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.7		40 - 110					08/26/16 16:00	09/19/16 09:36	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.312	U	0.226	0.228	1.00	0.352	pCi/L	08/26/16 22:38	09/13/16 12:46	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.7		40 - 110					08/26/16 22:38	09/13/16 12:46	1
Y Carrier	89.0		40 - 110					08/26/16 22:38	09/13/16 12:46	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.577		0.244	0.247	5.00	0.352	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWA-11

Date Collected: 08/15/16 13:45

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-3

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.285 *		0.0899	0.0934	1.00	0.0917	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.9		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.435		0.246	0.249	1.00	0.365	pCi/L	08/26/16 22:38	09/13/16 12:46	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.9		40 - 110					08/26/16 22:38	09/13/16 12:46	1
Y Carrier	85.2		40 - 110					08/26/16 22:38	09/13/16 12:46	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.720		0.261	0.266	5.00	0.365	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWA-6
Date Collected: 08/15/16 15:05
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.376 *		0.0969	0.103	1.00	0.0903	pCi/L	08/26/16 16:00	09/19/16 09:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					08/26/16 16:00	09/19/16 09:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0907	U	0.208	0.208	1.00	0.357	pCi/L	08/26/16 22:38	09/13/16 12:46	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					08/26/16 22:38	09/13/16 12:46	1
Y Carrier	89.0		40 - 110					08/26/16 22:38	09/13/16 12:46	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.467		0.229	0.232	5.00	0.357	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 08/15/16 15:05

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.838 *		0.137	0.156	1.00	0.0863	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.463		0.242	0.246	1.00	0.357	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	88.6		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.30		0.278	0.291	5.00	0.357	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-8

Date Collected: 08/15/16 15:40

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-6

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.973 *		0.159	0.181	1.00	0.129	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.9		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.665		0.264	0.271	1.00	0.367	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.9		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	90.8		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.64		0.308	0.326	5.00	0.367	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: DUP-1

Date Collected: 08/15/16 00:00

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-7

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.316 *		0.0891	0.0936	1.00	0.0813	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.215	U	0.222	0.222	1.00	0.361	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	89.0		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.531		0.239	0.241	5.00	0.361	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-1

Date Collected: 08/16/16 10:20

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-8

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.849 *		0.145	0.164	1.00	0.119	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.268	U	0.255	0.256	1.00	0.413	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.9		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	87.1		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.12		0.293	0.304	5.00	0.413	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
 SDG: AP

Client Sample ID: MGWC-3
Date Collected: 08/16/16 09:55
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-9
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.28 *		0.172	0.207	1.00	0.114	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.470		0.243	0.247	1.00	0.358	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	93.1		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.75		0.297	0.322	5.00	0.358	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 08/16/16 11:55

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.304 *		0.0874	0.0916	1.00	0.0784	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.212	U	0.217	0.218	1.00	0.354	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	92.3		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.516		0.234	0.237	5.00	0.354	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-12

Date Collected: 08/16/16 12:50

Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-11

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.143 *		0.0777	0.0788	1.00	0.107	pCi/L	08/26/16 16:00	09/19/16 09:37	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					08/26/16 16:00	09/19/16 09:37	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0894	U	0.217	0.218	1.00	0.374	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	93.1		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.232	U	0.231	0.231	5.00	0.374	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: FB-1

Date Collected: 08/16/16 13:00
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-12
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0388	U *	0.0497	0.0499	1.00	0.0827	pCi/L	08/26/16 16:00	09/19/16 09:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					08/26/16 16:00	09/19/16 09:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.00621	U	0.212	0.212	1.00	0.380	pCi/L	08/26/16 22:38	09/13/16 12:47	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					08/26/16 22:38	09/13/16 12:47	1
Y Carrier	92.7		40 - 110					08/26/16 22:38	09/13/16 12:47	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.0450	U	0.218	0.218	5.00	0.380	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: FERB-1
Date Collected: 08/16/16 13:05
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-13
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.101 *		0.0562	0.0570	1.00	0.0715	pCi/L	08/26/16 16:00	09/19/16 09:40	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					08/26/16 16:00	09/19/16 09:40	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0888	U	0.192	0.193	1.00	0.330	pCi/L	08/26/16 22:38	09/13/16 12:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					08/26/16 22:38	09/13/16 12:48	1
Y Carrier	96.1		40 - 110					08/26/16 22:38	09/13/16 12:48	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.190	U	0.201	0.201	5.00	0.330	pCi/L		09/21/16 18:23	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.
*	RPD of the LCS and LCSD exceeds the control limits

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 08/15/16 13:00

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:36	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:46	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 08/15/16 13:18

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:36	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:46	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWA-11

Date Collected: 08/15/16 13:45

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:46	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 08/15/16 15:05

Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270530	09/19/16 09:40	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:46	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 08/15/16 15:05
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 08/15/16 15:40
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 08/15/16 00:00
Date Received: 08/17/16 09:17

Lab Sample ID: 400-125883-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWC-1

Date Collected: 08/16/16 10:20
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 08/16/16 09:55
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWC-2

Date Collected: 08/16/16 11:55
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 08/16/16 12:50
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270524	09/19/16 09:37	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 08/16/16 13:00
Date Received: 08/18/16 10:07

Lab Sample ID: 400-125883-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270530	09/19/16 09:40	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:47	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Client Sample ID: FERB-1

Lab Sample ID: 400-125883-13

Date Collected: 08/16/16 13:05

Matrix: Water

Date Received: 08/18/16 10:07

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			266813	08/26/16 16:00	MCJ	TAL SL
Total/NA	Analysis	9315		1	270530	09/19/16 09:40	ALS	TAL SL
Total/NA	Prep	PrecSep_0			266825	08/26/16 22:38	MCJ	TAL SL
Total/NA	Analysis	9320		1	269321	09/13/16 12:48	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	271037	09/21/16 18:23	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Rad

Prep Batch: 266813

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	PrecSep-21	5
400-125883-2	MGWA-5	Total/NA	Water	PrecSep-21	6
400-125883-3	MGWA-11	Total/NA	Water	PrecSep-21	7
400-125883-4	MGWA-6	Total/NA	Water	PrecSep-21	8
400-125883-5	MGWC-7	Total/NA	Water	PrecSep-21	9
400-125883-6	MGWC-8	Total/NA	Water	PrecSep-21	10
400-125883-7	DUP-1	Total/NA	Water	PrecSep-21	11
400-125883-8	MGWC-1	Total/NA	Water	PrecSep-21	12
400-125883-9	MGWC-3	Total/NA	Water	PrecSep-21	13
400-125883-10	MGWC-2	Total/NA	Water	PrecSep-21	
400-125883-11	MGWC-12	Total/NA	Water	PrecSep-21	
400-125883-12	FB-1	Total/NA	Water	PrecSep-21	
400-125883-13	FERB-1	Total/NA	Water	PrecSep-21	
MB 160-266813/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-266813/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-266813/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 266825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-125883-1	MGWA-10	Total/NA	Water	PrecSep_0	
400-125883-2	MGWA-5	Total/NA	Water	PrecSep_0	
400-125883-3	MGWA-11	Total/NA	Water	PrecSep_0	
400-125883-4	MGWA-6	Total/NA	Water	PrecSep_0	
400-125883-5	MGWC-7	Total/NA	Water	PrecSep_0	
400-125883-6	MGWC-8	Total/NA	Water	PrecSep_0	
400-125883-7	DUP-1	Total/NA	Water	PrecSep_0	
400-125883-8	MGWC-1	Total/NA	Water	PrecSep_0	
400-125883-9	MGWC-3	Total/NA	Water	PrecSep_0	
400-125883-10	MGWC-2	Total/NA	Water	PrecSep_0	
400-125883-11	MGWC-12	Total/NA	Water	PrecSep_0	
400-125883-12	FB-1	Total/NA	Water	PrecSep_0	
400-125883-13	FERB-1	Total/NA	Water	PrecSep_0	
MB 160-266825/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-266825/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-266825/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-266813/1-A

Matrix: Water

Analysis Batch: 270524

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 266813

Analyte	Result	MB MB U	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.04923	U	0.0568	0.0570	1.00	0.0927	pCi/L	08/26/16 16:00	09/19/16 09:36	1
Carrier										
<i>Ba Carrier</i>	78.3	MB MB %	Yield Qualifier	Limits	Prepared	Analyzed	Dil Fac	08/26/16 16:00	09/19/16 09:36	1
				40 - 110						

Lab Sample ID: LCS 160-266813/2-A

Matrix: Water

Analysis Batch: 270529

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 266813

Analyte	Added	Spike	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec.
		Added	Result	Qual	Uncert. (2σ+/-)					
Radium-226	11.2		8.931	*	0.908	1.00	0.0817	pCi/L	80	68 - 137
Carrier										
<i>Ba Carrier</i>	82.6	LCSD LCSD %	Yield Qualifier	Limits	80	68 - 137	1	1	1	1
				40 - 110						

Lab Sample ID: LCSD 160-266813/3-A

Matrix: Water

Analysis Batch: 270529

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 266813

Analyte	Added	Spike	LCSD	LCSD	Total	RL	MDC	Unit	%Rec	%Rec.
		Added	Result	Qual	Uncert. (2σ+/-)					
Radium-226	11.2		12.02	*	1.19	1.00	0.0834	pCi/L	108	68 - 137
Carrier										
<i>Ba Carrier</i>	84.3	LCSD LCSD %	Yield Qualifier	Limits	108	68 - 137	1	1	1	1
				40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-266825/1-A

Matrix: Water

Analysis Batch: 269321

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 266825

Analyte	Result	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
		Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.1099	U		0.246	0.247	1.00	0.423	pCi/L	08/26/16 22:38	09/13/16 12:46	1
Carrier											
<i>Ba Carrier</i>	78.3	MB MB %	Yield Qualifier	Limits	09/13/16 12:46	08/26/16 22:38	1	1	1	1	1
				40 - 110							
<i>Y Carrier</i>	90.5	MB MB %	Yield Qualifier	Limits	09/13/16 12:46	08/26/16 22:38	1	1	1	1	1
				40 - 110							

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-266825/2-A

Matrix: Water

Analysis Batch: 269321

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 266825

Analyte	Spike Added	Total			%Rec.	Limits	
		LCS Result	LCS Qual	Uncert. (2σ+/-)			
Radium-228	14.6	13.87		1.51	1.00	0.353	pCi/L

Carrier LCS LCS

Carrier	%Yield	Qualifier	Limits
Ba Carrier	82.6		40 - 110
Y Carrier	95.0		40 - 110

Lab Sample ID: LCSD 160-266825/3-A

Matrix: Water

Analysis Batch: 269321

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 266825

Analyte	Spike Added	Total			%Rec.	Limits	RER	RER Limit
		LCSD Result	LCSD Qual	Uncert. (2σ+/-)				
Radium-228	14.6	16.17		1.72	1.00	0.341	pCi/L	111

Carrier LCSD LCSD

Carrier	%Yield	Qualifier	Limits
Ba Carrier	84.3		40 - 110
Y Carrier	91.6		40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-126077-A-2 DU

Matrix: Water

Analysis Batch: 271037

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qual	Total			RER	RER Limit	
			DU Result	DU Qual	Uncert. (2σ+/-)	RL	MDC	
Combined Radium 226 + 228	0.231	U	0.7399		0.382	5.00	0.570	pCi/L

TestAmerica Pensacola

TestAmerica Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information

Client Contact:

Joli Abraham

Company:

Southern Company

Address:

241 Ralph McGill Blvd SE B10185

City:

Atlanta

State, Zip:

GA, 30308

Phone:

404-506-7239

Email:

Jabraham@southernco.com

Project Name:

PICL M & T Intosh

Site:

AP

Sampler:

EZR

Phone:

cheyenne.whitmire@testamericainc.com

Carrier Tracking No(s):

COC No.
400-57303-24790.1

Page:

1081

Date:

10/15/83

Job #:

10583

Lab P/M:

Whitmire, Cheyenne R

E-Mail:

cheyenne.whitmire@testamericainc.com

Analysis Requested

Due Date Requested:

TAT Requested (days):

Address:

241 Ralph McGill Blvd SE B10185

City:

Atlanta

State, Zip:

GA, 30308

Phone:

404-506-7239

Email:

Jabraham@southernco.com

Project #:

PICL M & T Intosh

Site:

AP

Sample Date:

8/16/16

Sample Time:

1020

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

Special Instructions/Note:

D

Sample Date:

8/16/16

Sample Time:

0955

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1155

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1250

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1300

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1305

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1310

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1315

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1320

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1325

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1330

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1335

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1340

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1345

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1350

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1355

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1400

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1405

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1410

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1415

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1420

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1425

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

6

D

Sample Date:

8/16/16

Sample Time:

1430

Sample Type:

G

Sample Matrix:

Water

Preservation Code:

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-125883-2

SDG Number: AP

Login Number: 125883

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-5, 0.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-16 *
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-16
Iowa	State Program	7	367	07-31-16 *
Kansas	NELAP	7	E-10253	10-31-16
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	003757	11-30-16 *
Iowa	State Program	7	373	12-01-16 *
Kansas	NELAP	7	E-10236	10-31-16 *
Kentucky (DW)	State Program	4	90125	12-31-16
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA160008	12-31-16
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542016-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-125883-2
SDG: AP

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-16 *
Texas	NELAP	6	T104704193-15-9	07-31-17
USDA	Federal		P330-07-00122	01-09-17
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-16 *

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-127916-1

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

10/26/2016 4:28:35 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	20
Chronicle	21
QC Association	24
QC Sample Results	28
Chain of Custody	37
Receipt Checklists	38
Certification Summary	39

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Job ID: 400-127916-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-127916-1

HPLC/IC

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-7 (400-127916-5), MGWC-1 (400-127916-6), MGWC-8 (400-127916-7) and DUP-1 (400-127916-10). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The initial calibration verification (ICV) result for batch 328072 was above the upper control limit for Selenium. Sample results were non-detects above the reporting limit, and have been reported as qualified data.

Method(s) 7470A: The matrix spike (MS) recoveries for prep batch 325480 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-10

Lab Sample ID: 400-127916-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.0		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	1.9		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00095 J		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.032		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.023 J		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	7.2		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0027		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0075		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Selenium	0.00030 J ^		0.0013	0.00024	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	29		2.5	1.7	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-11

Lab Sample ID: 400-127916-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.9		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.097 J		0.20	0.082	mg/L	1	300.0		Total/NA
Arsenic	0.0026		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.12		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.021 J		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	38		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.019		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0018 J		0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	100		2.5	1.7	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-127916-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.1		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.11 J		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	7.8		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00062 J		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.038		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	31		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.0075		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0012 J		0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	91		2.5	1.7	mg/L	1	SM 2540C		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-6

Lab Sample ID: 400-127916-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.084	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	21		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.033		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.060		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.17		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	110		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00043	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	170		2.5	1.7	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-127916-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.40		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	170		10	7.0	mg/L	10	300.0		Total/NA
Arsenic	0.00084	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.014		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	58		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.0095		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.12		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	180		2.5	1.7	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-127916-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.26		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	110		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0036		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.10		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.70		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	92		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00058	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.012		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0018	J	0.015	0.00085	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWC-1 (Continued)

Lab Sample ID: 400-127916-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	190		2.5	1.7	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-127916-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.2		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.10	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	130		5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.034		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Beryllium	0.00049	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Boron	0.80		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	32		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0043		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.026		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Selenium	0.00038	J ^	0.0013	0.00024	mg/L	5		6020	Total Recoverable
Thallium	0.00014	J	0.00050	0.000085	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	130		2.5	1.7	mg/L	1		SM 2540C	Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-127916-8

No Detections.

Client Sample ID: FERB-1

Lab Sample ID: 400-127916-9

No Detections.

Client Sample ID: DUP-1

Lab Sample ID: 400-127916-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.25		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	120		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0031		0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.088		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.72		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	86		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.00048	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.012		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Molybdenum	0.0015	J	0.015	0.00085	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: DUP-1 (Continued)

Lab Sample ID: 400-127916-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Thallium	0.000085	J	0.00050	0.000085	mg/L	5	6020		Total
Total Dissolved Solids	380		5.0	3.4	mg/L	1	SM 2540C		Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
 SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	
400-127916-1	MGWA-10	Water	09/28/16 11:50	09/28/16 18:00	1
400-127916-2	MGWA-11	Water	09/28/16 12:10	09/28/16 18:00	2
400-127916-3	MGWA-5	Water	09/28/16 13:32	09/28/16 18:00	3
400-127916-4	MGWA-6	Water	09/28/16 14:08	09/28/16 18:00	4
400-127916-5	MGWC-7	Water	09/28/16 15:38	09/28/16 18:00	5
400-127916-6	MGWC-1	Water	09/28/16 15:27	09/28/16 18:00	6
400-127916-7	MGWC-8	Water	09/28/16 15:45	09/28/16 18:00	7
400-127916-8	FB-1	Water	09/28/16 16:00	09/28/16 18:00	8
400-127916-9	FERB-1	Water	09/28/16 16:15	09/28/16 18:00	9
400-127916-10	DUP-1	Water	09/28/16 00:00	09/28/16 18:00	10

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-10

Lab Sample ID: 400-127916-1

Date Collected: 09/28/16 11:50

Matrix: Water

Date Received: 09/28/16 18:00

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.0		1.0	0.89	mg/L			10/10/16 18:58	1
Fluoride	<0.082		0.20	0.082	mg/L			10/10/16 18:58	1
Sulfate	1.9		1.0	0.70	mg/L			10/10/16 18:58	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:08
Arsenic	0.00095 J		0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:08
Barium	0.032		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:08
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:08
Boron	0.023 J		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:08
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:08
Calcium	7.2		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:08
Chromium	0.0027		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:08
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:08
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:08
Lithium	0.0075		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:08
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:08
Selenium	0.00030 J ^		0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:08
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:08

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:12

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	29		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-11

Date Collected: 09/28/16 12:10
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.9		1.0	0.89	mg/L			10/10/16 19:21	1
Fluoride	0.097 J		0.20	0.082	mg/L			10/10/16 19:21	1
Sulfate	<0.70		1.0	0.70	mg/L			10/10/16 19:21	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:26
Arsenic	0.0026		0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:26
Barium	0.12		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:26
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:26
Boron	0.021 J		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:26
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:26
Calcium	38		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:26
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:26
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:26
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:26
Lithium	0.019		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:26
Molybdenum	0.0018 J		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:26
Selenium	<0.00024 ^		0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:26
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:26

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:13

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	100		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-5

Date Collected: 09/28/16 13:32

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.1		1.0	0.89	mg/L			10/10/16 19:44	1
Fluoride	0.11	J	0.20	0.082	mg/L			10/10/16 19:44	1
Sulfate	7.8		1.0	0.70	mg/L			10/10/16 19:44	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:31
Arsenic	0.00062	J	0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:31
Barium	0.038		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:31
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:31
Boron	<0.021		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:31
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:31
Calcium	31		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:31
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:31
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:31
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:31
Lithium	0.0075		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:31
Molybdenum	0.0012	J	0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:31
Selenium	<0.00024	^	0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:31
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:31

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:14

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	91		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-6

Lab Sample ID: 400-127916-4

Date Collected: 09/28/16 14:08

Matrix: Water

Date Received: 09/28/16 18:00

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			10/10/16 20:06	1
Fluoride	0.084	J	0.20	0.082	mg/L			10/10/16 20:06	1
Sulfate	21		1.0	0.70	mg/L			10/10/16 20:06	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:35
Arsenic	0.033		0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:35
Barium	0.060		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:35
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:35
Boron	0.17		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:35
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:35
Calcium	110		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:35
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:35
Cobalt	0.00043	J	0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:35
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:35
Lithium	<0.0032		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:35
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:35
Selenium	<0.00024	^	0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:35
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:35

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:15

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	170		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 09/28/16 15:38

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			10/10/16 20:29	1
Fluoride	0.40		0.20	0.082	mg/L			10/10/16 20:29	1
Sulfate	170		10	7.0	mg/L			10/11/16 23:39	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:40
Arsenic	0.00084	J	0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:40
Barium	0.014		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:40
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:40
Boron	1.3		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:40
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:40
Calcium	58		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:40
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:40
Cobalt	0.0095		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:40
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:40
Lithium	0.12		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:40
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:40
Selenium	<0.00024	^	0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:40
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:40

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:17

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	180		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWC-1

Date Collected: 09/28/16 15:27
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			10/10/16 21:15	1
Fluoride	0.26		0.20	0.082	mg/L			10/10/16 21:15	1
Sulfate	110		5.0	3.5	mg/L			10/12/16 00:02	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:44
Arsenic	0.0036		0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:44
Barium	0.10		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:44
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:44
Boron	0.70		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:44
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:44
Calcium	92		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:44
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:44
Cobalt	0.00058 J		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:44
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:44
Lithium	0.012		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:44
Molybdenum	0.0018 J		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:44
Selenium	<0.00024 ^		0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:44
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:44

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 10:23	10/06/16 15:32

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	190		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWC-8

Date Collected: 09/28/16 15:45

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.2		1.0	0.89	mg/L			10/10/16 21:38	1
Fluoride	0.10	J	0.20	0.082	mg/L			10/10/16 21:38	1
Sulfate	130		5.0	3.5	mg/L			10/12/16 00:25	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:18	10/24/16 16:49
Arsenic	<0.00046		0.0013	0.00046	mg/L			10/10/16 13:18	10/24/16 16:49
Barium	0.034		0.0025	0.00049	mg/L			10/10/16 13:18	10/24/16 16:49
Beryllium	0.00049	J	0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:49
Boron	0.80		0.050	0.021	mg/L			10/10/16 13:18	10/24/16 16:49
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:18	10/24/16 16:49
Calcium	32		0.25	0.13	mg/L			10/10/16 13:18	10/24/16 16:49
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:18	10/24/16 16:49
Cobalt	0.0043		0.0025	0.00040	mg/L			10/10/16 13:18	10/24/16 16:49
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:18	10/24/16 16:49
Lithium	0.026		0.0050	0.0032	mg/L			10/10/16 13:18	10/24/16 16:49
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:18	10/24/16 16:49
Selenium	0.00038	J ^	0.0013	0.00024	mg/L			10/10/16 13:18	10/24/16 16:49
Thallium	0.00014	J	0.00050	0.000085	mg/L			10/10/16 13:18	10/24/16 16:49

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/05/16 12:56	10/10/16 10:15

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	130		2.5	1.7	mg/L			10/01/16 17:33	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: FB-1

Date Collected: 09/28/16 16:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/10/16 22:01	1
Fluoride	<0.082		0.20	0.082	mg/L			10/10/16 22:01	1
Sulfate	<0.70		1.0	0.70	mg/L			10/10/16 22:01	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/24/16 16:53	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			10/24/16 16:53	5
Barium	<0.00049		0.0025	0.00049	mg/L			10/24/16 16:53	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/24/16 16:53	5
Boron	<0.021		0.050	0.021	mg/L			10/24/16 16:53	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/24/16 16:53	5
Calcium	<0.13		0.25	0.13	mg/L			10/24/16 16:53	5
Chromium	<0.0011		0.0025	0.0011	mg/L			10/24/16 16:53	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/24/16 16:53	5
Lead	<0.00035		0.0013	0.00035	mg/L			10/24/16 16:53	5
Lithium	<0.0032		0.0050	0.0032	mg/L			10/24/16 16:53	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/24/16 16:53	5
Selenium	<0.00024 ^		0.0013	0.00024	mg/L			10/24/16 16:53	5
Thallium	<0.000085		0.00050	0.000085	mg/L			10/24/16 16:53	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/10/16 10:17	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/04/16 11:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: FERB-1

Date Collected: 09/28/16 16:15
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/10/16 23:17	1
Fluoride	<0.082		0.20	0.082	mg/L			10/10/16 23:17	1
Sulfate	<0.70		1.0	0.70	mg/L			10/10/16 23:17	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/24/16 16:58	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			10/24/16 16:58	5
Barium	<0.00049		0.0025	0.00049	mg/L			10/24/16 16:58	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/24/16 16:58	5
Boron	<0.021		0.050	0.021	mg/L			10/24/16 16:58	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/24/16 16:58	5
Calcium	<0.13		0.25	0.13	mg/L			10/24/16 16:58	5
Chromium	<0.0011		0.0025	0.0011	mg/L			10/24/16 16:58	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/24/16 16:58	5
Lead	<0.00035		0.0013	0.00035	mg/L			10/24/16 16:58	5
Lithium	<0.0032		0.0050	0.0032	mg/L			10/24/16 16:58	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/24/16 16:58	5
Selenium	<0.00024 ^		0.0013	0.00024	mg/L			10/24/16 16:58	5
Thallium	<0.000085		0.00050	0.000085	mg/L			10/24/16 16:58	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/10/16 10:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/04/16 11:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: DUP-1

Date Collected: 09/28/16 00:00

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-10

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			10/11/16 13:01	1
Fluoride	0.25		0.20	0.082	mg/L			10/11/16 13:01	1
Sulfate	120		5.0	3.5	mg/L			10/12/16 12:35	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:00	10/19/16 00:24
Arsenic	0.0031		0.0013	0.00046	mg/L			10/10/16 13:00	10/19/16 00:24
Barium	0.088		0.0025	0.00049	mg/L			10/10/16 13:00	10/19/16 00:24
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/19/16 00:24
Boron	0.72		0.050	0.021	mg/L			10/10/16 13:00	10/24/16 16:04
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/24/16 16:04
Calcium	86		0.25	0.13	mg/L			10/10/16 13:00	10/19/16 00:24
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:00	10/19/16 00:24
Cobalt	0.00048 J		0.0025	0.00040	mg/L			10/10/16 13:00	10/19/16 00:24
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:00	10/19/16 00:24
Lithium	0.012		0.0050	0.0032	mg/L			10/10/16 13:00	10/19/16 00:24
Molybdenum	0.0015 J		0.015	0.00085	mg/L			10/10/16 13:00	10/19/16 00:24
Selenium	<0.00024		0.0013	0.00024	mg/L			10/10/16 13:00	10/19/16 00:24
Thallium	0.000085 J		0.00050	0.000085	mg/L			10/10/16 13:00	10/24/16 16:04

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			10/05/16 12:56	10/10/16 10:19

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	380		5.0	3.4	mg/L			10/04/16 11:35	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD Recovery is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 09/28/16 11:50

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 18:58	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:08	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:12	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: MGWA-11

Date Collected: 09/28/16 12:10

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 19:21	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:26	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:13	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 09/28/16 13:32

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 19:44	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:31	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:14	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 09/28/16 14:08

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 20:06	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:35	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:15	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 09/28/16 15:38
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 20:29	TAJ	TAL PEN
Total/NA	Analysis	300.0		10	326381	10/11/16 23:39	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:40	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:17	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: MGWC-1

Date Collected: 09/28/16 15:27
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 21:15	TAJ	TAL PEN
Total/NA	Analysis	300.0		5	326381	10/12/16 00:02	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:44	AJR	TAL PEN
Total/NA	Prep	7470A			325442	10/05/16 10:23	JAP	TAL PEN
Total/NA	Analysis	7470A		1	325711	10/06/16 15:32	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 09/28/16 15:45
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 21:38	TAJ	TAL PEN
Total/NA	Analysis	300.0		5	326381	10/12/16 00:25	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:49	AJR	TAL PEN
Total/NA	Prep	7470A			325480	10/05/16 12:56	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326133	10/10/16 10:15	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	324961	10/01/16 17:33	JLB	TAL PEN

Client Sample ID: FB-1

Date Collected: 09/28/16 16:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 22:01	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:53	AJR	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Client Sample ID: FB-1

Date Collected: 09/28/16 16:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			325480	10/05/16 12:56	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326133	10/10/16 10:17	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325214	10/04/16 11:35	JLB	TAL PEN

Client Sample ID: FERB-1

Date Collected: 09/28/16 16:15
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326210	10/10/16 23:17	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326118	10/10/16 13:18	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:58	AJR	TAL PEN
Total/NA	Prep	7470A			325480	10/05/16 12:56	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326133	10/10/16 10:18	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325214	10/04/16 11:35	JLB	TAL PEN

Client Sample ID: DUP-1

Date Collected: 09/28/16 00:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	326212	10/11/16 13:01	TAJ	TAL PEN
Total/NA	Analysis	300.0		5	326383	10/12/16 12:35	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	327233	10/19/16 00:24	RJB	TAL PEN
Total Recoverable	Prep	3005A			326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	328072	10/24/16 16:04	AJR	TAL PEN
Total/NA	Prep	7470A			325480	10/05/16 12:56	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326133	10/10/16 10:19	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325214	10/04/16 11:35	JLB	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

HPLC/IC

Analysis Batch: 326210

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	300.0	
400-127916-2	MGWA-11	Total/NA	Water	300.0	
400-127916-3	MGWA-5	Total/NA	Water	300.0	
400-127916-4	MGWA-6	Total/NA	Water	300.0	
400-127916-5	MGWC-7	Total/NA	Water	300.0	
400-127916-6	MGWC-1	Total/NA	Water	300.0	
400-127916-7	MGWC-8	Total/NA	Water	300.0	
400-127916-8	FB-1	Total/NA	Water	300.0	
400-127916-9	FERB-1	Total/NA	Water	300.0	
MB 400-326210/4	Method Blank	Total/NA	Water	300.0	
LCS 400-326210/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-326210/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-127303-A-15 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
400-127916-5 MS	MGWC-7	Total/NA	Water	300.0	

Analysis Batch: 326212

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-10	DUP-1	Total/NA	Water	300.0	
MB 400-326212/34	Method Blank	Total/NA	Water	300.0	
LCS 400-326212/35	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-326212/36	Lab Control Sample Dup	Total/NA	Water	300.0	
400-127820-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
400-127820-B-11 MS	Matrix Spike	Total/NA	Water	300.0	

Analysis Batch: 326381

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-5	MGWC-7	Total/NA	Water	300.0	
400-127916-6	MGWC-1	Total/NA	Water	300.0	
400-127916-7	MGWC-8	Total/NA	Water	300.0	
MB 400-326381/4	Method Blank	Total/NA	Water	300.0	
LCS 400-326381/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-326381/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-127914-B-5 MS	Matrix Spike	Total/NA	Water	300.0	
400-128017-A-4 MS	Matrix Spike	Total/NA	Water	300.0	
400-128017-A-4 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 326383

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-10	DUP-1	Total/NA	Water	300.0	
MB 400-326383/34	Method Blank	Total/NA	Water	300.0	
LCS 400-326383/35	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-326383/36	Lab Control Sample Dup	Total/NA	Water	300.0	
400-128017-A-8 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
400-128017-A-21 MS	Matrix Spike	Total/NA	Water	300.0	

Metals

Prep Batch: 325442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	7470A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Metals (Continued)

Prep Batch: 325442 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-2	MGWA-11	Total/NA	Water	7470A	5
400-127916-3	MGWA-5	Total/NA	Water	7470A	6
400-127916-4	MGWA-6	Total/NA	Water	7470A	7
400-127916-5	MGWC-7	Total/NA	Water	7470A	8
400-127916-6	MGWC-1	Total/NA	Water	7470A	9
MB 400-325442/14-A	Method Blank	Total/NA	Water	7470A	10
LCS 400-325442/15-A	Lab Control Sample	Total/NA	Water	7470A	11
400-128132-O-1-B MS	Matrix Spike	Total/NA	Water	7470A	12
400-128132-O-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	13

Prep Batch: 325480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-7	MGWC-8	Total/NA	Water	7470A	14
400-127916-8	FB-1	Total/NA	Water	7470A	15
400-127916-9	FERB-1	Total/NA	Water	7470A	16
400-127916-10	DUP-1	Total/NA	Water	7470A	17
MB 400-325480/14-A	Method Blank	Total/NA	Water	7470A	18
LCS 400-325480/15-A	Lab Control Sample	Total/NA	Water	7470A	19
400-128090-A-4-B MS	Matrix Spike	Total/NA	Water	7470A	20
400-128090-A-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	21

Analysis Batch: 325711

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	7470A	325442
400-127916-2	MGWA-11	Total/NA	Water	7470A	325442
400-127916-3	MGWA-5	Total/NA	Water	7470A	325442
400-127916-4	MGWA-6	Total/NA	Water	7470A	325442
400-127916-5	MGWC-7	Total/NA	Water	7470A	325442
400-127916-6	MGWC-1	Total/NA	Water	7470A	325442
MB 400-325442/14-A	Method Blank	Total/NA	Water	7470A	325442
LCS 400-325442/15-A	Lab Control Sample	Total/NA	Water	7470A	325442
400-128132-O-1-B MS	Matrix Spike	Total/NA	Water	7470A	325442
400-128132-O-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	325442

Prep Batch: 326107

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-10	DUP-1	Total Recoverable	Water	3005A	
MB 400-326107/1-A ^5 - RA	Method Blank	Total Recoverable	Water	3005A	
MB 400-326107/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-326107/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 400-326107/2-A - RA	Lab Control Sample	Total Recoverable	Water	3005A	
400-128360-I-27-B MS ^5	Matrix Spike	Dissolved	Water	3005A	
400-128360-I-27-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	3005A	

Prep Batch: 326118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total Recoverable	Water	3005A	
400-127916-2	MGWA-11	Total Recoverable	Water	3005A	
400-127916-3	MGWA-5	Total Recoverable	Water	3005A	
400-127916-4	MGWA-6	Total Recoverable	Water	3005A	
400-127916-5	MGWC-7	Total Recoverable	Water	3005A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Metals (Continued)

Prep Batch: 326118 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-6	MGWC-1	Total Recoverable	Water	3005A	
400-127916-7	MGWC-8	Total Recoverable	Water	3005A	
400-127916-8	FB-1	Total Recoverable	Water	3005A	
400-127916-9	FERB-1	Total Recoverable	Water	3005A	
MB 400-326118/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-326118/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-127497-B-10-C MS ^5	Matrix Spike	Total Recoverable	Water	3005A	
400-127497-B-10-D MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 326133

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-7	MGWC-8	Total/NA	Water	7470A	325480
400-127916-8	FB-1	Total/NA	Water	7470A	325480
400-127916-9	FERB-1	Total/NA	Water	7470A	325480
400-127916-10	DUP-1	Total/NA	Water	7470A	325480
MB 400-325480/14-A	Method Blank	Total/NA	Water	7470A	325480
LCS 400-325480/15-A	Lab Control Sample	Total/NA	Water	7470A	325480
400-128090-A-4-B MS	Matrix Spike	Total/NA	Water	7470A	325480
400-128090-A-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	325480

Analysis Batch: 327106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-326107/1-A ^5	Method Blank	Total Recoverable	Water	6020	326107
LCS 400-326107/2-A	Lab Control Sample	Total Recoverable	Water	6020	326107
400-128360-I-27-B MS ^5	Matrix Spike	Dissolved	Water	6020	326107
400-128360-I-27-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	6020	326107

Analysis Batch: 327233

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-10	DUP-1	Total Recoverable	Water	6020	326107
MB 400-326107/1-A ^5 - RA	Method Blank	Total Recoverable	Water	6020	326107
LCS 400-326107/2-A - RA	Lab Control Sample	Total Recoverable	Water	6020	326107

Analysis Batch: 328072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total Recoverable	Water	6020	326118
400-127916-2	MGWA-11	Total Recoverable	Water	6020	326118
400-127916-3	MGWA-5	Total Recoverable	Water	6020	326118
400-127916-4	MGWA-6	Total Recoverable	Water	6020	326118
400-127916-5	MGWC-7	Total Recoverable	Water	6020	326118
400-127916-6	MGWC-1	Total Recoverable	Water	6020	326118
400-127916-7	MGWC-8	Total Recoverable	Water	6020	326118
400-127916-8	FB-1	Total Recoverable	Water	6020	326118
400-127916-9	FERB-1	Total Recoverable	Water	6020	326118
400-127916-10	DUP-1	Total Recoverable	Water	6020	326107
MB 400-326118/1-A ^5	Method Blank	Total Recoverable	Water	6020	326118
LCS 400-326118/2-A	Lab Control Sample	Total Recoverable	Water	6020	326118
400-127497-B-10-C MS ^5	Matrix Spike	Total Recoverable	Water	6020	326118
400-127497-B-10-D MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	6020	326118

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

General Chemistry

Analysis Batch: 324961

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	SM 2540C	1
400-127916-2	MGWA-11	Total/NA	Water	SM 2540C	2
400-127916-3	MGWA-5	Total/NA	Water	SM 2540C	3
400-127916-4	MGWA-6	Total/NA	Water	SM 2540C	4
400-127916-5	MGWC-7	Total/NA	Water	SM 2540C	5
400-127916-6	MGWC-1	Total/NA	Water	SM 2540C	6
400-127916-7	MGWC-8	Total/NA	Water	SM 2540C	7
MB 400-324961/1	Method Blank	Total/NA	Water	SM 2540C	8
LCS 400-324961/2	Lab Control Sample	Total/NA	Water	SM 2540C	9
400-127916-4 DU	MGWA-6	Total/NA	Water	SM 2540C	10

Analysis Batch: 325214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-8	FB-1	Total/NA	Water	SM 2540C	11
400-127916-9	FERB-1	Total/NA	Water	SM 2540C	12
400-127916-10	DUP-1	Total/NA	Water	SM 2540C	13
MB 400-325214/1	Method Blank	Total/NA	Water	SM 2540C	14
LCS 400-325214/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-127885-E-2 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-326210/4

Matrix: Water

Analysis Batch: 326210

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/10/16 14:02	1
Fluoride	<0.082		0.20	0.082	mg/L			10/10/16 14:02	1
Sulfate	<0.70		1.0	0.70	mg/L			10/10/16 14:02	1

Lab Sample ID: LCS 400-326210/5

Matrix: Water

Analysis Batch: 326210

Analyte	Spike Added		LCS Result		LCS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits				
Chloride	10.0		9.68	mg/L		97	90 - 110		
Fluoride	10.0		10.1	mg/L		101	90 - 110		
Sulfate	10.0		10.0	mg/L		100	90 - 110		

Lab Sample ID: LCSD 400-326210/6

Matrix: Water

Analysis Batch: 326210

Analyte	Spike Added		LCSD Result		LCSD Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits	RPD	Limit		
Chloride	10.0		9.69	mg/L	97	90 - 110	0	15	
Fluoride	10.0		10.1	mg/L	101	90 - 110	0	15	
Sulfate	10.0		9.98	mg/L	100	90 - 110	0	15	

Lab Sample ID: 400-127303-A-15 MSD

Matrix: Water

Analysis Batch: 326210

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	
	Result	Qualifier	Added	Result	Qualifier	Unit	D	Limits	RPD	Limit
Chloride	110		50.0	158		mg/L		98	80 - 120	0 20
Fluoride	<0.41		50.0	53.1		mg/L		106	80 - 120	0 20
Sulfate	14		50.0	66.1		mg/L		105	80 - 120	0 20

Lab Sample ID: 400-127916-5 MS

Matrix: Water

Analysis Batch: 326210

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	
	Result	Qualifier	Added	Result	Qualifier	Unit	D	Limits	RPD	Limit
Chloride	13		10.0	22.9		mg/L		100	80 - 120	
Fluoride	0.40		10.0	11.3		mg/L		109	80 - 120	
Sulfate	160 E		10.0	171 E 4		mg/L		111	80 - 120	

Lab Sample ID: MB 400-326212/34

Matrix: Water

Analysis Batch: 326212

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL	MDL	Unit	D			
Chloride	<0.89		1.0	0.89	mg/L			10/11/16 01:36	1
Fluoride	<0.082		0.20	0.082	mg/L			10/11/16 01:36	1
Sulfate	<0.70		1.0	0.70	mg/L			10/11/16 01:36	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-326212/35

Matrix: Water

Analysis Batch: 326212

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.76		mg/L		98	90 - 110	
Fluoride	10.0	10.2		mg/L		102	90 - 110	
Sulfate	10.0	10.0		mg/L		100	90 - 110	

Lab Sample ID: LCSD 400-326212/36

Matrix: Water

Analysis Batch: 326212

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Chloride	10.0	9.76		mg/L		98	90 - 110	0	15
Fluoride	10.0	10.2		mg/L		102	90 - 110	1	15
Sulfate	10.0	10.0		mg/L		100	90 - 110	0	15

Lab Sample ID: 400-127820-B-1 MSD

Matrix: Water

Analysis Batch: 326212

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Chloride	6.3		10.0	15.9		mg/L		96	80 - 120	0	20
Fluoride	<0.082		10.0	10.6		mg/L		106	80 - 120	0	20
Sulfate	0.90 J		10.0	11.2		mg/L		103	80 - 120	0	20

Lab Sample ID: 400-127820-B-11 MS

Matrix: Water

Analysis Batch: 326212

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
Chloride	6.1		10.0	16.7		mg/L		106	80 - 120
Fluoride	0.17 J		10.0	11.0		mg/L		108	80 - 120
Sulfate	3.2		10.0	14.2		mg/L		110	80 - 120

Lab Sample ID: MB 400-326381/4

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/11/16 13:23	1
Fluoride	<0.082		0.20	0.082	mg/L			10/11/16 13:23	1
Sulfate	<0.70		1.0	0.70	mg/L			10/11/16 13:23	1

Lab Sample ID: LCS 400-326381/5

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Chloride	10.0	9.60		mg/L		96	90 - 110
Fluoride	10.0	10.0		mg/L		100	90 - 110
Sulfate	10.0	9.87		mg/L		99	90 - 110

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-326381/6

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.65		mg/L		97	90 - 110	1	15
Fluoride	10.0	10.2		mg/L		102	90 - 110	1	15
Sulfate	10.0	9.97		mg/L		100	90 - 110	1	15

Lab Sample ID: 400-127914-B-5 MS

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	<0.89		10.0	10.5		mg/L		105	80 - 120
Fluoride	<0.082		10.0	11.0		mg/L		110	80 - 120
Sulfate	<0.70		10.0	11.0		mg/L		110	80 - 120

Lab Sample ID: 400-128017-A-4 MS

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	24		50.0	72.8		mg/L		98	80 - 120
Fluoride	<0.41		50.0	52.3		mg/L		105	80 - 120
Sulfate	50		50.0	100		mg/L		101	80 - 120

Lab Sample ID: 400-128017-A-4 MSD

Matrix: Water

Analysis Batch: 326381

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	24		50.0	72.8		mg/L		98	80 - 120	0	20
Fluoride	<0.41		50.0	52.6		mg/L		105	80 - 120	0	20
Sulfate	50		50.0	101		mg/L		102	80 - 120	0	20

Lab Sample ID: MB 400-326383/34

Matrix: Water

Analysis Batch: 326383

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/12/16 00:48	1
Fluoride	<0.082		0.20	0.082	mg/L			10/12/16 00:48	1
Sulfate	<0.70		1.0	0.70	mg/L			10/12/16 00:48	1

Lab Sample ID: LCS 400-326383/35

Matrix: Water

Analysis Batch: 326383

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.66		mg/L		97	90 - 110
Fluoride	10.0	10.1		mg/L		101	90 - 110
Sulfate	10.0	9.92		mg/L		99	90 - 110

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-326383/36

Matrix: Water

Analysis Batch: 326383

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.73		mg/L		97	90 - 110	1	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	1	15
Sulfate	10.0	10.0		mg/L		100	90 - 110	1	15

Lab Sample ID: 400-128017-A-8 MSD

Matrix: Water

Analysis Batch: 326383

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	390		100	492		mg/L		106	80 - 120	0	20
Fluoride	<0.82		100	106		mg/L		106	80 - 120	0	20
Sulfate	<7.0		100	103		mg/L		103	80 - 120	1	20

Lab Sample ID: 400-128017-A-21 MS

Matrix: Water

Analysis Batch: 326383

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	24		100	126		mg/L		102	80 - 120		
Fluoride	<0.82		100	108		mg/L		108	80 - 120		
Sulfate	<7.0		100	106		mg/L		106	80 - 120		

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-326107/1-A ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 326107

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/10/16 13:00	10/17/16 17:00	5

Lab Sample ID: LCS 400-326107/2-A

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 326107

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	0.100	0.0955	^	mg/L		96	80 - 120

Lab Sample ID: MB 400-326118/1-A ^5

Matrix: Water

Analysis Batch: 328072

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 326118

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		10/10/16 13:18	10/24/16 12:38	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		10/10/16 13:18	10/24/16 12:38	5
Barium	<0.00049		0.0025	0.00049	mg/L		10/10/16 13:18	10/24/16 12:38	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:18	10/24/16 12:38	5
Boron	<0.021		0.050	0.021	mg/L		10/10/16 13:18	10/24/16 12:38	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:18	10/24/16 12:38	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-326118/1-A ^5

Matrix: Water

Analysis Batch: 328072

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 326118

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	<0.13		0.25	0.13	mg/L				5
Chromium	<0.0011		0.0025	0.0011	mg/L				5
Cobalt	<0.00040		0.0025	0.00040	mg/L				5
Lead	<0.00035		0.0013	0.00035	mg/L				5
Lithium	<0.0032		0.0050	0.0032	mg/L				5
Molybdenum	<0.00085		0.015	0.00085	mg/L				5
Selenium	<0.00024 ^		0.0013	0.00024	mg/L				5
Thallium	<0.000085		0.00050	0.000085	mg/L				5

Lab Sample ID: LCS 400-326118/2-A

Matrix: Water

Analysis Batch: 328072

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 326118

%Rec.

Analyte		Spike	LCS	LCS		D	%Rec	Limits
		Added	Result	Qualifier	Unit			
Antimony		0.0500	0.0500		mg/L		100	80 - 120
Arsenic		0.0500	0.0525		mg/L		105	80 - 120
Barium		0.0500	0.0484		mg/L		97	80 - 120
Beryllium		0.0500	0.0518		mg/L		104	80 - 120
Boron		0.100	0.0973		mg/L		97	80 - 120
Cadmium		0.0500	0.0497		mg/L		99	80 - 120
Calcium	5.00		5.15		mg/L		103	80 - 120
Chromium		0.0500	0.0514		mg/L		103	80 - 120
Cobalt		0.0500	0.0501		mg/L		100	80 - 120
Lead		0.0500	0.0485		mg/L		97	80 - 120
Lithium		0.0500	0.0506		mg/L		101	80 - 120
Molybdenum		0.0500	0.0497		mg/L		99	80 - 120
Selenium		0.0500	0.0503 ^		mg/L		101	80 - 120
Thallium		0.0100	0.0101		mg/L		101	80 - 120

Lab Sample ID: 400-127497-B-10-C MS ^5

Matrix: Water

Analysis Batch: 328072

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 326118

%Rec.

Analyte	Sample	Sample	Spike	MS	MS		%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier	Unit	D	
Antimony	<0.0010		0.0500	0.0534		mg/L		107
Arsenic	<0.00046		0.0500	0.0542		mg/L		108
Barium	0.041		0.0500	0.0925		mg/L		103
Beryllium	<0.00034		0.0500	0.0502		mg/L		100
Boron	<0.021		0.100	0.107		mg/L		107
Cadmium	<0.00034		0.0500	0.0515		mg/L		103
Calcium	8.4		5.00	13.6		mg/L		104
Chromium	<0.0011		0.0500	0.0532		mg/L		106
Cobalt	0.0071		0.0500	0.0590		mg/L		104
Lead	<0.00035		0.0500	0.0485		mg/L		97
Lithium	<0.0032		0.0500	0.0486		mg/L		97
Molybdenum	<0.00085		0.0500	0.0510		mg/L		102
Selenium	<0.00024 ^		0.0500	0.0516 ^		mg/L		103
Thallium	<0.000085		0.0100	0.0102		mg/L		102

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-127497-B-10-D MSD ^5

Matrix: Water

Analysis Batch: 328072

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable

Prep Batch: 326118

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Antimony	<0.0010		0.0500	0.0524		mg/L		105	75 - 125	2	20	
Arsenic	<0.00046		0.0500	0.0544		mg/L		109	75 - 125	0	20	
Barium	0.041		0.0500	0.0920		mg/L		102	75 - 125	1	20	
Beryllium	<0.00034		0.0500	0.0514		mg/L		103	75 - 125	2	20	
Boron	<0.021		0.100	0.106		mg/L		106	75 - 125	1	20	
Cadmium	<0.00034		0.0500	0.0517		mg/L		103	75 - 125	0	20	
Calcium	8.4		5.00	13.7		mg/L		105	75 - 125	0	20	
Chromium	<0.0011		0.0500	0.0538		mg/L		108	75 - 125	1	20	
Cobalt	0.0071		0.0500	0.0588		mg/L		103	75 - 125	0	20	
Lead	<0.00035		0.0500	0.0481		mg/L		96	75 - 125	1	20	
Lithium	<0.0032		0.0500	0.0487		mg/L		97	75 - 125	0	20	
Molybdenum	<0.00085		0.0500	0.0509		mg/L		102	75 - 125	0	20	
Selenium	<0.00024 ^		0.0500	0.0510 ^		mg/L		102	75 - 125	1	20	
Thallium	<0.000085		0.0100	0.0103		mg/L		103	75 - 125	2	20	

Lab Sample ID: 400-128360-I-27-B MS ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Matrix Spike

Prep Type: Dissolved
Prep Batch: 326107

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Antimony	<0.0010	^	0.0500	0.0486	^	mg/L		97	75 - 125			
Arsenic	0.035		0.0500	0.0879		mg/L		107	75 - 125			
Barium	0.23	^	0.0500	0.280	^ 4	mg/L		100	75 - 125			
Beryllium	<0.00034		0.0500	0.0487		mg/L		97	75 - 125			
Boron	0.15	^	0.100	0.258		mg/L		110	75 - 125			
Cadmium	<0.00034	^	0.0500	0.0477	^	mg/L		95	75 - 125			
Chromium	<0.0011		0.0500	0.0511		mg/L		102	75 - 125			
Cobalt	0.00059 J		0.0500	0.0553		mg/L		109	75 - 125			
Lead	0.00050 J		0.0500	0.0443		mg/L		88	75 - 125			
Lithium	<0.0032	^	0.0500	0.0392	^	mg/L		78	75 - 125			
Molybdenum	0.0047	J	0.0500	0.0565		mg/L		104	75 - 125			
Selenium	<0.00024		0.0500	0.0519		mg/L		104	75 - 125			
Thallium	<0.000085	^	0.0100	0.00901	^	mg/L		90	75 - 125			

Lab Sample ID: 400-128360-I-27-C MSD ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Matrix Spike Duplicate

Prep Type: Dissolved
Prep Batch: 326107

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Antimony	<0.0010	^	0.0500	0.0466	^	mg/L		93	75 - 125	4	20	
Arsenic	0.035		0.0500	0.0874		mg/L		106	75 - 125	1	20	
Barium	0.23	^	0.0500	0.277	^ 4	mg/L		93	75 - 125	1	20	
Beryllium	<0.00034		0.0500	0.0497		mg/L		99	75 - 125	2	20	
Boron	0.15	^	0.100	0.257		mg/L		108	75 - 125	1	20	
Cadmium	<0.00034	^	0.0500	0.0475	^	mg/L		95	75 - 125	0	20	
Chromium	<0.0011		0.0500	0.0517		mg/L		103	75 - 125	1	20	
Cobalt	0.00059 J		0.0500	0.0560		mg/L		111	75 - 125	1	20	
Lead	0.00050 J		0.0500	0.0447		mg/L		88	75 - 125	1	20	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-128360-I-27-C MSD ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Matrix Spike Duplicate
Prep Type: Dissolved
Prep Batch: 326107

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Lithium	<0.0032	^	0.0500	0.0435	^	mg/L	87	75 - 125	10	20	
Molybdenum	0.0047	J	0.0500	0.0565		mg/L	104	75 - 125	0	20	
Selenium	<0.00024		0.0500	0.0518		mg/L	104	75 - 125	0	20	
Thallium	<0.000085	^	0.0100	0.00908	^	mg/L	91	75 - 125	1	20	

Method: 6020 - Metals (ICP/MS) - RA

Lab Sample ID: MB 400-326107/1-A ^5

Matrix: Water

Analysis Batch: 327233

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 326107

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony - RA	<0.0010		0.0025	0.0010	mg/L		10/10/16 13:00	10/18/16 13:55	5
Arsenic - RA	<0.00046		0.0013	0.00046	mg/L		10/10/16 13:00	10/18/16 13:55	5
Barium - RA	<0.00049		0.0025	0.00049	mg/L		10/10/16 13:00	10/18/16 13:55	5
Beryllium - RA	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:00	10/18/16 13:55	5
Cadmium - RA	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:00	10/18/16 13:55	5
Calcium - RA	<0.13		0.25	0.13	mg/L		10/10/16 13:00	10/18/16 13:55	5
Chromium - RA	<0.0011		0.0025	0.0011	mg/L		10/10/16 13:00	10/18/16 13:55	5
Cobalt - RA	<0.00040		0.0025	0.00040	mg/L		10/10/16 13:00	10/18/16 13:55	5
Lead - RA	<0.00035		0.0013	0.00035	mg/L		10/10/16 13:00	10/18/16 13:55	5
Lithium - RA	<0.0032		0.0050	0.0032	mg/L		10/10/16 13:00	10/18/16 13:55	5
Molybdenum - RA	<0.00085		0.015	0.00085	mg/L		10/10/16 13:00	10/18/16 13:55	5
Selenium - RA	<0.00024		0.0013	0.00024	mg/L		10/10/16 13:00	10/18/16 13:55	5
Thallium - RA	<0.000085		0.00050	0.000085	mg/L		10/10/16 13:00	10/18/16 13:55	5

Lab Sample ID: LCS 400-326107/2-A

Matrix: Water

Analysis Batch: 327233

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 326107

Analyte	Spike		LCS	LCS	Unit	D	%Rec	Limits
	Added	Result	Qualifier					
Antimony - RA	0.0500	0.0519			mg/L	104	80 - 120	
Arsenic - RA	0.0500	0.0512			mg/L	102	80 - 120	
Barium - RA	0.0500	0.0447			mg/L	89	80 - 120	
Beryllium - RA	0.0500	0.0492			mg/L	98	80 - 120	
Cadmium - RA	0.0500	0.0487			mg/L	97	80 - 120	
Calcium - RA	5.00	5.02			mg/L	100	80 - 120	
Chromium - RA	0.0500	0.0496			mg/L	99	80 - 120	
Cobalt - RA	0.0500	0.0471			mg/L	94	80 - 120	
Lead - RA	0.0500	0.0542			mg/L	108	80 - 120	
Lithium - RA	0.0500	0.0492			mg/L	98	80 - 120	
Molybdenum - RA	0.0500	0.0485			mg/L	97	80 - 120	
Selenium - RA	0.0500	0.0502			mg/L	100	80 - 120	
Thallium - RA	0.0100	0.00997			mg/L	100	80 - 120	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
SDG: AP

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-325442/14-A

Matrix: Water

Analysis Batch: 325711

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 325442

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L		10/05/16 09:04	10/06/16 14:31	1

Lab Sample ID: LCS 400-325442/15-A

Matrix: Water

Analysis Batch: 325711

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 325442

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	Dil Fac
	Added	Result	Qualifier					
Mercury	0.00101	0.00105		mg/L		104	80 - 120	

Lab Sample ID: 400-128132-O-1-B MS

Matrix: Water

Analysis Batch: 325711

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 325442

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits	Dil Fac
	Result	Qualifier	Added	Result	Qualifier					
Mercury	<0.000070		0.00201	0.00201		mg/L		100	80 - 120	

Lab Sample ID: 400-128132-O-1-C MSD

Matrix: Water

Analysis Batch: 325711

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 325442

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD
	Result	Qualifier	Added	Result	Qualifier					
Mercury	<0.000070		0.00201	0.00191		mg/L		95	80 - 120	5

Lab Sample ID: MB 400-325480/14-A

Matrix: Water

Analysis Batch: 326133

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 325480

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L		10/05/16 12:56	10/10/16 10:13	1

Lab Sample ID: LCS 400-325480/15-A

Matrix: Water

Analysis Batch: 326133

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 325480

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	Dil Fac
	Added	Result	Qualifier					
Mercury	0.00101	0.00104		mg/L		103	80 - 120	

Lab Sample ID: 400-128090-A-4-B MS

Matrix: Water

Analysis Batch: 326133

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 325480

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits	Dil Fac
	Result	Qualifier	Added	Result	Qualifier					
Mercury	<0.000070	F1	0.00201	0.00159	F1	mg/L		79	80 - 120	

Lab Sample ID: 400-128090-A-4-C MSD

Matrix: Water

Analysis Batch: 326133

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 325480

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD
	Result	Qualifier	Added	Result	Qualifier					
Mercury	<0.000070	F1	0.00201	0.00160		mg/L		80	80 - 120	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
 SDG: AP

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-324961/1

Matrix: Water

Analysis Batch: 324961

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<1.7		2.5	1.7	mg/L			10/01/16 17:33	1

Lab Sample ID: LCS 400-324961/2

Matrix: Water

Analysis Batch: 324961

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	147	141		mg/L		96	78 - 122

Lab Sample ID: 400-127916-4 DU

Matrix: Water

Analysis Batch: 324961

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	170		172		mg/L		0.6	5

Lab Sample ID: MB 400-325214/1

Matrix: Water

Analysis Batch: 325214

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/04/16 11:35	1

Lab Sample ID: LCS 400-325214/2

Matrix: Water

Analysis Batch: 325214

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	256		mg/L		87	78 - 122

Lab Sample ID: 400-127885-E-2 DU

Matrix: Water

Analysis Batch: 325214

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	920		918		mg/L		0	5

TestAmerica Pensacola

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-127916-1

SDG Number: AP

Login Number: 127916

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.3°C, 3.3°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-1
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-127916-2

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

11/14/2016 9:49:38 AM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	16
Chronicle	17
QC Association	20
QC Sample Results	21
Chain of Custody	23
Receipt Checklists	24
Certification Summary	25

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Job ID: 400-127916-2

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-127916-2

RAD

Method(s) 9320: Radium-228 Prep Batch 160-274655: The radium-228 detection goal was not met for the following sample due to insufficient volume remaining for re-analysis and the lower barium carrier recovery (50.4%) due to the possible presence of matrix interferences: DUP-1 (400-127916-10). Analytical results are reported with the detection limit achieved.

Method(s) PrecSep_0: Radium-228 Prep Batch 160-274655: The following samples were prepared at a reduced aliquot due to limited volume left after re-analysis: MGWA-10 (400-127916-1), MGWA-10 (400-127916-1[DU]), MGWA-11 (400-127916-2), MGWA-5 (400-127916-3), MGWA-6 (400-127916-4), MGWC-7 (400-127916-5), MGWC-1 (400-127916-6), MGWC-8 (400-127916-7), FB-1 (400-127916-8), FERB-1 (400-127916-9) and DUP-1 (400-127916-10).

Method(s) PrecSep-21: Radium-226 Prep Batch 160-274647: The following samples were prepared at a reduced aliquot due to limited volume left after re-analysis: MGWA-10 (400-127916-1), MGWA-10 (400-127916-1[DU]), MGWA-11 (400-127916-2), MGWA-5 (400-127916-3), MGWA-6 (400-127916-4), MGWC-7 (400-127916-5), MGWC-1 (400-127916-6), MGWC-8 (400-127916-7), FB-1 (400-127916-8), FERB-1 (400-127916-9) and DUP-1 (400-127916-10).

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

13

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-127916-1	MGWA-10	Water	09/28/16 11:50	09/28/16 18:00
400-127916-2	MGWA-11	Water	09/28/16 12:10	09/28/16 18:00
400-127916-3	MGWA-5	Water	09/28/16 13:32	09/28/16 18:00
400-127916-4	MGWA-6	Water	09/28/16 14:08	09/28/16 18:00
400-127916-5	MGWC-7	Water	09/28/16 15:38	09/28/16 18:00
400-127916-6	MGWC-1	Water	09/28/16 15:27	09/28/16 18:00
400-127916-7	MGWC-8	Water	09/28/16 15:45	09/28/16 18:00
400-127916-8	FB-1	Water	09/28/16 16:00	09/28/16 18:00
400-127916-9	FERB-1	Water	09/28/16 16:15	09/28/16 18:00
400-127916-10	DUP-1	Water	09/28/16 00:00	09/28/16 18:00

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 09/28/16 11:50

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.630		0.242	0.248	1.00	0.278	pCi/L	10/14/16 16:44	11/09/16 07:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		40 - 110					10/14/16 16:44	11/09/16 07:09	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.140	U	0.318	0.318	1.00	0.547	pCi/L	10/14/16 17:37	11/08/16 20:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		40 - 110					10/14/16 17:37	11/08/16 20:01	1
Y Carrier	78.9		40 - 110					10/14/16 17:37	11/08/16 20:01	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.770		0.399	0.403	5.00	0.547	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWA-11

Date Collected: 09/28/16 12:10

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.288	U	0.245	0.247	1.00	0.384	pCi/L	10/14/16 16:44	11/09/16 07:10	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	83.8		40 - 110					10/14/16 16:44	11/09/16 07:10	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.233	U	0.369	0.370	1.00	0.623	pCi/L	10/14/16 17:37	11/08/16 20:02	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	83.8		40 - 110					10/14/16 17:37	11/08/16 20:02	1
Y Carrier	78.1		40 - 110					10/14/16 17:37	11/08/16 20:02	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.521	U	0.443	0.445	5.00	0.623	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWA-5
Date Collected: 09/28/16 13:32
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-3
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0866	U	0.146	0.147	1.00	0.255	pCi/L	10/14/16 16:44	11/09/16 07:10	1
Carrier										
Ba Carrier	88.0		Limits					Prepared	Analyzed	Dil Fac
			40 - 110					10/14/16 16:44	11/09/16 07:10	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0205	U	0.349	0.349	1.00	0.622	pCi/L	10/14/16 17:37	11/08/16 20:02	1
Carrier										
Ba Carrier	88.0		Limits					Prepared	Analyzed	Dil Fac
Y Carrier	76.6		40 - 110					10/14/16 17:37	11/08/16 20:02	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.107	U	0.378	0.378	5.00	0.622	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWA-6
Date Collected: 09/28/16 14:08
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.497		0.223	0.227	1.00	0.270	pCi/L	10/14/16 16:44	11/09/16 07:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.0		40 - 110					10/14/16 16:44	11/09/16 07:10	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.429	U	0.457	0.459	1.00	0.748	pCi/L	10/14/16 17:37	11/08/16 20:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.0		40 - 110					10/14/16 17:37	11/08/16 20:02	1
Y Carrier	63.9		40 - 110					10/14/16 17:37	11/08/16 20:02	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.926		0.509	0.512	5.00	0.748	pCi/L		11/11/16 15:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 09/28/16 15:38

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.848		0.274	0.284	1.00	0.298	pCi/L	10/14/16 16:44	11/09/16 07:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					10/14/16 16:44	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.213	U	0.362	0.363	1.00	0.613	pCi/L	10/14/16 17:37	11/08/16 20:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		40 - 110					10/14/16 17:37	11/08/16 20:02	1
Y Carrier	74.4		40 - 110					10/14/16 17:37	11/08/16 20:02	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.06		0.454	0.461	5.00	0.613	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWC-1
Date Collected: 09/28/16 15:27
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.787		0.295	0.303	1.00	0.372	pCi/L	10/14/16 16:44	11/09/16 07:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					10/14/16 16:44	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.307	U	0.317	0.318	1.00	0.515	pCi/L	10/14/16 17:37	11/08/16 20:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.9		40 - 110					10/14/16 17:37	11/08/16 20:02	1
Y Carrier	78.1		40 - 110					10/14/16 17:37	11/08/16 20:02	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.09		0.433	0.439	5.00	0.515	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
 SDG: AP

Client Sample ID: MGWC-8
Date Collected: 09/28/16 15:45
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.926		0.293	0.305	1.00	0.319	pCi/L	10/14/16 16:44	11/09/16 07:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.2		40 - 110					10/14/16 16:44	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.25		0.506	0.519	1.00	0.724	pCi/L	10/14/16 17:37	11/08/16 20:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.2		40 - 110					10/14/16 17:37	11/08/16 20:03	1
Y Carrier	74.4		40 - 110					10/14/16 17:37	11/08/16 20:03	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	2.17		0.585	0.602	5.00	0.724	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: FB-1

Date Collected: 09/28/16 16:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-8

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0840	U	0.216	0.216	1.00	0.382	pCi/L	10/14/16 16:44	11/09/16 07:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	82.1		40 - 110					10/14/16 16:44	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.257	U	0.471	0.472	1.00	0.799	pCi/L	10/14/16 17:37	11/08/16 20:04	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	82.1		40 - 110					10/14/16 17:37	11/08/16 20:04	1
Y Carrier	69.2		40 - 110					10/14/16 17:37	11/08/16 20:04	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.341	U	0.518	0.519	5.00	0.799	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: FERB-1

Date Collected: 09/28/16 16:15

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-9

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0243	U	0.185	0.185	1.00	0.343	pCi/L	10/14/16 17:07	11/09/16 07:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	87.7		40 - 110					10/14/16 17:07	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0976	U	0.359	0.359	1.00	0.626	pCi/L	10/14/16 17:37	11/08/16 20:04	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	87.7		40 - 110					10/14/16 17:37	11/08/16 20:04	1
Y Carrier	77.8		40 - 110					10/14/16 17:37	11/08/16 20:04	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.122	U	0.404	0.404	5.00	0.626	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: DUP-1

Date Collected: 09/28/16 00:00

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.45		0.422	0.441	1.00	0.424	pCi/L	10/14/16 17:07	11/09/16 07:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	50.4		40 - 110					10/14/16 17:07	11/09/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.314	U G	0.666	0.666	1.00	1.14	pCi/L	10/14/16 17:37	11/08/16 20:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	50.4		40 - 110					10/14/16 17:37	11/08/16 20:04	1
Y Carrier	75.1		40 - 110					10/14/16 17:37	11/08/16 20:04	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.76		0.788	0.799	5.00	1.14	pCi/L		11/11/16 15:16	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.
G	The Sample MDC is greater than the requested RL.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 09/28/16 11:50

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:09	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:01	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: MGWA-11

Date Collected: 09/28/16 12:10

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:10	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:02	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 09/28/16 13:32

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:10	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:02	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 09/28/16 14:08

Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:10	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:02	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 09/28/16 15:38
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:02	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: MGWC-1

Date Collected: 09/28/16 15:27
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278291	11/08/16 20:02	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 09/28/16 15:45
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278294	11/08/16 20:03	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 09/28/16 16:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 16:44	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278294	11/08/16 20:04	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Client Sample ID: FERB-1

Date Collected: 09/28/16 16:15
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 17:07	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278294	11/08/16 20:04	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 09/28/16 00:00
Date Received: 09/28/16 18:00

Lab Sample ID: 400-127916-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			274647	10/14/16 17:07	AS	TAL SL
Total/NA	Analysis	9315		1	278436	11/09/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			274655	10/14/16 17:37	CMC	TAL SL
Total/NA	Analysis	9320		1	278294	11/08/16 20:04	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	278925	11/11/16 15:16	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Rad

Prep Batch: 274647

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	PrecSep-21	5
400-127916-2	MGWA-11	Total/NA	Water	PrecSep-21	6
400-127916-3	MGWA-5	Total/NA	Water	PrecSep-21	7
400-127916-4	MGWA-6	Total/NA	Water	PrecSep-21	8
400-127916-5	MGWC-7	Total/NA	Water	PrecSep-21	9
400-127916-6	MGWC-1	Total/NA	Water	PrecSep-21	10
400-127916-7	MGWC-8	Total/NA	Water	PrecSep-21	11
400-127916-8	FB-1	Total/NA	Water	PrecSep-21	12
400-127916-9	FERB-1	Total/NA	Water	PrecSep-21	13
400-127916-10	DUP-1	Total/NA	Water	PrecSep-21	
MB 160-274647/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-274647/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-127916-1 DU	MGWA-10	Total/NA	Water	PrecSep-21	

Prep Batch: 274655

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-127916-1	MGWA-10	Total/NA	Water	PrecSep_0	12
400-127916-2	MGWA-11	Total/NA	Water	PrecSep_0	13
400-127916-3	MGWA-5	Total/NA	Water	PrecSep_0	
400-127916-4	MGWA-6	Total/NA	Water	PrecSep_0	
400-127916-5	MGWC-7	Total/NA	Water	PrecSep_0	
400-127916-6	MGWC-1	Total/NA	Water	PrecSep_0	
400-127916-7	MGWC-8	Total/NA	Water	PrecSep_0	
400-127916-8	FB-1	Total/NA	Water	PrecSep_0	
400-127916-9	FERB-1	Total/NA	Water	PrecSep_0	
400-127916-10	DUP-1	Total/NA	Water	PrecSep_0	
MB 160-274655/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-274655/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-127916-1 DU	MGWA-10	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-274647/1-A

Matrix: Water

Analysis Batch: 278453

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 274647

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.09061	U	0.164	0.164	1.00	0.287	pCi/L	10/14/16 16:44	11/09/16 07:01	1
Carrier										
Ba Carrier	84.6			40 - 110				Prepared	Analyzed	Dil Fac
								10/14/16 16:44	11/09/16 07:01	1

Lab Sample ID: LCS 160-274647/2-A

Matrix: Water

Analysis Batch: 278453

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 274647

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Added									
Radium-226			14.8	19.27	2.07	1.00	0.353	pCi/L	130	68 - 137
Carrier										
Ba Carrier	80.6			40 - 110						

Lab Sample ID: 400-127916-1 DU

Matrix: Water

Analysis Batch: 278436

Client Sample ID: MGWA-10
Prep Type: Total/NA
Prep Batch: 274647

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	0.630		0.2561	U	0.207	1.00	0.314	pCi/L	0.82	1
Carrier										
Ba Carrier	89.5			40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-274655/1-A

Matrix: Water

Analysis Batch: 278266

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 274655

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	-0.1984	U	0.467	0.467	1.00	0.851	pCi/L	10/14/16 17:37	11/08/16 19:54	1
Carrier										
Ba Carrier	84.6			40 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	70.7			40 - 110				10/14/16 17:37	11/08/16 19:54	1
								10/14/16 17:37	11/08/16 19:54	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-274655/2-A

Matrix: Water

Analysis Batch: 278266

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 274655

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		RL	MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual		2.74	1.00					
Radium-228	19.1	24.83									

Carrier

Carrier	LCS	LCS	Limits
	%Yield	Qualifier	
Ba Carrier	80.6		40 - 110
Y Carrier	66.5		40 - 110

Lab Sample ID: 400-127916-1 DU

Matrix: Water

Analysis Batch: 278291

Client Sample ID: MGWA-10

Prep Type: Total/NA

Prep Batch: 274655

Analyte	Sample		Sample		DU		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Radium-228	0.140	U			0.3419	U		0.364	1.00	0.593	pCi/L	
Carrier	DU	DU										
Carrier	%Yield	Qualifier										
Ba Carrier	89.5				40 - 110							
Y Carrier	79.3				40 - 110							

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-127916-1 DU

Matrix: Water

Analysis Batch: 278925

Client Sample ID: MGWA-10

Prep Type: Total/NA

Analyte	Sample		Sample		DU		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Combined Radium 226 + 228	0.770				0.5980			0.419	5.00	0.593	pCi/L	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-127916-2

SDG Number: AP

Login Number: 127916

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.3°C, 3.3°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	003757	11-30-16 *
Iowa	State Program	7	373	12-01-16 *
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-16
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA160008	12-31-16 *
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542016-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-127916-2
SDG: AP

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-17
Texas	NELAP	6	T104704193-16-10	07-31-17
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-14-0016	01-09-17
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17

* Certification renewal pending - certification considered valid.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-128049-1

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

10/26/2016 4:29:00 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	10
Chronicle	11
QC Association	12
QC Sample Results	14
Chain of Custody	19
Receipt Checklists	20
Certification Summary	21

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Job ID: 400-128049-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-128049-1

HPLC/IC

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-3 (400-128049-1) and MGWC-2 (400-128049-2). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The following sample was diluted to bring the concentration of target analytes within the calibration range: MGWC-2 (400-128049-2). Elevated reporting limits (RLs) are provided.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Client Sample ID: MGWC-3

Lab Sample ID: 400-128049-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.082	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	94		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0013		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.14		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	100		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00054	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.010		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Boron - RA	1.0		0.050	0.021	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	380		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-128049-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	19		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	280		10	7.0	mg/L	10	300.0		Total/NA
Barium	0.053		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Cobalt	0.0032		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.0048	J	0.0050	0.0032	mg/L	5	6020		Total Recoverable
Boron - DL	3.1		0.25	0.11	mg/L	25	6020		Total Recoverable
Calcium - DL	140		1.3	0.63	mg/L	25	6020		Total Recoverable
Cadmium - RA	0.0027		0.0025	0.00034	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	640		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-128049-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.4		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.26		0.20	0.082	mg/L	1	300.0		Total/NA
Arsenic	0.0019		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.052		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	30		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.017		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0014	J	0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	190		5.0	3.4	mg/L	1	SM 2540C		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-128049-1	MGWC-3	Water	09/29/16 08:28	10/01/16 08:57
400-128049-2	MGWC-2	Water	09/29/16 08:49	10/01/16 08:57
400-128049-3	MGWC-12	Water	09/29/16 08:24	10/01/16 08:57

1

2

3

4

5

6

7

8

9

10

11

12

13

14

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Client Sample ID: MGWC-3

Lab Sample ID: 400-128049-1

Date Collected: 09/29/16 08:28

Matrix: Water

Date Received: 10/01/16 08:57

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			10/15/16 15:08	1
Fluoride	0.082	J	0.20	0.082	mg/L			10/15/16 15:08	1
Sulfate	94		5.0	3.5	mg/L			10/17/16 20:34	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:00	10/19/16 00:29
Arsenic	0.0013		0.0013	0.00046	mg/L			10/10/16 13:00	10/19/16 00:29
Barium	0.14		0.0025	0.00049	mg/L			10/10/16 13:00	10/19/16 00:29
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/19/16 00:29
Calcium	100		0.25	0.13	mg/L			10/10/16 13:00	10/19/16 00:29
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:00	10/19/16 00:29
Cobalt	0.00054	J	0.0025	0.00040	mg/L			10/10/16 13:00	10/19/16 00:29
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:00	10/19/16 00:29
Lithium	0.010		0.0050	0.0032	mg/L			10/10/16 13:00	10/19/16 00:29
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:00	10/19/16 00:29
Selenium	<0.00024		0.0013	0.00024	mg/L			10/10/16 13:00	10/19/16 00:29

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.0		0.050	0.021	mg/L			10/10/16 13:00	10/24/16 17:07
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/24/16 17:07
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:00	10/24/16 17:07

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/10/16 10:59	10/14/16 13:03

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	380		5.0	3.4	mg/L			10/04/16 15:59	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 09/29/16 08:49

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19		1.0	0.89	mg/L			10/15/16 15:54	1
Fluoride	<0.082		0.20	0.082	mg/L			10/15/16 15:54	1
Sulfate	280		10	7.0	mg/L			10/17/16 20:57	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:00	10/19/16 00:34
Arsenic	<0.00046		0.0013	0.00046	mg/L			10/10/16 13:00	10/19/16 00:34
Barium	0.053		0.0025	0.00049	mg/L			10/10/16 13:00	10/19/16 00:34
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/19/16 00:34
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:00	10/19/16 00:34
Cobalt	0.0032		0.0025	0.00040	mg/L			10/10/16 13:00	10/19/16 00:34
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:00	10/19/16 00:34
Lithium	0.0048 J		0.0050	0.0032	mg/L			10/10/16 13:00	10/19/16 00:34
Molybdenum	<0.00085		0.015	0.00085	mg/L			10/10/16 13:00	10/19/16 00:34
Selenium	<0.00024		0.0013	0.00024	mg/L			10/10/16 13:00	10/19/16 00:34

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.1		0.25	0.11	mg/L			10/10/16 13:00	10/24/16 17:29
Calcium	140		1.3	0.63	mg/L			10/10/16 13:00	10/24/16 17:29

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	0.0027		0.0025	0.00034	mg/L			10/10/16 13:00	10/24/16 17:11
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:00	10/24/16 17:11

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/10/16 10:59	10/14/16 13:05

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	640		5.0	3.4	mg/L			10/04/16 15:59	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Client Sample ID: MGWC-12

Date Collected: 09/29/16 08:24

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.4		1.0	0.89	mg/L			10/15/16 16:17	1
Fluoride	0.26		0.20	0.082	mg/L			10/15/16 16:17	1
Sulfate	<0.70		1.0	0.70	mg/L			10/15/16 16:17	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			10/10/16 13:00	10/19/16 00:38
Arsenic	0.0019		0.0013	0.00046	mg/L			10/10/16 13:00	10/19/16 00:38
Barium	0.052		0.0025	0.00049	mg/L			10/10/16 13:00	10/19/16 00:38
Beryllium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/19/16 00:38
Calcium	30		0.25	0.13	mg/L			10/10/16 13:00	10/19/16 00:38
Chromium	<0.0011		0.0025	0.0011	mg/L			10/10/16 13:00	10/19/16 00:38
Cobalt	<0.00040		0.0025	0.00040	mg/L			10/10/16 13:00	10/19/16 00:38
Lead	<0.00035		0.0013	0.00035	mg/L			10/10/16 13:00	10/19/16 00:38
Lithium	0.017		0.0050	0.0032	mg/L			10/10/16 13:00	10/19/16 00:38
Molybdenum	0.0014 J		0.015	0.00085	mg/L			10/10/16 13:00	10/19/16 00:38
Selenium	<0.00024		0.0013	0.00024	mg/L			10/10/16 13:00	10/19/16 00:38

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L			10/10/16 13:00	10/24/16 17:34
Cadmium	<0.00034		0.0025	0.00034	mg/L			10/10/16 13:00	10/24/16 17:34
Thallium	<0.000085		0.00050	0.000085	mg/L			10/10/16 13:00	10/24/16 17:34

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			10/10/16 10:59	10/14/16 13:06

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	190		5.0	3.4	mg/L			10/04/16 15:59	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
F1	MS and/or MSD Recovery is outside acceptance limits.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD Recovery is outside acceptance limits.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 09/29/16 08:28

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	327008	10/15/16 15:08	TAJ	TAL PEN
Total/NA	Analysis	300.0		5	327182	10/17/16 20:34	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	327233	10/19/16 00:29	RJB	TAL PEN
Total Recoverable	Prep	3005A	RA		326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	328072	10/24/16 17:07	AJR	TAL PEN
Total/NA	Prep	7470A			326078	10/10/16 10:59	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326820	10/14/16 13:03	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325304	10/04/16 15:59	JLB	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 09/29/16 08:49

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	327008	10/15/16 15:54	TAJ	TAL PEN
Total/NA	Analysis	300.0		10	327182	10/17/16 20:57	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	327233	10/19/16 00:34	RJB	TAL PEN
Total Recoverable	Prep	3005A	RA		326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	328072	10/24/16 17:11	AJR	TAL PEN
Total Recoverable	Prep	3005A	DL		326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	25	328072	10/24/16 17:29	AJR	TAL PEN
Total/NA	Prep	7470A			326078	10/10/16 10:59	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326820	10/14/16 13:05	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325304	10/04/16 15:59	JLB	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 09/29/16 08:24

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	327008	10/15/16 16:17	TAJ	TAL PEN
Total Recoverable	Prep	3005A			326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	327233	10/19/16 00:38	RJB	TAL PEN
Total Recoverable	Prep	3005A	RA		326107	10/10/16 13:00	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	328072	10/24/16 17:34	AJR	TAL PEN
Total/NA	Prep	7470A			326078	10/10/16 10:59	JAP	TAL PEN
Total/NA	Analysis	7470A		1	326820	10/14/16 13:06	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	325304	10/04/16 15:59	JLB	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

HPLC/IC

Analysis Batch: 327008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	300.0	
400-128049-2	MGWC-2	Total/NA	Water	300.0	
400-128049-3	MGWC-12	Total/NA	Water	300.0	
MB 400-327008/36	Method Blank	Total/NA	Water	300.0	
LCS 400-327008/37	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-327008/38	Lab Control Sample Dup	Total/NA	Water	300.0	
400-127895-J-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
400-128049-1 MS	MGWC-3	Total/NA	Water	300.0	

Analysis Batch: 327182

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	300.0	
400-128049-2	MGWC-2	Total/NA	Water	300.0	
MB 400-327182/4	Method Blank	Total/NA	Water	300.0	
LCS 400-327182/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-327182/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-127895-J-9 MS	Matrix Spike	Total/NA	Water	300.0	
400-128556-E-5 MS	Matrix Spike	Total/NA	Water	300.0	
400-128556-E-5 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Metals

Prep Batch: 326078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	7470A	
400-128049-2	MGWC-2	Total/NA	Water	7470A	
400-128049-3	MGWC-12	Total/NA	Water	7470A	
MB 400-326078/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-326078/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-128367-A-3-B MS	Matrix Spike	Total/NA	Water	7470A	
400-128367-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Prep Batch: 326107

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1 - RA	MGWC-3	Total Recoverable	Water	3005A	
400-128049-1	MGWC-3	Total Recoverable	Water	3005A	
400-128049-2 - DL	MGWC-2	Total Recoverable	Water	3005A	
400-128049-2	MGWC-2	Total Recoverable	Water	3005A	
400-128049-2 - RA	MGWC-2	Total Recoverable	Water	3005A	
400-128049-3 - RA	MGWC-12	Total Recoverable	Water	3005A	
400-128049-3	MGWC-12	Total Recoverable	Water	3005A	
MB 400-326107/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
MB 400-326107/1-A ^5 - RA	Method Blank	Total Recoverable	Water	3005A	
LCS 400-326107/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 400-326107/2-A - RA	Lab Control Sample	Total Recoverable	Water	3005A	
400-128360-I-27-B MS ^5	Matrix Spike	Dissolved	Water	3005A	
400-128360-I-27-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	3005A	

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Metals (Continued)

Analysis Batch: 326820

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	7470A	326078
400-128049-2	MGWC-2	Total/NA	Water	7470A	326078
400-128049-3	MGWC-12	Total/NA	Water	7470A	326078
MB 400-326078/14-A	Method Blank	Total/NA	Water	7470A	326078
LCS 400-326078/15-A	Lab Control Sample	Total/NA	Water	7470A	326078
400-128367-A-3-B MS	Matrix Spike	Total/NA	Water	7470A	326078
400-128367-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	326078

Analysis Batch: 327106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-326107/1-A ^5	Method Blank	Total Recoverable	Water	6020	326107
LCS 400-326107/2-A	Lab Control Sample	Total Recoverable	Water	6020	326107
400-128360-I-27-B MS ^5	Matrix Spike	Dissolved	Water	6020	326107
400-128360-I-27-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	6020	326107

Analysis Batch: 327233

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total Recoverable	Water	6020	326107
400-128049-2	MGWC-2	Total Recoverable	Water	6020	326107
400-128049-3	MGWC-12	Total Recoverable	Water	6020	326107
MB 400-326107/1-A ^5 - RA	Method Blank	Total Recoverable	Water	6020	326107
LCS 400-326107/2-A - RA	Lab Control Sample	Total Recoverable	Water	6020	326107

Analysis Batch: 328072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1 - RA	MGWC-3	Total Recoverable	Water	6020	326107
400-128049-2 - RA	MGWC-2	Total Recoverable	Water	6020	326107
400-128049-2 - DL	MGWC-2	Total Recoverable	Water	6020	326107
400-128049-3 - RA	MGWC-12	Total Recoverable	Water	6020	326107

General Chemistry

Analysis Batch: 325304

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	SM 2540C	
400-128049-2	MGWC-2	Total/NA	Water	SM 2540C	
400-128049-3	MGWC-12	Total/NA	Water	SM 2540C	
MB 400-325304/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-325304/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-127984-A-2 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-327008/36

Matrix: Water

Analysis Batch: 327008

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/15/16 08:41	1
Fluoride	<0.082		0.20	0.082	mg/L			10/15/16 08:41	1
Sulfate	<0.70		1.0	0.70	mg/L			10/15/16 08:41	1

Lab Sample ID: LCS 400-327008/37

Matrix: Water

Analysis Batch: 327008

Analyte	Spike Added		LCS Result		LCS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits				
Chloride	10.0	9.25	mg/L	93	90 - 110				
Fluoride	10.0	9.96	mg/L	100	90 - 110				
Sulfate	10.0	9.47	mg/L	95	90 - 110				

Lab Sample ID: LCSD 400-327008/38

Matrix: Water

Analysis Batch: 327008

Analyte	Spike Added		LCSD Result		LCSD Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits	RPD	Limit		
Chloride	10.0	9.87	mg/L	99	90 - 110	6	15		
Fluoride	10.0	10.5	mg/L	105	90 - 110	6	15		
Sulfate	10.0	10.3	mg/L	103	90 - 110	8	15		

Lab Sample ID: 400-127895-J-1 MSD

Matrix: Water

Analysis Batch: 327008

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit	D	RPD	RPD Limit
Chloride	19		50.0	68.4		mg/L	98	80 - 120	0 20
Fluoride	<0.41		50.0	54.3		mg/L	109	80 - 120	1 20
Sulfate	120		50.0	170		mg/L	93	80 - 120	0 20

Lab Sample ID: 400-128049-1 MS

Matrix: Water

Analysis Batch: 327008

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit	D	RPD	RPD Limit
Chloride	13		10.0	23.5		mg/L	102	80 - 120	
Fluoride	0.082	J	10.0	11.1		mg/L	111	80 - 120	
Sulfate	90	E	10.0	99.7	E 4	mg/L	97	80 - 120	

Lab Sample ID: MB 400-327182/4

Matrix: Water

Analysis Batch: 327182

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL	MDL	Unit	D			
Chloride	<0.89		1.0	0.89	mg/L			10/17/16 12:37	1
Fluoride	<0.082		0.20	0.082	mg/L			10/17/16 12:37	1
Sulfate	<0.70		1.0	0.70	mg/L			10/17/16 12:37	1

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Client Sample ID: MGWC-3

Prep Type: Total/NA

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-327182/5

Matrix: Water

Analysis Batch: 327182

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.75		mg/L		98	90 - 110	
Fluoride	10.0	10.2		mg/L		102	90 - 110	
Sulfate	10.0	10.0		mg/L		100	90 - 110	

Lab Sample ID: LCSD 400-327182/6

Matrix: Water

Analysis Batch: 327182

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	10.0	9.71		mg/L		97	90 - 110	0	15
Fluoride	10.0	9.32		mg/L		93	90 - 110	9	15
Sulfate	10.0	10.3		mg/L		103	90 - 110	3	15

Lab Sample ID: 400-127895-J-9 MS

Matrix: Water

Analysis Batch: 327182

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	56		500	560		mg/L		101	80 - 120	
Fluoride	<4.1		500	533		mg/L		107	80 - 120	
Sulfate	800		500	1320		mg/L		104	80 - 120	

Lab Sample ID: 400-128556-E-5 MS

Matrix: Water

Analysis Batch: 327182

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	100	F1	50.0	139	F1	mg/L		74	80 - 120	
Fluoride	<0.41		50.0	53.3		mg/L		107	80 - 120	
Sulfate	9.9		50.0	60.7		mg/L		102	80 - 120	

Lab Sample ID: 400-128556-E-5 MSD

Matrix: Water

Analysis Batch: 327182

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	100	F1	50.0	139	F1	mg/L		73	80 - 120	0	20
Fluoride	<0.41		50.0	52.8		mg/L		106	80 - 120	1	20
Sulfate	9.9		50.0	60.1		mg/L		100	80 - 120	1	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-326107/1-A ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 326107

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/10/16 13:00	10/17/16 17:00	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 400-326107/2-A

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 326107

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Boron	0.100	0.0955	^	mg/L	96	80 - 120	

Lab Sample ID: 400-128360-I-27-B MS ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Matrix Spike

Prep Type: Dissolved

Prep Batch: 326107

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Antimony	<0.0010	^	0.0500	0.0486	^	mg/L	97	75 - 125	
Arsenic	0.035		0.0500	0.0879		mg/L	107	75 - 125	
Barium	0.23	^	0.0500	0.280	^ 4	mg/L	100	75 - 125	
Beryllium	<0.00034		0.0500	0.0487		mg/L	97	75 - 125	
Boron	0.15	^	0.100	0.258		mg/L	110	75 - 125	
Cadmium	<0.00034	^	0.0500	0.0477	^	mg/L	95	75 - 125	
Chromium	<0.0011		0.0500	0.0511		mg/L	102	75 - 125	
Cobalt	0.00059	J	0.0500	0.053		mg/L	109	75 - 125	
Lead	0.00050	J	0.0500	0.0443		mg/L	88	75 - 125	
Lithium	<0.0032	^	0.0500	0.0392	^	mg/L	78	75 - 125	
Molybdenum	0.0047	J	0.0500	0.0565		mg/L	104	75 - 125	
Selenium	<0.00024		0.0500	0.0519		mg/L	104	75 - 125	
Thallium	<0.000085	^	0.0100	0.00901	^	mg/L	90	75 - 125	

Lab Sample ID: 400-128360-I-27-C MSD ^5

Matrix: Water

Analysis Batch: 327106

Client Sample ID: Matrix Spike Duplicate

Prep Type: Dissolved

Prep Batch: 326107

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<0.0010	^	0.0500	0.0466	^	mg/L	93	75 - 125		4	20
Arsenic	0.035		0.0500	0.0874		mg/L	106	75 - 125		1	20
Barium	0.23	^	0.0500	0.277	^ 4	mg/L	93	75 - 125		1	20
Beryllium	<0.00034		0.0500	0.0497		mg/L	99	75 - 125		2	20
Boron	0.15	^	0.100	0.257		mg/L	108	75 - 125		1	20
Cadmium	<0.00034	^	0.0500	0.0475	^	mg/L	95	75 - 125		0	20
Chromium	<0.0011		0.0500	0.0517		mg/L	103	75 - 125		1	20
Cobalt	0.00059	J	0.0500	0.0560		mg/L	111	75 - 125		1	20
Lead	0.00050	J	0.0500	0.0447		mg/L	88	75 - 125		1	20
Lithium	<0.0032	^	0.0500	0.0435	^	mg/L	87	75 - 125		10	20
Molybdenum	0.0047	J	0.0500	0.0565		mg/L	104	75 - 125		0	20
Selenium	<0.00024		0.0500	0.0518		mg/L	104	75 - 125		0	20
Thallium	<0.000085	^	0.0100	0.00908	^	mg/L	91	75 - 125		1	20

Method: 6020 - Metals (ICP/MS) - RA

Lab Sample ID: MB 400-326107/1-A ^5

Matrix: Water

Analysis Batch: 327233

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 326107

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony - RA	<0.0010		0.0025	0.0010	mg/L	9	10/10/16 13:00	10/18/16 13:55	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method: 6020 - Metals (ICP/MS) - RA (Continued)

Lab Sample ID: MB 400-326107/1-A ^5

Matrix: Water

Analysis Batch: 327233

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 326107

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic - RA	<0.00046		0.0013	0.00046	mg/L		10/10/16 13:00	10/18/16 13:55	5
Barium - RA	<0.00049		0.0025	0.00049	mg/L		10/10/16 13:00	10/18/16 13:55	5
Beryllium - RA	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:00	10/18/16 13:55	5
Cadmium - RA	<0.00034		0.0025	0.00034	mg/L		10/10/16 13:00	10/18/16 13:55	5
Calcium - RA	<0.13		0.25	0.13	mg/L		10/10/16 13:00	10/18/16 13:55	5
Chromium - RA	<0.0011		0.0025	0.0011	mg/L		10/10/16 13:00	10/18/16 13:55	5
Cobalt - RA	<0.00040		0.0025	0.00040	mg/L		10/10/16 13:00	10/18/16 13:55	5
Lead - RA	<0.00035		0.0013	0.00035	mg/L		10/10/16 13:00	10/18/16 13:55	5
Lithium - RA	<0.0032		0.0050	0.0032	mg/L		10/10/16 13:00	10/18/16 13:55	5
Molybdenum - RA	<0.00085		0.015	0.00085	mg/L		10/10/16 13:00	10/18/16 13:55	5
Selenium - RA	<0.00024		0.0013	0.00024	mg/L		10/10/16 13:00	10/18/16 13:55	5
Thallium - RA	<0.000085		0.00050	0.000085	mg/L		10/10/16 13:00	10/18/16 13:55	5

Lab Sample ID: LCS 400-326107/2-A

Matrix: Water

Analysis Batch: 327233

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 326107

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Antimony - RA	0.0500	0.0519		mg/L		104	80 - 120
Arsenic - RA	0.0500	0.0512		mg/L		102	80 - 120
Barium - RA	0.0500	0.0447		mg/L		89	80 - 120
Beryllium - RA	0.0500	0.0492		mg/L		98	80 - 120
Cadmium - RA	0.0500	0.0487		mg/L		97	80 - 120
Calcium - RA	5.00	5.02		mg/L		100	80 - 120
Chromium - RA	0.0500	0.0496		mg/L		99	80 - 120
Cobalt - RA	0.0500	0.0471		mg/L		94	80 - 120
Lead - RA	0.0500	0.0542		mg/L		108	80 - 120
Lithium - RA	0.0500	0.0492		mg/L		98	80 - 120
Molybdenum - RA	0.0500	0.0485		mg/L		97	80 - 120
Selenium - RA	0.0500	0.0502		mg/L		100	80 - 120
Thallium - RA	0.0100	0.00997		mg/L		100	80 - 120

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-326078/14-A

Matrix: Water

Analysis Batch: 326820

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 326078

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.000020	0.000070	mg/L		10/10/16 10:59	10/14/16 12:45	1

Lab Sample ID: LCS 400-326078/15-A

Matrix: Water

Analysis Batch: 326820

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 326078

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Mercury	0.00101	0.00105		mg/L		104	80 - 120

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
SDG: AP

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 400-128367-A-3-B MS

Matrix: Water

Analysis Batch: 326820

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 326078

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Mercury	<0.000070	F1	0.00201	0.00160	F1	mg/L	79	80 - 120	

Lab Sample ID: 400-128367-A-3-C MSD

Matrix: Water

Analysis Batch: 326820

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 326078

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
Mercury	<0.000070	F1	0.00201	0.00160		mg/L	80	80 - 120	0	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-325304/1

Matrix: Water

Analysis Batch: 325304

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/04/16 15:59	1

Lab Sample ID: LCS 400-325304/2

Matrix: Water

Analysis Batch: 325304

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	270		mg/L	92	78 - 122	

Lab Sample ID: 400-127984-A-2 DU

Matrix: Water

Analysis Batch: 325304

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	10		10.0		mg/L		0	5

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-128049-1

SDG Number: AP

Login Number: 128049

List Source: TestAmerica Pensacola

List Number: 1

Creator: Perez, Trina M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	745515
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-1
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-128049-2

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

10/31/2016 10:46:00 AM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

 Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	8
Chronicle	9
QC Association	10
QC Sample Results	11
Chain of Custody	13
Receipt Checklists	14
Certification Summary	15

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-128049-1	MGWC-3	Water	09/29/16 08:28	10/01/16 08:57
400-128049-2	MGWC-2	Water	09/29/16 08:49	10/01/16 08:57
400-128049-3	MGWC-12	Water	09/29/16 08:24	10/01/16 08:57

1

2

3

4

5

6

7

8

9

10

11

12

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Client Sample ID: MGWC-3
Date Collected: 09/29/16 08:28
Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-1
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.990		0.212	0.230	1.00	0.161	pCi/L	10/05/16 14:54	10/27/16 14:53	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					10/05/16 14:54	10/27/16 14:53	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.439		0.270	0.273	1.00	0.413	pCi/L	10/05/16 15:26	10/26/16 15:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					10/05/16 15:26	10/26/16 15:05	1
Y Carrier	84.5		40 - 110					10/05/16 15:26	10/26/16 15:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.43		0.344	0.357	5.00	0.413	pCi/L		10/31/16 08:56	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 09/29/16 08:49

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.204	U	0.153	0.154	1.00	0.233	pCi/L	10/05/16 14:54	10/27/16 19:43	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	86.6		40 - 110					10/05/16 14:54	10/27/16 19:43	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.461		0.292	0.295	1.00	0.446	pCi/L	10/05/16 15:26	10/26/16 15:05	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	86.6		40 - 110					10/05/16 15:26	10/26/16 15:05	1
Y Carrier	80.4		40 - 110					10/05/16 15:26	10/26/16 15:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.665		0.329	0.333	5.00	0.446	pCi/L		10/31/16 08:56	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Client Sample ID: MGWC-12

Date Collected: 09/29/16 08:24

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-3

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.376		0.163	0.166	1.00	0.209	pCi/L	10/05/16 14:54	10/27/16 19:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		40 - 110					10/05/16 14:54	10/27/16 19:44	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.731		0.371	0.377	1.00	0.559	pCi/L	10/05/16 15:26	10/26/16 15:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.2		40 - 110					10/05/16 15:26	10/26/16 15:05	1
Y Carrier	80.7		40 - 110					10/05/16 15:26	10/26/16 15:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.11		0.405	0.412	5.00	0.559	pCi/L		10/31/16 08:56	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 09/29/16 08:28

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			273325	10/05/16 14:54	MCJ	TAL SL
Total/NA	Analysis	9315		1	276220	10/27/16 14:53	RTM	TAL SL
Total/NA	Prep	PrecSep_0			273330	10/05/16 15:26	MCJ	TAL SL
Total/NA	Analysis	9320		1	276037	10/26/16 15:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	276812	10/31/16 08:56	RTM	TAL SL

Client Sample ID: MGWC-2

Date Collected: 09/29/16 08:49

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			273325	10/05/16 14:54	MCJ	TAL SL
Total/NA	Analysis	9315		1	276218	10/27/16 19:43	RTM	TAL SL
Total/NA	Prep	PrecSep_0			273330	10/05/16 15:26	MCJ	TAL SL
Total/NA	Analysis	9320		1	276037	10/26/16 15:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	276812	10/31/16 08:56	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 09/29/16 08:24

Date Received: 10/01/16 08:57

Lab Sample ID: 400-128049-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			273325	10/05/16 14:54	MCJ	TAL SL
Total/NA	Analysis	9315		1	276218	10/27/16 19:44	RTM	TAL SL
Total/NA	Prep	PrecSep_0			273330	10/05/16 15:26	MCJ	TAL SL
Total/NA	Analysis	9320		1	276037	10/26/16 15:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	276812	10/31/16 08:56	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Rad

Prep Batch: 273325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	PrecSep-21	5
400-128049-2	MGWC-2	Total/NA	Water	PrecSep-21	6
400-128049-3	MGWC-12	Total/NA	Water	PrecSep-21	7
MB 160-273325/1-A	Method Blank	Total/NA	Water	PrecSep-21	8
LCS 160-273325/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	9
160-19227-A-3-C DU	Duplicate	Total/NA	Water	PrecSep-21	10

Prep Batch: 273330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-128049-1	MGWC-3	Total/NA	Water	PrecSep_0	9
400-128049-2	MGWC-2	Total/NA	Water	PrecSep_0	10
400-128049-3	MGWC-12	Total/NA	Water	PrecSep_0	11
MB 160-273330/1-A	Method Blank	Total/NA	Water	PrecSep_0	12
LCS 160-273330/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
160-19227-A-3-E DU	Duplicate	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-273325/1-A

Matrix: Water

Analysis Batch: 276295

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 273325

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.1334	U	0.150	0.151	1.00	0.246	pCi/L	10/05/16 14:54	10/27/16 10:38	1
Carrier										
Ba Carrier	86.6			40 - 110				Prepared	Analyzed	Dil Fac
								10/05/16 14:54	10/27/16 10:38	1

Lab Sample ID: LCS 160-273325/2-A

Matrix: Water

Analysis Batch: 276295

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 273325

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Added									
Radium-226			11.1	13.49	1.43	1.00	0.177	pCi/L	122	68 - 137
Carrier										
Ba Carrier	91.7			40 - 110						

Lab Sample ID: 160-19227-A-3-C DU

Matrix: Water

Analysis Batch: 276295

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 273325

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	0.425		0.4279		0.248	1.00	0.321	pCi/L	0.01	1
Carrier										
Ba Carrier	88.0			40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-273330/1-A

Matrix: Water

Analysis Batch: 276037

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 273330

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.7717		0.321	0.329	1.00	0.456	pCi/L	10/05/16 15:26	10/26/16 15:03	1
Carrier										
Ba Carrier	86.6			40 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	82.2			40 - 110				10/05/16 15:26	10/26/16 15:03	1
								10/05/16 15:26	10/26/16 15:03	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-273330/2-A

Matrix: Water

Analysis Batch: 276037

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 273330

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total RL	MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual						
Radium-228	14.4	15.83		1.71	1.00	0.389	pCi/L	110	56 - 140

LCS LCS

Carrier	%Yield	Qualifier	Limits
Ba Carrier	91.7		40 - 110
Y Carrier	82.2		40 - 110

Lab Sample ID: 160-19227-A-3-E DU

Matrix: Water

Analysis Batch: 276037

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 273330

Analyte	Sample		DU		Uncert. (2σ+/-)	Total RL	MDC	Unit	RER	RER Limit
	Result	Qual	Result	Qual						
Radium-228	0.797	U			0.584	1.00	0.787	pCi/L	0.52	1

DU DU

Carrier	%Yield	Qualifier	Limits
Ba Carrier	88.0		40 - 110
Y Carrier	83.0		40 - 110

TestAmerica Pensacola

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-128049-2

SDG Number: AP

Login Number: 128049

List Source: TestAmerica Pensacola

List Number: 1

Creator: Perez, Trina M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	745515
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	003757	11-30-16 *
Iowa	State Program	7	373	12-01-16 *
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-16
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA160008	12-31-16
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542016-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-128049-2
SDG: AP

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-17
Texas	NELAP	6	T104704193-16-10	07-31-17
USDA	Federal		P330-14-0016	01-09-17
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-130328-1

TestAmerica Sample Delivery Group: AP
Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

12/7/2016 1:09:14 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	23
Chronicle	24
QC Association	28
QC Sample Results	32
Chain of Custody	38
Receipt Checklists	40
Certification Summary	41

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Job ID: 400-130328-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-130328-1

HPLC/IC

Method(s) 300.0: The matrix spike duplicate (MSD) recoveries for analytical batch 333094 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method(s) 300.0: The following samples were diluted due to high conductivity: MGWC-7 (400-130328-6), MGWC-8 (400-130328-7), MGWC-1 (400-130328-8), MGWC-3 (400-130328-9), MGWC-2 (400-130328-10), DUP-1 (400-130328-12), (400-130328-A-6 MS) and (400-130328-A-6 MSD). Elevated reporting limits (RL) are provided.

Metals

Method(s) 6020: The method blank for preparation batch 331915 and analytical batch 332046 contained Arsenic and Selenium above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 6020: The following sample was diluted to bring the concentration of target analytes within the calibration range: MGWC-2 (400-130328-10). Elevated reporting limits (RLs) are provided.

Method(s) 6020: The native sample, post-digestion spike (PDS), matrix spike, and matrix spike duplicate (MS/MSD) associated with preparation batch 331915 and analytical batch 332046 were performed at the same dilution. Due to the additional level of analyte present in the spiked samples, the concentration of Boron and Calcium in the PDS/MS/MSD was above the instrument calibration range. The data have been reported and qualified.

Method(s) 7470A: The method blank for prep batch 332741 contained Mercury above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-10

Lab Sample ID: 400-130328-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.5		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	1.7		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.027		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	5.2		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0026		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0081		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	140		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-11

Lab Sample ID: 400-130328-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.1		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.12	J	0.20	0.082	mg/L	1	300.0		Total/NA
Arsenic	0.0013	B	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.11		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	33		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.021		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	270		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-130328-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.1		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.093	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	6.7		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.035		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	26		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.0094		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	250		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-130328-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.084	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	20		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.020	B	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.052		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.17		0.050	0.021	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-6 (Continued)

Lab Sample ID: 400-130328-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Calcium	98		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	340		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-130328-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.36		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	170	F1	5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.013		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	50		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0094		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.13		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Mercury	0.000080	J B	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	330		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-130328-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.5		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.091	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	130		5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.034		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Beryllium	0.00040	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Boron	0.98		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	27		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0040		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.031		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Thallium	0.000090	J	0.00050	0.000085	mg/L	5		6020	Total Recoverable
Mercury	0.00021	B	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	290		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-130328-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.24		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	130		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0030	B	0.0013	0.00046	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-1 (Continued)

Lab Sample ID: 400-130328-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.096		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.88		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	83		0.25	0.13	mg/L	5		6020	Total Recoverable
Lithium	0.013		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	410		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-3

Lab Sample ID: 400-130328-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.087	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	97		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0014	B	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.14		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.2		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	94		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.00041	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.014		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Mercury	0.000070	J B	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	420		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-130328-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	20		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	280		10	7.0	mg/L	10		300.0	Total/NA
Arsenic	0.00068	J B	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.056		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Cadmium	0.0022	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Calcium	120		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0032		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.0058		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Boron - DL	3.9		0.25	0.11	mg/L	25		6020	Total Recoverable
Mercury	0.00010	J B	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	680		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-130328-11

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-12 (Continued)

Lab Sample ID: 400-130328-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.5		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.25		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	3.0		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.0017	B	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.044		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.055		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	26		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.016		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Mercury	0.000086	J B	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	240		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-130328-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.37		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	170		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.00094	J B	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.014		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	50		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.0098		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.13		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Mercury	0.000081	J B	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	370		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-130328-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	0.026	J	0.050	0.021	mg/L	5	6020		Total Recoverable
Mercury	0.000078	J B	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	20		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: FERB-1

Lab Sample ID: 400-130328-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mercury	0.000086	J B	0.00020	0.000070	mg/L	1	7470A		Total/NA
Total Dissolved Solids	36		5.0	3.4	mg/L	1	SM 2540C		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1

SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-130328-1	MGWA-10	Water	11/16/16 08:55	11/18/16 08:33
400-130328-3	MGWA-11	Water	11/16/16 10:30	11/18/16 08:33
400-130328-4	MGWA-5	Water	11/16/16 10:45	11/18/16 08:33
400-130328-5	MGWA-6	Water	11/16/16 10:30	11/18/16 08:33
400-130328-6	MGWC-7	Water	11/16/16 11:50	11/18/16 08:33
400-130328-7	MGWC-8	Water	11/16/16 11:53	11/18/16 08:33
400-130328-8	MGWC-1	Water	11/16/16 13:27	11/18/16 08:33
400-130328-9	MGWC-3	Water	11/16/16 12:05	11/18/16 08:33
400-130328-10	MGWC-2	Water	11/16/16 12:15	11/18/16 08:33
400-130328-11	MGWC-12	Water	11/16/16 13:35	11/18/16 08:33
400-130328-12	DUP-1	Water	11/16/16 00:00	11/18/16 08:33
400-130328-13	FB-1	Water	11/16/16 13:20	11/18/16 08:33
400-130328-14	FERB-1	Water	11/16/16 13:25	11/18/16 08:33

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 11/16/16 08:55

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.5		1.0	0.89	mg/L			11/24/16 02:52	1
Fluoride	<0.082		0.20	0.082	mg/L			11/24/16 02:52	1
Sulfate	1.7		1.0	0.70	mg/L			11/24/16 02:52	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 19:48
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 19:48
Barium	0.027		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 19:48
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:48
Boron	<0.021		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 19:48
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:48
Calcium	5.2		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 19:48
Chromium	0.0026		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 19:48
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 19:48
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 19:48
Lithium	0.0081		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 19:48
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 19:48
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 19:48
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 19:48

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:44

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	140		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-11

Lab Sample ID: 400-130328-3

Date Collected: 11/16/16 10:30

Matrix: Water

Date Received: 11/18/16 08:33

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.1		1.0	0.89	mg/L			11/24/16 03:15	1
Fluoride	0.12	J	0.20	0.082	mg/L			11/24/16 03:15	1
Sulfate	<0.70		1.0	0.70	mg/L			11/24/16 03:15	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 19:52
Arsenic	0.0013	B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 19:52
Barium	0.11		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 19:52
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:52
Boron	<0.021		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 19:52
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:52
Calcium	33		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 19:52
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 19:52
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 19:52
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 19:52
Lithium	0.021		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 19:52
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 19:52
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 19:52
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 19:52

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:46

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	270		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-5

Date Collected: 11/16/16 10:45

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.1		1.0	0.89	mg/L			11/25/16 17:49	1
Fluoride	0.093	J	0.20	0.082	mg/L			11/25/16 17:49	1
Sulfate	6.7		1.0	0.70	mg/L			11/25/16 17:49	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 19:57
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 19:57
Barium	0.035		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 19:57
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:57
Boron	<0.021		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 19:57
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 19:57
Calcium	26		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 19:57
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 19:57
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 19:57
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 19:57
Lithium	0.0094		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 19:57
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 19:57
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 19:57
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 19:57

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:47

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	250		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-6

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			11/25/16 18:12	1
Fluoride	0.084	J	0.20	0.082	mg/L			11/25/16 18:12	1
Sulfate	20		1.0	0.70	mg/L			11/25/16 18:12	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 20:01
Arsenic	0.020	B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:01
Barium	0.052		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:01
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:01
Boron	0.17		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 20:01
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:01
Calcium	98		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:01
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:01
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:01
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:01
Lithium	<0.0032		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:01
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:01
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:01
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:01

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:48

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	340		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 11/16/16 11:50
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			11/25/16 18:58	1
Fluoride	0.36		0.20	0.082	mg/L			11/25/16 18:58	1
Sulfate	170	F1	5.0	3.5	mg/L			11/29/16 23:49	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 20:06
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:06
Barium	0.013		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:06
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:06
Boron	1.3		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 20:06
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:06
Calcium	50		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:06
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:06
Cobalt	0.0094		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:06
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:06
Lithium	0.13		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:06
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:06
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:06
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:06

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000080	J B	0.00020	0.000070	mg/L		11/28/16 09:32	11/30/16 12:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	330		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-8

Date Collected: 11/16/16 11:53

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.5		1.0	0.89	mg/L			11/25/16 19:21	1
Fluoride	0.091	J	0.20	0.082	mg/L			11/25/16 19:21	1
Sulfate	130		5.0	3.5	mg/L			11/30/16 00:58	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:10
Barium	0.034		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:10
Beryllium	0.00040	J	0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:10
Boron	0.98		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 20:10
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:10
Calcium	27		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:10
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:10
Cobalt	0.0040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:10
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:10
Lithium	0.031		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:10
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:10
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:10
Thallium	0.000090	J	0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:10

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00021	B	0.00020	0.000070	mg/L		11/28/16 09:32	11/30/16 12:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	290		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-1

Date Collected: 11/16/16 13:27
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			11/25/16 19:43	1
Fluoride	0.24		0.20	0.082	mg/L			11/25/16 19:43	1
Sulfate	130		5.0	3.5	mg/L			11/30/16 01:21	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 20:15
Arsenic	0.0030	B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:15
Barium	0.096		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:15
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:15
Boron	0.88		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 20:15
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:15
Calcium	83		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:15
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:15
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:15
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:15
Lithium	0.013		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:15
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:15
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:15
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:15

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:52

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	410		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 11/16/16 12:05

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			11/25/16 20:52	1
Fluoride	0.087	J	0.20	0.082	mg/L			11/25/16 20:52	1
Sulfate	97		5.0	3.5	mg/L			11/30/16 01:44	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 20:19
Arsenic	0.0014	B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:19
Barium	0.14		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:19
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:19
Boron	1.2		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 20:19
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:19
Calcium	94		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:19
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:19
Cobalt	0.00041	J	0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:19
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:19
Lithium	0.014		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:19
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:19
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:19
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:19

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000070	J B	0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 12:53

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	420		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-2

Lab Sample ID: 400-130328-10

Matrix: Water

Date Collected: 11/16/16 12:15

Date Received: 11/18/16 08:33

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20		1.0	0.89	mg/L			11/25/16 21:15	1
Fluoride	<0.082		0.20	0.082	mg/L			11/25/16 21:15	1
Sulfate	280		10	7.0	mg/L			11/30/16 02:07	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 20:51
Arsenic	0.00068	J B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 20:51
Barium	0.056		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 20:51
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:51
Cadmium	0.0022	J	0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 20:51
Calcium	120		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 20:51
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 20:51
Cobalt	0.0032		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 20:51
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 20:51
Lithium	0.0058		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 20:51
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 20:51
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 20:51
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 20:51

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.9		0.25	0.11	mg/L			11/21/16 09:23	11/21/16 20:55

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00010	J B	0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 13:03

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	680		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-12

Lab Sample ID: 400-130328-11

Matrix: Water

Date Collected: 11/16/16 13:35

Date Received: 11/18/16 08:33

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.5		1.0	0.89	mg/L			11/25/16 21:38	1
Fluoride	0.25		0.20	0.082	mg/L			11/25/16 21:38	1
Sulfate	3.0		1.0	0.70	mg/L			11/30/16 03:15	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 21:00
Arsenic	0.0017	B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 21:00
Barium	0.044		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 21:00
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:00
Boron	0.055		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 21:00
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:00
Calcium	26		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 21:00
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 21:00
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 21:00
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 21:00
Lithium	0.016		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 21:00
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 21:00
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 21:00
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 21:00

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000086	J B	0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 13:04

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	240		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: DUP-1

Lab Sample ID: 400-130328-12

Date Collected: 11/16/16 00:00

Matrix: Water

Date Received: 11/18/16 08:33

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			11/25/16 22:00	1
Fluoride	0.37		0.20	0.082	mg/L			11/25/16 22:00	1
Sulfate	170		5.0	3.5	mg/L			11/30/16 03:38	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 21:04
Arsenic	0.00094	J B	0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 21:04
Barium	0.014		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 21:04
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:04
Boron	1.3		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 21:04
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:04
Calcium	50		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 21:04
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 21:04
Cobalt	0.0098		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 21:04
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 21:04
Lithium	0.13		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 21:04
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 21:04
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 21:04
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 21:04

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000081	J B	0.00020	0.000070	mg/L			11/28/16 09:32	11/30/16 13:05

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	370		5.0	3.4	mg/L			11/19/16 15:37	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: FB-1

Lab Sample ID: 400-130328-13

Date Collected: 11/16/16 13:20

Matrix: Water

Date Received: 11/18/16 08:33

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			11/25/16 22:23	1
Fluoride	<0.082		0.20	0.082	mg/L			11/25/16 22:23	1
Sulfate	<0.70		1.0	0.70	mg/L			11/30/16 04:01	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	11/21/16 21:09
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 21:09
Barium	<0.00049		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 21:09
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:09
Boron	0.026 J		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 21:09
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:09
Calcium	<0.13		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 21:09
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 21:09
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 21:09
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 21:09
Lithium	<0.0032		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 21:09
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 21:09
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 21:09
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 21:09

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000078	J B	0.00020	0.000070	mg/L		11/28/16 09:32	11/30/16 13:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	20		5.0	3.4	mg/L			11/22/16 19:16	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: FERB-1

Date Collected: 11/16/16 13:25
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-14 Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			11/25/16 22:46	1
Fluoride	<0.082		0.20	0.082	mg/L			11/25/16 22:46	1
Sulfate	<0.70		1.0	0.70	mg/L			11/30/16 04:23	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			11/21/16 09:23	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			11/21/16 09:23	11/21/16 21:13
Barium	<0.00049		0.0025	0.00049	mg/L			11/21/16 09:23	11/21/16 21:13
Beryllium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:13
Boron	<0.021		0.050	0.021	mg/L			11/21/16 09:23	11/21/16 21:13
Cadmium	<0.00034		0.0025	0.00034	mg/L			11/21/16 09:23	11/21/16 21:13
Calcium	<0.13		0.25	0.13	mg/L			11/21/16 09:23	11/21/16 21:13
Chromium	<0.0011		0.0025	0.0011	mg/L			11/21/16 09:23	11/21/16 21:13
Cobalt	<0.00040		0.0025	0.00040	mg/L			11/21/16 09:23	11/21/16 21:13
Lead	<0.00035		0.0013	0.00035	mg/L			11/21/16 09:23	11/21/16 21:13
Lithium	<0.0032		0.0050	0.0032	mg/L			11/21/16 09:23	11/21/16 21:13
Molybdenum	<0.00085		0.015	0.00085	mg/L			11/21/16 09:23	11/21/16 21:13
Selenium	<0.00024		0.0013	0.00024	mg/L			11/21/16 09:23	11/21/16 21:13
Thallium	<0.000085		0.00050	0.000085	mg/L			11/21/16 09:23	11/21/16 21:13

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000086	J B	0.00020	0.000070	mg/L		11/28/16 09:32	11/30/16 13:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	36		5.0	3.4	mg/L			11/22/16 19:16	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD Recovery is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 11/16/16 08:55

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332498	11/24/16 02:52	KH1	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 19:48	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:44	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWA-11

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332498	11/24/16 03:15	KH1	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 19:52	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:46	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 11/16/16 10:45

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 17:49	KH1	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 19:57	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:47	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 18:12	KH1	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:01	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:48	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 11/16/16 11:50
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 18:58	KH1	TAL PEN
Total/NA	Analysis	300.0		5	333094	11/29/16 23:49	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:06	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:50	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 11/16/16 11:53
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 19:21	KH1	TAL PEN
Total/NA	Analysis	300.0		5	333094	11/30/16 00:58	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:10	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:51	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWC-1

Date Collected: 11/16/16 13:27
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 19:43	KH1	TAL PEN
Total/NA	Analysis	300.0		5	333094	11/30/16 01:21	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:15	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:52	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWC-3

Date Collected: 11/16/16 12:05
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 20:52	KH1	TAL PEN
Total/NA	Analysis	300.0		5	333094	11/30/16 01:44	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: MGWC-3

Date Collected: 11/16/16 12:05
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:19	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 12:53	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 11/16/16 12:15
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 21:15	KH1	TAL PEN
Total/NA	Analysis	300.0		10	333094	11/30/16 02:07	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 20:51	AJR	TAL PEN
Total Recoverable	Prep	3005A	DL		331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	25	332046	11/21/16 20:55	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 13:03	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 11/16/16 13:35
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 21:38	KH1	TAL PEN
Total/NA	Analysis	300.0		1	333094	11/30/16 03:15	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 21:00	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 13:04	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: DUP-1

Date Collected: 11/16/16 00:00
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 22:00	KH1	TAL PEN
Total/NA	Analysis	300.0		5	333094	11/30/16 03:38	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 21:04	AJR	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Client Sample ID: DUP-1

Date Collected: 11/16/16 00:00
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 13:05	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	331810	11/19/16 15:37	RRC	TAL PEN

Client Sample ID: FB-1

Date Collected: 11/16/16 13:20
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 22:23	KH1	TAL PEN
Total/NA	Analysis	300.0		1	333094	11/30/16 04:01	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 21:09	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 13:07	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Client Sample ID: FERB-1

Date Collected: 11/16/16 13:25
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	332556	11/25/16 22:46	KH1	TAL PEN
Total/NA	Analysis	300.0		1	333094	11/30/16 04:23	TAJ	TAL PEN
Total Recoverable	Prep	3005A			331915	11/21/16 09:23	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	332046	11/21/16 21:13	AJR	TAL PEN
Total/NA	Prep	7470A			332741	11/28/16 09:32	JAP	TAL PEN
Total/NA	Analysis	7470A		1	333178	11/30/16 13:08	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	332203	11/22/16 19:16	RRC	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

HPLC/IC

Analysis Batch: 332498

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	300.0	
400-130328-3	MGWA-11	Total/NA	Water	300.0	
MB 400-332498/3	Method Blank	Total/NA	Water	300.0	
LCS 400-332498/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-332498/5	Lab Control Sample Dup	Total/NA	Water	300.0	
400-130353-I-2 MS	Matrix Spike	Total/NA	Water	300.0	
400-130353-I-2 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 332556

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-4	MGWA-5	Total/NA	Water	300.0	
400-130328-5	MGWA-6	Total/NA	Water	300.0	
400-130328-6	MGWC-7	Total/NA	Water	300.0	
400-130328-7	MGWC-8	Total/NA	Water	300.0	
400-130328-8	MGWC-1	Total/NA	Water	300.0	
400-130328-9	MGWC-3	Total/NA	Water	300.0	
400-130328-10	MGWC-2	Total/NA	Water	300.0	
400-130328-11	MGWC-12	Total/NA	Water	300.0	
400-130328-12	DUP-1	Total/NA	Water	300.0	
400-130328-13	FB-1	Total/NA	Water	300.0	
400-130328-14	FERB-1	Total/NA	Water	300.0	
MB 400-332556/3	Method Blank	Total/NA	Water	300.0	
LCS 400-332556/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-332556/5	Lab Control Sample Dup	Total/NA	Water	300.0	
400-130413-A-2 MS	Matrix Spike	Total/NA	Water	300.0	
400-130413-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 333094

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-6	MGWC-7	Total/NA	Water	300.0	
400-130328-7	MGWC-8	Total/NA	Water	300.0	
400-130328-8	MGWC-1	Total/NA	Water	300.0	
400-130328-9	MGWC-3	Total/NA	Water	300.0	
400-130328-10	MGWC-2	Total/NA	Water	300.0	
400-130328-11	MGWC-12	Total/NA	Water	300.0	
400-130328-12	DUP-1	Total/NA	Water	300.0	
400-130328-13	FB-1	Total/NA	Water	300.0	
400-130328-14	FERB-1	Total/NA	Water	300.0	
MB 400-333094/35	Method Blank	Total/NA	Water	300.0	
LCS 400-333094/36	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-333094/37	Lab Control Sample Dup	Total/NA	Water	300.0	
400-130328-6 MS	MGWC-7	Total/NA	Water	300.0	
400-130328-6 MSD	MGWC-7	Total/NA	Water	300.0	

Metals

Prep Batch: 331915

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total Recoverable	Water	3005A	
400-130328-3	MGWA-11	Total Recoverable	Water	3005A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Metals (Continued)

Prep Batch: 331915 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-4	MGWA-5	Total Recoverable	Water	3005A	1
400-130328-5	MGWA-6	Total Recoverable	Water	3005A	2
400-130328-6	MGWC-7	Total Recoverable	Water	3005A	3
400-130328-7	MGWC-8	Total Recoverable	Water	3005A	4
400-130328-8	MGWC-1	Total Recoverable	Water	3005A	5
400-130328-9	MGWC-3	Total Recoverable	Water	3005A	6
400-130328-10	MGWC-2	Total Recoverable	Water	3005A	7
400-130328-10 - DL	MGWC-2	Total Recoverable	Water	3005A	8
400-130328-11	MGWC-12	Total Recoverable	Water	3005A	9
400-130328-12	DUP-1	Total Recoverable	Water	3005A	10
400-130328-13	FB-1	Total Recoverable	Water	3005A	11
400-130328-14	FERB-1	Total Recoverable	Water	3005A	12
MB 400-331915/1-A ^5	Method Blank	Total Recoverable	Water	3005A	13
LCS 400-331915/2-A	Lab Control Sample	Total Recoverable	Water	3005A	14
400-130004-A-1-B MS ^5	Matrix Spike	Total Recoverable	Water	3005A	
400-130004-A-1-C MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 332046

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total Recoverable	Water	6020	331915
400-130328-3	MGWA-11	Total Recoverable	Water	6020	331915
400-130328-4	MGWA-5	Total Recoverable	Water	6020	331915
400-130328-5	MGWA-6	Total Recoverable	Water	6020	331915
400-130328-6	MGWC-7	Total Recoverable	Water	6020	331915
400-130328-7	MGWC-8	Total Recoverable	Water	6020	331915
400-130328-8	MGWC-1	Total Recoverable	Water	6020	331915
400-130328-9	MGWC-3	Total Recoverable	Water	6020	331915
400-130328-10	MGWC-2	Total Recoverable	Water	6020	331915
400-130328-10 - DL	MGWC-2	Total Recoverable	Water	6020	331915
400-130328-11	MGWC-12	Total Recoverable	Water	6020	331915
400-130328-12	DUP-1	Total Recoverable	Water	6020	331915
400-130328-13	FB-1	Total Recoverable	Water	6020	331915
400-130328-14	FERB-1	Total Recoverable	Water	6020	331915
MB 400-331915/1-A ^5	Method Blank	Total Recoverable	Water	6020	331915
LCS 400-331915/2-A	Lab Control Sample	Total Recoverable	Water	6020	331915
400-130004-A-1-B MS ^5	Matrix Spike	Total Recoverable	Water	6020	331915
400-130004-A-1-C MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	6020	331915

Prep Batch: 332741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	7470A	
400-130328-3	MGWA-11	Total/NA	Water	7470A	
400-130328-4	MGWA-5	Total/NA	Water	7470A	
400-130328-5	MGWA-6	Total/NA	Water	7470A	
400-130328-6	MGWC-7	Total/NA	Water	7470A	
400-130328-7	MGWC-8	Total/NA	Water	7470A	
400-130328-8	MGWC-1	Total/NA	Water	7470A	
400-130328-9	MGWC-3	Total/NA	Water	7470A	
400-130328-10	MGWC-2	Total/NA	Water	7470A	
400-130328-11	MGWC-12	Total/NA	Water	7470A	
400-130328-12	DUP-1	Total/NA	Water	7470A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Metals (Continued)

Prep Batch: 332741 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-13	FB-1	Total/NA	Water	7470A	
400-130328-14	FERB-1	Total/NA	Water	7470A	
MB 400-332741/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-332741/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-130430-G-4-B MS	Matrix Spike	Total/NA	Water	7470A	
400-130430-G-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 333178

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	7470A	332741
400-130328-3	MGWA-11	Total/NA	Water	7470A	332741
400-130328-4	MGWA-5	Total/NA	Water	7470A	332741
400-130328-5	MGWA-6	Total/NA	Water	7470A	332741
400-130328-6	MGWC-7	Total/NA	Water	7470A	332741
400-130328-7	MGWC-8	Total/NA	Water	7470A	332741
400-130328-8	MGWC-1	Total/NA	Water	7470A	332741
400-130328-9	MGWC-3	Total/NA	Water	7470A	332741
400-130328-10	MGWC-2	Total/NA	Water	7470A	332741
400-130328-11	MGWC-12	Total/NA	Water	7470A	332741
400-130328-12	DUP-1	Total/NA	Water	7470A	332741
400-130328-13	FB-1	Total/NA	Water	7470A	332741
400-130328-14	FERB-1	Total/NA	Water	7470A	332741
MB 400-332741/14-A	Method Blank	Total/NA	Water	7470A	332741
LCS 400-332741/15-A	Lab Control Sample	Total/NA	Water	7470A	332741
400-130430-G-4-B MS	Matrix Spike	Total/NA	Water	7470A	332741
400-130430-G-4-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	332741

General Chemistry

Analysis Batch: 331810

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-12	DUP-1	Total/NA	Water	SM 2540C	
MB 400-331810/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-331810/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-130191-B-2 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 332203

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	SM 2540C	
400-130328-3	MGWA-11	Total/NA	Water	SM 2540C	
400-130328-4	MGWA-5	Total/NA	Water	SM 2540C	
400-130328-5	MGWA-6	Total/NA	Water	SM 2540C	
400-130328-6	MGWC-7	Total/NA	Water	SM 2540C	
400-130328-7	MGWC-8	Total/NA	Water	SM 2540C	
400-130328-8	MGWC-1	Total/NA	Water	SM 2540C	
400-130328-9	MGWC-3	Total/NA	Water	SM 2540C	
400-130328-10	MGWC-2	Total/NA	Water	SM 2540C	
400-130328-11	MGWC-12	Total/NA	Water	SM 2540C	
400-130328-13	FB-1	Total/NA	Water	SM 2540C	
400-130328-14	FERB-1	Total/NA	Water	SM 2540C	

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

General Chemistry (Continued)

Analysis Batch: 332203 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-332203/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-332203/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-130328-3 DU	MGWA-11	Total/NA	Water	SM 2540C	
400-130328-11 DU	MGWC-12	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-332498/3

Matrix: Water

Analysis Batch: 332498

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			11/23/16 16:02	1
Fluoride	<0.082		0.20	0.082	mg/L			11/23/16 16:02	1
Sulfate	<0.70		1.0	0.70	mg/L			11/23/16 16:02	1

Lab Sample ID: LCS 400-332498/4

Matrix: Water

Analysis Batch: 332498

Analyte	Spike Added	LCS			D	%Rec	%Rec.
		Result	Qualifier	Unit			
Chloride	10.0	10.0		mg/L	100	90 - 110	
Fluoride	10.0	10.2		mg/L	102	90 - 110	
Sulfate	10.0	9.64		mg/L	96	90 - 110	

Lab Sample ID: LCSD 400-332498/5

Matrix: Water

Analysis Batch: 332498

Analyte	Spike Added	LCSD			D	%Rec	%Rec.	RPD	RPD Limit
		Result	Qualifier	Unit					
Chloride	10.0	10.2		mg/L	102	90 - 110		2	15
Fluoride	10.0	10.4		mg/L	104	90 - 110		2	15
Sulfate	10.0	9.86		mg/L	99	90 - 110		2	15

Lab Sample ID: 400-130353-I-2 MS

Matrix: Water

Analysis Batch: 332498

Analyte	Sample Result	Sample Qualifier	Spike Added	MS			D	%Rec	%Rec.
				Result	Qualifier	Unit			
Chloride	2700	E	500	3090	E 4	mg/L	88	80 - 120	
Fluoride	26		500	583		mg/L	111	80 - 120	
Sulfate	810		500	1310		mg/L	100	80 - 120	

Lab Sample ID: 400-130353-I-2 MSD

Matrix: Water

Analysis Batch: 332498

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD			D	%Rec	%Rec.
				Result	Qualifier	Unit			
Chloride	2700	E	500	3080	E 4	mg/L	84	80 - 120	1 20
Fluoride	26		500	582		mg/L	111	80 - 120	0 20
Sulfate	810		500	1310		mg/L	100	80 - 120	0 20

Lab Sample ID: MB 400-332556/3

Matrix: Water

Analysis Batch: 332556

Analyte	MB Result	MB Qualifier	RL	Unit			D	Prepared	Analyzed	Dil Fac
				MDL	Unit	D				
Chloride	<0.89		1.0	0.89	mg/L				11/25/16 11:44	1
Fluoride	<0.082		0.20	0.082	mg/L				11/25/16 11:44	1
Sulfate	<0.70		1.0	0.70	mg/L				11/25/16 11:44	1

Client Sample ID: Method Blank
Prep Type: Total/NA

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-332556/4

Matrix: Water

Analysis Batch: 332556

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	10.1		mg/L		101	90 - 110	
Fluoride	10.0	10.1		mg/L		101	90 - 110	
Sulfate	10.0	9.83		mg/L		98	90 - 110	

Lab Sample ID: LCSD 400-332556/5

Matrix: Water

Analysis Batch: 332556

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	10.0	9.99		mg/L		100	90 - 110	1	15
Fluoride	10.0	10.0		mg/L		100	90 - 110	0	15
Sulfate	10.0	9.75		mg/L		98	90 - 110	1	15

Lab Sample ID: 400-130413-A-2 MS

Matrix: Water

Analysis Batch: 332556

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	150		500	662		mg/L		102	80 - 120		
Fluoride	<4.1		500	516		mg/L		103	80 - 120		
Sulfate	590		500	1050		mg/L		93	80 - 120		

Lab Sample ID: 400-130413-A-2 MSD

Matrix: Water

Analysis Batch: 332556

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	150		500	662		mg/L		102	80 - 120	0	20
Fluoride	<4.1		500	521		mg/L		104	80 - 120	1	20
Sulfate	590		500	1060		mg/L		93	80 - 120	0	20

Lab Sample ID: MB 400-333094/35

Matrix: Water

Analysis Batch: 333094

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			11/29/16 22:18	1
Fluoride	<0.082		0.20	0.082	mg/L			11/29/16 22:18	1
Sulfate	<0.70		1.0	0.70	mg/L			11/29/16 22:18	1

Lab Sample ID: LCS 400-333094/36

Matrix: Water

Analysis Batch: 333094

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.92		mg/L		99	90 - 110	
Fluoride	10.0	9.86		mg/L		99	90 - 110	
Sulfate	10.0	9.55		mg/L		96	90 - 110	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-333094/37

Matrix: Water

Analysis Batch: 333094

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.94		mg/L		99	90 - 110	0	15
Fluoride	10.0	9.87		mg/L		99	90 - 110	0	15
Sulfate	10.0	9.52		mg/L		95	90 - 110	0	15

Lab Sample ID: 400-130328-6 MS

Matrix: Water

Analysis Batch: 333094

Client Sample ID: MGWC-7
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	27	F1	50.0	67.3		mg/L		80	80 - 120
Fluoride	0.41	J	50.0	51.8		mg/L		104	80 - 120
Sulfate	170	F1	50.0	221		mg/L		92	80 - 120

Lab Sample ID: 400-130328-6 MSD

Matrix: Water

Analysis Batch: 333094

Client Sample ID: MGWC-7
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	27	F1	50.0	65.4	F1	mg/L		76	80 - 120	3	20
Fluoride	0.41	J	50.0	51.6		mg/L		103	80 - 120	0	20
Sulfate	170	F1	50.0	209	F1	mg/L		68	80 - 120	6	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-331915/1-A ^5

Matrix: Water

Analysis Batch: 332046

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 331915

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		11/21/16 09:23	11/21/16 15:17	5
Arsenic	0.000520	J	0.0013	0.00046	mg/L		11/21/16 09:23	11/21/16 15:17	5
Barium	<0.00049		0.0025	0.00049	mg/L		11/21/16 09:23	11/21/16 15:17	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		11/21/16 09:23	11/21/16 15:17	5
Boron	<0.021		0.050	0.021	mg/L		11/21/16 09:23	11/21/16 15:17	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		11/21/16 09:23	11/21/16 15:17	5
Calcium	<0.13		0.25	0.13	mg/L		11/21/16 09:23	11/21/16 15:17	5
Chromium	<0.0011		0.0025	0.0011	mg/L		11/21/16 09:23	11/21/16 15:17	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		11/21/16 09:23	11/21/16 15:17	5
Lead	<0.00035		0.0013	0.00035	mg/L		11/21/16 09:23	11/21/16 15:17	5
Lithium	<0.0032		0.0050	0.0032	mg/L		11/21/16 09:23	11/21/16 15:17	5
Molybdenum	<0.00085		0.015	0.00085	mg/L		11/21/16 09:23	11/21/16 15:17	5
Selenium	0.000470	J	0.0013	0.00024	mg/L		11/21/16 09:23	11/21/16 15:17	5
Thallium	<0.000085		0.00050	0.000085	mg/L		11/21/16 09:23	11/21/16 15:17	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 400-331915/2-A

Matrix: Water

Analysis Batch: 332046

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 331915

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Antimony	0.0500	0.0527		mg/L	105	80 - 120	
Arsenic	0.0500	0.0541		mg/L	108	80 - 120	
Barium	0.0500	0.0488		mg/L	98	80 - 120	
Beryllium	0.0500	0.0488		mg/L	98	80 - 120	
Boron	0.100	0.107		mg/L	107	80 - 120	
Cadmium	0.0500	0.0518		mg/L	104	80 - 120	
Calcium	5.00	4.86		mg/L	97	80 - 120	
Chromium	0.0500	0.0506		mg/L	101	80 - 120	
Cobalt	0.0500	0.0491		mg/L	98	80 - 120	
Lead	0.0500	0.0476		mg/L	95	80 - 120	
Lithium	0.0500	0.0525		mg/L	105	80 - 120	
Molybdenum	0.0500	0.0510		mg/L	102	80 - 120	
Selenium	0.0500	0.0510		mg/L	102	80 - 120	
Thallium	0.0100	0.0100		mg/L	100	80 - 120	

Lab Sample ID: 400-130004-A-1-B MS ^5

Matrix: Water

Analysis Batch: 332046

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 331915

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Antimony	<0.0010		0.0500	0.0532		mg/L	106	75 - 125	
Arsenic	0.011	B	0.0500	0.0635		mg/L	104	75 - 125	
Barium	0.021		0.0500	0.0679		mg/L	93	75 - 125	
Beryllium	0.00047	J	0.0500	0.0481		mg/L	95	75 - 125	
Boron	4.3	E	0.100	4.69	E 4	mg/L	347	75 - 125	
Cadmium	<0.00034		0.0500	0.0493		mg/L	99	75 - 125	
Calcium	110		5.00	108	4	mg/L	48	75 - 125	
Chromium	<0.0011		0.0500	0.0475		mg/L	95	75 - 125	
Cobalt	0.0085		0.0500	0.0542		mg/L	91	75 - 125	
Lead	0.00092	J	0.0500	0.0487		mg/L	96	75 - 125	
Lithium	0.0095		0.0500	0.0638		mg/L	109	75 - 125	
Molybdenum	<0.00085		0.0500	0.0495		mg/L	99	75 - 125	
Selenium	0.013	B	0.0500	0.0634		mg/L	100	75 - 125	
Thallium	0.00028	J	0.0100	0.0104		mg/L	101	75 - 125	

Lab Sample ID: 400-130004-A-1-C MSD ^5

Matrix: Water

Analysis Batch: 332046

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total Recoverable

Prep Batch: 331915

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<0.0010		0.0500	0.0519		mg/L	104	75 - 125		2	20
Arsenic	0.011	B	0.0500	0.0644		mg/L	106	75 - 125		1	20
Barium	0.021		0.0500	0.0681		mg/L	94	75 - 125		0	20
Beryllium	0.00047	J	0.0500	0.0485		mg/L	96	75 - 125		1	20
Boron	4.3	E	0.100	4.68	E 4	mg/L	344	75 - 125		0	20
Cadmium	<0.00034		0.0500	0.0512		mg/L	102	75 - 125		4	20
Calcium	110		5.00	108	4	mg/L	66	75 - 125		1	20
Chromium	<0.0011		0.0500	0.0494		mg/L	99	75 - 125		4	20

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-130004-A-1-C MSD ^5

Matrix: Water

Analysis Batch: 332046

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 331915

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Cobalt	0.0085		0.0500	0.0553		mg/L	94	75 - 125	2	20	
Lead	0.00092	J	0.0500	0.0492		mg/L	97	75 - 125	1	20	
Lithium	0.0095		0.0500	0.0639		mg/L	109	75 - 125	0	20	
Molybdenum	<0.00085		0.0500	0.0514		mg/L	103	75 - 125	4	20	
Selenium	0.013	B	0.0500	0.0626		mg/L	99	75 - 125	1	20	
Thallium	0.00028	J	0.0100	0.0106		mg/L	103	75 - 125	2	20	

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-332741/14-A

Matrix: Water

Analysis Batch: 333178

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 332741

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	0.000103	J	0.00020	0.000070	mg/L		11/28/16 09:17	11/30/16 12:42	1

Lab Sample ID: LCS 400-332741/15-A

Matrix: Water

Analysis Batch: 333178

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 332741

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits
	Added						
Mercury	0.00101	0.000990		mg/L		98	80 - 120

Lab Sample ID: 400-130430-G-4-B MS

Matrix: Water

Analysis Batch: 333178

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 332741

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
Mercury	0.00012	J B	0.00201	0.00193		mg/L	90	80 - 120	

Lab Sample ID: 400-130430-G-4-C MSD

Matrix: Water

Analysis Batch: 333178

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 332741

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Mercury	0.00012	J B	0.00201	0.00193		mg/L	90	80 - 120	0	20	

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-331810/1

Matrix: Water

Analysis Batch: 331810

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L		11/19/16 15:37		1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
SDG: AP

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 400-331810/2

Matrix: Water

Analysis Batch: 331810

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Total Dissolved Solids	293	320		mg/L	109	78 - 122	

Lab Sample ID: 400-130191-B-2 DU

Matrix: Water

Analysis Batch: 331810

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD
Total Dissolved Solids	110		108		mg/L		0

Lab Sample ID: MB 400-332203/1

Matrix: Water

Analysis Batch: 332203

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			11/22/16 19:16	1

Lab Sample ID: LCS 400-332203/2

Matrix: Water

Analysis Batch: 332203

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec
Total Dissolved Solids	293	292		mg/L	100	78 - 122

Lab Sample ID: 400-130328-3 DU

Matrix: Water

Analysis Batch: 332203

Client Sample ID: MGWA-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD
Total Dissolved Solids	270		268		mg/L		0.7

Lab Sample ID: 400-130328-11 DU

Matrix: Water

Analysis Batch: 332203

Client Sample ID: MGWC-12
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD
Total Dissolved Solids	240		242		mg/L		0

TestAmerica Pensacola

3355 Mclemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client Information		Sample:		Carrier Tracking No(s):		COC No:	
Client Contact:	Joju Abraham	ERM-T Payne, M. Thomas, C. Hurdle, Tracy Wardell, W. Virgo <i>[Signature]</i>	700	Lab PM:	Whitmire, Cheyenne R	Page:	1 of 2
Company:	Southern Company	Phone:	678-485-2700	E-Mail:	cheyenne.whitmire@testamericainc.com	Job #:	
Analysis Requested							
Address:		Due Date Requested:		Preservation Codes:			
City:	Atlanta	TAT Requested (days):		A - HCl	M - Hexane		
State/Zip:	GA, 30308	PO #:		B - NaOH	N - None		
Phone:	404-506-7239	VIO #:		C - Zn Acetate	O - AshtaoZ		
Email:	JAbraham@southernco.com	Project #:		D - Nitric Acid	P - Na2O4S		
Project Name:	CCR - Plant McIntosh	SSOW#:		E - NaHSO4	Q - Na2SCo3		
Site:	AP			F - MeOH	R - H2SO4		
				G - Amchlor	S - TSP Dodecylbenzene		
				H - Ascorbic Acid	I - Ige		
				J - D Water	K - EDTA		
				L - EDA	M - Acetone		
				N - pH 4-5	V - Other (specify)		
				Other:	Z - Other (specify)		
Special Instructions/Note:							
Total Number of containers:							
TDS - SM 2540C; Cl,F,SO4 - EPA 300							
Metals Appendix III & IV - EPA 6020 & EPA 7470							
Radium 226 & 228 - SW-846 9315 & 9320							
Protocols/Instructions/SDS (List No):							
Preservation Codes:							
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Sample Matrix (W=water, S=solid, O=oil, T=tissue, E=tissue extract)		
MGWA-10		11/16/16	8:55	G	W	1	1
MGWA-11		11/16/16	10:30	G	W	1	1
MGWA-5		11/16/16	10:45	G	W	1	1
MGWA-6		11/16/16	10:30	G	W	1	1
MGWC-7		11/16/16	11:50	G	W	1	1
MGWC-8		11/16/16	11:53	G	W	1	1
MGWC-1		11/16/16	13:27	G	W	1	1
MGWC-3		11/16/16	12:05	G	W	1	1
MGWC-2		11/16/16	12:15	G	W	1	2
MGWC-12		11/16/16	13:35	G	W	1	1
DUP-1		11/16/16	-	G	W	1	1
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
<input checked="" type="checkbox"/> Non-Hazard		<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	<input type="checkbox"/> Disposal By Lab
Deliverable Requested: I, II, III, IV, Other (specify)							
Empty Kit Relinquished by:							
Relinquished by:	<i>Jill Virgo</i>	Date/Time:	11/17/16 10:36	Company:	Received by:	Date/Time:	11/17/16
Relinquished by:	<i>Jill Virgo</i>	Date/Time:	11/17/16 10:36	Company:	Received by:	Date/Time:	11/17/16
Relinquished by:	<i>Jill Virgo</i>	Date/Time:	11/17/16 10:36	Company:	Received by:	Date/Time:	11/17/16
Special Instructions/QC Requirements: Please also provide results to Maria Padilla and Heath McCormick							
Method of Shipment:							
Sample Disposal		Time:					
<input type="checkbox"/> Return To Client		<input checked="" type="checkbox"/> Archive For Months					
Cooler Temperature(s) °C and other Remarks:							
Custody Seal intact		Custody Seal No.:		5.0 °C, 4.6 °C TRS			
Δ Yes		Δ No					

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-130328-1

SDG Number: AP

Login Number: 130328

List Source: TestAmerica Pensacola

List Number: 1

Creator: Hughes, Nicholas T

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.6°C, 5.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-1
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-130328-2

TestAmerica Sample Delivery Group: AP

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Attn: Joju Abraham



Authorized for release by:

12/30/2016 1:27:31 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	18
Chronicle	19
QC Association	23
QC Sample Results	24
Chain of Custody	26
Receipt Checklists	28
Certification Summary	29

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1
2
3
4
5
6
7
8
9
10
11
12

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
 SDG: AP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-130328-1	MGWA-10	Water	11/16/16 08:55	11/18/16 08:33
400-130328-3	MGWA-11	Water	11/16/16 10:30	11/18/16 08:33
400-130328-4	MGWA-5	Water	11/16/16 10:45	11/18/16 08:33
400-130328-5	MGWA-6	Water	11/16/16 10:30	11/18/16 08:33
400-130328-6	MGWC-7	Water	11/16/16 11:50	11/18/16 08:33
400-130328-7	MGWC-8	Water	11/16/16 11:53	11/18/16 08:33
400-130328-8	MGWC-1	Water	11/16/16 13:27	11/18/16 08:33
400-130328-9	MGWC-3	Water	11/16/16 12:05	11/18/16 08:33
400-130328-10	MGWC-2	Water	11/16/16 12:15	11/18/16 08:33
400-130328-11	MGWC-12	Water	11/16/16 13:35	11/18/16 08:33
400-130328-12	DUP-1	Water	11/16/16 00:00	11/18/16 08:33
400-130328-13	FB-1	Water	11/16/16 13:20	11/18/16 08:33
400-130328-14	FERB-1	Water	11/16/16 13:25	11/18/16 08:33

1
2
3
4
5
6
7
8
9
10
11
12

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 11/16/16 08:55

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.445		0.283	0.286	1.00	0.381	pCi/L	11/28/16 10:07	12/29/16 06:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	75.2		40 - 110					11/28/16 10:07	12/29/16 06:59	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0186	U	0.280	0.280	1.00	0.503	pCi/L	11/28/16 15:20	12/28/16 18:19	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	75.2		40 - 110					11/28/16 15:20	12/28/16 18:19	1
Y Carrier	89.0		40 - 110					11/28/16 15:20	12/28/16 18:19	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.427	U	0.398	0.400	5.00	0.503	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWA-11

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-3

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.341	U	0.245	0.247	1.00	0.342	pCi/L	11/28/16 10:07	12/29/16 07:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.3		40 - 110					11/28/16 10:07	12/29/16 07:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0181	U	0.337	0.337	1.00	0.595	pCi/L	11/28/16 15:20	12/28/16 18:19	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	78.3		40 - 110					11/28/16 15:20	12/28/16 18:19	1
Y Carrier	89.0		40 - 110					11/28/16 15:20	12/28/16 18:19	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.322	U	0.416	0.417	5.00	0.595	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWA-5
Date Collected: 11/16/16 10:45
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.389	U	0.282	0.284	1.00	0.405	pCi/L	11/28/16 10:07	12/29/16 07:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	73.2		40 - 110					11/28/16 10:07	12/29/16 07:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0565	U	0.286	0.286	1.00	0.519	pCi/L	11/28/16 15:20	12/28/16 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	73.2		40 - 110					11/28/16 15:20	12/28/16 18:20	1
Y Carrier	90.1		40 - 110					11/28/16 15:20	12/28/16 18:20	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.333	U	0.401	0.403	5.00	0.519	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWA-6
Date Collected: 11/16/16 10:30
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-5
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.611		0.297	0.302	1.00	0.333	pCi/L	11/28/16 10:07	12/29/16 07:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	71.8		40 - 110					11/28/16 10:07	12/29/16 07:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.252	U	0.324	0.325	1.00	0.538	pCi/L	11/28/16 15:20	12/28/16 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	71.8		40 - 110					11/28/16 15:20	12/28/16 18:20	1
Y Carrier	87.1		40 - 110					11/28/16 15:20	12/28/16 18:20	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.863		0.439	0.443	5.00	0.538	pCi/L		12/29/16 18:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-7
Date Collected: 11/16/16 11:50
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.650		0.333	0.338	1.00	0.420	pCi/L	11/28/16 10:07	12/29/16 07:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.4		40 - 110					11/28/16 10:07	12/29/16 07:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.205	U	0.301	0.302	1.00	0.506	pCi/L	11/28/16 15:20	12/28/16 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.4		40 - 110					11/28/16 15:20	12/28/16 18:20	1
Y Carrier	84.9		40 - 110					11/28/16 15:20	12/28/16 18:20	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.855		0.449	0.454	5.00	0.506	pCi/L		12/29/16 18:35	1

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
 SDG: AP

Client Sample ID: MGWC-8
Date Collected: 11/16/16 11:53
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.728		0.312	0.318	1.00	0.356	pCi/L	11/28/16 10:07	12/29/16 07:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					11/28/16 10:07	12/29/16 07:00	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.760		0.313	0.321	1.00	0.436	pCi/L	11/28/16 15:20	12/28/16 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					11/28/16 15:20	12/28/16 18:20	1
Y Carrier	88.2		40 - 110					11/28/16 15:20	12/28/16 18:20	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.49		0.442	0.452	5.00	0.436	pCi/L		12/29/16 18:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-1
Date Collected: 11/16/16 13:27
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-8
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.866		0.375	0.383	1.00	0.436	pCi/L	11/28/16 10:07	12/29/16 07:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.2		40 - 110					11/28/16 10:07	12/29/16 07:10	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.718		0.363	0.369	1.00	0.537	pCi/L	11/28/16 15:20	12/28/16 18:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.2		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	87.5		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.58		0.522	0.532	5.00	0.537	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-3
Date Collected: 11/16/16 12:05
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-9
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.44		0.438	0.457	1.00	0.373	pCi/L	11/28/16 10:07	12/29/16 07:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.4		40 - 110					11/28/16 10:07	12/29/16 07:10	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.458	U	0.304	0.307	1.00	0.467	pCi/L	11/28/16 15:20	12/28/16 18:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	72.4		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	88.2		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.90		0.533	0.550	5.00	0.467	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 11/16/16 12:15

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.218	U	0.248	0.249	1.00	0.401	pCi/L	11/28/16 10:07	12/29/16 07:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	71.2		40 - 110					11/28/16 10:07	12/29/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.475	U	0.318	0.321	1.00	0.491	pCi/L	11/28/16 15:20	12/28/16 18:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	71.2		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	88.6		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.694		0.403	0.406	5.00	0.491	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-12

Date Collected: 11/16/16 13:35

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-11

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.310	U	0.342	0.343	1.00	0.553	pCi/L	11/28/16 10:07	12/29/16 07:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	61.5		40 - 110					11/28/16 10:07	12/29/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.487	U	0.359	0.362	1.00	0.559	pCi/L	11/28/16 15:20	12/28/16 18:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	61.5		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	82.6		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.798		0.496	0.498	5.00	0.559	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: DUP-1

Date Collected: 11/16/16 00:00

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-12

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.935		0.362	0.372	1.00	0.371	pCi/L	11/28/16 10:07	12/29/16 07:11	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	76.1		40 - 110					11/28/16 10:07	12/29/16 07:11	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.181	U	0.266	0.266	1.00	0.446	pCi/L	11/28/16 15:20	12/28/16 18:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	76.1		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	89.0		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.12		0.449	0.457	5.00	0.446	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: FB-1

Date Collected: 11/16/16 13:20

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-13

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.157	U	0.212	0.212	1.00	0.356	pCi/L	11/28/16 10:07	12/29/16 08:58	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	74.1		40 - 110					11/28/16 10:07	12/29/16 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0570	U	0.256	0.256	1.00	0.452	pCi/L	11/28/16 15:20	12/28/16 18:21	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	74.1		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	88.6		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.214	U	0.333	0.333	5.00	0.452	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: FERB-1
Date Collected: 11/16/16 13:25
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-14
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.102	U	0.215	0.215	1.00	0.472	pCi/L	11/28/16 10:07	12/29/16 08:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	73.2		40 - 110					11/28/16 10:07	12/29/16 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.282	U	0.288	0.289	1.00	0.468	pCi/L	11/28/16 15:20	12/28/16 18:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	73.2		40 - 110					11/28/16 15:20	12/28/16 18:21	1
Y Carrier	88.6		40 - 110					11/28/16 15:20	12/28/16 18:21	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.180	U	0.360	0.361	5.00	0.472	pCi/L		12/29/16 18:35	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWA-10

Date Collected: 11/16/16 08:55

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 06:59	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:19	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWA-11

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 07:00	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:19	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 11/16/16 10:45

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 07:00	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:20	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 11/16/16 10:30

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 07:00	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:20	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-7

Date Collected: 11/16/16 11:50
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 07:00	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:20	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 11/16/16 11:53
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285756	12/29/16 07:00	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:20	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWC-1

Date Collected: 11/16/16 13:27
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 07:10	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWC-3

Date Collected: 11/16/16 12:05
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 07:10	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: MGWC-2

Date Collected: 11/16/16 12:15
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 11/16/16 13:35
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 11/16/16 00:00
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 07:11	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 11/16/16 13:20
Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 08:58	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Client Sample ID: FERB-1

Date Collected: 11/16/16 13:25

Date Received: 11/18/16 08:33

Lab Sample ID: 400-130328-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			281185	11/28/16 10:07	CMC	TAL SL
Total/NA	Analysis	9315		1	285758	12/29/16 08:58	RTM	TAL SL
Total/NA	Prep	PrecSep_0			281250	11/28/16 15:20	MBC	TAL SL
Total/NA	Analysis	9320		1	285700	12/28/16 18:21	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	285852	12/29/16 18:35	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Rad

Prep Batch: 281185

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	PrecSep-21	5
400-130328-3	MGWA-11	Total/NA	Water	PrecSep-21	6
400-130328-4	MGWA-5	Total/NA	Water	PrecSep-21	7
400-130328-5	MGWA-6	Total/NA	Water	PrecSep-21	8
400-130328-6	MGWC-7	Total/NA	Water	PrecSep-21	9
400-130328-7	MGWC-8	Total/NA	Water	PrecSep-21	10
400-130328-8	MGWC-1	Total/NA	Water	PrecSep-21	11
400-130328-9	MGWC-3	Total/NA	Water	PrecSep-21	12
400-130328-10	MGWC-2	Total/NA	Water	PrecSep-21	
400-130328-11	MGWC-12	Total/NA	Water	PrecSep-21	
400-130328-12	DUP-1	Total/NA	Water	PrecSep-21	
400-130328-13	FB-1	Total/NA	Water	PrecSep-21	
400-130328-14	FERB-1	Total/NA	Water	PrecSep-21	
MB 160-281185/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-281185/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-130328-10 DU	MGWC-2	Total/NA	Water	PrecSep-21	

Prep Batch: 281250

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-130328-1	MGWA-10	Total/NA	Water	PrecSep_0	
400-130328-3	MGWA-11	Total/NA	Water	PrecSep_0	
400-130328-4	MGWA-5	Total/NA	Water	PrecSep_0	
400-130328-5	MGWA-6	Total/NA	Water	PrecSep_0	
400-130328-6	MGWC-7	Total/NA	Water	PrecSep_0	
400-130328-7	MGWC-8	Total/NA	Water	PrecSep_0	
400-130328-8	MGWC-1	Total/NA	Water	PrecSep_0	
400-130328-9	MGWC-3	Total/NA	Water	PrecSep_0	
400-130328-10	MGWC-2	Total/NA	Water	PrecSep_0	
400-130328-11	MGWC-12	Total/NA	Water	PrecSep_0	
400-130328-12	DUP-1	Total/NA	Water	PrecSep_0	
400-130328-13	FB-1	Total/NA	Water	PrecSep_0	
400-130328-14	FERB-1	Total/NA	Water	PrecSep_0	
MB 160-281250/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-281250/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-130328-10 DU	MGWC-2	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-281185/1-A

Matrix: Water

Analysis Batch: 285757

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 281185

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.1905	U	0.249	0.249	1.00	0.415	pCi/L	11/28/16 10:07	12/29/16 06:55	1
Carrier										
Ba Carrier	67.5			40 - 110				Prepared	Analyzed	Dil Fac
								11/28/16 10:07	12/29/16 06:55	1

Lab Sample ID: LCS 160-281185/2-A

Matrix: Water

Analysis Batch: 285757

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 281185

Analyte	Spike		LCS Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Sample	Sample									
Radium-226			11.1	15.06		1.86	1.00	0.359	pCi/L	136	68 - 137
Carrier											
Ba Carrier	LCS	LCS	%Yield	Qualifier	Limits						
	75.8				40 - 110						

Lab Sample ID: 400-130328-10 DU

Matrix: Water

Analysis Batch: 285758

Client Sample ID: MGWC-2
Prep Type: Total/NA
Prep Batch: 281185

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Sample	Qual								
Radium-226	0.218	U	-0.00260	U	0.181	1.00	0.378	pCi/L	0.51	1
Carrier										
Ba Carrier	DU	DU	%Yield	Qualifier	Limits					
	76.4				40 - 110					

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-281250/1-A

Matrix: Water

Analysis Batch: 285700

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 281250

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.2074	U	0.342	0.343	1.00	0.577	pCi/L	11/28/16 15:20	12/28/16 18:18	1
Carrier										
Ba Carrier	MB	MB	%Yield	Qualifier	Limits					
	67.5				40 - 110					
Y Carrier	MB	MB	%Yield	Qualifier	Limits					
	83.7				40 - 110					
								Prepared	Analyzed	Dil Fac
								11/28/16 15:20	12/28/16 18:18	1
								11/28/16 15:20	12/28/16 18:18	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-281250/2-A

Matrix: Water

Analysis Batch: 285700

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 281250

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual		RL	1.00				
Radium-228	14.1	15.31		1.70			0.469	pCi/L	109	56 - 140

Carrier LCS

Carrier	%Yield	LCS	Limits
	Qualifier		
Ba Carrier	75.8		40 - 110
Y Carrier	87.9		40 - 110

Lab Sample ID: 400-130328-10 DU

Matrix: Water

Analysis Batch: 285700

Client Sample ID: MGWC-2

Prep Type: Total/NA

Prep Batch: 281250

Analyte	Sample		Sample		DU		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Radium-228	0.475	U			0.1079	U	0.280	1.00	0.483	pCi/L	0.61	1

Carrier DU

Carrier	%Yield	DU	Limits
	Qualifier		
Ba Carrier	76.4		40 - 110
Y Carrier	86.0		40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-130328-10 DU

Matrix: Water

Analysis Batch: 285852

Client Sample ID: MGWC-2

Prep Type: Total/NA

Analyte	Sample		Sample		DU		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Combined Radium 226 + 228	0.694				0.1053	U	0.334	5.00	0.483	pCi/L	0.80	

TestAmerica Pensacola

681-Atlanta

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-130328-2

SDG Number: AP

Login Number: 130328

List Source: TestAmerica Pensacola

List Number: 1

Creator: Hughes, Nicholas T

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.6°C, 5.0°C IR-6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
 SDG: AP

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	003757	11-30-16 *
Iowa	State Program	7	373	12-01-16 *
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-16
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA160008	12-31-16 *
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542016-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17
North Dakota	State Program	8	R207	06-30-17

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-130328-2
SDG: AP

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-17
Texas	NELAP	6	T104704193-16-10	07-31-17
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-14-0016	01-09-17
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17

* Certification renewal pending - certification considered valid.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-132731-1

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

PO BOX 2641 GSC8

Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

2/21/2017 4:59:54 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1	3
Table of Contents	2	4
Case Narrative	3	5
Detection Summary	4	6
Method Summary	8	6
Sample Summary	9	7
Client Sample Results	10	8
Definitions	23	8
Chronicle	24	9
QC Association	28	10
QC Sample Results	32	11
Chain of Custody	40	11
Receipt Checklists	44	12
Certification Summary	45	13
		14

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Job ID: 400-132731-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-132731-1

HPLC/IC

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-7 (400-132731-4), DUP-1 (400-132731-5), MGWC-8 (400-132731-6), MGWC-3 (400-132731-7), MGWC-2 (400-132731-9) and MGWC-1 (400-132731-13). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWA-6 (400-132731-3), MGWC-3 (400-132731-7), MGWC-2 (400-132731-9) and MGWC-1 (400-132731-13). Elevated reporting limits (RLs) are provided.

Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 339670 and analytical batch 339805 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method(s) 6020: The matrix spike duplicate precision (RPD) for the following sample associated with preparation batch 339670 and analytical batch 339805 was outside control limits: (400-132731-C-9-C MSD).

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Lab Sample ID: 400-132731-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.9		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.11	J	0.20	0.082	mg/L	1	300.0		Total/NA
Barium	0.11		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	34		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.020		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0011	J	0.015	0.00085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	170		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-132731-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.7		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.095	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	6.7		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.039		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	29		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.010		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	140		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-132731-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.4		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.099	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	19		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.022		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.051		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.17		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium - DL	100		0.50	0.25	mg/L	10	6020		Total Recoverable
Total Dissolved Solids	310		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-132731-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.20		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	180		5.0	3.5	mg/L	5	300.0		Total/NA
Barium	0.014		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	52		0.25	0.13	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-7 (Continued)

Lab Sample ID: 400-132731-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cobalt	0.0099		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.14		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	310		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-132731-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.29		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	180		5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.014		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	53		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0099		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.13		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	310		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-132731-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	150		5.0	3.5	mg/L	5		300.0	Total/NA
Barium	0.038		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Beryllium	0.00084	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Boron	1.6		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	32		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0051		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.032		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Thallium	0.00016	J	0.00050	0.000085	mg/L	5		6020	Total Recoverable
Mercury	0.000076	J	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	240		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-3

Lab Sample ID: 400-132731-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.086	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	100		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.00056	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-3 (Continued)

Lab Sample ID: 400-132731-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.16		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5		6020	Total Recoverable
Cobalt	0.00051	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.014		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Calcium - DL	100		0.50	0.25	mg/L	10		6020	Total Recoverable
Total Dissolved Solids	380		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWA-10

Lab Sample ID: 400-132731-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.7		1.0	0.89	mg/L	1		300.0	Total/NA
Barium	0.022		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.021	J	0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	3.8		0.25	0.13	mg/L	5		6020	Total Recoverable
Chromium	0.0029		0.0025	0.0011	mg/L	5		6020	Total Recoverable
Lithium	0.0076		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	36		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-132731-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	18		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	280		10	7.0	mg/L	10		300.0	Total/NA
Barium	0.060		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Cadmium	0.0080		0.0025	0.00034	mg/L	5		6020	Total Recoverable
Cobalt	0.0032		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.0051		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Boron - DL	3.7		0.25	0.11	mg/L	25		6020	Total Recoverable
Calcium - DL	130		1.3	0.63	mg/L	25		6020	Total Recoverable
Total Dissolved Solids	630		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-132731-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.2		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.26		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	4.1		1.0	0.70	mg/L	1		300.0	Total/NA
Arsenic	0.00096	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-12 (Continued)

Lab Sample ID: 400-132731-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.056		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.097		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	32		0.25	0.13	mg/L	5		6020	Total Recoverable
Lithium	0.015		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	180		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-132731-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	0.038	J	0.050	0.021	mg/L	5		6020	Total Recoverable

Client Sample ID: FERB-1

Lab Sample ID: 400-132731-12

No Detections.

Client Sample ID: MGWC-1

Lab Sample ID: 400-132731-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.22		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	160		10	7.0	mg/L	10		300.0	Total/NA
Arsenic	0.0024		0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.12		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Cobalt	0.00040	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.011		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Molybdenum	0.0011	J	0.015	0.00085	mg/L	5		6020	Total Recoverable
Boron - DL	1.5		0.10	0.042	mg/L	10		6020	Total Recoverable
Calcium - DL	110		0.50	0.25	mg/L	10		6020	Total Recoverable
Total Dissolved Solids	400		5.0	3.4	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
 SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-132731-1	MGWA-11	Water	01/17/17 09:47	01/18/17 08:30
400-132731-2	MGWA-5	Water	01/17/17 11:14	01/18/17 08:30
400-132731-3	MGWA-6	Water	01/17/17 12:43	01/18/17 08:30
400-132731-4	MGWC-7	Water	01/17/17 13:05	01/18/17 08:30
400-132731-5	DUP-1	Water	01/17/17 00:00	01/18/17 08:30
400-132731-6	MGWC-8	Water	01/17/17 14:14	01/18/17 08:30
400-132731-7	MGWC-3	Water	01/17/17 15:58	01/18/17 08:30
400-132731-8	MGWA-10	Water	01/16/17 15:30	01/18/17 15:31
400-132731-9	MGWC-2	Water	01/18/17 09:05	01/19/17 07:45
400-132731-10	MGWC-12	Water	01/18/17 10:47	01/19/17 07:45
400-132731-11	FB-1	Water	01/18/17 11:25	01/19/17 07:45
400-132731-12	FERB-1	Water	01/18/17 11:35	01/19/17 07:45
400-132731-13	MGWC-1	Water	01/19/17 09:25	01/20/17 13:45

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 01/17/17 09:47

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.9		1.0	0.89	mg/L			01/21/17 05:27	1
Fluoride	0.11 J		0.20	0.082	mg/L			01/21/17 05:27	1
Sulfate	<0.70		1.0	0.70	mg/L			01/21/17 05:27	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.11		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	<0.021		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Calcium	34		0.25	0.13	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.020		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	0.0011 J		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	170		5.0	3.4	mg/L			01/21/17 14:05	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-5

Date Collected: 01/17/17 11:14

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.7		1.0	0.89	mg/L			01/21/17 06:35	1
Fluoride	0.095	J	0.20	0.082	mg/L			01/21/17 06:35	1
Sulfate	6.7		1.0	0.70	mg/L			01/21/17 06:35	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.039		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	<0.021		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Calcium	29		0.25	0.13	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.010		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	140		5.0	3.4	mg/L			01/21/17 14:05	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-6

Date Collected: 01/17/17 12:43

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.4		1.0	0.89	mg/L			01/21/17 06:58	1
Fluoride	0.099	J	0.20	0.082	mg/L			01/21/17 06:58	1
Sulfate	19		1.0	0.70	mg/L			01/21/17 06:58	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	0.022		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.051		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	0.17		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	<0.0032		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	100		0.50	0.25	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			01/21/17 14:05	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 01/17/17 13:05
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			01/21/17 07:21	1
Fluoride	0.20		0.20	0.082	mg/L			01/21/17 07:21	1
Sulfate	180		5.0	3.5	mg/L			01/26/17 22:47	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.014		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	1.3		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Calcium	52		0.25	0.13	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	0.0099		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.14		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			01/21/17 14:05	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 01/17/17 00:00

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			01/21/17 07:44	1
Fluoride	0.29		0.20	0.082	mg/L			01/21/17 07:44	1
Sulfate	180		5.0	3.5	mg/L			01/26/17 23:10	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.014		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	1.3		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Calcium	53		0.25	0.13	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	0.0099		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.13		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			01/21/17 14:05	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-8

Date Collected: 01/17/17 14:14

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			01/23/17 18:30	1
Fluoride	<0.082		0.20	0.082	mg/L			01/23/17 18:30	1
Sulfate	150		5.0	3.5	mg/L			01/26/17 21:16	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	15:03
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	15:03
Barium	0.038		0.0025	0.00049	mg/L			01/20/17 13:45	15:03
Beryllium	0.00084 J		0.0025	0.00034	mg/L			01/20/17 13:45	15:03
Boron	1.6		0.050	0.021	mg/L			01/20/17 13:45	15:03
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	15:03
Calcium	32		0.25	0.13	mg/L			01/20/17 13:45	15:03
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	15:03
Cobalt	0.0051		0.0025	0.00040	mg/L			01/20/17 13:45	15:03
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	15:03
Lithium	0.032		0.0050	0.0032	mg/L			01/20/17 13:45	15:03
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	15:03
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	15:03
Thallium	0.00016 J		0.00050	0.000085	mg/L			01/20/17 13:45	15:03

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000076 J		0.00020	0.000070	mg/L		01/23/17 14:53	01/25/17 13:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	240		5.0	3.4	mg/L			01/21/17 14:05	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-3

Date Collected: 01/17/17 15:58

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			01/23/17 18:53	1
Fluoride	0.086	J	0.20	0.082	mg/L			01/23/17 18:53	1
Sulfate	100		5.0	3.5	mg/L			01/26/17 22:24	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	0.00056	J	0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.16		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	1.3		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Chromium	<0.0011		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	0.00051	J	0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.014		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	100		0.50	0.25	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	380		5.0	3.4	mg/L			01/21/17 14:05	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 01/16/17 15:30

Date Received: 01/18/17 15:31

Lab Sample ID: 400-132731-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.7		1.0	0.89	mg/L			01/23/17 19:15	1
Fluoride	<0.082		0.20	0.082	mg/L			01/23/17 19:15	1
Sulfate	<0.70		1.0	0.70	mg/L			01/23/17 19:15	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/20/17 13:45	1
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/20/17 13:45	1
Barium	0.022		0.0025	0.00049	mg/L			01/20/17 13:45	1
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Boron	0.021 J		0.050	0.021	mg/L			01/20/17 13:45	1
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/20/17 13:45	1
Calcium	3.8		0.25	0.13	mg/L			01/20/17 13:45	1
Chromium	0.0029		0.0025	0.0011	mg/L			01/20/17 13:45	1
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/20/17 13:45	1
Lead	<0.00035		0.0013	0.00035	mg/L			01/20/17 13:45	1
Lithium	0.0076		0.0050	0.0032	mg/L			01/20/17 13:45	1
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/20/17 13:45	1
Selenium	<0.00024		0.0013	0.00024	mg/L			01/20/17 13:45	1
Thallium	<0.000085		0.00050	0.000085	mg/L			01/20/17 13:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/23/17 14:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	36		5.0	3.4	mg/L			01/21/17 14:05	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 01/18/17 09:05

Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18		1.0	0.89	mg/L			01/27/17 20:11	1
Fluoride	<0.082		0.20	0.082	mg/L			01/27/17 20:11	1
Sulfate	280		10	7.0	mg/L			01/31/17 00:32	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/25/17 08:40	01/25/17 15:11
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/25/17 08:40	01/25/17 15:11
Barium	0.060		0.0025	0.00049	mg/L			01/25/17 08:40	01/25/17 15:11
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:11
Cadmium	0.0080		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:11
Chromium	<0.0011	F2 F1	0.0025	0.0011	mg/L			01/25/17 08:40	01/25/17 15:11
Cobalt	0.0032		0.0025	0.00040	mg/L			01/25/17 08:40	01/25/17 15:11
Lead	<0.00035		0.0013	0.00035	mg/L			01/25/17 08:40	01/25/17 15:11
Lithium	0.0051		0.0050	0.0032	mg/L			01/25/17 08:40	01/25/17 15:11
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/25/17 08:40	01/25/17 15:11
Selenium	<0.00024		0.0013	0.00024	mg/L			01/25/17 08:40	01/25/17 15:11
Thallium	<0.000085		0.00050	0.000085	mg/L			01/25/17 08:40	01/25/17 15:11

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.7		0.25	0.11	mg/L			01/25/17 08:40	01/25/17 16:09
Calcium	130		1.3	0.63	mg/L			01/25/17 08:40	01/25/17 16:09

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			01/25/17 09:17	01/27/17 12:36

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	630		5.0	3.4	mg/L			01/24/17 14:35	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-12

Lab Sample ID: 400-132731-10

Date Collected: 01/18/17 10:47

Matrix: Water

Date Received: 01/19/17 07:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.2		1.0	0.89	mg/L			01/27/17 20:34	1
Fluoride	0.26		0.20	0.082	mg/L			01/27/17 20:34	1
Sulfate	4.1		1.0	0.70	mg/L			01/27/17 20:34	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/25/17 08:40	01/25/17 15:51
Arsenic	0.00096	J	0.0013	0.00046	mg/L			01/25/17 08:40	01/25/17 15:51
Barium	0.056		0.0025	0.00049	mg/L			01/25/17 08:40	01/25/17 15:51
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:51
Boron	0.097		0.050	0.021	mg/L			01/25/17 08:40	01/25/17 15:51
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:51
Calcium	32		0.25	0.13	mg/L			01/25/17 08:40	01/25/17 15:51
Chromium	<0.0011		0.0025	0.0011	mg/L			01/25/17 08:40	01/25/17 15:51
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/25/17 08:40	01/25/17 15:51
Lead	<0.00035		0.0013	0.00035	mg/L			01/25/17 08:40	01/25/17 15:51
Lithium	0.015		0.0050	0.0032	mg/L			01/25/17 08:40	01/25/17 15:51
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/25/17 08:40	01/25/17 15:51
Selenium	<0.00024		0.0013	0.00024	mg/L			01/25/17 08:40	01/25/17 15:51
Thallium	<0.000085		0.00050	0.000085	mg/L			01/25/17 08:40	01/25/17 15:51

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/25/17 09:17	01/27/17 12:37

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	180		5.0	3.4	mg/L			01/24/17 14:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 01/18/17 11:25
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-11

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/27/17 20:57	1
Fluoride	<0.082		0.20	0.082	mg/L			01/27/17 20:57	1
Sulfate	<0.70		1.0	0.70	mg/L			01/27/17 20:57	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/25/17 08:40	01/25/17 15:56
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/25/17 08:40	01/25/17 15:56
Barium	<0.00049		0.0025	0.00049	mg/L			01/25/17 08:40	01/25/17 15:56
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:56
Boron	0.038 J		0.050	0.021	mg/L			01/25/17 08:40	01/25/17 15:56
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 15:56
Calcium	<0.13		0.25	0.13	mg/L			01/25/17 08:40	01/25/17 15:56
Chromium	<0.0011		0.0025	0.0011	mg/L			01/25/17 08:40	01/25/17 15:56
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/25/17 08:40	01/25/17 15:56
Lead	<0.00035		0.0013	0.00035	mg/L			01/25/17 08:40	01/25/17 15:56
Lithium	<0.0032		0.0050	0.0032	mg/L			01/25/17 08:40	01/25/17 15:56
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/25/17 08:40	01/25/17 15:56
Selenium	<0.00024		0.0013	0.00024	mg/L			01/25/17 08:40	01/25/17 15:56
Thallium	<0.000085		0.00050	0.000085	mg/L			01/25/17 08:40	01/25/17 15:56

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/25/17 09:17	01/27/17 12:42

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			01/24/17 14:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: FERB-1

Date Collected: 01/18/17 11:35
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-12

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/27/17 21:20	1
Fluoride	<0.082		0.20	0.082	mg/L			01/27/17 21:20	1
Sulfate	<0.70		1.0	0.70	mg/L			01/27/17 21:20	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/25/17 08:40	01/25/17 16:00
Arsenic	<0.00046		0.0013	0.00046	mg/L			01/25/17 08:40	01/25/17 16:00
Barium	<0.00049		0.0025	0.00049	mg/L			01/25/17 08:40	01/25/17 16:00
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 16:00
Boron	<0.021		0.050	0.021	mg/L			01/25/17 08:40	01/25/17 16:00
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 16:00
Calcium	<0.13		0.25	0.13	mg/L			01/25/17 08:40	01/25/17 16:00
Chromium	<0.0011		0.0025	0.0011	mg/L			01/25/17 08:40	01/25/17 16:00
Cobalt	<0.00040		0.0025	0.00040	mg/L			01/25/17 08:40	01/25/17 16:00
Lead	<0.00035		0.0013	0.00035	mg/L			01/25/17 08:40	01/25/17 16:00
Lithium	<0.0032		0.0050	0.0032	mg/L			01/25/17 08:40	01/25/17 16:00
Molybdenum	<0.00085		0.015	0.00085	mg/L			01/25/17 08:40	01/25/17 16:00
Selenium	<0.00024		0.0013	0.00024	mg/L			01/25/17 08:40	01/25/17 16:00
Thallium	<0.000085		0.00050	0.000085	mg/L			01/25/17 08:40	01/25/17 16:00

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			01/25/17 09:17	01/27/17 12:56

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			01/24/17 14:35	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-1

Lab Sample ID: 400-132731-13

Date Collected: 01/19/17 09:25

Matrix: Water

Date Received: 01/20/17 13:45

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			01/27/17 21:43	1
Fluoride	0.22		0.20	0.082	mg/L			01/27/17 21:43	1
Sulfate	160		10	7.0	mg/L			01/31/17 01:40	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			01/25/17 08:40	01/25/17 16:05
Arsenic	0.0024		0.0013	0.00046	mg/L			01/25/17 08:40	01/25/17 16:05
Barium	0.12		0.0025	0.00049	mg/L			01/25/17 08:40	01/25/17 16:05
Beryllium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 16:05
Cadmium	<0.00034		0.0025	0.00034	mg/L			01/25/17 08:40	01/25/17 16:05
Chromium	<0.0011		0.0025	0.0011	mg/L			01/25/17 08:40	01/25/17 16:05
Cobalt	0.00040 J		0.0025	0.00040	mg/L			01/25/17 08:40	01/25/17 16:05
Lead	<0.00035		0.0013	0.00035	mg/L			01/25/17 08:40	01/25/17 16:05
Lithium	0.011		0.0050	0.0032	mg/L			01/25/17 08:40	01/25/17 16:05
Molybdenum	0.0011 J		0.015	0.00085	mg/L			01/25/17 08:40	01/25/17 16:05
Selenium	<0.00024		0.0013	0.00024	mg/L			01/25/17 08:40	01/25/17 16:05
Thallium	<0.000085		0.00050	0.000085	mg/L			01/25/17 08:40	01/25/17 16:05

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.5		0.10	0.042	mg/L			01/25/17 08:40	01/25/17 16:14
Calcium	110		0.50	0.25	mg/L			01/25/17 08:40	01/25/17 16:14

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			01/25/17 09:17	01/27/17 12:57

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	400		5.0	3.4	mg/L			01/24/17 14:35	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD Recovery is outside acceptance limits.
F2	MS/MSD RPD exceeds control limits

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 01/17/17 09:47

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339381	01/21/17 05:27	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 14:41	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:26	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 01/17/17 11:14

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339381	01/21/17 06:35	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 14:45	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:27	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 01/17/17 12:43

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339381	01/21/17 06:58	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 14:50	RJB	TAL PEN
Total Recoverable	Prep	3005A	DL		339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	10	339677	01/24/17 15:48	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:29	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWC-7

Date Collected: 01/17/17 13:05

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339381	01/21/17 07:21	KH1	TAL PEN
Total/NA	Analysis	300.0		5	340093	01/26/17 22:47	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 14:54	RJB	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 01/17/17 13:05
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:44	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: DUP-1

Date Collected: 01/17/17 00:00
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339381	01/21/17 07:44	KH1	TAL PEN
Total/NA	Analysis	300.0		5	340093	01/26/17 23:10	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 14:59	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:45	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 01/17/17 14:14
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339461	01/23/17 18:30	KH1	TAL PEN
Total/NA	Analysis	300.0		5	340093	01/26/17 21:16	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 15:03	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:47	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWC-3

Date Collected: 01/17/17 15:58
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339461	01/23/17 18:53	KH1	TAL PEN
Total/NA	Analysis	300.0		5	340093	01/26/17 22:24	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 15:30	RJB	TAL PEN
Total Recoverable	Prep	3005A	DL		339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	10	339805	01/25/17 14:30	DRE	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: MGWC-3

Date Collected: 01/17/17 15:58
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	7470A		1	339753	01/25/17 13:48	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWA-10

Date Collected: 01/16/17 15:30
Date Received: 01/18/17 15:31

Lab Sample ID: 400-132731-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	339461	01/23/17 19:15	KH1	TAL PEN
Total Recoverable	Prep	3005A			339178	01/20/17 13:45	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339677	01/24/17 15:35	RJB	TAL PEN
Total/NA	Prep	7470A			339472	01/23/17 14:53	JAP	TAL PEN
Total/NA	Analysis	7470A		1	339753	01/25/17 13:49	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339296	01/21/17 14:05	TET	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 01/18/17 09:05
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	340258	01/27/17 20:11	KH1	TAL PEN
Total/NA	Analysis	300.0		10	340336	01/31/17 00:32	KH1	TAL PEN
Total Recoverable	Prep	3005A			339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339805	01/25/17 15:11	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	25	339805	01/25/17 16:09	DRE	TAL PEN
Total/NA	Prep	7470A			339694	01/25/17 09:17	JAP	TAL PEN
Total/NA	Analysis	7470A		1	340132	01/27/17 12:36	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339614	01/24/17 14:35	TET	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 01/18/17 10:47
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	340258	01/27/17 20:34	KH1	TAL PEN
Total Recoverable	Prep	3005A			339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339805	01/25/17 15:51	DRE	TAL PEN
Total/NA	Prep	7470A			339694	01/25/17 09:17	JAP	TAL PEN
Total/NA	Analysis	7470A		1	340132	01/27/17 12:37	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339614	01/24/17 14:35	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 01/18/17 11:25
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	340258	01/27/17 20:57	KH1	TAL PEN
Total Recoverable	Prep	3005A			339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339805	01/25/17 15:56	DRE	TAL PEN
Total/NA	Prep	7470A			339694	01/25/17 09:17	JAP	TAL PEN
Total/NA	Analysis	7470A		1	340132	01/27/17 12:42	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339614	01/24/17 14:35	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 01/18/17 11:35
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	340258	01/27/17 21:20	KH1	TAL PEN
Total Recoverable	Prep	3005A			339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339805	01/25/17 16:00	DRE	TAL PEN
Total/NA	Prep	7470A			339694	01/25/17 09:17	JAP	TAL PEN
Total/NA	Analysis	7470A		1	340132	01/27/17 12:56	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339614	01/24/17 14:35	TET	TAL PEN

Client Sample ID: MGWC-1

Date Collected: 01/19/17 09:25
Date Received: 01/20/17 13:45

Lab Sample ID: 400-132731-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	340258	01/27/17 21:43	KH1	TAL PEN
Total/NA	Analysis	300.0		10	340336	01/31/17 01:40	KH1	TAL PEN
Total Recoverable	Prep	3005A			339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	339805	01/25/17 16:05	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		339670	01/25/17 08:40	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	10	339805	01/25/17 16:14	DRE	TAL PEN
Total/NA	Prep	7470A			339694	01/25/17 09:17	JAP	TAL PEN
Total/NA	Analysis	7470A		1	340132	01/27/17 12:57	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	339614	01/24/17 14:35	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

HPLC/IC

Analysis Batch: 339381

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	300.0	
400-132731-2	MGWA-5	Total/NA	Water	300.0	
400-132731-3	MGWA-6	Total/NA	Water	300.0	
400-132731-4	MGWC-7	Total/NA	Water	300.0	
400-132731-5	DUP-1	Total/NA	Water	300.0	
MB 400-339381/4	Method Blank	Total/NA	Water	300.0	
LCS 400-339381/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-339381/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-132731-1 MS	MGWA-11	Total/NA	Water	300.0	
400-132731-1 MSD	MGWA-11	Total/NA	Water	300.0	

Analysis Batch: 339461

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-6	MGWC-8	Total/NA	Water	300.0	
400-132731-7	MGWC-3	Total/NA	Water	300.0	
400-132731-8	MGWA-10	Total/NA	Water	300.0	
MB 400-339461/4	Method Blank	Total/NA	Water	300.0	
LCS 400-339461/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-339461/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 340093

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-4	MGWC-7	Total/NA	Water	300.0	
400-132731-5	DUP-1	Total/NA	Water	300.0	
400-132731-6	MGWC-8	Total/NA	Water	300.0	
400-132731-7	MGWC-3	Total/NA	Water	300.0	
MB 400-340093/3	Method Blank	Total/NA	Water	300.0	
LCS 400-340093/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-340093/5	Lab Control Sample Dup	Total/NA	Water	300.0	
400-132731-6 MS	MGWC-8	Total/NA	Water	300.0	
400-132731-6 MSD	MGWC-8	Total/NA	Water	300.0	

Analysis Batch: 340258

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9	MGWC-2	Total/NA	Water	300.0	
400-132731-10	MGWC-12	Total/NA	Water	300.0	
400-132731-11	FB-1	Total/NA	Water	300.0	
400-132731-12	FERB-1	Total/NA	Water	300.0	
400-132731-13	MGWC-1	Total/NA	Water	300.0	
MB 400-340258/4	Method Blank	Total/NA	Water	300.0	
LCS 400-340258/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-340258/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-132731-13 MS	MGWC-1	Total/NA	Water	300.0	
400-132731-13 MSD	MGWC-1	Total/NA	Water	300.0	

Analysis Batch: 340336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9	MGWC-2	Total/NA	Water	300.0	
400-132731-13	MGWC-1	Total/NA	Water	300.0	
MB 400-340336/4	Method Blank	Total/NA	Water	300.0	
LCS 400-340336/5	Lab Control Sample	Total/NA	Water	300.0	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

HPLC/IC (Continued)

Analysis Batch: 340336 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 400-340336/36	Lab Control Sample Dup	Total/NA	Water	300.0	
400-132731-9 MS	MGWC-2	Total/NA	Water	300.0	
400-132731-9 MSD	MGWC-2	Total/NA	Water	300.0	

Metals

Prep Batch: 339178

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total Recoverable	Water	3005A	
400-132731-2	MGWA-5	Total Recoverable	Water	3005A	
400-132731-3	MGWA-6	Total Recoverable	Water	3005A	
400-132731-3 - DL	MGWA-6	Total Recoverable	Water	3005A	
400-132731-4	MGWC-7	Total Recoverable	Water	3005A	
400-132731-5	DUP-1	Total Recoverable	Water	3005A	
400-132731-6	MGWC-8	Total Recoverable	Water	3005A	
400-132731-7 - DL	MGWC-3	Total Recoverable	Water	3005A	
400-132731-7	MGWC-3	Total Recoverable	Water	3005A	
400-132731-8	MGWA-10	Total Recoverable	Water	3005A	
MB 400-339178/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-339178/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 339472

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	7470A	
400-132731-2	MGWA-5	Total/NA	Water	7470A	
400-132731-3	MGWA-6	Total/NA	Water	7470A	
400-132731-4	MGWC-7	Total/NA	Water	7470A	
400-132731-5	DUP-1	Total/NA	Water	7470A	
400-132731-6	MGWC-8	Total/NA	Water	7470A	
400-132731-7	MGWC-3	Total/NA	Water	7470A	
400-132731-8	MGWA-10	Total/NA	Water	7470A	
MB 400-339472/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-339472/15-A	Lab Control Sample	Total/NA	Water	7470A	

Prep Batch: 339670

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9 - DL	MGWC-2	Total Recoverable	Water	3005A	
400-132731-9	MGWC-2	Total Recoverable	Water	3005A	
400-132731-10	MGWC-12	Total Recoverable	Water	3005A	
400-132731-11	FB-1	Total Recoverable	Water	3005A	
400-132731-12	FERB-1	Total Recoverable	Water	3005A	
400-132731-13 - DL	MGWC-1	Total Recoverable	Water	3005A	
400-132731-13	MGWC-1	Total Recoverable	Water	3005A	
MB 400-339670/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-339670/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-132731-9 MS	MGWC-2	Total Recoverable	Water	3005A	
400-132731-9 MSD	MGWC-2	Total Recoverable	Water	3005A	

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Metals (Continued)

Analysis Batch: 339677

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total Recoverable	Water	6020	339178
400-132731-2	MGWA-5	Total Recoverable	Water	6020	339178
400-132731-3	MGWA-6	Total Recoverable	Water	6020	339178
400-132731-3 - DL	MGWA-6	Total Recoverable	Water	6020	339178
400-132731-4	MGWC-7	Total Recoverable	Water	6020	339178
400-132731-5	DUP-1	Total Recoverable	Water	6020	339178
400-132731-6	MGWC-8	Total Recoverable	Water	6020	339178
400-132731-7	MGWC-3	Total Recoverable	Water	6020	339178
400-132731-8	MGWA-10	Total Recoverable	Water	6020	339178
MB 400-339178/1-A ^5	Method Blank	Total Recoverable	Water	6020	339178
LCS 400-339178/2-A	Lab Control Sample	Total Recoverable	Water	6020	339178

Prep Batch: 339694

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9	MGWC-2	Total/NA	Water	7470A	11
400-132731-10	MGWC-12	Total/NA	Water	7470A	12
400-132731-11	FB-1	Total/NA	Water	7470A	
400-132731-12	FERB-1	Total/NA	Water	7470A	
400-132731-13	MGWC-1	Total/NA	Water	7470A	
MB 400-339694/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-339694/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-132731-10 MS	MGWC-12	Total/NA	Water	7470A	
400-132731-10 MSD	MGWC-12	Total/NA	Water	7470A	

Analysis Batch: 339753

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	7470A	339472
400-132731-2	MGWA-5	Total/NA	Water	7470A	339472
400-132731-3	MGWA-6	Total/NA	Water	7470A	339472
400-132731-4	MGWC-7	Total/NA	Water	7470A	339472
400-132731-5	DUP-1	Total/NA	Water	7470A	339472
400-132731-6	MGWC-8	Total/NA	Water	7470A	339472
400-132731-7	MGWC-3	Total/NA	Water	7470A	339472
400-132731-8	MGWA-10	Total/NA	Water	7470A	339472
MB 400-339472/14-A	Method Blank	Total/NA	Water	7470A	339472
LCS 400-339472/15-A	Lab Control Sample	Total/NA	Water	7470A	339472

Analysis Batch: 339805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-7 - DL	MGWC-3	Total Recoverable	Water	6020	339178
400-132731-9	MGWC-2	Total Recoverable	Water	6020	339670
400-132731-9 - DL	MGWC-2	Total Recoverable	Water	6020	339670
400-132731-10	MGWC-12	Total Recoverable	Water	6020	339670
400-132731-11	FB-1	Total Recoverable	Water	6020	339670
400-132731-12	FERB-1	Total Recoverable	Water	6020	339670
400-132731-13	MGWC-1	Total Recoverable	Water	6020	339670
400-132731-13 - DL	MGWC-1	Total Recoverable	Water	6020	339670
MB 400-339670/1-A ^5	Method Blank	Total Recoverable	Water	6020	339670
LCS 400-339670/2-A	Lab Control Sample	Total Recoverable	Water	6020	339670
400-132731-9 MS	MGWC-2	Total Recoverable	Water	6020	339670
400-132731-9 MSD	MGWC-2	Total Recoverable	Water	6020	339670

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Analysis Batch: 340132

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9	MGWC-2	Total/NA	Water	7470A	339694
400-132731-10	MGWC-12	Total/NA	Water	7470A	339694
400-132731-11	FB-1	Total/NA	Water	7470A	339694
400-132731-12	FERB-1	Total/NA	Water	7470A	339694
400-132731-13	MGWC-1	Total/NA	Water	7470A	339694
MB 400-339694/14-A	Method Blank	Total/NA	Water	7470A	339694
LCS 400-339694/15-A	Lab Control Sample	Total/NA	Water	7470A	339694
400-132731-10 MS	MGWC-12	Total/NA	Water	7470A	339694
400-132731-10 MSD	MGWC-12	Total/NA	Water	7470A	339694

General Chemistry

Analysis Batch: 339296

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	SM 2540C	10
400-132731-2	MGWA-5	Total/NA	Water	SM 2540C	11
400-132731-3	MGWA-6	Total/NA	Water	SM 2540C	12
400-132731-4	MGWC-7	Total/NA	Water	SM 2540C	13
400-132731-5	DUP-1	Total/NA	Water	SM 2540C	14
400-132731-6	MGWC-8	Total/NA	Water	SM 2540C	
400-132731-7	MGWC-3	Total/NA	Water	SM 2540C	
400-132731-8	MGWA-10	Total/NA	Water	SM 2540C	
MB 400-339296/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-339296/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-132731-1 DU	MGWA-11	Total/NA	Water	SM 2540C	

Analysis Batch: 339614

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-9	MGWC-2	Total/NA	Water	SM 2540C	
400-132731-10	MGWC-12	Total/NA	Water	SM 2540C	
400-132731-11	FB-1	Total/NA	Water	SM 2540C	
400-132731-12	FERB-1	Total/NA	Water	SM 2540C	
400-132731-13	MGWC-1	Total/NA	Water	SM 2540C	
MB 400-339614/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-339614/2	Lab Control Sample	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-339381/4

Matrix: Water

Analysis Batch: 339381

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/21/17 04:19	1
Fluoride	<0.082		0.20	0.082	mg/L			01/21/17 04:19	1
Sulfate	<0.70		1.0	0.70	mg/L			01/21/17 04:19	1

Lab Sample ID: LCS 400-339381/5

Matrix: Water

Analysis Batch: 339381

Analyte	Spike Added	LCS			D	%Rec	%Rec.
		Result	Qualifier	Unit			
Chloride	10.0	10.3		mg/L		103	90 - 110
Fluoride	10.0	10.9		mg/L		109	90 - 110
Sulfate	10.0	10.6		mg/L		106	90 - 110

Lab Sample ID: LCSD 400-339381/6

Matrix: Water

Analysis Batch: 339381

Analyte	Spike Added	LCSD			D	%Rec	%Rec.	RPD	RPD Limit
		Result	Qualifier	Unit					
Chloride	10.0	10.5		mg/L		105	90 - 110	1	15
Fluoride	10.0	9.52		mg/L		95	90 - 110	14	15
Sulfate	10.0	10.8		mg/L		108	90 - 110	3	15

Lab Sample ID: 400-132731-1 MS

Matrix: Water

Analysis Batch: 339381

Analyte	Sample Result	Sample Qualifier	Spike Added	MS			D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit			
Chloride	3.9		10.0	14.5		mg/L		107	80 - 120
Fluoride	0.11	J	10.0	11.3		mg/L		111	80 - 120
Sulfate	<0.70		10.0	11.6		mg/L		116	80 - 120

Lab Sample ID: 400-132731-1 MSD

Matrix: Water

Analysis Batch: 339381

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD			D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit			
Chloride	3.9		10.0	14.6		mg/L		107	80 - 120
Fluoride	0.11	J	10.0	9.81		mg/L		97	80 - 120
Sulfate	<0.70		10.0	11.9		mg/L		119	80 - 120

Lab Sample ID: MB 400-339461/4

Matrix: Water

Analysis Batch: 339461

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL	MDL	Unit				
Chloride	<0.89		1.0	0.89	mg/L			01/23/17 13:10	1
Fluoride	<0.082		0.20	0.082	mg/L			01/23/17 13:10	1
Sulfate	<0.70		1.0	0.70	mg/L			01/23/17 13:10	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-339461/5

Matrix: Water

Analysis Batch: 339461

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	10.6		mg/L		106	90 - 110	
Fluoride	10.0	9.51		mg/L		95	90 - 110	
Sulfate	10.0	10.8		mg/L		108	90 - 110	

Lab Sample ID: LCSD 400-339461/6

Matrix: Water

Analysis Batch: 339461

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	10.0	10.5		mg/L		105	90 - 110	1	15
Fluoride	10.0	11.0		mg/L		110	90 - 110	15	15
Sulfate	10.0	10.6		mg/L		106	90 - 110	2	15

Lab Sample ID: MB 400-340093/3

Matrix: Water

Analysis Batch: 340093

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/26/17 19:45	1
Fluoride	<0.082		0.20	0.082	mg/L			01/26/17 19:45	1
Sulfate	<0.70		1.0	0.70	mg/L			01/26/17 19:45	1

Lab Sample ID: LCS 400-340093/4

Matrix: Water

Analysis Batch: 340093

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.87		mg/L		99	90 - 110	
Fluoride	10.0	10.4		mg/L		104	90 - 110	
Sulfate	10.0	10.2		mg/L		102	90 - 110	

Lab Sample ID: LCSD 400-340093/5

Matrix: Water

Analysis Batch: 340093

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	10.0	9.79		mg/L		98	90 - 110	1	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	1	15
Sulfate	10.0	10.2		mg/L		102	90 - 110	0	15

Lab Sample ID: 400-132731-6 MS

Matrix: Water

Analysis Batch: 340093

Client Sample ID: MGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10		50.0	58.0		mg/L		96	80 - 120	
Fluoride	<0.41		50.0	52.7		mg/L		105	80 - 120	
Sulfate	150		50.0	195		mg/L		83	80 - 120	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 400-132731-6 MSD

Matrix: Water

Analysis Batch: 340093

Client Sample ID: MGWC-8
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10		50.0	58.0		mg/L		96	80 - 120	0	20
Fluoride	<0.41		50.0	52.7		mg/L		105	80 - 120	0	20
Sulfate	150		50.0	195		mg/L		83	80 - 120	0	20

Lab Sample ID: MB 400-340258/4

Matrix: Water

Analysis Batch: 340258

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/27/17 10:35	1
Fluoride	<0.082		0.20	0.082	mg/L			01/27/17 10:35	1
Sulfate	<0.70		1.0	0.70	mg/L			01/27/17 10:35	1

Lab Sample ID: LCS 400-340258/5

Matrix: Water

Analysis Batch: 340258

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	10.0	9.88		mg/L		99	90 - 110		
Fluoride	10.0	10.5		mg/L		105	90 - 110		
Sulfate	10.0	10.3		mg/L		103	90 - 110		

Lab Sample ID: LCSD 400-340258/6

Matrix: Water

Analysis Batch: 340258

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.81		mg/L		98	90 - 110	1	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	1	15
Sulfate	10.0	10.2		mg/L		102	90 - 110	1	15

Lab Sample ID: 400-132731-13 MS

Matrix: Water

Analysis Batch: 340258

Client Sample ID: MGWC-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	14		10.0	23.3		mg/L		95	80 - 120		
Fluoride	0.22		10.0	10.9		mg/L		107	80 - 120		
Sulfate	140 E		10.0	147 E 4		mg/L		94	80 - 120		

Lab Sample ID: 400-132731-13 MSD

Matrix: Water

Analysis Batch: 340258

Client Sample ID: MGWC-1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	14		10.0	23.2		mg/L		95	80 - 120	0	20
Fluoride	0.22		10.0	10.9		mg/L		107	80 - 120	0	20
Sulfate	140 E		10.0	148 E 4		mg/L		104	80 - 120	1	20

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 400-340336/34

Matrix: Water

Analysis Batch: 340336

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			01/30/17 22:37	1
Fluoride	<0.082		0.20	0.082	mg/L			01/30/17 22:37	1
Sulfate	<0.70		1.0	0.70	mg/L			01/30/17 22:37	1

Lab Sample ID: LCS 400-340336/35

Matrix: Water

Analysis Batch: 340336

Analyte	Spike		LCS		Unit	D	%Rec.		Limits
	Added	Result	Result	Qualifier			%Rec		
Chloride	10.0	10.0	10.0		mg/L		100	90 - 110	
Fluoride	10.0	10.5	10.5		mg/L		105	90 - 110	
Sulfate	10.0	10.3	10.3		mg/L		103	90 - 110	

Lab Sample ID: LCSD 400-340336/36

Matrix: Water

Analysis Batch: 340336

Analyte	Spike		LCSD		Unit	D	%Rec.		RPD	Limit
	Added	Result	Result	Qualifier			%Rec	Limits		
Chloride	10.0	9.98	9.98		mg/L		100	90 - 110	1	15
Fluoride	10.0	10.5	10.5		mg/L		105	90 - 110	0	15
Sulfate	10.0	10.3	10.3		mg/L		103	90 - 110	0	15

Lab Sample ID: 400-132731-9 MS

Matrix: Water

Analysis Batch: 340336

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec.		RPD	Limit
	Result	Qualifier	Added	Result	Qualifier			%Rec	Limits		
Chloride	20		100	116		mg/L		97	80 - 120		
Fluoride	<0.82		100	106		mg/L		106	80 - 120		
Sulfate	280		100	376		mg/L		98	80 - 120		

Lab Sample ID: 400-132731-9 MSD

Matrix: Water

Analysis Batch: 340336

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec.		RPD	Limit
	Result	Qualifier	Added	Result	Qualifier			%Rec	Limits		
Chloride	20		100	116		mg/L		97	80 - 120	0	20
Fluoride	<0.82		100	106		mg/L		106	80 - 120	0	20
Sulfate	280		100	377		mg/L		98	80 - 120	0	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-339178/1-A ^5

Matrix: Water

Analysis Batch: 339677

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		01/20/17 13:45	01/24/17 13:42	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		01/20/17 13:45	01/24/17 13:42	5

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 339178

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-339178/1-A ^5

Matrix: Water

Analysis Batch: 339677

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 339178

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00049		0.0025		0.00049	mg/L		01/20/17 13:45	01/24/17 13:42		5
Beryllium	<0.00034		0.0025		0.00034	mg/L		01/20/17 13:45	01/24/17 13:42		5
Boron	<0.021		0.050		0.021	mg/L		01/20/17 13:45	01/24/17 13:42		5
Cadmium	<0.00034		0.0025		0.00034	mg/L		01/20/17 13:45	01/24/17 13:42		5
Calcium	<0.13		0.25		0.13	mg/L		01/20/17 13:45	01/24/17 13:42		5
Chromium	<0.0011		0.0025		0.0011	mg/L		01/20/17 13:45	01/24/17 13:42		5
Cobalt	<0.00040		0.0025		0.00040	mg/L		01/20/17 13:45	01/24/17 13:42		5
Lead	<0.00035		0.0013		0.00035	mg/L		01/20/17 13:45	01/24/17 13:42		5
Lithium	<0.0032		0.0050		0.0032	mg/L		01/20/17 13:45	01/24/17 13:42		5
Molybdenum	<0.00085		0.015		0.00085	mg/L		01/20/17 13:45	01/24/17 13:42		5
Selenium	<0.00024		0.0013		0.00024	mg/L		01/20/17 13:45	01/24/17 13:42		5
Thallium	<0.000085		0.00050		0.000085	mg/L		01/20/17 13:45	01/24/17 13:42		5

Lab Sample ID: LCS 400-339178/2-A

Matrix: Water

Analysis Batch: 339677

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 339178

Analyte	Spike	LCS	LCS	Result	Qualifier	Unit	D	%Rec	Limits	
	Added									
Antimony	0.0500		0.0524			mg/L		105	80 - 120	
Arsenic	0.0500		0.0506			mg/L		101	80 - 120	
Barium	0.0500		0.0519			mg/L		104	80 - 120	
Beryllium	0.0500		0.0550			mg/L		110	80 - 120	
Boron	0.100		0.100			mg/L		100	80 - 120	
Cadmium	0.0500		0.0510			mg/L		102	80 - 120	
Calcium	5.00		4.82			mg/L		96	80 - 120	
Chromium	0.0500		0.0497			mg/L		99	80 - 120	
Cobalt	0.0500		0.0479			mg/L		96	80 - 120	
Lead	0.0500		0.0507			mg/L		101	80 - 120	
Lithium	0.0500		0.0524			mg/L		105	80 - 120	
Molybdenum	0.100		0.102			mg/L		102	80 - 120	
Selenium	0.0500		0.0496			mg/L		99	80 - 120	
Thallium	0.0100		0.0103			mg/L		103	80 - 120	

Lab Sample ID: MB 400-339670/1-A ^5

Matrix: Water

Analysis Batch: 339805

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025		0.0010	mg/L		01/25/17 08:40	01/25/17 14:39		5
Arsenic	<0.00046		0.0013		0.00046	mg/L		01/25/17 08:40	01/25/17 14:39		5
Barium	<0.00049		0.0025		0.00049	mg/L		01/25/17 08:40	01/25/17 14:39		5
Beryllium	<0.00034		0.0025		0.00034	mg/L		01/25/17 08:40	01/25/17 14:39		5
Boron	<0.021		0.050		0.021	mg/L		01/25/17 08:40	01/25/17 14:39		5
Cadmium	<0.00034		0.0025		0.00034	mg/L		01/25/17 08:40	01/25/17 14:39		5
Calcium	<0.13		0.25		0.13	mg/L		01/25/17 08:40	01/25/17 14:39		5
Chromium	<0.0011		0.0025		0.0011	mg/L		01/25/17 08:40	01/25/17 14:39		5
Cobalt	<0.00040		0.0025		0.00040	mg/L		01/25/17 08:40	01/25/17 14:39		5
Lead	<0.00035		0.0013		0.00035	mg/L		01/25/17 08:40	01/25/17 14:39		5
Lithium	<0.0032		0.0050		0.0032	mg/L		01/25/17 08:40	01/25/17 14:39		5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-339670/1-A ^5

Matrix: Water

Analysis Batch: 339805

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Molybdenum	<0.00085		0.015	0.00085	mg/L		01/25/17 08:40	01/25/17 14:39	5
Selenium	<0.00024		0.0013	0.00024	mg/L		01/25/17 08:40	01/25/17 14:39	5
Thallium	<0.000085		0.00050	0.000085	mg/L		01/25/17 08:40	01/25/17 14:39	5

Lab Sample ID: LCS 400-339670/2-A

Matrix: Water

Analysis Batch: 339805

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Antimony	0.0500	0.0541		mg/L		108	80 - 120
Arsenic	0.0500	0.0512		mg/L		102	80 - 120
Barium	0.0500	0.0552		mg/L		110	80 - 120
Beryllium	0.0500	0.0533		mg/L		107	80 - 120
Boron	0.100	0.114		mg/L		114	80 - 120
Cadmium	0.0500	0.0489		mg/L		98	80 - 120
Calcium	5.00	5.15		mg/L		103	80 - 120
Chromium	0.0500	0.0473		mg/L		95	80 - 120
Cobalt	0.0500	0.0472		mg/L		94	80 - 120
Lead	0.0500	0.0491		mg/L		98	80 - 120
Lithium	0.0500	0.0514		mg/L		103	80 - 120
Molybdenum	0.100	0.0971		mg/L		97	80 - 120
Selenium	0.0500	0.0499		mg/L		100	80 - 120
Thallium	0.0100	0.0101		mg/L		101	80 - 120

Lab Sample ID: 400-132731-9 MS

Matrix: Water

Analysis Batch: 339805

Client Sample ID: MGWC-2

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	Limits
				Result	Qualifier				
Antimony	<0.0010		0.0500	0.0558		mg/L		112	75 - 125
Arsenic	<0.00046		0.0500	0.0521		mg/L		104	75 - 125
Barium	0.060		0.0500	0.115		mg/L		109	75 - 125
Beryllium	<0.00034		0.0500	0.0521		mg/L		104	75 - 125
Cadmium	0.0080		0.0500	0.0572		mg/L		99	75 - 125
Chromium	<0.0011	F2 F1	0.0500	0.0482		mg/L		96	75 - 125
Cobalt	0.0032		0.0500	0.0510		mg/L		95	75 - 125
Lead	<0.00035		0.0500	0.0506		mg/L		101	75 - 125
Lithium	0.0051		0.0500	0.0554		mg/L		101	75 - 125
Molybdenum	<0.00085		0.100	0.102		mg/L		102	75 - 125
Selenium	<0.00024		0.0500	0.0505		mg/L		101	75 - 125
Thallium	<0.000085		0.0100	0.0105		mg/L		105	75 - 125

Lab Sample ID: 400-132731-9 MSD

Matrix: Water

Analysis Batch: 339805

Client Sample ID: MGWC-2

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	Limits	RPD
				Result	Qualifier					
Antimony	<0.0010		0.0500	0.0542		mg/L		108	75 - 125	3
Arsenic	<0.00046		0.0500	0.0517		mg/L		103	75 - 125	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-132731-9 MSD

Matrix: Water

Analysis Batch: 339805

Client Sample ID: MGWC-2

Prep Type: Total Recoverable

Prep Batch: 339670

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Barium	0.060		0.0500	0.115		mg/L	109	75 - 125	0	20	
Beryllium	<0.00034		0.0500	0.0524		mg/L	105	75 - 125	1	20	
Cadmium	0.0080		0.0500	0.0586		mg/L	101	75 - 125	2	20	
Chromium	<0.0011	F2 F1	0.0500	0.0847	F1 F2	mg/L	169	75 - 125	55	20	
Cobalt	0.0032		0.0500	0.0510		mg/L	96	75 - 125	0	20	
Lead	<0.00035		0.0500	0.0515		mg/L	103	75 - 125	2	20	
Lithium	0.0051		0.0500	0.0555		mg/L	101	75 - 125	0	20	
Molybdenum	<0.00085		0.100	0.102		mg/L	102	75 - 125	0	20	
Selenium	<0.00024		0.0500	0.0506		mg/L	101	75 - 125	0	20	
Thallium	<0.000085		0.0100	0.0104		mg/L	104	75 - 125	1	20	

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-339472/14-A

Matrix: Water

Analysis Batch: 339753

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 339472

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L		01/23/17 14:38	01/25/17 12:56	1

Lab Sample ID: LCS 400-339472/15-A

Matrix: Water

Analysis Batch: 339753

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 339472

Analyte	Spike		LCS	LCS	Unit	D	%Rec	Limits	
	Added	Result	Qualifier						
Mercury	0.00101	0.00102			mg/L	102	102	80 - 120	

Lab Sample ID: MB 400-339694/14-A

Matrix: Water

Analysis Batch: 340132

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 339694

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L		01/25/17 09:17	01/27/17 12:30	1

Lab Sample ID: LCS 400-339694/15-A

Matrix: Water

Analysis Batch: 340132

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 339694

Analyte	Spike		LCS	LCS	Unit	D	%Rec	Limits	
	Added	Result	Qualifier						
Mercury	0.00101	0.00103			mg/L	102	102	80 - 120	

Lab Sample ID: 400-132731-10 MS

Matrix: Water

Analysis Batch: 340132

Client Sample ID: MGWC-12

Prep Type: Total/NA

Prep Batch: 339694

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
Mercury	<0.000070		0.00201	0.00213		mg/L	106	106	80 - 120

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-1
SDG: Ash Pond

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 400-132731-10 MSD

Matrix: Water

Analysis Batch: 340132

Client Sample ID: MGWC-12

Prep Type: Total/NA

Prep Batch: 339694

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	RPD
	Result	Qualifier	Added	Result	Qualifier				
Mercury	<0.000070		0.00201	0.00201		mg/L		80 - 120	6 20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-339296/1

Matrix: Water

Analysis Batch: 339296

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			01/21/17 14:05	1

Lab Sample ID: LCS 400-339296/2

Matrix: Water

Analysis Batch: 339296

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Total Dissolved Solids	293	254		mg/L		87	78 - 122	

Lab Sample ID: 400-132731-1 DU

Matrix: Water

Analysis Batch: 339296

Client Sample ID: MGWA-11

Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	170		168		mg/L			01/24/17 14:35	0 5

Lab Sample ID: MB 400-339614/1

Matrix: Water

Analysis Batch: 339614

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			01/24/17 14:35	1

Lab Sample ID: LCS 400-339614/2

Matrix: Water

Analysis Batch: 339614

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Total Dissolved Solids	293	286		mg/L		98	78 - 122	

TestAmerica Pensacola

TestAmerica Pensacola
335 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Chain of Custody Record

Client Information

Client Contact:

John Abraham

Company:

Southern Company

Address:

2441 Ralph McCall Blvd SE B10185

City:

Atlanta

State/Zip:

GA, 30303

Phone:

404-506-7239

Email:

jabraham@southernco.com

Project Name:

Plant McIntosh - Ash Pond

SSOW#:

CCR

Sample:

C

Specimen ID:

MGWC-1

Date:

1/19/17

Time:

09:25

Lab:

GMV

Type:

(General, Specific, General, Specific, General, Specific)

Comments:

Unknown

Analyst:

Unknown

Received by:

Unknown

Date:

1/20/17

Time:

11:34:55

Company:

Unknown

Received by:

Unknown

Date:

1/20/17

Time:

13:45

Company:

Unknown

Received by:

Unknown

Date:

1/20/17

Time:

20:20

Company:

Unknown

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Corrosive

Other (specify): I, II, III, IV, Other (specify)

Delivery Requested:

Deliverable Requested: I, II, III, IV, Other (specify)

Method of Shipment:

Special Instructions/QC Requirements:

Return To Client

Dispose By Lab

Archive For

Radioactive

Refrigerated

Frozen

Other (specify):

Code Temperature(s) & Other Remarks:

Customer Seal Date: Custody Seal No.: 1/16/2017

△ Yes ▲ No: No

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Dispose By Lab

Archive For

Radioactive

Refrigerated

Frozen

Other (specify):

Code Temperature(s) & Other Remarks:

Customer Seal Date: Custody Seal No.: 1/16/2017

△ Yes ▲ No: No

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-132731-1

SDG Number: Ash Pond

Login Number: 132731

List Source: TestAmerica Pensacola

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment	
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A		1
The cooler's custody seal, if present, is intact.	True		2
Sample custody seals, if present, are intact.	True		3
The cooler or samples do not appear to have been compromised or tampered with.	True		4
Samples were received on ice.	True		5
Cooler Temperature is acceptable.	True		6
Cooler Temperature is recorded.	True	0.1°C, 0.6°C; 2.7°C IR-6; 0.8°C, 1.1°C; 1.6°C, 2.0°C	7
COC is present.	True		8
COC is filled out in ink and legible.	True		9
COC is filled out with all pertinent information.	True		10
Is the Field Sampler's name present on COC?	True		11
There are no discrepancies between the containers received and the COC.	True		12
Samples are received within Holding Time (excluding tests with immediate HTs)	True		13
Sample containers have legible labels.	True		14
Containers are not broken or leaking.	True		
Sample collection date/times are provided.	True		
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	True		
Sample Preservation Verified.	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		
Residual Chlorine Checked.	N/A		

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-132731-2

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
PO BOX 2641 GSC8
Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

2/21/2017 5:05:38 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	18
Chronicle	19
QC Association	23
QC Sample Results	24
Chain of Custody	26
Receipt Checklists	30
Certification Summary	31

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
 SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-132731-1	MGWA-11	Water	01/17/17 09:47	01/18/17 08:30
400-132731-2	MGWA-5	Water	01/17/17 11:14	01/18/17 08:30
400-132731-3	MGWA-6	Water	01/17/17 12:43	01/18/17 08:30
400-132731-4	MGWC-7	Water	01/17/17 13:05	01/18/17 08:30
400-132731-5	DUP-1	Water	01/17/17 00:00	01/18/17 08:30
400-132731-6	MGWC-8	Water	01/17/17 14:14	01/18/17 08:30
400-132731-7	MGWC-3	Water	01/17/17 15:58	01/18/17 08:30
400-132731-8	MGWA-10	Water	01/16/17 15:30	01/18/17 15:31
400-132731-9	MGWC-2	Water	01/18/17 09:05	01/19/17 07:45
400-132731-10	MGWC-12	Water	01/18/17 10:47	01/19/17 07:45
400-132731-11	FB-1	Water	01/18/17 11:25	01/19/17 07:45
400-132731-12	FERB-1	Water	01/18/17 11:35	01/19/17 07:45
400-132731-13	MGWC-1	Water	01/19/17 09:25	01/20/17 13:45

1
2
3
4
5
6
7
8
9
10
11
12

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 01/17/17 09:47

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.221		0.138	0.140	1.00	0.188	pCi/L	01/25/17 13:20	02/17/17 20:38	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.3		40 - 110					01/25/17 13:20	02/17/17 20:38	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	1.04		0.357	0.369	1.00	0.488	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.3		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	87.5		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.26		0.382	0.395	5.00	0.488	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWA-5
Date Collected: 01/17/17 11:14
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-2
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.254		0.135	0.136	1.00	0.167	pCi/L	01/25/17 13:20	02/18/17 10:12	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					01/25/17 13:20	02/18/17 10:12	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.257	U	0.320	0.321	1.00	0.531	pCi/L	01/25/17 15:22	02/14/17 13:05	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	84.9		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.511	U	0.348	0.349	5.00	0.531	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWA-6
Date Collected: 01/17/17 12:43
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-3
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.447		0.155	0.160	1.00	0.138	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.3		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.373	U	0.279	0.281	1.00	0.437	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.3		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	85.2		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.820		0.319	0.323	5.00	0.437	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-7
Date Collected: 01/17/17 13:05
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.960		0.222	0.238	1.00	0.157	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.9		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.634		0.311	0.317	1.00	0.455	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.9		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	81.9		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.59		0.383	0.397	5.00	0.455	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 01/17/17 00:00

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.941		0.264	0.277	1.00	0.213	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	65.0		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.533	U	0.367	0.370	1.00	0.568	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	65.0		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	81.9		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.47		0.452	0.462	5.00	0.568	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-8
Date Collected: 01/17/17 14:14
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.01		0.223	0.241	1.00	0.147	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.2		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.744		0.308	0.316	1.00	0.428	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.2		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier			40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.75		0.380	0.397	5.00	0.428	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-3
Date Collected: 01/17/17 15:58
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.967		0.214	0.231	1.00	0.146	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.929		0.327	0.338	1.00	0.441	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.8		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	81.9		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.90		0.391	0.409	5.00	0.441	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 01/16/17 15:30

Date Received: 01/18/17 15:31

Lab Sample ID: 400-132731-8

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.539		0.165	0.172	1.00	0.147	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.562		0.284	0.288	1.00	0.418	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	84.5		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.10		0.328	0.336	5.00	0.418	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 01/18/17 09:05

Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-9

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.299		0.143	0.145	1.00	0.167	pCi/L	01/25/17 13:20	02/18/17 10:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.389	U	0.291	0.293	1.00	0.456	pCi/L	01/25/17 15:22	02/14/17 13:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.5		40 - 110					01/25/17 15:22	02/14/17 13:05	1
Y Carrier	82.6		40 - 110					01/25/17 15:22	02/14/17 13:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.688		0.324	0.327	5.00	0.456	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-12

Date Collected: 01/18/17 10:47

Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.174	U	0.135	0.136	1.00	0.198	pCi/L	01/25/17 13:20	02/18/17 10:13	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	69.2		40 - 110					01/25/17 13:20	02/18/17 10:13	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.128	U	0.284	0.284	1.00	0.489	pCi/L	01/25/17 15:22	02/14/17 13:06	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	69.2		40 - 110					01/25/17 15:22	02/14/17 13:06	1
Y Carrier	85.2		40 - 110					01/25/17 15:22	02/14/17 13:06	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.302	U	0.314	0.315	5.00	0.489	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 01/18/17 11:25
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-11
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.158	U	0.118	0.119	1.00	0.171	pCi/L	01/25/17 13:20	02/18/17 10:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.9		40 - 110					01/25/17 13:20	02/18/17 10:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.210	U	0.276	0.277	1.00	0.460	pCi/L	01/25/17 15:22	02/14/17 13:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.9		40 - 110					01/25/17 15:22	02/14/17 13:06	1
Y Carrier	83.0		40 - 110					01/25/17 15:22	02/14/17 13:06	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.368	U	0.300	0.301	5.00	0.460	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: FERB-1

Date Collected: 01/18/17 11:35
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-12

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0277	U	0.0733	0.0734	1.00	0.139	pCi/L	01/25/17 13:20	02/18/17 10:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.6		40 - 110					01/25/17 13:20	02/18/17 10:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.120	U	0.242	0.243	1.00	0.416	pCi/L	01/25/17 15:22	02/14/17 13:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.6		40 - 110					01/25/17 15:22	02/14/17 13:06	1
Y Carrier	84.1		40 - 110					01/25/17 15:22	02/14/17 13:06	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.147	U	0.253	0.253	5.00	0.416	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-1
Date Collected: 01/19/17 09:25
Date Received: 01/20/17 13:45

Lab Sample ID: 400-132731-13
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.10		0.232	0.252	1.00	0.158	pCi/L	01/25/17 13:20	02/18/17 10:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.3		40 - 110					01/25/17 13:20	02/18/17 10:14	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.538		0.286	0.290	1.00	0.419	pCi/L	01/25/17 15:22	02/14/17 13:06	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.3		40 - 110					01/25/17 15:22	02/14/17 13:06	1
Y Carrier	80.7		40 - 110					01/25/17 15:22	02/14/17 13:06	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.64		0.368	0.385	5.00	0.419	pCi/L		02/20/17 09:41	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 01/17/17 09:47

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293055	02/17/17 20:38	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 01/17/17 11:14

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:12	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 01/17/17 12:43

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWC-7

Date Collected: 01/17/17 13:05

Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 01/17/17 00:00
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 01/17/17 14:14
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWC-3

Date Collected: 01/17/17 15:58
Date Received: 01/18/17 08:30

Lab Sample ID: 400-132731-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWA-10

Date Collected: 01/16/17 15:30
Date Received: 01/18/17 15:31

Lab Sample ID: 400-132731-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 01/18/17 09:05
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:05	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 01/18/17 10:47
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:13	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:06	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 01/18/17 11:25
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:14	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:06	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Client Sample ID: FERB-1

Date Collected: 01/18/17 11:35
Date Received: 01/19/17 07:45

Lab Sample ID: 400-132731-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:14	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:06	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Client Sample ID: MGWC-1

Date Collected: 01/19/17 09:25

Date Received: 01/20/17 13:45

Lab Sample ID: 400-132731-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			289160	01/25/17 13:20	MBC	TAL SL
Total/NA	Analysis	9315		1	293143	02/18/17 10:14	RTM	TAL SL
Total/NA	Prep	PrecSep_0			289179	01/25/17 15:22	MBC	TAL SL
Total/NA	Analysis	9320		1	292221	02/14/17 13:06	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	293353	02/20/17 09:41	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Rad

Prep Batch: 289160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	PrecSep-21	1
400-132731-2	MGWA-5	Total/NA	Water	PrecSep-21	2
400-132731-3	MGWA-6	Total/NA	Water	PrecSep-21	3
400-132731-4	MGWC-7	Total/NA	Water	PrecSep-21	4
400-132731-5	DUP-1	Total/NA	Water	PrecSep-21	5
400-132731-6	MGWC-8	Total/NA	Water	PrecSep-21	6
400-132731-7	MGWC-3	Total/NA	Water	PrecSep-21	7
400-132731-8	MGWA-10	Total/NA	Water	PrecSep-21	8
400-132731-9	MGWC-2	Total/NA	Water	PrecSep-21	9
400-132731-10	MGWC-12	Total/NA	Water	PrecSep-21	10
400-132731-11	FB-1	Total/NA	Water	PrecSep-21	11
400-132731-12	FERB-1	Total/NA	Water	PrecSep-21	12
400-132731-13	MGWC-1	Total/NA	Water	PrecSep-21	
MB 160-289160/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-289160/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-132731-10 DU	MGWC-12	Total/NA	Water	PrecSep-21	

Prep Batch: 289179

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-132731-1	MGWA-11	Total/NA	Water	PrecSep_0	
400-132731-2	MGWA-5	Total/NA	Water	PrecSep_0	
400-132731-3	MGWA-6	Total/NA	Water	PrecSep_0	
400-132731-4	MGWC-7	Total/NA	Water	PrecSep_0	
400-132731-5	DUP-1	Total/NA	Water	PrecSep_0	
400-132731-6	MGWC-8	Total/NA	Water	PrecSep_0	
400-132731-7	MGWC-3	Total/NA	Water	PrecSep_0	
400-132731-8	MGWA-10	Total/NA	Water	PrecSep_0	
400-132731-9	MGWC-2	Total/NA	Water	PrecSep_0	
400-132731-10	MGWC-12	Total/NA	Water	PrecSep_0	
400-132731-11	FB-1	Total/NA	Water	PrecSep_0	
400-132731-12	FERB-1	Total/NA	Water	PrecSep_0	
400-132731-13	MGWC-1	Total/NA	Water	PrecSep_0	
MB 160-289179/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-289179/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-132731-10 DU	MGWC-12	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-289160/1-A

Matrix: Water

Analysis Batch: 293055

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 289160

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.03318	U	0.102	0.102	1.00	0.192	pCi/L	01/25/17 13:20	02/17/17 20:37	1
Carrier										
<i>Ba Carrier</i>	MB MB		Limits		Prepared		Analyzed		Dil Fac	
	%Yield	Qualifier	40 - 110		01/25/17 13:20		02/17/17 20:37		1	

Lab Sample ID: LCS 160-289160/2-A

Matrix: Water

Analysis Batch: 293055

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 289160

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Added									
Radium-226	6.01		8.258		0.981	1.00	0.173	pCi/L	137	68 - 137
Carrier										
<i>Ba Carrier</i>	LCS LCS		Limits		Prepared		Analyzed		Dil Fac	
	%Yield	Qualifier	40 - 110		01/25/17 13:20		02/17/17 20:37		1	

Lab Sample ID: 400-132731-10 DU

Matrix: Water

Analysis Batch: 293143

Client Sample ID: MGWC-12
Prep Type: Total/NA
Prep Batch: 289160

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	0.174	U	0.2103		0.137	1.00	0.184	pCi/L	0.13	1
Carrier										
<i>Ba Carrier</i>	DU DU		Limits		Prepared		Analyzed		Dil Fac	
	%Yield	Qualifier	40 - 110		01/25/17 15:22		02/17/17 20:37		1	

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-289179/1-A

Matrix: Water

Analysis Batch: 292221

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 289179

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	-0.09960	U	0.308	0.308	1.00	0.561	pCi/L	01/25/17 15:22	02/14/17 13:04	1
Carrier										
<i>Ba Carrier</i>	MB MB		Limits		Prepared		Analyzed		Dil Fac	
	%Yield	Qualifier	40 - 110		01/25/17 15:22		02/14/17 13:04		1	
<i>Y Carrier</i>	82.2		40 - 110		01/25/17 15:22		02/14/17 13:04		1	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-289179/2-A

Matrix: Water

Analysis Batch: 292221

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 289179

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		MDC	Unit	%Rec.	Limits
		Result	Qual		RL	%Rec				
Radium-228	13.8	18.33		1.98	1.00		0.492	pCi/L	132	56 - 140

Carrier LCS LCS

Carrier	%Yield	Qualifier	Limits
Ba Carrier	80.1		40 - 110
Y Carrier	80.0		40 - 110

Lab Sample ID: 400-132731-10 DU

Matrix: Water

Analysis Batch: 292221

Client Sample ID: MGWC-12

Prep Type: Total/NA

Prep Batch: 289179

Analyte	Sample		DU		Total		RER	Limit		
	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Radium-228	0.128	U	0.3301	U	0.343	1.00	0.557	pCi/L	0.32	1

Carrier DU DU

Carrier	%Yield	Qualifier	Limits
Ba Carrier	68.4		40 - 110
Y Carrier	82.6		40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-132731-10 DU

Matrix: Water

Analysis Batch: 293353

Client Sample ID: MGWC-12

Prep Type: Total/NA

Analyte	Sample		DU		Total		RER	Limit		
	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit		
Combined Radium 226 + 228	0.302	U	0.5404	U	0.370	5.00	0.557	pCi/L	0.35	

TestAmerica Pensacola

3335 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

Client Information

Client Contact:

Joiu Abraham

Company:

Southern Company

Address:

241 Ralph McGill Blvd SE B10185

City:

Atlanta

State, Zip:

GA, 30308

Phone:

404-506-7239

Email:

JAbraham@southernco.com

Project Name:

Plant McIntosh - Ash Pond

Site:

CCR

Sample Identification

MGWA-10

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Radiologic

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by:

Relinquished by:

Relinquished by:

Custody Seals Intact:

Custody Seal No.:

△ Yes △ No

Sampler:
T. Payne T.F.; C. Hurdle C.E., G. Jirak G.J.

Phone:

Carrier Tracking No(s):

COC No:

1 of 1

Job #:

Lab PM:
Whitmire, Cheyenne R

E-Mail:
cheyenne.whitmire@testamericainc.cgi

Carrier Tracking No(s):

Page:

1

Job #:

Sample Date:

TAT Requested (days):

PO#:

WO#:

Project #:

SSOW#:

Field Filtered Sample (Yes or No):

TestAmerica Pensacola

3305 McLean Drive
Pensacola, FL 32514
Phone: (800) 474-1001 Fax: (850) 478-2671

Chain of Custody Record

Client Information

Client Contact:

John Afrifaani

Company:

Southern Company

Address:

1241 Ralph McCall Blvd SE B-43185

City:

Atlanta

State, Zip:

GA 30308

Phone:

(404) 506-7233

Email:

jacobham@justtestitco.com

Project Name:

Plant McIntosh - Ash Pond

Spec:

CCR

Sample: C. Hurdle C.C.; M. Rogers M.R.

Lab F/R:

Cheyanne R.

Center Tracking No/S:

COCNC

Page:

1 of 1

Job#:

cheyanne.wilkinson@testamericatoco.com

Analysis Requested

Preservation Codes:

A - HCl

B - NaOH

C - Zinc Oxide

D - Nitric Acid

E - NaHSO4

F - Na2CO3

G - Ammonia

H - Ascorbic Acid

I - ICP

J - DI Water

K - EDTA

L - EDA

Other:

M - Hexane

N - None

O - Acetone

P - Na2O4

Q - Na2SCo3

R - NaOH

S - H2SO4

T - TSP Dodecahydro-

U - Acetone

V - MCA

W - pH 4-5

Z - other (specify)

Special Instructions/Notes:

Rodium 220 & 220

Tl70

Molybdenum 220 & 220

EPA 300

EPA 6020 & 6030

EPA 6040 & 6050

EPA 6060 & 6070

EPA 6080 & 6090

EPA 6010 & 6020

EPA 6030 & 6040

EPA 6050 & 6060

EPA 6070 & 6080

EPA 6090 & 6100

EPA 6110 & 6120

EPA 6130 & 6140

EPA 6150 & 6160

EPA 6170 & 6180

EPA 6190 & 6200

EPA 6210 & 6220

EPA 6230 & 6240

EPA 6250 & 6260

EPA 6270 & 6280

EPA 6290 & 6300

EPA 6310 & 6320

EPA 6330 & 6340

EPA 6350 & 6360

EPA 6370 & 6380

EPA 6390 & 6400

EPA 6410 & 6420

EPA 6430 & 6440

EPA 6450 & 6460

EPA 6470 & 6480

EPA 6490 & 6500

EPA 6510 & 6520

EPA 6530 & 6540

EPA 6550 & 6560

EPA 6570 & 6580

EPA 6590 & 6600

EPA 6610 & 6620

EPA 6630 & 6640

EPA 6650 & 6660

EPA 6670 & 6680

EPA 6690 & 6700

EPA 6710 & 6720

EPA 6730 & 6740

EPA 6750 & 6760

EPA 6770 & 6780

EPA 6790 & 6800

EPA 6810 & 6820

EPA 6830 & 6840

EPA 6850 & 6860

EPA 6870 & 6880

EPA 6890 & 6900

EPA 6910 & 6920

EPA 6930 & 6940

EPA 6950 & 6960

EPA 6970 & 6980

EPA 6990 & 7000

EPA 7010 & 7020

EPA 7030 & 7040

EPA 7050 & 7060

EPA 7070 & 7080

EPA 7090 & 7100

EPA 7110 & 7120

EPA 7130 & 7140

EPA 7150 & 7160

EPA 7170 & 7180

EPA 7190 & 7200

EPA 7210 & 7220

EPA 7230 & 7240

EPA 7250 & 7260

EPA 7270 & 7280

EPA 7290 & 7300

EPA 7310 & 7320

EPA 7330 & 7340

EPA 7350 & 7360

EPA 7370 & 7380

EPA 7390 & 7400

EPA 7410 & 7420

EPA 7430 & 7440

EPA 7450 & 7460

EPA 7470 & 7480

EPA 7490 & 7500

EPA 7510 & 7520

EPA 7530 & 7540

EPA 7550 & 7560

EPA 7570 & 7580

EPA 7590 & 7600

EPA 7610 & 7620

EPA 7630 & 7640

EPA 7650 & 7660

EPA 7670 & 7680

EPA 7690 & 7700

EPA 7710 & 7720

EPA 7730 & 7740

EPA 7750 & 7760

EPA 7770 & 7780

EPA 7790 & 7800

EPA 7810 & 7820

EPA 7830 & 7840

EPA 7850 & 7860

EPA 7870 & 7880

EPA 7890 & 7900

EPA 7910 & 7920

EPA 7930 & 7940

EPA 7950 & 7960

EPA 7970 & 7980

EPA 7990 & 8000

EPA 8010 & 8020

EPA 8030 & 8040

EPA 8050 & 8060

EPA 8070 & 8080

EPA 8090 & 8100

EPA 8110 & 8120

EPA 8130 & 8140

EPA 8150 & 8160

EPA 8170 & 8180

EPA 8190 & 8200

EPA 8210 & 8220

EPA 8230 & 8240

EPA 8250 & 8260

EPA 8270 & 8280

EPA 8290 & 8300

EPA 8310 & 8320

EPA 8330 & 8340

EPA 8350 & 8360

EPA 8370 & 8380

EPA 8390 & 8400

EPA 8410 & 8420

EPA 8430 & 8440

EPA 8450 & 8460

EPA 8470 & 8480

EPA 8490 & 8500

EPA 8510 & 8520

EPA 8530 & 8540

EPA 8550 & 8560

EPA 8570 & 8580

EPA 8590 & 8600

EPA 8610 & 8620

EPA 8630 & 8640

EPA 8650 & 8660

EPA 8670 & 8680

EPA 8690 & 8700

EPA 8710 & 8720

EPA 8730 & 8740

EPA 8750 & 8760

EPA 8770 & 8780

EPA 8790 & 8800

EPA 8810 & 8820

EPA 8830 & 8840

EPA 8850 & 8860

EPA 8870 & 8880

EPA 8890 & 8900

EPA 8910 & 8920

EPA 8930 & 8940

EPA 8950 & 8960

EPA 8970 & 8980

EPA 8990 & 9000

EPA 9010 & 9020

EPA 9030 & 9040

EPA 9050 & 9060

EPA 9070 & 9080

EPA 9090 & 9100

EPA 9110 & 9120

EPA 9130 & 9140

EPA 9150 & 9160

EPA 9170 & 9180

EPA 9190 & 9200

EPA 9210 & 9220

EPA 9230 & 9240

EPA 9250 & 9260

EPA 9270 & 9280

EPA 9290 & 9300

EPA 9310 & 9320

EPA 9330 & 9340

EPA 9350 & 9360

EPA 9370 & 9380

EPA 9390 & 9400

EPA 9410 & 9420

EPA 9430 & 9440

EPA 9450 & 9460

EPA 9470 & 9480

EPA 9490 & 9500

EPA 9510 & 9520

EPA 9530 & 9540

EPA 9550 & 9560

EPA 9570 & 9580

EPA 9590 & 9600

EPA 9610 & 9620

EPA 9630 & 9640

EPA 9650 & 9660

EPA 9670 & 9680

EPA 9690 & 9700

EPA 9710 & 9720

EPA 9730 & 9740

EPA 9750 & 9760

EPA 9770 & 9780

EPA 9790 & 9800

EPA 9810 & 9820

EPA 9830 & 9840

EPA 9850 & 9860

EPA 9870 & 9880

EPA 9890 & 9900

EPA 9910 & 9920

EPA 9930 & 9940

EPA 9950 & 9960

EPA 9970 & 9980

EPA 9990 & 10000

EPA 10010 & 10020

EPA

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-132731-2

SDG Number: Ash Pond

Login Number: 132731

List Source: TestAmerica Pensacola

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.1°C, 0.6°C; 2.7°C IR-6; 0.8°C, 1.1°C; 1.6°C, 2.0°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18 *
Connecticut	State Program	1	PH-0241	03-31-17 *
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	200023	11-30-17
Iowa	State Program	7	373	02-01-18
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-17
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA170011	12-31-17
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542017-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17
New York	NELAP	2	11616	03-31-17 *
North Dakota	State Program	8	R207	06-30-17

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-132731-2
SDG: Ash Pond

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-17 *
South Carolina	State Program	4	85002001	06-30-17
Texas	NELAP	6	T104704193-16-10	07-31-17
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-17-0028	02-02-20
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17 *

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-134758-1

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

PO BOX 2641 GSC8

Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

3/18/2017 2:07:44 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1	3
Table of Contents	2	4
Case Narrative	3	5
Detection Summary	5	6
Method Summary	10	6
Sample Summary	11	7
Client Sample Results	12	8
Definitions	25	9
Chronicle	26	9
QC Association	31	10
QC Sample Results	35	11
Chain of Custody	41	11
Receipt Checklists	43	12
Certification Summary	44	13
		14

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Job ID: 400-134758-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-134758-1

HPLC/IC

Method(s) 300.0: The method blank for analytical batch 345156 contained Fluoride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 300.0: The CCB for analytical batch 345156 contained Fluoride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-7 (400-134758-5), MGWC-8 (400-134758-6), MGWC-1 (400-134758-7), MGWC-3 (400-134758-8), MGWC-2 (400-134758-9), DUP-1 (400-134758-11), (400-134758-A-5 MS) and (400-134758-A-5 MSD). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 344597 and analytical batch 345106 recovered outside control limits for the following analytes: Antimony and Lead. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 6020: The continuing calibration verification (CCV) associated with batch 345106 recovered above the upper control limit for Antimony and Lead. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MGWC-1 (400-134758-7), MGWC-3 (400-134758-8), MGWC-2 (400-134758-9), MGWC-12 (400-134758-10), DUP-1 (400-134758-11), FB-1 (400-134758-12) and FERB-1 (400-134758-13).

Method(s) 6020: The continuing calibration verification (CCV) associated with batch 345106 recovered above the upper control limit for Antimony. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following sample is impacted: MGWA-10 (400-134758-1).

Method(s) 6020: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 344597 and analytical batch 345106 recovered outside control limits for the following analytes: Antimony. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 6020: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-8 (400-134758-6) and MGWC-2 (400-134758-9). Elevated reporting limits (RLs) are provided.

Method(s) 6020: The continuing calibration verification (CCV) associated with batch 345106 recovered above the upper control limit for Lead. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MGWA-5 (400-134758-3), MGWA-6 (400-134758-4), MGWC-7 (400-134758-5) and MGWC-8 (400-134758-6).

Method(s) 6020: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 344597 and analytical batch 345106 recovered outside control limits for the following analytes: Lead. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 344597 and analytical batch 345240 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method(s) 6020: The continuing calibration verification (CCV) associated with batch 345240 recovered above the upper control limit for Antimony. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MGWA-5 (400-134758-3), MGWA-6 (400-134758-4), MGWC-7 (400-134758-5) and MGWC-8 (400-134758-6).

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Job ID: 400-134758-1 (Continued)

Laboratory: TestAmerica Pensacola (Continued)

Method(s) 6020: The laboratory control sample (LCS) for preparation batch 344597 and analytical batch 345240 recovered outside control limits for the following analytes: Antimony. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-10

Lab Sample ID: 400-134758-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.9		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.12	J B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	1.4		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.027		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	5.4		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0063		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0073		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	78		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-11

Lab Sample ID: 400-134758-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.5		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.18	J B	0.20	0.082	mg/L	1	300.0		Total/NA
Arsenic	0.0015		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.11		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	35		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0030		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.019		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	210		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-134758-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.3		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.16	J B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	5.6		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.037		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	28		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0032		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0076		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	170		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-134758-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.6		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.15	J B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	15		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.021		0.0013	0.00046	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-6 (Continued)

Lab Sample ID: 400-134758-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.043		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.14		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	100		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0032		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Cobalt	0.00046	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	330		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-134758-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.36	B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	180		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.00090	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.013		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	52		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0034		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Cobalt	0.013		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.13		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	340		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-134758-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.3		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.16	J B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	160		5.0	3.5	mg/L	5	300.0		Total/NA
Barium	0.037		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Beryllium	0.00068	J	0.0025	0.00034	mg/L	5	6020		Total Recoverable
Calcium	33		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0031		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Cobalt	0.0064		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.031		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Thallium	0.00018	J	0.00050	0.000085	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-8 (Continued)

Lab Sample ID: 400-134758-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron - DL	1.8		0.25	0.11	mg/L	25		6020	Total Recoverable
Total Dissolved Solids	270		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-134758-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.27	B	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	130		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0027		0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.097		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	0.89		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	89		0.25	0.13	mg/L	5		6020	Total Recoverable
Chromium	0.0036		0.0025	0.0011	mg/L	5		6020	Total Recoverable
Lithium	0.013		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Molybdenum	0.0012	J	0.015	0.00085	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	360		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-3

Lab Sample ID: 400-134758-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.15	J B	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	100		5.0	3.5	mg/L	5		300.0	Total/NA
Arsenic	0.0018		0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.15		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	99		0.25	0.13	mg/L	5		6020	Total Recoverable
Chromium	0.0030		0.0025	0.0011	mg/L	5		6020	Total Recoverable
Cobalt	0.00064	J	0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.013		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	410		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-134758-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	18		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.15	J B	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	240		5.0	3.5	mg/L	5		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-2 (Continued)

Lab Sample ID: 400-134758-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Arsenic	0.00065	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.056		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Cadmium	0.0050		0.0025	0.00034	mg/L	5	6020		Total Recoverable
Calcium	120		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0033		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Cobalt	0.0042		0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.0061		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Boron - DL	3.3		0.25	0.11	mg/L	25	6020		Total Recoverable
Total Dissolved Solids	660		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-134758-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.9		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.28	B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	4.6		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00082	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.040		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.064		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	26		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0032		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.015		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	170		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-134758-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.37	B	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	170		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.00090	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.014		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.3		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	52		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0035		0.0025	0.0011	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: DUP-1 (Continued)

Lab Sample ID: 400-134758-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cobalt	0.012		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.13		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	340		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-134758-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.085	J B	0.20	0.082	mg/L	1		300.0	Total/NA
Boron	0.024	J	0.050	0.021	mg/L	5		6020	Total Recoverable
Chromium	0.0033		0.0025	0.0011	mg/L	5		6020	Total Recoverable

Client Sample ID: FERB-1

Lab Sample ID: 400-134758-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.085	J B	0.20	0.082	mg/L	1		300.0	Total/NA
Chromium	0.0033		0.0025	0.0011	mg/L	5		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
 SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-134758-1	MGWA-10	Water	03/02/17 09:30	03/04/17 08:36
400-134758-2	MGWA-11	Water	03/02/17 09:30	03/04/17 08:36
400-134758-3	MGWA-5	Water	03/02/17 10:45	03/04/17 08:36
400-134758-4	MGWA-6	Water	03/02/17 10:45	03/04/17 08:36
400-134758-5	MGWC-7	Water	03/02/17 11:02	03/04/17 08:36
400-134758-6	MGWC-8	Water	03/02/17 12:05	03/04/17 08:36
400-134758-7	MGWC-1	Water	03/02/17 12:00	03/04/17 08:36
400-134758-8	MGWC-3	Water	03/02/17 12:35	03/04/17 08:36
400-134758-9	MGWC-2	Water	03/02/17 13:30	03/04/17 08:36
400-134758-10	MGWC-12	Water	03/02/17 13:30	03/04/17 08:36
400-134758-11	DUP-1	Water	03/02/17 00:00	03/04/17 08:36
400-134758-12	FB-1	Water	03/02/17 12:45	03/04/17 08:36
400-134758-13	FERB-1	Water	03/02/17 12:55	03/04/17 08:36

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-10

Lab Sample ID: 400-134758-1

Date Collected: 03/02/17 09:30

Matrix: Water

Date Received: 03/04/17 08:36

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.9		1.0	0.89	mg/L			03/09/17 16:12	1
Fluoride	0.12	J B	0.20	0.082	mg/L			03/09/17 16:12	1
Sulfate	1.4		1.0	0.70	mg/L			03/09/17 16:12	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/08/17 15:05	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			03/08/17 15:05	5
Barium	0.027		0.0025	0.00049	mg/L			03/08/17 15:05	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:05	5
Boron	<0.021		0.050	0.021	mg/L			03/08/17 15:05	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:05	5
Calcium	5.4		0.25	0.13	mg/L			03/08/17 15:05	5
Chromium	0.0063		0.0025	0.0011	mg/L			03/08/17 15:05	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/08/17 15:05	5
Lithium	0.0073		0.0050	0.0032	mg/L			03/08/17 15:05	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 15:05	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 15:05	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 15:05	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.00035		0.0013	0.00035	mg/L			03/09/17 14:02	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			03/10/17 15:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	78		5.0	3.4	mg/L			03/07/17 14:44	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.5		1.0	0.89	mg/L			03/09/17 16:35	1
Fluoride	0.18	J B	0.20	0.082	mg/L			03/09/17 16:35	1
Sulfate	<0.70		1.0	0.70	mg/L			03/09/17 16:35	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/06/17 10:55	03/08/17 15:10
Arsenic	0.0015		0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 15:10
Barium	0.11		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 15:10
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:10
Boron	<0.021		0.050	0.021	mg/L			03/06/17 10:55	03/08/17 15:10
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:10
Calcium	35		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 15:10
Chromium	0.0030		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 15:10
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 15:10
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 15:10
Lithium	0.019		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 15:10
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 15:10
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 15:10
Thallium	<0.000085		0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 15:10

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			03/06/17 09:01	03/10/17 15:42

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	210		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-5

Date Collected: 03/02/17 10:45

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.3		1.0	0.89	mg/L			03/09/17 16:58	1
Fluoride	0.16	J B	0.20	0.082	mg/L			03/09/17 16:58	1
Sulfate	5.6		1.0	0.70	mg/L			03/09/17 16:58	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.00046		0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 15:14
Barium	0.037		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 15:14
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:14
Boron	<0.021		0.050	0.021	mg/L			03/06/17 10:55	03/08/17 15:14
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:14
Calcium	28		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 15:14
Chromium	0.0032		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 15:14
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 15:14
Lead	<0.00035 ^		0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 15:14
Lithium	0.0076		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 15:14
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 15:14
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 15:14
Thallium	<0.000085		0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 15:14

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	* ^	0.0025	0.0010	mg/L			03/06/17 10:55	03/09/17 14:24

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/06/17 09:01	03/10/17 15:43

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	170		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-6

Lab Sample ID: 400-134758-4

Date Collected: 03/02/17 10:45

Matrix: Water

Date Received: 03/04/17 08:36

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.6		1.0	0.89	mg/L			03/09/17 18:06	1
Fluoride	0.15	J B	0.20	0.082	mg/L			03/09/17 18:06	1
Sulfate	15		1.0	0.70	mg/L			03/09/17 18:06	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.021		0.0013	0.00046	mg/L			03/08/17 15:19	5
Barium	0.043		0.0025	0.00049	mg/L			03/08/17 15:19	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:19	5
Boron	0.14		0.050	0.021	mg/L			03/08/17 15:19	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:19	5
Calcium	100		0.25	0.13	mg/L			03/08/17 15:19	5
Chromium	0.0032		0.0025	0.0011	mg/L			03/08/17 15:19	5
Cobalt	0.00046	J	0.0025	0.00040	mg/L			03/08/17 15:19	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 15:19	5
Lithium	<0.0032		0.0050	0.0032	mg/L			03/08/17 15:19	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 15:19	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 15:19	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 15:19	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	* ^	0.0025	0.0010	mg/L			03/09/17 14:29	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/10/17 15:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	330		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 03/02/17 11:02

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			03/09/17 17:21	1
Fluoride	0.36	B	0.20	0.082	mg/L			03/09/17 17:21	1
Sulfate	180		5.0	3.5	mg/L			03/10/17 11:59	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.00090	J	0.0013	0.00046	mg/L			03/08/17 15:24	5
Barium	0.013		0.0025	0.00049	mg/L			03/08/17 15:24	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:24	5
Boron	1.3		0.050	0.021	mg/L			03/08/17 15:24	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 15:24	5
Calcium	52		0.25	0.13	mg/L			03/08/17 15:24	5
Chromium	0.0034		0.0025	0.0011	mg/L			03/08/17 15:24	5
Cobalt	0.013		0.0025	0.00040	mg/L			03/08/17 15:24	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 15:24	5
Lithium	0.13		0.0050	0.0032	mg/L			03/08/17 15:24	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 15:24	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 15:24	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 15:24	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	* ^	0.0025	0.0010	mg/L			03/09/17 14:33	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/10/17 15:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	340		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-8

Date Collected: 03/02/17 12:05

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.3		1.0	0.89	mg/L			03/09/17 18:29	1
Fluoride	0.16	J B	0.20	0.082	mg/L			03/09/17 18:29	1
Sulfate	160		5.0	3.5	mg/L			03/10/17 13:07	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.00046		0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 15:28
Barium	0.037		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 15:28
Beryllium	0.00068	J	0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:28
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:28
Calcium	33		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 15:28
Chromium	0.0031		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 15:28
Cobalt	0.0064		0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 15:28
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 15:28
Lithium	0.031		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 15:28
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 15:28
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 15:28
Thallium	0.00018	J	0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 15:28

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.8		0.25	0.11	mg/L			03/06/17 10:55	03/08/17 16:23

Method: 6020 - Metals (ICP/MS) - Total Recoverable - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	* ^	0.0025	0.0010	mg/L			03/06/17 10:55	03/09/17 14:38

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/06/17 09:01	03/10/17 15:47

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	270		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-1

Date Collected: 03/02/17 12:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			03/09/17 19:37	1
Fluoride	0.27	B	0.20	0.082	mg/L			03/09/17 19:37	1
Sulfate	130		5.0	3.5	mg/L			03/10/17 13:30	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/06/17 10:55	03/08/17 15:51
Arsenic	0.0027		0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 15:51
Barium	0.097		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 15:51
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:51
Boron	0.89		0.050	0.021	mg/L			03/06/17 10:55	03/08/17 15:51
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:51
Calcium	89		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 15:51
Chromium	0.0036		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 15:51
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 15:51
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 15:51
Lithium	0.013		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 15:51
Molybdenum	0.0012	J	0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 15:51
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 15:51
Thallium	<0.000085		0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 15:51

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			03/06/17 09:01	03/10/17 15:48

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	360		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-3

Date Collected: 03/02/17 12:35
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			03/09/17 20:00	1
Fluoride	0.15	J B	0.20	0.082	mg/L			03/09/17 20:00	1
Sulfate	100		5.0	3.5	mg/L			03/10/17 13:53	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/06/17 10:55	03/08/17 15:55
Arsenic	0.0018		0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 15:55
Barium	0.15		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 15:55
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:55
Boron	1.3		0.050	0.021	mg/L			03/06/17 10:55	03/08/17 15:55
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 15:55
Calcium	99		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 15:55
Chromium	0.0030		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 15:55
Cobalt	0.00064	J	0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 15:55
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 15:55
Lithium	0.013		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 15:55
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 15:55
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 15:55
Thallium	<0.000085		0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 15:55

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/06/17 09:01	03/10/17 15:49

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	410		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 03/02/17 13:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18		1.0	0.89	mg/L			03/09/17 20:23	1
Fluoride	0.15	J B	0.20	0.082	mg/L			03/09/17 20:23	1
Sulfate	240		5.0	3.5	mg/L			03/10/17 14:16	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/08/17 16:00	5
Arsenic	0.00065	J	0.0013	0.00046	mg/L			03/08/17 16:00	5
Barium	0.056		0.0025	0.00049	mg/L			03/08/17 16:00	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:00	5
Cadmium	0.0050		0.0025	0.00034	mg/L			03/08/17 16:00	5
Calcium	120		0.25	0.13	mg/L			03/08/17 16:00	5
Chromium	0.0033		0.0025	0.0011	mg/L			03/08/17 16:00	5
Cobalt	0.0042		0.0025	0.00040	mg/L			03/08/17 16:00	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 16:00	5
Lithium	0.0061		0.0050	0.0032	mg/L			03/08/17 16:00	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 16:00	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 16:00	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 16:00	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.3		0.25	0.11	mg/L			03/08/17 16:27	25

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/10/17 14:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	660		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-12

Lab Sample ID: 400-134758-10

Date Collected: 03/02/17 13:30

Matrix: Water

Date Received: 03/04/17 08:36

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.9		1.0	0.89	mg/L			03/09/17 20:46	1
Fluoride	0.28	B	0.20	0.082	mg/L			03/09/17 20:46	1
Sulfate	4.6		1.0	0.70	mg/L			03/09/17 20:46	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/08/17 16:04	5
Arsenic	0.00082	J	0.0013	0.00046	mg/L			03/08/17 16:04	5
Barium	0.040		0.0025	0.00049	mg/L			03/08/17 16:04	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:04	5
Boron	0.064		0.050	0.021	mg/L			03/08/17 16:04	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:04	5
Calcium	26		0.25	0.13	mg/L			03/08/17 16:04	5
Chromium	0.0032		0.0025	0.0011	mg/L			03/08/17 16:04	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/08/17 16:04	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 16:04	5
Lithium	0.015		0.0050	0.0032	mg/L			03/08/17 16:04	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 16:04	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 16:04	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 16:04	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			03/10/17 14:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	170		5.0	3.4	mg/L			03/07/17 14:44	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: DUP-1

Lab Sample ID: 400-134758-11

Date Collected: 03/02/17 00:00

Matrix: Water

Date Received: 03/04/17 08:36

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			03/09/17 21:09	1
Fluoride	0.37	B	0.20	0.082	mg/L			03/09/17 21:09	1
Sulfate	170		5.0	3.5	mg/L			03/10/17 15:24	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/06/17 10:55	03/08/17 16:09
Arsenic	0.00090	J	0.0013	0.00046	mg/L			03/06/17 10:55	03/08/17 16:09
Barium	0.014		0.0025	0.00049	mg/L			03/06/17 10:55	03/08/17 16:09
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 16:09
Boron	1.3		0.050	0.021	mg/L			03/06/17 10:55	03/08/17 16:09
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/06/17 10:55	03/08/17 16:09
Calcium	52		0.25	0.13	mg/L			03/06/17 10:55	03/08/17 16:09
Chromium	0.0035		0.0025	0.0011	mg/L			03/06/17 10:55	03/08/17 16:09
Cobalt	0.012		0.0025	0.00040	mg/L			03/06/17 10:55	03/08/17 16:09
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/06/17 10:55	03/08/17 16:09
Lithium	0.13		0.0050	0.0032	mg/L			03/06/17 10:55	03/08/17 16:09
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/06/17 10:55	03/08/17 16:09
Selenium	<0.00024		0.0013	0.00024	mg/L			03/06/17 10:55	03/08/17 16:09
Thallium	<0.000085		0.00050	0.000085	mg/L			03/06/17 10:55	03/08/17 16:09

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			03/06/17 09:01	03/10/17 14:57

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	340		5.0	3.4	mg/L			03/08/17 13:51	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 03/02/17 12:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-12

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			03/09/17 21:31	1
Fluoride	0.085	J B	0.20	0.082	mg/L			03/09/17 21:31	1
Sulfate	<0.70		1.0	0.70	mg/L			03/09/17 21:31	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/08/17 16:13	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			03/08/17 16:13	5
Barium	<0.00049		0.0025	0.00049	mg/L			03/08/17 16:13	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:13	5
Boron	0.024	J	0.050	0.021	mg/L			03/08/17 16:13	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:13	5
Calcium	<0.13		0.25	0.13	mg/L			03/08/17 16:13	5
Chromium	0.0033		0.0025	0.0011	mg/L			03/08/17 16:13	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/08/17 16:13	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 16:13	5
Lithium	<0.0032		0.0050	0.0032	mg/L			03/08/17 16:13	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 16:13	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 16:13	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 16:13	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/10/17 14:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			03/08/17 13:51	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: FERB-1

Date Collected: 03/02/17 12:55
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-13

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			03/09/17 21:54	1
Fluoride	0.085	J B	0.20	0.082	mg/L			03/09/17 21:54	1
Sulfate	<0.70		1.0	0.70	mg/L			03/09/17 21:54	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^ *	0.0025	0.0010	mg/L			03/08/17 16:18	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			03/08/17 16:18	5
Barium	<0.00049		0.0025	0.00049	mg/L			03/08/17 16:18	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:18	5
Boron	<0.021		0.050	0.021	mg/L			03/08/17 16:18	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			03/08/17 16:18	5
Calcium	<0.13		0.25	0.13	mg/L			03/08/17 16:18	5
Chromium	0.0033		0.0025	0.0011	mg/L			03/08/17 16:18	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			03/08/17 16:18	5
Lead	<0.00035	^	0.0013	0.00035	mg/L			03/08/17 16:18	5
Lithium	<0.0032		0.0050	0.0032	mg/L			03/08/17 16:18	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			03/08/17 16:18	5
Selenium	<0.00024		0.0013	0.00024	mg/L			03/08/17 16:18	5
Thallium	<0.000085		0.00050	0.000085	mg/L			03/08/17 16:18	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			03/10/17 15:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			03/08/17 13:51	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 16:12	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:05	DRE	TAL PEN
Total Recoverable	Prep	3005A	RA		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	345240	03/09/17 14:02	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:41	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWA-11

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 16:35	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:10	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:42	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 03/02/17 10:45

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 16:58	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:14	DRE	TAL PEN
Total Recoverable	Prep	3005A	RA		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	345240	03/09/17 14:24	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:43	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 03/02/17 10:45

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 18:06	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWA-6

Date Collected: 03/02/17 10:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:19	DRE	TAL PEN
Total Recoverable	Prep	3005A	RA		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	345240	03/09/17 14:29	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:44	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWC-7

Date Collected: 03/02/17 11:02
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 17:21	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 11:59	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:24	DRE	TAL PEN
Total Recoverable	Prep	3005A	RA		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	345240	03/09/17 14:33	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:46	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 03/02/17 12:05
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 18:29	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 13:07	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:28	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	25	345106	03/08/17 16:23	DRE	TAL PEN
Total Recoverable	Prep	3005A	RA		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	RA	5	345240	03/09/17 14:38	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:47	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-1

Date Collected: 03/02/17 12:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 19:37	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 13:30	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:51	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:48	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWC-3

Date Collected: 03/02/17 12:35
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 20:00	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 13:53	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 15:55	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:49	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 03/02/17 13:30
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 20:23	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 14:16	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 16:00	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020	DL	25	345106	03/08/17 16:27	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 14:55	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 03/02/17 13:30
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 20:46	KH1	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Client Sample ID: MGWC-12

Date Collected: 03/02/17 13:30
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 16:04	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 14:56	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	344813	03/07/17 14:44	TET	TAL PEN

Client Sample ID: DUP-1

Date Collected: 03/02/17 00:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 21:09	KH1	TAL PEN
Total/NA	Analysis	300.0		5	345266	03/10/17 15:24	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 16:09	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 14:57	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	345001	03/08/17 13:51	TET	TAL PEN

Client Sample ID: FB-1

Date Collected: 03/02/17 12:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 21:31	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 16:13	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 14:58	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	345001	03/08/17 13:51	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 03/02/17 12:55
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	345156	03/09/17 21:54	KH1	TAL PEN
Total Recoverable	Prep	3005A			344597	03/06/17 10:55	RJB	TAL PEN
Total Recoverable	Analysis	6020		5	345106	03/08/17 16:18	DRE	TAL PEN
Total/NA	Prep	7470A			344583	03/06/17 09:01	JAP	TAL PEN
Total/NA	Analysis	7470A		1	345347	03/10/17 15:00	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	345001	03/08/17 13:51	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

1

2

3

4

5

6

7

8

9

10

11

12

13

14

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

HPLC/IC

Analysis Batch: 345156

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	300.0	5
400-134758-2	MGWA-11	Total/NA	Water	300.0	5
400-134758-3	MGWA-5	Total/NA	Water	300.0	5
400-134758-4	MGWA-6	Total/NA	Water	300.0	6
400-134758-5	MGWC-7	Total/NA	Water	300.0	7
400-134758-6	MGWC-8	Total/NA	Water	300.0	7
400-134758-7	MGWC-1	Total/NA	Water	300.0	8
400-134758-8	MGWC-3	Total/NA	Water	300.0	8
400-134758-9	MGWC-2	Total/NA	Water	300.0	9
400-134758-10	MGWC-12	Total/NA	Water	300.0	9
400-134758-11	DUP-1	Total/NA	Water	300.0	10
400-134758-12	FB-1	Total/NA	Water	300.0	10
400-134758-13	FERB-1	Total/NA	Water	300.0	11
MB 400-345156/4	Method Blank	Total/NA	Water	300.0	11
LCS 400-345156/5	Lab Control Sample	Total/NA	Water	300.0	12
LCSD 400-345156/6	Lab Control Sample Dup	Total/NA	Water	300.0	12
400-134725-B-5 MS	Matrix Spike	Total/NA	Water	300.0	13
400-134725-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	13

Analysis Batch: 345266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-5	MGWC-7	Total/NA	Water	300.0	14
400-134758-6	MGWC-8	Total/NA	Water	300.0	14
400-134758-7	MGWC-1	Total/NA	Water	300.0	14
400-134758-8	MGWC-3	Total/NA	Water	300.0	14
400-134758-9	MGWC-2	Total/NA	Water	300.0	14
400-134758-11	DUP-1	Total/NA	Water	300.0	14
MB 400-345266/35	Method Blank	Total/NA	Water	300.0	14
LCS 400-345266/36	Lab Control Sample	Total/NA	Water	300.0	14
LCSD 400-345266/37	Lab Control Sample Dup	Total/NA	Water	300.0	14
400-134758-5 MS	MGWC-7	Total/NA	Water	300.0	14
400-134758-5 MSD	MGWC-7	Total/NA	Water	300.0	14

Metals

Prep Batch: 344583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	7470A	
400-134758-2	MGWA-11	Total/NA	Water	7470A	
400-134758-3	MGWA-5	Total/NA	Water	7470A	
400-134758-4	MGWA-6	Total/NA	Water	7470A	
400-134758-5	MGWC-7	Total/NA	Water	7470A	
400-134758-6	MGWC-8	Total/NA	Water	7470A	
400-134758-7	MGWC-1	Total/NA	Water	7470A	
400-134758-8	MGWC-3	Total/NA	Water	7470A	
400-134758-9	MGWC-2	Total/NA	Water	7470A	
400-134758-10	MGWC-12	Total/NA	Water	7470A	
400-134758-11	DUP-1	Total/NA	Water	7470A	
400-134758-12	FB-1	Total/NA	Water	7470A	
400-134758-13	FERB-1	Total/NA	Water	7470A	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Metals (Continued)

Prep Batch: 344583 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-344583/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-344583/15-A	Lab Control Sample	Total/NA	Water	7470A	
440-178202-B-2-C MS	Matrix Spike	Total/NA	Water	7470A	
440-178202-B-2-D MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Prep Batch: 344597

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1 - RA	MGWA-10	Total Recoverable	Water	3005A	
400-134758-1	MGWA-10	Total Recoverable	Water	3005A	
400-134758-2	MGWA-11	Total Recoverable	Water	3005A	
400-134758-3	MGWA-5	Total Recoverable	Water	3005A	
400-134758-3 - RA	MGWA-5	Total Recoverable	Water	3005A	
400-134758-4 - RA	MGWA-6	Total Recoverable	Water	3005A	
400-134758-4	MGWA-6	Total Recoverable	Water	3005A	
400-134758-5 - RA	MGWC-7	Total Recoverable	Water	3005A	
400-134758-5	MGWC-7	Total Recoverable	Water	3005A	
400-134758-6 - RA	MGWC-8	Total Recoverable	Water	3005A	
400-134758-6 - DL	MGWC-8	Total Recoverable	Water	3005A	
400-134758-6	MGWC-8	Total Recoverable	Water	3005A	
400-134758-7	MGWC-1	Total Recoverable	Water	3005A	
400-134758-8	MGWC-3	Total Recoverable	Water	3005A	
400-134758-9	MGWC-2	Total Recoverable	Water	3005A	
400-134758-9 - DL	MGWC-2	Total Recoverable	Water	3005A	
400-134758-10	MGWC-12	Total Recoverable	Water	3005A	
400-134758-11	DUP-1	Total Recoverable	Water	3005A	
400-134758-12	FB-1	Total Recoverable	Water	3005A	
400-134758-13	FERB-1	Total Recoverable	Water	3005A	
MB 400-344597/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
MB 400-344597/1-A ^5 - RA	Method Blank	Total Recoverable	Water	3005A	
LCS 400-344597/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 400-344597/2-A - RA	Lab Control Sample	Total Recoverable	Water	3005A	
400-134634-B-2-E MS ^5 - R	Matrix Spike	Total Recoverable	Water	3005A	
400-134634-B-2-E MS ^5	Matrix Spike	Total Recoverable	Water	3005A	
400-134634-B-2-F MSD ^5 -	Matrix Spike Duplicate	Total Recoverable	Water	3005A	
400-134634-B-2-F MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 345106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total Recoverable	Water	6020	344597
400-134758-2	MGWA-11	Total Recoverable	Water	6020	344597
400-134758-3	MGWA-5	Total Recoverable	Water	6020	344597
400-134758-4	MGWA-6	Total Recoverable	Water	6020	344597
400-134758-5	MGWC-7	Total Recoverable	Water	6020	344597
400-134758-6	MGWC-8	Total Recoverable	Water	6020	344597
400-134758-6 - DL	MGWC-8	Total Recoverable	Water	6020	344597
400-134758-7	MGWC-1	Total Recoverable	Water	6020	344597
400-134758-8	MGWC-3	Total Recoverable	Water	6020	344597
400-134758-9	MGWC-2	Total Recoverable	Water	6020	344597
400-134758-9 - DL	MGWC-2	Total Recoverable	Water	6020	344597
400-134758-10	MGWC-12	Total Recoverable	Water	6020	344597
400-134758-11	DUP-1	Total Recoverable	Water	6020	344597

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Metals (Continued)

Analysis Batch: 345106 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-12	FB-1	Total Recoverable	Water	6020	344597
400-134758-13	FERB-1	Total Recoverable	Water	6020	344597
MB 400-344597/1-A ^5	Method Blank	Total Recoverable	Water	6020	344597
LCS 400-344597/2-A	Lab Control Sample	Total Recoverable	Water	6020	344597
400-134634-B-2-E MS ^5	Matrix Spike	Total Recoverable	Water	6020	344597
400-134634-B-2-F MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	6020	344597

Analysis Batch: 345240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1 - RA	MGWA-10	Total Recoverable	Water	6020	344597
400-134758-3 - RA	MGWA-5	Total Recoverable	Water	6020	344597
400-134758-4 - RA	MGWA-6	Total Recoverable	Water	6020	344597
400-134758-5 - RA	MGWC-7	Total Recoverable	Water	6020	344597
400-134758-6 - RA	MGWC-8	Total Recoverable	Water	6020	344597
MB 400-344597/1-A ^5 - RA	Method Blank	Total Recoverable	Water	6020	344597
LCS 400-344597/2-A - RA	Lab Control Sample	Total Recoverable	Water	6020	344597
400-134634-B-2-E MS ^5 - R	Matrix Spike	Total Recoverable	Water	6020	344597
400-134634-B-2-F MSD ^5 -	Matrix Spike Duplicate	Total Recoverable	Water	6020	344597

Analysis Batch: 345334

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 400-344597/2-A	Lab Control Sample	Total Recoverable	Water	6020	344597

Analysis Batch: 345347

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	7470A	344583
400-134758-2	MGWA-11	Total/NA	Water	7470A	344583
400-134758-3	MGWA-5	Total/NA	Water	7470A	344583
400-134758-4	MGWA-6	Total/NA	Water	7470A	344583
400-134758-5	MGWC-7	Total/NA	Water	7470A	344583
400-134758-6	MGWC-8	Total/NA	Water	7470A	344583
400-134758-7	MGWC-1	Total/NA	Water	7470A	344583
400-134758-8	MGWC-3	Total/NA	Water	7470A	344583
400-134758-9	MGWC-2	Total/NA	Water	7470A	344583
400-134758-10	MGWC-12	Total/NA	Water	7470A	344583
400-134758-11	DUP-1	Total/NA	Water	7470A	344583
400-134758-12	FB-1	Total/NA	Water	7470A	344583
400-134758-13	FERB-1	Total/NA	Water	7470A	344583
MB 400-344583/14-A	Method Blank	Total/NA	Water	7470A	344583
LCS 400-344583/15-A	Lab Control Sample	Total/NA	Water	7470A	344583
440-178202-B-2-C MS	Matrix Spike	Total/NA	Water	7470A	344583
440-178202-B-2-D MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	344583

General Chemistry

Analysis Batch: 344813

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	SM 2540C	
400-134758-2	MGWA-11	Total/NA	Water	SM 2540C	
400-134758-3	MGWA-5	Total/NA	Water	SM 2540C	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

General Chemistry (Continued)

Analysis Batch: 344813 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-4	MGWA-6	Total/NA	Water	SM 2540C	5
400-134758-5	MGWC-7	Total/NA	Water	SM 2540C	6
400-134758-6	MGWC-8	Total/NA	Water	SM 2540C	7
400-134758-7	MGWC-1	Total/NA	Water	SM 2540C	8
400-134758-8	MGWC-3	Total/NA	Water	SM 2540C	9
400-134758-9	MGWC-2	Total/NA	Water	SM 2540C	10
400-134758-10	MGWC-12	Total/NA	Water	SM 2540C	11
MB 400-344813/1	Method Blank	Total/NA	Water	SM 2540C	12
LCS 400-344813/2	Lab Control Sample	Total/NA	Water	SM 2540C	13
400-134758-1 DU	MGWA-10	Total/NA	Water	SM 2540C	14

Analysis Batch: 345001

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-11	DUP-1	Total/NA	Water	SM 2540C	11
400-134758-12	FB-1	Total/NA	Water	SM 2540C	12
400-134758-13	FERB-1	Total/NA	Water	SM 2540C	13
MB 400-345001/1	Method Blank	Total/NA	Water	SM 2540C	14
LCS 400-345001/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-134749-G-22 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-345156/4

Matrix: Water

Analysis Batch: 345156

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			03/09/17 10:52	1
Fluoride	0.0853	J	0.20	0.082	mg/L			03/09/17 10:52	1
Sulfate	<0.70		1.0	0.70	mg/L			03/09/17 10:52	1

Lab Sample ID: LCS 400-345156/5

Matrix: Water

Analysis Batch: 345156

Analyte	Spike Added		LCS Result		LCS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits				
Chloride	10.0		10.0	mg/L		100	90 - 110		
Fluoride	10.0		10.4	mg/L		104	90 - 110		
Sulfate	10.0		10.2	mg/L		102	90 - 110		

Lab Sample ID: LCSD 400-345156/6

Matrix: Water

Analysis Batch: 345156

Analyte	Spike Added		LCSD Result		LCSD Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Unit	D	Limits	RPD	Limit		
Chloride	10.0		9.99	mg/L	100	90 - 110	0	15	
Fluoride	10.0		10.3	mg/L	103	90 - 110	1	15	
Sulfate	10.0		10.1	mg/L	101	90 - 110	2	15	

Lab Sample ID: 400-134725-B-5 MS

Matrix: Water

Analysis Batch: 345156

Analyte	Sample Result		Sample Qualifier		Spike Added	MS Result		MS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit	D	Limits		RPD	Limit	
Chloride	3.4		10.0	14.1		mg/L	107	80 - 120				
Fluoride	0.088	J B	10.0	10.7		mg/L	106	80 - 120				
Sulfate	0.71	J	10.0	11.3		mg/L	106	80 - 120				

Lab Sample ID: 400-134725-B-5 MSD

Matrix: Water

Analysis Batch: 345156

Analyte	Sample Result		Sample Qualifier		Spike Added	MSD Result		MSD Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier	Unit	D	Limits		RPD	Limit	
Chloride	3.4		10.0	14.1		mg/L	107	80 - 120		0	20	
Fluoride	0.088	J B	10.0	10.8		mg/L	107	80 - 120		0	20	
Sulfate	0.71	J	10.0	11.2		mg/L	105	80 - 120		1	20	

Lab Sample ID: MB 400-345266/35

Matrix: Water

Analysis Batch: 345266

Analyte	MB Result		MB Qualifier		RL	MDL		Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac			
Chloride	<0.89		1.0	0.89	mg/L			03/10/17 10:50	1			
Fluoride	0.0852	J	0.20	0.082	mg/L			03/10/17 10:50	1			
Sulfate	<0.70		1.0	0.70	mg/L			03/10/17 10:50	1			

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-345266/36

Matrix: Water

Analysis Batch: 345266

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	10.0		mg/L		100	90 - 110	
Fluoride	10.0	10.4		mg/L		104	90 - 110	
Sulfate	10.0	10.2		mg/L		102	90 - 110	

Lab Sample ID: LCSD 400-345266/37

Matrix: Water

Analysis Batch: 345266

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	10.0	10.1		mg/L		101	90 - 110	0	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	0	15
Sulfate	10.0	10.2		mg/L		102	90 - 110	0	15

Lab Sample ID: 400-134758-5 MS

Matrix: Water

Analysis Batch: 345266

Client Sample ID: MGWC-7
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	12		50.0	61.0		mg/L		98	80 - 120		
Fluoride	0.73	J B	50.0	50.6		mg/L		100	80 - 120		
Sulfate	180		50.0	223		mg/L		89	80 - 120		

Lab Sample ID: 400-134758-5 MSD

Matrix: Water

Analysis Batch: 345266

Client Sample ID: MGWC-7
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Chloride	12		50.0	61.1		mg/L		99	80 - 120	0	20
Fluoride	0.73	J B	50.0	50.5		mg/L		99	80 - 120	0	20
Sulfate	180		50.0	223		mg/L		90	80 - 120	0	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-344597/1-A ^5

Matrix: Water

Analysis Batch: 345106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 344597

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010	^	0.0025	0.0010	mg/L		03/06/17 10:55	03/08/17 13:58	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		03/06/17 10:55	03/08/17 13:58	5
Barium	<0.00049		0.0025	0.00049	mg/L		03/06/17 10:55	03/08/17 13:58	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		03/06/17 10:55	03/08/17 13:58	5
Boron	<0.021		0.050	0.021	mg/L		03/06/17 10:55	03/08/17 13:58	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		03/06/17 10:55	03/08/17 13:58	5
Calcium	<0.13		0.25	0.13	mg/L		03/06/17 10:55	03/08/17 13:58	5
Chromium	<0.0011		0.0025	0.0011	mg/L		03/06/17 10:55	03/08/17 13:58	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		03/06/17 10:55	03/08/17 13:58	5
Lead	<0.00035	^	0.0013	0.00035	mg/L		03/06/17 10:55	03/08/17 13:58	5
Lithium	<0.0032		0.0050	0.0032	mg/L		03/06/17 10:55	03/08/17 13:58	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-344597/1-A ^5

Matrix: Water

Analysis Batch: 345106

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 344597

Analyte	MB		Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	MB	MB									
Molybdenum	<0.00085				0.015	0.00085	mg/L		03/06/17 10:55	03/08/17 13:58	5
Selenium	<0.00024				0.0013	0.00024	mg/L		03/06/17 10:55	03/08/17 13:58	5
Thallium	<0.000085				0.00050	0.000085	mg/L		03/06/17 10:55	03/08/17 13:58	5

Lab Sample ID: LCS 400-344597/2-A

Matrix: Water

Analysis Batch: 345106

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 344597

Analyte	Spike Added	LCS		Result	Qualifier	Unit	D	%Rec	Limits
		LCS	LCS						
Antimony	0.0500	0.106	^ *			mg/L		212	80 - 120
Arsenic	0.0500	0.0528				mg/L		106	80 - 120
Barium	0.0500	0.0533				mg/L		107	80 - 120
Beryllium	0.0500	0.0514				mg/L		103	80 - 120
Boron	0.100	0.0993				mg/L		99	80 - 120
Cadmium	0.0500	0.0527				mg/L		105	80 - 120
Calcium	5.00	4.99				mg/L		100	80 - 120
Chromium	0.0500	0.0466				mg/L		93	80 - 120
Cobalt	0.0500	0.0548				mg/L		110	80 - 120
Lead	0.0500	0.0591	^			mg/L		118	80 - 120
Lithium	0.0500	0.0529				mg/L		106	80 - 120
Molybdenum	0.100	0.106				mg/L		106	80 - 120
Selenium	0.0500	0.0516				mg/L		103	80 - 120
Thallium	0.0100	0.0107				mg/L		107	80 - 120

Lab Sample ID: LCS 400-344597/2-A

Matrix: Water

Analysis Batch: 345334

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 344597

Analyte	Spike Added	LCS		Result	Qualifier	Unit	D	%Rec	Limits
		LCS	LCS						
Antimony	0.0500	0.0572				mg/L		114	80 - 120

Lab Sample ID: 400-134634-B-2-E MS ^5

Matrix: Water

Analysis Batch: 345106

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 344597

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	Limits
				MS	MS				
Arsenic	<0.00046		0.0500	0.0545		mg/L		109	75 - 125
Barium	0.087		0.0500	0.141		mg/L		110	75 - 125
Beryllium	<0.00034		0.0500	0.0529		mg/L		106	75 - 125
Boron	0.13		0.100	0.241		mg/L		109	75 - 125
Cadmium	<0.00034		0.0500	0.0544		mg/L		109	75 - 125
Chromium	0.0038		0.0500	0.0554		mg/L		103	75 - 125
Cobalt	0.00047 J		0.0500	0.0599		mg/L		119	75 - 125
Lithium	<0.0032		0.0500	0.0525		mg/L		105	75 - 125
Molybdenum	0.0012 J		0.100	0.114		mg/L		112	75 - 125
Selenium	<0.00024		0.0500	0.0567		mg/L		113	75 - 125
Thallium	0.00011 J		0.0100	0.0109		mg/L		107	75 - 125

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-134634-B-2-F MSD ^5

Matrix: Water

Analysis Batch: 345106

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable

Prep Batch: 344597

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Arsenic	<0.00046		0.0500	0.0535		mg/L	107	75 - 125	2	20		
Barium	0.087		0.0500	0.140		mg/L	107	75 - 125	1	20		
Beryllium	<0.00034		0.0500	0.0522		mg/L	104	75 - 125	1	20		
Boron	0.13		0.100	0.232		mg/L	100	75 - 125	4	20		
Cadmium	<0.00034		0.0500	0.0529		mg/L	106	75 - 125	3	20		
Chromium	0.0038		0.0500	0.0529		mg/L	98	75 - 125	4	20		
Cobalt	0.00047 J		0.0500	0.0582		mg/L	115	75 - 125	3	20		
Lithium	<0.0032		0.0500	0.0530		mg/L	106	75 - 125	1	20		
Molybdenum	0.0012 J		0.100	0.102		mg/L	100	75 - 125	11	20		
Selenium	<0.00024		0.0500	0.0508		mg/L	102	75 - 125	11	20		
Thallium	0.00011 J		0.0100	0.0108		mg/L	107	75 - 125	1	20		

Method: 6020 - Metals (ICP/MS) - RA

Lab Sample ID: MB 400-344597/1-A ^5

Matrix: Water

Analysis Batch: 345240

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 344597

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony - RA	<0.0010	^	0.0025	0.0010	mg/L		03/06/17 10:55	03/09/17 13:21	5
Lead - RA	<0.00035		0.0013	0.00035	mg/L		03/06/17 10:55	03/09/17 13:21	5

Lab Sample ID: LCS 400-344597/2-A

Matrix: Water

Analysis Batch: 345240

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 344597

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
Antimony - RA	0.0500	0.0984	^ *	mg/L	197	80 - 120	
Lead - RA	0.0500	0.0550		mg/L	110	80 - 120	

Lab Sample ID: 400-134634-B-2-E MS ^5

Matrix: Water

Analysis Batch: 345240

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 344597

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier				
Lead - RA	0.00050	J	0.0500	0.0510		mg/L	101	75 - 125	

Lab Sample ID: 400-134634-B-2-F MSD ^5

Matrix: Water

Analysis Batch: 345240

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 344597

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Lead - RA	0.00050	J	0.0500	0.0502		mg/L	99	75 - 125	2	20		

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-344583/14-A

Matrix: Water

Analysis Batch: 345347

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 344583

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L		03/06/17 08:54	03/10/17 15:21	1

Lab Sample ID: LCS 400-344583/15-A

Matrix: Water

Analysis Batch: 345347

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 344583

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Mercury	0.00101	0.000952		mg/L		95	80 - 120

Lab Sample ID: 440-178202-B-2-C MS

Matrix: Water

Analysis Batch: 345347

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 344583

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Mercury	<0.000070		0.00201	0.00201		mg/L		100	80 - 120

Lab Sample ID: 440-178202-B-2-D MSD

Matrix: Water

Analysis Batch: 345347

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 344583

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
Mercury	<0.000070		0.00201	0.00203		mg/L		101	80 - 120	1 20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-344813/1

Matrix: Water

Analysis Batch: 344813

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			03/07/17 14:44	1

Lab Sample ID: LCS 400-344813/2

Matrix: Water

Analysis Batch: 344813

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	282		mg/L		96	78 - 122

Lab Sample ID: 400-134758-1 DU

Matrix: Water

Analysis Batch: 344813

Client Sample ID: MGWA-10

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	78		78.0		mg/L		0	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
SDG: Ash Pond

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 400-345001/1

Matrix: Water

Analysis Batch: 345001

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			03/08/17 13:51	1

Lab Sample ID: LCS 400-345001/2

Matrix: Water

Analysis Batch: 345001

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	282		mg/L		96	78 - 122

Lab Sample ID: 400-134749-G-22 DU

Matrix: Water

Analysis Batch: 345001

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	390		386		mg/L		0.5	5

Chain of Custody Record

Client Information

Client Contact:

Ojju Abraham

Company:

Southern Company

Address:

241 Ralph McGill Blvd SE B10185

TAT Requested (day(s)):

CCR

City:

Atlanta

State/Zip:

GA 30308

Phone:

404-506-7239

Email:

JMPETTY@Southernco.com

Project Name:

Plant McIntosh - Ash Pond

Site:

CCR

Sample Identifier:

M6WA-10

Date:

3/2/17

Time:

0930

Sample Type:

G

Sample Time:

6

Sample Gravim:

W

Sample Surface Area:

1

Preservation Code:

D

Matrix:

(Water,

Soil,

Oil,

Gas,

Unknown

Specimen Area:

1

Special Instructions/Note:

400-134758 COC

Radium 226 & 228 - SW-846 9315 & 9320

Metals - Part 257 Appendix III & IV) EPA 6020 & EPA 7470

TDS - SM 2440C ; CF, SO4 - EPA 300

Other:

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Radioactive

Deliverable Requested: I, II, III, IV, Other (specify)

Date:

2/3/17

Time:

Box

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3-3-17

120 i

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3-3-17

120 i

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Method of Shipment:

Time:

Date/Time:

3/4/17

0930

Company:

Received by:

Client Information

3000 MacKenzie Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-134758-1

SDG Number: Ash Pond

Login Number: 134758

List Source: TestAmerica Pensacola

List Number: 1

Creator: Perez, Trina M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.4°C, 2.2°C IR-2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-1
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-134758-2

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

PO BOX 2641 GSC8

Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

3/31/2017 5:07:31 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	18
Chronicle	19
QC Association	23
QC Sample Results	24
Chain of Custody	26
Receipt Checklists	28
Certification Summary	29

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
 SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-134758-1	MGWA-10	Water	03/02/17 09:30	03/04/17 08:36
400-134758-2	MGWA-11	Water	03/02/17 09:30	03/04/17 08:36
400-134758-3	MGWA-5	Water	03/02/17 10:45	03/04/17 08:36
400-134758-4	MGWA-6	Water	03/02/17 10:45	03/04/17 08:36
400-134758-5	MGWC-7	Water	03/02/17 11:02	03/04/17 08:36
400-134758-6	MGWC-8	Water	03/02/17 12:05	03/04/17 08:36
400-134758-7	MGWC-1	Water	03/02/17 12:00	03/04/17 08:36
400-134758-8	MGWC-3	Water	03/02/17 12:35	03/04/17 08:36
400-134758-9	MGWC-2	Water	03/02/17 13:30	03/04/17 08:36
400-134758-10	MGWC-12	Water	03/02/17 13:30	03/04/17 08:36
400-134758-11	DUP-1	Water	03/02/17 00:00	03/04/17 08:36
400-134758-12	FB-1	Water	03/02/17 12:45	03/04/17 08:36
400-134758-13	FERB-1	Water	03/02/17 12:55	03/04/17 08:36

1
2
3
4
5
6
7
8
9
10
11
12

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
 SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.337		0.108	0.112	1.00	0.0822	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.7		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.670		0.295	0.302	1.00	0.429	pCi/L	03/09/17 10:11	03/23/17 16:04	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.7		40 - 110					03/09/17 10:11	03/23/17 16:04	1
Y Carrier	90.1		40 - 110					03/09/17 10:11	03/23/17 16:04	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.01		0.314	0.322	5.00	0.429	pCi/L	03/31/17 11:27		1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.274		0.101	0.104	1.00	0.0863	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.6		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.196	U	0.232	0.233	1.00	0.383	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.6		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	101		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.470		0.253	0.255	5.00	0.383	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWA-5
Date Collected: 03/02/17 10:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-3
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.142		0.0757	0.0768	1.00	0.0842	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0368	U	0.216	0.216	1.00	0.396	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	83.4		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.105	U	0.229	0.229	5.00	0.396	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWA-6
Date Collected: 03/02/17 10:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.328		0.119	0.123	1.00	0.126	pCi/L	03/09/17 09:42	03/31/17 06:15	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	88.2		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0921	U	0.217	0.217	1.00	0.408	pCi/L	03/09/17 10:11	03/23/17 16:05	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	88.2		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	86.4		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.236	U	0.248	0.250	5.00	0.408	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-7
Date Collected: 03/02/17 11:02
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-5
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.841		0.171	0.187	1.00	0.0848	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.7		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.556		0.301	0.305	1.00	0.451	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.7		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	85.6		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.40		0.346	0.358	5.00	0.451	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
 SDG: Ash Pond

Client Sample ID: MGWC-8
Date Collected: 03/02/17 12:05
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.768		0.174	0.187	1.00	0.134	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.5		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.266	U	0.279	0.280	1.00	0.455	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.5		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	85.2		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.03		0.329	0.337	5.00	0.455	pCi/L	03/31/17 11:27		1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-1
Date Collected: 03/02/17 12:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.684		0.161	0.173	1.00	0.124	pCi/L	03/09/17 09:42	03/31/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.4		40 - 110					03/09/17 09:42	03/31/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.398	U	0.287	0.289	1.00	0.449	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.4		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	83.4		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.08		0.329	0.337	5.00	0.449	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-3
Date Collected: 03/02/17 12:35
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-8
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.974		0.189	0.208	1.00	0.120	pCi/L	03/09/17 09:42	03/31/17 06:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.0		40 - 110					03/09/17 09:42	03/31/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.395	U	0.285	0.287	1.00	0.444	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.0		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	83.4		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.37		0.341	0.354	5.00	0.444	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 03/02/17 13:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-9

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.258		0.103	0.106	1.00	0.0965	pCi/L	03/09/17 09:42	03/31/17 06:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.8		40 - 110					03/09/17 09:42	03/31/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.226	U	0.256	0.257	1.00	0.420	pCi/L	03/09/17 10:11	03/23/17 16:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.8		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	82.6		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.484		0.276	0.278	5.00	0.420	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-12

Date Collected: 03/02/17 13:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-10

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0579	U	0.0667	0.0669	1.00	0.108	pCi/L	03/09/17 09:42	03/31/17 06:16	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	82.9		40 - 110					03/09/17 09:42	03/31/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.379	U	0.265	0.267	1.00	0.409	pCi/L	03/09/17 10:11	03/23/17 16:05	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	82.9		40 - 110					03/09/17 10:11	03/23/17 16:05	1
Y Carrier	84.1		40 - 110					03/09/17 10:11	03/23/17 16:05	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.437		0.273	0.276	5.00	0.409	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 03/02/17 00:00

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-11

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.696		0.156	0.168	1.00	0.0892	pCi/L	03/09/17 09:42	03/31/17 06:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.1		40 - 110					03/09/17 09:42	03/31/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.374	U	0.281	0.283	1.00	0.443	pCi/L	03/09/17 10:11	03/23/17 16:17	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.1		40 - 110					03/09/17 10:11	03/23/17 16:17	1
Y Carrier	84.1		40 - 110					03/09/17 10:11	03/23/17 16:17	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.07		0.322	0.330	5.00	0.443	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 03/02/17 12:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-12

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0318	U	0.0599	0.0600	1.00	0.107	pCi/L	03/09/17 09:42	03/31/17 06:18	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	91.2		40 - 110					03/09/17 09:42	03/31/17 06:18	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.165	U	0.247	0.248	1.00	0.415	pCi/L	03/09/17 10:11	03/23/17 16:17	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	91.2		40 - 110					03/09/17 10:11	03/23/17 16:17	1
Y Carrier	84.5		40 - 110					03/09/17 10:11	03/23/17 16:17	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.197	U	0.254	0.255	5.00	0.415	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: FERB-1
Date Collected: 03/02/17 12:55
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-13
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.00504	U	0.0621	0.0621	1.00	0.122	pCi/L	03/09/17 09:42	03/31/17 06:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		40 - 110					03/09/17 09:42	03/31/17 06:18	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.147	U	0.242	0.243	1.00	0.453	pCi/L	03/09/17 10:11	03/23/17 16:17	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.5		40 - 110					03/09/17 10:11	03/23/17 16:17	1
Y Carrier	87.1		40 - 110					03/09/17 10:11	03/23/17 16:17	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	-0.142	U	0.250	0.250	5.00	0.453	pCi/L		03/31/17 11:27	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:04	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWA-11

Date Collected: 03/02/17 09:30

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 03/02/17 10:45

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 03/02/17 10:45

Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 03/02/17 11:02
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 03/02/17 12:05
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWC-1

Date Collected: 03/02/17 12:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:15	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWC-3

Date Collected: 03/02/17 12:35
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:16	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 03/02/17 13:30
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:16	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 03/02/17 13:30
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:16	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299254	03/23/17 16:05	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 03/02/17 00:00
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300931	03/31/17 06:16	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299257	03/23/17 16:17	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 03/02/17 12:45
Date Received: 03/04/17 08:36

Lab Sample ID: 400-134758-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300932	03/31/17 06:18	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299257	03/23/17 16:17	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Client Sample ID: FERB-1

Lab Sample ID: 400-134758-13

Date Collected: 03/02/17 12:55

Matrix: Water

Date Received: 03/04/17 08:36

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			296786	03/09/17 09:42	BME	TAL SL
Total/NA	Analysis	9315		1	300932	03/31/17 06:18	ALD	TAL SL
Total/NA	Prep	PrecSep_0			296793	03/09/17 10:11	BME	TAL SL
Total/NA	Analysis	9320		1	299257	03/23/17 16:17	MLK	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	300959	03/31/17 11:27	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Rad

Prep Batch: 296786

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	PrecSep-21	5
400-134758-2	MGWA-11	Total/NA	Water	PrecSep-21	6
400-134758-3	MGWA-5	Total/NA	Water	PrecSep-21	7
400-134758-4	MGWA-6	Total/NA	Water	PrecSep-21	8
400-134758-5	MGWC-7	Total/NA	Water	PrecSep-21	9
400-134758-6	MGWC-8	Total/NA	Water	PrecSep-21	10
400-134758-7	MGWC-1	Total/NA	Water	PrecSep-21	11
400-134758-8	MGWC-3	Total/NA	Water	PrecSep-21	12
400-134758-9	MGWC-2	Total/NA	Water	PrecSep-21	
400-134758-10	MGWC-12	Total/NA	Water	PrecSep-21	
400-134758-11	DUP-1	Total/NA	Water	PrecSep-21	
400-134758-12	FB-1	Total/NA	Water	PrecSep-21	
400-134758-13	FERB-1	Total/NA	Water	PrecSep-21	
MB 160-296786/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-296786/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-134758-7 DU	MGWC-1	Total/NA	Water	PrecSep-21	

Prep Batch: 296793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-134758-1	MGWA-10	Total/NA	Water	PrecSep_0	
400-134758-2	MGWA-11	Total/NA	Water	PrecSep_0	
400-134758-3	MGWA-5	Total/NA	Water	PrecSep_0	
400-134758-4	MGWA-6	Total/NA	Water	PrecSep_0	
400-134758-5	MGWC-7	Total/NA	Water	PrecSep_0	
400-134758-6	MGWC-8	Total/NA	Water	PrecSep_0	
400-134758-7	MGWC-1	Total/NA	Water	PrecSep_0	
400-134758-8	MGWC-3	Total/NA	Water	PrecSep_0	
400-134758-9	MGWC-2	Total/NA	Water	PrecSep_0	
400-134758-10	MGWC-12	Total/NA	Water	PrecSep_0	
400-134758-11	DUP-1	Total/NA	Water	PrecSep_0	
400-134758-12	FB-1	Total/NA	Water	PrecSep_0	
400-134758-13	FERB-1	Total/NA	Water	PrecSep_0	
MB 160-296793/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-296793/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-134758-7 DU	MGWC-1	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-296786/1-A

Matrix: Water

Analysis Batch: 300931

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 296786

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.05135	U	0.0597	0.0599	1.00	0.0964	pCi/L	03/09/17 09:42	03/31/17 06:13	1
Carrier										
<i>Ba Carrier</i>	MB MB		Limits				Prepared		Analyzed	Dil Fac
	%Yield	Qualifier	40 - 110				03/09/17 09:42		03/31/17 06:13	1

Lab Sample ID: LCS 160-296786/2-A

Matrix: Water

Analysis Batch: 300931

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 296786

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
	Added									
Radium-226	11.4		11.43		1.20	1.00	0.124	pCi/L	101	68 - 137
Carrier										
<i>Ba Carrier</i>	LCS LCS		Limits							
	%Yield	Qualifier	40 - 110							

Lab Sample ID: 400-134758-7 DU

Matrix: Water

Analysis Batch: 300931

Client Sample ID: MGWC-1
Prep Type: Total/NA
Prep Batch: 296786

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
	Result	Qual								
Radium-226	0.684		1.084		0.224	1.00	0.116	pCi/L	1.01	1
Carrier										
<i>Ba Carrier</i>	DU DU		Limits							
	%Yield	Qualifier	40 - 110							

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-296793/1-A

Matrix: Water

Analysis Batch: 299254

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 296793

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.06905	U	0.227	0.228	1.00	0.398	pCi/L	03/09/17 10:11	03/23/17 16:03	1
Carrier										
<i>Ba Carrier</i>	MB MB		Limits				Prepared		Analyzed	Dil Fac
	%Yield	Qualifier	40 - 110				03/09/17 10:11		03/23/17 16:03	1
<i>Y Carrier</i>	88.2		40 - 110				03/09/17 10:11		03/23/17 16:03	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-296793/2-A

Matrix: Water

Analysis Batch: 299254

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 296793

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		RL	MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual		1.58	1.00					
Radium-228	13.7	14.30									

Carrier

LCS

%Yield

Qualifier

Limits

Ba Carrier

85.0

40 - 110

Y Carrier

85.2

40 - 110

Lab Sample ID: 400-134758-7 DU

Matrix: Water

Analysis Batch: 299254

Client Sample ID: MGWC-1

Prep Type: Total/NA

Prep Batch: 296793

Analyte	Sample		Sample		DU		DU		Total		RER
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit	
Radium-228	0.398	U			0.4118	U	0.305	1.00	0.474	pCi/L	0.02

Carrier

DU

%Yield

Qualifier

Limits

Ba Carrier

78.8

40 - 110

Y Carrier

85.6

40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-134758-7 DU

Matrix: Water

Analysis Batch: 300959

Client Sample ID: MGWC-1

Prep Type: Total/NA

Analyte	Sample		Sample		DU		DU		Total		RER
	Result	Qual	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit	
Combined Radium 226 + 228	1.08				1.496		0.378	5.00	0.474	pCi/L	0.58

TestAmerica Pensacola

Client Information

Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Client Information						Carrier Tracking No(s):	
Client Contact:		Sampler: M. Burch M. B. M. Thomas M. T. Payne T.P. W. Virgo W.F.V Phone: 678-486-2700		Lab P.M.: Whitmire, Cheyenne R. E-Mail: cheyenne.whitmire@testamericainc.com		COC No: Page: Job #:	
Company: Southern Company							
Address: 241 Ralph McGill Blvd SE B10185		Due Date Requested:		Analysis Requested			
City: Atlanta		TAT Requested (days):					
State, Zip: GA, 30303							
Phone: 404-506-7239		PO#:					
Email: LMPETD@SouthernCo.com		WO #:					
Project Name: Plant McIntosh - Ash Pond		Project #:		400-134758 COC			
Site: CCR		SSOW#:					
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Waste/Industrial Effluent, Aqueous)	Special Instructions/Note:	
Sample ID		DD/MM/YY	HH:MM				
M GwA - 10		3/2/17	0930	G	W	1 1 1	
M GwA - 11		3/2/17	0930	G	W	1 1 1	
M GwA - 5		3/2/17	1045	G	W	1 1 1	
M GwA - 6		3/2/17	1045	G	W	1 1 1	
M GwL - 7		3/2/17	1102	G	W	1 1 1	
M GwC - 8		3/2/17	1205	G	W	1 1 1	
M GwC - 1		3/2/17	1200	G	W	1 1 2	
M GwC - 3		3/2/17	1235	G	W	1 1 1	
M GwC - 2		3/2/17	1330	G	W	1 1 1	
M GwC - 12		3/2/17	1330	G	W	1 1 1	
DUP - 1		3/2/17	—	G	W	1 1 1	
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					
Deliverable Requested: I, II, III, IV, Other (specify)		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months					
Relinquished by: W. Virgo (ER)		Date/Time: 3/3/17 1000	Company	Received by: J. C.	Time: 1000	Method of Shipment:	
Relinquished by: W. Virgo (ER)		Date/Time: 3-3-17 1200	Company	Received by: J. C.	Time: 1200	Method of Shipment:	
Relinquished by: W. Virgo (ER)		Date/Time: 3/4/17 0930	Company	Received by: J. C.	Time: 0930	Method of Shipment:	
Custody Seal Intact: A Yes B No		Custody Seal No.: 226 228 SW-846 9315 & 9320					
Other Remarks: Radium 226 & 228 - SW-846 9315 & 9320 Metals - Part 257 Appendix III & IV EPA 6020 & EPA 7470 TDS - SM 2540C ; Cf, SO4 - EPA 300 Permit MSDS (YES OR NO): Used Filtered Sample (YES OR NO):		Cooler Temperature(s): °C Other Remarks:					
Preservation Codes: A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Ammonium H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:							
Special Instructions/Note: 400-134758 COC Z - other (specify)							

Client Information

Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-26

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-134758-2

SDG Number: Ash Pond

Login Number: 134758

List Source: TestAmerica Pensacola

List Number: 1

Creator: Perez, Trina M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.4°C, 2.2°C IR-2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-17
California	State Program	9	2886	03-31-18 *
Connecticut	State Program	1	PH-0241	03-31-17 *
Florida	NELAP	4	E87689	06-30-17
Illinois	NELAP	5	200023	11-30-17
Iowa	State Program	7	373	02-01-18
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-17
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17
Louisiana (DW)	NELAP	6	LA170011	12-31-17
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17
Nevada	State Program	9	MO000542017-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17 *
New York	NELAP	2	11616	03-31-17 *

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-134758-2
SDG: Ash Pond

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-28-18
South Carolina	State Program	4	85002001	06-30-17
Texas	NELAP	6	T104704193-16-10	07-31-17
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-17-0028	02-02-20
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17 *

* Certification renewal pending - certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-140650-1

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

PO BOX 2641 GSC8

Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

8/10/2017 4:13:11 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	12
Chronicle	13
QC Association	15
QC Sample Results	17
Chain of Custody	21
Receipt Checklists	22
Certification Summary	23

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Job ID: 400-140650-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-140650-1

Metals

Method(s) 6020: The continuing calibration verification (CCV) associated with batch 362368 recovered above the upper control limit for Lead. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method(s) 6020: The laboratory control sample (LCS) for preparation batch 361436 and analytical batch 362368 recovered outside control limits for the following analytes: Lead. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Lab Sample ID: 400-140650-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.2		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.12	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	1.4		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00066	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.087		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	30		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.011		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	150		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-140650-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.0		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.21		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	4.8		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00047	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.043		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	26		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.014		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	150		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-140650-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.2		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.14	J	0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	1.4		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.00053	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.086		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	30		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.012		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	160		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-140650-4

No Detections.

Client Sample ID: FERB-1

Lab Sample ID: 400-140650-5

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-140650-1	MGWA-11	Water	07/13/17 13:40	07/13/17 17:30
400-140650-2	MGWC-12	Water	07/13/17 15:18	07/13/17 17:30
400-140650-3	DUP-1	Water	07/13/17 00:00	07/13/17 17:30
400-140650-4	FB-1	Water	07/13/17 15:00	07/13/17 17:30
400-140650-5	FERB-1	Water	07/13/17 15:50	07/13/17 17:30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 07/13/17 13:40

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.2		1.0	0.89	mg/L			07/20/17 15:20	1
Fluoride	0.12	J	0.20	0.082	mg/L			07/20/17 15:20	1
Sulfate	1.4		1.0	0.70	mg/L			07/20/17 15:20	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			07/28/17 10:51	5
Arsenic	0.00066	J	0.0013	0.00046	mg/L			07/28/17 10:51	5
Barium	0.087		0.0025	0.00049	mg/L			07/28/17 10:51	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			07/28/17 10:51	5
Boron	<0.021		0.050	0.021	mg/L			07/27/17 00:14	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			07/28/17 10:51	5
Calcium	30		0.25	0.13	mg/L			07/28/17 10:51	5
Chromium	<0.0011		0.0025	0.0011	mg/L			07/28/17 10:51	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			07/27/17 00:14	5
Lead	<0.00035	^ *	0.0013	0.00035	mg/L			07/28/17 10:51	5
Lithium	0.011		0.0050	0.0032	mg/L			07/28/17 10:51	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			07/28/17 10:51	5
Selenium	<0.00024		0.0013	0.00024	mg/L			07/28/17 10:51	5
Thallium	<0.000085		0.00050	0.000085	mg/L			07/28/17 10:51	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			07/24/17 12:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	150		5.0	3.4	mg/L			07/20/17 15:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: MGWC-12

Date Collected: 07/13/17 15:18

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.89	mg/L			07/20/17 16:31	1
Fluoride	0.21		0.20	0.082	mg/L			07/20/17 16:31	1
Sulfate	4.8		1.0	0.70	mg/L			07/20/17 16:31	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			07/28/17 10:55	5
Arsenic	0.00047	J	0.0013	0.00046	mg/L			07/28/17 10:55	5
Barium	0.043		0.0025	0.00049	mg/L			07/28/17 10:55	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			07/28/17 10:55	5
Boron	<0.021		0.050	0.021	mg/L			07/27/17 00:18	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			07/28/17 10:55	5
Calcium	26		0.25	0.13	mg/L			07/28/17 10:55	5
Chromium	<0.0011		0.0025	0.0011	mg/L			07/28/17 10:55	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			07/27/17 00:18	5
Lead	<0.00035	^ *	0.0013	0.00035	mg/L			07/28/17 10:55	5
Lithium	0.014		0.0050	0.0032	mg/L			07/28/17 10:55	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			07/28/17 10:55	5
Selenium	<0.00024		0.0013	0.00024	mg/L			07/28/17 10:55	5
Thallium	<0.000085		0.00050	0.000085	mg/L			07/28/17 10:55	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			07/24/17 12:49	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	150		5.0	3.4	mg/L			07/20/17 15:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 07/13/17 00:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.2		1.0	0.89	mg/L			07/20/17 16:53	1
Fluoride	0.14	J	0.20	0.082	mg/L			07/20/17 16:53	1
Sulfate	1.4		1.0	0.70	mg/L			07/20/17 16:53	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			07/28/17 11:00	5
Arsenic	0.00053	J	0.0013	0.00046	mg/L			07/28/17 11:00	5
Barium	0.086		0.0025	0.00049	mg/L			07/28/17 11:00	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:00	5
Boron	<0.021		0.050	0.021	mg/L			07/27/17 00:23	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:00	5
Calcium	30		0.25	0.13	mg/L			07/28/17 11:00	5
Chromium	<0.0011		0.0025	0.0011	mg/L			07/28/17 11:00	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			07/27/17 00:23	5
Lead	<0.00035	^ *	0.0013	0.00035	mg/L			07/28/17 11:00	5
Lithium	0.012		0.0050	0.0032	mg/L			07/28/17 11:00	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			07/28/17 11:00	5
Selenium	<0.00024		0.0013	0.00024	mg/L			07/28/17 11:00	5
Thallium	<0.000085		0.00050	0.000085	mg/L			07/28/17 11:00	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			07/24/17 12:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		5.0	3.4	mg/L			07/20/17 15:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 07/13/17 15:00
Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			07/20/17 17:16	1
Fluoride	<0.082		0.20	0.082	mg/L			07/20/17 17:16	1
Sulfate	<0.70		1.0	0.70	mg/L			07/20/17 17:16	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			07/28/17 11:05	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			07/28/17 11:05	5
Barium	<0.00049		0.0025	0.00049	mg/L			07/28/17 11:05	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:05	5
Boron	<0.021		0.050	0.021	mg/L			07/27/17 00:28	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:05	5
Calcium	<0.13		0.25	0.13	mg/L			07/28/17 11:05	5
Chromium	<0.0011		0.0025	0.0011	mg/L			07/28/17 11:05	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			07/27/17 00:28	5
Lead	<0.00035 ^ *		0.0013	0.00035	mg/L			07/28/17 11:05	5
Lithium	<0.0032		0.0050	0.0032	mg/L			07/28/17 11:05	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			07/28/17 11:05	5
Selenium	<0.00024		0.0013	0.00024	mg/L			07/28/17 11:05	5
Thallium	<0.000085		0.00050	0.000085	mg/L			07/28/17 11:05	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			07/24/17 12:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			07/20/17 15:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: FERB-1

Date Collected: 07/13/17 15:50
Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			07/20/17 18:25	1
Fluoride	<0.082		0.20	0.082	mg/L			07/20/17 18:25	1
Sulfate	<0.70		1.0	0.70	mg/L			07/20/17 18:25	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			07/28/17 11:10	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			07/28/17 11:10	5
Barium	<0.00049		0.0025	0.00049	mg/L			07/28/17 11:10	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:10	5
Boron	<0.021		0.050	0.021	mg/L			07/27/17 00:32	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			07/28/17 11:10	5
Calcium	<0.13		0.25	0.13	mg/L			07/28/17 11:10	5
Chromium	<0.0011		0.0025	0.0011	mg/L			07/28/17 11:10	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			07/27/17 00:32	5
Lead	<0.00035 ^*		0.0013	0.00035	mg/L			07/28/17 11:10	5
Lithium	<0.0032		0.0050	0.0032	mg/L			07/28/17 11:10	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			07/28/17 11:10	5
Selenium	<0.00024		0.0013	0.00024	mg/L			07/28/17 11:10	5
Thallium	<0.000085		0.00050	0.000085	mg/L			07/28/17 11:10	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			07/24/17 12:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			07/20/17 15:24	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD is outside acceptance limits.
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 07/13/17 13:40

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	361286	07/20/17 15:20	TAJ	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362388	07/27/17 00:14	DRE	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362368	07/28/17 10:51	DRE	TAL PEN
Total/NA	Prep	7470A			361306	07/21/17 10:43	JAP	TAL PEN
Total/NA	Analysis	7470A		1	361500	07/24/17 12:48	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	361149	07/20/17 15:24	TET	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 07/13/17 15:18

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	361286	07/20/17 16:31	TAJ	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362388	07/27/17 00:18	DRE	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362368	07/28/17 10:55	DRE	TAL PEN
Total/NA	Prep	7470A			361306	07/21/17 10:43	JAP	TAL PEN
Total/NA	Analysis	7470A		1	361500	07/24/17 12:49	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	361149	07/20/17 15:24	TET	TAL PEN

Client Sample ID: DUP-1

Date Collected: 07/13/17 00:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	361286	07/20/17 16:53	TAJ	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362388	07/27/17 00:23	DRE	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362368	07/28/17 11:00	DRE	TAL PEN
Total/NA	Prep	7470A			361306	07/21/17 10:43	JAP	TAL PEN
Total/NA	Analysis	7470A		1	361500	07/24/17 12:51	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	361149	07/20/17 15:24	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 07/13/17 15:00
Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	361286	07/20/17 17:16	TAJ	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362388	07/27/17 00:28	DRE	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362368	07/28/17 11:05	DRE	TAL PEN
Total/NA	Prep	7470A			361306	07/21/17 10:43	JAP	TAL PEN
Total/NA	Analysis	7470A		1	361500	07/24/17 12:46	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	361149	07/20/17 15:24	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 07/13/17 15:50
Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	361286	07/20/17 18:25	TAJ	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362388	07/27/17 00:32	DRE	TAL PEN
Total Recoverable	Prep	3005A			361436	07/24/17 07:30	SEH	TAL PEN
Total Recoverable	Analysis	6020		5	362368	07/28/17 11:10	DRE	TAL PEN
Total/NA	Prep	7470A			361306	07/21/17 10:43	JAP	TAL PEN
Total/NA	Analysis	7470A		1	361500	07/24/17 12:55	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	361149	07/20/17 15:24	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

HPLC/IC

Analysis Batch: 361286

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	300.0	
400-140650-2	MGWC-12	Total/NA	Water	300.0	
400-140650-3	DUP-1	Total/NA	Water	300.0	
400-140650-4	FB-1	Total/NA	Water	300.0	
400-140650-5	FERB-1	Total/NA	Water	300.0	
MB 400-361286/4	Method Blank	Total/NA	Water	300.0	
LCS 400-361286/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-361286/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-140650-1 MS	MGWA-11	Total/NA	Water	300.0	
400-140650-1 MSD	MGWA-11	Total/NA	Water	300.0	

Metals

Prep Batch: 361306

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	7470A	
400-140650-2	MGWC-12	Total/NA	Water	7470A	
400-140650-3	DUP-1	Total/NA	Water	7470A	
400-140650-4	FB-1	Total/NA	Water	7470A	
400-140650-5	FERB-1	Total/NA	Water	7470A	
MB 400-361306/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-361306/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-140651-B-1-B MS	Matrix Spike	Total/NA	Water	7470A	
400-140651-B-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Prep Batch: 361436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total Recoverable	Water	3005A	
400-140650-2	MGWC-12	Total Recoverable	Water	3005A	
400-140650-3	DUP-1	Total Recoverable	Water	3005A	
400-140650-4	FB-1	Total Recoverable	Water	3005A	
400-140650-5	FERB-1	Total Recoverable	Water	3005A	
MB 400-361436/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-361436/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-140722-D-6-B MS ^5	Matrix Spike	Total Recoverable	Water	3005A	
400-140722-D-6-C MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 361500

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	7470A	361306
400-140650-2	MGWC-12	Total/NA	Water	7470A	361306
400-140650-3	DUP-1	Total/NA	Water	7470A	361306
400-140650-4	FB-1	Total/NA	Water	7470A	361306
400-140650-5	FERB-1	Total/NA	Water	7470A	361306
MB 400-361306/14-A	Method Blank	Total/NA	Water	7470A	361306
LCS 400-361306/15-A	Lab Control Sample	Total/NA	Water	7470A	361306
400-140651-B-1-B MS	Matrix Spike	Total/NA	Water	7470A	361306
400-140651-B-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	361306

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Metals (Continued)

Analysis Batch: 362368

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total Recoverable	Water	6020	361436
400-140650-2	MGWC-12	Total Recoverable	Water	6020	361436
400-140650-3	DUP-1	Total Recoverable	Water	6020	361436
400-140650-4	FB-1	Total Recoverable	Water	6020	361436
400-140650-5	FERB-1	Total Recoverable	Water	6020	361436

Analysis Batch: 362388

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total Recoverable	Water	6020	361436
400-140650-2	MGWC-12	Total Recoverable	Water	6020	361436
400-140650-3	DUP-1	Total Recoverable	Water	6020	361436
400-140650-4	FB-1	Total Recoverable	Water	6020	361436
400-140650-5	FERB-1	Total Recoverable	Water	6020	361436
MB 400-361436/1-A ^5	Method Blank	Total Recoverable	Water	6020	361436
LCS 400-361436/2-A	Lab Control Sample	Total Recoverable	Water	6020	361436
400-140722-D-6-B MS ^5	Matrix Spike	Total Recoverable	Water	6020	361436
400-140722-D-6-C MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	6020	361436

General Chemistry

Analysis Batch: 361149

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	SM 2540C	
400-140650-2	MGWC-12	Total/NA	Water	SM 2540C	
400-140650-3	DUP-1	Total/NA	Water	SM 2540C	
400-140650-4	FB-1	Total/NA	Water	SM 2540C	
400-140650-5	FERB-1	Total/NA	Water	SM 2540C	
MB 400-361149/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-361149/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-140650-1 DU	MGWA-11	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-361286/4

Matrix: Water

Analysis Batch: 361286

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			07/20/17 12:31	1
Fluoride	<0.082		0.20	0.082	mg/L			07/20/17 12:31	1
Sulfate	<0.70		1.0	0.70	mg/L			07/20/17 12:31	1

Lab Sample ID: LCS 400-361286/5

Matrix: Water

Analysis Batch: 361286

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
						Limits	
Chloride	10.0	9.79		mg/L		98	90 - 110
Fluoride	10.0	9.82		mg/L		98	90 - 110
Sulfate	10.0	10.0		mg/L		100	90 - 110

Lab Sample ID: LCSD 400-361286/6

Matrix: Water

Analysis Batch: 361286

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD
						Limits		Limit	
Chloride	10.0	9.77		mg/L		98	90 - 110	0	15
Fluoride	10.0	9.62		mg/L		96	90 - 110	2	15
Sulfate	10.0	9.93		mg/L		99	90 - 110	1	15

Lab Sample ID: 400-140650-1 MS

Matrix: Water

Analysis Batch: 361286

Client Sample ID: MGWA-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
								Limits	
Chloride	4.2		10.0	13.4		mg/L		92	80 - 120
Fluoride	0.12	J	10.0	9.73		mg/L		96	80 - 120
Sulfate	1.4		10.0	11.8		mg/L		104	80 - 120

Lab Sample ID: 400-140650-1 MSD

Matrix: Water

Analysis Batch: 361286

Client Sample ID: MGWA-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.
								Limits	
Chloride	4.2		10.0	13.4		mg/L		92	80 - 120
Fluoride	0.12	J	10.0	9.60		mg/L		95	80 - 120
Sulfate	1.4		10.0	11.8		mg/L		105	80 - 120

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-361436/1-A ^5

Matrix: Water

Analysis Batch: 362388

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 361436

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		07/24/17 07:30	07/26/17 22:55	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		07/24/17 07:30	07/26/17 22:55	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-361436/1-A ^5

Matrix: Water

Analysis Batch: 362388

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 361436

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Barium	<0.00049		0.0025	0.00049	mg/L		07/24/17 07:30	07/26/17 22:55	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		07/24/17 07:30	07/26/17 22:55	5
Boron	<0.021		0.050	0.021	mg/L		07/24/17 07:30	07/26/17 22:55	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		07/24/17 07:30	07/26/17 22:55	5
Calcium	<0.13		0.25	0.13	mg/L		07/24/17 07:30	07/26/17 22:55	5
Chromium	<0.0011 ^		0.0025	0.0011	mg/L		07/24/17 07:30	07/26/17 22:55	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		07/24/17 07:30	07/26/17 22:55	5
Lead	<0.00035 ^		0.0013	0.00035	mg/L		07/24/17 07:30	07/26/17 22:55	5
Lithium	<0.0032		0.0050	0.0032	mg/L		07/24/17 07:30	07/26/17 22:55	5
Molybdenum	<0.00085		0.015	0.00085	mg/L		07/24/17 07:30	07/26/17 22:55	5
Selenium	<0.00024		0.0013	0.00024	mg/L		07/24/17 07:30	07/26/17 22:55	5
Thallium	<0.000085		0.00050	0.000085	mg/L		07/24/17 07:30	07/26/17 22:55	5

Lab Sample ID: LCS 400-361436/2-A

Matrix: Water

Analysis Batch: 362388

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 361436

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
	Added	Result						
Antimony	0.0500	0.0505	mg/L	101	80 - 120			
Arsenic	0.0500	0.0516	mg/L	103	80 - 120			
Barium	0.0500	0.0509	mg/L	102	80 - 120			
Beryllium	0.0500	0.0479	mg/L	96	80 - 120			
Boron	0.100	0.0974	mg/L	97	80 - 120			
Cadmium	0.0500	0.0515	mg/L	103	80 - 120			
Calcium	5.00	4.93	mg/L	99	80 - 120			
Cobalt	0.0500	0.0538	mg/L	108	80 - 120			
Lithium	0.0500	0.0533	mg/L	107	80 - 120			
Molybdenum	0.100	0.102	mg/L	102	80 - 120			
Selenium	0.0500	0.0501	mg/L	100	80 - 120			
Thallium	0.0100	0.00983	mg/L	98	80 - 120			

Lab Sample ID: 400-140722-D-6-B MS ^5

Matrix: Water

Analysis Batch: 362388

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 361436

Analyte	Sample Result	Sample Qualifier	MS		Unit	D	%Rec	Limits
			Spike Added	Result				
Antimony	<0.0010		0.0500	0.0516	mg/L		103	75 - 125
Arsenic	0.089		0.0500	0.137	mg/L		96	75 - 125
Barium	0.084		0.0500	0.132	mg/L		96	75 - 125
Beryllium	<0.00034		0.0500	0.0487	mg/L		97	75 - 125
Boron	<0.021		0.100	0.116	mg/L		116	75 - 125
Cadmium	<0.00034		0.0500	0.0513	mg/L		103	75 - 125
Calcium	2.5		5.00	7.40	mg/L		98	75 - 125
Chromium	<0.0011 ^		0.0500	0.0548 ^	mg/L		110	75 - 125
Cobalt	0.0084		0.0500	0.0527	mg/L		88	75 - 125
Lead	<0.00035 ^		0.0500	0.0486 ^	mg/L		97	75 - 125
Lithium	<0.0032		0.0500	0.0487	mg/L		97	75 - 125
Molybdenum	<0.00085		0.100	0.101	mg/L		101	75 - 125
Selenium	<0.00024		0.0500	0.0492	mg/L		98	75 - 125

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-140722-D-6-B MS ^5

Matrix: Water

Analysis Batch: 362388

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier				
Thallium	<0.000085		0.0100	0.00984		mg/L	98	75 - 125	

Lab Sample ID: 400-140722-D-6-C MSD ^5

Matrix: Water

Analysis Batch: 362388

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Antimony	<0.0010		0.0500	0.0523		mg/L	105	75 - 125	1	20	
Arsenic	0.089		0.0500	0.139		mg/L	102	75 - 125	2	20	
Barium	0.084		0.0500	0.132		mg/L	96	75 - 125	0	20	
Beryllium	<0.00034		0.0500	0.0477		mg/L	95	75 - 125	2	20	
Boron	<0.021		0.100	0.112		mg/L	112	75 - 125	3	20	
Cadmium	<0.00034		0.0500	0.0528		mg/L	106	75 - 125	3	20	
Calcium	2.5		5.00	7.49		mg/L	100	75 - 125	1	20	
Chromium	<0.0011 ^		0.0500	0.0588 ^		mg/L	118	75 - 125	7	20	
Cobalt	0.0084		0.0500	0.0533		mg/L	90	75 - 125	1	20	
Lead	<0.00035 ^		0.0500	0.0491 ^		mg/L	98	75 - 125	1	20	
Lithium	<0.0032		0.0500	0.0473		mg/L	95	75 - 125	3	20	
Molybdenum	<0.00085		0.100	0.102		mg/L	102	75 - 125	1	20	
Selenium	<0.00024		0.0500	0.0507		mg/L	101	75 - 125	3	20	
Thallium	<0.000085		0.0100	0.00986		mg/L	99	75 - 125	0	20	

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-361306/14-A

Matrix: Water

Analysis Batch: 361500

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L		07/21/17 10:41	07/24/17 12:18	1

Lab Sample ID: LCS 400-361306/15-A

Matrix: Water

Analysis Batch: 361500

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Mercury	0.00101	0.00106		mg/L	105	80 - 120	

Lab Sample ID: 400-140651-B-1-B MS

Matrix: Water

Analysis Batch: 361500

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier				
Mercury	<0.000070		0.00201	0.00215		mg/L	107	80 - 120	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
SDG: Ash Pond

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 400-140651-B-1-C MSD

Matrix: Water

Analysis Batch: 361500

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 361306

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	RPD
	Result	Qualifier	Added	Result	Qualifier				
Mercury	<0.000070		0.00201	0.00209		mg/L		104	80 - 120

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-361149/1

Matrix: Water

Analysis Batch: 361149

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			07/20/17 15:24	1

Lab Sample ID: LCS 400-361149/2

Matrix: Water

Analysis Batch: 361149

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Total Dissolved Solids	293	274		mg/L		94	78 - 122

Lab Sample ID: 400-140650-1 DU

Matrix: Water

Analysis Batch: 361149

Client Sample ID: MGWA-11

Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier						
Total Dissolved Solids	150		150		mg/L		0	5

TestAmer' Pensacola

3355 McLemo,
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2871

Chain of Custody Record

Client Information

Client Contact:
Lauren Petty

Company:
Southern Company

Address:
42 Inverness Center Parkway

City:
Birmingham

State, Zip:
AL, 35242

Phone:
205-992-5417

Email:
LMPETTY@southernco.com

Project Name:
Plant McIntosh - Ash Pond

Site:
CCR

Sampler:
W. Virgo W.F.J.

Phone:
A. Ellis A.E.

Carrier Tracking No(s):
cheyenne.whitmire@testamericanainc.com

Lab P.M.:
Whitmire, Cheyenne R

E-Mail:
cheyenne.whitmire@testamericanainc.com

Job #:

Analysis Requested

Preservation Codes:

- A - HCl
- B - NaOH
- C - Zn Acetate
- D - Nitric Acid
- E - NaHSO4
- F - MeOH
- G - Anchior
- H - Ascorbic Acid
- I - Ice
- J - DI Water
- K - EDTA
- L - EDA
- M - Hexane
- N - None
- O - AsNaO2
- P - Na2O4S
- Q - Na2SO3
- R - Na2SO3
- S - H2SO4
- T - TSP Dodecahydrate
- U - Acetone
- V - MCAA
- W - ph 4-5
- Z - other (specify)

Other:

Total Number of Contaminants

Special Instructions/Note:

	D	D
TDS - SM 2540C ; CI,F,SO4 - EPA 300	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Radium 226 & 228 - SW-846 9315 & 9320	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Metals - (Part 257 Appendix III & IV) EPA 6020 & EPA 7470	<input type="checkbox"/>	<input checked="" type="checkbox"/>
TDS - SM 2540C ; CI,F,SO4 - EPA 300	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Perfume MS/MSD (yes or no)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Field Filtered Sample (yes or no)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Preservation Code:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Matrix

(W=water,

S=solid,

O=water/soil,

B=tissue, A=air)

Preservation Code:

<input type

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-140650-1

SDG Number: Ash Pond

Login Number: 140650

List Source: TestAmerica Pensacola

List Number: 1

Creator: Hughes, Nicholas T

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.6°C, 2.3°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-1
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-18
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-18
Georgia	State Program	4	N/A	06-30-18
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17 *
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-18
Louisiana (DW)	NELAP	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-18
Massachusetts	State Program	1	M-FL094	06-30-18
Michigan	State Program	5	9912	06-30-18
New Jersey	NELAP	2	FL006	06-30-18
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17 *
Tennessee	State Program	4	TN02907	06-30-18
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-18
Washington	State Program	10	C915	05-15-18
West Virginia DEP	State Program	3	136	06-30-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-144562-1

TestAmerica Sample Delivery Group: Plant McIntosh Ash Pond

Client Project/Site: CCR - Plant McIntosh

Sampling Event: Ash Pond

For:

Southern Company
PO BOX 2641 GSC8
Birmingham, Alabama 35291

Attn: Ms. Lauren Petty



Authorized for release by:

10/29/2017 4:43:42 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	22
Chronicle	23
QC Association	27
QC Sample Results	30
Chain of Custody	36
Receipt Checklists	38
Certification Summary	39

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Job ID: 400-144562-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-144562-1

HPLC/IC

Method(s) 300.0: The following samples were diluted due to high conductivity: MGWC-7 (400-144562-2), MGWC-8 (400-144562-6), MGWC-3 (400-144562-7) and MGWC-2 (400-144562-8). Elevated reporting limits (RL) are provided.

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-1 (400-144562-9) and DUP-1 (400-144562-11). Elevated reporting limits (RLs) are provided.

Method(s) 300.0: The native sample, matrix spike, and matrix spike duplicate (MS/MSD) associated with analytical batch 373263 were performed at the same dilution. Due to the additional level of analyte present in the spiked samples, the concentration of Sulfate in the MS/MSD was above the instrument calibration range. The data have been reported and qualified.

Metals

Method(s) 6020: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-8 (400-144562-6), MGWC-2 (400-144562-8) and DUP-1 (400-144562-11). Elevated reporting limits (RLs) are provided.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-5

Lab Sample ID: 400-144562-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.3		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	4.9		1.0	0.70	mg/L	1		300.0	Total/NA
Calcium	31		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	190		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-144562-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.28		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	180		5.0	3.5	mg/L	5		300.0	Total/NA
Boron	1.4		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	56		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	340		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWA-10

Lab Sample ID: 400-144562-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.9		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	1.1		1.0	0.70	mg/L	1		300.0	Total/NA
Boron	0.021	J	0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	4.8		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	78		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-144562-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.3		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	11		1.0	0.70	mg/L	1		300.0	Total/NA
Boron	0.12		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	110		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	310		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWA-11

Lab Sample ID: 400-144562-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.4		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.086	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	0.87	J	1.0	0.70	mg/L	1		300.0	Total/NA
Boron	0.025	J	0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	39		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	210		5.0	3.4	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-8

Lab Sample ID: 400-144562-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	260		10	7.0	mg/L	10		300.0	Total/NA
Calcium	74		0.25	0.13	mg/L	5		6020	Total Recoverable
Boron - DL	4.2		0.25	0.11	mg/L	25		6020	Total Recoverable
Total Dissolved Solids	450		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-3

Lab Sample ID: 400-144562-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	110		5.0	3.5	mg/L	5		300.0	Total/NA
Boron	1.7		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	110		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	400		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-2

Lab Sample ID: 400-144562-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		5.0	4.5	mg/L	5		300.0	Total/NA
Sulfate	240		5.0	3.5	mg/L	5		300.0	Total/NA
Boron - DL	3.4		0.25	0.11	mg/L	25		6020	Total Recoverable
Calcium - DL	130		1.3	0.63	mg/L	25		6020	Total Recoverable
Total Dissolved Solids	600		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-144562-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.18	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	170		5.0	3.5	mg/L	5		300.0	Total/NA
Boron	1.9		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	120		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	480		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-12

Lab Sample ID: 400-144562-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.0		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.22		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	4.9		1.0	0.70	mg/L	1		300.0	Total/NA
Calcium	28		0.25	0.13	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	160		5.0	3.4	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: DUP-1

Lab Sample ID: 400-144562-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.082	J	0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	230		10	7.0	mg/L	10		300.0	Total/NA
Calcium	73		0.25	0.13	mg/L	5		6020	Total Recoverable
Boron - DL	3.8		0.25	0.11	mg/L	25		6020	Total Recoverable
Total Dissolved Solids	460		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-144562-12

No Detections.

Client Sample ID: FERB-1

Lab Sample ID: 400-144562-13

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
 SDG: Plant McIntosh Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-144562-1	MGWA-5	Water	10/10/17 09:37	10/13/17 08:31
400-144562-2	MGWC-7	Water	10/10/17 10:00	10/13/17 08:31
400-144562-3	MGWA-10	Water	10/10/17 10:15	10/13/17 08:31
400-144562-4	MGWA-6	Water	10/10/17 10:51	10/13/17 08:31
400-144562-5	MGWA-11	Water	10/10/17 11:35	10/13/17 08:31
400-144562-6	MGWC-8	Water	10/10/17 11:15	10/13/17 08:31
400-144562-7	MGWC-3	Water	10/10/17 12:07	10/13/17 08:31
400-144562-8	MGWC-2	Water	10/10/17 13:00	10/13/17 08:31
400-144562-9	MGWC-1	Water	10/10/17 14:20	10/13/17 08:31
400-144562-10	MGWC-12	Water	10/10/17 13:26	10/13/17 08:31
400-144562-11	DUP-1	Water	10/10/17 00:00	10/13/17 08:31
400-144562-12	FB-1	Water	10/10/17 12:39	10/13/17 08:31
400-144562-13	FERB-1	Water	10/10/17 14:55	10/13/17 08:31

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-5

Date Collected: 10/10/17 09:37

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.3		1.0	0.89	mg/L			10/24/17 18:52	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 18:52	1
Sulfate	4.9		1.0	0.70	mg/L			10/24/17 18:52	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/15/17 13:42	10/19/17 19:07	5
Calcium	31		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 19:07	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	190		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-7

Date Collected: 10/10/17 10:00

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.89	mg/L			10/24/17 20:00	1
Fluoride	0.28		0.20	0.082	mg/L			10/24/17 20:00	1
Sulfate	180		5.0	3.5	mg/L			10/25/17 16:04	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.4		0.050	0.021	mg/L			10/15/17 13:42	5
Calcium	56		0.25	0.13	mg/L			10/15/17 13:42	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	340		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-10

Date Collected: 10/10/17 10:15

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.9		1.0	0.89	mg/L			10/24/17 20:23	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 20:23	1
Sulfate	1.1		1.0	0.70	mg/L			10/24/17 20:23	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	0.021	J	0.050	0.021	mg/L			10/15/17 13:42	5
Calcium	4.8		0.25	0.13	mg/L			10/15/17 13:42	10/19/17 19:56

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	78		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-6

Date Collected: 10/10/17 10:51

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.3		1.0	0.89	mg/L			10/24/17 20:46	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 20:46	1
Sulfate	11		1.0	0.70	mg/L			10/24/17 20:46	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	0.12		0.050	0.021	mg/L			10/15/17 13:42	10/19/17 20:01
Calcium	110		0.25	0.13	mg/L			10/15/17 13:42	10/19/17 20:01

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-11

Date Collected: 10/10/17 11:35

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.4		1.0	0.89	mg/L			10/24/17 21:09	1
Fluoride	0.086	J	0.20	0.082	mg/L			10/24/17 21:09	1
Sulfate	0.87	J	1.0	0.70	mg/L			10/24/17 21:09	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	0.025	J	0.050	0.021	mg/L			10/15/17 13:42	10/19/17 20:05
Calcium	39		0.25	0.13	mg/L			10/15/17 13:42	10/19/17 20:05

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	210		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-8

Date Collected: 10/10/17 11:15

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.89	mg/L			10/24/17 21:31	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 21:31	1
Sulfate	260		10	7.0	mg/L			10/25/17 16:27	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	74		0.25	0.13	mg/L			10/19/17 20:10	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	4.2		0.25	0.11	mg/L			10/19/17 20:19	25

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	450		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-3

Date Collected: 10/10/17 12:07

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			10/24/17 21:54	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 21:54	1
Sulfate	110		5.0	3.5	mg/L			10/25/17 16:50	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.7		0.050	0.021	mg/L			10/15/17 13:42	5
Calcium	110		0.25	0.13	mg/L			10/15/17 13:42	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	400		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-2

Date Collected: 10/10/17 13:00
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		5.0	4.5	mg/L			10/25/17 11:53	5
Fluoride	<0.41		1.0	0.41	mg/L			10/25/17 11:53	5
Sulfate	240		5.0	3.5	mg/L			10/25/17 11:53	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Boron	3.4		0.25	0.11	mg/L			10/15/17 13:42	25	
Calcium	130		1.3	0.63	mg/L			10/15/17 13:42	10/19/17 20:59	25

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	600		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-1

Date Collected: 10/10/17 14:20
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.89	mg/L			10/25/17 17:12	1
Fluoride	0.18	J	0.20	0.082	mg/L			10/25/17 17:12	1
Sulfate	170		5.0	3.5	mg/L			10/26/17 11:29	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1.9		0.050	0.021	mg/L			10/15/17 13:42	5
Calcium	120		0.25	0.13	mg/L			10/15/17 13:42	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	480		5.0	3.4	mg/L			10/16/17 16:20	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-12

Date Collected: 10/10/17 13:26

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-10

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.89	mg/L			10/25/17 17:58	1
Fluoride	0.22		0.20	0.082	mg/L			10/25/17 17:58	1
Sulfate	4.9		1.0	0.70	mg/L			10/25/17 17:58	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/15/17 13:42	10/19/17 21:08	5
Calcium	28		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 21:08	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		5.0	3.4	mg/L			10/17/17 13:42	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: DUP-1

Date Collected: 10/10/17 00:00

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-11

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0	0.89	mg/L			10/25/17 18:21	1
Fluoride	0.082	J	0.20	0.082	mg/L			10/25/17 18:21	1
Sulfate	230		10	7.0	mg/L			10/26/17 15:17	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	73		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 21:13	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.8		0.25	0.11	mg/L		10/15/17 13:42	10/20/17 13:49	25

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	460		5.0	3.4	mg/L			10/14/17 14:50	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: FB-1

Date Collected: 10/10/17 12:39
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-12

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/25/17 18:44	1
Fluoride	<0.082		0.20	0.082	mg/L			10/25/17 18:44	1
Sulfate	<0.70		1.0	0.70	mg/L			10/25/17 18:44	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/15/17 13:42	10/19/17 21:17	5
Calcium	<0.13		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 21:17	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/17/17 13:42	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: FERB-1

Date Collected: 10/10/17 14:55

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-13

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/25/17 19:52	1
Fluoride	<0.082		0.20	0.082	mg/L			10/25/17 19:52	1
Sulfate	<0.70		1.0	0.70	mg/L			10/25/17 19:52	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.021		0.050	0.021	mg/L		10/15/17 13:42	10/19/17 21:22	5
Calcium	<0.13		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 21:22	5

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/17/17 13:42	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-5

Date Collected: 10/10/17 09:37

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 18:52	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 19:07	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-7

Date Collected: 10/10/17 10:00

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 20:00	JAW	TAL PEN
Total/NA	Analysis	300.0		5	373263	10/25/17 16:04	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 19:52	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWA-10

Date Collected: 10/10/17 10:15

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 20:23	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 19:56	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 10/10/17 10:51

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 20:46	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 20:01	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWA-11

Date Collected: 10/10/17 11:35

Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 21:09	JAW	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 20:05	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-8

Lab Sample ID: 400-144562-6

Date Collected: 10/10/17 11:15

Matrix: Water

Date Received: 10/13/17 08:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 21:31	JAW	TAL PEN
Total/NA	Analysis	300.0		10	373263	10/25/17 16:27	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 20:10	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020	DL	25	372643	10/19/17 20:19	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-3

Lab Sample ID: 400-144562-7

Date Collected: 10/10/17 12:07

Matrix: Water

Date Received: 10/13/17 08:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373215	10/24/17 21:54	JAW	TAL PEN
Total/NA	Analysis	300.0		5	373263	10/25/17 16:50	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 20:23	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-2

Lab Sample ID: 400-144562-8

Date Collected: 10/10/17 13:00

Matrix: Water

Date Received: 10/13/17 08:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5	373263	10/25/17 11:53	JAW	TAL PEN
Total Recoverable	Prep	3005A	DL		371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020	DL	25	372643	10/19/17 20:59	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-1

Lab Sample ID: 400-144562-9

Date Collected: 10/10/17 14:20

Matrix: Water

Date Received: 10/13/17 08:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373263	10/25/17 17:12	JAW	TAL PEN
Total/NA	Analysis	300.0		5	373328	10/26/17 11:29	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-1

Date Collected: 10/10/17 14:20
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Analysis	6020		5	372643	10/19/17 21:04	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372074	10/16/17 16:20	RRC	TAL PEN

Client Sample ID: MGWC-12

Date Collected: 10/10/17 13:26
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373263	10/25/17 17:58	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 21:08	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372163	10/17/17 13:42	TET	TAL PEN

Client Sample ID: DUP-1

Date Collected: 10/10/17 00:00
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373263	10/25/17 18:21	JAW	TAL PEN
Total/NA	Analysis	300.0		10	373444	10/26/17 15:17	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 21:13	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020	DL	25	372837	10/20/17 13:49	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	371893	10/14/17 14:50	TET	TAL PEN

Client Sample ID: FB-1

Date Collected: 10/10/17 12:39
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373263	10/25/17 18:44	JAW	TAL PEN
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 21:17	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372163	10/17/17 13:42	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 10/10/17 14:55
Date Received: 10/13/17 08:31

Lab Sample ID: 400-144562-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	373263	10/25/17 19:52	JAW	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Client Sample ID: FERB-1

Lab Sample ID: 400-144562-13

Date Collected: 10/10/17 14:55

Matrix: Water

Date Received: 10/13/17 08:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			371938	10/15/17 13:42	DN1	TAL PEN
Total Recoverable	Analysis	6020		5	372643	10/19/17 21:22	DRE	TAL PEN
Total/NA	Analysis	SM 2540C		1	372163	10/17/17 13:42	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

1

2

3

4

5

6

7

8

9

10

11

12

13

14

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

HPLC/IC

Analysis Batch: 373215

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-1	MGWA-5	Total/NA	Water	300.0	5
400-144562-2	MGWC-7	Total/NA	Water	300.0	6
400-144562-3	MGWA-10	Total/NA	Water	300.0	7
400-144562-4	MGWA-6	Total/NA	Water	300.0	8
400-144562-5	MGWA-11	Total/NA	Water	300.0	9
400-144562-6	MGWC-8	Total/NA	Water	300.0	10
400-144562-7	MGWC-3	Total/NA	Water	300.0	11
MB 400-373215/4	Method Blank	Total/NA	Water	300.0	12
LCS 400-373215/5	Lab Control Sample	Total/NA	Water	300.0	13
LCSD 400-373215/6	Lab Control Sample Dup	Total/NA	Water	300.0	14
400-144556-A-13 MS	Matrix Spike	Total/NA	Water	300.0	
400-144556-A-13 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 373263

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-2	MGWC-7	Total/NA	Water	300.0	12
400-144562-6	MGWC-8	Total/NA	Water	300.0	13
400-144562-7	MGWC-3	Total/NA	Water	300.0	14
400-144562-8	MGWC-2	Total/NA	Water	300.0	
400-144562-9	MGWC-1	Total/NA	Water	300.0	
400-144562-10	MGWC-12	Total/NA	Water	300.0	
400-144562-11	DUP-1	Total/NA	Water	300.0	
400-144562-12	FB-1	Total/NA	Water	300.0	
400-144562-13	FERB-1	Total/NA	Water	300.0	
MB 400-373263/4	Method Blank	Total/NA	Water	300.0	
LCS 400-373263/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-373263/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-144562-8 MS	MGWC-2	Total/NA	Water	300.0	
400-144562-8 MSD	MGWC-2	Total/NA	Water	300.0	

Analysis Batch: 373328

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-9	MGWC-1	Total/NA	Water	300.0	
MB 400-373328/36	Method Blank	Total/NA	Water	300.0	
LCS 400-373328/37	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-373328/38	Lab Control Sample Dup	Total/NA	Water	300.0	
400-144649-A-6 MS	Matrix Spike	Total/NA	Water	300.0	
400-144649-A-6 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 373444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-11	DUP-1	Total/NA	Water	300.0	
MB 400-373444/4	Method Blank	Total/NA	Water	300.0	
LCS 400-373444/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-373444/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-144890-J-6 MS	Matrix Spike	Total/NA	Water	300.0	
400-144890-J-6 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Metals

Prep Batch: 371938

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-1	MGWA-5	Total Recoverable	Water	3005A	5
400-144562-2	MGWC-7	Total Recoverable	Water	3005A	6
400-144562-3	MGWA-10	Total Recoverable	Water	3005A	7
400-144562-4	MGWA-6	Total Recoverable	Water	3005A	8
400-144562-5	MGWA-11	Total Recoverable	Water	3005A	9
400-144562-6 - DL	MGWC-8	Total Recoverable	Water	3005A	10
400-144562-6	MGWC-8	Total Recoverable	Water	3005A	11
400-144562-7	MGWC-3	Total Recoverable	Water	3005A	12
400-144562-8 - DL	MGWC-2	Total Recoverable	Water	3005A	13
400-144562-9	MGWC-1	Total Recoverable	Water	3005A	14
400-144562-10	MGWC-12	Total Recoverable	Water	3005A	
400-144562-11 - DL	DUP-1	Total Recoverable	Water	3005A	
400-144562-11	DUP-1	Total Recoverable	Water	3005A	
400-144562-12	FB-1	Total Recoverable	Water	3005A	
400-144562-13	FERB-1	Total Recoverable	Water	3005A	
MB 400-371938/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-371938/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-144562-1 MS	MGWA-5	Total Recoverable	Water	3005A	
400-144562-1 MSD	MGWA-5	Total Recoverable	Water	3005A	

Analysis Batch: 372643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-1	MGWA-5	Total Recoverable	Water	6020	371938
400-144562-2	MGWC-7	Total Recoverable	Water	6020	371938
400-144562-3	MGWA-10	Total Recoverable	Water	6020	371938
400-144562-4	MGWA-6	Total Recoverable	Water	6020	371938
400-144562-5	MGWA-11	Total Recoverable	Water	6020	371938
400-144562-6	MGWC-8	Total Recoverable	Water	6020	371938
400-144562-6 - DL	MGWC-8	Total Recoverable	Water	6020	371938
400-144562-7	MGWC-3	Total Recoverable	Water	6020	371938
400-144562-8 - DL	MGWC-2	Total Recoverable	Water	6020	371938
400-144562-9	MGWC-1	Total Recoverable	Water	6020	371938
400-144562-10	MGWC-12	Total Recoverable	Water	6020	371938
400-144562-11	DUP-1	Total Recoverable	Water	6020	371938
400-144562-12	FB-1	Total Recoverable	Water	6020	371938
400-144562-13	FERB-1	Total Recoverable	Water	6020	371938
MB 400-371938/1-A ^5	Method Blank	Total Recoverable	Water	6020	371938
LCS 400-371938/2-A	Lab Control Sample	Total Recoverable	Water	6020	371938
400-144562-1 MS	MGWA-5	Total Recoverable	Water	6020	371938
400-144562-1 MSD	MGWA-5	Total Recoverable	Water	6020	371938

Analysis Batch: 372837

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-11 - DL	DUP-1	Total Recoverable	Water	6020	371938

General Chemistry

Analysis Batch: 371893

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-11	DUP-1	Total/NA	Water	SM 2540C	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

General Chemistry (Continued)

Analysis Batch: 371893 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 400-371893/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-371893/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-144480-A-1 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 372074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-1	MGWA-5	Total/NA	Water	SM 2540C	
400-144562-2	MGWC-7	Total/NA	Water	SM 2540C	
400-144562-3	MGWA-10	Total/NA	Water	SM 2540C	
400-144562-4	MGWA-6	Total/NA	Water	SM 2540C	
400-144562-5	MGWA-11	Total/NA	Water	SM 2540C	
400-144562-6	MGWC-8	Total/NA	Water	SM 2540C	
400-144562-7	MGWC-3	Total/NA	Water	SM 2540C	
400-144562-8	MGWC-2	Total/NA	Water	SM 2540C	
400-144562-9	MGWC-1	Total/NA	Water	SM 2540C	
MB 400-372074/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-372074/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-144562-1 DU	MGWA-5	Total/NA	Water	SM 2540C	

Analysis Batch: 372163

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-144562-10	MGWC-12	Total/NA	Water	SM 2540C	
400-144562-12	FB-1	Total/NA	Water	SM 2540C	
400-144562-13	FERB-1	Total/NA	Water	SM 2540C	
MB 400-372163/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-372163/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-144507-A-4 DU	Duplicate	Total/NA	Water	SM 2540C	
400-144507-A-6 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-373215/4

Matrix: Water

Analysis Batch: 373215

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/24/17 10:52	1
Fluoride	<0.082		0.20	0.082	mg/L			10/24/17 10:52	1
Sulfate	<0.70		1.0	0.70	mg/L			10/24/17 10:52	1

Lab Sample ID: LCS 400-373215/5

Matrix: Water

Analysis Batch: 373215

Analyte	Spike Added	LCS			D	%Rec	%Rec.
		Result	Qualifier	Unit			
Chloride	10.0	10.2		mg/L		102	90 - 110
Fluoride	10.0	10.5		mg/L		105	90 - 110
Sulfate	10.0	10.8		mg/L		108	90 - 110

Lab Sample ID: LCSD 400-373215/6

Matrix: Water

Analysis Batch: 373215

Analyte	Spike Added	LCSD			D	%Rec	%Rec.	RPD	RPD Limit
		Result	Qualifier	Unit					
Chloride	10.0	10.1		mg/L		101	90 - 110	1	15
Fluoride	10.0	10.6		mg/L		106	90 - 110	1	15
Sulfate	10.0	10.8		mg/L		108	90 - 110	0	15

Lab Sample ID: 400-144556-A-13 MS

Matrix: Water

Analysis Batch: 373215

Analyte	Sample Result	Sample Qualifier	Spike Added	MS			D	%Rec	%Rec.
				Result	Qualifier	Unit			
Chloride	4.4		10.0	13.9		mg/L		95	80 - 120
Fluoride	0.39		10.0	10.7		mg/L		103	80 - 120
Sulfate	4.3		10.0	15.3		mg/L		110	80 - 120

Lab Sample ID: 400-144556-A-13 MSD

Matrix: Water

Analysis Batch: 373215

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD			D	%Rec	%Rec.
				Result	Qualifier	Unit			
Chloride	4.4		10.0	13.9		mg/L		95	80 - 120
Fluoride	0.39		10.0	10.9		mg/L		105	80 - 120
Sulfate	4.3		10.0	15.3		mg/L		110	80 - 120

Lab Sample ID: MB 400-373263/4

Matrix: Water

Analysis Batch: 373263

Analyte	MB Result	MB Qualifier	RL	Unit			D	Prepared	Analyzed	Dil Fac
				MDL	Unit	D				
Chloride	<0.89		1.0	0.89	mg/L				10/25/17 10:44	1
Fluoride	<0.082		0.20	0.082	mg/L				10/25/17 10:44	1
Sulfate	<0.70		1.0	0.70	mg/L				10/25/17 10:44	1

Client Sample ID: Method Blank
Prep Type: Total/NA

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-373263/5

Matrix: Water

Analysis Batch: 373263

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Lab Sample ID: LCSD 400-373263/6

Matrix: Water

Analysis Batch: 373263

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Lab Sample ID: 400-144562-8 MS

Matrix: Water

Analysis Batch: 373263

Client Sample ID: MGWC-2
Prep Type: Total/NA

Lab Sample ID: 400-144562-8 MSD

Matrix: Water

Analysis Batch: 373263

Client Sample ID: MGWC-2
Prep Type: Total/NA

Lab Sample ID: MB 400-373328/36

Matrix: Water

Analysis Batch: 373328

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte **Sample Result** **Sample Qualifier** **Spike Added** **MS Result** **MS Qualifier** **Unit** **D** **%Rec** **%Rec.**
Chloride 16 50.0 63.8 mg/L 96 80 - 120

Fluoride <0.41 50.0 54.1 mg/L 108 80 - 120

Sulfate 240 50.0 283 E 4 mg/L 94 80 - 120

Lab Sample ID: LCS 400-373328/37

Matrix: Water

Analysis Batch: 373328

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte **Sample Result** **Sample Qualifier** **Spike Added** **LCS Result** **LCS Qualifier** **Unit** **D** **%Rec** **%Rec.**
Chloride <0.89 1.0 0.89 mg/L 101 90 - 110

Fluoride <0.082 0.20 0.082 mg/L 106 90 - 110

Sulfate <0.70 1.0 0.70 mg/L 109 90 - 110

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-373328/38

Matrix: Water

Analysis Batch: 373328

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.0		mg/L		100	90 - 110	1	15
Fluoride	10.0	10.7		mg/L		107	90 - 110	1	15
Sulfate	10.0	10.8		mg/L		108	90 - 110	1	15

Lab Sample ID: 400-144649-A-6 MS

Matrix: Water

Analysis Batch: 373328

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	35		50.0	84.3		mg/L		98	80 - 120
Fluoride	<0.41		50.0	55.6		mg/L		111	80 - 120
Sulfate	390 E		50.0	451 E 4		mg/L		123	80 - 120

Lab Sample ID: 400-144649-A-6 MSD

Matrix: Water

Analysis Batch: 373328

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	35		50.0	83.9		mg/L		97	80 - 120	0	20
Fluoride	<0.41		50.0	55.8		mg/L		112	80 - 120	0	20
Sulfate	390 E		50.0	451 E 4		mg/L		125	80 - 120	0	20

Lab Sample ID: MB 400-373444/4

Matrix: Water

Analysis Batch: 373444

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			10/26/17 13:00	1
Fluoride	<0.082		0.20	0.082	mg/L			10/26/17 13:00	1
Sulfate	<0.70		1.0	0.70	mg/L			10/26/17 13:00	1

Lab Sample ID: LCS 400-373444/5

Matrix: Water

Analysis Batch: 373444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.2		mg/L		102	90 - 110
Fluoride	10.0	10.8		mg/L		108	90 - 110
Sulfate	10.0	10.9		mg/L		109	90 - 110

Lab Sample ID: LCSD 400-373444/6

Matrix: Water

Analysis Batch: 373444

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.2		mg/L		102	90 - 110	1	15
Fluoride	10.0	10.6		mg/L		106	90 - 110	2	15
Sulfate	10.0	11.0		mg/L		110	90 - 110	0	15

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 400-144890-J-6 MS

Matrix: Water

Analysis Batch: 373444

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	%Limits
	Result	Qualifier	Added	Result	Qualifier				
Chloride	130	E	10.0	132	E 4	mg/L	55	80 - 120	
Fluoride	0.38		10.0	10.9		mg/L	105	80 - 120	
Sulfate	18		10.0	28.8		mg/L	110	80 - 120	

Lab Sample ID: 400-144890-J-6 MSD

Matrix: Water

Analysis Batch: 373444

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	%Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Chloride	130	E	10.0	132	E 4	mg/L	51	80 - 120		0	20
Fluoride	0.38		10.0	11.1		mg/L	107	80 - 120		1	20
Sulfate	18		10.0	28.7		mg/L	109	80 - 120		0	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-371938/1-A ^5

Matrix: Water

Analysis Batch: 372643

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 371938

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Boron	<0.021		0.050	0.021	mg/L		10/15/17 13:42	10/19/17 18:31	5
Calcium	<0.13		0.25	0.13	mg/L		10/15/17 13:42	10/19/17 18:31	5

Lab Sample ID: LCS 400-371938/2-A

Matrix: Water

Analysis Batch: 372643

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 371938

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	%Limits
	Added	Result	Qualifier				
Boron	0.100	0.0987		mg/L		99	80 - 120
Calcium	5.00	5.17		mg/L		103	80 - 120

Lab Sample ID: 400-144562-1 MS

Matrix: Water

Analysis Batch: 372643

Client Sample ID: MGWA-5
Prep Type: Total Recoverable
Prep Batch: 371938

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	%Limits
	Result	Qualifier	Added	Result	Qualifier				
Boron	<0.021		0.100	0.125		mg/L	125	75 - 125	
Calcium	31		5.00	35.8	4	mg/L	102	75 - 125	

Lab Sample ID: 400-144562-1 MSD

Matrix: Water

Analysis Batch: 372643

Client Sample ID: MGWA-5
Prep Type: Total Recoverable
Prep Batch: 371938

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	%Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Boron	<0.021		0.100	0.124		mg/L	124	75 - 125		1	20
Calcium	31		5.00	35.3	4	mg/L	94	75 - 125		1	20

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-371893/1

Matrix: Water

Analysis Batch: 371893

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/14/17 14:50	1

Lab Sample ID: LCS 400-371893/2

Matrix: Water

Analysis Batch: 371893

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	290		mg/L		99	78 - 122

Lab Sample ID: 400-144480-A-1 DU

Matrix: Water

Analysis Batch: 371893

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	230		234		mg/L		0	5

Lab Sample ID: MB 400-372074/1

Matrix: Water

Analysis Batch: 372074

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/16/17 16:20	1

Lab Sample ID: LCS 400-372074/2

Matrix: Water

Analysis Batch: 372074

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	270		mg/L		92	78 - 122

Lab Sample ID: 400-144562-1 DU

Matrix: Water

Analysis Batch: 372074

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	190		192		mg/L		0	5

Lab Sample ID: MB 400-372163/1

Matrix: Water

Analysis Batch: 372163

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			10/17/17 13:42	1

Lab Sample ID: LCS 400-372163/2

Matrix: Water

Analysis Batch: 372163

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	272		mg/L		93	78 - 122

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
SDG: Plant McIntosh Ash Pond

Lab Sample ID: 400-144507-A-4 DU
Matrix: Water
Analysis Batch: 372163

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	410		406		mg/L	D	0	5

Lab Sample ID: 400-144507-A-6 DU
Matrix: Water
Analysis Batch: 372163

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	280		280		mg/L	D	0	5

TestAmerica

3355 McLemore Drive
Pensacola, FL 32514

Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

Client Information		Sampler: P. Harold, H. Beaugh, V. Thomas		Lab PM: Whitmire, Cheyenne R		Carrier Tracking No(s):		COC No:	
Client Contact: Lauren Petty	Company: Southern Company	Phone:	E-Mail: cheyenne.whitmire@testamericainc.com	Page:	1 of 2	Job #:		Page:	1 of 2
Analysis Requested									
 Total Number of containers: 400-144562 COC									
Preservation Codes: A - HCl M - Hexane B - NaOH N - None C - Zn Acetate O - AstaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify) Other:									
Special Instructions/Note: Metals - (Part 25T Appendix III) EPA 6020; B & Ca									
Field Filtered Sample (Yes or No) Perfrom MS/MSD (Yes or No) TDS - SM 2640C ; Cl,F,S,O4 - EPA 300									
Address: 42 Inverness Center Parkway	Due Date Requested:								
City: Birmingham	TAT Requested (days):								
State, Zip: AL, 35242									
Phone: 205-992-5417									
Email: LMPETTY@southernco.com									
Project Name: Plant McIntosh - Ash Pond									
Site: CCR									
SSOW#:									
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (water, soil, or wastewater, or tissue, air)	Preservation Code.	I	D		
MGWA-5	10/10/17	0937	G	W	N	N	1		2
MGWC-7	10/10/17	1000	G	W	N	N	1		2
MGWA-10	10/10/17	1015	G	W	N	N	1		2
MGWA-6	10/10/17	1051	G	W	N	N	1		2
MGWA-11	10/10/17	1135	G	W	N	N	1		2
MGWC-8	10/10/17	1115	G	W	N	N	1		2
MGWC-3	10/10/17	1207	G	W	N	N	1		2
MGWC-2	10/10/17	1300	G	W	N	N	1		2
MGWC-1	10/10/17	1420	G	W	N	N	1		2
MGWC-12	10/10/17	1326	G	W	N	N	1		2
DUP-1	10/10/17	--	G	W	N	N	1		2
Possible Hazard Identification	<input checked="" type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		
Deliverable Requested: I, II, III, IV, Other (specify)							<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For _____ Months
Empty Kit Relinquished by:	Date/Time:	Date:	Time:	Method of Shipment:					
Relinquished by:	10-12-17	Company: <i>Jerry Whitmire</i>	Received by: <i>Jerry Whitmire</i>	Date/Time: <i>10/12/17 1730</i> Company: <i>TestAmerica</i>					
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time: <i>10/13/17 0831</i> Company: <i>TestAmerica</i>					
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time: <i>10/13/17 0831</i> Company: <i>TestAmerica</i>					
Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Custody Seal No.: <i>REN. 0.0°C, 0.0°C</i>		Cooler Temperature(s) °C and Other Remarks: <i>23/11.1/22/10.5/11.1(C/C+4.3)Φ.6/16.4/17.5/1</i>						

Chain of Custody Record

Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-144562-1

SDG Number: Plant McIntosh Ash Pond

Login Number: 144562

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C, 0.0°C IR-8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-144562-1
 SDG: Plant McIntosh Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-18
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-18
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-18
Georgia	State Program	4	N/A	06-30-18
Illinois	NELAP	5	200041	10-09-18
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-18
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-18
Louisiana (DW)	NELAP	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-18
Massachusetts	State Program	1	M-FL094	06-30-18
Michigan	State Program	5	9912	06-30-18
New Jersey	NELAP	2	FL006	06-30-18
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-18
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-18
Tennessee	State Program	4	TN02907	06-30-18
Texas	NELAP	6	T104704286-17-12	09-30-18
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-18
Washington	State Program	10	C915	05-15-18
West Virginia DEP	State Program	3	136	06-30-18

1
2
3
4
5
6
7
8
9
10
11
12
13
14

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-140650-2

TestAmerica Sample Delivery Group: Plant McIntosh Ash Pond
Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
PO BOX 2641 GSC8
Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:
8/18/2017 11:57:43 AM

Cheyenne Whitmire, Project Manager II
(850)471-6222
cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	11
Chronicle	12
QC Association	14
QC Sample Results	15
Chain of Custody	17
Receipt Checklists	18
Certification Summary	19

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Job ID: 400-140650-2

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-140650-2

RAD

Method(s) PrecSep_0: Radium 228 Prep Batch 160-318894. Insufficient sample volume was available to perform a sample duplicate (DU). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision. MGWA-11 (400-140650-1), MGWC-12 (400-140650-2), DUP-1 (400-140650-3), FB-1 (400-140650-4) and FERB-1 (400-140650-5)

Method(s) PrecSep-21: Radium 226 Prep batch 160-318872. Insufficient sample volume was available to perform a sample duplicate (DU). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision. MGWA-11 (400-140650-1), MGWC-12 (400-140650-2), DUP-1 (400-140650-3), FB-1 (400-140650-4) and FERB-1 (400-140650-5)

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-140650-1	MGWA-11	Water	07/13/17 13:40	07/13/17 17:30
400-140650-2	MGWC-12	Water	07/13/17 15:18	07/13/17 17:30
400-140650-3	DUP-1	Water	07/13/17 00:00	07/13/17 17:30
400-140650-4	FB-1	Water	07/13/17 15:00	07/13/17 17:30
400-140650-5	FERB-1	Water	07/13/17 15:50	07/13/17 17:30

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-11

Date Collected: 07/13/17 13:40

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.196		0.0974	0.0990	1.00	0.107	pCi/L	07/24/17 09:46	08/15/17 08:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.0		40 - 110					07/24/17 09:46	08/15/17 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.483		0.215	0.220	1.00	0.307	pCi/L	07/24/17 10:18	08/07/17 20:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.0		40 - 110					07/24/17 10:18	08/07/17 20:32	1
Y Carrier	106		40 - 110					07/24/17 10:18	08/07/17 20:32	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.679		0.236	0.241	5.00	0.307	pCi/L		08/15/17 14:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWC-12

Date Collected: 07/13/17 15:18

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.162		0.0921	0.0933	1.00	0.116	pCi/L	07/24/17 09:46	08/15/17 08:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.2		40 - 110					07/24/17 09:46	08/15/17 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.307		0.194	0.196	1.00	0.294	pCi/L	07/24/17 10:18	08/07/17 20:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.2		40 - 110					07/24/17 10:18	08/07/17 20:32	1
Y Carrier	104		40 - 110					07/24/17 10:18	08/07/17 20:32	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.470		0.215	0.217	5.00	0.294	pCi/L		08/15/17 14:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: DUP-1

Date Collected: 07/13/17 00:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-3

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.183		0.0897	0.0912	1.00	0.0988	pCi/L	07/24/17 09:46	08/15/17 08:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.4		40 - 110					07/24/17 09:46	08/15/17 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.442		0.192	0.196	1.00	0.267	pCi/L	07/24/17 10:18	08/07/17 20:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.4		40 - 110					07/24/17 10:18	08/07/17 20:32	1
Y Carrier	105		40 - 110					07/24/17 10:18	08/07/17 20:32	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.625		0.212	0.216	5.00	0.267	pCi/L		08/15/17 14:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: FB-1

Date Collected: 07/13/17 15:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-4

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0260	U	0.0582	0.0583	1.00	0.107	pCi/L	07/24/17 09:46	08/15/17 08:58	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	92.6		40 - 110					07/24/17 09:46	08/15/17 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.153	U	0.157	0.158	1.00	0.312	pCi/L	07/24/17 10:18	08/07/17 20:32	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	92.6		40 - 110					07/24/17 10:18	08/07/17 20:32	1
Y Carrier	101		40 - 110					07/24/17 10:18	08/07/17 20:32	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	-0.127	U	0.168	0.168	5.00	0.312	pCi/L		08/15/17 14:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: FERB-1

Date Collected: 07/13/17 15:50
Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0393	U	0.0596	0.0597	1.00	0.103	pCi/L	07/24/17 09:46	08/15/17 08:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					07/24/17 09:46	08/15/17 08:58	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.231	U	0.185	0.186	1.00	0.293	pCi/L	07/24/17 10:18	08/07/17 20:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					07/24/17 10:18	08/07/17 20:32	1
Y Carrier	106		40 - 110					07/24/17 10:18	08/07/17 20:32	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.270	U	0.195	0.196	5.00	0.293	pCi/L		08/15/17 14:52	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: MGWA-11

Date Collected: 07/13/17 13:40

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			318872	07/24/17 09:46	LDE	TAL SL
Total/NA	Analysis	9315		1	322277	08/15/17 08:58	ALD	TAL SL
Total/NA	Prep	PrecSep_0			318894	07/24/17 10:18	LDE	TAL SL
Total/NA	Analysis	9320		1	321226	08/07/17 20:32	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	322313	08/15/17 14:52	RTM	TAL SL

Client Sample ID: MGWC-12

Date Collected: 07/13/17 15:18

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			318872	07/24/17 09:46	LDE	TAL SL
Total/NA	Analysis	9315		1	322277	08/15/17 08:58	ALD	TAL SL
Total/NA	Prep	PrecSep_0			318894	07/24/17 10:18	LDE	TAL SL
Total/NA	Analysis	9320		1	321226	08/07/17 20:32	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	322313	08/15/17 14:52	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 07/13/17 00:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			318872	07/24/17 09:46	LDE	TAL SL
Total/NA	Analysis	9315		1	322277	08/15/17 08:58	ALD	TAL SL
Total/NA	Prep	PrecSep_0			318894	07/24/17 10:18	LDE	TAL SL
Total/NA	Analysis	9320		1	321226	08/07/17 20:32	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	322313	08/15/17 14:52	RTM	TAL SL

Client Sample ID: FB-1

Date Collected: 07/13/17 15:00

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			318872	07/24/17 09:46	LDE	TAL SL
Total/NA	Analysis	9315		1	322277	08/15/17 08:58	ALD	TAL SL
Total/NA	Prep	PrecSep_0			318894	07/24/17 10:18	LDE	TAL SL
Total/NA	Analysis	9320		1	321226	08/07/17 20:32	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	322313	08/15/17 14:52	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Client Sample ID: FERB-1

Date Collected: 07/13/17 15:50

Date Received: 07/13/17 17:30

Lab Sample ID: 400-140650-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			318872	07/24/17 09:46	LDE	TAL SL
Total/NA	Analysis	9315		1	322277	08/15/17 08:58	ALD	TAL SL
Total/NA	Prep	PrecSep_0			318894	07/24/17 10:18	LDE	TAL SL
Total/NA	Analysis	9320		1	321226	08/07/17 20:32	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	322313	08/15/17 14:52	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Rad

Prep Batch: 318872

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	PrecSep-21	5
400-140650-2	MGWC-12	Total/NA	Water	PrecSep-21	6
400-140650-3	DUP-1	Total/NA	Water	PrecSep-21	7
400-140650-4	FB-1	Total/NA	Water	PrecSep-21	8
400-140650-5	FERB-1	Total/NA	Water	PrecSep-21	9
MB 160-318872/1-A	Method Blank	Total/NA	Water	PrecSep-21	10
LCS 160-318872/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	11
LCSD 160-318872/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	12

Prep Batch: 318894

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-140650-1	MGWA-11	Total/NA	Water	PrecSep_0	10
400-140650-2	MGWC-12	Total/NA	Water	PrecSep_0	11
400-140650-3	DUP-1	Total/NA	Water	PrecSep_0	12
400-140650-4	FB-1	Total/NA	Water	PrecSep_0	13
400-140650-5	FERB-1	Total/NA	Water	PrecSep_0	
MB 160-318894/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-318894/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
LCSD 160-318894/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-318872/1-A

Matrix: Water

Analysis Batch: 322277

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 318872

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.07023	U	0.0840	0.0842	1.00	0.138	pCi/L	07/24/17 09:46	08/15/17 08:58	1
Carrier										
Ba Carrier	88.5			40 - 110				Prepared	Analyzed	Dil Fac
								07/24/17 09:46	08/15/17 08:58	1

Lab Sample ID: LCS 160-318872/2-A

Matrix: Water

Analysis Batch: 322277

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 318872

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	
	Added										
Radium-226		11.4	12.92		1.35	1.00	0.106	pCi/L	114	68 - 137	
Carrier											
Ba Carrier	90.6			40 - 110							

Lab Sample ID: LCSD 160-318872/3-A

Matrix: Water

Analysis Batch: 322277

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 318872

Analyte	Spike		LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits	RER	RER Limit
	Added											
Radium-226		11.4	11.95		1.25	1.00	0.0951	pCi/L	105	68 - 137	0.38	1
Carrier												
Ba Carrier	95.3			40 - 110								

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-318894/1-A

Matrix: Water

Analysis Batch: 321226

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 318894

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.3032	U	0.206	0.208	1.00	0.317	pCi/L	07/24/17 10:18	08/07/17 20:31	1
Carrier										
Ba Carrier	88.5			40 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	97.7			40 - 110				07/24/17 10:18	08/07/17 20:31	1
								07/24/17 10:18	08/07/17 20:31	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-318894/2-A

Matrix: Water

Analysis Batch: 321226

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 318894

Analyte	Spike Added	Total			%Rec.	Limits	
		LCS Result	LCS Qual	Uncert. (2σ+/-)			
Radium-228	13.1	12.68		1.35	1.00	0.250	pCi/L

LCS LCS

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	90.6		40 - 110
Y Carrier	107		40 - 110

Lab Sample ID: LCSD 160-318894/3-A

Matrix: Water

Analysis Batch: 321226

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 318894

Analyte	Spike Added	Total			%Rec.	Limits	RER	RER Limit
		LCSD Result	LCSD Qual	Uncert. (2σ+/-)				
Radium-228	13.1	12.41		1.33	1.00	0.297	pCi/L	95

LCSD LCSD

Carrier	LCSD LCSD		Limits
	%Yield	Qualifier	
Ba Carrier	95.3		40 - 110
Y Carrier	100		40 - 110

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-140650-2

SDG Number: Plant McIntosh Ash Pond

Login Number: 140650

List Source: TestAmerica Pensacola

List Number: 1

Creator: Hughes, Nicholas T

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.6°C, 2.3°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-18
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-18
Georgia	State Program	4	N/A	06-30-18
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-18
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-18
Louisiana (DW)	NELAP	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-18
Massachusetts	State Program	1	M-FL094	06-30-18
Michigan	State Program	5	9912	06-30-18
New Jersey	NELAP	2	FL006	06-30-18
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17 *
Tennessee	State Program	4	TN02907	06-30-18
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-18
Washington	State Program	10	C915	05-15-18
West Virginia DEP	State Program	3	136	06-30-18

Laboratory: TestAmerica St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska	State Program	10	MO00054	06-30-18
California	State Program	9	2886	03-31-18 *
Connecticut	State Program	1	PH-0241	03-31-19
Florida	NELAP	4	E87689	06-30-18
Illinois	NELAP	5	200023	11-30-17
Iowa	State Program	7	373	02-01-18
Kansas	NELAP	7	E-10236	10-31-17 *
Kentucky (DW)	State Program	4	90125	12-31-17
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-18
Louisiana (DW)	NELAP	6	LA170011	12-31-17
Maryland	State Program	3	310	09-30-18
Missouri	State Program	7	780	06-30-18
Nevada	State Program	9	MO000542017-1	07-31-18
New Jersey	NELAP	2	MO002	06-30-18
New York	NELAP	2	11616	03-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-140650-2
SDG: Plant McIntosh Ash Pond

Laboratory: TestAmerica St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
North Dakota	State Program	8	R207	06-30-17 *
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17 *
Pennsylvania	NELAP	3	68-00540	02-21-18
South Carolina	State Program	4	85002001	06-30-17 *
Texas	NELAP	6	T104704193-17-11	07-31-18
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-17-0028	02-02-20
Utah	NELAP	8	MO000542016-8	07-31-17 *
Virginia	NELAP	3	460230	06-14-18
Washington	State Program	10	C592	08-30-17 *
West Virginia DEP	State Program	3	381	08-31-17 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-137061-2

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

600 18th Street North

Birmingham, Alabama 35203

Attn: Accounts Payable

Cheyenne Whitmire

Authorized for release by:

5/31/2017 4:11:41 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	7
Chronicle	8
QC Association	9
QC Sample Results	10
Chain of Custody	12
Receipt Checklists	13
Certification Summary	14

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-137061-1	MGWC-12-20170425	Water	04/25/17 12:25	04/27/17 09:15
400-137061-2	DUP-1	Water	04/25/17 00:00	04/27/17 09:15

1

2

3

4

5

6

7

8

9

10

11

12

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Client Sample ID: MGWC-12-20170425

Date Collected: 04/25/17 12:25

Date Received: 04/27/17 09:15

Lab Sample ID: 400-137061-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.178		0.0852	0.0867	1.00	0.0984	pCi/L	05/05/17 07:55	05/29/17 20:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					05/05/17 07:55	05/29/17 20:42	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.213	U	0.214	0.215	1.00	0.347	pCi/L	05/05/17 08:21	05/19/17 16:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.9		40 - 110					05/05/17 08:21	05/19/17 16:01	1
Y Carrier	86.0		40 - 110					05/05/17 08:21	05/19/17 16:01	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.391		0.230	0.232	5.00	0.347	pCi/L		05/31/17 14:25	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 04/25/17 00:00

Date Received: 04/27/17 09:15

Lab Sample ID: 400-137061-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.169		0.0774	0.0789	1.00	0.0826	pCi/L	05/05/17 07:55	05/29/17 20:42	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	97.1		40 - 110					05/05/17 07:55	05/29/17 20:42	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.101	U	0.226	0.226	1.00	0.387	pCi/L	05/05/17 08:21	05/19/17 16:01	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	97.1		40 - 110					05/05/17 08:21	05/19/17 16:01	1
Y Carrier	86.4		40 - 110					05/05/17 08:21	05/19/17 16:01	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.270	U	0.239	0.239	5.00	0.387	pCi/L		05/31/17 14:25	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Client Sample ID: MGWC-12-20170425

Date Collected: 04/25/17 12:25

Date Received: 04/27/17 09:15

Lab Sample ID: 400-137061-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			307323	05/05/17 07:55	LDE	TAL SL
Total/NA	Analysis	9315		1	310981	05/29/17 20:42	ALD	TAL SL
Total/NA	Prep	PrecSep_0			307327	05/05/17 08:21	LDE	TAL SL
Total/NA	Analysis	9320		1	309640	05/19/17 16:01	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	311374	05/31/17 14:25	RTM	TAL SL

Client Sample ID: DUP-1

Date Collected: 04/25/17 00:00

Date Received: 04/27/17 09:15

Lab Sample ID: 400-137061-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			307323	05/05/17 07:55	LDE	TAL SL
Total/NA	Analysis	9315		1	310981	05/29/17 20:42	ALD	TAL SL
Total/NA	Prep	PrecSep_0			307327	05/05/17 08:21	LDE	TAL SL
Total/NA	Analysis	9320		1	309640	05/19/17 16:01	RTM	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	311374	05/31/17 14:25	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Rad

Prep Batch: 307323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	PrecSep-21	1
400-137061-2	DUP-1	Total/NA	Water	PrecSep-21	2
MB 160-307323/1-A	Method Blank	Total/NA	Water	PrecSep-21	3
LCS 160-307323/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	4
400-137162-A-4-A DU	Duplicate	Total/NA	Water	PrecSep-21	5

Prep Batch: 307327

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	PrecSep_0	8
400-137061-2	DUP-1	Total/NA	Water	PrecSep_0	9
MB 160-307327/1-A	Method Blank	Total/NA	Water	PrecSep_0	10
LCS 160-307327/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	11
400-137162-A-4-B DU	Duplicate	Total/NA	Water	PrecSep_0	12

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-307323/1-A

Matrix: Water

Analysis Batch: 310981

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307323

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	-0.01234	U	0.0327	0.0327	1.00	0.0823	pCi/L	05/05/17 07:55	05/29/17 20:41	1
Carrier										
Ba Carrier	94.4			40 - 110				Prepared	Analyzed	Dil Fac
								05/05/17 07:55	05/29/17 20:41	1

Lab Sample ID: LCS 160-307323/2-A

Matrix: Water

Analysis Batch: 310981

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307323

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits
	Added									
Radium-226			11.4	10.33	1.07	1.00	0.0944	pCi/L	91	68 - 137
Carrier										
Ba Carrier	104			40 - 110						

Lab Sample ID: 400-137162-A-4-A DU

Matrix: Water

Analysis Batch: 310981

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 307323

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	0.238		0.2189		0.0940	1.00	0.102	pCi/L	0.10	1
Carrier										
Ba Carrier	97.3			40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-307327/1-A

Matrix: Water

Analysis Batch: 309640

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307327

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.09108	U	0.226	0.226	1.00	0.389	pCi/L	05/05/17 08:21	05/19/17 16:01	1
Carrier										
Ba Carrier	94.4			40 - 110				Prepared	Analyzed	Dil Fac
Y Carrier	85.6			40 - 110				05/05/17 08:21	05/19/17 16:01	1
								05/05/17 08:21	05/19/17 16:01	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-307327/2-A

Matrix: Water

Analysis Batch: 309640

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 307327

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual		RL	1.00				
Radium-228	13.4	14.55		1.54		1.00	0.311	pCi/L	108	56 - 140

LCS LCS

Carrier	LCS	LCS	Limits
	%Yield	Qualifier	
Ba Carrier	104		40 - 110
Y Carrier	90.5		40 - 110

Lab Sample ID: 400-137162-A-4-B DU

Matrix: Water

Analysis Batch: 309640

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 307327

Analyte	Sample		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit
Radium-228	0.170	U	0.1273	U	0.225	1.00	0.380	pCi/L

DU DU

Carrier	DU	DU	Limits
	%Yield	Qualifier	
Ba Carrier	97.3		40 - 110
Y Carrier	89.7		40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-137162-A-4 DU

Matrix: Water

Analysis Batch: 311374

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample		DU		Total		RER	Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)	RL	MDC	Unit
Combined Radium 226 + 228	0.408	U	0.3462	U	0.243	5.00	0.380	pCi/L

TestAmerica Pensacola
3355 McLeMORE Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Contact:
Lauren Petty
Company:
Southern Company

Address:
42 Inverness Center Parkway

City:
Birmingham

State, Zip:
AL, 35242

Phone:
205-992-5417

Email:
Impeatty@southernco.com

Project Name:
Plant McIntosh - Ash Pond

Site:
CCR

Due Date Requested:
TAT Requested (days)

PO #:

WO #:

Project #:

SSOW#:

Sample#:

Sample Date

Sample Time

Preservation Code:

Matrix

(C=Comp

G=grab)

Preservation Code:

I

D

D

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Sample#:

C. Hurdle #f; M. Thomas #f;

Phone:

cheyenne.whitmire@testamericainc.co

F-Mail:

cheyenne.whitmire@testamericainc.co

Lab PM:

Whitmire, Cheyenne R

Carrier Tracking No(s):

COC No:

Page:

1 of 1

Job #:

Analysis Requested

Preservation Codes:
M - Hexane
A - HCl
N - None
B - NaOH
O - AsNaO2
C - Zn Acetate
P - Na2OAs
D - Nitric Acid
Q - Na2SO3
E - NaHSO4
R - Na2S2O3
F - MeOH
S - H2SO4
G - Amchlor
H - Ascorbic Acid
I - Ice
Dodecylhydride
J - DI Water
V - Acetone
K - EDTA
L - EDA
W - pH 4.5
Z - other (specify)
Other:

Total Number of Contractors

X

Special Instructions/Note:

Radiium 226 & 228 - SW-846 9315 & 9320
Metals - Part 257 Appendix III & IV
TDS - SM 2540C ; CI/F, SO4 - EPA 300
Perfomr MS/MSD (Yes or No)



400-137061 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: ✓

Relinquished by: ✓ Date/Time: 4-26-17 1004 Received by: John Whitmire Date/Time: 4-26-17 1054 Company: TA

Relinquished by: Date/Time: 4-27-17 0915 Received by: John Whitmire Date/Time: 4-27-17 0915 Company: TA

Custody Seals Intact: Custody Seal No.: 400-137061 Cooler Temperature(s) °C and Other Remarks: +11.3.9 (5.9/12.7) Date: 4-27-17 Time: 10:00 AM

△ Yes △ No

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-137061-2

SDG Number: Ash Pond

Login Number: 137061

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-7
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	06-30-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17 *
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska	State Program	10	MO00054	06-30-17 *
California	State Program	9	2886	03-31-18 *
Connecticut	State Program	1	PH-0241	03-31-19
Florida	NELAP	4	E87689	06-30-17 *
Illinois	NELAP	5	200023	11-30-17
Iowa	State Program	7	373	02-01-18
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-17
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17 *
Louisiana (DW)	NELAP	6	LA170011	12-31-17
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17 *
Nevada	State Program	9	MO000542017-1	07-31-17 *
New Jersey	NELAP	2	MO002	06-30-17 *
New York	NELAP	2	11616	03-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-2
SDG: Ash Pond

Laboratory: TestAmerica St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
North Dakota	State Program	8	R207	06-30-17 *
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-21-18
South Carolina	State Program	4	85002001	06-30-17 *
Texas	NELAP	6	T104704193-16-10	07-31-17 *
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-17-0028	02-02-20
Utah	NELAP	8	MO000542016-8	07-31-17 *
Virginia	NELAP	3	460230	06-14-17 *
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-137061-1

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company

600 18th Street North

Birmingham, Alabama 35203

Attn: Accounts Payable

Cheyenne Whitmire

Authorized for release by:

5/12/2017 4:59:07 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Detection Summary	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	8
Chronicle	9
QC Association	10
QC Sample Results	12
Chain of Custody	16
Receipt Checklists	17
Certification Summary	18

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Client Sample ID: MGWC-12-20170425

Lab Sample ID: 400-137061-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.0		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.25		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	4.4		1.0	0.70	mg/L	1		300.0	Total/NA
Barium	0.042		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Calcium	26		0.25	0.13	mg/L	5		6020	Total Recoverable
Lithium	0.013		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	170		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: DUP-1

Lab Sample ID: 400-137061-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.0		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.25		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	4.4		1.0	0.70	mg/L	1		300.0	Total/NA
Arsenic	0.00056	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.041		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Calcium	25		0.25	0.13	mg/L	5		6020	Total Recoverable
Lithium	0.013		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	150		5.0	3.4	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-137061-1	MGWC-12-20170425	Water	04/25/17 12:25	04/27/17 09:15
400-137061-2	DUP-1	Water	04/25/17 00:00	04/27/17 09:15

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Client Sample ID: MGWC-12-20170425

Lab Sample ID: 400-137061-1

Date Collected: 04/25/17 12:25

Matrix: Water

Date Received: 04/27/17 09:15

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.89	mg/L			04/29/17 05:55	1
Fluoride	0.25		0.20	0.082	mg/L			04/29/17 05:55	1
Sulfate	4.4		1.0	0.70	mg/L			04/29/17 05:55	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/09/17 15:58	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/09/17 15:58	5
Barium	0.042		0.0025	0.00049	mg/L			05/09/17 15:58	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/09/17 15:58	5
Boron	<0.021		0.050	0.021	mg/L			05/09/17 15:58	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/09/17 15:58	5
Calcium	26		0.25	0.13	mg/L			05/09/17 15:58	5
Chromium	<0.0011		0.0025	0.0011	mg/L			05/09/17 15:58	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/09/17 15:58	5
Lead	<0.00035		0.0013	0.00035	mg/L			05/09/17 15:58	5
Lithium	0.013		0.0050	0.0032	mg/L			05/09/17 15:58	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/09/17 15:58	5
Selenium	<0.00024		0.0013	0.00024	mg/L			05/09/17 15:58	5
Thallium	<0.000085		0.00050	0.000085	mg/L			05/09/17 15:58	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			05/08/17 14:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	170		5.0	3.4	mg/L			04/29/17 15:11	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Client Sample ID: DUP-1

Date Collected: 04/25/17 00:00

Date Received: 04/27/17 09:15

Lab Sample ID: 400-137061-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.0		1.0	0.89	mg/L			04/29/17 06:18	1
Fluoride	0.25		0.20	0.082	mg/L			04/29/17 06:18	1
Sulfate	4.4		1.0	0.70	mg/L			04/29/17 06:18	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/08/17 16:12	05/09/17 16:03
Arsenic	0.00056 J		0.0013	0.00046	mg/L			05/08/17 16:12	05/09/17 16:03
Barium	0.041		0.0025	0.00049	mg/L			05/08/17 16:12	05/09/17 16:03
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/08/17 16:12	05/09/17 16:03
Boron	<0.021		0.050	0.021	mg/L			05/08/17 16:12	05/09/17 16:03
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/08/17 16:12	05/09/17 16:03
Calcium	25		0.25	0.13	mg/L			05/08/17 16:12	05/09/17 16:03
Chromium	<0.0011		0.0025	0.0011	mg/L			05/08/17 16:12	05/09/17 16:03
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/08/17 16:12	05/09/17 16:03
Lead	<0.00035		0.0013	0.00035	mg/L			05/08/17 16:12	05/09/17 16:03
Lithium	0.013		0.0050	0.0032	mg/L			05/08/17 16:12	05/09/17 16:03
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/08/17 16:12	05/09/17 16:03
Selenium	<0.00024		0.0013	0.00024	mg/L			05/08/17 16:12	05/09/17 16:03
Thallium	<0.000085		0.00050	0.000085	mg/L			05/08/17 16:12	05/09/17 16:03

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L		05/06/17 13:31	05/08/17 14:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	150		5.0	3.4	mg/L			04/29/17 14:20	1

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Client Sample ID: MGWC-12-20170425

Lab Sample ID: 400-137061-1

Matrix: Water

Date Collected: 04/25/17 12:25
Date Received: 04/27/17 09:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	351751	04/29/17 05:55	KH1	TAL PEN
Total Recoverable	Prep	3005A			352816	05/08/17 16:12	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	353042	05/09/17 15:58	DRE	TAL PEN
Total/NA	Prep	7470A			352392	05/06/17 13:31	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352802	05/08/17 14:37	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	351822	04/29/17 15:11	TET	TAL PEN

Client Sample ID: DUP-1

Lab Sample ID: 400-137061-2

Matrix: Water

Date Collected: 04/25/17 00:00
Date Received: 04/27/17 09:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	351751	04/29/17 06:18	KH1	TAL PEN
Total Recoverable	Prep	3005A			352816	05/08/17 16:12	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	353042	05/09/17 16:03	DRE	TAL PEN
Total/NA	Prep	7470A			352392	05/06/17 13:31	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352802	05/08/17 14:39	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	351821	04/29/17 14:20	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

HPLC/IC

Analysis Batch: 351751

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	300.0	
400-137061-2	DUP-1	Total/NA	Water	300.0	
MB 400-351751/38	Method Blank	Total/NA	Water	300.0	
LCS 400-351751/39	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-351751/40	Lab Control Sample Dup	Total/NA	Water	300.0	
400-136907-D-1 MS	Matrix Spike	Total/NA	Water	300.0	
400-136907-D-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Metals

Prep Batch: 352392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	7470A	
400-137061-2	DUP-1	Total/NA	Water	7470A	
MB 400-352392/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-352392/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-137162-B-1-B MS	Matrix Spike	Total/NA	Water	7470A	
400-137162-B-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 352802

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	7470A	352392
400-137061-2	DUP-1	Total/NA	Water	7470A	352392
MB 400-352392/14-A	Method Blank	Total/NA	Water	7470A	352392
LCS 400-352392/15-A	Lab Control Sample	Total/NA	Water	7470A	352392
400-137162-B-1-B MS	Matrix Spike	Total/NA	Water	7470A	352392
400-137162-B-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	352392

Prep Batch: 352816

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total Recoverable	Water	3005A	
400-137061-2	DUP-1	Total Recoverable	Water	3005A	
MB 400-352816/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-352816/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-137064-C-1-C MS ^5	Matrix Spike	Total Recoverable	Water	3005A	
400-137064-C-1-D MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 353042

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total Recoverable	Water	6020	352816
400-137061-2	DUP-1	Total Recoverable	Water	6020	352816
MB 400-352816/1-A ^5	Method Blank	Total Recoverable	Water	6020	352816
LCS 400-352816/2-A	Lab Control Sample	Total Recoverable	Water	6020	352816
400-137064-C-1-C MS ^5	Matrix Spike	Total Recoverable	Water	6020	352816
400-137064-C-1-D MSD ^5	Matrix Spike Duplicate	Total Recoverable	Water	6020	352816

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

General Chemistry

Analysis Batch: 351821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-2	DUP-1	Total/NA	Water	SM 2540C	
MB 400-351821/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-351821/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-137046-B-4 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 351822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137061-1	MGWC-12-20170425	Total/NA	Water	SM 2540C	
MB 400-351822/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-351822/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-137064-B-2 DU	Duplicate	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-351751/38

Matrix: Water

Analysis Batch: 351751

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/28/17 23:27	1
Fluoride	<0.082		0.20	0.082	mg/L			04/28/17 23:27	1
Sulfate	<0.70		1.0	0.70	mg/L			04/28/17 23:27	1

Lab Sample ID: LCS 400-351751/39

Matrix: Water

Analysis Batch: 351751

Analyte	Spike		LCS		Unit	D	%Rec.		Limits
	Added	Result	Result	Qualifier			%Rec		
Chloride	10.0	9.91			mg/L		99	90 - 110	
Fluoride	10.0	10.4			mg/L		104	90 - 110	
Sulfate	10.0	9.87			mg/L		99	90 - 110	

Lab Sample ID: LCSD 400-351751/40

Matrix: Water

Analysis Batch: 351751

Analyte	Spike		LCSD		Unit	D	%Rec.		RPD	Limit
	Added	Result	Result	Qualifier			%Rec	Limits		
Chloride	10.0	9.90			mg/L		99	90 - 110	0	15
Fluoride	10.0	10.4			mg/L		104	90 - 110	0	15
Sulfate	10.0	9.91			mg/L		99	90 - 110	0	15

Lab Sample ID: 400-136907-D-1 MS

Matrix: Water

Analysis Batch: 351751

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.		RPD	Limit
								%Rec	Limits		
Chloride	97	E	10.0	102	E 4	mg/L		55	80 - 120		
Fluoride	0.21		10.0	10.5		mg/L		103	80 - 120		
Sulfate	6.7		10.0	17.0		mg/L		102	80 - 120		

Lab Sample ID: 400-136907-D-1 MSD

Matrix: Water

Analysis Batch: 351751

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.		RPD	Limit
								%Rec	Limits		
Chloride	97	E	10.0	103	E 4	mg/L		57	80 - 120	0	20
Fluoride	0.21		10.0	10.5		mg/L		103	80 - 120	0	20
Sulfate	6.7		10.0	17.0		mg/L		102	80 - 120	0	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-352816/1-A ^5

Matrix: Water

Analysis Batch: 353042

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L		05/08/17 16:12	05/09/17 14:46	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		05/08/17 16:12	05/09/17 14:46	5

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 352816

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-352816/1-A ^5

Matrix: Water

Analysis Batch: 353042

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 352816

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Barium	<0.00049		0.0025	0.00049	mg/L		05/08/17 16:12	05/09/17 14:46	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		05/08/17 16:12	05/09/17 14:46	5
Boron	<0.021		0.050	0.021	mg/L		05/08/17 16:12	05/09/17 14:46	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		05/08/17 16:12	05/09/17 14:46	5
Calcium	<0.13		0.25	0.13	mg/L		05/08/17 16:12	05/09/17 14:46	5
Chromium	<0.0011		0.0025	0.0011	mg/L		05/08/17 16:12	05/09/17 14:46	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		05/08/17 16:12	05/09/17 14:46	5
Lead	<0.00035		0.0013	0.00035	mg/L		05/08/17 16:12	05/09/17 14:46	5
Lithium	<0.0032		0.0050	0.0032	mg/L		05/08/17 16:12	05/09/17 14:46	5
Molybdenum	<0.00085		0.015	0.00085	mg/L		05/08/17 16:12	05/09/17 14:46	5
Selenium	<0.00024		0.0013	0.00024	mg/L		05/08/17 16:12	05/09/17 14:46	5
Thallium	<0.000085		0.00050	0.000085	mg/L		05/08/17 16:12	05/09/17 14:46	5

Lab Sample ID: LCS 400-352816/2-A

Matrix: Water

Analysis Batch: 353042

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 352816

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Antimony	0.0500	0.0560		mg/L		112	80 - 120
Arsenic	0.0500	0.0501		mg/L		100	80 - 120
Barium	0.0500	0.0485		mg/L		97	80 - 120
Beryllium	0.0500	0.0503		mg/L		101	80 - 120
Boron	0.100	0.0990		mg/L		99	80 - 120
Cadmium	0.0500	0.0515		mg/L		103	80 - 120
Calcium	5.00	4.75		mg/L		95	80 - 120
Chromium	0.0500	0.0485		mg/L		97	80 - 120
Cobalt	0.0500	0.0533		mg/L		107	80 - 120
Lead	0.0500	0.0508		mg/L		102	80 - 120
Lithium	0.0500	0.0507		mg/L		101	80 - 120
Molybdenum	0.100	0.0992		mg/L		99	80 - 120
Selenium	0.0500	0.0514		mg/L		103	80 - 120
Thallium	0.0100	0.00986		mg/L		99	80 - 120

Lab Sample ID: 400-137064-C-1-C MS ^5

Matrix: Water

Analysis Batch: 353042

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 352816

Analyte	Sample		Spike Added	MS		Unit	D	%Rec	Limits
	Result	Qualifier		Result	Qualifier				
Antimony	<0.0010		0.0500	0.0563		mg/L		113	75 - 125
Arsenic	0.00046	J	0.0500	0.0512		mg/L		102	75 - 125
Barium	0.020		0.0500	0.0680		mg/L		96	75 - 125
Beryllium	<0.00034		0.0500	0.0509		mg/L		102	75 - 125
Boron	<0.021		0.100	0.0966		mg/L		97	75 - 125
Cadmium	<0.00034		0.0500	0.0506		mg/L		101	75 - 125
Calcium	1.4		5.00	6.24		mg/L		96	75 - 125
Chromium	<0.0011		0.0500	0.0491		mg/L		98	75 - 125
Cobalt	0.0016	J	0.0500	0.0513		mg/L		99	75 - 125
Lead	<0.00035		0.0500	0.0509		mg/L		102	75 - 125
Lithium	<0.0032		0.0500	0.0428		mg/L		86	75 - 125

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-137064-C-1-C MS ^5

Matrix: Water

Analysis Batch: 353042

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 352816

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits		
	Result	Qualifier	Added	Result	Qualifier						
Molybdenum	0.0035	J	0.100	0.102		mg/L	99	75 - 125			
Selenium	0.0021		0.0500	0.0538		mg/L	103	75 - 125			
Thallium	<0.000085		0.0100	0.00997		mg/L	100	75 - 125			

Lab Sample ID: 400-137064-C-1-D MSD ^5

Matrix: Water

Analysis Batch: 353042

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 352816

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits		RPD
	Result	Qualifier	Added	Result	Qualifier						
Antimony	<0.0010		0.0500	0.0556		mg/L	111	75 - 125		1	20
Arsenic	0.00046	J	0.0500	0.0511		mg/L	101	75 - 125		0	20
Barium	0.020		0.0500	0.0691		mg/L	98	75 - 125		2	20
Beryllium	<0.00034		0.0500	0.0509		mg/L	102	75 - 125		0	20
Boron	<0.021		0.100	0.102		mg/L	102	75 - 125		6	20
Cadmium	<0.00034		0.0500	0.0501		mg/L	100	75 - 125		1	20
Calcium	1.4		5.00	6.22		mg/L	96	75 - 125		0	20
Chromium	<0.0011		0.0500	0.0497		mg/L	99	75 - 125		1	20
Cobalt	0.0016	J	0.0500	0.0512		mg/L	99	75 - 125		0	20
Lead	<0.00035		0.0500	0.0510		mg/L	102	75 - 125		0	20
Lithium	<0.0032		0.0500	0.0426		mg/L	85	75 - 125		0	20
Molybdenum	0.0035	J	0.100	0.100		mg/L	97	75 - 125		2	20
Selenium	0.0021		0.0500	0.0526		mg/L	101	75 - 125		2	20
Thallium	<0.000085		0.0100	0.0102		mg/L	102	75 - 125		2	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-352392/14-A

Matrix: Water

Analysis Batch: 352802

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 352392

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	<0.000070		0.00020	0.000070	mg/L	05/06/17 13:31	05/08/17 13:34		1

Lab Sample ID: LCS 400-352392/15-A

Matrix: Water

Analysis Batch: 352802

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 352392

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits
	Added	Result	Qualifier				
Mercury	0.00101	0.00102		mg/L	101	80 - 120	

Lab Sample ID: 400-137162-B-1-B MS

Matrix: Water

Analysis Batch: 352802

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 352392

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
Mercury	<0.000070		0.00201	0.00200		mg/L	99	80 - 120	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
SDG: Ash Pond

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 400-137162-B-1-C MSD

Matrix: Water

Analysis Batch: 352802

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 352392

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
Mercury	<0.000070		0.00201	0.00200		mg/L		99	80 - 120	0 20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-351821/1

Matrix: Water

Analysis Batch: 351821

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/29/17 14:20	1

Lab Sample ID: LCS 400-351821/2

Matrix: Water

Analysis Batch: 351821

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limit
Total Dissolved Solids	293	254		mg/L		87	78 - 122

Lab Sample ID: 400-137046-B-4 DU

Matrix: Water

Analysis Batch: 351821

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	62		62.0		mg/L		0	5

Lab Sample ID: MB 400-351822/1

Matrix: Water

Analysis Batch: 351822

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/29/17 15:11	1

Lab Sample ID: LCS 400-351822/2

Matrix: Water

Analysis Batch: 351822

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limit
Total Dissolved Solids	293	258		mg/L		88	78 - 122

Lab Sample ID: 400-137064-B-2 DU

Matrix: Water

Analysis Batch: 351822

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	62		62.0		mg/L		0	5

TestAmerica Pensacola

TestAmerica Pensacola
3355 McLeMORE Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Contact:
Lauren Petty
Company:
Southern Company

Address:
42 Inverness Center Parkway

City:
Birmingham

State, Zip:
AL, 35242

Phone:
205-992-5417

Email:
Impeatty@southernco.com

Project Name:
Plant McIntosh - Ash Pond

Site:
CCR

Due Date Requested:
TAT Requested (days)

PO #:

WO #:

Project #:

SSOW#:

Sample#:

Sample Date

Sample Time

Preservation Code:

Matrix

(C=Comp

G=grab)

Preservation Code:

I

D

D

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Sample#:

C. Hurdle #f; M. Thomas #f;

Phone:

cheyenne.whitmire@testamericainc.co

F-Mail:

cheyenne.whitmire@testamericainc.co

Lab PM:

Whitmire, Cheyenne R

Carrier Tracking No(s):

COC No:

Page:

1 of 1

Job #:

Analysis Requested

Preservation Codes:

- M - Hexane
- A - HCl
- N - None
- B - NaOH
- O - AsNaO2
- C - Zn Acetate
- P - Na2OAs
- D - Nitric Acid
- Q - Na2SO3
- E - NaHSO4
- R - Na2S2O3
- F - MeOH
- S - H2SO4
- G - Amchlor
- T - TSP
- H - Ascorbic Acid
- I - Ice
- J - Di Water
- V - Acetone
- K - EDTA
- L - EDA
- W - pH 4.5
- Z - other (specify)
Other:

Total Number of Contractors

Special Instructions/Note:

Radiium 226 & 228 - SW-846 9315 & 9320

Metals - Part 257 Appendix III & IV

TDS - SM 2540C ; C1,F,SO4 - EPA 300

Perfomr MS/MSD (Yes or No)



400-137061 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: _____

Relinquished by: _____ Date/Time: 4-26-17 1004 Company: TestAmerica Received by: John Whitmire Date/Time: 4-26-17 1054 Company: TestAmerica

Relinquished by: _____ Date/Time: 4-27-17 0915 Company: TestAmerica Received by: _____ Date/Time: 4-27-17 0915 Company: TestAmerica

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For Month

Special Instructions/QC Requirements:

Method of Shipment: _____

Custody Seals Intact: **Custody Seal No.:** 400-137061 **Cooler Temperature(s) °C and Other Remarks:** +15.3.9 (5.9/27) 0.0 JK7

△ Yes △ No

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-137061-1

SDG Number: Ash Pond

Login Number: 137061

List Source: TestAmerica Pensacola

List Number: 1

Creator: Siddoway, Benjamin

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C IR-7
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-137061-1
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	06-30-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

1

2

3

4

5

6

7

8

9

10

11

12

13

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-136772-2

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
PO BOX 2641 GSC8
Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

5/23/2017 5:10:38 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Method Summary	3
Sample Summary	4
Client Sample Results	5
Definitions	16
Chronicle	17
QC Association	20
QC Sample Results	21
Chain of Custody	23
Receipt Checklists	25
Certification Summary	26

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
9315	Radium-226 (GFPC)	SW846	TAL SL
9320	Radium-228 (GFPC)	SW846	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1

2

3

4

5

6

7

8

9

10

11

12

Sample Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
 SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-136772-1	MGWA-11	Water	04/18/17 09:40	04/20/17 09:43
400-136772-2	MGWA-10	Water	04/18/17 10:10	04/20/17 09:43
400-136772-3	MGWA-6	Water	04/18/17 11:30	04/20/17 09:43
400-136772-4	MGWA-5	Water	04/18/17 11:30	04/20/17 09:43
400-136772-5	MGWC-7	Water	04/18/17 13:15	04/20/17 09:43
400-136772-6	MGWC-8	Water	04/18/17 13:45	04/20/17 09:43
400-136772-7	MGWC-3	Water	04/18/17 14:30	04/20/17 09:43
400-136772-8	MGWC-1	Water	04/18/17 15:15	04/20/17 09:43
400-136772-9	FB-1	Water	04/18/17 15:05	04/20/17 09:43
400-136772-10	FERB-1	Water	04/18/17 15:45	04/20/17 09:43
400-136772-11	MGWC-2	Water	04/19/17 09:55	04/25/17 08:47

1
2
3
4
5
6
7
8
9
10
11
12

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 04/18/17 09:40

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-1

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.191		0.0913	0.0929	1.00	0.100	pCi/L	04/26/17 08:13	05/18/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.4		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0420	U	0.257	0.257	1.00	0.449	pCi/L	04/26/17 08:54	05/11/17 14:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.4		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	83.7		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.233	U	0.273	0.274	5.00	0.449	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 04/18/17 10:10

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-2

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.315		0.115	0.118	1.00	0.118	pCi/L	04/26/17 08:13	05/18/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	103		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.320	U	0.211	0.213	1.00	0.323	pCi/L	04/26/17 08:54	05/11/17 14:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	103		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	83.4		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.635		0.240	0.244	5.00	0.323	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWA-6
Date Collected: 04/18/17 11:30
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-3
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.274		0.112	0.115	1.00	0.122	pCi/L	04/26/17 08:13	05/18/17 06:15	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.0421	U	0.236	0.236	1.00	0.414	pCi/L	04/26/17 08:54	05/11/17 14:44	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	82.6		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.316	U	0.261	0.262	5.00	0.414	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWA-5
Date Collected: 04/18/17 11:30
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-4
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.138		0.0851	0.0860	1.00	0.112	pCi/L	04/26/17 08:13	05/18/17 06:15	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.141	U	0.228	0.229	1.00	0.385	pCi/L	04/26/17 08:54	05/11/17 14:44	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	94.1		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	83.0		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.279	U	0.244	0.244	5.00	0.385	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 04/18/17 13:15

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-5

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.468		0.127	0.134	1.00	0.0937	pCi/L	04/26/17 08:13	05/18/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.9		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.216	U	0.228	0.229	1.00	0.373	pCi/L	04/26/17 08:54	05/11/17 14:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.9		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	83.4		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.684		0.261	0.266	5.00	0.373	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-8
Date Collected: 04/18/17 13:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-6
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.16		0.197	0.223	1.00	0.105	pCi/L	04/26/17 08:13	05/18/17 06:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					04/26/17 08:13	05/18/17 06:15	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.672		0.276	0.283	1.00	0.389	pCi/L	04/26/17 08:54	05/11/17 14:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier			40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.83		0.339	0.360	5.00	0.389	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-3
Date Collected: 04/18/17 14:30
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-7
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	1.07		0.185	0.208	1.00	0.0993	pCi/L	04/26/17 08:13	05/18/17 06:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110					04/26/17 08:13	05/18/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.358	U	0.283	0.285	1.00	0.452	pCi/L	04/26/17 08:54	05/11/17 14:44	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	87.1		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.42		0.338	0.353	5.00	0.452	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-1
Date Collected: 04/18/17 15:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-8
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.854		0.167	0.184	1.00	0.100	pCi/L	04/26/17 08:13	05/18/17 06:16	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					04/26/17 08:13	05/18/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.378	U	0.252	0.255	1.00	0.392	pCi/L	04/26/17 08:54	05/11/17 14:44	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	84.5		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	1.23		0.303	0.314	5.00	0.392	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 04/18/17 15:05
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-9

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0170	U	0.0585	0.0585	1.00	0.112	pCi/L	04/26/17 08:13	05/18/17 06:16	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	94.7		40 - 110					04/26/17 08:13	05/18/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.0670	U	0.211	0.211	1.00	0.390	pCi/L	04/26/17 08:54	05/11/17 14:44	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	94.7		40 - 110					04/26/17 08:54	05/11/17 14:44	1
Y Carrier	86.0		40 - 110					04/26/17 08:54	05/11/17 14:44	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	-0.0500	U	0.219	0.219	5.00	0.390	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: FERB-1
Date Collected: 04/18/17 15:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-10
Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.0559	U	0.0556	0.0559	1.00	0.0844	pCi/L	04/26/17 08:13	05/18/17 06:16	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110					04/26/17 08:13	05/18/17 06:16	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.00413	U	0.206	0.206	1.00	0.370	pCi/L	04/26/17 08:54	05/11/17 14:45	1
<i>Carrier</i>	%Yield	Qualifier	<i>Limits</i>					Prepared	Analyzed	Dil Fac
Ba Carrier	102		40 - 110					04/26/17 08:54	05/11/17 14:45	1
Y Carrier	83.4		40 - 110					04/26/17 08:54	05/11/17 14:45	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.0600	U	0.214	0.214	5.00	0.370	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 04/19/17 09:55

Date Received: 04/25/17 08:47

Lab Sample ID: 400-136772-11

Matrix: Water

Method: 9315 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.219		0.115	0.117	1.00	0.140	pCi/L	04/26/17 08:13	05/18/17 06:17	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					04/26/17 08:13	05/18/17 06:17	1

Method: 9320 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.380	U	0.313	0.315	1.00	0.499	pCi/L	04/26/17 08:54	05/11/17 14:45	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	100		40 - 110					04/26/17 08:54	05/11/17 14:45	1
Y Carrier	92.0		40 - 110					04/26/17 08:54	05/11/17 14:45	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Combined Radium 226 + 228	0.599		0.333	0.336	5.00	0.499	pCi/L		05/18/17 16:52	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 04/18/17 09:40

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWA-10

Date Collected: 04/18/17 10:10

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWA-6

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWA-5

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 04/18/17 13:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWC-8

Date Collected: 04/18/17 13:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:15	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWC-3

Date Collected: 04/18/17 14:30
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:16	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWC-1

Date Collected: 04/18/17 15:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:16	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 04/18/17 15:05
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:16	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:44	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: FERB-1

Date Collected: 04/18/17 15:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:16	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:45	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Client Sample ID: MGWC-2

Date Collected: 04/19/17 09:55
Date Received: 04/25/17 08:47

Lab Sample ID: 400-136772-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			305643	04/26/17 08:13	MBC	TAL SL
Total/NA	Analysis	9315		1	309197	05/18/17 06:17	RTM	TAL SL
Total/NA	Prep	PrecSep_0			305651	04/26/17 08:54	MBC	TAL SL
Total/NA	Analysis	9320		1	308225	05/11/17 14:45	ALD	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	309398	05/18/17 16:52	RTM	TAL SL

Laboratory References:

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Rad

Prep Batch: 305643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	PrecSep-21	5
400-136772-2	MGWA-10	Total/NA	Water	PrecSep-21	6
400-136772-3	MGWA-6	Total/NA	Water	PrecSep-21	7
400-136772-4	MGWA-5	Total/NA	Water	PrecSep-21	8
400-136772-5	MGWC-7	Total/NA	Water	PrecSep-21	9
400-136772-6	MGWC-8	Total/NA	Water	PrecSep-21	10
400-136772-7	MGWC-3	Total/NA	Water	PrecSep-21	11
400-136772-8	MGWC-1	Total/NA	Water	PrecSep-21	12
400-136772-9	FB-1	Total/NA	Water	PrecSep-21	
400-136772-10	FERB-1	Total/NA	Water	PrecSep-21	
400-136772-11	MGWC-2	Total/NA	Water	PrecSep-21	
MB 160-305643/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-305643/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-136772-11 DU	MGWC-2	Total/NA	Water	PrecSep-21	

Prep Batch: 305651

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	PrecSep_0	
400-136772-2	MGWA-10	Total/NA	Water	PrecSep_0	
400-136772-3	MGWA-6	Total/NA	Water	PrecSep_0	
400-136772-4	MGWA-5	Total/NA	Water	PrecSep_0	
400-136772-5	MGWC-7	Total/NA	Water	PrecSep_0	
400-136772-6	MGWC-8	Total/NA	Water	PrecSep_0	
400-136772-7	MGWC-3	Total/NA	Water	PrecSep_0	
400-136772-8	MGWC-1	Total/NA	Water	PrecSep_0	
400-136772-9	FB-1	Total/NA	Water	PrecSep_0	
400-136772-10	FERB-1	Total/NA	Water	PrecSep_0	
400-136772-11	MGWC-2	Total/NA	Water	PrecSep_0	
MB 160-305651/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-305651/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-136772-11 DU	MGWC-2	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Method: 9315 - Radium-226 (GFPC)

Lab Sample ID: MB 160-305643/1-A

Matrix: Water

Analysis Batch: 309197

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 305643

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-226	0.04500	U	0.0649	0.0650	1.00	0.111	pCi/L	04/26/17 08:13	05/18/17 06:15	1
Carrier										
Ba Carrier	102			40 - 110				Prepared	Analyzed	Dil Fac
								04/26/17 08:13	05/18/17 06:15	1

Lab Sample ID: LCS 160-305643/2-A

Matrix: Water

Analysis Batch: 309197

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 305643

Analyte	Spike		LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec.	Limits	RER
	Added										
Radium-226			11.4	10.08	1.06	1.00	0.0875	pCi/L	89	68 - 137	
Carrier											
Ba Carrier	104			40 - 110							

Lab Sample ID: 400-136772-11 DU

Matrix: Water

Analysis Batch: 309197

Client Sample ID: MGWC-2
Prep Type: Total/NA
Prep Batch: 305643

Analyte	Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-226	0.219		0.1778	U	0.151	1.00	0.222	pCi/L	0.16	1
Carrier										
Ba Carrier	57.8			40 - 110						

Method: 9320 - Radium-228 (GFPC)

Lab Sample ID: MB 160-305651/1-A

Matrix: Water

Analysis Batch: 308225

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 305651

Analyte	MB MB		Count (2σ+/-)	Total (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.1294	U	0.207	0.207	1.00	0.350	pCi/L	04/26/17 08:54	05/11/17 14:43	1
Carrier										
Ba Carrier	102		40 - 110					Prepared	Analyzed	Dil Fac
Y Carrier	82.6		40 - 110					04/26/17 08:54	05/11/17 14:43	1
								04/26/17 08:54	05/11/17 14:43	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Method: 9320 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-305651/2-A

Matrix: Water

Analysis Batch: 308225

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 305651

Analyte	Spike Added	LCS		Uncert. (2σ+/-)	Total		MDC	Unit	%Rec.	%Rec. Limits
		Result	Qual		RL	1.00				
Radium-228	13.5	14.34		1.54			0.345	pCi/L	107	56 - 140

Carrier

Carrier	LCS	LCS	Limits
	%Yield	Qualifier	
Ba Carrier	104		40 - 110
Y Carrier	82.6		40 - 110

Lab Sample ID: 400-136772-11 DU

Matrix: Water

Analysis Batch: 308225

Client Sample ID: MGWC-2

Prep Type: Total/NA

Prep Batch: 305651

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total		MDC	Unit	RER	RER Limit
	U		U		Uncert. (2σ+/-)	RL				
Radium-228	0.380	U	0.4327	U	0.493	1.00	0.807	pCi/L	0.07	1

Carrier

Carrier	DU	DU	Limits
	%Yield	Qualifier	
Ba Carrier	57.8		40 - 110
Y Carrier	87.9		40 - 110

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Lab Sample ID: 400-136772-11 DU

Matrix: Water

Analysis Batch: 309398

Client Sample ID: MGWC-2

Prep Type: Total/NA

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total		MDC	Unit	RER	RER Limit
	U		U		Uncert. (2σ+/-)	RL				
Combined Radium 226 + 228	0.599		0.6105	U	0.515	5.00	0.807	pCi/L	0.01	

TestAmerica Pensacola

Chain of Custody Record

Client Information

Client Contact:	Lauren Petty	Sampler:	T. Payne	Lab P.M.	Whitmire, Cheyenne R
Company:	Southern Company	Phone:		E-Mail:	cheynesne.whitmire@testamericainc.com
Address:	42 Inverness Center Parkway	Due Date Requested:		Carrier Tracking No(s):	
City:	Birmingham	TAT Requested (days):		COO No:	
State, Zip:	AL, 35242	PO #:		Page:	1 of 1
Phone:	205-932-5417	VO #:		Job #:	400-136772
Email:	Impurity@southernco.com	Project #:		Preservation Codes:	
Project Name:	Plant McIntosh - Ash Pond	SSW#:		A - HCl	M - Heme
Site:	CCR			B - NaOH	N - None
				C - Zn Acetate	O - AcetoAc2
				D - Nitric Acid	P - Na2O4
				E - NaHSO4	Q - Na2SiO3
				F - MeOH	R - Na2S2O3
				G - Ammonia	S - HgSO4
				H - Ascorbic Acid	T - TSP
				I - Iba	U - Dextran
				J - DiWater	V - MCA4
				K - EDTA	W - pH 4-5
				L - EDA	Z - other (specify)
				Other:	

Printed Samples (Type of NO)

TDS - BM 2500; OJ, G, QD - EPA 200

Radium 226 & 228 - SW-846 8315 A 3020

Mercury - Pmn 257 Appendix II & Pm - EPA 7470

Lead - SW-846 8315 A 3020

Other:

4 extra volume for radium analysis

3

Sample Identification

Sample Identification	Sample Date	Sample Time	Shimp No	Type (C=Comp G=Grab)	Matrix (Inorganic, organic, aqueous, organic, organic/inorganic, protein)	Preservation Code	1	2	3	4
MGWC-2	4/19/17	9:56	G	GW	X X X					
MGWC-12	4/19/17	10:16	G	GW	X X X					

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Radioactive

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by:

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-136772-2

SDG Number: Ash Pond

Login Number: 136772

List Number: 1

Creator: Siddoway, Benjamin

List Source: TestAmerica Pensacola

Question

Answer

Comment

Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.4°C, 1.8°C IR-2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	MGWC-12 cancelled for resampling.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	06-30-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17 *
West Virginia DEP	State Program	3	136	06-30-17

Laboratory: TestAmerica St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska	State Program	10	MO00054	06-30-17 *
California	State Program	9	2886	03-31-18 *
Connecticut	State Program	1	PH-0241	03-31-19
Florida	NELAP	4	E87689	06-30-17 *
Illinois	NELAP	5	200023	11-30-17
Iowa	State Program	7	373	02-01-18
Kansas	NELAP	7	E-10236	10-31-17
Kentucky (DW)	State Program	4	90125	12-31-17
L-A-B	DoD ELAP		L2305	04-06-19
Louisiana	NELAP	6	04080	06-30-17 *
Louisiana (DW)	NELAP	6	LA170011	12-31-17
Maryland	State Program	3	310	09-30-17
Missouri	State Program	7	780	06-30-17 *
Nevada	State Program	9	MO000542017-1	07-31-17
New Jersey	NELAP	2	MO002	06-30-17 *
New York	NELAP	2	11616	03-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

Accreditation/Certification Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-2
SDG: Ash Pond

Laboratory: TestAmerica St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
North Dakota	State Program	8	R207	06-30-17
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-17
Pennsylvania	NELAP	3	68-00540	02-21-18
South Carolina	State Program	4	85002001	06-30-17 *
Texas	NELAP	6	T104704193-16-10	07-31-17
US Fish & Wildlife	Federal		LE058448-0	10-31-17
USDA	Federal		P330-17-0028	02-02-20
Utah	NELAP	8	MO000542016-8	07-31-17
Virginia	NELAP	3	460230	06-14-17 *
Washington	State Program	10	C592	08-30-17
West Virginia DEP	State Program	3	381	08-31-17 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Pensacola

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-136772-1

TestAmerica Sample Delivery Group: Ash Pond

Client Project/Site: CCR - Plant McIntosh

For:

Southern Company
PO BOX 2641 GSC8
Birmingham, Alabama 35291

Attn: Ms. Lauren Petty

Cheyenne Whitmire

Authorized for release by:

5/12/2017 4:50:35 PM

Cheyenne Whitmire, Project Manager II

(850)471-6222

cheyenne.whitmire@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1	3
Table of Contents	2	4
Case Narrative	3	5
Detection Summary	4	6
Method Summary	8	6
Sample Summary	9	7
Client Sample Results	10	8
Definitions	21	
Chronicle	22	9
QC Association	26	10
QC Sample Results	30	
Chain of Custody	40	11
Receipt Checklists	42	12
Certification Summary	43	13
		14

Case Narrative

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Job ID: 400-136772-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-136772-1

HPLC/IC

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-7 (400-136772-5), MGWC-8 (400-136772-6), MGWC-3 (400-136772-7), MGWC-1 (400-136772-8) and MGWC-2 (400-136772-11). Elevated reporting limits (RLs) are provided.

Metals

Method(s) 6020: The native sample, matrix spike, and matrix spike duplicate (MS/MSD) associated with preparation batch 352224 and analytical batch 352727 were performed at the same dilution. Due to the additional level of analyte present in the spiked samples, the concentration of Boron in the MS/MSD was above the instrument calibration range. The data have been reported and qualified.

Method(s) 6020: The post digestion spike % recovery for Boron associated with batch 352727 was outside of control limits.

Method(s) 6020: The serial dilution performed for the following sample associated with batch 352727 was outside control limits: (400-136772-C-6-B SD)

Method(s) 6020: The following samples were diluted to bring the concentration of target analytes within the calibration range: MGWC-8 (400-136772-6) and MGWC-2 (400-136772-11). Elevated reporting limits (RLs) are provided.

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Lab Sample ID: 400-136772-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.7		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.11	J	0.20	0.082	mg/L	1	300.0		Total/NA
Arsenic	0.00071	J	0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.10		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	33		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.016		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	160		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-10

Lab Sample ID: 400-136772-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.8		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	1.3		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.024		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	5.0		0.25	0.13	mg/L	5	6020		Total Recoverable
Chromium	0.0031		0.0025	0.0011	mg/L	5	6020		Total Recoverable
Lithium	0.0060		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	16		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-6

Lab Sample ID: 400-136772-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.9		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	14		1.0	0.70	mg/L	1	300.0		Total/NA
Arsenic	0.018		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.042		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	0.14		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	110		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00044	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	290		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWA-5

Lab Sample ID: 400-136772-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.3		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	5.1		1.0	0.70	mg/L	1	300.0		Total/NA
Barium	0.035		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Calcium	27		0.25	0.13	mg/L	5	6020		Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-5 (Continued)

Lab Sample ID: 400-136772-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lithium	0.0080		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	140		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-7

Lab Sample ID: 400-136772-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		1.0	0.89	mg/L	1		300.0	Total/NA
Fluoride	0.29		0.20	0.082	mg/L	1		300.0	Total/NA
Sulfate	160		10	7.0	mg/L	10		300.0	Total/NA
Arsenic	0.00050	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.011		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Boron	1.5		0.050	0.021	mg/L	5		6020	Total Recoverable
Calcium	56		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0086		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.11		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Total Dissolved Solids	300		5.0	3.4	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MGWC-8

Lab Sample ID: 400-136772-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		1.0	0.89	mg/L	1		300.0	Total/NA
Sulfate	180		10	7.0	mg/L	10		300.0	Total/NA
Arsenic	0.00059	J	0.0013	0.00046	mg/L	5		6020	Total Recoverable
Barium	0.040		0.0025	0.00049	mg/L	5		6020	Total Recoverable
Beryllium	0.00067	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Cadmium	0.00044	J	0.0025	0.00034	mg/L	5		6020	Total Recoverable
Calcium	59		0.25	0.13	mg/L	5		6020	Total Recoverable
Cobalt	0.0050		0.0025	0.00040	mg/L	5		6020	Total Recoverable
Lithium	0.023		0.0050	0.0032	mg/L	5		6020	Total Recoverable
Molybdenum	0.0037	J	0.015	0.00085	mg/L	5		6020	Total Recoverable
Selenium	0.0024		0.0013	0.00024	mg/L	5		6020	Total Recoverable
Thallium	0.00019	J	0.00050	0.000085	mg/L	5		6020	Total Recoverable
Boron - DL	2.4		0.25	0.11	mg/L	25		6020	Total Recoverable
Mercury	0.00018	J	0.00020	0.000070	mg/L	1		7470A	Total/NA
Total Dissolved Solids	310		5.0	3.4	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-3

Lab Sample ID: 400-136772-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	91		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0018		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.14		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.8		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	120		0.25	0.13	mg/L	5	6020		Total Recoverable
Cobalt	0.00057	J	0.0025	0.00040	mg/L	5	6020		Total Recoverable
Lithium	0.010		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	360		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: MGWC-1

Lab Sample ID: 400-136772-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0	0.89	mg/L	1	300.0		Total/NA
Fluoride	0.20		0.20	0.082	mg/L	1	300.0		Total/NA
Sulfate	120		5.0	3.5	mg/L	5	300.0		Total/NA
Arsenic	0.0024		0.0013	0.00046	mg/L	5	6020		Total Recoverable
Barium	0.092		0.0025	0.00049	mg/L	5	6020		Total Recoverable
Boron	1.1		0.050	0.021	mg/L	5	6020		Total Recoverable
Calcium	100		0.25	0.13	mg/L	5	6020		Total Recoverable
Lithium	0.0097		0.0050	0.0032	mg/L	5	6020		Total Recoverable
Molybdenum	0.0013	J	0.015	0.00085	mg/L	5	6020		Total Recoverable
Thallium	0.000095	J	0.00050	0.000085	mg/L	5	6020		Total Recoverable
Total Dissolved Solids	360		5.0	3.4	mg/L	1	SM 2540C		Total/NA

Client Sample ID: FB-1

Lab Sample ID: 400-136772-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	0.023	J	0.050	0.021	mg/L	5	6020		Total Recoverable

Client Sample ID: FERB-1

Lab Sample ID: 400-136772-10

No Detections.

Client Sample ID: MGWC-2

Lab Sample ID: 400-136772-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	17		1.0	0.89	mg/L	1	300.0		Total/NA
Sulfate	250		10	7.0	mg/L	10	300.0		Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Detection Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
 SDG: Ash Pond

Client Sample ID: MGWC-2 (Continued)

Lab Sample ID: 400-136772-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Barium	0.051		0.0025	0.00049	mg/L		5		6020	Total Recoverable
Cadmium	0.0011	J	0.0025	0.00034	mg/L		5		6020	Total Recoverable
Cobalt	0.0035		0.0025	0.00040	mg/L		5		6020	Total Recoverable
Lithium	0.0042	J	0.0050	0.0032	mg/L		5		6020	Total Recoverable
Boron - DL	3.7		0.25	0.11	mg/L		25		6020	Total Recoverable
Calcium - DL	120		1.3	0.63	mg/L		25		6020	Total Recoverable
Total Dissolved Solids	600		5.0	3.4	mg/L		1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pensacola

Method Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL PEN
6020	Metals (ICP/MS)	SW846	TAL PEN
7470A	Mercury (CVAA)	SW846	TAL PEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL PEN

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Sample Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-136772-1	MGWA-11	Water	04/18/17 09:40	04/20/17 09:43
400-136772-2	MGWA-10	Water	04/18/17 10:10	04/20/17 09:43
400-136772-3	MGWA-6	Water	04/18/17 11:30	04/20/17 09:43
400-136772-4	MGWA-5	Water	04/18/17 11:30	04/20/17 09:43
400-136772-5	MGWC-7	Water	04/18/17 13:15	04/20/17 09:43
400-136772-6	MGWC-8	Water	04/18/17 13:45	04/20/17 09:43
400-136772-7	MGWC-3	Water	04/18/17 14:30	04/20/17 09:43
400-136772-8	MGWC-1	Water	04/18/17 15:15	04/20/17 09:43
400-136772-9	FB-1	Water	04/18/17 15:05	04/20/17 09:43
400-136772-10	FERB-1	Water	04/18/17 15:45	04/20/17 09:43
400-136772-11	MGWC-2	Water	04/19/17 09:55	04/25/17 08:47

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Lab Sample ID: 400-136772-1

Date Collected: 04/18/17 09:40

Matrix: Water

Date Received: 04/20/17 09:43

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0	0.89	mg/L			04/23/17 06:17	1
Fluoride	0.11 J		0.20	0.082	mg/L			04/23/17 06:17	1
Sulfate	<0.70		1.0	0.70	mg/L			04/23/17 06:17	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 10:44	05/03/17 19:09
Arsenic	0.00071 J		0.0013	0.00046	mg/L			05/03/17 10:44	05/03/17 19:09
Barium	0.10		0.0025	0.00049	mg/L			05/03/17 10:44	05/03/17 19:09
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:09
Boron	<0.021		0.050	0.021	mg/L			05/03/17 10:44	05/03/17 19:09
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:09
Calcium	33		0.25	0.13	mg/L			05/03/17 10:44	05/03/17 19:09
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 10:44	05/03/17 19:09
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 10:44	05/03/17 19:09
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 10:44	05/03/17 19:09
Lithium	0.016		0.0050	0.0032	mg/L			05/03/17 10:44	05/03/17 19:09
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 10:44	05/03/17 19:09
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 10:44	05/03/17 19:09
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 10:44	05/03/17 19:09

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	05/02/17 15:35

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-10

Date Collected: 04/18/17 10:10

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		1.0	0.89	mg/L			04/23/17 07:26	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 07:26	1
Sulfate	1.3		1.0	0.70	mg/L			04/23/17 07:26	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 10:44	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/03/17 10:44	5
Barium	0.024		0.0025	0.00049	mg/L			05/03/17 10:44	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	5
Boron	<0.021		0.050	0.021	mg/L			05/03/17 10:44	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	5
Calcium	5.0		0.25	0.13	mg/L			05/03/17 10:44	5
Chromium	0.0031		0.0025	0.0011	mg/L			05/03/17 10:44	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 10:44	5
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 10:44	5
Lithium	0.0060		0.0050	0.0032	mg/L			05/03/17 10:44	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 10:44	5
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 10:44	5
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 10:44	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	16		5.0	3.4	mg/L			04/22/17 13:24	1

TestAmerica Pensacola

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-6

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.9		1.0	0.89	mg/L			04/23/17 07:49	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 07:49	1
Sulfate	14		1.0	0.70	mg/L			04/23/17 07:49	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 10:44	05/03/17 19:37
Arsenic	0.018		0.0013	0.00046	mg/L			05/03/17 10:44	05/03/17 19:37
Barium	0.042		0.0025	0.00049	mg/L			05/03/17 10:44	05/03/17 19:37
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:37
Boron	0.14		0.050	0.021	mg/L			05/03/17 10:44	05/03/17 19:37
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:37
Calcium	110		0.25	0.13	mg/L			05/03/17 10:44	05/03/17 19:37
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 10:44	05/03/17 19:37
Cobalt	0.00044 J		0.0025	0.00040	mg/L			05/03/17 10:44	05/03/17 19:37
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 10:44	05/03/17 19:37
Lithium	<0.0032		0.0050	0.0032	mg/L			05/03/17 10:44	05/03/17 19:37
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 10:44	05/03/17 19:37
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 10:44	05/03/17 19:37
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 10:44	05/03/17 19:37

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	05/02/17 15:39

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	290		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-5

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.3		1.0	0.89	mg/L			04/23/17 08:12	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 08:12	1
Sulfate	5.1		1.0	0.70	mg/L			04/23/17 08:12	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 10:44	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/03/17 10:44	5
Barium	0.035		0.0025	0.00049	mg/L			05/03/17 10:44	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	5
Boron	<0.021		0.050	0.021	mg/L			05/03/17 10:44	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	5
Calcium	27		0.25	0.13	mg/L			05/03/17 10:44	5
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 10:44	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 10:44	5
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 10:44	5
Lithium	0.0080		0.0050	0.0032	mg/L			05/03/17 10:44	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 10:44	5
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 10:44	5
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 10:44	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	140		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 04/18/17 13:15

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0	0.89	mg/L			04/23/17 08:34	1
Fluoride	0.29		0.20	0.082	mg/L			04/23/17 08:34	1
Sulfate	160		10	7.0	mg/L			04/23/17 17:28	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 10:44	05/03/17 19:46
Arsenic	0.00050	J	0.0013	0.00046	mg/L			05/03/17 10:44	05/03/17 19:46
Barium	0.011		0.0025	0.00049	mg/L			05/03/17 10:44	05/03/17 19:46
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:46
Boron	1.5		0.050	0.021	mg/L			05/03/17 10:44	05/03/17 19:46
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 10:44	05/03/17 19:46
Calcium	56		0.25	0.13	mg/L			05/03/17 10:44	05/03/17 19:46
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 10:44	05/03/17 19:46
Cobalt	0.0086		0.0025	0.00040	mg/L			05/03/17 10:44	05/03/17 19:46
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 10:44	05/03/17 19:46
Lithium	0.11		0.0050	0.0032	mg/L			05/03/17 10:44	05/03/17 19:46
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 10:44	05/03/17 19:46
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 10:44	05/03/17 19:46
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 10:44	05/03/17 19:46

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	05/02/17 15:42

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	300		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-8

Date Collected: 04/18/17 13:45

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.89	mg/L			04/23/17 08:57	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 08:57	1
Sulfate	180		10	7.0	mg/L			04/23/17 17:51	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	05/05/17 17:40
Arsenic	0.00059 J		0.0013	0.00046	mg/L			05/03/17 16:30	05/05/17 17:40
Barium	0.040		0.0025	0.00049	mg/L			05/03/17 16:30	05/05/17 17:40
Beryllium	0.00067 J		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 17:40
Cadmium	0.00044 J		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 17:40
Calcium	59		0.25	0.13	mg/L			05/03/17 16:30	05/05/17 17:40
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	05/05/17 17:40
Cobalt	0.0050		0.0025	0.00040	mg/L			05/03/17 16:30	05/05/17 17:40
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	05/05/17 17:40
Lithium	0.023		0.0050	0.0032	mg/L			05/03/17 16:30	05/05/17 17:40
Molybdenum	0.0037 J		0.015	0.00085	mg/L			05/03/17 16:30	05/05/17 17:40
Selenium	0.0024		0.0013	0.00024	mg/L			05/03/17 16:30	05/05/17 17:40
Thallium	0.00019 J		0.00050	0.000085	mg/L			05/03/17 16:30	05/05/17 17:40

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	2.4		0.25	0.11	mg/L			05/03/17 16:30	05/08/17 11:47

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00018 J		0.00020	0.000070	mg/L			04/29/17 13:34	05/02/17 15:56

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	310		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-3

Date Collected: 04/18/17 14:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			04/23/17 09:20	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 09:20	1
Sulfate	91		5.0	3.5	mg/L			04/23/17 18:14	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	05/05/17 18:20
Arsenic	0.0018		0.0013	0.00046	mg/L			05/03/17 16:30	05/05/17 18:20
Barium	0.14		0.0025	0.00049	mg/L			05/03/17 16:30	05/05/17 18:20
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:20
Boron	1.8		0.050	0.021	mg/L			05/03/17 16:30	05/05/17 18:20
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:20
Calcium	120		0.25	0.13	mg/L			05/03/17 16:30	05/05/17 18:20
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	05/05/17 18:20
Cobalt	0.00057 J		0.0025	0.00040	mg/L			05/03/17 16:30	05/05/17 18:20
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	05/05/17 18:20
Lithium	0.010		0.0050	0.0032	mg/L			05/03/17 16:30	05/05/17 18:20
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 16:30	05/05/17 18:20
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 16:30	05/05/17 18:20
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 16:30	05/05/17 18:20

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L		04/29/17 13:34	05/02/17 15:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	360		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-1

Date Collected: 04/18/17 15:15

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-8

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.89	mg/L			04/23/17 19:22	1
Fluoride	0.20		0.20	0.082	mg/L			04/23/17 19:22	1
Sulfate	120		5.0	3.5	mg/L			04/24/17 14:46	5

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	05/05/17 18:25
Arsenic	0.0024		0.0013	0.00046	mg/L			05/03/17 16:30	05/05/17 18:25
Barium	0.092		0.0025	0.00049	mg/L			05/03/17 16:30	05/05/17 18:25
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:25
Boron	1.1		0.050	0.021	mg/L			05/03/17 16:30	05/05/17 18:25
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:25
Calcium	100		0.25	0.13	mg/L			05/03/17 16:30	05/05/17 18:25
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	05/05/17 18:25
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 16:30	05/05/17 18:25
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	05/05/17 18:25
Lithium	0.0097		0.0050	0.0032	mg/L			05/03/17 16:30	05/05/17 18:25
Molybdenum	0.0013 J		0.015	0.00085	mg/L			05/03/17 16:30	05/05/17 18:25
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 16:30	05/05/17 18:25
Thallium	0.000095 J		0.00050	0.000085	mg/L			05/03/17 16:30	05/05/17 18:25

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L			04/29/17 13:34	05/02/17 16:00

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	360		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: FB-1

Date Collected: 04/18/17 15:05
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-9

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/23/17 20:08	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 20:08	1
Sulfate	<0.70		1.0	0.70	mg/L			04/23/17 20:08	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	5
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/03/17 16:30	5
Barium	<0.00049		0.0025	0.00049	mg/L			05/03/17 16:30	5
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	5
Boron	0.023 J		0.050	0.021	mg/L			05/03/17 16:30	5
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	5
Calcium	<0.13		0.25	0.13	mg/L			05/03/17 16:30	5
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	5
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 16:30	5
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	5
Lithium	<0.0032		0.0050	0.0032	mg/L			05/03/17 16:30	5
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 16:30	5
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 16:30	5
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 16:30	5

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			04/29/17 13:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: FERB-1

Date Collected: 04/18/17 15:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-10

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/23/17 20:31	1
Fluoride	<0.082		0.20	0.082	mg/L			04/23/17 20:31	1
Sulfate	<0.70		1.0	0.70	mg/L			04/23/17 20:31	1

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	05/05/17 18:34
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/03/17 16:30	05/05/17 18:34
Barium	<0.00049		0.0025	0.00049	mg/L			05/03/17 16:30	05/05/17 18:34
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:34
Boron	<0.021		0.050	0.021	mg/L			05/03/17 16:30	05/05/17 18:34
Cadmium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:34
Calcium	<0.13		0.25	0.13	mg/L			05/03/17 16:30	05/05/17 18:34
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	05/05/17 18:34
Cobalt	<0.00040		0.0025	0.00040	mg/L			05/03/17 16:30	05/05/17 18:34
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	05/05/17 18:34
Lithium	<0.0032		0.0050	0.0032	mg/L			05/03/17 16:30	05/05/17 18:34
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 16:30	05/05/17 18:34
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 16:30	05/05/17 18:34
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 16:30	05/05/17 18:34

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			04/29/17 13:34	05/02/17 16:03

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/22/17 13:24	1

Client Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 04/19/17 09:55

Date Received: 04/25/17 08:47

Lab Sample ID: 400-136772-11

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17		1.0	0.89	mg/L			04/26/17 22:35	1
Fluoride	<0.082		0.20	0.082	mg/L			04/26/17 22:35	1
Sulfate	250		10	7.0	mg/L			04/27/17 20:42	10

Method: 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L			05/03/17 16:30	05/05/17 18:38
Arsenic	<0.00046		0.0013	0.00046	mg/L			05/03/17 16:30	05/05/17 18:38
Barium	0.051		0.0025	0.00049	mg/L			05/03/17 16:30	05/05/17 18:38
Beryllium	<0.00034		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:38
Cadmium	0.0011 J		0.0025	0.00034	mg/L			05/03/17 16:30	05/05/17 18:38
Chromium	<0.0011		0.0025	0.0011	mg/L			05/03/17 16:30	05/05/17 18:38
Cobalt	0.0035		0.0025	0.00040	mg/L			05/03/17 16:30	05/05/17 18:38
Lead	<0.00035		0.0013	0.00035	mg/L			05/03/17 16:30	05/05/17 18:38
Lithium	0.0042 J		0.0050	0.0032	mg/L			05/03/17 16:30	05/05/17 18:38
Molybdenum	<0.00085		0.015	0.00085	mg/L			05/03/17 16:30	05/05/17 18:38
Selenium	<0.00024		0.0013	0.00024	mg/L			05/03/17 16:30	05/05/17 18:38
Thallium	<0.000085		0.00050	0.000085	mg/L			05/03/17 16:30	05/05/17 18:38

Method: 6020 - Metals (ICP/MS) - Total Recoverable - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	3.7		0.25	0.11	mg/L			05/03/17 16:30	05/08/17 11:52
Calcium	120		1.3	0.63	mg/L			05/03/17 16:30	05/08/17 11:52

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.000020	0.000070	mg/L			04/29/17 13:34	05/02/17 12:33

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	600		5.0	3.4	mg/L			04/26/17 16:26	1

TestAmerica Pensacola

Definitions/Glossary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWA-11

Date Collected: 04/18/17 09:40

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 06:17	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352149	05/03/17 10:44	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352271	05/03/17 19:09	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:35	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWA-10

Date Collected: 04/18/17 10:10

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 07:26	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352149	05/03/17 10:44	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352271	05/03/17 19:14	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:37	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWA-6

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 07:49	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352149	05/03/17 10:44	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352271	05/03/17 19:37	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:39	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWA-5

Date Collected: 04/18/17 11:30

Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 08:12	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352149	05/03/17 10:44	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352271	05/03/17 19:41	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:40	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-7

Date Collected: 04/18/17 13:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 08:34	TAJ	TAL PEN
Total/NA	Analysis	300.0		10	350914	04/23/17 17:28	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352149	05/03/17 10:44	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352271	05/03/17 19:46	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:42	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWC-8

Date Collected: 04/18/17 13:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 08:57	TAJ	TAL PEN
Total/NA	Analysis	300.0		10	350914	04/23/17 17:51	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 17:40	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020	DL	25	352869	05/08/17 11:47	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:56	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWC-3

Date Collected: 04/18/17 14:30
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350909	04/23/17 09:20	TAJ	TAL PEN
Total/NA	Analysis	300.0		5	350914	04/23/17 18:14	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 18:20	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 15:58	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWC-1

Date Collected: 04/18/17 15:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350914	04/23/17 19:22	TAJ	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-1

Date Collected: 04/18/17 15:15
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5	350987	04/24/17 14:46	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 18:25	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 16:00	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: FB-1

Date Collected: 04/18/17 15:05
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350914	04/23/17 20:08	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 18:29	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 16:02	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: FERB-1

Date Collected: 04/18/17 15:45
Date Received: 04/20/17 09:43

Lab Sample ID: 400-136772-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	350914	04/23/17 20:31	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 18:34	DRE	TAL PEN
Total/NA	Prep	7470A			351566	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 16:03	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	350851	04/22/17 13:24	TET	TAL PEN

Client Sample ID: MGWC-2

Date Collected: 04/19/17 09:55
Date Received: 04/25/17 08:47

Lab Sample ID: 400-136772-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	351445	04/26/17 22:35	TAJ	TAL PEN
Total/NA	Analysis	300.0		10	351602	04/27/17 20:42	TAJ	TAL PEN
Total Recoverable	Prep	3005A			352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020		5	352727	05/05/17 18:38	DRE	TAL PEN
Total Recoverable	Prep	3005A	DL		352224	05/03/17 16:30	DRE	TAL PEN
Total Recoverable	Analysis	6020	DL	25	352869	05/08/17 11:52	DRE	TAL PEN

TestAmerica Pensacola

Lab Chronicle

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Client Sample ID: MGWC-2

Date Collected: 04/19/17 09:55

Date Received: 04/25/17 08:47

Lab Sample ID: 400-136772-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			351677	04/29/17 13:34	DN1	TAL PEN
Total/NA	Analysis	7470A		1	352077	05/02/17 12:33	JAP	TAL PEN
Total/NA	Analysis	SM 2540C		1	351408	04/26/17 16:26	TET	TAL PEN

Laboratory References:

TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

1

2

3

4

5

6

7

8

9

10

11

12

13

14

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

HPLC/IC

Analysis Batch: 350909

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	300.0	
400-136772-2	MGWA-10	Total/NA	Water	300.0	
400-136772-3	MGWA-6	Total/NA	Water	300.0	
400-136772-4	MGWA-5	Total/NA	Water	300.0	
400-136772-5	MGWC-7	Total/NA	Water	300.0	
400-136772-6	MGWC-8	Total/NA	Water	300.0	
400-136772-7	MGWC-3	Total/NA	Water	300.0	
MB 400-350909/4	Method Blank	Total/NA	Water	300.0	
LCS 400-350909/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-350909/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-136622-C-1 MS	Matrix Spike	Total/NA	Water	300.0	
400-136622-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 350914

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-5	MGWC-7	Total/NA	Water	300.0	
400-136772-6	MGWC-8	Total/NA	Water	300.0	
400-136772-7	MGWC-3	Total/NA	Water	300.0	
400-136772-8	MGWC-1	Total/NA	Water	300.0	
400-136772-9	FB-1	Total/NA	Water	300.0	
400-136772-10	FERB-1	Total/NA	Water	300.0	
MB 400-350914/36	Method Blank	Total/NA	Water	300.0	
LCS 400-350914/37	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-350914/38	Lab Control Sample Dup	Total/NA	Water	300.0	
400-135632-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
400-135632-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 350987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-8	MGWC-1	Total/NA	Water	300.0	
MB 400-350987/4	Method Blank	Total/NA	Water	300.0	
LCS 400-350987/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-350987/6	Lab Control Sample Dup	Total/NA	Water	300.0	
400-136839-Q-4 MS	Matrix Spike	Total/NA	Water	300.0	
400-136839-Q-4 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 351445

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-11	MGWC-2	Total/NA	Water	300.0	
MB 400-351445/14	Method Blank	Total/NA	Water	300.0	
LCS 400-351445/15	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-351445/16	Lab Control Sample Dup	Total/NA	Water	300.0	
400-137040-A-3 MS	Matrix Spike	Total/NA	Water	300.0	
400-137040-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 351602

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-11	MGWC-2	Total/NA	Water	300.0	
MB 400-351602/4	Method Blank	Total/NA	Water	300.0	
LCS 400-351602/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-351602/6	Lab Control Sample Dup	Total/NA	Water	300.0	

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

HPLC/IC (Continued)

Analysis Batch: 351602 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-137112-I-6 MS	Matrix Spike	Total/NA	Water	300.0	
400-137112-I-6 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Metals

Prep Batch: 351566

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	7470A	
400-136772-2	MGWA-10	Total/NA	Water	7470A	
400-136772-3	MGWA-6	Total/NA	Water	7470A	
400-136772-4	MGWA-5	Total/NA	Water	7470A	
400-136772-5	MGWC-7	Total/NA	Water	7470A	
400-136772-6	MGWC-8	Total/NA	Water	7470A	
400-136772-7	MGWC-3	Total/NA	Water	7470A	
400-136772-8	MGWC-1	Total/NA	Water	7470A	
400-136772-9	FB-1	Total/NA	Water	7470A	
400-136772-10	FERB-1	Total/NA	Water	7470A	
MB 400-351566/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-351566/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-136659-G-1-B MS	Matrix Spike	Total/NA	Water	7470A	
400-136659-G-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Prep Batch: 351677

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-11	MGWC-2	Total/NA	Water	7470A	
MB 400-351677/14-A	Method Blank	Total/NA	Water	7470A	
LCS 400-351677/15-A	Lab Control Sample	Total/NA	Water	7470A	
400-136473-J-4-E MS	Matrix Spike	Total/NA	Water	7470A	
400-136473-J-4-F MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	

Analysis Batch: 352077

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	7470A	351566
400-136772-2	MGWA-10	Total/NA	Water	7470A	351566
400-136772-3	MGWA-6	Total/NA	Water	7470A	351566
400-136772-4	MGWA-5	Total/NA	Water	7470A	351566
400-136772-5	MGWC-7	Total/NA	Water	7470A	351566
400-136772-6	MGWC-8	Total/NA	Water	7470A	351566
400-136772-7	MGWC-3	Total/NA	Water	7470A	351566
400-136772-8	MGWC-1	Total/NA	Water	7470A	351566
400-136772-9	FB-1	Total/NA	Water	7470A	351566
400-136772-10	FERB-1	Total/NA	Water	7470A	351566
400-136772-11	MGWC-2	Total/NA	Water	7470A	351677
MB 400-351566/14-A	Method Blank	Total/NA	Water	7470A	351566
MB 400-351677/14-A	Method Blank	Total/NA	Water	7470A	351677
LCS 400-351566/15-A	Lab Control Sample	Total/NA	Water	7470A	351566
LCS 400-351677/15-A	Lab Control Sample	Total/NA	Water	7470A	351677
400-136473-J-4-E MS	Matrix Spike	Total/NA	Water	7470A	351677
400-136473-J-4-F MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	351677
400-136659-G-1-B MS	Matrix Spike	Total/NA	Water	7470A	351566

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Metals (Continued)

Analysis Batch: 352077 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136659-G-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	7470A	351566

Prep Batch: 352149

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total Recoverable	Water	3005A	7
400-136772-2	MGWA-10	Total Recoverable	Water	3005A	8
400-136772-3	MGWA-6	Total Recoverable	Water	3005A	9
400-136772-4	MGWA-5	Total Recoverable	Water	3005A	10
400-136772-5	MGWC-7	Total Recoverable	Water	3005A	11
MB 400-352149/1-A ^5	Method Blank	Total Recoverable	Water	3005A	12
LCS 400-352149/2-A	Lab Control Sample	Total Recoverable	Water	3005A	13
400-136917-D-13-B MS ^5	Matrix Spike	Dissolved	Water	3005A	14
400-136917-D-13-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	3005A	

Prep Batch: 352224

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-6	MGWC-8	Total Recoverable	Water	3005A	12
400-136772-6 - DL	MGWC-8	Total Recoverable	Water	3005A	13
400-136772-7	MGWC-3	Total Recoverable	Water	3005A	14
400-136772-8	MGWC-1	Total Recoverable	Water	3005A	
400-136772-9	FB-1	Total Recoverable	Water	3005A	
400-136772-10	FERB-1	Total Recoverable	Water	3005A	
400-136772-11	MGWC-2	Total Recoverable	Water	3005A	
400-136772-11 - DL	MGWC-2	Total Recoverable	Water	3005A	
MB 400-352224/1-A ^5	Method Blank	Total Recoverable	Water	3005A	
LCS 400-352224/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
400-136772-6 MS	MGWC-8	Total Recoverable	Water	3005A	
400-136772-6 MSD	MGWC-8	Total Recoverable	Water	3005A	

Analysis Batch: 352271

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total Recoverable	Water	6020	352149
400-136772-2	MGWA-10	Total Recoverable	Water	6020	352149
400-136772-3	MGWA-6	Total Recoverable	Water	6020	352149
400-136772-4	MGWA-5	Total Recoverable	Water	6020	352149
400-136772-5	MGWC-7	Total Recoverable	Water	6020	352149
MB 400-352149/1-A ^5	Method Blank	Total Recoverable	Water	6020	352149
LCS 400-352149/2-A	Lab Control Sample	Total Recoverable	Water	6020	352149
400-136917-D-13-B MS ^5	Matrix Spike	Dissolved	Water	6020	352149
400-136917-D-13-C MSD ^5	Matrix Spike Duplicate	Dissolved	Water	6020	352149

Analysis Batch: 352727

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-6	MGWC-8	Total Recoverable	Water	6020	352224
400-136772-7	MGWC-3	Total Recoverable	Water	6020	352224
400-136772-8	MGWC-1	Total Recoverable	Water	6020	352224
400-136772-9	FB-1	Total Recoverable	Water	6020	352224
400-136772-10	FERB-1	Total Recoverable	Water	6020	352224
400-136772-11	MGWC-2	Total Recoverable	Water	6020	352224
MB 400-352224/1-A ^5	Method Blank	Total Recoverable	Water	6020	352224
LCS 400-352224/2-A	Lab Control Sample	Total Recoverable	Water	6020	352224

TestAmerica Pensacola

QC Association Summary

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Metals (Continued)

Analysis Batch: 352727 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-6 MS	MGWC-8	Total Recoverable	Water	6020	352224
400-136772-6 MSD	MGWC-8	Total Recoverable	Water	6020	352224

Analysis Batch: 352869

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-6 - DL	MGWC-8	Total Recoverable	Water	6020	352224
400-136772-11 - DL	MGWC-2	Total Recoverable	Water	6020	352224

General Chemistry

Analysis Batch: 350851

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-1	MGWA-11	Total/NA	Water	SM 2540C	10
400-136772-2	MGWA-10	Total/NA	Water	SM 2540C	11
400-136772-3	MGWA-6	Total/NA	Water	SM 2540C	12
400-136772-4	MGWA-5	Total/NA	Water	SM 2540C	13
400-136772-5	MGWC-7	Total/NA	Water	SM 2540C	14
400-136772-6	MGWC-8	Total/NA	Water	SM 2540C	
400-136772-7	MGWC-3	Total/NA	Water	SM 2540C	
400-136772-8	MGWC-1	Total/NA	Water	SM 2540C	
400-136772-9	FB-1	Total/NA	Water	SM 2540C	
400-136772-10	FERB-1	Total/NA	Water	SM 2540C	
MB 400-350851/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-350851/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-136772-1 DU	MGWA-11	Total/NA	Water	SM 2540C	

Analysis Batch: 351408

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-136772-11	MGWC-2	Total/NA	Water	SM 2540C	
MB 400-351408/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 400-351408/2	Lab Control Sample	Total/NA	Water	SM 2540C	
400-136772-11 DU	MGWC-2	Total/NA	Water	SM 2540C	

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-350909/4

Matrix: Water

Analysis Batch: 350909

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/22/17 22:18	1
Fluoride	<0.082		0.20	0.082	mg/L			04/22/17 22:18	1
Sulfate	<0.70		1.0	0.70	mg/L			04/22/17 22:18	1

Lab Sample ID: LCS 400-350909/5

Matrix: Water

Analysis Batch: 350909

Analyte	Spike Added	LCS			D	%Rec.		Limits
		Result	Qualifier	Unit		%Rec		
Chloride	10.0	9.97		mg/L		100	90 - 110	
Fluoride	10.0	10.4		mg/L		104	90 - 110	
Sulfate	10.0	9.80		mg/L		98	90 - 110	

Lab Sample ID: LCSD 400-350909/6

Matrix: Water

Analysis Batch: 350909

Analyte	Spike Added	LCSD			D	%Rec.		RPD	Limit
		Result	Qualifier	Unit		%Rec	Limits		
Chloride	10.0	9.93		mg/L		99	90 - 110	0	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	1	15
Sulfate	10.0	9.79		mg/L		98	90 - 110	0	15

Lab Sample ID: 400-136622-C-1 MS

Matrix: Water

Analysis Batch: 350909

Analyte	Sample Result	Sample Qualifier	Spike Added	MS			D	%Rec.		RPD	Limit
				Result	Qualifier	Unit		%Rec	Limits		
Chloride	190	E	10.0	199	E 4	mg/L		131	80 - 120		
Fluoride	0.25		10.0	10.7		mg/L		104	80 - 120		
Sulfate	36		10.0	45.7		mg/L		101	80 - 120		

Lab Sample ID: 400-136622-C-1 MSD

Matrix: Water

Analysis Batch: 350909

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD			D	%Rec.		RPD	Limit
				Result	Qualifier	Unit		%Rec	Limits		
Chloride	190	E	10.0	200	E 4	mg/L		137	80 - 120	0	20
Fluoride	0.25		10.0	10.7		mg/L		105	80 - 120	0	20
Sulfate	36		10.0	46.0		mg/L		103	80 - 120	1	20

Lab Sample ID: MB 400-350914/36

Matrix: Water

Analysis Batch: 350914

Analyte	MB Result	MB Qualifier	RL	MDL		D	Prepared		Analyzed	Dil Fac
				Unit	D		Prepared	Analyzed		
Chloride	<0.89		1.0	0.89	mg/L				04/23/17 12:54	1
Fluoride	<0.082		0.20	0.082	mg/L				04/23/17 12:54	1
Sulfate	<0.70		1.0	0.70	mg/L				04/23/17 12:54	1

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 400-350914/37

Matrix: Water

Analysis Batch: 350914

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.97		mg/L		100	90 - 110	
Fluoride	10.0	10.3		mg/L		103	90 - 110	
Sulfate	10.0	9.75		mg/L		97	90 - 110	

Lab Sample ID: LCSD 400-350914/38

Matrix: Water

Analysis Batch: 350914

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Chloride	10.0	9.99		mg/L		100	90 - 110	0	15
Fluoride	10.0	10.3		mg/L		103	90 - 110	0	15
Sulfate	10.0	9.77		mg/L		98	90 - 110	0	15

Lab Sample ID: 400-135632-A-1 MS

Matrix: Water

Analysis Batch: 350914

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	48		50.0	95.7		mg/L		95	80 - 120	
Fluoride	<0.41		50.0	46.6		mg/L		93	80 - 120	
Sulfate	130		50.0	173		mg/L		96	80 - 120	

Lab Sample ID: 400-135632-A-1 MSD

Matrix: Water

Analysis Batch: 350914

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Chloride	48		50.0	95.4		mg/L		94	80 - 120	0	20
Fluoride	<0.41		50.0	47.5		mg/L		95	80 - 120	2	20
Sulfate	130		50.0	172		mg/L		93	80 - 120	1	20

Lab Sample ID: MB 400-350987/4

Matrix: Water

Analysis Batch: 350987

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/24/17 11:20	1
Fluoride	<0.082		0.20	0.082	mg/L			04/24/17 11:20	1
Sulfate	<0.70		1.0	0.70	mg/L			04/24/17 11:20	1

Lab Sample ID: LCS 400-350987/5

Matrix: Water

Analysis Batch: 350987

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Chloride	10.0	9.88		mg/L		99	90 - 110	
Fluoride	10.0	10.3		mg/L		103	90 - 110	
Sulfate	10.0	9.56		mg/L		96	90 - 110	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 400-350987/6

Matrix: Water

Analysis Batch: 350987

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.80		mg/L		98	90 - 110	1	15
Fluoride	10.0	10.2		mg/L		102	90 - 110	1	15
Sulfate	10.0	9.46		mg/L		95	90 - 110	1	15

Lab Sample ID: 400-136839-Q-4 MS

Matrix: Water

Analysis Batch: 350987

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.8		10.0	13.1		mg/L		94	80 - 120
Fluoride	<0.082		10.0	10.0		mg/L		100	80 - 120
Sulfate	<0.70		10.0	9.57		mg/L		96	80 - 120

Lab Sample ID: 400-136839-Q-4 MSD

Matrix: Water

Analysis Batch: 350987

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.8		10.0	13.1		mg/L		94	80 - 120	0	20
Fluoride	<0.082		10.0	10.1		mg/L		101	80 - 120	0	20
Sulfate	<0.70		10.0	9.63		mg/L		96	80 - 120	1	20

Lab Sample ID: MB 400-351445/14

Matrix: Water

Analysis Batch: 351445

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.89		1.0	0.89	mg/L			04/26/17 15:40	1
Fluoride	<0.082		0.20	0.082	mg/L			04/26/17 15:40	1
Sulfate	<0.70		1.0	0.70	mg/L			04/26/17 15:40	1

Lab Sample ID: LCS 400-351445/15

Matrix: Water

Analysis Batch: 351445

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.1		mg/L		101	90 - 110
Fluoride	10.0	10.5		mg/L		105	90 - 110
Sulfate	10.0	10.2		mg/L		102	90 - 110

Lab Sample ID: LCSD 400-351445/16

Matrix: Water

Analysis Batch: 351445

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.1		mg/L		101	90 - 110	0	15
Fluoride	10.0	10.5		mg/L		105	90 - 110	0	15
Sulfate	10.0	10.2		mg/L		102	90 - 110	1	15

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 400-137040-A-3 MS

Matrix: Water

Analysis Batch: 351445

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
Chloride	240	E	10.0	258	E 4	mg/L		142	80 - 120
Fluoride	<0.082		10.0	11.1		mg/L		111	80 - 120
Sulfate	580	E	10.0	591	E 4	mg/L		134	80 - 120

Lab Sample ID: 400-137040-A-3 MSD

Matrix: Water

Analysis Batch: 351445

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD
	Result	Qualifier	Added	Result	Qualifier					
Chloride	240	E	10.0	258	E 4	mg/L		139	80 - 120	0
Fluoride	<0.082		10.0	10.9		mg/L		109	80 - 120	2
Sulfate	580	E	10.0	602	E 4	mg/L		238	80 - 120	2

Lab Sample ID: MB 400-351602/4

Matrix: Water

Analysis Batch: 351602

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.89		1.0	0.89	mg/L			04/27/17 14:11	1
Fluoride	<0.082		0.20	0.082	mg/L			04/27/17 14:11	1
Sulfate	<0.70		1.0	0.70	mg/L			04/27/17 14:11	1

Lab Sample ID: LCS 400-351602/5

Matrix: Water

Analysis Batch: 351602

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added						
Chloride	10.0	10.2		mg/L		102	90 - 110
Fluoride	10.0	10.7		mg/L		107	90 - 110
Sulfate	10.0	10.3		mg/L		103	90 - 110

Lab Sample ID: LCSD 400-351602/6

Matrix: Water

Analysis Batch: 351602

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD
	Added							
Chloride	10.0	10.1		mg/L		101	90 - 110	1
Fluoride	10.0	10.5		mg/L		105	90 - 110	2
Sulfate	10.0	10.1		mg/L		101	90 - 110	2

Lab Sample ID: 400-137112-I-6 MS

Matrix: Water

Analysis Batch: 351602

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec
	Result	Qualifier	Added	Result	Qualifier			
Chloride	28		10.0	36.3		mg/L		84
Fluoride	<0.082		10.0	10.6		mg/L		106
Sulfate	<0.70		10.0	11.1		mg/L		111

Client Sample ID: Matrix Spike
Prep Type: Total/NA

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 400-137112-I-6 MSD

Matrix: Water

Analysis Batch: 351602

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
Chloride	28		10.0	36.1		mg/L	82	80 - 120	1	20
Fluoride	<0.082		10.0	10.4		mg/L	104	80 - 120	2	20
Sulfate	<0.70		10.0	11.0		mg/L	110	80 - 120	1	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 400-352149/1-A ^5

Matrix: Water

Analysis Batch: 352271

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 352149

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0010		0.0025	0.0010	mg/L	05/03/17 10:44	05/03/17 16:56		5
Arsenic	<0.00046		0.0013	0.00046	mg/L	05/03/17 10:44	05/03/17 16:56		5
Barium	<0.00049		0.0025	0.00049	mg/L	05/03/17 10:44	05/03/17 16:56		5
Beryllium	<0.00034		0.0025	0.00034	mg/L	05/03/17 10:44	05/03/17 16:56		5
Boron	<0.021		0.050	0.021	mg/L	05/03/17 10:44	05/03/17 16:56		5
Cadmium	<0.00034		0.0025	0.00034	mg/L	05/03/17 10:44	05/03/17 16:56		5
Calcium	<0.13		0.25	0.13	mg/L	05/03/17 10:44	05/03/17 16:56		5
Chromium	<0.0011		0.0025	0.0011	mg/L	05/03/17 10:44	05/03/17 16:56		5
Cobalt	<0.00040		0.0025	0.00040	mg/L	05/03/17 10:44	05/03/17 16:56		5
Lead	<0.00035		0.0013	0.00035	mg/L	05/03/17 10:44	05/03/17 16:56		5
Lithium	<0.0032		0.0050	0.0032	mg/L	05/03/17 10:44	05/03/17 16:56		5
Molybdenum	<0.00085		0.015	0.00085	mg/L	05/03/17 10:44	05/03/17 16:56		5
Selenium	<0.00024		0.0013	0.00024	mg/L	05/03/17 10:44	05/03/17 16:56		5
Thallium	<0.000085		0.00050	0.000085	mg/L	05/03/17 10:44	05/03/17 16:56		5

Lab Sample ID: LCS 400-352149/2-A

Matrix: Water

Analysis Batch: 352271

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 352149

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Antimony	0.0500	0.0523		mg/L	105	80 - 120	
Arsenic	0.0500	0.0509		mg/L	102	80 - 120	
Barium	0.0500	0.0482		mg/L	96	80 - 120	
Beryllium	0.0500	0.0476		mg/L	95	80 - 120	
Boron	0.100	0.100		mg/L	100	80 - 120	
Cadmium	0.0500	0.0500		mg/L	100	80 - 120	
Calcium	5.00	4.66		mg/L	93	80 - 120	
Chromium	0.0500	0.0507		mg/L	101	80 - 120	
Cobalt	0.0500	0.0504		mg/L	101	80 - 120	
Lead	0.0500	0.0496		mg/L	99	80 - 120	
Lithium	0.0500	0.0521		mg/L	104	80 - 120	
Molybdenum	0.100	0.0972		mg/L	97	80 - 120	
Selenium	0.0500	0.0516		mg/L	103	80 - 120	
Thallium	0.0100	0.00974		mg/L	97	80 - 120	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 400-352224/1-A ^5

Matrix: Water

Analysis Batch: 352727

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 352224

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.0010		0.0025	0.0010	mg/L		05/03/17 16:30	05/05/17 17:31	5
Arsenic	<0.00046		0.0013	0.00046	mg/L		05/03/17 16:30	05/05/17 17:31	5
Barium	<0.00049		0.0025	0.00049	mg/L		05/03/17 16:30	05/05/17 17:31	5
Beryllium	<0.00034		0.0025	0.00034	mg/L		05/03/17 16:30	05/05/17 17:31	5
Boron	<0.021		0.050	0.021	mg/L		05/03/17 16:30	05/05/17 17:31	5
Cadmium	<0.00034		0.0025	0.00034	mg/L		05/03/17 16:30	05/05/17 17:31	5
Calcium	<0.13		0.25	0.13	mg/L		05/03/17 16:30	05/05/17 17:31	5
Chromium	<0.0011		0.0025	0.0011	mg/L		05/03/17 16:30	05/05/17 17:31	5
Cobalt	<0.00040		0.0025	0.00040	mg/L		05/03/17 16:30	05/05/17 17:31	5
Lead	<0.00035		0.0013	0.00035	mg/L		05/03/17 16:30	05/05/17 17:31	5
Lithium	<0.0032		0.0050	0.0032	mg/L		05/03/17 16:30	05/05/17 17:31	5
Molybdenum	<0.00085		0.015	0.00085	mg/L		05/03/17 16:30	05/05/17 17:31	5
Selenium	<0.00024		0.0013	0.00024	mg/L		05/03/17 16:30	05/05/17 17:31	5
Thallium	<0.000085		0.00050	0.000085	mg/L		05/03/17 16:30	05/05/17 17:31	5

Lab Sample ID: LCS 400-352224/2-A

Matrix: Water

Analysis Batch: 352727

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 352224

Analyte	Spike	LCS			Unit	D	%Rec	Limits
	Added	Result	Qualifier					
Antimony	0.0500	0.0559			mg/L		112	80 - 120
Arsenic	0.0500	0.0534			mg/L		107	80 - 120
Barium	0.0500	0.0488			mg/L		98	80 - 120
Beryllium	0.0500	0.0533			mg/L		107	80 - 120
Boron	0.100	0.107			mg/L		107	80 - 120
Cadmium	0.0500	0.0540			mg/L		108	80 - 120
Calcium	5.00	5.07			mg/L		101	80 - 120
Chromium	0.0500	0.0503			mg/L		101	80 - 120
Cobalt	0.0500	0.0513			mg/L		103	80 - 120
Lead	0.0500	0.0534			mg/L		107	80 - 120
Lithium	0.0500	0.0541			mg/L		108	80 - 120
Molybdenum	0.100	0.105			mg/L		105	80 - 120
Selenium	0.0500	0.0529			mg/L		106	80 - 120
Thallium	0.0100	0.0109			mg/L		109	80 - 120

Lab Sample ID: 400-136772-6 MS

Matrix: Water

Analysis Batch: 352727

Client Sample ID: MGWC-8
Prep Type: Total Recoverable
Prep Batch: 352224

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
Antimony	<0.0010		0.0500	0.0553		mg/L		111	75 - 125
Arsenic	0.00059	J	0.0500	0.0547		mg/L		108	75 - 125
Barium	0.040		0.0500	0.0893		mg/L		98	75 - 125
Beryllium	0.00067	J	0.0500	0.0530		mg/L		105	75 - 125
Boron	2.8	E	0.100	2.99	E 4	mg/L		194	75 - 125
Cadmium	0.00044	J	0.0500	0.0528		mg/L		105	75 - 125
Calcium	59		5.00	66.2	4	mg/L		153	75 - 125
Chromium	<0.0011		0.0500	0.0518		mg/L		104	75 - 125

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-136772-6 MS

Matrix: Water

Analysis Batch: 352727

Client Sample ID: MGWC-8

Prep Type: Total Recoverable

Prep Batch: 352224

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits		
	Result	Qualifier	Added	Result	Qualifier						
Cobalt	0.0050		0.0500	0.0564		mg/L		103	75 - 125		
Lead	<0.00035		0.0500	0.0519		mg/L		104	75 - 125		
Lithium	0.023		0.0500	0.0696		mg/L		93	75 - 125		
Molybdenum	0.0037 J		0.100	0.103		mg/L		100	75 - 125		
Selenium	0.0024		0.0500	0.0516		mg/L		98	75 - 125		
Thallium	0.00019 J		0.0100	0.0108		mg/L		106	75 - 125		

Lab Sample ID: 400-136772-6 MSD

Matrix: Water

Analysis Batch: 352727

Client Sample ID: MGWC-8

Prep Type: Total Recoverable

Prep Batch: 352224

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Antimony	<0.0010		0.0500	0.0546		mg/L		109	75 - 125	1	20
Arsenic	0.00059 J		0.0500	0.0538		mg/L		106	75 - 125	2	20
Barium	0.040		0.0500	0.0894		mg/L		98	75 - 125	0	20
Beryllium	0.00067 J		0.0500	0.0523		mg/L		103	75 - 125	1	20
Boron	2.8 E		0.100	3.01 E 4		mg/L		215	75 - 125	1	20
Cadmium	0.00044 J		0.0500	0.0543		mg/L		108	75 - 125	3	20
Calcium	59		5.00	66.0 4		mg/L		149	75 - 125	0	20
Chromium	<0.0011		0.0500	0.0512		mg/L		102	75 - 125	1	20
Cobalt	0.0050		0.0500	0.0561		mg/L		102	75 - 125	1	20
Lead	<0.00035		0.0500	0.0519		mg/L		104	75 - 125	0	20
Lithium	0.023		0.0500	0.0694		mg/L		93	75 - 125	0	20
Molybdenum	0.0037 J		0.100	0.103		mg/L		99	75 - 125	0	20
Selenium	0.0024		0.0500	0.0521		mg/L		99	75 - 125	1	20
Thallium	0.00019 J		0.0100	0.0105		mg/L		103	75 - 125	3	20

Lab Sample ID: 400-136917-D-13-B MS ^5

Matrix: Water

Analysis Batch: 352271

Client Sample ID: Matrix Spike

Prep Type: Dissolved

Prep Batch: 352149

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits	
	Result	Qualifier	Added	Result	Qualifier					
Antimony	<0.0010		0.0500	0.0546		mg/L		109	75 - 125	
Arsenic	0.0073		0.0500	0.0583		mg/L		102	75 - 125	
Barium	0.041		0.0500	0.0904		mg/L		100	75 - 125	
Beryllium	<0.00034		0.0500	0.0478		mg/L		96	75 - 125	
Boron	0.022 J		0.100	0.117		mg/L		95	75 - 125	
Cadmium	<0.00034		0.0500	0.0493		mg/L		99	75 - 125	
Calcium	46		5.00	54.7 4		mg/L		170	75 - 125	
Chromium	<0.0011		0.0500	0.0521		mg/L		104	75 - 125	
Cobalt	<0.00040		0.0500	0.0499		mg/L		100	75 - 125	
Lead	<0.00035		0.0500	0.0499		mg/L		100	75 - 125	
Lithium	<0.0032		0.0500	0.0441		mg/L		88	75 - 125	
Molybdenum	0.010 J		0.100	0.103		mg/L		92	75 - 125	
Selenium	0.0022		0.0500	0.0537		mg/L		103	75 - 125	
Thallium	<0.000085		0.0100	0.00959		mg/L		96	75 - 125	

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: 400-136917-D-13-C MSD ^5				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Dissolved							
Analysis Batch: 352271				Prep Batch: 352149							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<0.0010		0.0500	0.0534		mg/L		107	75 - 125	2	20
Arsenic	0.0073		0.0500	0.0585		mg/L		102	75 - 125	0	20
Barium	0.041		0.0500	0.0897		mg/L		98	75 - 125	1	20
Beryllium	<0.00034		0.0500	0.0481		mg/L		96	75 - 125	0	20
Boron	0.022	J	0.100	0.119		mg/L		97	75 - 125	1	20
Cadmium	<0.00034		0.0500	0.0483		mg/L		97	75 - 125	2	20
Calcium	46		5.00	56.0	4	mg/L		196	75 - 125	2	20
Chromium	<0.0011		0.0500	0.0517		mg/L		103	75 - 125	1	20
Cobalt	<0.00040		0.0500	0.0500		mg/L		100	75 - 125	0	20
Lead	<0.00035		0.0500	0.0504		mg/L		101	75 - 125	1	20
Lithium	<0.0032		0.0500	0.0447		mg/L		89	75 - 125	1	20
Molybdenum	0.010	J	0.100	0.103		mg/L		92	75 - 125	0	20
Selenium	0.0022		0.0500	0.0522		mg/L		100	75 - 125	3	20
Thallium	<0.000085		0.0100	0.00971		mg/L		97	75 - 125	1	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 400-351566/14-A				Client Sample ID: Method Blank							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 352077				Prep Batch: 351566							
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	<0.000070		0.00020	0.000070	mg/L		04/29/17 13:34	05/02/17 14:42			1

Lab Sample ID: LCS 400-351566/15-A				Client Sample ID: Lab Control Sample							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 352077				Prep Batch: 351566							
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits				
Mercury	0.00101	0.000986		mg/L		98	80 - 120				

Lab Sample ID: 400-136659-G-1-B MS				Client Sample ID: Matrix Spike							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 352077				Prep Batch: 351566							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Mercury	0.00035		0.00201	0.00212		mg/L		88	80 - 120		

Lab Sample ID: 400-136659-G-1-C MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 352077				Prep Batch: 351566							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	0.00035		0.00201	0.00217		mg/L		90	80 - 120	2	20

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: MB 400-351677/14-A

Matrix: Water

Analysis Batch: 352077

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000070		0.00020	0.000070	mg/L		04/29/17 13:34	05/02/17 11:04	1

Lab Sample ID: LCS 400-351677/15-A

Matrix: Water

Analysis Batch: 352077

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Mercury	0.00101	0.000937		mg/L		93	80 - 120

Lab Sample ID: 400-136473-J-4-E MS

Matrix: Water

Analysis Batch: 352077

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
Mercury	<0.000070		0.00201	0.00187		mg/L		93	80 - 120

Lab Sample ID: 400-136473-J-4-F MSD

Matrix: Water

Analysis Batch: 352077

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
Mercury	<0.000070		0.00201	0.00188		mg/L		93	80 - 120	0 20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 400-350851/1

Matrix: Water

Analysis Batch: 350851

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/22/17 13:24	1

Lab Sample ID: LCS 400-350851/2

Matrix: Water

Analysis Batch: 350851

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	290		mg/L		99	78 - 122

Lab Sample ID: 400-136772-1 DU

Matrix: Water

Analysis Batch: 350851

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	160		156		mg/L		0	5

TestAmerica Pensacola

QC Sample Results

Client: Southern Company
Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
SDG: Ash Pond

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 400-351408/1

Matrix: Water

Analysis Batch: 351408

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<3.4		5.0	3.4	mg/L			04/26/17 16:26	1

Lab Sample ID: LCS 400-351408/2

Matrix: Water

Analysis Batch: 351408

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	293	264		mg/L		90	78 - 122

Lab Sample ID: 400-136772-11 DU

Matrix: Water

Analysis Batch: 351408

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	600		598		mg/L		0	5

TestAmerica

3355 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record

Client Information

Client Contact:
Lauren Petty
Company:
Southern Company

Sample:

T. Payne v. V. Thomas F.C. M. Thomas J.C.
Phone: cheyenne.whitmire@testamericainc.co

Lab PM:

Cheyenne, Cheyenne R
E-Mail: cheyenne.whitmire@testamericainc.co

Carrier Tracking No(s):

Job #:
Page:
1 of 1

DOC No:

Page:
1 of 1



THE LEADER IN ENVIRONMENTAL TESTING

Analysis Requested

Date/ Date Requested:

TAT Requested (days):

Preservation Codes:

M - Hexane
A - HCl
B - NaOH
C - Zn Acetate
D - NaNO₂
E - NaHSO₄
F - MeOH
G - Ammonium
H - Ascorbic Acid
I - Ices
J - Di Water
K - Acetone
L - EDTA
N - pH 4.5
Z - other (specify)

Radiolum 226 & 228 - SW-846 9315 & 3320
Metals - (Part 257 Appendix III & IV) EPA 8020 & EPA 7470
TDS - SM 2340C; CLF-504; EPA 300
Perfume/Fragrance Sample (yes or no)
Total Number of Contaminants

Other:

Total Number of Contaminants

Special Instructions/Note:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp , G=grab)	Preservation Code:	Matrix: (Water, Soil, Ground water, Oil/Fuel, etc.)			I	D	D
					Preservation Code:	I	D			
MGWA-11	4/18/17	09:40	G	GW	X	X	X			
MGWA-10	4/18/17	10:10	G	GW	X	X	X			
MGWA-6	4/18/17	11:30	G	GW	X	X	X			
MGWA-5	4/18/17	11:30	G	GW	X	X	X			
MGWC-7	4/18/17	13:15	G	GW	X	X	X			
MGWC-8	4/18/17	13:45	G	GW	X	X	X			
MGWC-3	4/18/17	14:30	G	GW	X	X	X			
MGWC-1	4/18/17	15:15	G	GW	X	X	X			
FB-1	4/18/17	15:05	G	GW	X	X	X			
FERB-1	4/18/17	15:45	G	GW	X	X	X			

Possible Hazard Identification

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Radicological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Disposal By Lab

Archive For _____ Month

Special Instructions/QC Requirements:

Method of Shipment:

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 400-136772-1

SDG Number: Ash Pond

Login Number: 136772

List Number: 1

Creator: Siddoway, Benjamin

List Source: TestAmerica Pensacola

Question

Answer

Comment

Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.4°C, 1.8°C IR-2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	MGWC-12 cancelled for resampling.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Accreditation/Certification Summary

Client: Southern Company
 Project/Site: CCR - Plant McIntosh

TestAmerica Job ID: 400-136772-1
 SDG: Ash Pond

Laboratory: TestAmerica Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-18
Arkansas DEQ	State Program	6	88-0689	09-01-17
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-17
Iowa	State Program	7	367	08-01-18
Kansas	NELAP	7	E-10253	10-31-17
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-17
L-A-B	ISO/IEC 17025		L2471	02-22-20
Louisiana	NELAP	6	30976	06-30-17
Louisiana (DW)	NELAP Secondary AB	6	LA170005	12-31-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	06-30-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-17
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-18
Rhode Island	State Program	1	LAO00307	12-30-17
South Carolina	State Program	4	96026	06-30-17
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

1
2
3
4
5
6
7
8
9
10
11
12
13
14

July 26, 2016

Maria Padilla
GA Power
2480 Maner Rd
Atlanta, GA 30339

RE: Project: Plant McIntosh
Pace Project No.: 30187586

Dear Maria Padilla:

Enclosed are the analytical results for sample(s) received by the laboratory on June 23, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jacquelyn Collins
jacquelyn.collins@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Plant McIntosh
Pace Project No.: 30187586

Pennsylvania Certification IDs

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601
L-A-B DOD-ELAP Accreditation #: L2417
Alabama Certification #: 41590
Arizona Certification #: AZ0734
Arkansas Certification
California Certification #: 04222CA
Colorado Certification
Connecticut Certification #: PH-0694
Delaware Certification
Florida/TNI Certification #: E87683
Georgia Certification #: C040
Guam Certification
Hawaii Certification
Idaho Certification
Illinois Certification
Indiana Certification
Iowa Certification #: 391
Kansas/TNI Certification #: E-10358
Kentucky Certification #: 90133
Louisiana DHH/TNI Certification #: LA140008
Louisiana DEQ/TNI Certification #: 4086
Maine Certification #: PA00091
Maryland Certification #: 308
Massachusetts Certification #: M-PA1457
Michigan/PADEP Certification
Missouri Certification #: 235

Montana Certification #: Cert 0082
Nebraska Certification #: NE-05-29-14
Nevada Certification #: PA014572015-1
New Hampshire/TNI Certification #: 2976
New Jersey/TNI Certification #: PA 051
New Mexico Certification #: PA01457
New York/TNI Certification #: 10888
North Carolina Certification #: 42706
North Dakota Certification #: R-190
Oregon/TNI Certification #: PA200002
Pennsylvania/TNI Certification #: 65-00282
Puerto Rico Certification #: PA01457
Rhode Island Certification #: 65-00282
South Dakota Certification
Tennessee Certification #: TN2867
Texas/TNI Certification #: T104704188-14-8
Utah/TNI Certification #: PA014572015-5
USDA Soil Permit #: P330-14-00213
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 460198
Washington Certification #: C868
West Virginia DEP Certification #: 143
West Virginia DHHR Certification #: 9964C
Wisconsin Certification
Wyoming Certification #: 8TMS-L

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Plant McIntosh
 Pace Project No.: 30187586

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30187586001	MGWA-6	Water	06/21/16 08:48	06/23/16 10:50
30187586002	DUP-1	Water	06/21/16 00:01	06/23/16 10:50
30187586003	MGWC-12	Water	06/21/16 12:56	06/23/16 10:50
30187586004	MGWC-3	Water	06/21/16 11:00	06/23/16 10:50
30187586005	FB-1	Water	06/21/16 15:45	06/23/16 10:50
30187586006	FERB-1	Water	06/21/16 15:50	06/23/16 10:50
30187586007	MGWC-7	Water	06/21/16 09:20	06/23/16 10:50
30187586008	MGWC-2	Water	06/21/16 11:25	06/23/16 10:50
30187586009	MGWC-1	Water	06/21/16 12:30	06/23/16 10:50
30187586010	MGWC-8	Water	06/21/16 08:55	06/23/16 10:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Plant McIntosh
 Pace Project No.: 30187586

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30187586001	MGWA-6	EPA 9315	RMK	1
		EPA 9320	JLW	1
30187586002	DUP-1	Total Radium Calculation	CMC	1
		EPA 9315	RMK	1
30187586003	MGWC-12	EPA 9320	JLW	1
		Total Radium Calculation	CMC	1
30187586004	MGWC-3	EPA 9315	RMK	1
		EPA 9320	JLW	1
30187586005	FB-1	Total Radium Calculation	CMC	1
		EPA 9315	RMK	1
30187586006	FERB-1	EPA 9320	JLW	1
		Total Radium Calculation	CMC	1
30187586007	MGWC-7	EPA 9315	RMK	1
		EPA 9320	JLW	1
30187586008	MGWC-2	Total Radium Calculation	CMC	1
		EPA 9315	RMK	1
30187586009	MGWC-1	EPA 9320	JLW	1
		Total Radium Calculation	CMC	1
30187586010	MGWC-8	EPA 9315	RMK	1
		EPA 9320	JLW	1
		Total Radium Calculation	CMC	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Plant McIntosh
 Pace Project No.: 30187586

Sample: MGWA-6	Lab ID: 30187586001	Collected: 06/21/16 08:48	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.204 ± 0.128 (0.212) C:94% T:NA	pCi/L	07/25/16 07:51
Radium-228	EPA 9320	0.307 ± 0.305 (0.623) C:77% T:86%	pCi/L	07/20/16 21:34
Total Radium	Total Radium Calculation	0.511 ± 0.433 (0.835)	pCi/L	07/26/16 14:16
<hr/>				
Sample: DUP-1	Lab ID: 30187586002	Collected: 06/21/16 00:01	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.225 ± 0.118 (0.149) C:97% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	0.285 ± 0.299 (0.616) C:78% T:84%	pCi/L	07/20/16 21:34
Total Radium	Total Radium Calculation	0.510 ± 0.417 (0.765)	pCi/L	07/26/16 14:16
<hr/>				
Sample: MGWC-12	Lab ID: 30187586003	Collected: 06/21/16 12:56	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.0796 ± 0.0814 (0.152) C:93% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	0.212 ± 0.388 (0.849) C:81% T:78%	pCi/L	07/25/16 12:43
Total Radium	Total Radium Calculation	0.292 ± 0.469 (1.00)	pCi/L	07/26/16 14:16
<hr/>				
Sample: MGWC-3	Lab ID: 30187586004	Collected: 06/21/16 11:00	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.756 ± 0.230 (0.175) C:89% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	0.957 ± 0.398 (0.602) C:80% T:83%	pCi/L	07/20/16 21:34
Total Radium	Total Radium Calculation	1.71 ± 0.628 (0.777)	pCi/L	07/26/16 14:16
<hr/>				
Sample: FB-1	Lab ID: 30187586005	Collected: 06/21/16 15:45	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.0308 ± 0.0569 (0.129) C:99% T:NA	pCi/L	07/25/16 09:22
Radium-228	EPA 9320	0.128 ± 0.242 (0.533) C:83% T:86%	pCi/L	07/20/16 21:34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Plant McIntosh
Pace Project No.: 30187586

Sample: FB-1 PWS:	Lab ID: 30187586005 Site ID: Sample Type:	Collected: 06/21/16 15:45	Received: 06/23/16 10:50	Matrix: Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Total Radium	Total Radium Calculation	0.159 ± 0.299 (0.662)	pCi/L	07/26/16 14:16
				7440-14-4
Sample: FERB-1 PWS:	Lab ID: 30187586006 Site ID: Sample Type:	Collected: 06/21/16 15:50	Received: 06/23/16 10:50	Matrix: Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.0543 ± 0.0737 (0.155) C:99% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	0.791 ± 0.362 (0.576) C:83% T:80%	pCi/L	07/20/16 21:34
Total Radium	Total Radium Calculation	0.845 ± 0.436 (0.731)	pCi/L	07/26/16 14:16
				7440-14-4
Sample: MGWC-7 PWS:	Lab ID: 30187586007 Site ID: Sample Type:	Collected: 06/21/16 09:20	Received: 06/23/16 10:50	Matrix: Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.366 ± 0.159 (0.179) C:85% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	0.647 ± 0.449 (0.853) C:74% T:68%	pCi/L	07/20/16 21:34
Total Radium	Total Radium Calculation	1.01 ± 0.608 (1.03)	pCi/L	07/26/16 14:16
				7440-14-4
Sample: MGWC-2 PWS:	Lab ID: 30187586008 Site ID: Sample Type:	Collected: 06/21/16 11:25	Received: 06/23/16 10:50	Matrix: Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.135 ± 0.106 (0.187) C:92% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	1.05 ± 0.566 (1.01) C:83% T:58%	pCi/L	07/25/16 12:44
Total Radium	Total Radium Calculation	1.19 ± 0.672 (1.20)	pCi/L	07/26/16 14:16
				7440-14-4
Sample: MGWC-1 PWS:	Lab ID: 30187586009 Site ID: Sample Type:	Collected: 06/21/16 12:30	Received: 06/23/16 10:50	Matrix: Water
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.751 ± 0.242 (0.231) C:80% T:NA	pCi/L	07/25/16 08:17
Radium-228	EPA 9320	1.26 ± 0.561 (0.933) C:84% T:64%	pCi/L	07/25/16 12:44
Total Radium	Total Radium Calculation	2.01 ± 0.803 (1.16)	pCi/L	07/26/16 14:16
				7440-14-4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Plant McIntosh
 Pace Project No.: 30187586

Sample: MGWC-8	Lab ID: 30187586010	Collected: 06/21/16 08:55	Received: 06/23/16 10:50	Matrix: Water
PWS:	Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed
Radium-226	EPA 9315	0.626 ± 0.221 (0.227) C:83% T:NA	pCi/L	07/25/16 07:51
Radium-228	EPA 9320	0.269 ± 0.439 (0.954) C:83% T:71%	pCi/L	07/20/16 21:31
Total Radium	Total Radium Calculation	0.895 ± 0.660 (1.18)	pCi/L	07/26/16 14:16

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

QUALITY CONTROL - RADIOCHEMISTRY

Project: Plant McIntosh

Pace Project No.: 30187586

QC Batch: 225791 Analysis Method: EPA 9315
QC Batch Method: EPA 9315 Analysis Description: 9315 Total Radium
Associated Lab Samples: 30187586001, 30187586002, 30187586003, 30187586004, 30187586005, 30187586006, 30187586007,
30187586008, 30187586009, 30187586010

METHOD BLANK: 1106280 Matrix: Water

Associated Lab Samples: 30187586001, 30187586002, 30187586003, 30187586004, 30187586005, 30187586006, 30187586007,
30187586008, 30187586009, 30187586010

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.0524 ± 0.0727 (0.154) C:99% T:NA	pCi/L	07/25/16 07:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

QUALITY CONTROL - RADIOCHEMISTRY

Project: Plant McIntosh

Pace Project No.: 30187586

QC Batch: 226180 Analysis Method: EPA 9320
QC Batch Method: EPA 9320 Analysis Description: 9320 Radium 228
Associated Lab Samples: 30187586001, 30187586002, 30187586003, 30187586004, 30187586005, 30187586006, 30187586007,
30187586008, 30187586009, 30187586010

METHOD BLANK: 1107959 Matrix: Water

Associated Lab Samples: 30187586001, 30187586002, 30187586003, 30187586004, 30187586005, 30187586006, 30187586007,
30187586008, 30187586009, 30187586010

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.848 ± 0.398 (0.649) C:85% T:72%	pCi/L	07/20/16 21:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Plant McIntosh

Pace Project No.: 30187586

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Act - Activity

Unc - Uncertainty: SDWA = 1.96 sigma count uncertainty, all other matrices = Expanded Uncertainty (95% confidence interval).

Gamma Spec = Expanded Uncertainty (95.4% Confidence Interval)

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Sample Condition Upon Receipt Pittsburgh



Client Name: Georgia Power

Project # 30187586

Courier: FedEx UPS USPS Client Commercial Pace Other _____

Tracking #: 775685464034

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Thermometer Used N/A Type of Ice: Wet Blue None

Cooler Temperature Observed Temp N/A °C Correction Factor: N/A °C Final Temp: N/A °C

Temp should be above freezing to 6°C

Date and Initials of person examining contents: KH 6/23/16

Comments:	Yes	No	N/A	
Chain of Custody Present:	✓			1.
Chain of Custody Filled Out:	✓			2.
Chain of Custody Relinquished:	✓			3.
Sampler Name & Signature on COC:	✓			4.
Sample Labels match COC:	✓			5.
-Includes date/time/ID/Analysis Matrix:	<u>W+</u>			
Samples Arrived within Hold Time:	✓			6.
Short Hold Time Analysis (<72hr remaining):		✓		7.
Rush Turn Around Time Requested:		✓		8.
Sufficient Volume:	✓			9.
Correct Containers Used:	✓			10.
-Pace Containers Used:		✓		
Containers Intact:	✓			11.
Filtered volume received for Dissolved tests		✓		12.
All containers needing preservation have been checked.	✓			13.
All containers needing preservation are found to be in compliance with EPA recommendation.	✓			
exceptions: VOA, coliform, TOC, O&G, Phenolics				Initial when completed <u>KH</u> Date/time of preservation
Headspace in VOA Vials (>6mm):			✓	14.
Trip Blank Present:			✓	15.
Trip Blank Custody Seals Present			✓	

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____ Contacted By: _____

Comments/ Resolution: _____

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)



Quality Control Sample Performance Assessment

Analyst Must Manually Enter All Fields Highlighted in Yellow.

Test:	Ra-226
Analyst:	RMK
Date:	7/16/2016
Worklist:	30293
Matrix:	DW
Method Blank Assessment	
MB Sample ID	1106280
MB Concentration:	0.052
M/B Counting Uncertainty:	0.072
MB MDC:	0.154
MB Numerical Performance Indicator:	1.42
MB Status vs. Numerical Indicator:	N/A
MSD Status vs. MDC:	Pass
Laboratory Control Sample Assessment	
LCSD (Y or N)?	Y
LCSD ID:	LCS30293
Count Date:	7/26/2016
Spike I.D.:	16-001
Spike Concentration (pCi/mL):	47.784
Volume Used (mL):	0.10
Aliquot Volume (L, g, F):	0.500
Target Conc. (pCi/L, g, F):	9.548
Uncertainty (Calculated):	0.449
Result (pCi/L, g, F):	7.234
LCS/LCSD Counting Uncertainty (pCi/L, g, F):	0.567
Numerical Performance Indicator:	-6.217
Percent Recovery:	5.67
Status vs. Numerical Indicator:	76.77%
Status vs. Recovery:	N/A
	Pass
Duplicate Sample Assessment	
Sample I.D.:	LCS30293
Duplicate Sample I.D.:	LCS30293
Sample Result (pCi/L, g, F):	7.234
Sample Result Counting Uncertainty (pCi/L, g, F):	0.567
Sample Duplicate Result (pCi/L, g, F):	7.450
Sample Duplicate Result Counting Uncertainty (pCi/L, g, F):	0.572
Are sample and/or duplicate results below MDC?	NO
Duplicate Numerical Performance Indicator:	-0.325
Duplicate RPD:	2.94%
Duplicate Status vs. Numerical Indicator:	N/A
Duplicate Status vs. RPD:	Pass

Sample Matrix Spike Control Assessment	
Sample Collection Date:	7/26/2016
Sample I.D.:	Sample MS I.D.
Sample MSD I.D.:	Sample MSD I.D.
Spike I.D.:	Sample I.D.:
MS/MSD Decay Corrected Spike Concentration (pCi/mL):	Sample Matrix Spike Concentration (pCi/mL)
Spike Volume Used in MS (mL):	Sample Volume Used in MS (mL)
Spike Volume Used in MSD (mL):	Sample Matrix Spike Duplicate Result:
MS Aliquot (L, g, F):	Sample Matrix Spike Duplicate Result:
MS Target Conc. (pCi/L, g, F):	Sample Matrix Spike Duplicate Result:
MSD Aliquot (L, g, F):	MSD Numerical Performance Indicator:
MSD Target Conc. (pCi/L, g, F):	MS Percent Recovery:
Spike uncertainty (calculated):	MSD Percent Recovery:
	MS Status vs. Numerical Indicator:
	MS Status vs. Recovery:
Matrix Spike/Matrix Spike Duplicate Sample Assessment	
Sample I.D.:	Sample I.D.
Sample MS I.D.:	Sample MS I.D.
Sample MSD I.D.:	Sample MSD I.D.
Sample Matrix Spike Result:	Sample Matrix Spike Result:
Sample Matrix Spike Counting Uncertainty (pCi/L, g, F):	Sample Matrix Spike Duplicate Result:
Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):	Sample Matrix Spike Duplicate Result:
MS Numerical Performance Indicator:	MSD Numerical Performance Indicator:
MS Percent Recovery:	MSD Percent Recovery:
MS Status vs. Numerical Indicator:	MS Status vs. Numerical Indicator:
MS Status vs. Recovery:	MS Status vs. Recovery:

Evaluation of duplicate precision is not applicable if either the sample or duplicate results are below the MDC.

Comments:

UPM 7/26/16



Quality Control Sample Performance Assessment

Analyist Must Manually Enter All Fields Highlighted in Yellow.

Method Blank Assessment		Sample Matrix Spike Control Assessment	
MB Sample ID:	Ra-228	Sample I.D.:	Sample Collection Date:
Analyst:	JLW	Sample I.D.:	Sample I.D.
Date:	7/18/2016	Sample I.D.:	Sample MSD I.D.
Worklist:	30339	Spike I.D.:	Sample MSD I.D.
Matrix:	DW	MS/MSD Decay Corrected Spike Concentration (pCi/ml):	
		Spike Volume Used in MS (mL):	
		Spike Volume Used in MSD (mL):	
		MS Aliquot (L, g, F):	
		MS Target Conc.(pCi/L, g, F):	
		MSD Aliquot (L, g, F):	
		MSD Target Conc. (pCi/L, g, F):	
		Spike uncertainty (calculated):	
		Sample Result:	
		Sample Result Counting Uncertainty (pCi/L, g, F):	
		Sample Matrix Spike Result:	
		Matrix Spike Result Counting Uncertainty (pCi/L, g, F):	
		Sample Matrix Spike Duplicate Result:	
		Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):	
		MS Numerical Performance Indicator:	
		MSD Numerical Performance Indicator:	
		MS Percent Recovery:	
		MS Status vs Numerical Indicator:	
		MS Status vs Recovery:	
		MSD Status vs Numerical Indicator:	
		MS Status vs Recovery:	
		MSD Status vs Recovery:	
Laboratory Control Sample Assessment		Matrix Spike/Matrix Spike Duplicate Sample Assessment	
LCSD (Y or N)?	Y	LCSD30339	Sample I.D.:
LCSD Date:	7/25/2016	7/25/2016	Sample I.D.
Spike I.D.:	16-025	16-025	Sample MS I.D.
Spike Concentration (pCi/ml):	26.111	26.111	Sample Matrix Spike Result:
Volume Used (mL):	0.20	0.20	Matrix Spike Result Counting Uncertainty (pCi/L, g, F):
Aliquot Volume (L, g, F):	0.806	0.813	Sample Matrix Spike Duplicate Result:
Target Conc. (pCi/L, g, F):	6.479	6.427	Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):
Uncertainty (Calculated):	0.466	0.463	MS Numerical Performance Indicator:
Result (pCi/L, g, F):	7.197	6.623	MSD Numerical Performance Indicator:
LCSD/LCSD Counting Uncertainty (pCi/L, g, F):	0.808	0.731	MS Percent Recovery:
Numerical Performance Indicator:	1.51	0.44	MS Status vs Numerical Indicator:
Percent Recovery:	111.09%	103.04%	MS Status vs Recovery:
Status vs Numerical Indicator:	N/A	N/A	MSD Status vs Numerical Indicator:
Status vs Recovery:	Pass	Pass	MSD Status vs Recovery:
Duplicate Sample Assessment		Matrix Spike/Matrix Spike Duplicate Sample Assessment	
Sample I.D.:	LCS30339	Enter Duplicate sample IDs if other than LCS/LCSD in the space below.	Sample I.D.:
Duplicate Sample I.D.:	LCS30339		Sample MS I.D.
Sample Result Counting Uncertainty (pCi/L, g, F):	7.197		Sample Matrix Spike Result:
Sample Duplicate Result Counting Uncertainty (pCi/L, g, F):	0.808		Matrix Spike Result Counting Uncertainty (pCi/L, g, F):
Sample Duplicate Result Counting Uncertainty (pCi/L, g, F):	6.623		Sample Matrix Spike Duplicate Result:
Are sample and/or duplicate results below MDC?	0.731		Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):
Duplicate Numerical Performance Indicator:	NO		Duplicate Numerical Performance Indicator:
Duplicate RPD:	1.034		MS/MSD Duplicate RPD:
Duplicate Status vs Numerical Indicator:	8.32%		MS/MSD Duplicate Status vs Numerical Indicator:
Duplicate Status vs RPD:	N/A		MS/MSD Duplicate Status vs RPD:
# ^a Evaluation of duplicate precision is not applicable if either the sample or duplicate results are below the MDC.			
Comments:			

Jan 12/6/16



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

July 25, 2016

Maria Padilla
GA Power
2480 Maner Rd
Atlanta, GA 30339

RE: Project: Plant McIntosh
Pace Project No.: 30187368

Dear Maria Padilla:

Enclosed are the analytical results for sample(s) received by the laboratory on June 22, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Report reissued 7/25/16 to reflect the addition of the missing 226 QC in the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that appears to read "Jacquelyn Collins".

Jacquelyn Collins
jacquelyn.collins@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Plant McIntosh
Pace Project No.: 30187368

Pennsylvania Certification IDs

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601
L-A-B DOD-ELAP Accreditation #: L2417
Alabama Certification #: 41590
Arizona Certification #: AZ0734
Arkansas Certification
California Certification #: 04222CA
Colorado Certification
Connecticut Certification #: PH-0694
Delaware Certification
Florida/TNI Certification #: E87683
Georgia Certification #: C040
Guam Certification
Hawaii Certification
Idaho Certification
Illinois Certification
Indiana Certification
Iowa Certification #: 391
Kansas/TNI Certification #: E-10358
Kentucky Certification #: 90133
Louisiana DHH/TNI Certification #: LA140008
Louisiana DEQ/TNI Certification #: 4086
Maine Certification #: PA00091
Maryland Certification #: 308
Massachusetts Certification #: M-PA1457
Michigan/PADEP Certification
Missouri Certification #: 235

Montana Certification #: Cert 0082
Nebraska Certification #: NE-05-29-14
Nevada Certification #: PA014572015-1
New Hampshire/TNI Certification #: 2976
New Jersey/TNI Certification #: PA 051
New Mexico Certification #: PA01457
New York/TNI Certification #: 10888
North Carolina Certification #: 42706
North Dakota Certification #: R-190
Oregon/TNI Certification #: PA200002
Pennsylvania/TNI Certification #: 65-00282
Puerto Rico Certification #: PA01457
Rhode Island Certification #: 65-00282
South Dakota Certification
Tennessee Certification #: TN2867
Texas/TNI Certification #: T104704188-14-8
Utah/TNI Certification #: PA014572015-5
USDA Soil Permit #: P330-14-00213
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 460198
Washington Certification #: C868
West Virginia DEP Certification #: 143
West Virginia DHHR Certification #: 9964C
Wisconsin Certification
Wyoming Certification #: 8TMS-L

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Plant McIntosh
Pace Project No.: 30187368

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30187368001	MGWA-10	Water	06/20/16 14:50	06/22/16 10:00
30187368002	MGWA-5	Water	06/20/16 14:45	06/22/16 10:00
30187368003	MGWA-11	Water	06/20/16 16:49	06/22/16 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Plant McIntosh
 Pace Project No.: 30187368

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30187368001	MGWA-10	EPA 9315	RMK	1
		EPA 9320	JLW	1
30187368002	MGWA-5	Total Radium Calculation	RMK	1
		EPA 9315	RMK	1
30187368003	MGWA-11	EPA 9320	JLW	1
		Total Radium Calculation	RMK	1
		EPA 9315	RMK	1
		EPA 9320	JLW	1
		Total Radium Calculation	RMK	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: Plant McIntosh
 Pace Project No.: 30187368

Sample: MGWA-10		Lab ID: 30187368001	Collected: 06/20/16 14:50	Received: 06/22/16 10:00	Matrix: Water
PWS:		Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.
Radium-226	EPA 9315	0.430 ± 0.209 (0.298) C:96% T:NA	pCi/L	07/19/16 12:39	13982-63-3
Radium-228	EPA 9320	-0.125 ± 0.232 (0.570) C:79% T:87%	pCi/L	07/15/16 12:30	15262-20-1
Total Radium	Total Radium Calculation	0.305 ± 0.441 (0.868)	pCi/L	07/19/16 16:26	7440-14-4
Sample: MGWA-5		Lab ID: 30187368002	Collected: 06/20/16 14:45	Received: 06/22/16 10:00	Matrix: Water
PWS:		Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.
Radium-226	EPA 9315	0.0652 ± 0.142 (0.324) C:95% T:NA	pCi/L	07/19/16 12:39	13982-63-3
Radium-228	EPA 9320	0.119 ± 0.261 (0.573) C:78% T:86%	pCi/L	07/15/16 12:30	15262-20-1
Total Radium	Total Radium Calculation	0.184 ± 0.403 (0.897)	pCi/L	07/19/16 16:26	7440-14-4
Sample: MGWA-11		Lab ID: 30187368003	Collected: 06/20/16 16:49	Received: 06/22/16 10:00	Matrix: Water
PWS:		Site ID:	Sample Type:		
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.
Radium-226	EPA 9315	0.271 ± 0.185 (0.315) C:96% T:NA	pCi/L	07/19/16 12:40	13982-63-3
Radium-228	EPA 9320	0.285 ± 0.349 (0.732) C:78% T:85%	pCi/L	07/15/16 12:39	15262-20-1
Total Radium	Total Radium Calculation	0.556 ± 0.534 (1.05)	pCi/L	07/19/16 16:26	7440-14-4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

QUALITY CONTROL - RADIOCHEMISTRY

Project: Plant McIntosh

Pace Project No.: 30187368

QC Batch: 225790 Analysis Method: EPA 9315
QC Batch Method: EPA 9315 Analysis Description: 9315 Total Radium
Associated Lab Samples: 30187368001, 30187368002, 30187368003

METHOD BLANK: 1106279 Matrix: Water

Associated Lab Samples: 30187368001, 30187368002, 30187368003

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.208 ± 0.157 (0.268) C:97% T:NA	pCi/L	07/19/16 06:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-5600

QUALITY CONTROL - RADIOCHEMISTRY

Project: Plant McIntosh

Pace Project No.: 30187368

QC Batch: 225698 Analysis Method: EPA 9320
QC Batch Method: EPA 9320 Analysis Description: 9320 Radium 228
Associated Lab Samples: 30187368001, 30187368002, 30187368003

METHOD BLANK: 1105643 Matrix: Water

Associated Lab Samples: 30187368001, 30187368002, 30187368003

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.284 ± 0.296 (0.604) C:79% T:79%	pCi/L	07/15/16 12:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Plant McIntosh

Pace Project No.: 30187368

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Act - Activity

Unc - Uncertainty: SDWA = 1.96 sigma count uncertainty, all other matrices = Expanded Uncertainty (95% confidence interval).

Gamma Spec = Expanded Uncertainty (95.4% Confidence Interval)

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Sample Condition Upon Receipt Pittsburgh



Client Name: GA Power Project #

30187368

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: 7765 7425 9246

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Thermometer Used N/A Type of Ice: Wet Blue None

Cooler Temperature Observed Temp N/A °C Correction Factor: N/A °C Final Temp: N/A °C

Temp should be above freezing to 6°C

Date and Initials of person examining contents: RTB 6/22/16

Comments:	Yes	No	N/A	
Chain of Custody Present:	X			1.
Chain of Custody Filled Out:	X			2.
Chain of Custody Relinquished:	X			3.
Sampler Name & Signature on COC:	X			4.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	X			5. VT
Samples Arrived within Hold Time:	X			6.
Short Hold Time Analysis (<72hr remaining):		X		7.
Rush Turn Around Time Requested:		X		8.
Sufficient Volume:	X			9.
Correct Containers Used: -Pace Containers Used:	X			10. X
Containers Intact:	X			11.
Filtered volume received for Dissolved tests		X		12.
All containers needing preservation have been checked.	X			13. X pH<2
All containers needing preservation are found to be in compliance with EPA recommendation.				
exceptions: VOA, coliform, TOC, O&G, Phenolics				Initial when completed <u>6/22/16</u> Date/time of preservation <u>RTB</u>
Headspace in VOA Vials (>6mm):		X		14.
Trip Blank Present:		X		15.
Trip Blank Custody Seals Present		X		

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____ Contacted By: _____

Comments/ Resolution: _____

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Quality Control Sample Performance Assessment

Analyst Must Manually Enter All Fields Highlighted in Yellow.

Test:	Ra-226	Sample Matrix Spike Control Assessment
Analyst:	RMK	Sample Collection Date:
Date:	7/10/2016	Sample I.D.:
Worklist:	30292	Sample MS I.D.:
Matrix:	DW	Spike I.D.:
Method Blank Assessment		
MB Sample ID:	1106279	MS/MSD Decay Corrected Spike Concentration (pCi/mL):
MB concentration:	0.208	Spike Volume Used in MS (mL):
M/B Counting Uncertainty:	0.154	Spike Volume Used in MSD (mL):
MB MDC:	0.268	MS Aliquot (L, g, F):
MB Numerical Performance Indicator:	2.65	MS Target Conc. (pCi/L, g, F):
MB Status vs Numerical Indicator:	N/A	MSD Aliquot (L, g, F):
MB Status vs MDC:	Pass	MSD Target Conc. (pCi/L, g, F):
Laboratory Control Sample Assessment		
LCSD (Y or N)?	Y	Spike uncertainty (calculated):
LCSD030292	LCSD030292	Sample Result:
7/19/2016	7/19/2016	Sample Result Counting Uncertainty (pCi/L, g, F):
Count Date:	16-001	Sample Matrix Spike Result:
Spike I.D.:	47.784	Matrix Spike Result Counting Uncertainty (pCi/L, g, F):
Spike Concentration (pCi/mL):	0.10	Sample Matrix Spike Duplicate Result:
Volume Used (mL):	0.500	Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):
Aliquot Volume (L, g, F):	0.500	MS Numerical Performance Indicator:
Target Conc. (pCi/L, g, F):	9.548	MSD Numerical Performance Indicator:
Uncertainty (Calculated):	0.449	MS Percent Recovery:
Result (pCi/L, g, F):	7.407	MSD Percent Recovery:
LCS/LCSD Counting Uncertainty (pCi/L, g, F):	0.702	MS Status vs Numerical Indicator:
Numerical Performance Indicator:	-5.10	MSD Status vs Numerical Indicator:
Percent Recovery:	77.57%	MS Status vs Recovery:
Status vs Numerical Indicator:	N/A	MSD Status vs Recovery:
Status vs Recovery:	Pass	

Matrix Spike/Matrix Spike Duplicate Sample Assessment		
Sample I.D.:	LCSD030292	Sample I.D.:
Duplicate Sample ID:	LCSD030292	Sample MS I.D.:
Sample Result (pCi/L, g, F):	7.407	Spike I.D.:
Sample Result Counting Uncertainty (pCi/L - g, F):	0.702	Sample Matrix Spike Result:
Sample Duplicate Result (pCi/L, g, F):	7.310	Matrix Spike Result Counting Uncertainty (pCi/L, g, F):
Sample Duplicate Result Counting Uncertainty (pCi/L, g, F):	0.736	Sample Matrix Spike Duplicate Result:
Are sample and/or duplicate results below MDC?	NO	Matrix Spike Duplicate Result Counting Uncertainty (pCi/L, g, F):
Duplicate Numerical Performance Indicator:	0.186	Duplicate Numerical Performance Indicator:
Duplicate RPD:	1.31%	MS/MSD Duplicate RPD:
Duplicate Status vs Numerical Indicator:	N/A	MS/MSD Duplicate Status vs Numerical Indicator:
Duplicate Status vs RPD:	Pass	MS/MSD Duplicate Status vs RPD:

Evaluation of duplicate precision is not applicable if either the sample or duplicate results are below the MDC.

Comments:



GROUNDWATER SAMPLING LOG SHEET

Client: Ga Power
 Site: Plant McIntosh
 Well ID: MGWA-05
 Total Depth (ft)¹: 63.09 / 61.91 after sampling
 Depth to Water (ft): 20.20
 Well Diameter (in): 21.
 Well Volume (gal) = 0.041d²h: 6.84
 Well Volume (L) = gal * 3.785: 25.89

d = well diameter (inches) h = length of water column (feet)

Well Type: Flush Stick Up
 Well Lock: Yes No
 Well Bolted: Yes No Bolts Needed:
 Well Cap Condition: Good Replace Other
 Well Tag Present: Yes No Water in Vault: Yes No

Project No.: 337351
 Location: Rincon, Ga
 Pump Type/Model: Proactive Ariesis v2.0
 Tubing Material: LDPE
 Pump Intake Depth (ft): 55' (TD unsure - 63' or 58?)
 Start/Stop Purge Time: 1105 / 1550
 Purge Rate (L/min)²: 100 0.1
 Total Purge Volume (L): 32
 Purge Method: Low Flow Well Volume Other: _____
 Sampling Method: Pump Discharge Other: _____

Sampling Date: 5/5/16
 Sampler's Name: A. Reimer
 Sample Collection Time: 1330
 Sample Purge Rate (L/min)³: ~100
 Sample ID: MGWA-05
 Laboratory Analyses: metals, Ba 226/228, EPA 300, TDS SM2540C
 QA/QC Collected? No
 QA/QC I.D.: _____

Time	Temp. (°C)	Spec. Cond. (mS/cm) (μ S/cm)	DO (mg/L) (μ g/L)	pH (SU)	ORP (mV)	Turbidity (NTUs)	Purge Rate (mL/min)	Purged Volume (L)	H ₂ O Depth (ft btoc)	Notes (Purge method, water clarity, odor, purge rate, issues with pump/well/weather/etc.)
1510	24.34	326.60	7.62	7.40	-53	2.83	100	0.5	20.54	
1515	23.22	343.40	0.78	7.85	-19.80	2.71	100	1	20.86	
1520	-	-	-	-	-	2.41	100	1.5	21.03	smarttroll missed reading
1525	22.90	346.60	0.44	7.90	-1582	1.85	100	2	21.13	
1530	23.07	347.60	0.37	7.90	-191.80	1.90	100	2.5	21.18	
1535	-	-	0.37	7.90	-149.73	1.79	~100	3	21.18	ORP = 179.93
1540	22.67	251.10	0.34	7.88	-185.20	1.12	~100	3.5	21.18	
1545	22.90	250.36	0.33	7.90	-186.46	0.96	~80	4	21.18	
sample time 1550										

Product Name: Low-Flow System

Date: 2016-05-05 17:06:17

Project Information:

Operator Name N. Vrey
 Company Name ERM
 Project Name Plant McIntosh AP
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model HANNA HI98703

Pump Information:

Pump Model/Type proactive Alexis V2
 Tubing Type LPDE
 Tubing Diameter 0.17 in
 Tubing Length 42 ft

Pump placement from TOC 36 ft

Well Information:

Well ID MGWA-06
 Well diameter 2 in
 Well Total Depth 41.93 ft
 Screen Length 10 ft
 Depth to Water 16.50 ft

Pumping Information:

Final Pumping Rate 0.1 mL/min
 Total System Volume 0.2774638 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 0 in
 Total Volume Pumped 5.1 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	16:42:16	600.02	21.47	7.13	401.53	0.92	16.67	0.88	-36.79
Last 5	16:47:16	900.02	21.29	7.13	489.83	1.14	16.67	1.30	-38.07
Last 5	16:52:16	1200.02	21.08	7.13	490.53	0.97	16.67	0.98	-37.61
Last 5	16:57:16	1500.02	22.04	7.13	494.74	0.65	16.67	0.82	-38.55
Last 5	17:02:16	1800.02	22.89	7.13	487.34	0.90	16.67	0.81	-42.88
Variance 0		-0.20	-0.00		0.69			-0.31	0.45
Variance 1		0.96	-0.00		4.21			-0.17	-0.94
Variance 2		0.85	0.00		-7.40			-0.01	-4.33

Notes

Continued from previous screen went blank on iPad
 Start purge: 1606. End purge 1657. Sample 1730

Grab Samples

Product Name: Low-Flow System

Date: 2016-05-05 12:44:34

Project Information:

Operator Name Adria Reimer
 Company Name ERM
 Project Name Plant McIntosh AP
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444108
 Turbidity Make/Model

Pump Information:

Pump Model/Type Proactive Alexis V2.0 Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 45 ft

Pump placement from TOC 38 ft

Well Information:

Well ID MGWA-09
 Well diameter 2 in
 Well Total Depth 43.05 ft
 Screen Length 10 ft
 Depth to Water 18.23 ft

Pumping Information:

Final Pumping Rate 100 mL/min
 Total System Volume 0.540854 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 2.76 in
 Total Volume Pumped 7.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 0.5		+/- 0.2	+/- 100
Last 5	12:18:16	3300.00	21.06	9.84	154.74	0.58	18.46	4.25	44.15
Last 5	12:23:16	3600.00	21.10	9.87	154.33	0.75	18.46	4.15	43.19
Last 5	12:28:16	3900.00	20.92	9.82	162.54	0.37	18.46	4.10	43.58
Last 5	12:33:16	4200.00	21.02	9.84	158.91	0.35	18.46	4.06	42.65
Last 5	12:38:17	4501.00	20.97	9.85	162.57	0.28	18.46	4.11	43.36
Variance 0		-0.18	-0.05		8.21			-0.05	0.39
Variance 1		0.09	0.02		-3.63			-0.04	-0.93
Variance 2		-0.04	0.01		3.66			0.05	0.71

Notes

Start time 11:23

Sample at 12:44; clear ~65 degrees

Grab Samples

MGWA-09

Low Flow

Product Name: Low-Flow System

Date: 2016-05-05 13:12:14

Project Information:

Operator Name N. Vrey
 Company Name ERM
 Project Name Plant McIntosh
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Proactive Alexis V 2.0
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 53 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 53.09 ft
 Screen Length 10 ft
 Depth to Water 16.03 ft

Pumping Information:

Final Pumping Rate 0.1 mL/min
 Total System Volume 0.3265614 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 19.9 in
 Total Volume Pumped 13.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	12:47:27	6899.95	23.25	5.92	92.18	0.29	18.20	1.65	123.19
Last 5	12:52:27	7199.96	23.88	5.92	94.97	0.73	18.20	2.02	122.66
Last 5	12:57:27	7499.90	23.06	5.91	94.26	--	--	1.80	125.39
Last 5	13:02:27	7799.90	23.92	5.92	95.07	--	--	1.64	123.58
Last 5	13:07:27	8099.90	23.26	5.94	93.56	--	--	1.83	124.33
Variance 0		-0.82	-0.01		-0.71			-0.22	2.73
Variance 1		0.86	0.01		0.82			-0.16	-1.81
Variance 2		-0.66	0.01		-1.51			0.18	0.74

Notes

Start time 1052

Start purge: 1052. Stop purge 1307. Sample: 1330

Grab Samples

Product Name: Low-Flow System

Date: 2016-05-06 09:54:29

Project Information:

Operator Name Will Virgo
Company Name ERM
Project Name Plant McIntosh AP
Site Name Plant McIntosh AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 365491
Turbidity Make/Model

Pump Information:

Pump Model/Type Proactive
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 60 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-01
Well diameter 2 in
Well Total Depth 56.08 ft
Screen Length 10 ft
Depth to Water 35.42 ft

Pumping Information:

Final Pumping Rate 100 mL/min
Total System Volume 0.6078054 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 0 in
Total Volume Pumped 11 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:31:09	5405.94	19.03	6.62	535.02	5.63	36.85	0.36	-35.06
Last 5	09:36:09	5705.94	19.41	6.63	537.97	5.73	36.85	0.35	-36.24
Last 5	09:41:09	6005.94	19.36	6.63	541.10	4.92	36.85	0.35	-36.66
Last 5	09:46:09	6305.94	19.78	6.64	542.16	4.79	36.85	0.35	-37.66
Last 5	09:51:09	6605.94	19.95	6.64	544.42	4.26	36.85	0.34	-38.19
Variance 0		-0.04	0.01		3.13			-0.00	-0.41
Variance 1			0.41	0.01	1.05			0.00	-1.01
Variance 2			0.17	-0.00	2.26			-0.01	-0.53

Notes

Well stable @ 0951

Grab Samples

MGWC-01

Sample time: 09:56

Product Name: Low-Flow System

Date: 2016-05-06 10:31:12

Project Information:

Operator Name Adria Reimer
Company Name ERM
Project Name Plant McIntosh AP
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Proactive Alexis V2.0 Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 38 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-02
Well diameter 2 in
Well Total Depth 37.3 ft
Screen Length 10 ft
Depth to Water 19.44 ft

Pumping Information:

Final Pumping Rate 100 mL/min
Total System Volume 0.5096101 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 7.2 in
Total Volume Pumped 4.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 0.5		+/- 10%	+/- 100
Last 5	08:57:30	1499.99	17.50	7.41	824.73	2.76	20.04	0.38	8.61
Last 5	09:02:30	1799.99	17.80	7.41	824.51	2.32	20.04	0.43	6.08
Last 5	09:07:30	2100.00	17.94	7.41	822.86	4.03	20.00	0.48	8.29
Last 5	09:12:30	2399.99	17.86	7.41	825.19	2.58	20.04	0.48	5.88
Last 5	09:22:30	2999.99	17.99	7.41	819.26	--	--	0.50	5.36
Variance 0			0.14	0.00	-1.65			0.05	2.21
Variance 1			-0.09	-0.00	2.33			0.00	-2.41
Variance 2			0.13	0.00	-5.94			0.02	-0.51

Notes

Start at 8:32
Sample at 9:25

Grab Samples

Product Name: Low-Flow System

Date: 2016-05-06 08:59:20

Project Information:

Operator Name N. Vrey
 Company Name ERM
 Project Name Plant McIntosh
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Proactive Alexis V 2.0
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 37.5 ft

Pump placement from TOC 33.5 ft

Well Information:

Well ID MGWC-03
 Well diameter 2 in
 Well Total Depth 38.74 ft
 Screen Length 10 ft
 Depth to Water 15.12 ft

Pumping Information:

Final Pumping Rate 0.1 mL/min
 Total System Volume 0.2573784 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 1 in
 Total Volume Pumped 3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization		+/- 10	+/- 0.1		+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	08:35:01	600.01	15.79	6.81	519.76	0.89	15.31	1.21	90.38
Last 5	08:40:01	900.01	16.38	6.82	513.99	1.02	15.31	0.74	63.15
Last 5	08:45:01	1200.01	16.74	6.84	514.25	0.91	15.32	0.60	49.44
Last 5	08:50:01	1500.01	16.92	6.84	511.99	0.93	15.33	0.55	45.28
Last 5	08:55:01	1800.01	17.00	6.85	512.96	0.61	15.33	0.48	40.38
Variance 0		0.36	0.01		0.27			-0.14	-13.70
Variance 1		0.18	0.00		-2.26			-0.05	-4.16
Variance 2		0.09	0.02		0.97			-0.07	-4.90

Notes

Start purging at 08:25
 Start purge: 0825. Stop purge: 08:55. Sample: 0930

Grab Samples

Product Name: Low-Flow System

Date: 2016-05-05 18:57:28

Project Information:

Operator Name Adria Reimer
Company Name ERM
Project Name Plant McIntosh AP
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model

Pump Information:

Pump Model/Type Proactive Alexis V2.0 Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 50 ft

Pump placement from TOC 37 ft

Well Information:

Well ID MGWC-07
Well diameter 2 in
Well Total Depth 42.2 ft
Screen Length 10 ft
Depth to Water 17.89 ft

Pumping Information:

Final Pumping Rate 100 mL/min
Total System Volume 0.5631711 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 3.72 in
Total Volume Pumped 3.3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 0.5		+/- 10%	+/- 100
Last 5	18:28:07	600.02	20.42	7.83	451.59	0.86	18.18	5.95	86.33
Last 5	18:33:07	900.02	20.29	7.79	450.60	0.69	18.20	5.70	86.23
Last 5	18:38:07	1200.02	20.30	7.86	452.72	0.71	18.20	5.92	84.47
Last 5	18:43:07	1500.02	20.35	7.79	453.36	0.76	18.20	5.87	83.86
Last 5	18:48:07	1800.02	20.31	7.81	453.28	0.67	18.20	5.87	83.05
Variance 0			0.01	0.07	2.13			0.22	-1.76
Variance 1			0.05	-0.07	0.63			-0.05	-0.61
Variance 2			-0.04	0.02	-0.08			0.01	-0.81

Notes

Sample at 1852. Field blank collected here.

Grab Samples
MGWC-07
Low flow

Product Name: Low-Flow System

Date: 2016-05-05 17:24:45

Project Information:

Operator Name Will Virgo
 Company Name ERM
 Project Name Plant McIntosh AP
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 365491
 Turbidity Make/Model

Pump Information:

Pump Model/Type GeoTech Bladder
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 52 ft

Pump placement from TOC 47 ft

Well Information:

Well ID MGWC-08
 Well diameter 2 in
 Well Total Depth 52.56 ft
 Screen Length 10 ft
 Depth to Water 28.09 ft

Pumping Information:

Final Pumping Rate 100 mL/min
 Total System Volume 0.572098 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 3 in
 Total Volume Pumped 15 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 100
Last 5	16:57:28	6610.98	21.91	5.65	351.54	3.11	28.15	0.77	89.82
Last 5	17:02:28	6911.01	21.81	5.65	369.62	2.95	28.25	0.55	77.10
Last 5	17:07:28	7210.94	21.90	5.89	420.04	2.98	28.15	0.29	44.02
Last 5	17:12:31	7513.93	22.58	5.96	438.94	2.94	28.15	0.30	34.22
Last 5	17:17:31	7813.93	21.77	5.96	423.89	--	--	0.24	28.59
Variance 0		0.09	0.24		50.42			-0.26	-33.08
Variance 1		0.67	0.07		18.90			0.01	-9.80
Variance 2		-0.80	0.00		-15.05			-0.06	-5.63

Notes

Purge rate decreased @15:27 from 250 to 100 ml/min. Issues with pump @ 16:28. Lots of trouble getting well stable.

Grab Samples

MGWC-08

Sample Time: 17:22

Product Name: Low-Flow System

Date: 2016-06-20 14:42:15

Project Information:

Operator Name Amanda Stormer
Company Name ERM
Project Name McIntosh CCR
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model Hanna 98703

Pump Information:

Pump Model/Type peristaltic
Tubing Type polyethylene
Tubing Diameter 0.25 in
Tubing Length 57 ft

Pump placement from TOC 57 ft

Well Information:

Well ID MGWA-5
Well diameter 2 in
Well Total Depth 62 ft
Screen Length 10 ft
Depth to Water 19.64 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.6402057 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 0 in
Total Volume Pumped 0 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	14:19:31	300.08	26.88	7.61	245.55	5.25	19.93	0.60	-67.08
Last 5	14:24:31	600.02	26.85	7.61	242.01	4.46	20.16	0.47	-73.42
Last 5	14:29:31	900.02	26.24	7.60	242.85	4.30	20.24	0.36	-76.67
Last 5	14:34:31	1200.00	25.63	7.63	239.88	4.37	20.34	0.29	-77.54
Last 5	14:39:31	1500.00	25.08	7.63	243.32	3.93	20.35	0.28	-80.60
Variance 0			-0.62	-0.01	0.84			-0.11	-3.25
Variance 1			-0.60	0.02	-2.97			-0.08	-0.87
Variance 2			-0.55	-0.00	3.44			-0.01	-3.05

Notes

Grab Samples
MGWA-5

3 bottles: CCR and state; collected at 1445

Product Name: Low-Flow System

Date: 2016-06-21 08:45:54

Project Information:

Operator Name Myles Rogers
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 45 ft

Pump placement from TOC 37 ft

Well Information:

Well ID MGWA-6
 Well diameter 2 in
 Well Total Depth 42 ft
 Screen Length 10 ft
 Depth to Water 15.95 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.510854 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 4.7 in
 Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.2	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	08:23:54	1200.02	21.64	7.19	571.57	999.00	16.29	0.05	-162.82
Last 5	08:28:54	1500.02	21.73	7.28	517.17	58.10	16.29	0.19	-110.58
Last 5	08:33:54	1800.02	21.81	7.27	515.21	5.07	16.29	0.19	-93.33
Last 5	08:38:54	2100.02	21.86	7.26	520.70	4.44	16.29	0.18	-93.56
Last 5	08:43:54	2400.02	21.92	7.27	522.26	2.67	16.29	0.17	-94.03
Variance 0		0.08	-0.01		-1.95			0.00	17.26
Variance 1		0.05	-0.00		5.48			-0.01	-0.23
Variance 2		0.06	0.00		1.56			-0.00	-0.48

Notes

Water went very cloudy and dark at 824. Parameters stable. Sampling at 848

Grab Samples

MGWA-6

Sampling at 848

Product Name: Low-Flow System

Date: 2016-06-20 14:49:10

Project Information:

Operator Name Will Virgo
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft
 Pump placement from TOC 48 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 53 ft
 Screen Length 10 ft
 Depth to Water 15.49 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5854883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 54.48 in
 Total Volume Pumped 9 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 1000
Last 5	14:25:42	1500.02	23.11	5.83	89.33	1.18	19.37	1.63	152.84
Last 5	14:30:42	1800.01	23.03	5.84	91.51	1.21	19.62	1.51	148.92
Last 5	14:35:42	2100.04	23.01	5.84	92.36	1.01	19.80	1.45	147.43
Last 5	14:40:42	2400.02	22.73	5.84	93.63	1.07	19.93	1.39	142.98
Last 5	14:45:42	2700.01	23.12	5.84	93.57	1.05	20.03	1.34	142.62
Variance 0		-0.02	0.00		0.85			-0.06	-1.48
Variance 1		-0.27	0.00		1.27			-0.07	-4.45
Variance 2		0.38	0.00		-0.06			-0.04	-0.36

Notes

Purge started @ 1400. Purge rate 200 mL/min

Well parameters stable @ 1445. Well Sampled @ 1450. Sample rate 200mL/min

Grab Samples

MGWA-10

Sample Time: 1450

Product Name: Low-Flow System

Date: 2016-06-20 16:53:27

Project Information:

Operator Name Myles Rogers
Company Name ERM
Project Name Plant McIntosh CCR
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444107
Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 58 ft

Pump placement from TOC

51 ft

Well Information:

Well ID MGWA-11
Well diameter 2 in
Well Total Depth 56 ft
Screen Length 10 ft
Depth to Water 18.20 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.5588785 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 48 in
Total Volume Pumped 20 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.2	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	16:26:03	7501.99	24.02	7.84	283.78	6.33	18.60	1.06	-164.81
Last 5	16:31:03	7801.99	23.89	7.84	282.24	6.83	18.60	1.08	-165.07
Last 5	16:36:03	8101.96	23.84	7.85	281.09	4.59	18.60	1.10	-164.11
Last 5	16:41:03	8401.96	23.70	7.85	281.04	4.72	18.60	1.10	-164.37
Last 5	16:46:03	8701.96	24.02	7.85	281.73	4.17	18.60	1.11	-164.95
Variance 0		-0.06	0.01		-1.15			0.02	0.96
Variance 1		-0.13	0.00		-0.06			-0.00	-0.25
Variance 2		0.32	0.00		0.70			0.01	-0.58

Notes

Sampling at 1651. Dec purge rate to .1L at 1551

Grab Samples

HGWA-11
1651

Product Name: Low-Flow System

Date: 2016-06-21 12:30:20

Project Information:

Operator Name Will Virgo
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 60 ft
 Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56 ft
 Screen Length 10 ft
 Depth to Water 35.26 ft

Pumping Information:

Final Pumping Rate 400 mL/min
 Total System Volume 0.6078054 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 35.88 in
 Total Volume Pumped 38 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	12:06:35	7800.00	23.41	6.95	697.33	5.10	38.25	0.08	11.71
Last 5	12:11:35	8100.00	23.36	6.97	699.85	5.09	38.25	0.07	12.52
Last 5	12:16:35	8400.01	23.36	6.97	708.44	3.69	38.25	0.07	12.66
Last 5	12:21:35	8700.00	22.98	6.98	706.10	4.12	38.25	0.08	13.15
Last 5	12:26:35	9000.00	23.22	6.99	716.95	3.07	38.25	0.07	12.33
Variance 0		0.00	0.01		8.59			-0.00	0.14
Variance 1		-0.38	0.01		-2.33			0.00	0.49
Variance 2		0.24	0.01		10.85			-0.01	-0.83

Notes

Purge started @ 0956 200 ml/min

Turbidity problems. Increased rate to 400 ml/min and turbidity cleared. Stable @ 1226. Sampled @ 1230 @ 200 ml/min

Grab Samples

MGQC-1

Sample Time: 1230

Product Name: Low-Flow System

Date: 2016-06-21 11:19:43

Project Information:

Operator Name Amanda Stormer
 Company Name ERM
 Project Name McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444108
 Turbidity Make/Model Hanna 98703

Pump Information:

Pump Model/Type peristaltic
 Tubing Type polyethylene
 Tubing Diameter 0.25 in
 Tubing Length 32 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
 Well diameter 2 in
 Well Total Depth 37 ft
 Screen Length 10 ft
 Depth to Water 19.27 ft

Pumping Information:

Final Pumping Rate 150 mL/min
 Total System Volume 0.3988874 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 0 in
 Total Volume Pumped 0 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	10:56:58	1200.02	26.49	7.41	925.20	0.23	20.08	0.26	15.88
Last 5	11:01:58	1500.02	26.26	7.41	915.94	0.26	20.08	0.24	17.90
Last 5	11:06:58	1800.02	26.45	7.41	920.14	0.33	20.08	0.24	17.11
Last 5	11:11:58	2100.02	26.43	7.41	924.01	0.29	20.08	0.23	12.00
Last 5	11:16:58	2400.02	26.48	7.41	917.13	0.19	20.08	0.21	11.18
Variance 0		0.20	0.00		4.20			-0.01	-0.79
Variance 1		-0.02	-0.00		3.87			-0.01	-5.11
Variance 2		0.05	-0.00		-6.89			-0.02	-0.83

Notes

Grab Samples
 MGWC-2

3 bottles: CCR; collected at 1125

Product Name: Low-Flow System

Date: 2016-06-21 10:56:56

Project Information:

Operator Name Myles Rogers
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 41 ft

Pump placement from TOC 34 ft

Well Information:

Well ID MGWC-3
 Well diameter 2 in
 Well Total Depth 39 ft
 Screen Length 10 ft
 Depth to Water 14.60 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.4930004 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 5.8 in
 Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.2	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	10:40:32	300.09	22.49	7.00	589.73	4.04	15.15	0.32	14.21
Last 5	10:45:32	600.02	22.00	6.97	594.50	2.88	15.16	0.23	11.15
Last 5	10:50:32	900.02	21.82	6.97	597.90	2.35	15.18	0.20	9.01
Last 5	10:55:32	1200.02	21.93	6.98	598.12	1.70	15.18	0.18	5.39
Last 5									
Variance 0			-0.49	-0.02	4.77			-0.09	-3.06
Variance 1			-0.18	0.00	3.40			-0.03	-2.14
Variance 2			0.11	0.01	0.22			-0.02	-3.62

Notes

All parameters stable Sample at 1100

Grab Samples

MGWC-3

Sample at 1100

Product Name: Low-Flow System

Date: 2016-06-21 09:14:33

Project Information:

Operator Name Amanda Stormer
Company Name ERM
Project Name McIntosh CCR
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model Hanna 98703

Pump Information:

Pump Model/Type peristaltic
Tubing Type polyethylene
Tubing Diameter 0.25 in
Tubing Length 37 ft

Pump placement from TOC 37 ft

Well Information:

Well ID MGWC-7
Well diameter 2 in
Well Total Depth 42 ft
Screen Length 10 ft
Depth to Water 17.51 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.4471511 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 0.14 in
Total Volume Pumped 0 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	08:49:24	900.02	24.15	7.22	520.49	0.41	17.90	0.84	72.97
Last 5	08:54:24	1200.02	24.10	7.21	519.78	0.25	17.91	0.76	36.65
Last 5	08:59:24	1500.02	23.88	7.22	519.70	0.54	17.92	0.74	30.58
Last 5	09:04:24	1800.01	23.98	7.22	521.17	0.32	17.92	0.69	11.16
Last 5	09:09:24	2100.00	24.15	7.20	521.60	0.35	17.94	0.63	-0.83
Variance 0		-0.22	0.01	-0.08				-0.02	-6.07
Variance 1		0.10	-0.00	1.47				-0.05	-19.42
Variance 2		0.18	-0.02	0.43				-0.06	-11.99

Notes

Grab Samples
MGWC-7

3 bottles: CCR; collected samples at 0920

Product Name: Low-Flow System

Date: 2016-06-21 08:53:42

Project Information:

Operator Name Will Virgo
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type GeoTech Bladder
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft
 Pump placement from TOC 47 ft

Well Information:

Well ID MGWC-8
 Well diameter 2 in
 Well Total Depth 52 ft
 Screen Length 10 ft
 Depth to Water 27.74 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5854883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 3.5 in
 Total Volume Pumped 10 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 1000
Last 5	08:30:34	1800.02	22.20	5.38	351.08	4.99	28.03	0.21	136.86
Last 5	08:35:34	2100.02	22.40	6.00	452.63	2.75	28.03	0.22	67.54
Last 5	08:40:34	2400.02	22.58	5.98	442.32	1.98	28.03	0.31	66.47
Last 5	08:45:34	2700.02	22.65	6.00	443.45	1.75	28.03	0.26	63.91
Last 5	08:50:34	3000.02	22.73	6.00	446.95	1.70	28.03	0.24	61.63
Variance 0			0.18	-0.02	-10.31			0.09	-1.08
Variance 1			0.07	0.01	1.13			-0.05	-2.55
Variance 2			0.08	0.01	3.50			-0.02	-2.28

Notes

Purge started @ 0800. Purge rate:200 ml/min

PH and Cond spiked @ 0835, but stabilized around 6. Well stable @ 0850. Sampled @ 0855

Grab Samples

MGWC-8

Sample Time: 0855

Product Name: Low-Flow System

Date: 2016-06-21 12:54:05

Project Information:

Operator Name Myles Rogers
 Company Name ERM
 Project Name Plant McIntosh CCR
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 56 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWC-12
 Well diameter 2 in
 Well Total Depth 53 ft
 Screen Length 10 ft
 Depth to Water 22.80 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5599517 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 11.52 in
 Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.2	+/- 5%	+/- 5		+/- 0.2	+/- 1000
Last 5	12:32:52	600.02	24.55	7.59	278.61	6.31	23.74	0.27	-170.43
Last 5	12:37:52	900.02	24.39	7.58	280.28	5.18	23.75	0.23	-170.88
Last 5	12:42:52	1200.02	25.19	7.61	268.76	4.62	23.76	0.19	-177.24
Last 5	12:47:52	1500.02	24.74	7.60	267.38	4.32	23.76	0.18	-177.08
Last 5	12:52:52	1800.02	25.17	7.61	262.06	4.81	23.76	0.17	-177.53
Variance 0			0.80	0.02	-11.52			-0.03	-6.36
Variance 1			-0.45	-0.00	-1.38			-0.01	0.15
Variance 2			0.43	0.00	-5.32			-0.01	-0.44

Notes

All parameters stable Sample at 1256

Grab Samples

MGWC-12

Sample at 1256

Product Name: Low-Flow System

Date: 2016-08-15 13:19:50

Project Information:

Operator Name Prine
Company Name ERM
Project Name McIntosh
Site Name Default Site
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 450141
Turbidity Make/Model Hanna98703

Pump Information:

Pump Model/Type Alexia
Tubing Type poly
Tubing Diameter 0.17 in
Tubing Length 60 ft

Pump placement from TOC 53 ft

Well Information:

Well ID Mgwa-5
Well diameter 2 in
Well Total Depth 63.09 ft
Screen Length 10 ft
Depth to Water 21.25 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.3578054 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 11.04 in
Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 3%	+/- 10		+/- 0.3	+/- 10
Last 5	12:52:04	600.02	24.99	7.46	252.69	0.78	22.43	0.32	-100.69
Last 5	12:57:04	900.02	25.80	7.52	256.99	0.97	22.25	0.33	-118.00
Last 5	13:02:04	1200.02	25.73	7.52	261.78	0.39	22.15	0.30	-146.89
Last 5	13:07:04	1500.00	26.24	7.52	261.45	0.37	22.15	0.29	-152.14
Last 5	13:12:04	1800.00	25.69	7.54	258.34	0.43	22.17	0.28	-149.21
Variance 0		-0.07	0.00		4.79			-0.03	-28.89
Variance 1		0.51	0.01		-0.33			-0.01	-5.25
Variance 2		-0.55	0.01		-3.11			-0.01	2.93

Notes

Samples taken at 13:18

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-15 15:01:45

Project Information:

Operator Name Amanda Stormer
Company Name GPC
Project Name Plant McIntosh
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444107
Turbidity Make/Model Hanna HI 98703

Pump Information:

Pump Model/Type Pegasus peristaltic
Tubing Type poly
Tubing Diameter 0.175 in
Tubing Length 36.93 ft

Pump placement from TOC 36.93 ft

Well Information:

Well ID MGWA-6
Well diameter 2 in
Well Total Depth 41.93 ft
Screen Length 10 ft
Depth to Water 17.74 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.2646729 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 3.12 in
Total Volume Pumped 4.95 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 20
Last 5	14:38:17	300.08	29.06	7.03	546.06	0.85	18.00	0.29	-90.31
Last 5	14:43:17	600.01	28.82	7.03	539.92	1.17	18.00	0.26	-88.84
Last 5	14:48:17	900.01	28.69	7.04	534.20	1.19	18.00	0.23	-88.30
Last 5	14:53:17	1200.01	28.47	7.04	531.99	1.08	18.00	0.22	-86.77
Last 5	14:58:17	1500.01	28.59	7.04	535.74	1.11	18.00	0.21	-87.51
Variance 0		-0.13	0.00		-5.72			-0.03	0.54
Variance 1		-0.23	0.00		-2.21			-0.02	1.53
Variance 2		0.12	-0.00		3.75			-0.00	-0.74

Notes

Grab Samples
MGWA-6

3 bottles; samples collected at 1305

Product Name: Low-Flow System

Date: 2016-08-15 12:57:13

Project Information:

Operator Name Amanda Stormer
Company Name GPC
Project Name Plant McIntosh
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444107
Turbidity Make/Model Hanna HI 98703

Pump Information:

Pump Model/Type Pegasus peristaltic
Tubing Type poly
Tubing Diameter 0.175 in
Tubing Length 48.09 ft

Pump placement from TOC 48.09 ft

Well Information:

Well ID MGWA-10
Well diameter 2 in
Well Total Depth 53.09 ft
Screen Length 10 ft
Depth to Water 17.62 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.3174579 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 20.88 in
Total Volume Pumped 3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 20
Last 5	12:30:56	300.11	32.39	5.63	71.56	2.30	18.50	1.66	174.67
Last 5	12:35:56	600.02	31.00	5.62	75.98	0.95	18.77	1.65	169.60
Last 5	12:40:56	900.02	33.28	5.64	75.31	0.78	18.84	1.63	163.52
Last 5	12:45:56	1200.02	32.26	5.65	76.55	1.00	19.10	1.52	170.67
Last 5	12:50:56	1500.02	30.97	5.65	78.21	1.38	19.36	1.49	175.62
Variance 0		2.28	0.03	-0.67				-0.02	-6.08
Variance 1		-1.03	0.00	1.24				-0.11	7.15
Variance 2		-1.29	0.00	1.66				-0.03	4.95

Notes

Grab Samples
MGWA-10

3 bottles; samples collected at 1300

Product Name: Low-Flow System

Date: 2016-08-15 13:43:35

Project Information:

Operator Name Markevious Thomas
Company Name ERM
Project Name Georgia Power Company
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model HI 98703

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 60 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWA-11
Well diameter 2 in
Well Total Depth 56 ft
Screen Length 10 ft
Depth to Water 20.25 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.3578054 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 3 in
Total Volume Pumped 6.75 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 10
Last 5	13:15:17	1200.02	30.33	7.52	287.47	3.60	20.47	0.36	-63.81
Last 5	13:20:17	1500.02	30.68	7.53	286.45	3.67	20.47	0.32	-69.71
Last 5	13:30:17	2100.02	31.41	7.52	289.01	4.18	20.47	0.26	-82.48
Last 5	13:35:17	2400.02	31.73	7.52	288.55	3.43	20.47	0.23	-86.80
Last 5	13:40:17	2700.02	31.62	7.52	286.06	4.99	20.47	0.21	-87.16
Variance 0			0.74	-0.01	2.56			-0.06	-12.78
Variance 1			0.32	-0.00	-0.46			-0.03	-4.32
Variance 2			-0.11	0.00	-2.49			-0.02	-0.36

Notes

All parameter stable. Sampled at 1345

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-16 10:20:46

Project Information:

Operator Name Markevious Thomas
Company Name ERM
Project Name Georgia Power Company
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model HI 98703

Pump Information:

Pump Model/Type GeoControl PRO
Tubing Type Duel Poly
Tubing Diameter .17 in
Tubing Length 58 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
Well diameter 2 in
Well Total Depth 56.08 ft
Screen Length 10 ft
Depth to Water 36.35 ft

Pumping Information:

Final Pumping Rate 250 mL/min
Total System Volume 0.4788785 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 12 in
Total Volume Pumped 13.375 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:55:42	1800.01	26.15	6.51	519.44	8.44	37.44	0.26	33.75
Last 5	10:00:42	2100.02	26.38	6.53	525.86	6.03	37.41	0.23	32.22
Last 5	10:05:43	2401.04	26.24	6.55	529.97	4.83	37.41	0.22	31.62
Last 5	10:10:43	2701.01	25.78	6.56	532.58	3.61	37.40	0.21	31.11
Last 5	10:15:49	3007.01	26.14	6.58	538.60	3.61	37.40	0.19	29.25
Variance 0		-0.15	0.02		4.11			-0.01	-0.60
Variance 1		-0.46	0.02		2.61			-0.01	-0.51
Variance 2		0.36	0.02		6.01			-0.02	-1.87

Notes

All Parameters Stable. Sampled @ 1020

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-16 11:59:48

Project Information:

Operator Name Prine
Company Name ERM
Project Name Plant McIntosh
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 450141
Turbidity Make/Model Hanna HI 98703

Pump Information:

Pump Model/Type alexis
Tubing Type poly
Tubing Diameter 0.175 in
Tubing Length 40 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
Well diameter 2 in
Well Total Depth 37.36 ft
Screen Length 10 ft
Depth to Water 19.95 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.2791936 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 10.8 in
Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 20
Last 5	11:35:16	900.02	24.89	7.34	942.82	6.66	21.03	0.26	-8.98
Last 5	11:40:16	1200.00	25.44	7.34	941.85	4.66	20.90	0.28	-6.55
Last 5	11:45:16	1500.00	25.83	7.33	953.01	3.87	20.85	0.26	-5.60
Last 5	11:50:16	1800.00	26.14	7.33	949.90	3.57	20.84	0.24	-3.79
Last 5	11:55:16	2100.00	25.53	7.33	939.58	3.57	20.85	0.28	0.80
Variance 0			0.39	-0.01	11.16			-0.02	0.95
Variance 1			0.31	-0.00	-3.11			-0.02	1.81
Variance 2			-0.61	-0.00	-10.31			0.03	4.59

Notes

Sample taken at 11:55

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-16 09:55:10

Project Information:

Operator Name Prine
Company Name Erm
Project Name Plant McIntosh
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 450141
Turbidity Make/Model Hanna HI 98703

Pump Information:

Pump Model/Type alexis
Tubing Type poly
Tubing Diameter 0.175 in
Tubing Length 41 ft

Pump placement from TOC 8 ft

Well Information:

Well ID MGWC-3
Well diameter 2 in
Well Total Depth 38.74 ft
Screen Length 10 ft
Depth to Water 15.70 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.2839234 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 4.68 in
Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 20
Last 5	09:30:28	900.02	22.39	6.69	600.22	0.27	16.09	0.21	31.29
Last 5	09:35:28	1200.02	22.37	6.70	599.42	0.28	16.09	0.20	29.16
Last 5	09:40:28	1500.00	22.22	6.71	600.35	0.26	16.09	0.19	29.00
Last 5	09:45:28	1800.00	22.41	6.72	603.88	0.29	16.10	0.18	26.85
Last 5	09:50:28	2100.00	22.34	6.73	605.14	0.39	16.09	0.17	25.92
Variance 0		-0.15	0.01	0.93				-0.01	-0.16
Variance 1		0.19	0.01	3.53				-0.01	-2.16
Variance 2		-0.08	0.01	1.26				-0.01	-0.93

Notes

Taken sample at 09:55

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-15 15:06:32

Project Information:

Operator Name Prine
 Company Name ERM
 Project Name McIntosh
 Site Name McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hanna HI 98703

Pump Information:

Pump Model/Type Alexis
 Tubing Type poly
 Tubing Diameter 0.17 in
 Tubing Length 45 ft

Pump placement from TOC

8 ft

Well Information:

Well ID MGWC-7
 Well diameter 2 in
 Well Total Depth 42.29 ft
 Screen Length 10 ft
 Depth to Water 19.05 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.290854 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 6.24 in
 Total Volume Pumped 3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 3%	+/- 10		+/- 0.3	+/- 10
Last 5	14:50:52	300.03	27.69	7.07	520.50	3.20	19.55	0.43	-69.62
Last 5	14:55:52	600.02	26.21	7.04	532.24	2.54	19.59	0.28	-68.08
Last 5	15:00:52	900.02	26.01	7.04	533.25	2.26	19.57	0.23	-66.81
Last 5									
Variance 0			nan	nan	nan			nan	nan
Variance 1			-1.48	-0.03	11.75			-0.16	1.54
Variance 2			-0.20	-0.00	1.00			-0.05	1.27

Notes

Took samples at 15:05

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-15 15:39:46

Project Information:

Operator Name Markevious Thomas
Company Name ERM
Project Name Georgia Power Company
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model HI 98703

Pump Information:

Pump Model/Type GeoControl PRO
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 57 ft

Pump placement from TOC 47 ft

Well Information:

Well ID MGWC-8
Well diameter 2 in
Well Total Depth 52.56 ft
Screen Length 10 ft
Depth to Water 28.47 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.4694151 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 4 in
Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	15:10:42	600.02	27.48	5.28	337.00	2.78	28.70	0.40	89.85
Last 5	15:15:42	900.02	26.65	5.29	335.85	1.90	28.70	0.30	89.22
Last 5	15:25:42	1500.02	26.33	5.36	339.09	1.55	28.70	0.25	86.53
Last 5	15:30:42	1800.02	26.19	5.36	339.06	0.74	28.70	0.23	86.17
Last 5	15:35:42	2100.02	26.31	5.37	338.01	0.93	28.70	0.20	84.73
Variance 0		-0.32	0.06		3.24			-0.05	-2.69
Variance 1		-0.14	0.00		-0.03			-0.02	-0.36
Variance 2		0.12	0.01		-1.05			-0.03	-1.44

Notes

All Parameter Stable. Sampled at 1540

Grab Samples

Product Name: Low-Flow System

Date: 2016-08-16 12:50:45

Project Information:

Operator Name Markevious Thomas
Company Name ERM
Project Name Georgia Power Company
Site Name McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model HI 98703

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 60 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWC-12
Well diameter 2 in
Well Total Depth 53 ft
Screen Length 10 ft
Depth to Water 24.11 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.3578054 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 8 in
Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	12:26:24	1200.02	24.69	7.07	305.41	1.92	24.82	0.24	-114.65
Last 5	12:31:24	1500.02	24.45	7.10	303.14	1.33	24.82	0.19	-112.58
Last 5	12:36:24	1800.02	24.15	7.13	296.87	0.83	24.82	0.18	-115.18
Last 5	12:41:24	2100.02	24.65	7.15	291.61	1.39	24.82	0.16	-120.86
Last 5	12:46:24	2400.02	24.33	7.17	283.99	1.48	24.83	0.16	-118.77
Variance 0			-0.30	0.02	-6.27			-0.01	-2.60
Variance 1			0.50	0.03	-5.26			-0.02	-5.68
Variance 2			-0.32	0.01	-7.62			-0.00	2.10

Notes

All Parameters Stable. Sampled at 1250

Grab Samples

Product Name: Low-Flow System

Date: 2016-09-28 13:29:40

Project Information:

Operator Name Tracy Wardell
 Company Name ERM
 Project Name Ash Pond
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 465016
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 65 ft
 Pump placement from TOC 57 ft

Well Information:

Well ID MGWA-5
 Well diameter 2 in
 Well Total Depth 62.10 ft
 Screen Length 10 ft
 Depth to Water 21.85 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3801225 L
 Calculated Sample Rate 180 sec
 Stabilization Drawdown 13.8 in
 Total Volume Pumped 3.6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 100
Last 5	13:18:08	180.08	24.01	7.39	279.34	0.23	22.88	0.30	-20.18
Last 5	13:21:08	360.02	23.97	7.41	282.11	0.27	22.95	0.24	-33.15
Last 5	13:24:08	540.02	23.89	7.43	285.24	0.37	22.98	0.23	-44.50
Last 5	13:27:08	720.02	23.74	7.45	283.90	0.35	23.00	0.21	-59.72
Last 5									
Variance 0			-0.04	0.03	2.77			-0.05	-12.97
Variance 1			-0.08	0.02	3.14			-0.02	-11.36
Variance 2			-0.16	0.02	-1.34			-0.02	-15.21

Notes

Started purge at 1309

No issues. Sample rate 200 mL/min. Clear, no odor.

Grab Samples

MGWA-5

Sample time 1332

Product Name: Low-Flow System

Date: 2016-09-28 14:06:36

Project Information:

Operator Name M. Rogers
Company Name ERM
Project Name Plant McIntosh
Site Name Plant McIntosh AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 457516
Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 45 ft

Pump placement from TOC 36 ft

Well Information:

Well ID MGWA-6
Well diameter 2 in
Well Total Depth 42.15 ft
Screen Length 13.23 ft
Depth to Water 18.25 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.540854 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 2.3 in
Total Volume Pumped 9 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 100	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:45:03	1500.02	26.41	7.09	562.24	5.21	18.47	1.05	-50.24
Last 5	13:50:03	1800.02	26.05	7.09	562.20	4.53	18.47	1.08	-49.23
Last 5	13:55:03	2100.02	25.27	7.08	556.45	3.21	18.47	0.81	-48.15
Last 5	14:00:03	2400.02	25.24	7.09	555.50	2.33	18.47	0.81	-48.88
Last 5	14:05:03	2700.56	25.11	7.09	551.39	2.60	18.48	0.77	-49.44
Variance 0			-0.77	-0.01	-5.75			-0.27	1.08
Variance 1			-0.04	0.00	-0.95			0.00	-0.73
Variance 2			-0.12	0.00	-4.11			-0.04	-0.56

Notes

All parameters stable. Sampling at 200ml/min

Grab Samples

MGWA-6

Sampling at 1408

Product Name: Low-Flow System

Date: 2016-09-28 11:49:23

Project Information:

Operator Name Tracy Wardell
 Company Name ERM
 Project Name Ash Pond
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 465016
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 60 ft
 Pump placement from TOC 51.5 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 56.60 ft
 Screen Length 10 ft
 Depth to Water 18.43 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3578054 L
 Calculated Sample Rate 180 sec
 Stabilization Drawdown 48 in
 Total Volume Pumped 6.3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 100
Last 5	11:32:20	540.02	23.07	5.69	75.88	0.76	21.82	1.42	69.36
Last 5	11:35:20	720.02	23.16	5.69	76.81	0.49	22.10	1.44	68.76
Last 5	11:38:20	900.02	23.45	5.69	78.36	0.56	22.30	1.47	68.83
Last 5	11:41:20	1080.02	23.74	5.71	79.64	0.36	22.36	1.43	68.57
Last 5	11:44:20	1260.02	23.69	5.72	79.48	0.42	22.43	1.41	67.87
Variance 0		0.28	0.00		1.55			0.04	0.08
Variance 1		0.30	0.02		1.28			-0.04	-0.26
Variance 2		-0.06	0.01		-0.16			-0.03	-0.70

Notes

Start purge at 1117

Reduced purge rate to 200 mL/min because WL dropping so quickly. No other issues. Sample rate 200 mL/min. Extra bottle for Rad lab QC here.
Clear, no odor.

Grab Samples

MGWA-10

Sample time 1150

Product Name: Low-Flow System

Date: 2016-09-28 12:07:45

Project Information:

Operator Name M. Rogers
Company Name ERM
Project Name Plant McIntosh
Site Name Plant McIntosh AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 457516
Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 55 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWA-11
Well diameter 2 in
Well Total Depth 53 ft
Screen Length 13.39 ft
Depth to Water 20.96 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.5854883 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 3.5 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 100	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	11:45:48	300.13	24.26	5.41	0.78	4.18	21.05	8.23	109.36
Last 5	11:50:48	600.02	25.89	7.54	287.13	2.99	21.26	1.19	-102.32
Last 5	11:55:48	900.02	24.69	7.63	293.96	2.36	21.30	0.64	-87.67
Last 5	12:00:48	1200.02	24.00	7.65	294.91	2.82	21.31	0.70	-84.90
Last 5	12:05:48	1499.94	23.83	7.66	294.36	1.60	21.31	0.67	-84.37
Variance 0			-1.20	0.08	6.83			-0.55	14.65
Variance 1			-0.70	0.02	0.95			0.06	2.76
Variance 2			-0.16	0.01	-0.55			-0.03	0.53

Notes

All parameters stable. Sampling at 200ml/min

Grab Samples

MGWA-11

Sampling at 1210

Product Name: Low-Flow System

Date: 2016-09-28 15:26:11

Project Information:

Operator Name Tracy Wardell
 Company Name ERM
 Project Name Ash Pond
 Site Name Plant McIntosh
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 465016
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 61 ft
 Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 36.45 ft

Pumping Information:

Final Pumping Rate 175 mL/min
 Total System Volume 0.3622688 L
 Calculated Sample Rate 180 sec
 Stabilization Drawdown 11.4 in
 Total Volume Pumped 8.575 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 100
Last 5	15:10:54	1440.02	24.76	6.67	519.67	6.36	37.38	0.22	-27.36
Last 5	15:13:54	1620.02	24.33	6.68	517.75	5.27	37.38	0.22	-26.14
Last 5	15:16:54	1800.02	24.56	6.69	526.51	4.97	37.40	0.21	-27.10
Last 5	15:19:54	1980.02	24.62	6.68	527.26	4.57	37.40	0.21	-27.15
Last 5	15:22:54	2160.02	23.92	6.70	526.62	4.23	37.40	0.19	-26.58
Variance 0			0.23	0.01	8.75			-0.01	-0.96
Variance 1			0.05	-0.00	0.75			0.00	-0.05
Variance 2			-0.70	0.01	-0.64			-0.02	0.57

Notes

Started purge at 1433
 No issues. Clear, no odor. Dup-1 taken here. Sample rate 175 mL/min.

Grab Samples

MGWC-1
 Sample time 1527
 Dup-1
 Sample time 1527

Product Name: Low-Flow System

Date: 2016-09-29 08:46:34

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name Plant McIntosh
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 457516
 Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter .17 in
 Tubing Length 40 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
 Well diameter 2 in
 Well Total Depth 37.26 ft
 Screen Length 10 ft
 Depth to Water 19.85 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5185369 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 16.2 in
 Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 100	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	08:24:48	1200.02	22.53	7.42	937.47	7.84	21.17	0.74	8.52
Last 5	08:29:48	1500.02	22.52	7.42	936.86	5.39	21.20	0.72	7.14
Last 5	08:34:48	1799.94	22.58	7.42	935.33	4.29	21.20	0.73	4.66
Last 5	08:39:49	2100.94	22.58	7.43	938.31	3.33	21.20	0.74	3.24
Last 5	08:44:49	2400.94	22.62	7.42	939.09	3.81	21.20	0.69	1.10
Variance 0		0.06	0.00		-1.53			0.01	-2.48
Variance 1		0.01	0.00		2.99			0.02	-1.42
Variance 2		0.04	-0.00		0.77			-0.05	-2.14

Notes

All parameters stable. Sampling at 200ml/min

Grab Samples

MGWC-2

Sampling at 0849

Product Name: Low-Flow System

Date: 2016-09-29 08:25:57

Project Information:

Operator Name Taylor Payne
Company Name ERM
Project Name Plant McIntosh
Site Name McIntosh AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 364452
Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis
Tubing Type Idpe
Tubing Diameter 0.175 in
Tubing Length 42 ft

Pump placement from TOC 34 ft

Well Information:

Well ID MGWC-3
Well diameter 2 in
Well Total Depth 39.12 ft
Screen Length 10 ft
Depth to Water 15.85 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.4886532 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 6.84 in
Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 10
Last 5	08:08:47	300.04	21.72	6.68	554.10	0.65	16.37	0.37	96.97
Last 5	08:13:47	600.02	21.72	6.75	553.09	0.55	16.40	0.30	82.91
Last 5	08:18:47	900.02	21.46	6.79	554.92	0.49	16.41	0.28	74.37
Last 5	08:23:47	1200.02	21.46	6.81	557.98	0.20	16.42	0.27	68.02
Last 5									
Variance 0			-0.01	0.07	-1.02			-0.08	-14.06
Variance 1			-0.25	0.04	1.83			-0.02	-8.54
Variance 2			-0.00	0.02	3.07			-0.00	-6.35

Notes

Sample taken at 828.

Grab Samples

Product Name: Low-Flow System

Date: 2016-09-28 15:35:22

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name Plant McIntosh
 Site Name Plant McIntosh AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 457516
 Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter .17 in
 Tubing Length 45 ft
 Pump placement from TOC 35.44 ft

Well Information:

Well ID MGWC-7
 Well diameter 2 in
 Well Total Depth 42.23 ft
 Screen Length 13.59 ft
 Depth to Water 19.42 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.540854 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 4.8 in
 Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 100	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	15:14:03	300.03	26.47	7.01	517.52	8.29	19.67	0.55	-33.38
Last 5	15:19:03	600.02	25.60	7.00	522.91	6.22	19.90	0.45	-36.91
Last 5	15:24:03	900.02	25.33	7.00	520.37	4.50	19.90	0.40	-37.78
Last 5	15:29:03	1200.02	25.28	7.00	521.45	4.86	19.90	0.38	-37.92
Last 5	15:34:03	1500.02	25.35	7.00	522.56	4.13	19.90	0.34	-38.68
Variance 0		-0.27	0.00		-2.54			-0.05	-0.87
Variance 1		-0.05	0.00		1.08			-0.02	-0.14
Variance 2		0.07	0.00		1.12			-0.04	-0.75

Notes

all parameters stable. Sampling at 200ml/min

Grab Samples

MGWC-7

Sampling at 1538

Product Name: Low-Flow System

Date: 2016-09-28 15:43:16

Project Information:

Operator Name Taylor Payne
Company Name ERM
Project Name Plant McIntosh
Site Name McIntosh AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 364452
Turbidity Make/Model LaMotte

Pump Information:

Pump Model/Type Alexis
Tubing Type Idpe
Tubing Diameter 0.175 in
Tubing Length 56 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWC-8
Well diameter 2 in
Well Total Depth 52.79 ft
Screen Length 10 ft
Depth to Water 28.7 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.554871 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 1.92 in
Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 10
Last 5	15:25:06	300.05	25.69	5.73	329.78	0.92	28.86	1.36	72.50
Last 5	15:30:06	600.02	25.88	5.64	333.33	0.84	28.86	0.59	80.91
Last 5	15:35:06	900.02	25.64	5.69	331.62	0.41	28.86	0.63	84.38
Last 5	15:40:06	1200.02	26.53	5.66	330.45	0.50	28.87	0.69	86.67
Last 5									
Variance 0			0.19	-0.10	3.55			-0.77	8.41
Variance 1			-0.24	0.06	-1.72			0.04	3.47
Variance 2			0.89	-0.03	-1.17			0.06	2.30

Notes

Sample taken at 1545.

Grab Samples

Product Name: Low-Flow System

Date: 2016-09-29 08:21:45

Project Information:

Operator Name Tracy Wardell
Company Name ERM
Project Name Ash Pond
Site Name Plant McIntosh
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 465016
Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 57 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-12
Well diameter 2 in
Well Total Depth 55.72 ft
Screen Length 10 ft
Depth to Water 24.57 ft

Pumping Information:

Final Pumping Rate 225 mL/min
Total System Volume 0.3444151 L
Calculated Sample Rate 180 sec
Stabilization Drawdown 10.68 in
Total Volume Pumped 3.6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 100
Last 5	08:10:15	180.08	21.11	6.93	315.15	1.39	25.37	0.28	-58.27
Last 5	08:13:15	360.02	21.03	6.95	316.63	1.20	25.45	0.23	-62.27
Last 5	08:16:15	540.02	21.03	6.96	314.74	0.99	25.46	0.20	-65.30
Last 5	08:19:15	720.02	21.02	6.97	311.71	0.77	25.46	0.18	-68.36
Last 5									
Variance 0			-0.07	0.02	1.48			-0.05	-4.00
Variance 1			-0.00	0.01	-1.89			-0.03	-3.03
Variance 2			-0.01	0.01	-3.03			-0.02	-3.05

Notes

Started purge at 0803
Sample rate also 225mL/min. Clear, no odor, no issues.

Grab Samples

MGWC-12

Sample time 0824

Product Name: Low-Flow System

Date: 2016-11-16 10:42:45

Project Information:

Operator Name Taylor Payne
 Company Name ERM
 Project Name GPC Plant McIntosh
 Site Name Plant McIntosh LF3
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type Idpe
 Tubing Diameter 0.175 in
 Tubing Length 65 ft
 Pump placement from TOC 57 ft

Well Information:

Well ID MGWA-5
 Well diameter 2 in
 Well Total Depth 62.1 ft
 Screen Length 10 ft
 Depth to Water 21.05 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.6474395 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 13.08 in
 Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 50
Last 5	10:19:28	300.08	20.41	7.08	251.10	1.27	21.99	0.33	-163.39
Last 5	10:24:28	600.02	20.74	7.22	253.04	0.26	22.10	0.25	-167.91
Last 5	10:29:28	900.02	20.84	7.30	260.94	0.38	22.13	0.21	-169.45
Last 5	10:34:28	1199.97	20.77	7.36	265.35	0.51	22.14	0.18	-169.20
Last 5	10:39:28	1499.97	20.73	7.39	266.06	0.49	22.14	0.17	-168.08
Variance 0		0.10	0.08	7.90				-0.04	-1.55
Variance 1		-0.07	0.06	4.40				-0.03	0.25
Variance 2		-0.04	0.03	0.71				-0.01	1.12

Notes

Weather is sunny. Temperature is 60F. Sample at 1045.

Grab Samples

Product Name: Low-Flow System

Date: 2016-11-16 10:32:39

Project Information:

Operator Name Markevious Thomas
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh-AshPond
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444108
Turbidity Make/Model HI 98703

AP CJ 11/21/16

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter .17 in
Tubing Length 50 ft

Well Information:

Well ID GWC-6 M6WA-6
Well diameter 2 in
Well Total Depth 42.15 ft
Screen Length 10 ft
Depth to Water 17.92 ft

JF 11/21/16

Pump placement from TOC

37 ft

Pumping Information:

Final Pumping Rate 250 mL/min
Total System Volume 0.3131711 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 4 in
Total Volume Pumped 3.75 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	10:15:09	300.05	21.91	7.55	557.59	3.25	18.34	0.26	-91.94
Last 5	10:20:09	600.03	21.38	7.59	561.62	2.65	18.34	0.17	-93.43
Last 5	10:25:09	900.03	21.24	7.60	563.99	2.13	18.34	0.14	-94.89
Last 5									
Variance 0			nan	nan	nan			nan	nan
Variance 1			-0.53	0.04	4.03			-0.08	-1.49
Variance 2			-0.14	0.01	2.37			-0.04	-1.46

Notes

1010 start purge@250mL/min; 1025 all parameters stable; 1030 sampled@250mL/min. Sunny 60F, calm

Grab Samples

GWC-6 M6WA-6

CJ 11/21/16

Sampled at 1030; .5gal, 1L, 250mL

Product Name: Low-Flow System

Date: 2016-11-16 08:54:09

Project Information:

Operator Name C. Hurdle
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh - Ash Pond
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444575
Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 68.00 ft

Pump placement from TOC 48.00 ft

Well Information:

Well ID MGWA-10
Well diameter 2 in
Well Total Depth 53.00 ft
Screen Length 10 ft
Depth to Water 16.90 ft

Pumping Information:

Final Pumping Rate 100 mL/min
Total System Volume 0.3935128 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 37.8 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 20
Last 5	08:31:25	900.03	18.71	5.58	71.65	0.78	19.12	1.89	68.21
Last 5	08:36:25	1200.02	18.77	5.60	73.90	0.48	19.55	1.74	62.33
Last 5	08:41:25	1500.03	18.66	5.61	73.99	0.56	19.85	1.67	60.53
Last 5	08:46:25	1800.02	18.46	5.63	75.48	0.49	20.06	1.70	56.39
Last 5	08:51:25	2100.02	17.99	5.65	77.84	0.50	20.05	1.81	54.00
Variance 0		-0.12	0.01	0.09				-0.06	-1.81
Variance 1		-0.20	0.02	1.49				0.03	-4.14
Variance 2		-0.47	0.02	2.36				0.11	-2.39

Notes

Weather: 41°F Sunny

Grab Samples

MGWA-10

Sample Time 0855

Product Name: Low-Flow System

Date: 2016-11-16 10:29:07

Project Information:

Operator Name C. Hurdle
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh - Ash Pond
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444575
Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 71.60 ft

Pump placement from TOC 51.60 ft

Well Information:

Well ID MGWA-11
Well diameter 2 in
Well Total Depth 56.60 ft
Screen Length 10 ft
Depth to Water 19.92 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.4095811 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 4.32 in
Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 20
Last 5	10:11:34	300.06	19.59	7.40	249.43	4.40	20.25	0.50	-144.95
Last 5	10:16:34	600.02	20.79	7.49	281.33	3.19	20.28	0.30	-129.54
Last 5	10:21:34	900.02	20.98	7.51	291.30	2.33	20.28	0.28	-114.16
Last 5	10:26:34	1200.02	20.85	7.51	291.68	1.60	20.28	0.24	-105.68
Last 5									
Variance 0			1.20	0.09	31.90			-0.20	15.41
Variance 1			0.18	0.02	9.97			-0.02	15.38
Variance 2			-0.13	0.01	0.38			-0.04	8.48

Notes

Weather: 59°F sunny

Grab Samples

MGWA-11

Sample Time 1030

Product Name: Low-Flow System

Date: 2016-11-16 13:24:08

Project Information:

Operator Name T.Wardell
 Company Name ERM
 Project Name GPC Plant McIntosh
 Site Name McIntosh - AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444107
 Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Geotechnical portable bladder
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 60 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 36.21 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.4578054 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 14.28 in
 Total Volume Pumped 8.2 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:02:05	899.97	21.37	6.58	499.72	6.37	37.38	0.24	-52.79
Last 5	13:07:05	1199.97	21.38	6.61	506.86	5.29	37.40	0.22	-51.58
Last 5	13:12:05	1499.98	21.38	6.62	513.39	4.81	37.41	0.21	-49.87
Last 5	13:17:05	1799.98	21.39	6.64	517.69	4.39	37.41	0.20	-47.79
Last 5	13:22:05	2099.97	21.41	6.66	521.02	4.40	37.40	0.20	-47.21
Variance 0		-0.00	0.02		6.53			-0.01	1.71
Variance 1		0.01	0.02		4.30			-0.01	2.08
Variance 2		0.02	0.01		3.33			-0.00	0.58

Notes

Started purge at 12:41
 Sample rate 200 mL/min. Clear, no odor. Sunny, 73.

Grab Samples

MGWC-1

Sample time 1327



GROUNDWATER SAMPLING LOG SHEET

Client: Georgia Power Company
 Site: Plant McIntosh
 Well ID: MGWC-2
 Total Depth (ft)¹: 37.26
 Depth to Water (ft): 19.62
 Well Diameter (in): 2
 Well Volume (gal) = $0.041d^2h$: 2,593
 Well Volume (L) = gal * 3.785: 10,950
 d = well diameter (inches) h = length of water column (feet)
 Well Type: Flush Stick Up
 Well Lock: Yes No
 Well Cap Condition: Good Replace
 Well Tag Present: Yes No

Project No.: Recon GA
 Location: Roswell, GA
 Pump Type/Model: Kestrelne 1A1005
 Tubing Material: LDPE
 Pump Intake Depth (ft): 32
 Start/Stop Purge Time: 1110/1110
 Purge Rate (L/min)²: 25
 Total Purge Volume (L): 115
 Purge Method: Low-Flow Well Volume Other:
 Sampling Method: Pump Discharge Other:

Sampling Date: 11-16-16
 Sampler's Name: Michaela Turner
 Sample Collection Time: 1215
 Sample Purge Rate (L/min)³: 250
 Sample ID: MGWC-2
 Laboratory Analyses: See back of card
 QA/QC Collected? Yes
 QA/QC I.D.: 111-2 (5 gal)

All sample containers requiring chemical preservation properly preserved prior to demob from well? Yes No

Time	Temp. (°C)	Spec. Cond. (mS/cm) ($\mu\text{S}/\text{cm}$)	DO (%)	pH (SU)	ORP (mV)	Turbidity (NTUs)	Purge Rate (mL/min)	Purged Volume (L)	H ₂ O Depth (ft btoc)	Notes (Purge method, water clarity, odor, purge rate, issues with pump/well/weather/etc.)
1115										No water
1120	22.20	936.10	0.21	7.91	-95.40	45.6	150	125	20.62	
1125	21.38	943.60	0.22	7.90	-63.00	25.9	150	125	20.91	
1130	21.11	950.80	0.13	7.88	-62.90	19.3	150	125	20.99	
1135	21.90	950.60	0.12	7.87	-61.80	16.0	150	125	21.01	
1140	21.74	945.30	0.11	7.87	-60.70	12.2	150	125	21.01	
1145	21.95	945.50	0.11	7.82	-59.40	8.94	150	125	21.00	
1150	22.06	938.70	0.11	7.67	-57.30	6.10	150	125	20.94	
1155	22.01	942.90	0.10	7.87	-55.70	4.03	150	125	20.94	
1205	22.14	943.30	0.10	7.81	-54.30	2.80	150	125	20.94	
1210	22.30	938.80	0.10	7.82	-53.50	3.45	150	125	20.93	
All parameters stable Sampling @ 1215 Mab - 11/16										
Stabilizing Criteria ^{4,5}		+/- 5%	0.2 Mg/L or 10% for DO > 0.5 mg/l (whichever is greater) ⁶	+/- 0.1 unit		<5 NTUs	>100 mL < 250 mL	>3L	<0.3 ft	

(1) - Maximum purge rate of 250 mL/min

(2) - Sample rate to be between 100 mL/min and 250 mL/min

(3) - Collect sample from pump discharge without tubing contacting sample container

(4) - Field parameter measurements to be recorded every 3 to 5 minutes.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(6) - Monitor depth to water every 3 to 5 minutes. Well drawdown to be 0.33 ft or less. Purge/sampling rate to be lowered as necessary to keep drawdown below 0.33 ft.

(7) - Contact field team lead if drawdown > 0.33 ft - do not switch to 3 well volume method until instructed

(8) - Preserve all samples as appropriate immediately following collection

(9) - DO 0.2 mg/L or 10% whichever is greater (no criteria apply if DO < 0.5 mg/L)

Product Name: Low-Flow System

Date: 2016-11-16 12:02:42

Project Information:

Operator Name Taylor Payne
 Company Name ERM
 Project Name GPC Plant McIntosh
 Site Name Plant McIntosh LF3
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type Idpe
 Tubing Diameter 0.175 in
 Tubing Length 42 ft

Pump placement from TOC 34 ft

Well Information:

Well ID MGWC-3
 Well diameter 2 in
 Well Total Depth 39.12 ft
 Screen Length 10 ft
 Depth to Water 15.57 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5386532 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 5.04 in
 Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 50
Last 5	11:45:42	300.08	20.22	6.65	530.49	0.49	15.96	0.27	25.07
Last 5	11:50:42	600.02	20.26	6.65	542.62	0.90	15.99	0.21	21.34
Last 5	11:55:42	900.05	20.19	6.68	546.36	0.42	15.99	0.17	19.59
Last 5	12:00:42	1200.02	20.22	6.69	546.77	0.27	15.99	0.15	18.40
Last 5									
Variance 0			0.04	0.00	12.14			-0.06	-3.73
Variance 1			-0.07	0.03	3.74			-0.04	-1.75
Variance 2			0.03	0.01	0.40			-0.02	-1.19

Notes

Weather is sunny. Temperature is 60F. Sample taken at 1205.

Grab Samples

Product Name: Low-Flow System

Date: 2016-11-16 11:49:00

Project Information:

Operator Name C. Hurdle
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh - Ash Pond
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444575
Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 57.23 ft

Pump placement from TOC 37.23 ft

Well Information:

Well ID MGWC-7
Well diameter 2 in
Well Total Depth 42.23 ft
Screen Length 10 ft
Depth to Water 19.23 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.3454417 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 6.84 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 20
Last 5	11:26:38	300.11	21.51	6.71	511.76	2.15	19.74	0.95	-7.20
Last 5	11:31:37	599.89	21.57	6.60	518.35	1.47	19.80	1.40	-21.19
Last 5	11:36:38	899.94	21.82	6.66	513.13	0.79	19.80	0.73	-28.45
Last 5	11:41:37	1199.90	21.84	6.69	494.25	0.95	19.80	0.74	-31.36
Last 5	11:46:37	1499.89	21.64	6.73	510.67	0.82	19.80	0.77	-34.66
Variance 0		0.25	0.06		-5.23			-0.67	-7.26
Variance 1		0.01	0.03		-18.88			0.01	-2.90
Variance 2		-0.19	0.03		16.42			0.03	-3.30

Notes

Weather: 64°F Sunny

Grab Samples

MGWC-7

Sample Time 1150

Product Name: Low-Flow System

Date: 2016-11-16 11:30:39

Project Information:

Operator Name T.Wardell
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh - LF4
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444107
Turbidity Make/Model Hanna

Pump Information:

Pump Model/Type Geotechnical portable bladder
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 55 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWC-8
Well diameter 2 in
Well Total Depth 52.79 ft
Screen Length 10 ft
Depth to Water 28.64 ft

Pumping Information:

Final Pumping Rate 150 mL/min
Total System Volume 0.4354883 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 1.44 in
Total Volume Pumped 3.6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	11:07:45	599.96	22.45	5.29	350.29	8.50	28.76	0.40	64.43
Last 5	11:12:45	899.96	22.04	5.30	354.75	6.32	28.76	0.37	65.88
Last 5	11:17:45	1199.96	21.99	5.30	355.59	4.90	28.76	0.35	72.71
Last 5	11:22:45	1499.96	21.94	5.31	354.24	4.70	28.76	0.32	77.47
Last 5	11:27:45	1799.96	21.91	5.33	353.43	4.06	28.76	0.31	81.86
Variance 0		-0.06	-0.01		0.83			-0.03	6.83
Variance 1		-0.05	0.02		-1.35			-0.02	4.76
Variance 2		-0.03	0.02		-0.81			-0.01	4.39

Notes

Started purge at 10:53

Sample rate 150mL/min. Sunny, 69. Water - clear, no odor.

Grab Samples

MGWC-8

Sample time 1132

Product Name: Low-Flow System

Date: 2016-11-16 13:37:25

Project Information:

Operator Name C. Hurdle
Company Name ERM
Project Name GPC Plant McIntosh
Site Name McIntosh - Ash Pond
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 444575
Turbidity Make/Model Hannah

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 70.72 ft

Pump placement from TOC 50.72 ft

Well Information:

Well ID MGWC-12
Well diameter 2 in
Well Total Depth 55.72 ft
Screen Length 10 ft
Depth to Water 23.63 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.4056533 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 11.04 in
Total Volume Pumped 3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 20
Last 5	13:20:52	300.04	21.30	6.95	287.20	1.14	24.35	0.54	-116.71
Last 5	13:25:52	600.02	20.53	6.96	291.88	0.93	24.54	0.40	-113.48
Last 5	13:30:52	900.02	20.52	7.03	280.52	0.57	24.55	0.35	-115.80
Last 5									
Variance 0			nan	nan	nan			nan	nan
Variance 1			-0.78	0.02	4.67			-0.14	3.23
Variance 2			-0.00	0.07	-11.36			-0.05	-2.31

Notes

Weather: 65°F Sunny

Grab Samples

MGWC-12

Sample Time 1335

Product Name: Low-Flow System

Date: 2017-01-17 11:12:29

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449471
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 65 ft
 Pump placement from TOC 2 ft

Well Information:

Well ID MGWA-5
 Well diameter 2 in
 Well Total Depth 62.10 ft
 Screen Length 10 ft
 Depth to Water 20.60 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5001225 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 12.72 in
 Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	10:49:23	600.02	20.97	7.22	261.43	0.25	21.63	0.33	-86.15
Last 5	10:54:23	900.02	20.93	7.21	263.17	0.27	21.64	0.28	-96.64
Last 5	10:59:23	1200.02	21.11	7.21	265.75	0.11	21.64	0.25	-104.10
Last 5	11:04:23	1500.02	21.19	7.23	264.00	0.08	21.66	0.22	-108.70
Last 5	11:09:23	1800.02	21.15	7.23	264.74	0.43	21.66	0.21	-111.22
Variance 0		0.18	0.00		2.58			-0.02	-7.46
Variance 1		0.09	0.01		-1.75			-0.03	-4.60
Variance 2		-0.04	0.01		0.73			-0.02	-2.53

Notes

D.O not green but under 5. Parameters stable

Grab Samples

MGWA-5

Sampling at 1114

Product Name: Low-Flow System

Date: 2017-01-17 12:41:18

Project Information:

Operator Name M. Rogers
Company Name ERM
Project Name GPC - Plant McIntosh
Site Name AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 449471
Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 42 ft

Pump placement from TOC 37 ft

Well Information:

Well ID MGWA-6
Well diameter 2 in
Well Total Depth 42.15 ft
Screen Length 10 ft
Depth to Water 17.52 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.3974638 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 2.88 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	12:20:38	300.02	22.57	6.97	525.83	1.19	17.63	0.33	-34.29
Last 5	12:25:38	600.02	22.39	6.98	526.05	0.92	17.76	0.24	-36.39
Last 5	12:30:38	900.02	22.40	6.98	524.43	0.77	17.76	0.20	-36.88
Last 5	12:35:38	1200.02	22.40	6.99	522.46	0.71	17.76	0.19	-36.99
Last 5									
Variance 0			-0.18	0.02	0.21			-0.09	-2.10
Variance 1			0.01	0.00	-1.62			-0.03	-0.49
Variance 2			0.00	0.01	-1.97			-0.02	-0.11

Notes

Parameters stable

Grab Samples

MGWA-6

Sampling at 1243

Product Name: Low-Flow System

Date: 2017-01-16 15:28:29

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449471
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 53 ft
 Pump placement from TOC 2 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 53.00 ft
 Screen Length 10 ft
 Depth to Water 16.44 ft

Pumping Information:

Final Pumping Rate 0.2 mL/min
 Total System Volume 0.4465614 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 36.96 in
 Total Volume Pumped 10 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	15:00:52	1500.01	21.91	5.67	69.37	0.39	18.99	2.17	103.67
Last 5	15:05:52	1800.01	21.91	5.63	68.69	0.72	19.00	1.84	104.74
Last 5	15:15:52	2400.02	21.82	5.57	67.11	1.03	19.28	1.67	108.05
Last 5	15:20:52	2700.02	21.73	5.55	66.59	0.99	19.40	1.58	109.16
Last 5	15:25:52	3000.01	21.56	5.52	66.28	0.86	19.43	1.49	110.06
Variance 0		-0.09	-0.06		-1.58			-0.17	3.31
Variance 1		-0.09	-0.02		-0.53			-0.08	1.11
Variance 2		-0.18	-0.03		-0.30			-0.10	0.90

Notes

DO<5.0 parameters stable

Grab Samples

MGWA-10

Sampling at 1530

Product Name: Low-Flow System

Date: 2017-01-17 09:46:04

Project Information:

Operator Name M. Rogers
Company Name ERM
Project Name GPC - Plant McIntosh
Site Name AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 449471
Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 60 ft

Pump placement from TOC 2 ft

Well Information:

Well ID MGWA-11
Well diameter 2 in
Well Total Depth 56.60 ft
Screen Length 10 ft
Depth to Water 19.39 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.4778054 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 3.24 in
Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	09:22:15	1200.02	19.92	7.48	274.59	0.23	19.64	0.28	-17.05
Last 5	09:27:15	1500.01	19.97	7.50	274.82	1.09	19.65	0.25	-26.04
Last 5	09:32:15	1800.01	20.44	7.52	274.07	0.12	19.65	0.23	-35.90
Last 5	09:37:15	2100.00	20.62	7.53	273.47	0.35	19.65	0.21	-44.96
Last 5	09:42:15	2400.07	20.77	7.52	273.11	0.24	19.66	0.20	-52.71
Variance 0			0.46	0.01	-0.75			-0.02	-9.86
Variance 1			0.18	0.01	-0.60			-0.02	-9.06
Variance 2			0.15	-0.00	-0.36			-0.01	-7.75

Notes

ORP AND DO not green and not stabilization criteria

Grab Samples

MGWA-11

Sampling at 0947

Product Name: Low-Flow System

Date: 2017-01-19 09:24:05

Project Information:

Operator Name C. Hurdle
 Company Name ERM
 Project Name GPC-Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444575
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type GeoTech Bladder
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 61.08 ft
 Pump placement from TOC 51.08 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 36.37 ft

Pumping Information:

Final Pumping Rate 100 mL/min
 Total System Volume 0.5376258 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 11.88 in
 Total Volume Pumped 7.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 10
Last 5	09:00:01	2400.03	20.14	6.75	583.45	9.22	37.36	0.12	-10.72
Last 5	09:05:01	2700.03	20.09	6.76	590.00	6.79	37.36	0.12	-10.05
Last 5	09:10:01	2999.97	20.11	6.78	597.38	4.87	37.36	0.11	-9.68
Last 5	09:15:01	3300.02	20.15	6.80	603.84	4.32	37.36	0.11	-9.59
Last 5	09:20:01	3599.98	20.13	6.81	612.78	3.99	37.36	0.10	-9.51
Variance 0		0.02	0.02		7.38			-0.01	0.36
Variance 1		0.04	0.02		6.46			0.00	0.09
Variance 2		-0.02	0.01		8.93			-0.01	0.08

Notes

Weather: 57F partly cloudy. Purge time: 0820/0920.

Grab Samples

MGWC-1

Sample Time: 0925

Product Name: Low-Flow System

Date: 2017-01-18 09:03:41

Project Information:

Operator Name M. Rogers
Company Name ERM
Project Name GPC - Plant McIntosh
Site Name AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 449471
Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 38 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
Well diameter 2 in
Well Total Depth 37.26 ft
Screen Length 10 ft
Depth to Water 19.57 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.3796101 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 12.6 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	08:41:13	300.09	18.78	7.63	764.55	3.68	20.40	0.45	80.55
Last 5	08:46:13	600.02	19.46	7.50	752.32	4.81	20.48	0.29	57.54
Last 5	08:51:13	900.02	19.67	7.48	750.10	4.44	20.59	0.22	50.07
Last 5	08:56:13	1200.02	19.77	7.49	752.16	2.80	20.61	0.21	45.64
Last 5	09:01:13	1500.01	19.93	7.49	749.49	3.06	20.62	0.19	41.31
Variance 0			0.21	-0.01	-2.22			-0.07	-7.47
Variance 1			0.10	0.00	2.06			-0.01	-4.42
Variance 2			0.15	0.00	-2.67			-0.02	-4.34

Notes

Parameters stable

Grab Samples

MGWC-2

Sampling at 0905

Product Name: Low-Flow System

Date: 2017-01-17 15:56:08

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449471
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 39 ft

Pump placement from TOC 2 ft

Well Information:

Well ID MGWC-3
 Well diameter 2 in
 Well Total Depth 39.12 ft
 Screen Length 10 ft
 Depth to Water 15.42 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3840735 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 4.92 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	15:35:07	900.02	20.60	6.77	557.62	5.57	--	0.21	86.87
Last 5	15:40:07	1200.02	20.57	6.74	557.15	5.27	15.82	0.19	79.46
Last 5	15:45:07	1500.02	20.60	6.72	554.83	4.44	15.83	0.18	74.87
Last 5	15:50:07	1800.02	20.53	6.73	556.30	3.07	15.83	0.17	70.19
Last 5	15:55:07	2100.02	20.50	6.77	555.70	2.31	15.83	0.16	67.12
Variance 0		0.02	-0.02		-2.32			-0.01	-4.59
Variance 1		-0.06	0.01		1.47			-0.02	-4.68
Variance 2		-0.03	0.04		-0.60			-0.00	-3.07

Notes

Parameters stable

Grab Samples

MGWC-3

Sampling at 1558

Product Name: Low-Flow System

Date: 2017-01-17 13:06:00

Project Information:

Operator Name C. Hurdle
 Company Name ERM
 Project Name GPC-Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 444575
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 47.23 ft
 Pump placement from TOC 37.23 ft

Well Information:

Well ID MGWC-7
 Well diameter 2 in
 Well Total Depth 42.23 ft
 Screen Length 10 ft
 Depth to Water 19.13 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3008075 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 6.84 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 10
Last 5	12:40:50	900.02	22.05	6.44	507.70	0.62	19.73	1.29	4.35
Last 5	12:45:50	1200.02	22.09	6.50	513.98	0.52	19.71	0.94	-2.44
Last 5	12:50:50	1500.02	22.26	6.53	515.64	0.93	19.70	0.32	-5.90
Last 5	12:55:50	1800.02	22.27	6.57	514.50	0.41	19.70	0.23	-9.62
Last 5	13:00:50	2100.02	22.36	6.61	514.83	0.43	19.70	0.26	-13.60
Variance 0		0.17	0.03	1.66				-0.62	-3.46
Variance 1		0.01	0.04	-1.14				-0.09	-3.72
Variance 2		0.09	0.04	0.34				0.03	-3.98

Notes

Weather: 72F Sunny. Purge time 1225/1300

Grab Samples

MGWC-7

Sample Time: 1305

Product Name: Low-Flow System

Date: 2017-01-17 14:12:15

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449471
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 52 ft

Pump placement from TOC 2 ft

Well Information:

Well ID MGWC-8
 Well diameter 2 in
 Well Total Depth 52.79 ft
 Screen Length 10 ft
 Depth to Water 28.83 ft

Pumping Information:

Final Pumping Rate 100 mL/min
 Total System Volume 0.442098 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 1.2 in
 Total Volume Pumped 3 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	13:50:03	600.02	23.84	5.39	374.81	1.02	28.92	0.72	153.90
Last 5	13:55:03	900.02	23.61	5.32	374.78	2.97	28.94	0.48	171.72
Last 5	14:00:03	1200.02	23.37	5.27	374.13	0.97	28.94	0.41	184.56
Last 5	14:05:03	1500.00	23.52	5.25	374.66	0.21	28.93	0.45	194.92
Last 5	14:10:03	1800.00	23.58	5.24	373.78	0.20	28.93	0.43	203.64
Variance 0		-0.24	-0.05	-0.65				-0.07	12.84
Variance 1		0.15	-0.02	0.53				0.05	10.36
Variance 2		0.05	-0.01	-0.88				-0.02	8.72

Notes

May have to switch to submersible pump because of water level
 ORP and D.O not green. Parameters stable.

Grab Samples

MGWC-8

Sampling at 1414

Product Name: Low-Flow System

Date: 2017-01-18 10:44:32

Project Information:

Operator Name M. Rogers
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449471
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Perstaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft

Pump placement from TOC 2 ft

Well Information:

Well ID MGWC-12
 Well diameter 2 in
 Well Total Depth 55.72 ft
 Screen Length 10 ft
 Depth to Water 23.62 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.4554883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 7.92 in
 Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 10		+/- 10%	+/- 10
Last 5	10:21:49	1200.01	19.31	6.78	242.06	0.41	24.27	0.25	-88.19
Last 5	10:26:49	1500.01	19.38	6.87	234.73	0.36	24.27	0.22	-93.20
Last 5	10:31:49	1800.02	19.37	6.94	229.00	0.55	24.27	0.21	-96.31
Last 5	10:36:49	2100.01	19.37	7.00	225.27	0.23	24.28	0.20	-99.83
Last 5	10:41:49	2400.01	19.46	7.01	224.16	0.20	24.28	0.19	-100.15
Variance 0		-0.00	0.07		-5.73			-0.01	-3.11
Variance 1		-0.00	0.06		-3.73			-0.01	-3.52
Variance 2		0.09	0.02		-1.11			-0.01	-0.32

Notes

May need to decrease purge rate to .100L/min
 Parameters stable. Taking 2nd Radium bottle from here

Grab Samples

MGWC-12

Sampling at 1047

Product Name: Low-Flow System

Date: 2017-03-02 10:44:33

Project Information:

Operator Name M. Burch
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 463072
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 67 ft
 Pump placement from TOC 57 ft

Well Information:

Well ID MGWA-5
 Well diameter 2 in
 Well Total Depth 62.10 ft
 Screen Length 10 ft
 Depth to Water 20.10 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.6390493 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 16.44 in
 Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 3%	+/- 5%		+/- 0.2	+/- 10
Last 5	10:26:48	600.06	20.55	7.51	264.85	0.02	21.45	0.19	-115.12
Last 5	10:31:47	899.99	20.37	7.53	265.41	0.06	21.45	0.16	-116.65
Last 5	10:36:47	1199.98	20.85	7.54	266.61	0.22	21.46	0.15	-118.61
Last 5	10:41:47	1499.99	20.77	7.55	265.38	0.20	21.47	0.13	-119.68
Last 5									
Variance 0			-0.18	0.02	0.55			-0.03	-1.53
Variance 1			0.48	0.01	1.21			-0.02	-1.96
Variance 2			-0.08	0.01	-1.24			-0.01	-1.08

Notes

Started purging at 200mL/min at 1017
 Stopped purging at 1042 at 200mL/min

Grab Samples

MGWA-5

Grabbed Sample at 1045 at 200mL/min

Product Name: Low-Flow System

Date: 2017-03-02 10:51:43

Project Information:

Operator Name Markevious Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft

Pump placement from TOC 37 ft

Well Information:

Well ID MGWA-6
 Well diameter 2 in
 Well Total Depth 42.15 ft
 Screen Length 10 ft
 Depth to Water 16.90 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.3354883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 5 in
 Total Volume Pumped 6.25 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 100
Last 5	10:20:21	300.09	20.30	7.01	554.72	1.70	17.30	0.28	41.11
Last 5	10:25:21	600.02	20.21	6.97	548.37	1.63	17.30	0.19	31.53
Last 5	10:30:21	900.02	20.13	6.96	543.98	0.99	17.30	0.15	26.48
Last 5	10:35:21	1200.02	20.36	6.96	545.03	0.73	17.28	0.14	22.75
Last 5	10:40:21	1500.02	20.60	6.95	541.65	0.59	17.27	0.12	19.41
Variance 0		-0.08	-0.00	-4.39				-0.04	-5.04
Variance 1		0.24	-0.00	1.05				-0.02	-3.73
Variance 2		0.24	-0.00	-3.38				-0.01	-3.34

Notes

1015 start purge at 250mL/min; 1040 all parameters stable; 1045 sampled at 250mL/min. 60F Partly Cloudy and Windy.

Grab Samples

Product Name: Low-Flow System

Date: 2017-03-02 09:27:12

Project Information:

Operator Name M. Burch
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 463072
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 58 ft
 Pump placement from TOC 48 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 53 ft
 Screen Length 10 ft
 Depth to Water 15.73 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5988786 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 46.92 in
 Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 3%	+/- 5%		+/- 0.2	+/- 10
Last 5	09:02:02	600.03	18.92	5.61	73.04	0.51	18.55	1.50	96.73
Last 5	09:07:02	900.03	18.72	5.58	70.64	0.36	19.30	1.54	89.96
Last 5	09:12:02	1200.03	18.72	5.56	68.78	0.37	19.50	1.63	85.95
Last 5	09:17:02	1500.03	18.74	5.55	67.98	0.53	19.62	1.66	83.54
Last 5	09:22:02	1800.00	18.83	5.53	67.09	0.31	19.64	1.66	82.25
Variance 0		0.00	-0.02		-1.86			0.09	-4.01
Variance 1		0.02	-0.01		-0.80			0.03	-2.41
Variance 2		0.09	-0.01		-0.89			-0.00	-1.29

Notes

Started purging at 200mL/min at 0852

Stopped purging at 0922 at 200mL/min Weather: cloudy and wet with a sprinkle of rain here and there

Grab Samples

MGWA-10

Grabbed Sample at 0930 at 200mL/min



GROUNDWATER SAMPLING LOG SHEET

Client:	GPC		Project No.: 0372382		Sampling Date: 3-2-12					
Site:	Plant McIntosh		Location: LF4 <input checked="" type="checkbox"/> AP <input type="checkbox"/> LF3 (circle one)		Sampler's Name: Markarovs, Thomas					
Well ID:	MGWA-11		Pump Type/Model: Brushite Pump		Sample Collection Time: 0930					
Total Depth (ft) ¹ :	56.60		Tubing Material: 20PF		Sample Purge Rate (L/min) ³ : 0.25					
Depth to Water (ft):	18.67		Pump Intake Depth (ft): 51		Sample ID: MGWA-11					
Well Diameter (in):	2		Start/Stop Purge Time: 0900 10925		Laboratory Analyses: See loc					
Well Volume (gal) = 0.041d ² h:	6.22		Purge Rate (L/min) ² : .25							
Well Volume (L) = gal * 3.785:	23.54		Total Purge Volume (L): 6.25							
d = well diameter (inches) h = length of water column (feet)										
Well Type:	Flush	Stick Up	Purge Method: Low-Flow	Well Volume	Other:	QA/QC Collected? <input checked="" type="checkbox"/> No				
Well Lock:	<input checked="" type="checkbox"/> Yes	No	Sampling Method: Pump Discharge	Other:	QA/QC I.D.					
Well Bolted:	Yes	<input type="checkbox"/> No	Bolts Needed:							
Well Cap Condition:	<input checked="" type="checkbox"/> Good	Replace	Other	All sample containers requiring chemical preservation properly preserved prior to demob from well? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						
Well Tag Present:	<input checked="" type="checkbox"/> Yes	No	Water in Vault:	Yes	No					
Time	Temp. (°C)	Spec. Cond. (µS/cm)	DO (mg/L)	pH (SU)	ORP (mV)	Turbidity (NTUs)	Purge Rate (mL/min)	Purged Volume (L)	H ₂ O Depth (ft btoc)	Notes (Purge method, water clarity, odor, purge rate, issues with pump/well/weather/etc.)
0905	18.89	293.90	0.37	7.30	7150	1.19	250	125	19.04	
0910	19.24	293.00	0.27	7.02	59.60	1.48	250	125	19.00	0.21/mg/l
0915	19.19	294.20	0.13	7.06	54.90	0.43	250	125	19.07	
0920	19.75	293.80	0.15	7.49	50.60	0.51	250	125	19.07	19.50°C
0925	19.43	291.60	0.11	7.50	47.30	0.48	250	125	19.08	
		All Parameter Stable								
		520F Reth. Charly and Abby								
		Solid Puffy SG 60 ft								
		Mahan 1 ft								
Stabilizing Criteria ^{4,5}	+/- 5%	0.2 mg/L or 10% whichever is greater ⁽⁶⁾	+/- 0.1 unit		<5 NTUs	>100 mL < 500 mL	>3L	<0.33 ft		

(1) - Maximum purge rate of 250 mL/min

(2) - Sample rate to be between 100 mL/min and 250 mL/min

(3) - Collect sample from pump discharge without tubing contacting sample container

(4) - Field parameter measurements to be recorded every 3 to 5 minutes.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(6) - Monitor depth to water every 3 to 5 minutes. Well drawdown to be 0.33 ft or less. Purge/sampling rate to be lowered as necessary to keep drawdown below 0.33 ft.

(7) - Contact field team lead if drawdown > 0.33 ft - do not switch to 3 well volume method until instructed

(8) - Preserve all samples as appropriate immediately following collection

(9) - DO 0.2 mg/L or 10% whichever is greater (no criteria apply if DO < 0.5 mg/L)

Purge Log QA/QC'd By:
Date:Purge Log QA/QC'd By:
Date:

Product Name: Low-Flow System

Date: 2017-03-02 12:13:41

Project Information:

Operator Name Markevious Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type QED Bladder
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 63 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 36.21 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.4961957 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 20 in
 Total Volume Pumped 7.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 100
Last 5	11:35:27	600.02	21.69	6.67	516.06	3.64	37.53	0.89	33.89
Last 5	11:40:27	900.02	21.73	6.69	534.61	2.23	37.60	0.63	31.60
Last 5	11:45:27	1200.02	21.85	6.72	542.14	2.12	37.62	0.50	29.75
Last 5	11:50:27	1500.02	21.48	6.74	551.82	1.56	37.75	0.35	28.89
Last 5	11:55:27	1800.02	21.20	6.75	557.12	1.28	37.87	0.14	27.73
Variance 0		0.11	0.03	7.53				-0.13	-1.85
Variance 1		-0.37	0.02	9.67				-0.15	-0.86
Variance 2		-0.28	0.01	5.30				-0.21	-1.16

Notes

1125 start pump at 250mL/min; 1155 all parameters stable; 1200 sampled at 250mL/min. 63F Partly Cloudy and Windy

Grab Samples

MGWC-1

Sampled at 1200

Product Name: Low-Flow System

Date: 2017-03-02 13:25:53

Project Information:

Operator Name M. Burch
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 463072
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 42 ft
 Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
 Well diameter 2 in
 Well Total Depth 37.26 ft
 Screen Length 10 ft
 Depth to Water 19.47 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5274637 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 16.68 in
 Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 3%	+/- 5%		+/- 0.2	+/- 10
Last 5	13:03:32	300.12	22.32	7.37	868.62	3.41	20.65	0.18	49.84
Last 5	13:08:32	600.03	22.21	7.38	868.11	3.42	20.85	0.16	40.85
Last 5	13:13:32	900.03	22.13	7.38	870.04	3.03	20.86	0.15	34.89
Last 5	13:18:32	1200.03	22.28	7.37	866.00	1.80	20.86	0.14	31.15
Last 5	13:23:32	1499.99	22.17	7.37	867.65	2.25	20.86	0.13	27.90
Variance 0		-0.08	0.00		1.93			-0.02	-5.96
Variance 1		0.15	-0.00		-4.04			-0.01	-3.74
Variance 2		-0.11	-0.00		1.65			-0.01	-3.25

Notes

Started purging at 200mL/min at 1259
 Stopped purging at 1324 at 200mL/min

Grab Samples

MGWC-2

Grabbed Sample at 1330 at 200mL/min

Product Name: Low-Flow System

Date: 2017-03-02 12:30:18

Project Information:

Operator Name T. Payne
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 364452
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 42 ft
 Pump placement from TOC 34 ft

Well Information:

Well ID MGWC-3
 Well diameter 2 in
 Well Total Depth 39.12 ft
 Screen Length 10 ft
 Depth to Water 15.18 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.5274637 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 5.16 in
 Total Volume Pumped 4 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 5		+/- 2	+/- 100
Last 5	12:12:44	300.06	19.95	6.73	547.20	0.19	15.59	0.93	-4.63
Last 5	12:17:44	600.04	20.17	6.76	554.94	0.14	15.61	0.77	-2.63
Last 5	12:22:44	900.02	19.96	6.78	563.98	1.92	15.61	0.75	-1.12
Last 5	12:27:44	1200.02	19.81	6.79	565.72	0.15	15.61	0.67	0.25
Last 5									
Variance 0			0.22	0.03	7.75			-0.16	2.00
Variance 1			-0.20	0.02	9.04			-0.03	1.51
Variance 2			-0.15	0.01	1.74			-0.08	1.38

Notes

Begin purging at 1207. Well stable at 1227. Sample at 1235. Sample rate 0.2L/min. Weather is sunny.

Grab Samples
 MGWC-3
 1235



GROUNDWATER SAMPLING LOG SHEET

(1) - Maximum purge rate of 250 mL/min

(2) - Sample rate to be between 100 mL/min and 250 mL/min

(3) - Collect sample from pump discharge without tubing contacting sample container.

(4) - Field parameter measurements to be recorded every 3 to 5 minutes.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(6) - Monitor depth to water every 3 to 5 minutes. Well drawdown to be 0.33 ft or less within 3 consecutive readings. Purge/sampling rate to be lowered as necessary to keep drawdown below 0.33 ft per 3 readings.

(7) Contact field team lead if drawdown > -0.22 ft... do not switch to 2-well volume method until instructed.

(7) - Contact field team lead if drawdown > 0.33 ft - do not switch to 3 well

(8) - Preserve all samples as appropriate immediately following collection

(9) - DO 0.2 mg/L or 10% whichever is greater (no criteria apply if DO < 0.5 mg/L)

***Note: Revised from handwritten field log recorded on 3/2/2017**

Product Name: Low-Flow System

Date: 2017-03-02 12:01:57

Project Information:

Operator Name M. Burch
Company Name ERM
Project Name GPC - Plant McIntosh
Site Name AP
Latitude 0° 0' 0"
Longitude 0° 0' 0"
Sonde SN 463072
Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
Tubing Type LDPE
Tubing Diameter 0.17 in
Tubing Length 57 ft

Pump placement from TOC 47 ft

Well Information:

Well ID MGWC-8
Well diameter 2 in
Well Total Depth 52.79 ft
Screen Length 10 ft
Depth to Water 28.73 ft

Pumping Information:

Final Pumping Rate 200 mL/min
Total System Volume 0.5944151 L
Calculated Sample Rate 300 sec
Stabilization Drawdown 1.92 in
Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 3%	+/- 5%		+/- 0.2	+/- 10
Last 5	11:40:09	300.07	20.89	5.20	398.47	0.03	28.89	0.54	101.95
Last 5	11:45:09	600.03	21.00	5.18	393.96	0.00	28.89	0.38	103.10
Last 5	11:50:09	900.03	21.06	5.20	392.02	0.11	28.89	0.24	101.46
Last 5	11:55:09	1200.03	20.92	5.20	393.46	0.12	28.89	0.21	100.74
Last 5	12:00:09	1500.03	20.95	5.21	396.26	0.03	28.89	0.20	97.99
Variance 0			0.06	0.03	-1.93			-0.14	-1.64
Variance 1			-0.13	-0.00	1.43			-0.03	-0.71
Variance 2			0.03	0.01	2.80			-0.00	-2.75

Notes

Started purging at 200mL/min at 1135
Stopped purging at 1200 @200mL/min

Grab Samples

MGWC-8

Grabbed Sample at 1205 at 200mL/min

Product Name: Low-Flow System

Date: 2017-03-02 13:34:50

Project Information:

Operator Name Markevious Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 65 ft

Pump placement from TOC 50 ft

Well Information:

Well ID MGWC-12
 Well diameter 2 in
 Well Total Depth 55.73 ft
 Screen Length 10 ft
 Depth to Water 23.12 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.3801225 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 11 in
 Total Volume Pumped 6.25 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 1	+/- 0.1	+/- 5%	+/- 10		+/- 0.2	+/- 100
Last 5	13:05:06	300.07	20.57	6.98	284.69	1.21	23.85	0.43	12.02
Last 5	13:10:06	600.01	20.19	6.87	281.72	0.67	23.96	0.22	-8.87
Last 5	13:15:06	900.01	20.06	6.95	266.52	0.43	24.00	0.18	-19.26
Last 5	13:20:06	1200.01	19.60	7.01	263.35	0.59	24.00	0.16	-28.92
Last 5	13:25:06	1500.00	19.50	7.02	261.86	0.52	24.01	0.15	-36.32
Variance 0		-0.14	0.08		-15.20			-0.04	-10.39
Variance 1		-0.46	0.06		-3.16			-0.02	-9.66
Variance 2		-0.09	0.01		-1.50			-0.01	-7.40

Notes

1300 start purge at 250mL/min; 1325 all parameters stable; 1330 sampled at 250mL/min. 65F Partly Cloudy and Windy

Grab Samples

MGWC-12

Sampled at 1330

Product Name: Low-Flow System

Date: 2017-07-13 13:42:46

Project Information:

Operator Name A. Ellis
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model LaMotte 2020

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 56 ft

Pump placement from TOC 51 ft

Well Information:

Well ID MW-11
 Well diameter 2 in
 Well Total Depth 56.61 ft
 Screen Length 10 ft
 Depth to Water 18.03 ft

Pumping Information:

Final Pumping Rate 150 mL/min
 Total System Volume 0.5899516 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 3.24 in
 Total Volume Pumped 3.75 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:20:37	300.09	26.44	7.71	238.19	7.06	18.30	0.38	39.79
Last 5	13:25:37	600.02	25.88	7.72	237.56	5.99	18.30	0.33	31.45
Last 5	13:30:37	900.02	24.82	7.72	239.91	4.31	18.30	0.32	26.19
Last 5	13:35:37	1200.02	24.60	7.72	239.34	4.38	18.30	0.30	20.43
Last 5	13:40:37	1500.02	24.64	7.72	240.93	4.41	18.30	0.27	15.44
Variance 0		-1.06	-0.01		2.35			-0.01	-5.26
Variance 1		-0.22	0.00		-0.57			-0.02	-5.76
Variance 2		0.04	0.00		1.59			-0.03	-4.99

Notes

Sampled at 1340; DUP-1

Grab Samples

Product Name: Low-Flow System

Date: 2017-07-13 15:20:10

Project Information:

Operator Name A. Ellis
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model LaMotte 2020

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft

Pump placement from TOC 49 ft

Well Information:

Well ID MW-12
 Well diameter 2 in
 Well Total Depth 53.72 ft
 Screen Length 10 ft
 Depth to Water 22.67 ft

Pumping Information:

Final Pumping Rate 150 mL/min
 Total System Volume 0.5854883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 8.28 in
 Total Volume Pumped 5.25 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	14:58:45	899.91	23.74	6.94	266.88	6.52	23.36	0.21	-32.36
Last 5	15:03:45	1199.92	23.84	7.02	262.38	4.95	23.36	0.19	-42.28
Last 5	15:08:45	1499.91	23.80	7.07	259.56	3.88	23.36	0.18	-49.34
Last 5	15:13:45	1799.91	23.75	7.12	255.70	2.82	23.36	0.17	-54.64
Last 5	15:18:45	2099.91	23.71	7.17	254.36	2.13	23.36	0.17	-59.32
Variance 0		-0.04	0.05		-2.81			-0.00	-7.06
Variance 1		-0.04	0.05		-3.86			-0.01	-5.30
Variance 2		-0.04	0.04		-1.34			-0.00	-4.68

Notes

Sampled at 1518; FB-1; FERB-1

Grab Samples

Product Name: Low-Flow System

Date: 2017-10-10 10:53:36

Project Information:

Operator Name H. Beaug
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter .17 in
 Tubing Length 47 ft
 Pump placement from TOC 37 ft

Well Information:

Well ID MGWA-6
 Well diameter 2 in
 Well Total Depth 42.15 ft
 Screen Length 10 ft
 Depth to Water 16.78 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.2997809 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 3.96 in
 Total Volume Pumped 6.25 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	10:28:04	300.05	25.11	7.15	552.75	4.38	17.10	0.19	32.84
Last 5	10:33:04	600.03	24.62	7.24	551.14	2.19	17.11	0.13	19.03
Last 5	10:38:04	899.97	24.41	7.24	553.00	1.84	17.11	0.10	14.11
Last 5	10:43:04	1199.97	24.34	7.27	555.28	1.43	17.11	0.09	11.70
Last 5	10:48:04	1499.97	24.27	7.27	552.17	1.65	17.11	0.09	7.25
Variance 0		-0.20	0.00		1.86			-0.02	-4.92
Variance 1		-0.07	0.02		2.28			-0.01	-2.41
Variance 2		-0.07	0.00		-3.10			0.00	-4.45

Notes

MGWA-6 sample Time: 1051. Purge rate: 250 mL/min. Purge Time: 1051

Grab Samples

MGWA-6

Sample Time: 1051

Product Name: Low-Flow System

Date: 2017-10-10 10:16:10

Project Information:

Operator Name V. Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model HANNA HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 63 ft

Pump placement from TOC 48 ft

Well Information:

Well ID MGWA-10
 Well diameter 2 in
 Well Total Depth 53 ft
 Screen Length 10 ft
 Depth to Water 15.69 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3711957 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 40.2 in
 Total Volume Pumped 9 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:53:04	1500.03	24.65	5.53	64.67	0.39	18.37	1.51	170.68
Last 5	09:58:04	1800.03	24.91	5.53	65.11	0.40	18.64	1.50	165.28
Last 5	10:03:04	2100.02	24.89	5.51	65.00	0.33	18.80	1.50	167.64
Last 5	10:08:04	2399.99	24.97	5.52	65.22	0.30	18.97	1.50	162.79
Last 5	10:13:04	2700.00	25.19	5.51	65.32	0.22	19.04	1.50	162.31
Variance 0		-0.03	-0.02		-0.11			-0.00	2.37
Variance 1		0.08	0.01		0.22			0.00	-4.86
Variance 2		0.22	-0.00		0.10			0.00	-0.48

Notes

Purge time: 0928/1013. Parameters stable at 1013. MGWA-10 sampled at 1015.

Grab Samples

MGWA-10
 1015

Product Name: Low-Flow System

Date: 2017-10-10 11:31:29

Project Information:

Operator Name V. Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model HANNA HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 66.6 ft
 Pump placement from TOC 51.6 ft

Well Information:

Well ID MGWA-11
 Well diameter 2 in
 Well Total Depth 56.6 ft
 Screen Length 10 ft
 Depth to Water 18.44 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.387264 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 2.28 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	11:09:04	900.02	26.06	7.19	286.12	0.20	18.63	0.42	-110.59
Last 5	11:14:04	1200.03	25.74	7.30	288.45	0.19	18.63	0.44	-110.52
Last 5	11:19:04	1500.03	25.51	7.36	289.74	0.12	18.63	0.33	-109.66
Last 5	11:24:04	1800.02	25.37	7.40	287.57	0.17	18.63	0.31	-109.55
Last 5	11:29:04	2100.03	25.28	7.42	286.93	0.21	18.63	0.33	-110.13
Variance 0			-0.23	0.06	1.28			-0.11	0.86
Variance 1			-0.14	0.04	-2.17			-0.02	0.11
Variance 2			-0.09	0.02	-0.63			0.02	-0.58

Notes

Purge time: 1054/1129. Parameters stable at 1129. MGWA-11 sampled at 1135.

Grab Samples

MGWA-11
1135

Product Name: Low-Flow System

Date: 2017-10-10 14:24:47

Project Information:

Operator Name Pat Harold
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449102
 Turbidity Make/Model HANNA HI9873

Pump Information:

Pump Model/Type ALEXIS PERI
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 61.08 ft

Pump placement from TOC 51.08 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 35.82 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3626259 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 15.48 in
 Total Volume Pumped 23 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:50:05	5402.04	23.70	6.96	573.64	1.85	37.09	1.51	-26.46
Last 5	13:55:05	5702.04	23.63	6.96	578.90	1.72	37.10	1.42	-23.93
Last 5	14:05:05	6302.07	24.47	6.98	606.78	2.71	37.10	1.25	-22.08
Last 5	14:10:05	6602.04	23.79	6.98	609.83	2.22	37.10	1.18	-18.42
Last 5	14:15:05	6902.01	23.59	6.99	613.40	1.06	37.11	1.13	-16.74
Variance 0			0.84	0.02	27.88			-0.17	1.85
Variance 1			-0.68	0.00	3.05			-0.07	3.66
Variance 2			-0.21	0.00	3.56			-0.05	1.69

Notes

Purging started @ 1220/ stopped 1415. Parameters stabilized @ 1415. Sample MGWC-1 taken @ 1420.

Grab Samples

MGWC-1

Sample taken @ 1420 w/ 200ml/min

Product Name: Low-Flow System

Date: 2017-10-10 12:56:36

Project Information:

Operator Name V. Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 450141
 Turbidity Make/Model HANNA HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 47 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
 Well diameter 2 in
 Well Total Depth 37.26 ft
 Screen Length 10 ft
 Depth to Water 19.38 ft

Pumping Information:

Final Pumping Rate 100 mL/min
 Total System Volume 0.2997809 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 10.2 in
 Total Volume Pumped 4.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 2	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	12:34:01	900.03	25.74	7.29	824.57	5.11	20.17	0.26	10.30
Last 5	12:39:01	1200.02	25.99	7.29	816.00	3.54	20.12	0.26	7.11
Last 5	12:44:01	1500.03	25.84	7.29	818.27	1.72	20.09	0.23	8.76
Last 5	12:49:01	1800.03	25.70	7.29	817.93	1.84	20.12	0.22	7.48
Last 5	12:54:01	2100.02	25.84	7.29	818.29	0.91	20.12	0.20	5.06
Variance 0		-0.15	-0.00		2.27			-0.03	1.64
Variance 1		-0.14	0.00		-0.34			-0.01	-1.28
Variance 2		0.14	0.00		0.36			-0.02	-2.42

Notes

Purge time: 1219/1254. Parameters stable at 1254. MGWC-2 sampled at 1300.

Grab Samples

MGWC-2
 1300

Product Name: Low-Flow System

Date: 2017-10-10 12:12:53

Project Information:

Operator Name H. Beaug
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter .17 in
 Tubing Length 44 ft
 Pump placement from TOC 34 ft

Well Information:

Well ID MGWC-3
 Well diameter 2 in
 Well Total Depth 39.12 ft
 Screen Length 10 ft
 Depth to Water 14.85 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.2863906 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 6.6 in
 Total Volume Pumped 6.25 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	11:44:26	300.05	22.80	6.94	572.37	1.40	15.33	0.21	38.88
Last 5	11:49:26	600.03	22.40	6.96	579.56	1.61	15.38	0.14	34.68
Last 5	11:54:26	900.03	22.40	7.00	582.88	0.71	15.38	0.11	32.72
Last 5	11:59:26	1199.99	22.57	7.00	584.00	0.89	15.39	0.10	31.96
Last 5	12:04:26	1499.99	22.41	7.00	586.33	0.61	15.40	0.09	32.18
Variance 0		0.00	0.03		3.32			-0.03	-1.96
Variance 1		0.17	0.01		1.12			-0.01	-0.75
Variance 2		-0.16	0.00		2.33			-0.01	0.22

Notes

MGWC-3 Sample Time: 1207. Purge rate: 250 mL/min. Purge Time: 1139 to 1204

Grab Samples

MGWC-3

Sample Time: 1207

Product Name: Low-Flow System

Date: 2017-10-10 10:06:52

Project Information:

Operator Name Pat Harold
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449102
 Turbidity Make/Model HANNA HI9873

Pump Information:

Pump Model/Type ALEXIS PERI
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 40.00 ft

Pump placement from TOC 37.23 ft

Well Information:

Well ID MGWC-7
 Well diameter 2 in
 Well Total Depth 42.23 ft
 Screen Length 10 ft
 Depth to Water 18.44 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.2685369 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 6.84 in
 Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:35:08	600.03	23.38	7.03	460.19	2.18	19.00	0.20	4.80
Last 5	09:40:08	900.03	23.32	6.69	462.45	1.56	19.01	0.17	-8.92
Last 5	09:45:08	1200.03	23.32	6.55	463.99	1.65	19.01	0.15	-15.95
Last 5	09:50:08	1499.90	23.43	6.50	466.18	1.95	19.01	0.15	-22.62
Last 5	09:55:08	1799.90	23.58	6.48	467.08	0.97	19.01	0.13	-25.91
Variance 0		0.01	-0.15		1.53			-0.02	-7.03
Variance 1		0.11	-0.05		2.19			-0.01	-6.67
Variance 2		0.15	-0.02		0.91			-0.01	-3.29

Notes

Purging started @ 0925/ended 0955. Parameters stabilized @ 0955. Sample MGWC-7 taken @ 1000.

Grab Samples

Product Name: Low-Flow System

Date: 2017-10-10 11:27:37

Project Information:

Operator Name Pat Harold
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449102
 Turbidity Make/Model HANNA HI9873

Pump Information:

Pump Model/Type ALEXIS PERI
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 55 ft

Pump placement from TOC 47 ft

Well Information:

Well ID MGWC-8
 Well diameter 2 in
 Well Total Depth 52.79 ft
 Screen Length 10 ft
 Depth to Water 28.26 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3354883 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 0.21 in
 Total Volume Pumped 5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	10:50:01	299.99	25.10	5.03	545.42	1.55	28.49	0.27	114.72
Last 5	10:55:01	599.98	24.51	5.25	562.37	3.09	28.48	0.21	91.64
Last 5	11:00:01	899.98	24.87	5.52	585.34	2.42	28.49	0.17	74.11
Last 5	11:05:01	1199.98	24.89	5.59	590.69	2.68	28.49	0.15	70.61
Last 5	11:10:01	1499.94	24.90	5.60	588.93	2.53	28.49	0.14	69.41
Variance 0		0.36	0.27		22.97			-0.04	-17.53
Variance 1		0.02	0.07		5.34			-0.02	-3.50
Variance 2		0.01	0.00		-1.76			-0.01	-1.20

Notes

Purging started @ 1054/ stopped 1110. Parameters stabilized @ 1110. Samp MGWC-8 and DUP-1 taken @ 1115 w/ 200 ml/min

Grab Samples

MGWC-8

Sample taken @ 1115 w/ 200 ml/min

DUP-1

Sample taken @ 1115 w/ 200 ml/min

Product Name: Low-Flow System

Date: 2017-10-10 13:31:53

Project Information:

Operator Name H. Beaug
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model Hanna HI98703

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter .17 in
 Tubing Length 60 ft
 Pump placement from TOC 50 ft

Well Information:

Well ID MGWC-12
 Well diameter 2 in
 Well Total Depth 55.72 ft
 Screen Length 10 ft
 Depth to Water 22.36 ft

Pumping Information:

Final Pumping Rate 250 mL/min
 Total System Volume 0.3578054 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 11.76 in
 Total Volume Pumped 7.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:03:28	600.03	22.62	6.91	283.68	2.36	23.28	0.12	9.06
Last 5	13:08:28	900.03	22.30	7.06	277.48	1.67	23.32	0.09	-4.74
Last 5	13:13:28	1200.01	22.30	7.15	270.33	1.42	23.33	0.07	-11.85
Last 5	13:18:28	1500.00	22.44	7.19	267.38	1.30	23.33	0.06	-18.27
Last 5	13:23:28	1800.00	22.35	7.24	262.99	0.97	23.34	0.06	-23.29
Variance 0		-0.00	0.09		-7.14			-0.02	-7.11
Variance 1		0.13	0.04		-2.95			-0.01	-6.42
Variance 2		-0.09	0.04		-4.39			0.00	-5.02

Notes

MGWC-12 Sample Time: 1326 Purge rate: 250 mL/min Purge Time: 1253 to 1323

Grab Samples

MGWC-12

Sample Time: 1326

Product Name: Low-Flow System

Date: 2017-04-18 11:28:24

Project Information:

Operator Name T.Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 68 ft
 Pump placement from TOC 58 ft

Well Information:

Well ID MGWA-5
 Well diameter 2 in
 Well Total Depth 62.10 ft
 Screen Length 10 ft
 Depth to Water 11.61 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3935128 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 7.92 in
 Total Volume Pumped 6 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	11:02:09	600.03	23.82	7.40	260.15	0.12	21.14	0.57	5.49
Last 5	11:07:09	900.02	23.70	7.38	261.26	0.24	21.22	0.42	-5.13
Last 5	11:12:09	1200.03	23.70	7.42	260.42	0.17	21.27	0.34	-12.20
Last 5	11:17:09	1500.03	23.48	7.43	259.81	0.16	21.27	0.29	-17.77
Last 5	11:22:09	1800.02	22.80	7.43	260.43	0.18	21.27	0.26	-22.01
Variance 0		-0.00	0.03		-0.84			-0.08	-7.07
Variance 1		-0.22	0.02		-0.61			-0.05	-5.56
Variance 2		-0.67	-0.00		0.63			-0.03	-4.25

Notes

Purge started at 1052. Purge rate at 200 mL/min.

Parameters stable at 1122. Well sampled at 1130. Sample rate at 200 mL/min.

Grab Samples

MGWA-11

Sample at 1130

Product Name: Low-Flow System

Date: 2017-04-18 10:09:13

Project Information:

Operator Name	Taylor Payne
Company Name	ERM
Project Name	GPC -Plant McIntosh
Site Name	AP
Latitude	0° 0' 0"
Longitude	0° 0' 0"
Sonde SN	501336
Turbidity Make/Model	LaMotte2020we

Pump Information:

Pump Model/Type	Alexis Peristaltic
Tubing Type	LDPE
Tubing Diameter	0.175 in
Tubing Length	56 ft
Pump placement from TOC	48 ft

Well Information:

Well ID	MGWA-10
Well diameter	2 in
Well Total Depth	53 ft
Screen Length	10 ft
Depth to Water	16.35 ft

Pumping Information:

Final Pumping Rate	200 mL/min
Total System Volume	0.3548709 L
Calculated Sample Rate	300 sec
Stabilization Drawdown	33 in
Total Volume Pumped	11 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 0.5	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 10
Last 5	09:46:43	3000.02	21.90	5.63	72.25	0.05	19.86	2.39	84.41
Last 5	09:51:43	3300.03	21.90	5.64	72.98	0.27	19.91	2.94	85.03
Last 5	09:56:43	3600.02	21.95	5.64	73.74	0.19	19.91	1.62	86.31
Last 5	10:01:43	3900.02	22.03	5.65	73.79	0.11	19.91	1.59	87.28
Last 5	10:06:43	4200.03	22.17	5.64	72.97	0.22	19.91	1.63	87.64
Variance 0		0.05	0.00		0.77			-1.31	1.29
Variance 1		0.09	0.01		0.05			-0.03	0.97
Variance 2		0.13	-0.01		-0.82			0.04	0.36

Notes

Begin purging at 0856. Well stable at 1006. Sample at 1010. Sample rate 0.2L/min. Weather is sunny.

Grab Samples
MGWA - 10
1010

Product Name: Low-Flow System

Date: 2017-04-18 09:36:05

Project Information:

Operator Name T.Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 60.6 ft
 Pump placement from TOC 51.6 ft

Well Information:

Well ID MGWA-11
 Well diameter 2 in
 Well Total Depth 56.6 ft
 Screen Length 10 ft
 Depth to Water 19.29 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3604834 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 2.4 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:12:35	900.02	21.84	7.72	257.03	0.25	19.49	0.31	30.08
Last 5	09:17:35	1200.02	21.93	7.75	270.80	0.26	19.49	0.27	29.25
Last 5	09:22:35	1500.02	22.14	7.74	281.38	0.10	19.49	0.25	28.98
Last 5	09:27:35	1800.03	22.22	7.74	286.87	0.25	19.49	0.23	27.15
Last 5	09:32:35	2100.02	22.20	7.75	287.07	0.16	19.49	0.24	24.62
Variance 0			0.21	-0.01	10.58			-0.02	-0.27
Variance 1			0.08	0.00	5.49			-0.02	-1.83
Variance 2			-0.02	0.01	0.20			0.01	-2.53

Notes

Purge rate started at 8:57. Purge rate at 200ml/min.

Parameters stable at 0932. Well sampled at 0940. Sample rate at 200 mL/min.

Grab Samples

MGWA-11

Sampled at 0940

Product Name: Low-Flow System

Date: 2017-04-18 15:12:24

Project Information:

Operator Name T.Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Bladder QED
 Tubing Type Dual LDPE
 Tubing Diameter 0.17 in
 Tubing Length 66 ft
 Pump placement from TOC 51 ft

Well Information:

Well ID MGWC-1
 Well diameter 2 in
 Well Total Depth 56.08 ft
 Screen Length 10 ft
 Depth to Water 36.48 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.659586 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 18 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	14:49:03	899.91	22.67	6.83	541.82	13.60	37.97	0.25	25.87
Last 5	14:54:03	1199.91	22.54	6.82	551.81	8.89	37.97	0.21	24.79
Last 5	14:59:03	1499.91	22.27	6.86	559.89	4.60	37.97	0.19	22.33
Last 5	15:04:03	1799.91	22.14	6.90	565.12	4.51	37.97	0.16	19.85
Last 5	15:09:05	2101.91	22.09	6.93	569.30	2.72	37.97	0.15	18.67
Variance 0		-0.27	0.04		8.07			-0.02	-2.46
Variance 1		-0.13	0.05		5.23			-0.02	-2.48
Variance 2		-0.05	0.02		4.18			-0.01	-1.19

Notes

Purge started at 1434. Purge rate at 200 mL/min.

Parameters stable at 1509. Well sampled at 1515. Sample rate at 200 mL/min.

Grab Samples

MGWC-1

Sampled at 1515

Product Name: Low-Flow System

Date: 2017-04-19 09:53:03

Project Information:

Operator Name T.Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 42 ft

Pump placement from TOC 32 ft

Well Information:

Well ID MGWC-2
 Well diameter 2 in
 Well Total Depth 37.26 ft
 Screen Length 10 ft
 Depth to Water 19.75 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.2774638 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 9.49 in
 Total Volume Pumped 3.5 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	09:27:34	600.03	21.27	7.47	912.69	0.53	20.54	0.37	89.09
Last 5	09:32:34	900.03	21.33	7.48	911.95	0.54	20.54	0.32	87.92
Last 5	09:37:34	1200.02	21.42	7.48	910.19	0.44	20.54	0.31	87.83
Last 5	09:42:34	1499.97	21.51	7.49	908.96	0.36	20.54	0.28	86.94
Last 5	09:47:34	1799.97	21.57	7.48	908.62	0.31	20.54	0.26	87.16
Variance 0		0.09	-0.00		-1.76			-0.01	-0.10
Variance 1		0.09	0.01		-1.23			-0.03	-0.89
Variance 2		0.05	-0.01		-0.34			-0.02	0.22

Notes

Purge started at 09:17. Purge rate at 200 mL/min. Weather- overcast/cloudy 68F.

Purge rate lowered to 100 mL/min at 09:22 to prevent well draw down. Parameters stable at 09:47. Well sampled at 09:55. Sample rate at 100 mL/min. 2nd Rad sample taken.

Grab Samples

MGWC-2

Sampled at 09:55

2nd RAD

Sampled at 09:55



GROUNDWATER SAMPLING LOG SHEET

Client:	GPC	Project No.:	Sampling Date: 4/18/2017							
Site:	Plant McIntosh	Location:	Sampler's Name: T Payne							
Well ID:	MGWC-3	Pump Type/Model:	Sample Collection Time: 1430							
Total Depth (ft):	39.12	Tubing Material:	Sample Purge Rate (mL/min) ^{2,3} : 0.2							
Depth to Water (ft):	25.77	Pump Intake Depth (ft):	Sample ID: MGWC-3							
Well Diameter (in):	2	Start/Stop Purge Time:	Laboratory Analyses:							
Well Volume (gal) = $0.041d^2h$:		Purge Rate (mL/min):								
Well Volume (L) = gal * 3.785:		Total Purge Volume (L):	QA/QC Collected? Yes							
d = well diameter (inches) h = length of water column (feet)										
Well Type:	Flush	Stick Up	Purge Method:	QA/QC I.D. FB-1						
Well Lock:	Yes	No	Sampling Method ⁴ :							
Well Cap Condition:	Good	Replace	All sample containers requiring chemical preservation properly preserved prior to demob from well? ⁵ Yes							
Well Tag Present:	Yes	No								
Time	Temp. (°C)	Spec. Cond. (µS/cm)	DO (mg/L)	pH (SU)	ORP (mV)	Turbidity (NTUs)	Purge Rate (mL/min)	Purged Volume (L)	H ₂ O Depth (ft btoc)	Notes (Purge method, water clarity, odor, purge rate, issues with pump/well/weather/etc.)
1412	22.53	566.4	0.57	6.72	66.1	1.02	200	1.0	15.8	
1417	22.47	570.8	0.45	6.75	65.9	0.88	200	2.0	15.82	
1422	22.77	588.9	0.55	6.77	65.2	0.20	200	3.0	15.82	
1427	22.37	581.8	0.41	6.77	65.1	0.07	200	4.0	15.82	Parameters stabilized
										Sampled at 1430
										TD = 39.14
Stabilizing Criteria^{4,5}		+/- 5%	0.2 mg/L or 10% for DO > 0.5 mg/L (whichever is greater) ⁶	+/- 0.1 SU		< 5 NTUs	> 100 mL < 250 mL	> 3L	< 0.33 ft ^{6,7}	

(1) - Maximum purge rate of 250 mL/min

(2) - Sample rate to be between 100 mL/min and 250 mL/min

(3) - Collect sample from pump discharge without tubing contacting sample container

(4) - Field parameter measurements to be recorded every 3 to 5 minutes.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(6) - Monitor depth to water every 3 to 5 minutes. Well drawdown to be 0.33 ft or less within 3 consecutive readings. Purge/sampling rate to be lowered as necessary to keep drawdown below 0.33 ft per 3 readings.

(7) - Contact field team lead if drawdown > 0.33 ft - do not switch to 3 well volume method until instructed

(8) - Preserve all samples as appropriate immediately following collection

(9) - DO 0.2 mg/L or 10% whichever is greater (no criteria apply if DO < 0.5 mg/L)

*Note: Revised from handwritten field log recorded on 4/18/17.



GROUNDWATER SAMPLING LOG SHEET

Client:	GPC	Project No.:	Sampling Date: 4/18/2017							
Site:	Plant McIntosh	Location:	Sampler's Name: T Payne							
Well ID:	MGWC-6	Pump Type/Model:	Sample Collection Time: 1130							
Total Depth (ft):	42.65	Tubing Material:	Sample Purge Rate (mL/min) ^{2,3} : 0.2							
Depth to Water (ft):	17.38	Pump Intake Depth (ft):	Sample ID: MGWC-6							
Well Diameter (in):		Start/Stop Purge Time:	Laboratory Analyses:							
Well Volume (gal) = $0.041d^2h$:		Purge Rate (mL/min):								
Well Volume (L) = gal * 3.785:		Total Purge Volume (L):	QA/QC Collected? No							
d = well diameter (inches) h = length of water column (feet)									QA/QC I.D. _____	
Well Type:	Flush	Stick Up								
Well Lock:	Yes	No								
Well Cap Condition:	Good	Replace	All sample containers requiring chemical preservation properly preserved prior to demob from well? ⁸ Yes							
Well Tag Present:	Yes	No								
Time	Temp. (°C)	Spec. Cond. (µS/cm)	DO (mg/L)	pH (SU)	ORP (mV)	Turbidity (NTUs)	Purge Rate (mL/min)	Purged Volume (L)	H ₂ O Depth (ft btoc)	Notes (Purge method, water clarity, odor, purge rate, issues with pump/well/weather/etc.)
1111	23.60	545.4	0.52	7.00	69.2	0.22	200	1.0	17.63	
1116	22.75	548.8	0.47	7.01	51.4	0.78	200	2.0	17.64	
1122	22.57	538.2	0.54	7.01	40.7	0.41	200	3.0	17.64	
1127	22.98	543.9	0.54	7.02	31.3	0.38	200	4.0	17.64	Parameters stabilized
										Sampled at 1130
										TD = 42.17
Stabilizing Criteria^{4,5}		+/- 5%	0.2 mg/L or 10% for DO > 0.5 mg/L (whichever is greater) ⁹	+/- 0.1 SU		< 5 NTUs	> 100 mL < 250 mL	> 3L	< 0.33 ft ^{6,7}	

(1) - Maximum purge rate of 250 mL/min

(2) - Sample rate to be between 100 mL/min and 250 mL/min

(3) - Collect sample from pump discharge without tubing contacting sample container

(4) - Field parameter measurements to be recorded every 3 to 5 minutes.

(5) - Stabilization criteria based on three most recent consecutive measurements.

(6) - Monitor depth to water every 3 to 5 minutes. Well drawdown to be 0.33 ft or less within 3 consecutive readings. Purge/sampling rate to be lowered as necessary to keep drawdown below 0.33 ft per 3 readings.

(7) - Contact field team lead if drawdown > 0.33 ft - do not switch to 3 well volume method until instructed

(8) - Preserve all samples as appropriate immediately following collection

(9) - DO 0.2 mg/L or 10% whichever is greater (no criteria apply if DO < 0.5 mg/L)

***Note: Revised from handwritten field log recorded on 4/18/17.**

Product Name: Low-Flow System

Date: 2017-04-18 13:12:19

Project Information:

Operator Name Taylor Payne
 Company Name ERM
 Project Name GPC -Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 501336
 Turbidity Make/Model LaMotte2020we

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.175 in
 Tubing Length 45 ft
 Pump placement from TOC 37 ft

Well Information:

Well ID MGWC-7
 Well diameter 2 in
 Well Total Depth 42.23 ft
 Screen Length 10 ft
 Depth to Water 19.06 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3028427 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 6.72 in
 Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 0.5	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 10
Last 5	12:49:56	1200.02	23.80	6.61	504.35	0.43	19.62	1.47	81.04
Last 5	12:54:56	1500.02	23.82	6.62	507.53	0.54	19.62	1.27	78.30
Last 5	12:59:56	1800.02	23.94	6.66	507.30	0.48	19.62	1.13	74.80
Last 5	13:04:56	2100.03	24.14	6.69	508.88	0.17	19.62	1.05	71.08
Last 5	13:09:56	2400.02	24.06	6.70	512.88	0.26	19.62	1.02	67.34
Variance 0			0.11	0.04	-0.23			-0.14	-3.50
Variance 1			0.20	0.03	1.58			-0.08	-3.73
Variance 2			-0.08	0.01	4.00			-0.03	-3.73

Notes

Begin purging at 1229. Stable at 1309. Sample at 1315. Sample rate 0.2L/min. Weather is sunny.

Grab Samples

MGWC-7
 1315

Product Name: Low-Flow System

Date: 2017-04-18 13:42:01

Project Information:

Operator Name T.Thomas
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Bladder QED
 Tubing Type Dual LDPE
 Tubing Diameter 0.17 in
 Tubing Length 57.79 ft

Pump placement from TOC 47.79 ft

Well Information:

Well ID MGWC-8
 Well diameter 2 in
 Well Total Depth 52.79 ft
 Screen Length 10 ft
 Depth to Water 28.96 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.6229412 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 2.76 in
 Total Volume Pumped 8 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 0.2	+/- 100
Last 5	13:13:24	1200.02	23.88	5.33	444.46	0.98	29.19	0.25	58.10
Last 5	13:23:24	1800.03	23.87	5.31	431.84	0.74	29.19	0.17	56.77
Last 5	13:28:24	2100.02	23.82	5.82	490.62	0.74	29.19	0.15	53.19
Last 5	13:33:26	2402.03	23.92	5.85	497.57	0.59	29.19	0.14	56.53
Last 5	13:38:26	2701.92	23.88	5.85	498.55	0.40	29.19	0.13	55.64
Variance 0		-0.06	0.50	58.79				-0.02	-3.58
Variance 1		0.11	0.03	6.95				-0.01	3.35
Variance 2		-0.05	-0.00	0.97				-0.01	-0.89

Notes

Purge started at 12:53. Purge rate at 200ml/min.

Parameters stable at 1338. Well sampled at 1345. Sample rate at 200 mL/min.

Grab Samples

MGWC-8

Sampled at 1345.

Product Name: Low-Flow System

Date: 2017-04-25 12:25:28

Project Information:

Operator Name C. Hurdle
 Company Name ERM
 Project Name GPC - Plant McIntosh
 Site Name AP
 Latitude 0° 0' 0"
 Longitude 0° 0' 0"
 Sonde SN 449622
 Turbidity Make/Model LaMotte 2020We

Pump Information:

Pump Model/Type Alexis Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.17 in
 Tubing Length 60.17 ft
 Pump placement from TOC 50.17 ft

Well Information:

Well ID MGWC-12
 Well diameter 2 in
 Well Total Depth 55.72 ft
 Screen Length 10 ft
 Depth to Water 23.32 ft

Pumping Information:

Final Pumping Rate 200 mL/min
 Total System Volume 0.3585641 L
 Calculated Sample Rate 300 sec
 Stabilization Drawdown 8.64 in
 Total Volume Pumped 7 L

Low-Flow Sampling Stabilization Summary

	Time	Elapsed	Temp C	pH	SpCond µS/cm	Turb NTU	DTW ft	RDO mg/L	ORP mV
Stabilization			+/- 10	+/- 0.1	+/- 5%	+/- 5		+/- 10%	+/- 100
Last 5	12:01:08	900.03	20.27	6.78	283.22	0.30	24.02	0.30	49.52
Last 5	12:06:08	1200.03	20.13	6.87	274.86	0.26	24.04	0.25	41.98
Last 5	12:11:08	1500.03	20.22	6.92	268.60	0.03	24.04	0.23	35.92
Last 5	12:16:08	1800.03	20.42	6.99	268.99	0.07	24.04	0.21	28.43
Last 5	12:21:08	2100.03	20.66	7.02	264.88	0.14	24.04	0.20	24.04
Variance 0		0.08	0.05	-6.27				-0.02	-6.06
Variance 1		0.21	0.07	0.39				-0.02	-7.50
Variance 2		0.24	0.02	-4.11				-0.00	-4.38

Notes

Weather: 67F Partly Cloudy. Purge Time: 1145/1220. QA/QC Blind Duplicate Collected

Grab Samples

MGWC-12

Sample Time 1225


DUP-1

QA/QC

Appendix B Statistical Analyses

Sanitas™ v.9.5.32 Sanitas software licensed to ERM, UG
Hollow symbols indicate censored values.


Time Series



Constituent: Boron Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Sanitas™ v.9.5.32 Sanitas software licensed to ERM, UG
Hollow symbols indicate censored values.


Time Series



Constituent: Boron Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Sanitas™ v.9.5.32 Sanitas software licensed to ERM, UG


Time Series



Constituent: Calcium Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125


Sanitas™ v.9.5.32 Sanitas software licensed to ERM, UG

Time Series




Constituent: Calcium Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: Chloride Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: Chloride Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: Fluoride Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: Fluoride Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: pH Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series




Constituent: pH Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series





Constituent: Sulfate Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Time Series



Constituent: Sulfate Analysis Run 1/25/2018 11:57 PM View: 1. Time Series - All Wells
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125



Interwell Prediction Limit


Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125 Printed 1/26/2018, 12:00 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg_N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (mg/L)	MGWC-1	0.18	n/a	10/10/2017	1.9	Yes	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Boron (mg/L)	MGWC-2	0.18	n/a	10/10/2017	3.4	Yes	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Boron (mg/L)	MGWC-3	0.18	n/a	10/10/2017	1.7	Yes	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Boron (mg/L)	MGWC-7	0.18	n/a	10/10/2017	1.4	Yes	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Boron (mg/L)	MGWC-8	0.18	n/a	10/10/2017	4.2	Yes	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Boron (mg/L)	MGWC-12	0.18	n/a	10/10/2017	0.05ND	No	36	44.44	n/a	0.001386	NP (normality) 1 of 2
Chloride (mg/L)	MGWC-1	10.57	n/a	10/10/2017	14	Yes	36	0	No	0.001254	Param 1 of 2
Chloride (mg/L)	MGWC-2	10.57	n/a	10/10/2017	16	Yes	36	0	No	0.001254	Param 1 of 2
Chloride (mg/L)	MGWC-3	10.57	n/a	10/10/2017	14	Yes	36	0	No	0.001254	Param 1 of 2
Chloride (mg/L)	MGWC-7	10.57	n/a	10/10/2017	12	Yes	36	0	No	0.001254	Param 1 of 2
Chloride (mg/L)	MGWC-8	10.57	n/a	10/10/2017	11	Yes	36	0	No	0.001254	Param 1 of 2
Chloride (mg/L)	MGWC-12	10.57	n/a	10/10/2017	4	No	36	0	No	0.001254	Param 1 of 2
Fluoride (mg/L)	MGWC-1	0.2	n/a	10/10/2017	0.18	No	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Fluoride (mg/L)	MGWC-2	0.2	n/a	10/10/2017	0.2ND	No	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Fluoride (mg/L)	MGWC-3	0.2	n/a	10/10/2017	0.2ND	No	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Fluoride (mg/L)	MGWC-7	0.2	n/a	10/10/2017	0.28	Yes	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Fluoride (mg/L)	MGWC-8	0.2	n/a	10/10/2017	0.2ND	No	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Fluoride (mg/L)	MGWC-12	0.2	n/a	10/10/2017	0.22	Yes	36	33.33	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-1	21	n/a	10/10/2017	170	Yes	36	16.67	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-2	21	n/a	10/10/2017	240	Yes	36	16.67	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-3	21	n/a	10/10/2017	110	Yes	36	16.67	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-7	21	n/a	10/10/2017	180	Yes	36	16.67	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-8	21	n/a	10/10/2017	260	Yes	36	16.67	n/a	0.001386	NP (normality) 1 of 2
Sulfate (mg/L)	MGWC-12	21	n/a	10/10/2017	4.9	No	36	16.67	n/a	0.001386	NP (normality) 1 of 2

Sanitas™ v.9.5.32 Sanitas software licensed to ERM. UG
Hollow symbols indicate censored values.

Exceeds Limit: MGWC-1, MGWC-2, MGWC-3, MGWC-7, MGWC-8

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 36 background values. 44.44% NDs. Annual per-constituent alpha = 0.0165. Individual comparison alpha = 0.001386 (1 of 2). Comparing 6 points to limit.

Sanitas™ v.9.5.32 Sanitas software licensed to ERM. UG

Exceeds Limit: MGWC-1, MGWC-2, MGWC-3, MGWC-7, MGWC-8

Prediction Limit
Interwell Parametric



Background Data Summary: Mean=6.568, Std. Dev.=2.057, n=36. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9363, critical = 0.912. Kappa = 1.948 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001254. Comparing 6 points to limit.


Constituent: Boron Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Chloride Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Sanitas™ v.9.5.32 Sanitas software licensed to ERM. UG
Hollow symbols indicate censored values.

Exceeds Limit: MGWC-7, MGWC-12

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 36 background values. 33.33% NDs. Annual per-constituent alpha = 0.0165. Individual comparison alpha = 0.001386 (1 of 2). Comparing 6 points to limit.

Sanitas™ v.9.5.32 Sanitas software licensed to ERM. UG

Exceeds Limit: MGWC-1, MGWC-2, MGWC-3, MGWC-7, MGWC-8

Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 36 background values. 16.67% NDs. Annual per-constituent alpha = 0.0165. Individual comparison alpha = 0.001386 (1 of 2). Comparing 6 points to limit.

Constituent: Fluoride Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Sulfate Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 Group

Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7	MGWA-10 (bg)	MGWA-6 (bg)	MGWC-8	MGWA-5 (bg)	MGWC-3	MGWC-1	MGWC-2	MGWA-11 (bg)
5/5/2016	0.855	<0.05	0.157	0.976	<0.05				
5/6/2016						0.926	0.567	3.78	
6/20/2016		0.011 (JB)			0.013 (JB)				0.017 (J)
6/21/2016	1.15		0.124	0.862		0.792	1.55	3.1	
8/15/2016	1.3	0.022 (J)	0.18	0.8	0.023 (J)				0.032 (J)
8/16/2016						1	0.85	2.8	
9/28/2016	1.3	0.023 (J)	0.17	0.8	<0.05		0.7		0.021 (J)
9/29/2016						1		3.1	
11/16/2016	1.3	<0.05	0.17	0.98	<0.05	1.2	0.88	3.9	<0.05
1/16/2017		0.021 (J)							
1/17/2017	1.3		0.17	1.6	<0.05	1.3			<0.05
1/18/2017								3.7	
1/19/2017							1.5		
3/2/2017	1.3	<0.05	0.14	1.8	<0.05	1.3	0.89	3.3	<0.05
4/18/2017	1.5	<0.05	0.14	2.4	<0.05	1.8	1.1		<0.05
4/19/2017								3.7	
4/25/2017									
7/13/2017									<0.05
10/10/2017	1.4	0.021 (J)	0.12	4.2	<0.05	1.7	1.9	3.4	0.025 (J)

Prediction Limit

Page 2

Constituent: Boron (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, F1, SO4 Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

MGWC-12

5/5/2016	
5/6/2016	
6/20/2016	
6/21/2016	0.0201 (J)
8/15/2016	
8/16/2016	0.055
9/28/2016	
9/29/2016	<0.05
11/16/2016	<0.05 (*)
1/16/2017	
1/17/2017	
1/18/2017	<0.05 (*)
1/19/2017	
3/2/2017	<0.05 (*)
4/18/2017	
4/19/2017	
4/25/2017	<0.05
7/13/2017	<0.05
10/10/2017	<0.05

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group

Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7	MGWA-10 (bg)	MGWA-6 (bg)	MGWC-8	MGWA-5 (bg)	MGWC-3	MGWC-1	MGWC-2	MGWA-11 (bg)
5/5/2016	13	7.35	9.67	10.1	6.51				
5/6/2016						12.5	13.2	41	
6/20/2016		7			5.9				4.3
6/21/2016	13 (B)		9.2 (B)	10 (B)		13 (B)	15 (B)	20 (B)	
8/15/2016	14	7.5	10	9.5	6.4				4.1
8/16/2016						13	14	20	
9/28/2016	13	7	10	9.2	6.1		14		3.9
9/29/2016						13		19	
11/16/2016	13	7.5	10	9.5	6.1	14	14	20	4.1
1/16/2017		7.7							
1/17/2017	13		9.4	10	5.7	14			3.9
1/18/2017								18	
1/19/2017							14		
3/2/2017	13	6.9	8.6	9.3	5.3	13	13	18	3.5
4/18/2017	12	6.8	8.9	10	5.3	13	13		3.7
4/19/2017								17	
4/25/2017									
7/13/2017									4.2
10/10/2017	12	6.9	8.3	11	5.3	14	14	16	3.4

Prediction Limit

Page 2

Constituent: Chloride (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

MGWC-12

5/5/2016	
5/6/2016	
6/20/2016	
6/21/2016	4.4 (B)
8/15/2016	
8/16/2016	4.6
9/28/2016	
9/29/2016	4.4
11/16/2016	4.5
1/16/2017	
1/17/2017	
1/18/2017	4.2
1/19/2017	
3/2/2017	3.9
4/18/2017	
4/19/2017	
4/25/2017	4
7/13/2017	4
10/10/2017	4

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group

Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7	MGWA-10 (bg)	MGWA-6 (bg)	MGWC-8	MGWA-5 (bg)	MGWC-3	MGWC-1	MGWC-2	MGWA-11 (bg)
5/5/2016	0.394	0.046 (J)	0.091 (J)	0.103 (J)	0.132 (J)				
5/6/2016						0.086 (J)	0.28 (J)	0.088 (J)	
6/20/2016		<0.2			0.05 (J)				0.06 (J)
6/21/2016	0.49		0.08 (J)	0.1 (J)		0.23 (J)	0.36	0.19 (J)	
8/15/2016	0.44	<0.2	<0.2	0.11 (J)	0.1 (J)				0.1 (J)
8/16/2016						<0.2	0.27	0.087 (J)	
9/28/2016	0.4	<0.2	0.084 (J)	0.1 (J)	0.11 (J)		0.26		0.097 (J)
9/29/2016						0.082 (J)		<0.2	
11/16/2016	0.36	<0.2	0.084 (J)	0.091 (J)	0.093 (J)	0.087 (J)	0.24	<0.2	0.12 (J)
1/16/2017		<0.2							
1/17/2017	0.2		0.099 (J)	<0.2	0.095 (J)	0.086 (J)			0.11 (J)
1/18/2017								<0.2	
1/19/2017							0.22		
3/2/2017	<0.2 (*)	0.12 (JB)	0.15 (JB)	<0.2 (*)	0.16 (JB)	<0.2 (*)	<0.2 (*)	<0.2 (*)	0.18 (JB)
4/18/2017	0.29	<0.2	<0.2	<0.2	<0.2	<0.2	0.2		0.11 (J)
4/19/2017								<0.2	
4/25/2017									
7/13/2017									0.12 (J)
10/10/2017	0.28	<0.2	<0.2	<0.2	<0.2	<0.2	0.18 (J)	<0.2	0.086 (J)

Prediction Limit

Page 2

Constituent: Fluoride (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

MGWC-12

5/5/2016	
5/6/2016	
6/20/2016	
6/21/2016	0.14 (J)
8/15/2016	
8/16/2016	0.29
9/28/2016	
9/29/2016	0.26
11/16/2016	0.25
1/16/2017	
1/17/2017	
1/18/2017	0.26
1/19/2017	
3/2/2017	<0.2 (*)
4/18/2017	
4/19/2017	
4/25/2017	0.25
7/13/2017	0.21
10/10/2017	0.22

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group

Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7	MGWA-10 (bg)	MGWA-6 (bg)	MGWC-8	MGWA-5 (bg)	MGWC-3	MGWC-1	MGWC-2	MGWA-11 (bg)
5/5/2016	116	2.46	17.8	144	4.47				
5/6/2016						94.2	106	445	
6/20/2016		2.5			7.7				1
6/21/2016	170		17	160		95	210	290	
8/15/2016	170	1.9	20	120	7.5				0.73 (J)
8/16/2016						88	120	270	
9/28/2016	170	1.9	21	130	7.8		110		<1
9/29/2016						94		280	
11/16/2016	170 (F1)	1.7	20	130	6.7	97	130	280	<1
1/16/2017		<1							
1/17/2017	180		19	150	6.7	100			<1
1/18/2017								280	
1/19/2017							160		
3/2/2017	180	1.4	15	160	5.6	100	130	240	<1
4/18/2017	160	1.3	14	180	5.1	91	120		<1
4/19/2017								250	
4/25/2017									
7/13/2017									1.4
10/10/2017	180	1.1	11	260	4.9	110	170	240	0.87 (J)

Prediction Limit

Page 2

Constituent: Sulfate (mg/L) Analysis Run 1/26/2018 12:00 AM View: 2. Interwell UPL - All Wells - B, Cl, Fl, SO4 Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

MGWC-12

5/5/2016	
5/6/2016	
6/20/2016	
6/21/2016	4
8/15/2016	
8/16/2016	2.8
9/28/2016	
9/29/2016	<1
11/16/2016	3
1/16/2017	
1/17/2017	
1/18/2017	4.1
1/19/2017	
3/2/2017	4.6
4/18/2017	
4/19/2017	
4/25/2017	4.4
7/13/2017	4.8
10/10/2017	4.9


Intrawell Prediction Limit

Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125 Printed 1/26/2018, 12:03 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg_N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Calcium (mg/L)	MGWA-5	32.93	n/a	10/10/2017	31	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWA-6	120.6	n/a	10/10/2017	110	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWA-10	11.03	n/a	10/10/2017	4.8	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWA-11	40.59	n/a	10/10/2017	39	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-1	132.2	n/a	10/10/2017	120	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-2	147	n/a	10/10/2017	130	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-3	125.9	n/a	10/10/2017	110	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-7	63.18	n/a	10/10/2017	56	No	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-8	67.76	n/a	10/10/2017	74	Yes	8	0	No	0.001254	Param 1 of 2
Calcium (mg/L)	MGWC-12	32	n/a	10/10/2017	28	No	8	0	n/a	0.02144	NP (normality) 1 of 2
pH (SU)	MGWA-5	7.883	6.959	10/10/2017	7.47	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWA-6	7.736	6.537	10/10/2017	7.27	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWA-10	6.095	5.277	10/10/2017	5.51	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWA-11	8.069	7.226	10/10/2017	7.42	No	7	0	No	0.000...	Param 1 of 2
pH (SU)	MGWC-1	7.165	6.35	10/10/2017	6.99	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWC-2	7.87	7.33	10/10/2017	7.29	Yes	8	0	n/a	0.04288	NP (normality) 1 of 2
pH (SU)	MGWC-3	7.047	6.55	10/10/2017	7	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWC-7	8.11	5.818	10/10/2017	6.48	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWC-8	6.51	4.645	10/10/2017	5.6	No	8	0	No	0.000...	Param 1 of 2
pH (SU)	MGWC-12	7.61	6.97	10/10/2017	7.24	No	8	0	n/a	0.04288	NP (normality) 1 of 2
Total Dissolved Solids (mg/L)	MGWA-5	283.3	n/a	10/10/2017	190	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWA-6	441.3	n/a	10/10/2017	310	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWA-10	175.4	n/a	10/10/2017	78	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWA-11	317.4	n/a	10/10/2017	210	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-1	629.2	n/a	10/10/2017	480	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-2	733.6	n/a	10/10/2017	600	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-3	446	n/a	10/10/2017	400	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-7	460.2	n/a	10/10/2017	340	No	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-8	421.5	n/a	10/10/2017	450	Yes	8	0	No	0.001254	Param 1 of 2
Total Dissolved Solids (mg/L)	MGWC-12	256.9	n/a	10/10/2017	160	No	8	0	No	0.001254	Param 1 of 2

Within Limit


Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=27.93, Std. Dev.=1.769, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9267, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=101, Std. Dev.=6.908, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9337, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limit


Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=6.204, Std. Dev.=1.706, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9557, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=34.06, Std. Dev.=2.306, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9612, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-5
5/5/2016	27
6/20/2016	29.4
8/15/2016	26
9/28/2016	31
11/16/2016	26
1/17/2017	29
3/2/2017	28
4/18/2017	27
10/10/2017	31

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-6
5/5/2016	105
6/21/2016	91.2
8/15/2016	94
9/28/2016	110
11/16/2016	98
1/17/2017	100
3/2/2017	100
4/18/2017	110
10/10/2017	110

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-10
5/5/2016	8.83
6/20/2016	8.1
8/15/2016	6.1
9/28/2016	7.2
11/16/2016	5.2
1/16/2017	3.8
3/2/2017	5.4
4/18/2017	5
10/10/2017	4.8


Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-11
6/20/2016	35.5
8/15/2016	34
9/28/2016	38
11/16/2016	33
1/17/2017	34
3/2/2017	35
4/18/2017	33
7/13/2017	30
10/10/2017	39

Within Limit


Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=96.19, Std. Dev.=12.71, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9031, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=125, Std. Dev.=7.764, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.762, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limit


Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=102.3, Std. Dev.=8.31, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8048, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=51.98, Std. Dev.=3.958, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.959, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-1
5/6/2016	92.5
6/21/2016	119
8/16/2016	84
9/28/2016	92
11/16/2016	83
1/19/2017	110
3/2/2017	89
4/18/2017	100
10/10/2017	120

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-2
5/6/2016	131
6/21/2016	119
8/16/2016	120
9/29/2016	140
11/16/2016	120
1/18/2017	130
3/2/2017	120
4/19/2017	120
10/10/2017	130

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-3
5/6/2016	109
6/21/2016	99.7
8/16/2016	97
9/29/2016	100
11/16/2016	94
1/17/2017	100
3/2/2017	99
4/18/2017	120
10/10/2017	110

Prediction Limit


Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7
5/5/2016	45
6/21/2016	52.8
8/15/2016	50
9/28/2016	58
11/16/2016	50
1/17/2017	52
3/2/2017	52
4/18/2017	56
10/10/2017	56

Exceeds Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=36.99, Std. Dev.=10.87, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8573, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 8 background values. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2).


Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Calcium Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS G
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=7.421, Std. Dev.=0.1631, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9425, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limits

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=7.136, Std. Dev.=0.2118, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8088, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-8
5/5/2016	41.2
6/21/2016	44.7
8/15/2016	27
9/28/2016	32
11/16/2016	27
1/17/2017	32
3/2/2017	33
4/18/2017	59
10/10/2017	74

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-12	MGWC-12
6/21/2016	25.5	
8/16/2016	25	
9/29/2016	30	
11/16/2016	26	
1/18/2017	32	
3/2/2017	26	
4/25/2017	26	
7/13/2017	26	
10/10/2017		28

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-5
5/5/2016	7.15
6/20/2016	7.63
8/15/2016	7.54
9/28/2016	7.45
11/16/2016	7.39
1/17/2017	7.23
3/2/2017	7.55
4/18/2017	7.43
10/10/2017	7.47

Prediction Limit


Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-6
5/5/2016	7.13
6/21/2016	7.27
8/15/2016	7.04
9/28/2016	7.09
11/16/2016	7.6
1/17/2017	6.99
3/2/2017	6.95
4/18/2017	7.02
10/10/2017	7.27

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.686, Std. Dev.=0.1444, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9186, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limits

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=7.647, Std. Dev.=0.1344, n=7. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.885, critical = 0.73. Kappa = 3.136 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.


Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limits

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=6.758, Std. Dev.=0.1438, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9398, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Exceeds Limits

Prediction Limit

Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 8 background values. Well-constituent pair annual alpha = 0.08484. Individual comparison alpha = 0.04288 (1 of 2).

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-10
5/5/2016	5.94
6/20/2016	5.84
8/15/2016	5.65
9/28/2016	5.72
11/16/2016	5.65
1/16/2017	5.52
3/2/2017	5.53
4/18/2017	5.64
10/10/2017	5.51

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-11
6/20/2016	7.85
8/15/2016	7.52
9/28/2016	7.66
11/16/2016	7.51
1/17/2017	7.52
4/18/2017	7.75
7/13/2017	7.72 (D)
10/10/2017	7.42

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-1
5/6/2016	6.64
6/21/2016	6.99
8/16/2016	6.58
9/28/2016	6.7
11/16/2016	6.66
1/19/2017	6.81
3/2/2017	6.75
4/18/2017	6.93
10/10/2017	6.99

Prediction Limit


Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-2
5/6/2016	7.41
6/21/2016	7.41
8/16/2016	7.33
9/29/2016	7.42
11/16/2016	7.87
1/18/2017	7.49
3/2/2017	7.37
4/19/2017	7.48
10/10/2017	7.29

Within Limits

Prediction Limit


Intrawell Parametric



Within Limits

Prediction Limit

Intrawell Parametric



Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
 Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
 Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limits

Prediction Limit


Intrawell Parametric



Within Limits

Prediction Limit

Intrawell Non-parametric



Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
 Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: pH Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
 Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-3
5/6/2016	6.85
6/21/2016	6.98
8/16/2016	6.73
9/29/2016	6.81
11/16/2016	6.69
1/17/2017	6.77
3/2/2017	6.79
4/18/2017	6.77
10/10/2017	7

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7
5/5/2016	7.81
6/21/2016	7.2
8/15/2016	7.04
9/28/2016	7
11/16/2016	6.73
1/17/2017	6.61
3/2/2017	6.62
4/18/2017	6.7
10/10/2017	6.48

Prediction Limit

Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-8
5/5/2016	5.96
6/21/2016	6
8/15/2016	5.37
9/28/2016	5.66
11/16/2016	5.33
1/17/2017	5.24
3/2/2017	5.21
4/18/2017	5.85
10/10/2017	5.6

Prediction Limit


Constituent: pH (SU) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-12
6/21/2016	7.61
8/16/2016	7.17
9/29/2016	6.97
11/16/2016	7.03
1/18/2017	7.01
3/2/2017	7.02
4/25/2017	7.02
7/13/2017	7.17
10/10/2017	7.24

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=154.5, Std. Dev.=45.51, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.89, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=291.8, Std. Dev.=52.81, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7656, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.


Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=64.38, Std. Dev.=39.23, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9214, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=178.5, Std. Dev.=49.06, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9621, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-5
5/5/2016	129
6/20/2016	156
8/15/2016	160
9/28/2016	91
11/16/2016	250
1/17/2017	140
3/2/2017	170
4/18/2017	140
10/10/2017	190

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-6
5/5/2016	281
6/21/2016	303
8/15/2016	310
9/28/2016	170
11/16/2016	340
1/17/2017	310
3/2/2017	330
4/18/2017	290
10/10/2017	310

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-10
5/5/2016	78
6/20/2016	80
8/15/2016	58
9/28/2016	29
11/16/2016	140
1/16/2017	36
3/2/2017	78
4/18/2017	16
10/10/2017	78

Prediction Limit


Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWA-11
6/20/2016	188
8/15/2016	180
9/28/2016	100
11/16/2016	270
1/17/2017	170
3/2/2017	210
4/18/2017	160
7/13/2017	150
10/10/2017	210

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=359.8, Std. Dev.=95.18, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9447, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=651.6, Std. Dev.=28.94, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9778, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.


Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=385.3, Std. Dev.=21.46, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9121, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=302.3, Std. Dev.=55.78, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8291, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-1
5/6/2016	282
6/21/2016	516
8/16/2016	360
9/28/2016	190
11/16/2016	410
1/19/2017	400
3/2/2017	360
4/18/2017	360
10/10/2017	480

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-2
5/6/2016	661
6/21/2016	692
8/16/2016	650
9/29/2016	640
11/16/2016	680
1/18/2017	630
3/2/2017	660
4/19/2017	600
10/10/2017	600

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-3
5/6/2016	380
6/21/2016	392
8/16/2016	360
9/29/2016	380
11/16/2016	420
1/17/2017	380
3/2/2017	410
4/18/2017	360
10/10/2017	400

Prediction Limit


Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-7
5/5/2016	272
6/21/2016	356
8/15/2016	330
9/28/2016	180
11/16/2016	330
1/17/2017	310
3/2/2017	340
4/18/2017	300
10/10/2017	340

Exceeds Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=256.8, Std. Dev.=58.2, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8242, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=179.6, Std. Dev.=27.28, n=8. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8389, critical = 0.749. Kappa = 2.831 (c=7, w=6, 1 of 2, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Constituent: Total Dissolved Solids Analysis Run 1/26/2018 12:02 AM View: 3. Intrawell UPL - All Wells -
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-8
5/5/2016	287
6/21/2016	297
8/15/2016	230
9/28/2016	130
11/16/2016	290
1/17/2017	240
3/2/2017	270
4/18/2017	310
10/10/2017	450

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/26/2018 12:03 AM View: 3. Intrawell UPL - All Wells - Ca, pH, TDS Group
Plant McIntosh Client: Southern Company Data: CCR McIntosh Ash Pond 20180125

	MGWC-12
6/21/2016	177
8/16/2016	160
9/29/2016	190
11/16/2016	240
1/18/2017	180
3/2/2017	170
4/25/2017	170
7/13/2017	150
10/10/2017	160