

Environmental Affairs BIN10221 241 Ralph McGill Boulevard NE Atlanta, GA 30308-3374

November 7, 2024

Mr. William Cook Georgia Environmental Protection Division Solid Waste Program 4244 International Parkway, Suite 104 Atlanta, Georgia 30354

Re: Request for Closure Extension

Georgia Power Company - Plant McDonough Ash Ponds 2, 3, 4 (AP-2 and AP-3/4)

**Cobb County** 

Dear Mr. Cook:

Georgia Power Company (Georgia Power) placed the Notification of Intent to Initiate Closure (NOI) in the facility's operating record for Plant McDonough AP-2 on December 7, 2015, and for Plant McDonough AP-3 and AP-4 (henceforth known as combined unit AP-3/4) on December 8, 2015. The NOIs were subsequently placed on Georgia Power's public website, and a notification was provided to the Georgia Environmental Protection Division (EPD) in accordance with Solid Waste Management Rule 391-3-4-.10(8). Closure activities for the Coal Combustion Residuals (CCR) units are ongoing, and additional time to complete all activities in accordance with the facility's Closure Plan and the Georgia Solid Waste Management Rules is necessary.

Solid Waste Management Rule 391-3-4-.10(7) requires closure of CCR units to be conducted in accordance with 40 CFR 257.102. Specifically, regarding closure timeframes, 40 CFR 257.102(f)(1)(ii) includes the requirement that existing and new CCR surface impoundments and any lateral expansion of a CCR surface impoundment must complete closure within five years of commencing closure activities. As anticipated in 40 CFR 257.102(2)(i), extension of closure timeframes may be needed and can be extended upon demonstration that completion of all activities was not feasible within the designated timeframes.

The Plant McDonough AP-2 and AP-3/4 CCR surface impoundments are part of a greater than 40-acre multi-unit CCR facility that includes CCR impoundment AP-2, which was closed by removal in accordance with the requirements in 40 CFR 257.102(c) and CCR impoundments AP-3/4 being consolidated and closed in place in accordance with requirements in 40 CFR 257.102(d). At AP-2, activities to remove all visible CCR from within the former surface impoundment have been completed. A certification of removal report was submitted to EPD on March 30, 2020. Based on review of the report and an inspection of AP-2 on March 22, 2020, EPD acknowledged completion of CCR removal on October 14, 2020.

The closure construction for AP-3/4 is substantially complete with remaining items anticipated to be complete in early 2025, followed thereafter by submittal of the certification report. The EPD Solid Waste Management Program is currently reviewing the CCR unit permit application and additional time is required to coordinate with and obtain the necessary approvals and permit from EPD. In accordance with 40 CFR 257.102(c), 40 CFR 257.102(d)(1)(v), 40 CFR 257.102(f)(2)(i)(D) and 40 CFR 257.102(f)(2)(ii)(B), an extension of two years is requested to complete closure activities, permit review and issuance process. This demonstration for extension of closure timeframe will be placed in the facility operating record.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this demonstration and all attached documents, and that, based on my inquiry of those individuals

immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Lauren Petty

Laundon

Supervisor, Environmental Affairs

Georgia Power Company



# **CONFIRMATION OF SUBMITTAL**

- 1. Your application has been received and will be reviewed shortly.
- 2. Check your account, email and text message for system notification at various milestones. Thank you for using the GEOS system.



Please click Here to print your receipt.

# **Submittal Summary**

Submittal ID:	885489	Submittal Name:	SW02. Request for Minor Modification To Solid Waste Handling Permit
Submitted Date:	11/8/2024 1:56:53 PM	Submitted by:	Jennifer McNelly 241 Ralph McGill Blvd NE Atlanta GA 30308 404-506-6505 gpcenv2@southernco.com
 Status:	Complete Submittal	Submission Method:	On-line submission
 Facility / Property Name:	PLANT MCDONOUGH	ASH PONDS 2, 3, 4	

#### **Submittal Form List**

• Request for Minor Modification To Solid Waste Handling Permit

### **Attachment List**

#### Design and Operational (D&O) Plans (Optional) -- NONE

### Supporting Material (Optional) -- Online

• 20241107\_MCD\_AP234 Clo Ext Rqst.pdf

### **Certification Receipt**

Certification Statement:	I hereby certify that I am the owner, or authorized agent of the owner, of the described property. Further, I consent to the work to be done as described.
Certification Question:	what is your favorite song?
Certification Question Answer:	******
PIN Number:	**********
Responsible Officer:	Jennifer McNelly
Sender IP Address:	146.126.61.241

GovOnline, Copyright ©1994-2024 enfoTech & Consulting Inc. All rights reserved. Terms of Use | Privacy Statement

( Last modified Time: 2023-11-30 10:51 AM PID: 12PRDWEB124 )