



Georgia Power Company
Plant McIntosh Inactive Landfill No. 3
Permit No. 051-008D(CCR)
Effingham County

**2023 SEMIANNUAL GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT**



**ATLANTIC COAST
CONSULTING, INC.**

PROFESSIONAL CERTIFICATION

This *2023 Semiannual Groundwater Monitoring and Corrective Action Report, Georgia Power Company – Plant McIntosh Inactive Landfill No. 3* has been prepared in compliance with the Georgia Environmental Protection Division (EPD) Rules for Solid Waste Management 391-3-4-.10 by a qualified groundwater scientist or engineer with Atlantic Coast Consulting, Inc. (ACC). I hereby certify that I am a qualified groundwater scientist, in accordance with the Georgia Rules of Solid Waste Management 391-3-4-.01.

ATLANTIC COAST CONSULTING, INC.



Charles B. Adams, P.G.
Project Manager
Date: February 28, 2024



Chad Hall, PhD, P.E.
Senior Professional Engineer
Date: February 28, 2024

SUMMARY


This summary of the *2023 Semiannual Groundwater Monitoring and Corrective Action Report* provides the groundwater monitoring and corrective action program status from July 2023 through December 2023 for Georgia Power Company (Georgia Power) Plant McIntosh Inactive Landfill No. 3 (Site). This summary was prepared by Atlantic Coast Consulting, Inc. (ACC) on behalf of Georgia Power.

Plant McIntosh is located at 981 Old Augusta Central Road, in Effingham County, Georgia, approximately four miles northeast of the City of Rincon, and 20 miles north of the City of Savannah. The plant is situated on approximately 2,300 acres west of the Savannah River. The Site is located on the southwestern portion of the plant property.

The Site is monitored using a comprehensive monitoring system of wells installed to meet monitoring requirements of the Coal Combustion Residuals Permit (051-008D(CCR)). The CCR Permit for the unit was approved by Georgia EPD on March 16, 2023. Routine sampling and reporting began after background groundwater conditions were established in accordance with the former Solid Waste Permit requirements specified in the Design and Operation (D&O) Plan. The monitoring program has been modified to include Appendix III parameters to meet the requirements of the Georgia EPD Rules for Solid Waste Management 391-3-4-.10(6)(a). Background groundwater conditions for Appendix III and IV parameters were established between September 2016 and October 2018. During the 2023 semiannual reporting period, the Site remained in detection monitoring.

During the 2023 semiannual reporting period, ACC conducted groundwater sampling events in August 2023. Groundwater samples were submitted to Eurofins Environment Testing America (Eurofins) for analysis. Per the Coal Combustion Residuals (CCR) Rule, groundwater results for August 2023 data were evaluated in accordance with the certified statistical methods. That evaluation showed there are no statistically significant increases (SSIs) of Appendix III parameters [boron, calcium, chloride, fluoride, pH, sulfate, and total dissolved solids (TDS)].

Based on review of the Appendix III statistical results completed for the groundwater monitoring and corrective action program from July 2023 through December 2023, the Site will continue in detection monitoring. Georgia Power will continue routine groundwater monitoring and reporting of the Site. Reports will be posted to the website and provided to Georgia EPD semiannually.



Plant McIntosh and Inactive Landfill No. 3

TABLE OF CONTENTS

Section	Page No.
1.0 INTRODUCTION	1
1.1 Site Description and Background	1
1.2 Regional Geology and Hydrogeologic Setting	1
1.3 Groundwater Monitoring Well Network and CCR Unit Description	1
2.0 GROUNDWATER MONITORING ACTIVITIES.....	2
2.1 Monitoring Well Installation and Maintenance.....	2
2.2 Detection Monitoring Program.....	2
2.3 Additional Sampling.....	2
3.0 SAMPLE METHODOLOGY AND ANALYSIS.....	3
3.1 Groundwater Flow Direction, Gradient, and Velocity.....	3
3.2 Groundwater Sampling.....	3
3.3 Laboratory Analyses	4
3.4 Quality Assurance and Quality Control	4
4.0 STATISTICAL ANALYSIS.....	4
4.1 Methods	5
4.2 Statistical Analyses Results	5
4.2.1 Summary of Results for State Appendix I Parameters.....	6
4.2.2 Summary of Results for Appendix III Parameters.....	6
5.0 MONITORING PROGRAM STATUS	6
6.0 CONCLUSIONS AND FUTURE ACTIONS.....	6
7.0 REFERENCES	7

Tables

Table 1A – Detection Monitoring Well Summary

Table 1B – Piezometer Summary

Table 2 – Groundwater Sampling Event Summary

Table 3 – Summary of Groundwater Elevations – August 2023

Table 4 – Horizontal Groundwater Flow Velocity Calculations – August 2023

Table 5 – Summary of Groundwater Analytical Data – August 2023

Table 6 – Statistical Method Summary

Figures

Figure 1 – Site Location Map

Figure 2 – Well Location Map

Figure 3 – Potentiometric Contour Map – August 2023

Appendices

Appendix A – Laboratory Analytical and Field Sampling Reports

Appendix B – Statistical Analysis Reports

1.0 INTRODUCTION

In accordance with the United States Environmental Protection Agency (US EPA) Coal Combustion Residuals (CCR) Rule (40 Code of Federal Regulations [CFR] 257 Subpart D) and the Georgia Environmental Protection Division (EPD) Rules for Solid Waste Management 391-3-4-.10 and 391-3-4-.14, Atlantic Coast Consulting, Inc. (ACC) has prepared this *2023 Semiannual Groundwater Monitoring and Corrective Action Report* to document groundwater monitoring activities conducted for the reporting period of July 2023 through December 2023 at Plant McIntosh Inactive Landfill No. 3 (Site). Semiannual monitoring and reporting for the CCR Unit are performed in accordance with the monitoring requirements of Georgia EPD Rules for Solid Waste Management 391-3-4-.10(6)(a).

Groundwater monitoring is currently performed in accordance with the CCR Permit (051-008D(CCR)) requirements specified in the Groundwater Monitoring Plan - GWMP (GEI, 2022). An application for a new Georgia CCR permit was submitted to Georgia EPD in November 2018 for the facility to replace the existing Solid Waste Permit and was approved by Georgia EPD on March 16, 2023. The previous Solid Waste Permit 051-008D(LI) has been incorporated into the requirements of CCR Permit 051-008D(CCR).

This report provides the results of the sampling event conducted in August 2023 and includes: (1) a state-modified list of Appendix I detection parameters as approved in the CCR Permit and noted in the GWMP; and (2) CCR detection monitoring sampling events for Appendix III constituents.

This document serves as the *2023 Semiannual Groundwater Monitoring and Corrective Action Report* in accordance with Georgia EPD Rule 391-3-4-.10(6)(a).

1.1 Site Description and Background

Plant McIntosh is located at 981 Old Augusta Central Road, in Effingham County, Georgia, approximately four miles northeast of the City of Rincon, and 20 miles north of the City of Savannah. The plant is situated on approximately 2,300 acres (Figure 1, Site Location Map) west of the Savannah River. The Site is located on the southwestern portion of the plant property.

1.2 Regional Geology and Hydrogeologic Setting

Plant McIntosh is located in the Atlantic Coastal Plain Physiographic Province and situated on sediments that were deposited from the Cretaceous to Pleistocene periods. Regional lithology consists of stratified marine deposits and materials eroded from crystalline rock of the Piedmont Physiographic Province. Boring logs describe soils as interbedded clays, silts, and sands typical of Atlantic Coastal Plain sediments.

Monitoring wells and piezometers are screened in the surficial aquifer between approximately 45 and 10 feet North American Vertical Datum of 1988 (NAVD88). The predominant groundwater flow direction across Plant McIntosh is to the north/northeast.

1.3 Groundwater Monitoring Well Network and CCR Unit Description

A groundwater monitoring system was installed within the uppermost aquifer at Plant McIntosh Inactive Landfill No. 3. The monitoring system is designed to monitor groundwater passing the waste boundary of the CCR Unit within the uppermost aquifer. The monitoring well locations are depicted in Figure 2, Well Location Map. Wells were located to serve as upgradient and

downgradient monitoring points based on groundwater flow direction (Table 1A, Detection Monitoring Well Summary). Existing locations not included in the monitoring network are presented in Table 1B, Piezometer Summary.

2.0 GROUNDWATER MONITORING ACTIVITIES

Pursuant to 40 CFR § 257.90(e), the following describes monitoring-related activities performed from July 2023 through December 2023 (the reporting period) and discusses any change in status of the monitoring program. All groundwater sampling was performed in accordance with 40 CFR § 257.93. Samples were collected in August 2023 from each well in the certified monitoring system shown on Figure 2. Pursuant to 40 CFR § 257.90(e)(3), a summary and description of groundwater sampling events completed at the Site during the semiannual monitoring period is shown in Table 2, Groundwater Sampling Event Summary.

2.1 Monitoring Well Installation and Maintenance

The Georgia EPD-approved locations of detection monitoring wells and piezometers are depicted on Figure 2. Other monitoring well-related activities were limited to the following: visual inspection of well conditions prior to sampling, recording the site conditions, and performing exterior maintenance to perform sampling under safe and clean conditions. Well inspection checklists completed during semiannual sampling are included in Appendix A, Laboratory Analytical and Field Sampling Reports. Monitoring wells are inspected semiannually to determine if any repairs or corrective actions are necessary to meet the requirements of the Georgia Water Well Standards Act (O.C.G.A. § 12-5-134(5)(d)(vii)). In August 2023, monitoring wells were inspected. No corrective actions were deemed necessary in August 2023, as documented in Appendix A.

2.2 Detection Monitoring Program

Detection monitoring is performed on a semiannual basis in accordance with the approved Georgia EPD Solid Waste Permit and the Site's Design and Operation (D&O) Plan. Semiannual sampling events were conducted in August 2023.

Groundwater samples from wells in the detection monitoring system were collected and analyzed for:

- Appendix III constituents according to 40 CFR § 257.94(a); and
- A state-modified Appendix I list of detection parameters according to Georgia EPD Rules for Solid Waste Management 391-3-4-.14. The state-modified analyte list includes barium, beryllium, chromium, cobalt, copper, lead, vanadium, and zinc.

A copy of the analytical data packages for each of the semiannual detection monitoring events is included in Appendix A.

2.3 Additional Sampling

A minor modification was approved on December 19, 2022, that incorporated groundwater monitoring wells GWA-1B, GWC-1A, GWC-5A, and GWC-6A into the monitoring network. To facilitate future statistical analysis for these wells, the final background event was completed in July 2023, and results have been incorporated into the statistical database. Routine monitoring samples were also collected from these wells during the August 2023 monitoring event.

Groundwater samples were collected and analyzed for the same analytes listed in Section 2.2. The analytical data packages of each of these events is included in Appendix A.

3.0 SAMPLE METHODOLOGY AND ANALYSIS

The following sections describe the methods used to conduct groundwater monitoring at the Site.

3.1 Groundwater Flow Direction, Gradient, and Velocity

Prior to each sampling event, groundwater elevations were recorded from piezometers and wells at the Site. Groundwater elevations recorded during the monitoring events are summarized in Table 3, Summary of Groundwater Elevations – August 2023. Groundwater elevation data were used to develop Figure 3, Potentiometric Contour Map – August 2023. Wells with the elevation most consistent with overall Site groundwater flow pattern were selected for contouring. The groundwater flow has consistently had a northeastern flow direction. The groundwater flow velocity at the Site was calculated using a derivation of Darcy's Law. Specifically:

Equation

$$v = \frac{K (dh/dl)}{P_e} \quad \text{where: } \begin{array}{l} v = \text{groundwater velocity} \\ K = \text{hydraulic conductivity} \\ dh/dl = \text{hydraulic gradient} \\ P_e = \text{effective porosity} \end{array}$$

Groundwater flow velocities were calculated for the Site based on hydraulic gradients, average permeability based on previous slug test data, and an estimated effective porosity of 0.20. The groundwater flow velocities have been calculated and are tabulated in Table 4, Horizontal Groundwater Flow Velocity Calculations – August 2023. The calculated flow velocity was approximately 0.040 feet per day during the August 2023 event.

These calculated groundwater velocities across the Site are generally consistent with historical calculations and with expected velocities in the Site-specific geology, therefore confirming the groundwater monitoring network is properly located to monitor the uppermost aquifer.

3.2 Groundwater Sampling

Groundwater samples were collected using low-flow sampling procedures in accordance with 40 CFR § 257.93(a). Purging and sampling was performed using a peristaltic pump. The pump intakes were located at the midpoint of the well screens (or as appropriate determined by the water level). All non-disposable equipment was decontaminated before use and between well locations using as a guide the procedures described in the latest version of the Region 4 US EPA Laboratory Services and Applied Science Division (LSASD) Operating Procedure for Field Equipment Cleaning and Decontamination.

Monitoring wells were purged and sampled using low-flow sampling procedures. A SmarTroll or AquaTroll (In-Situ field instruments) was used to monitor and record field water quality parameters (pH, specific conductance, oxidation-reduction potential [ORP], dissolved oxygen [DO], and temperature) during well purging prior to sampling. Turbidity was measured using a Hach 2100Q portable turbidimeter. Groundwater samples were collected when the following stabilization criteria were met:

- ± 0.1 standard units for pH

- \pm 5% for specific conductance
- \pm 10% or 0.2 milligrams per liter - mg/L (whichever is greater) for DO where DO > 0.5 mg/L; no criterion applies if DO < 0.5 mg/L
- Turbidity measurements less than 5 nephelometric turbidity units (NTU)

Once stabilization was achieved, samples were collected directly into appropriately preserved laboratory-supplied sample containers. Sample bottles were placed in ice-packed coolers and submitted to Eurofins Environment Testing America (Eurofins) of Savannah, Georgia laboratory branch following chain-of-custody protocol. Stabilization logs for each well and field calibration logs for each monitoring event are included in Appendix A.

3.3 Laboratory Analyses

Groundwater samples were collected during the monitoring events completed in August 2023. Analytical methods used for groundwater monitoring parameters are provided in laboratory reports in Appendix A. Samples were analyzed for Appendix III parameters and Appendix I parameters required by the current permit. Analytical data collected in the monitoring events are summarized in Table 5, Summary of Groundwater Analytical Data – August 2023.

Laboratory analyses were performed by Eurofins. Eurofins is accredited by the National Environmental Laboratory Accreditation Program (NELAP) and maintains a NELAP certification for all parameters analyzed for this project. In addition, Eurofins is certified to perform analysis by the State of Georgia. Laboratory reports and chain-of-custody records for the monitoring events are presented in Appendix A.

3.4 Quality Assurance and Quality Control

During each sampling event, quality assurance/quality control (QA/QC) samples are collected at a rate of one set of QA/QC samples per every 10 samples. A set of QA/QC samples includes equipment blanks, field blanks, and duplicate samples. QA/QC sample data were evaluated during data validation and are included in Appendix A.

Groundwater quality data in this report were validated in accordance with US EPA guidance (US EPA, 2011) and the analytical methods. Data validation generally consisted of reviewing sample integrity, holding times, laboratory method blanks, laboratory control samples, matrix spike/matrix spike duplicate recoveries and relative percent differences (RPDs), post digestion spikes, laboratory and field duplicate RPDs, field and equipment blanks, and reporting limits (RLs). The validated data meet project objectives and the associated data validation reports are provided in Appendix A, along with the laboratory reports. A summary of the data validation is included in Appendix A.

Values followed by a "J" flag in Table 5 indicate that the value is an estimated analyte concentration detected between the method detection limit (MDL) and the laboratory RL. The estimated value is positively identified but is below the lowest level that can be reliably achieved within specified limits of precision and accuracy under routine laboratory operating conditions.

4.0 STATISTICAL ANALYSIS

Statistical analysis of August 2023 groundwater monitoring data was completed by Groundwater Stats Consulting, LLC (GSC) following the appropriate certified statistical methodology for the Site. A summary of the statistical methodology used at the Site for routine groundwater

monitoring is provided in Table 6, Statistical Method Summary. Statistical analysis methods and results are provided in Appendix B, Statistical Analysis Reports. A summary of methods and results is provided in the following sections.

4.1 Methods

The statistical method used at the Site was developed by GSC, using methodology presented in *Statistical Analysis of Groundwater Data at RCRA Facilities, Unified Guidance*, March 2009, US EPA 530/R-09-007 (US EPA, 2009). To develop the statistical methods, analytical data collected during the background period were evaluated and used to develop statistical limits for each Appendix III parameter and Appendix I parameter required by the existing Georgia EPD permit. Sanitas groundwater statistical software was used to screen the data and perform the statistical analyses. Sanitas is a decision support software package that incorporates the statistical tests required of Subtitle C and D facilities by US EPA regulations.

Statistically significant increasing trends identified in upgradient wells are not considered statistically significant increases (SSIs). Typically, when changes in concentrations are present upgradient of the facility, it is an indication of naturally changing groundwater quality.

The selected statistical method for Plant McIntosh Inactive Landfill No. 3 was developed in accordance with 40 CFR § 257.93(f) and Georgia EPD Rule 391-3-4-.10(6) using methodology presented in US EPA Unified Guidance (2009), US EPA 530/R-09-007 and as requested by Georgia EPD.

Statistical tests used to evaluate the August 2023 groundwater monitoring data consist of interwell prediction limits (PLs) combined with a 1-of-2 verification resample plan for each of the Appendix I and III parameters. Interwell PLs are constructed using pooled data from upgradient wells GWA-1B, GWA-2B, GWA-3A, GWA-4, GWA-5, and GWA-7A to establish a background limit for an individual constituent. The most recent sample from each downgradient well is compared to the background limit to determine whether there are SSIs. An "initial exceedance" occurs when an Appendix I or III constituent reported in a downgradient groundwater compliance monitoring well exceeds the constituent's associated PL. The 1-of-2 resample plan allows for collection of an independent resample. A confirmed exceedance is noted only when the resample verifies the initial exceedance. If the resample result is less than its relevant PL, the initial exceedance is not verified.

A summary of the statistical methodology used at the Site for the August 2023 routine groundwater monitoring data is provided in Table 6.

4.2 Statistical Analyses Results

Based on review of the Appendix I and III statistical analyses presented in Appendix B, statistical exceedances identified during the reporting period have been addressed previously by alternate source demonstrations (ASDs). Analytical data from the August 2023 monitoring event were statistically analyzed in accordance with the methods described in Section 4.1 and Table 6. The statistical analysis and comparisons to PLs are included in Appendix B.

A minimum of eight samples have been collected from downgradient wells GWC-1A, GWC-5A, and GWC-6A. The eighth sampling event for these wells was completed in July before the wells were sampled for the August monitoring event. Therefore, data from these wells were statistically analyzed during this monitoring period.

4.2.1 Summary of Results for State Appendix I Parameters

Statistical analysis of the August 2023 Appendix I parameter data identified no PL exceedances.

4.2.2 Summary of Results for Appendix III Parameters

Statistical analysis of the August 2023 Appendix III parameter data identified no PL exceedances.

5.0 MONITORING PROGRAM STATUS

No SSIs were identified for the July 2023 through December 2023 monitoring period; therefore, the Site will remain in detection monitoring.

6.0 CONCLUSIONS AND FUTURE ACTIONS

This *2023 Semiannual Groundwater Monitoring and Corrective Action Report* for Georgia Power's Plant McIntosh Inactive Landfill No. 3 was prepared to fulfill the requirements of US EPA's CCR Rule and Georgia EPD Rules for Solid Waste Management Chapter 391-3-4-.10 and 391-3-4-.14.

Statistical evaluation of Site groundwater monitoring data during the reporting period did not identify SSIs of Appendix III or Appendix I groundwater monitoring parameters. The Site remains in detection monitoring.

The next semiannual detection monitoring event is tentatively scheduled for February 2024.

7.0 REFERENCES

- ACC, 2020a, *2020 Annual Groundwater Monitoring and Corrective Action Report – Plant McIntosh Inactive Landfill No. 3*.
- ACC, 2020b, *September 2020 Well Installation Report Addendum, Plant McIntosh – Inactive Landfill No. 3, October 29, 2020*.
- ACC, 2020c, *Alternate Source Demonstration – Plant McIntosh Inactive Landfill No. 3*. September 2020.
- ACC, 2022, *Update to Barium and Cobalt Alternate Source Demonstrations - Plant McIntosh Inactive Landfill No. 3*. September 30, 2022.
- ERM, 2017. *Alternate Source Demonstration – Plant McIntosh Ash Disposal Site No. 3*. August 2017.
- GEI, 2020. *Alternate Source Demonstration – Plant McIntosh Inactive Landfill No. 3*. February 2020.
- GEI, 2022. *Groundwater Monitoring Plan, Plant McIntosh Inactive Coal Combustion Inactive CCR Landfill No. 3, Effingham County, Georgia*, November 2022.
- Georgia Power, 2022. *Request for Minor Modification to Groundwater Monitoring Network*, October 6, 2022, GEOS Submittal Id.: 701522.
- Georgia Power, 2023. *Groundwater Document Submittal, Well Abandonment Report*, February 24, 2023, GEOS Submittal Id.: 739739.
- MacStat Consulting, Ltd., 2017. *Statistical Analysis Plan – Plant McIntosh Landfill No. 3*.
- Sanitas, 2007 *Groundwater Statistical Software*, Sanitas Technologies, Shawnee, KS.
- Southern Company Services - Earth Science and Environmental Engineering (SCS ES&EE), 2002. *Savannah Electric Plant McIntosh Proposed Ash Monofill Site Acceptability Report*. July 2002.
- US EPA, 1989. *Waste Management Division Office of Solid Waste, EPA 530/SW89-031 Interim Final RCRA Investigation (RFI) Guidance, Volume II of IV*.
- US EPA, 2009, *Unified Guidance, Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities*. Office of Solid Waste Management Division, US EPA, Washington, D.C.
- US EPA, 2011, *Region IV Data Validation Standard Operating Procedures*. Science and Ecosystem Support Division. Athens, Georgia.
- US EPA, 2017. *National Functional Guidelines for Inorganic Superfund Methods Data Review*, Office of Superfund Remediation and Technology Innovation. OLEM 9355.0-135 [US EPA-540-R-2017-001]. Washington, DC.
- US EPA, 2020, *Field Equipment Cleaning and Decontamination – Operating Procedure: LSASDPROC-205-R4*, Athens, Georgia, 15 pages.
- US EPA, 2023, *Groundwater Sampling – Operating Procedure: LSASDPROC-301-R6*, Athens, Georgia, 36 pages.

TABLES

Table 1A
Detection Monitoring Well Summary
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Well	Installation Date (mm/dd/yyyy)	Northing	Easting	Top of Casing Elevation (NAVD88)	Bottom Depth (ft BTOC)	Bottom Elevation (NAVD88)	Depth to Top of Screen (ft BTOC)	Top of Screen Elevation (NAVD88)	Purpose
GWA-1B	12/04/2020	852028.09	954564.84	67.36	58.53	8.83	47.96	19.40	Upgradient
GWA-2B	08/29/2018	851831.06	954866.86	66.20	51.78	14.42	41.48	24.72	Upgradient
GWA-3A	05/16/1998	851893.61	955179.89	62.77	33.88	28.89	22.74	40.03	Upgradient
GWA-4	05/07/1998	851980.91	955475.74	62.01	29.16	32.85	23.71	38.30	Upgradient
GWA-5	05/07/1998	852110.59	955844.69	60.43	33.00	27.43	22.58	37.85	Upgradient
GWA-7A	08/29/2018	852254.28	954654.74	67.92	46.94	20.98	36.64	31.28	Upgradient
GWC-1A	12/08/2020	852453.58	955300.47	66.76	47.37	19.39	36.83	29.93	Downgradient
GWC-2	01/23/1996	852343.90	955958.27	64.19	36.79	27.40	26.99	37.20	Downgradient
GWC-4A	05/16/1998	852544.35	955702.05	66.60	36.96	29.64	24.73	41.87	Downgradient
GWC-5A	12/09/2020	852689.80	955477.18	67.84	42.60	25.24	32.45	35.39	Downgradient
GWC-6A	12/07/2020	852462.38	955046.58	68.37	42.43	25.94	32.08	36.29	Downgradient

Notes:

1. ft BTOC indicates feet below top of casing.
2. Northings and eastings are feet relative to North American Datum 1983 (NAD83), State Plane Georgia East Zone.
3. NAVD88 indicates feet relative to North American Vertical Datum of 1988.

**Table 1B
Piezometer Summary
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia**

Well	Installation Date (mm/dd/yyyy)	Northing	Easting	Top of Casing Elevation (NAVD88)	Bottom Depth (ft BTOC)	Bottom Elevation (NAVD88)	Depth to Top of Screen (ft BTOC)	Top of Screen Elevation (NAVD88)	Purpose
PZ-1	08/29/2018	852400.01	954904.93	67.41	52.71	14.70	42.41	25.00	Piezometer
PZ-2	08/28/2018	852549.77	955306.02	67.26	42.27	24.99	31.97	35.29	Piezometer
PZ-3	08/30/2018	852032.57	955677.60	61.28	41.59	19.69	31.29	29.99	Piezometer
PZ-4	01/21/2022	851879.27	954615.01	66.41	53.19	13.22	42.84	23.57	Piezometer
PZ-5	01/20/2022	852171.15	954557.82	67.52	53.13	14.39	42.78	24.74	Piezometer

Notes:

1. ft BTOC indicates feet below top of casing.
2. Northings and eastings are feet relative to North American Datum 1983 (NAD83), State Plane Georgia East Zone.
3. NAVD88 indicates feet relative to North American Vertical Datum of 1988.

Table 2
Groundwater Sampling Event Summary
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Well	Hydraulic Location	July 26, 2023	August 28 – September 6, 2023
Purpose of Sampling Event		Background Number 8	Semiannual Detection
GWA-1B	Upgradient	X	X
GWA-2B	Upgradient		X
GWA-3A	Upgradient		X
GWA-4	Upgradient		X
GWA-5	Upgradient		X
GWA-7A	Upgradient		X
GWC-1A	Downgradient	X	X
GWC-2	Downgradient		X
GWC-4A	Downgradient		X
GWC-5A	Downgradient	X	X
GWC-6A	Downgradient	X	X

Notes:

1. X indicates sample was collected.
2. Semiannual Detection Event includes Appendix III and Appendix I Parameters.
3. Background Event includes Appendix III and Appendix I Parameters.

Table 3
Summary of Groundwater Elevations
August 2023
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Well ID	Top-of-Casing Elevation (NAVD88)	Groundwater Elevation (NAVD88)
GWA-1B	67.36	44.74
GWA-2B	66.20	45.75
GWA-3A	62.77	45.44
GWA-4	62.01	44.65
GWA-5	60.43	43.78
GWA-7A	67.92	43.97
GWC-1A	66.76	43.83
GWC-2	64.19	42.72
GWC-4A	66.60	43.24
GWC-5A	67.84	43.19
GWC-6A	68.37	43.69
PZ-1	67.41	43.78
PZ-2	67.26	43.49
PZ-3	61.28	44.16
PZ-4	66.41	45.67
PZ-5	67.52	44.29

Notes:

1. NAVD88 indicates feet relative to North American Vertical Datum of 1988.
2. Groundwater elevations measured August 28, 2023.

Table 4
Horizontal Groundwater Flow Velocity Calculations
August 2023
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Equation

$$v = \frac{K (dh/dl)}{P_e}$$

where: v = groundwater velocity
K = hydraulic conductivity
dh/dl = hydraulic gradient
P_e = effective porosity

Values Used in Calculation

Value			Source
K =	7.9E-04	cm/sec	See note 1.
	2.24	ft/day	
dh/dl ₁ =	0.0042	unitless	Hydraulic gradient from GWA-5 to GWC-2 GWA-3A to GWC-6A Average of dh/dl _{1,2}
dh/dl ₂ =	0.0030	unitless	
dh/dl _{avg} =	0.0036	unitless	
P _e =	0.20	unitless	See note 2.

Calculated Flow Velocity

$$v = \frac{(2.24)(0.004)}{0.20}$$

v = 0.040 ft/day, or 15 ft/year

Notes

- (1) Slug tests performed by Southern Company Services, Inc. (2002)
- (2) Default value for silty sands from Interim Final RCRA Investigation (EPA, 1989)

Table 5
Summary of Groundwater Analytical Data
August 2023
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Substance		Well ID							
		GWA-1B	GWA-1B	GWA-2B	GWA-3A	GWA-4	GWA-5	GWA-7A	GWC-1A
		7/26/2023	8/28/2023	8/29/2023	8/29/2023	8/28/2023	9/6/2023	8/28/2023	7/26/2023
APPENDIX III	Boron	0.032 J	0.035 J	0.53	0.078 J	<0.022	0.032 J	1.2	0.054 J
	Calcium	7.5	8.6	13	4.7	1.3	3.7	14	2.7
	Chloride	7.3	6.8	7.9	29	4.6	14	7.1	14
	Fluoride	0.19	0.21	<0.040	<0.040	0.051 J	0.15	<0.040	0.085 J
	pH	5.86	5.72	5.78	4.46	4.34	4.32	4.91	4.26
	Sulfate	1.5	1.4	42	<0.40	3.2	14	67	<0.40
	TDS	84	85	110	85	48	66	140	57
Required by Permit	Barium	0.026	0.023	0.045	0.12	0.047	0.12	0.044	0.28
	Beryllium	<0.00020	<0.00020	0.00063 J	0.00071 J	0.00024 J	0.00041 J	0.00050 J	0.00041 J
	Chromium	<0.0012	<0.0012	<0.0012	<0.0012	<0.0012	0.0016 J	0.0016 J	<0.0012
	Cobalt	<0.00022	<0.00022	0.0029	0.0026	0.0010 J	0.0017 J	0.0019 J	0.0054
	Copper	<0.0011	<0.0011	<0.0011	0.0057	<0.0011	<0.0011	0.0016 J	<0.0011
	Lead	<0.00021	<0.00021	<0.00021	<0.00021	<0.00021	0.00070 J	<0.00021	<0.00021
	Vanadium	<0.00063	<0.00063	<0.00063	<0.00063	<0.00063	0.0015 J	<0.00063	<0.00063
Zinc	<0.0028	0.0029 J	0.011	0.012	0.0064	0.0082	0.019	0.019	

Notes:

1. Results for substances are reported in milligrams per liter (mg/L). pH results are reported in Standard Units.
2. < indicates the substance was not detected above the relevant laboratory method detection limit (MDL).
3. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
4. TDS indicates total dissolved solids.
5. Appendix III = indicator parameters evaluated during Detection Monitoring.
6. Parameters required by permit are Appendix I parameters included to meet Georgia EPD Rule 391-3-4-.14 requirements.

Table 5
Summary of Groundwater Analytical Data
August 2023
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia

Substance		Well ID						
		GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-5A	GWC-6A	GWC-6A
		8/29/2023	8/29/2023	8/29/2023	7/26/2023	8/29/2023	7/26/2023	8/29/2023
APPENDIX III	Boron	0.042 J	0.10	<0.022	<0.022	<0.022	0.039 J	0.033 J
	Calcium	2.5	1.6	0.37 J	1.2	1.1	3.3	3.2
	Chloride	13	4.8	4.1	5.4	5.2	10	9.5
	Fluoride	0.080 J	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040
	pH	4.25	4.63	4.39	4.57	4.60	4.93	4.96
	Sulfate	0.40 J	5.2	0.57 J	0.43 J	0.48 J	3.2	2.7
	TDS	53	45	21	29	36	70	76
Required by Permit	Barium	0.24	0.065	0.032	0.082	0.076	0.086	0.079
	Beryllium	0.00038 J	0.00031 J	<0.00020	0.00032 J	0.00031 J	0.00031 J	0.00026 J
	Chromium	<0.0012	0.0037	<0.0012	<0.0012	<0.0012	<0.0012	0.0013 J
	Cobalt	0.0047	0.0014 J	0.00045 J	0.0026	0.0023 J	0.0011 J	0.00099 J
	Copper	<0.0011	<0.0011	<0.0011	<0.0011	<0.0011	<0.0011	<0.0011
	Lead	<0.00021	<0.00021	<0.00021	<0.00021	<0.00021	<0.00021	0.00038 J
	Vanadium	<0.00063	<0.00063	<0.00063	<0.00063	<0.00063	<0.00063	<0.00063
Zinc	0.017	0.0065	0.0040 J	0.011	0.010	0.011	0.0080	

Notes:

1. Results for substances are reported in milligrams per liter (mg/L). pH results are reported in Standard Units.
2. < indicates the substance was not detected above the relevant laboratory method detection limit (MDL).
3. J indicates the substance was detected at such low levels that the precision of the laboratory instruments could not produce a reliable value. Therefore, the value displayed (value J) is qualified by the laboratory as an estimated number.
4. TDS indicates total dissolved solids.
5. Appendix III = indicator parameters evaluated during Detection Monitoring.
6. Parameters required by permit are Appendix I parameters included to meet Georgia EPD Rule 391-3-4-.14 requirements.

**Table 6
Statistical Method Summary
Plant McIntosh Inactive Landfill No. 3
Effingham County, Georgia**

Plant McIntosh Inactive Landfill No. 3 Statistical Method Summary		
Monitoring Well Network	Upgradient Wells	GWA-1B, GWA-2B, GWA-3A, GWA-4, GWA-5, GWA-7A
	Downgradient Wells	GWC-1A, GWC-2, GWC-4A, GWC-5A, GWC-6A
CCR Monitoring Parameters	Appendix III (Detection Monitoring)	Boron, Calcium, Chloride, Fluoride, pH, Sulfate, and TDS
	Appendix IV (Assessment Monitoring)	Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Combined Radium 226 + 228, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, and Thallium
Georgia EPD Permit Metals	Detection Monitoring	Barium, Beryllium, Chromium, Cobalt, Copper, Lead, Vanadium, and Zinc
Statistical Methodology	Data Screening Proposed Background	Evaluate outliers, trends, and seasonality when sufficient data are available
	Statistical Limits	Interwell statistical limits


Note:

- The selected statistical method for Plant McIntosh Inactive Landfill No. 3 was developed and updated to analyze the March 2021 groundwater data in accordance with Georgia EPD Rule 391-3-4-.10(6) using methodology presented in *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities*, Unified Guidance, March 2009, EPA530/R-09-007 (Unified Guidance) and as requested by Georgia EPD.

FIGURES

LEGEND

- APPROXIMATE PROPERTY BOUNDARY
- - - INACTIVE LANDFILL No. 3



NOTES:






1. AERIAL DATED JULY 17, 2023, PROVIDED BY SAM, LLC. ADDITIONAL PHOTOGRAPHY SOURCED FROM NATIONAL AGRICULTURE IMAGERY PROGRAM (NAIP) DATED FROM 2019 THROUGH 2021.



2023 SEMIANNUAL GROUNDWATER MONITORING
AND CORRECTIVE ACTION REPORT



LEGEND

-  APPROXIMATE PROPERTY BOUNDARY
-  EXISTING 100-FOOT BUFFER ZONE
-  WASTE MANAGEMENT BOUNDARY
-  DETECTION MONITORING WELL
-  PIEZOMETER

NOTES:


1. AERIAL DATED JULY 17, 2023, PROVIDED BY SAM, LLC. ADDITIONAL PHOTOGRAPHY SOURCED FROM NATIONAL AGRICULTURE IMAGERY PROGRAM (NAIP) DATED DECEMBER 2, 2021.










2023 SEMIANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

WELL LOCATION MAP

FIGURE 2




- LEGEND**
-  APPROXIMATE PROPERTY BOUNDARY
 -  EXISTING 100-FOOT BUFFER ZONE
 -  WASTE MANAGEMENT BOUNDARY
 -  GROUNDWATER ELEVATION CONTOUR (FT NAVD88)
 -  GROUNDWATER FLOW DIRECTION
 -  DETECTION MONITORING WELL
 -  PIEZOMETER

- NOTES:**
1. AERIAL DATED JULY 17, 2023, PROVIDED BY SAM, LLC. ADDITIONAL PHOTOGRAPHY SOURCED FROM NATIONAL AGRICULTURE IMAGERY PROGRAM (NAIP) DATED DECEMBER 2, 2021.
 2. DEPTHS TO WATER MEASURED AUGUST 28, 2023.
 3. FT NAVD88 = FEET RELATIVE TO NORTH AMERICAN VERTICAL DATUM OF 1988.



2023 SEMIANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT



APPENDICES

APPENDIX A

**LABORATORY ANALYTICAL AND FIELD SAMPLING
REPORTS**

APPENDIX A

*Laboratory Analytical and Field Sampling Reports
July 2023 Monitoring Event*

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Lauren Hartley
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308
Generated 8/4/2023 8:01:32 AM

JOB DESCRIPTION

Plant McIntosh Landfill #3

JOB NUMBER

680-238216-1

Eurofins Savannah

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

Generated
8/4/2023 8:01:32 AM

Definitions/Glossary

Client: Southern Company
 Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-238216-1	MCI-GWA-1B	Water	07/26/23 13:00	07/27/23 08:48
680-238216-2	MCI-GWC-1A	Water	07/26/23 15:15	07/27/23 08:48
680-238216-3	MCI-GWC-5A	Water	07/26/23 16:30	07/27/23 08:48
680-238216-4	MCI-GWC-6A	Water	07/26/23 14:10	07/27/23 08:48
680-238216-5	MCI-LF3-FD-05	Water	07/26/23 00:00	07/27/23 08:48
680-238216-6	MCI-LF3-FB-09	Water	07/26/23 13:50	07/27/23 08:48
680-238216-7	MCI-LF3-EB-11	Water	07/26/23 15:40	07/27/23 08:48

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Job ID: 680-238216-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-238216-1**

Receipt

The samples were received on 7/27/2023 8:48 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.1°C

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 2540C: The sample duplicate precision for the following sample associated with analytical batch 680-791184 was outside control limits: (680-238257-B-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-GWA-1B

Lab Sample ID: 680-238216-1

Date Collected: 07/26/23 13:00

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.3		1.0	0.20	mg/L			07/28/23 18:46	1
Fluoride	0.19		0.10	0.040	mg/L			07/28/23 18:46	1
Sulfate	1.5		1.0	0.40	mg/L			07/28/23 18:46	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.026		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:39	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:39	1
Boron	0.032	J	0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:39	1
Calcium	7.5		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:39	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:39	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:39	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:39	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:39	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:39	1
Zinc	<0.0028		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	84		10	10	mg/L			08/01/23 12:13	1

Client Sample ID: MCI-GWC-1A

Lab Sample ID: 680-238216-2

Date Collected: 07/26/23 15:15

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.20	mg/L			07/28/23 18:59	1
Fluoride	0.085	J	0.10	0.040	mg/L			07/28/23 18:59	1
Sulfate	<0.40		1.0	0.40	mg/L			07/28/23 18:59	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.28		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:43	1
Beryllium	0.00041	J	0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:43	1
Boron	0.054	J	0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:43	1
Calcium	2.7		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:43	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:43	1
Cobalt	0.0054		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:43	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:43	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:43	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:43	1
Zinc	0.019		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	57		10	10	mg/L			08/01/23 12:13	1

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-GWC-5A

Lab Sample ID: 680-238216-3

Date Collected: 07/26/23 16:30

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.4		1.0	0.20	mg/L			07/28/23 19:11	1
Fluoride	<0.040		0.10	0.040	mg/L			07/28/23 19:11	1
Sulfate	0.43	J	1.0	0.40	mg/L			07/28/23 19:11	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.082		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:47	1
Beryllium	0.00032	J	0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:47	1
Boron	<0.022		0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:47	1
Calcium	1.2		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:47	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:47	1
Cobalt	0.0026		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:47	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:47	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:47	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:47	1
Zinc	0.011		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	29		10	10	mg/L			08/01/23 12:13	1

Client Sample ID: MCI-GWC-6A

Lab Sample ID: 680-238216-4

Date Collected: 07/26/23 14:10

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		1.0	0.20	mg/L			07/28/23 19:24	1
Fluoride	<0.040		0.10	0.040	mg/L			07/28/23 19:24	1
Sulfate	3.2		1.0	0.40	mg/L			07/28/23 19:24	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.086		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:51	1
Beryllium	0.00031	J	0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:51	1
Boron	0.039	J	0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:51	1
Calcium	3.3		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:51	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:51	1
Cobalt	0.0011	J	0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:51	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:51	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:51	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:51	1
Zinc	0.011		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	70		10	10	mg/L			08/01/23 12:13	1

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-LF3-FD-05

Lab Sample ID: 680-238216-5

Date Collected: 07/26/23 00:00

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.20	mg/L			08/01/23 10:14	1
Fluoride	0.076	J	0.10	0.040	mg/L			08/01/23 10:14	1
Sulfate	<0.40		1.0	0.40	mg/L			08/01/23 10:14	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.28		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:55	1
Beryllium	0.00037	J	0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:55	1
Boron	0.052	J	0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:55	1
Calcium	2.6		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:55	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:55	1
Cobalt	0.0050		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:55	1
Copper	0.0011	J	0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:55	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:55	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:55	1
Zinc	0.019		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	60		10	10	mg/L			08/02/23 10:05	1

Client Sample ID: MCI-LF3-FB-09

Lab Sample ID: 680-238216-6

Date Collected: 07/26/23 13:50

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.31	J	1.0	0.20	mg/L			07/29/23 18:37	1
Fluoride	<0.040		0.10	0.040	mg/L			07/29/23 18:37	1
Sulfate	<0.40		1.0	0.40	mg/L			07/29/23 18:37	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:22	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:22	1
Boron	<0.022		0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:22	1
Calcium	<0.14		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:22	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:22	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:22	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:22	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:22	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:22	1
Zinc	<0.0028		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/02/23 10:05	1

Client Sample Results

Client: Southern Company
 Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-LF3-EB-11

Lab Sample ID: 680-238216-7

Date Collected: 07/26/23 15:40

Matrix: Water

Date Received: 07/27/23 08:48

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.28	J	1.0	0.20	mg/L			07/29/23 17:59	1
Fluoride	<0.040		0.10	0.040	mg/L			07/29/23 17:59	1
Sulfate	<0.40		1.0	0.40	mg/L			07/29/23 17:59	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 17:35	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 17:35	1
Boron	<0.022		0.080	0.022	mg/L		07/27/23 12:57	07/28/23 17:35	1
Calcium	<0.14		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 17:35	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 17:35	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 17:35	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 17:35	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 17:35	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 17:35	1
Zinc	<0.0028		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 17:35	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/02/23 10:05	1

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 680-790612/33
Matrix: Water
Analysis Batch: 790612

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.20		1.0	0.20	mg/L			07/28/23 17:30	1
Fluoride	<0.040		0.10	0.040	mg/L			07/28/23 17:30	1
Sulfate	<0.40		1.0	0.40	mg/L			07/28/23 17:30	1

Lab Sample ID: LCS 680-790612/34
Matrix: Water
Analysis Batch: 790612

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	2.00	2.16		mg/L		108	90 - 110
Sulfate	10.0	10.1		mg/L		101	90 - 110

Lab Sample ID: LCSD 680-790612/35
Matrix: Water
Analysis Batch: 790612

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Fluoride	2.00	2.16		mg/L		108	90 - 110	0	15
Sulfate	10.0	10.1		mg/L		101	90 - 110	0	15

Lab Sample ID: 680-238173-C-27 MS
Matrix: Water
Analysis Batch: 790612

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.11		2.00	2.15		mg/L		102	80 - 120
Sulfate	1.6		10.0	11.0		mg/L		94	80 - 120

Lab Sample ID: 680-238173-C-27 MSD
Matrix: Water
Analysis Batch: 790612

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Fluoride	0.11		2.00	2.13		mg/L		101	80 - 120	1	15
Sulfate	1.6		10.0	10.9		mg/L		94	80 - 120	0	15

Lab Sample ID: MB 680-790723/33
Matrix: Water
Analysis Batch: 790723

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.20		1.0	0.20	mg/L			07/29/23 17:21	1
Fluoride	<0.040		0.10	0.040	mg/L			07/29/23 17:21	1
Sulfate	<0.40		1.0	0.40	mg/L			07/29/23 17:21	1

QC Sample Results

Client: Southern Company
 Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 680-790723/34
Matrix: Water
Analysis Batch: 790723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	10.1		mg/L		101	90 - 110
Fluoride	2.00	2.17		mg/L		109	90 - 110
Sulfate	10.0	10.2		mg/L		102	90 - 110

Lab Sample ID: LCSD 680-790723/35
Matrix: Water
Analysis Batch: 790723

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	10.1		mg/L		101	90 - 110	0	15
Fluoride	2.00	2.17		mg/L		109	90 - 110	0	15
Sulfate	10.0	10.2		mg/L		102	90 - 110	0	15

Lab Sample ID: 680-238216-7 MS
Matrix: Water
Analysis Batch: 790723

Client Sample ID: MCI-LF3-EB-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.28	J	10.0	10.1		mg/L		98	80 - 120
Fluoride	<0.040		2.00	2.08		mg/L		104	80 - 120
Sulfate	<0.40		10.0	9.65		mg/L		97	80 - 120

Lab Sample ID: 680-238216-7 MSD
Matrix: Water
Analysis Batch: 790723

Client Sample ID: MCI-LF3-EB-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	0.28	J	10.0	10.2		mg/L		99	80 - 120	1	15
Fluoride	<0.040		2.00	2.11		mg/L		106	80 - 120	1	15
Sulfate	<0.40		10.0	9.80		mg/L		98	80 - 120	1	15

Lab Sample ID: MB 680-791115/2
Matrix: Water
Analysis Batch: 791115

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/01/23 08:27	1
Fluoride	<0.040		0.10	0.040	mg/L			08/01/23 08:27	1
Sulfate	<0.40		1.0	0.40	mg/L			08/01/23 08:27	1

Lab Sample ID: LCS 680-791115/4
Matrix: Water
Analysis Batch: 791115

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.94		mg/L		99	90 - 110
Fluoride	2.00	2.14		mg/L		107	90 - 110
Sulfate	10.0	10.4		mg/L		104	90 - 110

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 680-791115/5
Matrix: Water
Analysis Batch: 791115

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.95		mg/L		99	90 - 110	0	15
Fluoride	2.00	2.14		mg/L		107	90 - 110	0	15
Sulfate	10.0	10.3		mg/L		103	90 - 110	0	15

Lab Sample ID: 680-238329-X-1 MS
Matrix: Water
Analysis Batch: 791115

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.48	J	10.0	9.97		mg/L		95	80 - 120
Fluoride	0.35		2.00	2.37		mg/L		101	80 - 120
Sulfate	6.9		10.0	16.4		mg/L		95	80 - 120

Lab Sample ID: 680-238329-X-1 MSD
Matrix: Water
Analysis Batch: 791115

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	0.48	J	10.0	10.5		mg/L		101	80 - 120	6	15
Fluoride	0.35		2.00	2.49		mg/L		107	80 - 120	5	15
Sulfate	6.9		10.0	16.9		mg/L		100	80 - 120	3	15

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 680-790407/1-A
Matrix: Water
Analysis Batch: 790716

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 790407

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		07/27/23 12:57	07/28/23 16:46	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		07/27/23 12:57	07/28/23 16:46	1
Boron	<0.022		0.080	0.022	mg/L		07/27/23 12:57	07/28/23 16:46	1
Calcium	<0.14		0.50	0.14	mg/L		07/27/23 12:57	07/28/23 16:46	1
Chromium	<0.0012		0.0020	0.0012	mg/L		07/27/23 12:57	07/28/23 16:46	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		07/27/23 12:57	07/28/23 16:46	1
Copper	<0.0011		0.0020	0.0011	mg/L		07/27/23 12:57	07/28/23 16:46	1
Lead	<0.00021		0.0010	0.00021	mg/L		07/27/23 12:57	07/28/23 16:46	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		07/27/23 12:57	07/28/23 16:46	1
Zinc	<0.0028		0.0050	0.0028	mg/L		07/27/23 12:57	07/28/23 16:46	1

Lab Sample ID: LCS 680-790407/2-A
Matrix: Water
Analysis Batch: 790716

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 790407

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.100	0.102		mg/L		102	80 - 120
Beryllium	0.0500	0.0484		mg/L		97	80 - 120
Boron	0.200	0.193		mg/L		97	80 - 120
Calcium	5.00	5.11		mg/L		102	80 - 120
Chromium	0.100	0.101		mg/L		101	80 - 120

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 680-790407/2-A
Matrix: Water
Analysis Batch: 790716

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 790407

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Cobalt	0.0500	0.0511		mg/L		102	80 - 120	
Copper	0.100	0.104		mg/L		104	80 - 120	
Lead	0.500	0.478		mg/L		96	80 - 120	
Vanadium	0.100	0.0940		mg/L		94	80 - 120	
Zinc	0.100	0.0982		mg/L		98	80 - 120	

Lab Sample ID: 680-238217-K-1-B MS
Matrix: Water
Analysis Batch: 790716

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 790407

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	
Barium	0.037		0.100	0.142		mg/L		105	75 - 125	
Beryllium	<0.00020		0.0500	0.0523		mg/L		105	75 - 125	
Boron	0.031 J		0.200	0.227		mg/L		98	75 - 125	
Calcium	37		5.00	41.2 4		mg/L		81	75 - 125	
Chromium	<0.0012		0.100	0.111		mg/L		111	75 - 125	
Cobalt	<0.00022		0.0500	0.0555		mg/L		111	75 - 125	
Copper	<0.0011		0.100	0.110		mg/L		110	75 - 125	
Lead	<0.00021		0.500	0.508		mg/L		102	75 - 125	
Vanadium	<0.00063		0.100	0.103		mg/L		103	75 - 125	
Zinc	<0.0028		0.100	0.105		mg/L		105	75 - 125	

Lab Sample ID: 680-238217-K-1-C MSD
Matrix: Water
Analysis Batch: 790716

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 790407

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	
									Limits		RPD	Limit
Barium	0.035		0.100	0.134		mg/L		99	75 - 125	6	20	
Beryllium	<0.00020		0.0500	0.0495		mg/L		99	75 - 125	5	20	
Boron	0.035 J		0.200	0.221		mg/L		93	75 - 125	3	20	
Calcium	37		5.00	40.2 4		mg/L		63	75 - 125	3	20	
Chromium	<0.0012		0.100	0.104		mg/L		104	75 - 125	7	20	
Cobalt	<0.00022		0.0500	0.0522		mg/L		104	75 - 125	6	20	
Copper	<0.0011		0.100	0.105		mg/L		105	75 - 125	5	20	
Lead	<0.00021		0.500	0.495		mg/L		99	75 - 125	2	20	
Vanadium	<0.00063		0.100	0.0985		mg/L		98	75 - 125	5	20	
Zinc	<0.0028		0.100	0.0971		mg/L		97	75 - 125	8	20	

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 680-791184/1
Matrix: Water
Analysis Batch: 791184

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C) (Continued)

Lab Sample ID: LCS 680-791184/2
Matrix: Water
Analysis Batch: 791184

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2380	2380		mg/L		100	80 - 120

Lab Sample ID: LCSD 680-791184/3
Matrix: Water
Analysis Batch: 791184

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2380	2390		mg/L		100	80 - 120	0	25

Lab Sample ID: 680-238215-B-1 DU
Matrix: Water
Analysis Batch: 791184

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	760		758		mg/L		0.3	5

Lab Sample ID: 680-238257-B-1 DU
Matrix: Water
Analysis Batch: 791184

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	78		68.0	F5	mg/L		14	5

Lab Sample ID: MB 680-791327/1
Matrix: Water
Analysis Batch: 791327

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/02/23 10:05	1

Lab Sample ID: LCS 680-791327/2
Matrix: Water
Analysis Batch: 791327

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2380	2410		mg/L		101	80 - 120

Lab Sample ID: LCSD 680-791327/3
Matrix: Water
Analysis Batch: 791327

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2380	2330		mg/L		98	80 - 120	3	25

Lab Sample ID: 680-238217-F-2 DU
Matrix: Water
Analysis Batch: 791327

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	150		144		mg/L		3	5

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

HPLC/IC

Analysis Batch: 790612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-1	MCI-GWA-1B	Total/NA	Water	300.0-1993 R2.1	
680-238216-2	MCI-GWC-1A	Total/NA	Water	300.0-1993 R2.1	
680-238216-3	MCI-GWC-5A	Total/NA	Water	300.0-1993 R2.1	
680-238216-4	MCI-GWC-6A	Total/NA	Water	300.0-1993 R2.1	
MB 680-790612/33	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-790612/34	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-790612/35	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-238173-C-27 MS	Matrix Spike	Total/NA	Water	300.0-1993 R2.1	
680-238173-C-27 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0-1993 R2.1	

Analysis Batch: 790723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-6	MCI-LF3-FB-09	Total/NA	Water	300.0-1993 R2.1	
680-238216-7	MCI-LF3-EB-11	Total/NA	Water	300.0-1993 R2.1	
MB 680-790723/33	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-790723/34	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-790723/35	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-238216-7 MS	MCI-LF3-EB-11	Total/NA	Water	300.0-1993 R2.1	
680-238216-7 MSD	MCI-LF3-EB-11	Total/NA	Water	300.0-1993 R2.1	

Analysis Batch: 791115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-5	MCI-LF3-FD-05	Total/NA	Water	300.0-1993 R2.1	
MB 680-791115/2	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-791115/4	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-791115/5	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-238329-X-1 MS	Matrix Spike	Total/NA	Water	300.0-1993 R2.1	
680-238329-X-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0-1993 R2.1	

Metals

Prep Batch: 790407

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-1	MCI-GWA-1B	Total Recoverable	Water	3005A	
680-238216-2	MCI-GWC-1A	Total Recoverable	Water	3005A	
680-238216-3	MCI-GWC-5A	Total Recoverable	Water	3005A	
680-238216-4	MCI-GWC-6A	Total Recoverable	Water	3005A	
680-238216-5	MCI-LF3-FD-05	Total Recoverable	Water	3005A	
680-238216-6	MCI-LF3-FB-09	Total Recoverable	Water	3005A	
680-238216-7	MCI-LF3-EB-11	Total Recoverable	Water	3005A	
MB 680-790407/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-790407/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-238217-K-1-B MS	Matrix Spike	Total Recoverable	Water	3005A	
680-238217-K-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 790716

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-1	MCI-GWA-1B	Total Recoverable	Water	6020B	790407
680-238216-2	MCI-GWC-1A	Total Recoverable	Water	6020B	790407
680-238216-3	MCI-GWC-5A	Total Recoverable	Water	6020B	790407
680-238216-4	MCI-GWC-6A	Total Recoverable	Water	6020B	790407

Eurofins Savannah

QC Association Summary

Client: Southern Company
 Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Metals (Continued)

Analysis Batch: 790716 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-5	MCI-LF3-FD-05	Total Recoverable	Water	6020B	790407
680-238216-6	MCI-LF3-FB-09	Total Recoverable	Water	6020B	790407
680-238216-7	MCI-LF3-EB-11	Total Recoverable	Water	6020B	790407
MB 680-790407/1-A	Method Blank	Total Recoverable	Water	6020B	790407
LCS 680-790407/2-A	Lab Control Sample	Total Recoverable	Water	6020B	790407
680-238217-K-1-B MS	Matrix Spike	Total Recoverable	Water	6020B	790407
680-238217-K-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	6020B	790407

General Chemistry

Analysis Batch: 791184

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-1	MCI-GWA-1B	Total/NA	Water	2540C-2011	
680-238216-2	MCI-GWC-1A	Total/NA	Water	2540C-2011	
680-238216-3	MCI-GWC-5A	Total/NA	Water	2540C-2011	
680-238216-4	MCI-GWC-6A	Total/NA	Water	2540C-2011	
MB 680-791184/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-791184/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-791184/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-238215-B-1 DU	Duplicate	Total/NA	Water	2540C-2011	
680-238257-B-1 DU	Duplicate	Total/NA	Water	2540C-2011	

Analysis Batch: 791327

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-238216-5	MCI-LF3-FD-05	Total/NA	Water	2540C-2011	
680-238216-6	MCI-LF3-FB-09	Total/NA	Water	2540C-2011	
680-238216-7	MCI-LF3-EB-11	Total/NA	Water	2540C-2011	
MB 680-791327/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-791327/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-791327/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-238217-F-2 DU	Duplicate	Total/NA	Water	2540C-2011	

Lab Chronicle

Client: Southern Company
 Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-GWA-1B

Lab Sample ID: 680-238216-1

Date Collected: 07/26/23 13:00

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790612	07/28/23 18:46	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:39	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791184	08/01/23 12:13	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWC-1A

Lab Sample ID: 680-238216-2

Date Collected: 07/26/23 15:15

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790612	07/28/23 18:59	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:43	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791184	08/01/23 12:13	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWC-5A

Lab Sample ID: 680-238216-3

Date Collected: 07/26/23 16:30

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790612	07/28/23 19:11	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:47	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791184	08/01/23 12:13	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWC-6A

Lab Sample ID: 680-238216-4

Date Collected: 07/26/23 14:10

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790612	07/28/23 19:24	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:51	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791184	08/01/23 12:13	PG	EET SAV
Instrument ID: NOEQUIP										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Client Sample ID: MCI-LF3-FD-05

Lab Sample ID: 680-238216-5

Date Collected: 07/26/23 00:00

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	791115	08/01/23 10:14	OK	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:55	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791327	08/02/23 10:05	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-FB-09

Lab Sample ID: 680-238216-6

Date Collected: 07/26/23 13:50

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790723	07/29/23 18:37	OK	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:22	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791327	08/02/23 10:05	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-EB-11

Lab Sample ID: 680-238216-7

Date Collected: 07/26/23 15:40

Matrix: Water

Date Received: 07/27/23 08:48

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	790723	07/29/23 17:59	OK	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	790407	07/27/23 12:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			790716	07/28/23 17:35	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	791327	08/02/23 10:05	PG	EET SAV
Instrument ID: NOEQUIP										

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Accreditation/Certification Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1

Laboratory: Eurofins Savannah

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87052	06-30-24
Georgia	State	E87052	06-30-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Method Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill #3

Job ID: 680-238216-1


Method	Method Description	Protocol	Laboratory
300.0-1993 R2.1	Anions, Ion Chromatography	MCAWW	EET SAV
6020B	Metals (ICP/MS)	SW846	EET SAV
2540C-2011	Total Dissolved Solids (Dried at 180 °C)	SM	EET SAV
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET SAV

Protocol References:


- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- SM = "Standard Methods For The Examination Of Water And Wastewater"
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

- EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Chain of Custody Record

Client Information		Sampler <i>A Schnitker</i>		ACC		Lab PM Fuller, David		Carrier Tracking No(s)		COC No		
Client Contact: SCS Contacts		Phone <i>770 594 5998</i>		E-Mail david.fuller@et.eurofinsus.com						Page <i>1 of 1</i>		
Company GA Power						Analysis Requested						
Address 241 Ralph McGill Blvd SE						Due Date Requested						
City Atlanta						TAT Requested (days) <i>Standard.</i>						
State Zip GA, 30308												
Phone: 404-506-7116(Tel)						Lab Project #: 68027732						
Email SCS Contacts / ACC Contacts						PO #:						
Project Name Plant McIntosh Landfill 3						Project #:						
Site Georgia						SSOW#:						
Sample Identification		Sample Date (mm/dd/yy)	Sample Time (hhmm)	Sample Type (C=comp, G=grab)	Matrix (WG=ground water WS=surface water WQ=quality control)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	APP III Metals: B,Ca	Cl F SO ₄ & TDS (EPA 300.0 & SM 2540C)	Custom State 8 Permit Metals (EPA 6020): Ba,Be,Cr,Cu,Pb,V,Zn	Total Number of containers	Task Code MCI-CCR-OTH-20230726 Special Instructions/Note Full APP III + 8 State Metals
				Preservation Code:								
MCI-	<i>GWA-1B</i>	<i>07/26/23</i>	<i>1300</i>	G	WG	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>GWC-1A</i>	<i>07/26/23</i>	<i>1515</i>	G	WG	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>GWC-5A</i>	<i>07/26/23</i>	<i>1630</i>	G	WG	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>GWC-6A</i>	<i>07/26/23</i>	<i>1410</i>	G	WG	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>LF3-FD-05</i>	<i>07/26/23</i>	<i>/</i>	G	WG	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>LF3-FB-09</i>	<i>07/26/23</i>	<i>1350</i>	G	WQ	N	N	✓	✓	✓		<i>3</i>
MCI-	<i>LF3-EB-11</i>	<i>07/26/23</i>	<i>1540</i>	G	WQ	N	N	✓	✓	✓		<i>3</i>
 680-238216 Chain of Custody												
Possible Hazard Identification						Sample Disposal (A fee may be assessed)						
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months						
Deliverable Requested I, II, III, IV, Other (specify)						Special Instructions/QC Requirements State Permit Metals barium, beryllium, chromium, cobalt, copper, lead, vanadium, zinc						
Empty Kit Relinquished by				Date		Time		Method of Shipment:				
Relinquished by		Date/Time		Company		Received by		Date/Time		Company		
<i>[Signature]</i>		<i>07/27/23 0848</i>										
Relinquished by		Date/Time		Company		Received by		Date/Time		Company		
Relinquished by		Date/Time		Company		Received by		Date/Time		Company		
						<i>C.M...</i>		<i>7/27/23 0848</i>		<i>BURFINS</i>		
Custody Seals Intact		Custody Seal No				Cooler Temperature(s) °C and Other Remarks.						
Δ Yes Δ No						<i>30/3.1</i>						

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-238216-1

Login Number: 238216

List Number: 1

Creator: Munro, Caroline

List Source: Eurofins Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

LEVEL 2A LABORATORY DATA VALIDATIONS

McIntosh Inactive Landfill No. 3

Background Event N=8

July 2023

Georgia Power Company – McIntosh Landfill 3

Quality Control Review of Analytical Data – July 2023

This narrative presents results of the Quality Control (QC) data review performed on analytical data submitted by Eurofins Environment Testing America, Savannah for groundwater samples collected at McIntosh Landfill 3 (LF3) on July 26, 2023. The chemical data were reviewed to identify quality issues which could affect the use of the data for decision-making purposes.

Information regarding the primary sample locations, analytical parameters, QC samples, sampling dates, and laboratory sample delivery group (SDG) designations is summarized in Table 1 of this Appendix.

In accordance with groundwater monitoring and corrective action procedures discussed in Title 40 Code of Federal Regulations (CFR), Subpart D – Standards for the Disposal of Coal Combustion Residuals in Landfills and Surface Impoundments, the samples were analyzed for detection monitoring constituents listed in 40 CFR, Part 257, Appendix III and permit-required state metals. Test methods included Inductively Coupled Plasma – Mass Spectrometry (US EPA Method 6020B), Determination of Inorganic Anions (US EPA Method 300.0), and Solids in Water (Standard Methods 2540C).

Data were reviewed in accordance with the US EPA Region 4 Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy (September 2011, Rev. 2.0)¹ and the National Functional Guidelines for Inorganic Superfund Methods Data Review (January 2017)². The review included an assessment of the results for completeness, precision (laboratory duplicate recoveries and matrix spike/matrix spike duplicate recoveries), accuracy (laboratory control samples and matrix spike samples), and blank contamination (field, equipment, and laboratory blanks). Sample receipt conditions, holding times, and chains of custody were reviewed. If there was a discrepancy between the QC criteria in the guidelines and the QC criterion established in the analytical methodology, method-specific criteria or professional judgment were used.

DATA QUALITY OBJECTIVES

Laboratory Precision: Laboratory goals for precision were met.

Field Precision: Field goals for precision were met.

Accuracy: Laboratory goals for accuracy were met.

Detection Limits: Project goals for detection limits were met.

Completeness: There were no rejected analytical results for this event, resulting in a completion of 100%.

Holding Times: Holding time requirements were met.

QUALIFICATIONS

In general, chemical results for the samples collected at the site were qualified on the basis of low precision or low accuracy or on the basis of professional judgment. The following definitions provide brief explanations of the qualifiers which may have been assigned to data by the laboratory during the validation process:

J: The analyte was positively identified above the method detection limit; however, the associated numerical value is the approximate concentration of the analyte in the sample.

ND: The analyte was not detected above the method detection limit.

The data generated as part of this sampling event met the QC criteria established in the respective analytical methods and data validation guidelines. The applied qualifications may not have been required for all samples collected at the site.

Atlantic Coast Consulting, Inc. reviewed the laboratory data from McIntosh LF3 sampled on July 26, 2023 in accordance with the analytical methods, the laboratory-specified QC criteria, and the guidelines. As described above, the results were acceptable for project use.

REFERENCES

¹US EPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy, Revision 2.0

²US EPA, January 2017, National Office of Superfund Remediation and Technology Innovation, National Functional Guidelines for Inorganic Superfund Methods Data Review, Revision 0.0

Plant McIntosh Inactive Landfill No. 3
 2023 Semiannual Groundwater Monitoring and Corrective Action Report

TABLE 1
 Georgia Power Company – McIntosh LF3
 Sample Summary Table – July 2023

SDG	Field Identification	Collection Date	Lab Identification	Matrix	QC Samples	Analyses		
						Metals (6020B)	Anions (300.0)	TDS (SM 2540C)
238216	MCI-GWA-1B	07/26/23	680-238216-1	WG		X	X	X
238216	MCI-GWC-1A	07/26/23	680-238216-2	WG		X	X	X
238216	MCI-GWC-5A	07/26/23	680-238216-3	WG		X	X	X
238216	MCI-GWC-6A	07/26/23	680-238216-4	WG		X	X	X
238216	MCI-LF3-FD-05	07/26/23	680-238216-5	WG	FD (MCI-GWC-1A)	X	X	X
238216	MCI-LF3-FB-09	07/26/23	680-238216-6	WQ	FB	X	X	X
238216	MCI-LF3-EB-11	07/26/23	680-238216-7	WQ	EB	X	X	X

Abbreviations:
 EB – Equipment Blank
 FB – Field Blank
 FD – Field Duplicate
 WG – Groundwater
 QC – Quality Control
 SDG – Sample Delivery Group
 TDS – Total Dissolved Solids
 WQ – Water Quality Control

Low-Flow Test Report:

Test Date / Time: 7/26/2023 12:15:10 PM

Project: Plant McIntosh LF 3

Operator Name: A. Schnittker

Location Name: GWA-1B Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 48.53 ft Total Depth: 58.53 ft Initial Depth to Water: 22.63 ft	Pump Type: Peristaltic Pump Tubing Type: Poly Pump Intake From TOC: 53 ft Estimated Total Volume Pumped: 11.3 liter Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 2 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	--	--

Test Notes:

Sample time 1300. Sunny 90s.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 1	
7/26/2023 12:15 PM	00:00	7.14 pH	28.19 °C	48.44 µS/cm	4.48 mg/L	3.95 NTU	108.8 mV	22.63 ft	250.00 ml/min
7/26/2023 12:20 PM	05:00	5.15 pH	22.22 °C	36.19 µS/cm	0.28 mg/L	4.18 NTU	107.6 mV	22.80 ft	250.00 ml/min
7/26/2023 12:25 PM	10:00	5.13 pH	21.82 °C	36.68 µS/cm	0.20 mg/L	1.62 NTU	97.4 mV	22.80 ft	250.00 ml/min
7/26/2023 12:30 PM	15:00	5.18 pH	21.89 °C	37.90 µS/cm	0.19 mg/L	1.22 NTU	96.8 mV	22.80 ft	250.00 ml/min
7/26/2023 12:35 PM	20:00	5.26 pH	22.11 °C	40.61 µS/cm	0.16 mg/L	0.88 NTU	96.4 mV	22.80 ft	250.00 ml/min
7/26/2023 12:40 PM	25:00	5.43 pH	22.00 °C	46.28 µS/cm	0.17 mg/L	0.89 NTU	94.7 mV	22.80 ft	250.00 ml/min
7/26/2023 12:45 PM	30:00	5.71 pH	21.91 °C	54.80 µS/cm	0.15 mg/L	1.15 NTU	89.2 mV	22.80 ft	250.00 ml/min
7/26/2023 12:50 PM	35:00	5.79 pH	22.20 °C	58.39 µS/cm	0.14 mg/L	0.64 NTU	85.6 mV	22.80 ft	250.00 ml/min
7/26/2023 12:55 PM	40:00	5.82 pH	22.20 °C	58.69 µS/cm	0.13 mg/L	0.76 NTU	83.6 mV	22.80 ft	250.00 ml/min
7/26/2023 1:00 PM	45:00	5.86 pH	22.04 °C	60.62 µS/cm	0.14 mg/L	0.67 NTU	81.3 mV	22.80 ft	250.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 7/26/2023 2:45:42 PM

Project: Plant McIntosh LF 3

Operator Name: A. Schnittker

Location Name: GWC-1A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.37 ft Total Depth: 47.37 ft Initial Depth to Water: 22.72 ft	Pump Type: Peristaltic Pump Tubing Type: Poly Pump Intake From TOC: 42 ft Estimated Total Volume Pumped: 7 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 11 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	--	--

Test Notes:

Sample time 1515. Sunny 90s. FD-05 here.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 1	
7/26/2023 2:45 PM	00:00	4.25 pH	23.02 °C	68.88 µS/cm	0.48 mg/L	2.24 NTU	112.2 mV	22.72 ft	150.00 ml/min
7/26/2023 2:50 PM	05:00	4.25 pH	22.90 °C	67.75 µS/cm	0.46 mg/L	3.34 NTU	114.0 mV	23.60 ft	150.00 ml/min
7/26/2023 2:55 PM	10:00	4.20 pH	22.78 °C	68.82 µS/cm	0.54 mg/L	1.48 NTU	115.9 mV	23.60 ft	150.00 ml/min
7/26/2023 3:00 PM	15:00	4.18 pH	22.67 °C	68.43 µS/cm	0.53 mg/L	1.12 NTU	117.6 mV	23.60 ft	150.00 ml/min
7/26/2023 3:05 PM	20:00	4.26 pH	22.63 °C	67.61 µS/cm	0.40 mg/L	0.84 NTU	114.8 mV	23.60 ft	150.00 ml/min
7/26/2023 3:10 PM	25:00	4.23 pH	22.58 °C	68.08 µS/cm	0.38 mg/L	0.51 NTU	116.6 mV	23.60 ft	150.00 ml/min
7/26/2023 3:15 PM	30:00	4.26 pH	22.62 °C	67.84 µS/cm	0.45 mg/L	0.87 NTU	115.6 mV	23.60 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 7/26/2023 3:50:21 PM

Project: Plant McIntosh LF 3

Operator Name: A. Schnittker

Location Name: GWC-5A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.6 ft Total Depth: 42.6 ft Initial Depth to Water: 24.47 ft	Pump Type: Peristaltic Pump Tubing Type: Poly Pump Intake From TOC: 37 ft Estimated Total Volume Pumped: 6 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 4 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	---	--

Test Notes:

Sample time 1630. Sunny 90s. EB-11 here at 15:40.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 1	
7/26/2023 3:50 PM	00:00	4.62 pH	26.91 °C	26.50 µS/cm	2.65 mg/L	1.94 NTU	121.2 mV	24.47 ft	150.00 ml/min
7/26/2023 3:55 PM	05:00	4.60 pH	23.64 °C	27.31 µS/cm	1.04 mg/L	1.84 NTU	124.5 mV	24.80 ft	150.00 ml/min
7/26/2023 4:00 PM	10:00	4.56 pH	23.35 °C	27.42 µS/cm	0.93 mg/L	1.41 NTU	127.3 mV	24.80 ft	150.00 ml/min
7/26/2023 4:05 PM	15:00	4.55 pH	23.76 °C	27.44 µS/cm	0.85 mg/L	1.17 NTU	128.1 mV	24.80 ft	150.00 ml/min
7/26/2023 4:10 PM	20:00	4.59 pH	24.15 °C	27.27 µS/cm	0.79 mg/L	0.67 NTU	126.6 mV	24.80 ft	150.00 ml/min
7/26/2023 4:15 PM	25:00	4.55 pH	23.70 °C	27.32 µS/cm	0.73 mg/L	0.73 NTU	129.3 mV	24.80 ft	150.00 ml/min
7/26/2023 4:20 PM	30:00	4.61 pH	23.70 °C	27.09 µS/cm	0.66 mg/L	0.64 NTU	128.5 mV	24.80 ft	150.00 ml/min
7/26/2023 4:25 PM	35:00	4.58 pH	23.57 °C	27.23 µS/cm	0.58 mg/L	0.52 NTU	131.0 mV	24.80 ft	150.00 ml/min
7/26/2023 4:30 PM	40:00	4.57 pH	23.37 °C	27.09 µS/cm	0.51 mg/L	0.46 NTU	132.1 mV	24.80 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 7/26/2023 1:40:11 PM

Project: Plant McIntosh LF 3

Operator Name: A. Schnittker

Location Name: GWC-6A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.43 ft Total Depth: 42.43 ft Initial Depth to Water: 24.5 ft	Pump Type: Peristaltic Pump Tubing Type: Poly Pump Intake From TOC: 37 ft Estimated Total Volume Pumped: 7.5 liter Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 10 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	--	--

Test Notes:

Sample time 1410. Sunny 90s. FB-09 here at 1350.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 1	
7/26/2023 1:40 PM	00:00	5.24 pH	30.55 °C	53.02 µS/cm	5.48 mg/L	3.13 NTU	100.3 mV	24.50 ft	250.00 ml/min
7/26/2023 1:45 PM	05:00	4.97 pH	23.17 °C	52.84 µS/cm	0.33 mg/L	1.61 NTU	102.0 mV	25.20 ft	250.00 ml/min
7/26/2023 1:50 PM	10:00	5.01 pH	22.27 °C	52.88 µS/cm	0.24 mg/L	0.89 NTU	103.3 mV	25.20 ft	250.00 ml/min
7/26/2023 1:55 PM	15:00	4.98 pH	22.28 °C	53.06 µS/cm	0.23 mg/L	0.95 NTU	103.9 mV	25.30 ft	250.00 ml/min
7/26/2023 2:00 PM	20:00	5.00 pH	22.13 °C	52.41 µS/cm	0.22 mg/L	1.10 NTU	104.3 mV	25.30 ft	250.00 ml/min
7/26/2023 2:05 PM	25:00	4.94 pH	22.04 °C	52.38 µS/cm	0.23 mg/L	0.92 NTU	108.2 mV	25.30 ft	250.00 ml/min
7/26/2023 2:10 PM	30:00	4.93 pH	22.07 °C	52.05 µS/cm	0.23 mg/L	0.64 NTU	108.8 mV	25.30 ft	250.00 ml/min

Samples

Sample ID:	Description:
------------	--------------



ATLANTIC COAST CONSULTING, INC.

Daily Instrument Calibration Log

SITE: _____ Plant Branch McIntosh
 TECHNICIAN: A Schmittler
 WATER LEVEL: Solinst
 WATER LEVEL S/N: 377060

INSTRUMENT S/N: 965678
 INSTRUMENT TYPE: AquaTroll
 CAL. SOLUTIONS/ID: pH 4 LOT #: 26H670 EXP. DATE: 08/24
pH 7 LOT #: 26C109 EXP. DATE: 3/24
pH 10 LOT #: 266D18 EXP. DATE: 7/24
Con LOT #: 261042 EXP. DATE: 9/23
ORP LOT #: 26L022 EXP. DATE: 9/23

Midday pH check
 Must be less than .10
 (6.90-7.10 range)
 Recalibrate if not within range

Calibration Date: 7/26/23

RDO: 100% sat. = 94.55 Midday pH check
 PH: 4.00 = 4.03 7.00 = 7.03 10.00 = 10.04 7.0 = 7.00
 PH Recal (if needed): 4.00 = NA 7.00 = NA 10.00 = NA 7.0 = NA post recal check
 CONDUCTIVITY: 1413 = 1472.2
 ORP (mV) 228 = 225.0

Calibration Date:

RDO: 100% sat. = _____ Midday pH check
 PH: 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____
 PH Recal (if needed): 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____ post recal check
 CONDUCTIVITY: _____ = _____
 ORP (mV) _____ = _____

Calibration Date:

RDO: 100% sat. = _____ Midday pH check
 PH: 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____
 PH Recal (if needed): 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____ post recal check
 CONDUCTIVITY: _____ = _____
 ORP (mV) _____ = _____

Calibration Date:

RDO: 100% sat. = _____ Midday pH check
 PH: 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____
 PH Recal (if needed): 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____ post recal check
 CONDUCTIVITY: _____ = _____
 ORP (mV) _____ = _____

Calibration Date:

RDO: 100% sat. = _____ Midday pH check
 PH: 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____
 PH Recal (if needed): 4.00 = _____ 7.00 = _____ 10.00 = _____ 7.0 = _____ post recal check
 CONDUCTIVITY: _____ = _____
 ORP (mV) _____ = _____



Daily Instrument Calibration Log

SITE: _____ Plant Branch McIntosh
TECHNICIAN: A Schmittner

INSTRUMENT S/N: 160400049767
INSTRUMENT TYPE: Hach 2100Q
CAL. SOLUTION: 0 NTU - LOT # NA EXP. DATE: Fresh DI Water
10 NTU - LOT # A2122 EXP. DATE: 8/23
20 NTU - LOT # A2200 EXP. DATE: 11/23

Calibration Date: 7/26/23

Calibration Solution	Instrument Reading	
0.0	<u>0.56</u>	NTU
10.0	<u>10.2</u>	NTU
20.0	<u>20.6</u>	NTU

Calibration Date: 7/26/23 Back up meter

Calibration Solution	Instrument Reading	
0.0	<u>0.32</u>	NTU
10.0	<u>10.6</u>	NTU
20.0	<u>19.4</u>	NTU

Calibration Date:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

APPENDIX A

*Laboratory Analytical and Field Sampling Reports
August 2023 Monitoring Event*



ANALYTICAL REPORT

PREPARED FOR

Attn: Lauren Hartley
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Generated 9/18/2023 3:02:15 PM Revision 1

JOB DESCRIPTION

Plant McIntosh Landfill 3

JOB NUMBER

680-239627-1

Eurofins Savannah

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

Generated
9/18/2023 3:02:15 PM
Revision 1

Definitions/Glossary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
F3	Duplicate RPD exceeds the control limit
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL, and the absolute difference between results is < the upper reporting limits for both.

Glossary


Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-239627-1	MCI-GWA-7A	Water	08/28/23 16:45	08/29/23 16:28
680-239627-2	MCI-GWA-1B	Water	08/28/23 18:35	08/29/23 16:28
680-239627-3	MCI-GWA-2B	Water	08/29/23 09:30	08/29/23 16:28
680-239627-4	MCI-GWA-3A	Water	08/29/23 10:25	08/29/23 16:28
680-239627-5	MCI-LF3-EB-11	Water	08/29/23 10:40	08/29/23 16:28
680-239627-6	MCI-GWC-6A	Water	08/29/23 11:22	08/29/23 16:28
680-239627-7	MCI-LF3-FB-10	Water	08/29/23 13:25	08/29/23 16:28
680-239627-8	MCI-LF3-EB-12	Water	08/29/23 14:15	08/29/23 16:28
680-239627-9	MCI-GWC-2	Water	08/29/23 13:45	08/29/23 16:28
680-239629-1	MCI-GWA-4	Water	08/28/23 17:16	08/29/23 16:28
680-239629-2	MCI-GWC-5A	Water	08/29/23 11:03	08/29/23 16:28
680-239629-3	MCI-LF3-FD-05	Water	08/29/23 00:00	08/29/23 16:28
680-239629-4	MCI-GWC-1A	Water	08/29/23 12:18	08/29/23 16:28
680-239629-5	MCI-LF3-FB-09	Water	08/29/23 12:30	08/29/23 16:28
680-239629-6	MCI-LF3-GWC-4A	Water	08/29/23 13:25	08/29/23 16:28
680-239629-7	MCI-LF3-FD-06	Water	08/29/23 00:00	08/29/23 16:28



Case Narrative

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Job ID: 680-239627-1

Laboratory: Eurofins Savannah

Narrative

Job Narrative 680-239627-1

Revision 1

The report being provided is a revision of the original report sent on 9/8/2023. The report (revision 1) is being revised due to an error during the login of these samples. All the bottles containing the water from MCI-LF3-FB-10 were labeled with Lab Sample ID 680-239629-6 (MCI-LF3-GWC-4A) while all the bottles containing the water from MCI-LF3-GWC-4A were labeled with Lab Sample ID 680-239627-7 (MCI-LF3-FB-10). This mis-labeling has been corrected and samples re-processed with this revised report.

Receipt

The samples were received on 8/29/2023 4:28 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.0°C and 1.1°C

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 2540C: The sample duplicate precision for the following sample associated with analytical batch 680-795829 was outside control limits: (680-239515-A-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

Method 2540C: The sample duplicate precision for the following sample associated with analytical batch 680-796501 was outside control limits: (680-239698-E-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWA-7A

Lab Sample ID: 680-239627-1

Date Collected: 08/28/23 16:45

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.1		1.0	0.20	mg/L			08/31/23 11:12	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 11:12	1
Sulfate	67		1.0	0.40	mg/L			08/31/23 11:12	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.044		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 18:43	1
Beryllium	0.00050	J	0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 18:43	1
Boron	1.2		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 18:43	1
Calcium	14		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 18:43	1
Chromium	0.0016	J	0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 18:43	1
Cobalt	0.0019	J	0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 18:43	1
Copper	0.0016	J	0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 18:43	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 18:43	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 18:43	1
Zinc	0.019		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 18:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	140		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-GWA-1B

Lab Sample ID: 680-239627-2

Date Collected: 08/28/23 18:35

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		1.0	0.20	mg/L			08/31/23 11:50	1
Fluoride	0.21		0.10	0.040	mg/L			08/31/23 11:50	1
Sulfate	1.4		1.0	0.40	mg/L			08/31/23 11:50	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.023		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 18:39	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 18:39	1
Boron	0.035	J	0.080	0.022	mg/L		08/30/23 07:36	08/31/23 18:39	1
Calcium	8.6		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 18:39	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 18:39	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 18:39	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 18:39	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 18:39	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 18:39	1
Zinc	0.0029	J	0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 18:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	85		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWA-2B

Lab Sample ID: 680-239627-3

Date Collected: 08/29/23 09:30

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.9		1.0	0.20	mg/L			08/31/23 12:02	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 12:02	1
Sulfate	42		1.0	0.40	mg/L			08/31/23 12:02	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.045		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:22	1
Beryllium	0.00063	J	0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:22	1
Boron	0.53		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:22	1
Calcium	13		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:22	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:22	1
Cobalt	0.0029		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:22	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:22	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:22	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:22	1
Zinc	0.011		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	110		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-GWA-3A

Lab Sample ID: 680-239627-4

Date Collected: 08/29/23 10:25

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29		1.0	0.20	mg/L			08/31/23 12:15	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 12:15	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 12:15	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.12		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:50	1
Beryllium	0.00071	J	0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:50	1
Boron	0.078	J	0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:50	1
Calcium	4.7		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:50	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:50	1
Cobalt	0.0026		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:50	1
Copper	0.0057		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:50	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:50	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:50	1
Zinc	0.012		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	85		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-LF3-EB-11

Lab Sample ID: 680-239627-5

Date Collected: 08/29/23 10:40

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/31/23 12:27	1
Fluoride	0.36		0.10	0.040	mg/L			08/31/23 12:27	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 12:27	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:30	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:30	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:30	1
Calcium	<0.14		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:30	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:30	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:30	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:30	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:30	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:30	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-GWC-6A

Lab Sample ID: 680-239627-6

Date Collected: 08/29/23 11:22

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.5		1.0	0.20	mg/L			08/31/23 12:40	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 12:40	1
Sulfate	2.7		1.0	0.40	mg/L			08/31/23 12:40	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.079		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:38	1
Beryllium	0.00026	J	0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:38	1
Boron	0.033	J	0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:38	1
Calcium	3.2		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:38	1
Chromium	0.0013	J	0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:38	1
Cobalt	0.00099	J	0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:38	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:38	1
Lead	0.00038	J	0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:38	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:38	1
Zinc	0.0080		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:38	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	76		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-LF3-FB-10

Lab Sample ID: 680-239627-7

Date Collected: 08/29/23 13:25

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/31/23 15:25	1
Fluoride	0.43		0.10	0.040	mg/L			08/31/23 15:25	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 15:25	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 02:38	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 02:38	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 02:38	1
Calcium	<0.14		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 02:38	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 02:38	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 02:38	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 02:38	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 02:38	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 02:38	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 02:38	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-LF3-EB-12

Lab Sample ID: 680-239627-8

Date Collected: 08/29/23 14:15

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/31/23 13:05	1
Fluoride	0.38		0.10	0.040	mg/L			08/31/23 13:05	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 13:05	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 18:27	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 18:27	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 18:27	1
Calcium	0.16	J	0.50	0.14	mg/L		08/30/23 07:36	08/31/23 18:27	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 18:27	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 18:27	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 18:27	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 18:27	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 18:27	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 18:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWC-2

Lab Sample ID: 680-239627-9

Date Collected: 08/29/23 13:45

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.8		1.0	0.20	mg/L			08/31/23 13:18	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 13:18	1
Sulfate	5.2		1.0	0.40	mg/L			08/31/23 13:18	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.065		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:26	1
Beryllium	0.00031	J	0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:26	1
Boron	0.10		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:26	1
Calcium	1.6		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:26	1
Chromium	0.0037		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:26	1
Cobalt	0.0014	J	0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:26	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:26	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:26	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:26	1
Zinc	0.0065		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	45		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-GWA-4

Lab Sample ID: 680-239629-1

Date Collected: 08/28/23 17:16

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.6		1.0	0.20	mg/L			08/31/23 13:31	1
Fluoride	0.051	J	0.10	0.040	mg/L			08/31/23 13:31	1
Sulfate	3.2		1.0	0.40	mg/L			08/31/23 13:31	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.047		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 01:12	1
Beryllium	0.00024	J	0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 01:12	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 01:12	1
Calcium	1.3		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 01:12	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 01:12	1
Cobalt	0.0010	J	0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 01:12	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 01:12	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 01:12	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 01:12	1
Zinc	0.0064		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 01:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	48		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWC-5A

Lab Sample ID: 680-239629-2

Date Collected: 08/29/23 11:03

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.2		1.0	0.20	mg/L			08/31/23 14:09	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 14:09	1
Sulfate	0.48	J	1.0	0.40	mg/L			08/31/23 14:09	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.076		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 02:22	1
Beryllium	0.00031	J	0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 02:22	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 02:22	1
Calcium	1.1		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 02:22	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 02:22	1
Cobalt	0.0023	J	0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 02:22	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 02:22	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 02:22	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 02:22	1
Zinc	0.010		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 02:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	36		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-LF3-FD-05

Lab Sample ID: 680-239629-3

Date Collected: 08/29/23 00:00

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.3		1.0	0.20	mg/L			08/31/23 14:47	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 14:47	1
Sulfate	0.49	J	1.0	0.40	mg/L			08/31/23 14:47	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.075		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 02:34	1
Beryllium	0.00025	J	0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 02:34	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 02:34	1
Calcium	1.1		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 02:34	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 02:34	1
Cobalt	0.0022	J	0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 02:34	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 02:34	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 02:34	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 02:34	1
Zinc	0.010		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 02:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	26		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWC-1A

Lab Sample ID: 680-239629-4

Date Collected: 08/29/23 12:18

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0	0.20	mg/L			08/31/23 14:59	1
Fluoride	0.080	J	0.10	0.040	mg/L			08/31/23 14:59	1
Sulfate	0.40	J	1.0	0.40	mg/L			08/31/23 14:59	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.24		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 02:30	1
Beryllium	0.00038	J	0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 02:30	1
Boron	0.042	J	0.080	0.022	mg/L		08/30/23 06:57	09/01/23 02:30	1
Calcium	2.5		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 02:30	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 02:30	1
Cobalt	0.0047		0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 02:30	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 02:30	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 02:30	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 02:30	1
Zinc	0.017		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 02:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	53		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-LF3-FB-09

Lab Sample ID: 680-239629-5

Date Collected: 08/29/23 12:30

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/31/23 15:12	1
Fluoride	0.45		0.10	0.040	mg/L			08/31/23 15:12	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 15:12	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 01:21	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 01:21	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 01:21	1
Calcium	<0.14		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 01:21	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 01:21	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 01:21	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 01:21	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 01:21	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 01:21	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 01:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	<10		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

Client Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-LF3-GWC-4A

Lab Sample ID: 680-239629-6

Date Collected: 08/29/23 13:25

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.1		1.0	0.20	mg/L			08/31/23 12:53	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 12:53	1
Sulfate	0.57	J	1.0	0.40	mg/L			08/31/23 12:53	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.032		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:34	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:34	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:34	1
Calcium	0.37	J	0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:34	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:34	1
Cobalt	0.00045	J	0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:34	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:34	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:34	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:34	1
Zinc	0.0040	J	0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	21		10	10	mg/L			08/30/23 10:02	1

Client Sample ID: MCI-LF3-FD-06

Lab Sample ID: 680-239629-7

Date Collected: 08/29/23 00:00

Matrix: Water

Date Received: 08/29/23 16:28

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.1		1.0	0.20	mg/L			08/31/23 15:38	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 15:38	1
Sulfate	0.57	J	1.0	0.40	mg/L			08/31/23 15:38	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.036		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 01:17	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 01:17	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 01:17	1
Calcium	0.37	J	0.50	0.14	mg/L		08/30/23 06:57	09/01/23 01:17	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 01:17	1
Cobalt	0.00049	J	0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 01:17	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 01:17	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 01:17	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 01:17	1
Zinc	0.0034	J	0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 01:17	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	17		10	10	mg/L			09/05/23 11:59	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 680-795920/2
Matrix: Water
Analysis Batch: 795920

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			08/31/23 10:21	1
Fluoride	<0.040		0.10	0.040	mg/L			08/31/23 10:21	1
Sulfate	<0.40		1.0	0.40	mg/L			08/31/23 10:21	1

Lab Sample ID: LCS 680-795920/4
Matrix: Water
Analysis Batch: 795920

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.61		mg/L		96	90 - 110
Fluoride	2.00	2.04		mg/L		102	90 - 110
Sulfate	10.0	10.1		mg/L		101	90 - 110

Lab Sample ID: LCSD 680-795920/5
Matrix: Water
Analysis Batch: 795920

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.59		mg/L		96	90 - 110	0	15
Fluoride	2.00	2.03		mg/L		102	90 - 110	0	15
Sulfate	10.0	10.1		mg/L		101	90 - 110	1	15

Lab Sample ID: 680-239627-1 MS
Matrix: Water
Analysis Batch: 795920

Client Sample ID: MCI-GWA-7A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	7.1		10.0	16.7		mg/L		96	80 - 120
Fluoride	<0.040		2.00	2.09		mg/L		105	80 - 120
Sulfate	67		10.0	75.6	4	mg/L		85	80 - 120

Lab Sample ID: 680-239627-1 MSD
Matrix: Water
Analysis Batch: 795920

Client Sample ID: MCI-GWA-7A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	7.1		10.0	17.2		mg/L		101	80 - 120	3	15
Fluoride	<0.040		2.00	2.18		mg/L		109	80 - 120	4	15
Sulfate	67		10.0	75.6	4	mg/L		85	80 - 120	0	15

Lab Sample ID: 680-239629-2 MS
Matrix: Water
Analysis Batch: 795920

Client Sample ID: MCI-GWC-5A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	5.2		10.0	15.1		mg/L		99	80 - 120
Fluoride	<0.040		2.00	2.14		mg/L		107	80 - 120
Sulfate	0.48	J	10.0	10.5		mg/L		100	80 - 120

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 680-239629-2 MSD
Matrix: Water
Analysis Batch: 795920

Client Sample ID: MCI-GWC-5A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	5.2		10.0	15.0		mg/L		97	80 - 120	1	15
Fluoride	<0.040		2.00	2.14		mg/L		107	80 - 120	0	15
Sulfate	0.48	J	10.0	10.4		mg/L		99	80 - 120	1	15

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 680-795758/1-A
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 795758

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 06:57	09/01/23 00:44	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 06:57	09/01/23 00:44	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 06:57	09/01/23 00:44	1
Calcium	<0.14		0.50	0.14	mg/L		08/30/23 06:57	09/01/23 00:44	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 06:57	09/01/23 00:44	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 06:57	09/01/23 00:44	1
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 06:57	09/01/23 00:44	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 06:57	09/01/23 00:44	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 06:57	09/01/23 00:44	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 06:57	09/01/23 00:44	1

Lab Sample ID: LCS 680-795758/2-A
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 795758

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.100	0.102		mg/L		102	80 - 120
Beryllium	0.0500	0.0509		mg/L		102	80 - 120
Boron	0.200	0.194		mg/L		97	80 - 120
Calcium	5.00	5.32		mg/L		106	80 - 120
Chromium	0.100	0.102		mg/L		102	80 - 120
Cobalt	0.0500	0.0514		mg/L		103	80 - 120
Copper	0.100	0.109		mg/L		109	80 - 120
Lead	0.500	0.500		mg/L		100	80 - 120
Vanadium	0.100	0.0976		mg/L		98	80 - 120
Zinc	0.100	0.0997		mg/L		100	80 - 120

Lab Sample ID: MB 680-795770/1-A
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		08/30/23 07:36	08/31/23 17:01	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		08/30/23 07:36	08/31/23 17:01	1
Boron	<0.022		0.080	0.022	mg/L		08/30/23 07:36	08/31/23 17:01	1
Calcium	<0.14		0.50	0.14	mg/L		08/30/23 07:36	08/31/23 17:01	1
Chromium	<0.0012		0.0020	0.0012	mg/L		08/30/23 07:36	08/31/23 17:01	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		08/30/23 07:36	08/31/23 17:01	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 680-795770/1-A
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	<0.0011		0.0020	0.0011	mg/L		08/30/23 07:36	08/31/23 17:01	1
Lead	<0.00021		0.0010	0.00021	mg/L		08/30/23 07:36	08/31/23 17:01	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		08/30/23 07:36	08/31/23 17:01	1
Zinc	<0.0028		0.0050	0.0028	mg/L		08/30/23 07:36	08/31/23 17:01	1

Lab Sample ID: LCS 680-795770/2-A
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.100	0.0965		mg/L		96	80 - 120
Beryllium	0.0500	0.0468		mg/L		94	80 - 120
Boron	0.200	0.188		mg/L		94	80 - 120
Calcium	5.00	5.37		mg/L		107	80 - 120
Chromium	0.100	0.104		mg/L		104	80 - 120
Cobalt	0.0500	0.0525		mg/L		105	80 - 120
Copper	0.100	0.108		mg/L		108	80 - 120
Lead	0.500	0.498		mg/L		100	80 - 120
Vanadium	0.100	0.0983		mg/L		98	80 - 120
Zinc	0.100	0.101		mg/L		101	80 - 120

Lab Sample ID: 680-239613-A-28-B MS
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.064		0.100	0.158		mg/L		94	75 - 125
Beryllium	<0.00020		0.0500	0.0489		mg/L		98	75 - 125
Boron	<0.022		0.200	0.196		mg/L		98	75 - 125
Calcium	10		5.00	15.4		mg/L		106	75 - 125
Chromium	0.0059		0.100	0.113		mg/L		107	75 - 125
Cobalt	<0.00022		0.0500	0.0542		mg/L		108	75 - 125
Copper	<0.0011		0.100	0.112		mg/L		112	75 - 125
Lead	<0.00021		0.500	0.525		mg/L		105	75 - 125
Vanadium	0.0078		0.100	0.111		mg/L		103	75 - 125
Zinc	0.0059		0.100	0.111		mg/L		105	75 - 125

Lab Sample ID: 680-239613-A-28-C MSD
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Barium	0.064		0.100	0.168		mg/L		104	75 - 125	6	20
Beryllium	<0.00020		0.0500	0.0498		mg/L		100	75 - 125	2	20
Boron	<0.022		0.200	0.204		mg/L		102	75 - 125	4	20
Calcium	10		5.00	15.5		mg/L		108	75 - 125	1	20
Chromium	0.0059		0.100	0.115		mg/L		109	75 - 125	2	20
Cobalt	<0.00022		0.0500	0.0550		mg/L		110	75 - 125	1	20
Copper	<0.0011		0.100	0.111		mg/L		111	75 - 125	1	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 680-239613-A-28-C MSD
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 795770

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	<0.00021		0.500	0.523		mg/L		105	75 - 125	0	20
Vanadium	0.0078		0.100	0.112		mg/L		104	75 - 125	1	20
Zinc	0.0059		0.100	0.111		mg/L		105	75 - 125	0	20

Lab Sample ID: 680-239616-D-1-E MS
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Matrix Spike
Prep Type: Dissolved
Prep Batch: 795758

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Barium	0.010		0.100	0.108		mg/L		98	75 - 125		
Beryllium	<0.00020		0.0500	0.0510		mg/L		102	75 - 125		
Boron	<0.022		0.200	0.214		mg/L		107	75 - 125		
Calcium	5.5		5.00	10.2		mg/L		93	75 - 125		
Chromium	<0.0012		0.100	0.103		mg/L		103	75 - 125		
Cobalt	<0.00022		0.0500	0.0515		mg/L		103	75 - 125		
Copper	<0.0011		0.100	0.111		mg/L		111	75 - 125		
Lead	<0.00021		0.500	0.501		mg/L		100	75 - 125		
Vanadium	<0.00063		0.100	0.102		mg/L		102	75 - 125		
Zinc	<0.0028		0.100	0.104		mg/L		104	75 - 125		

Lab Sample ID: 680-239616-D-1-F MSD
Matrix: Water
Analysis Batch: 796106

Client Sample ID: Matrix Spike Duplicate
Prep Type: Dissolved
Prep Batch: 795758

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Barium	0.010		0.100	0.108		mg/L		98	75 - 125	0	20
Beryllium	<0.00020		0.0500	0.0502		mg/L		100	75 - 125	2	20
Boron	<0.022		0.200	0.207		mg/L		104	75 - 125	3	20
Calcium	5.5		5.00	9.99		mg/L		90	75 - 125	2	20
Chromium	<0.0012		0.100	0.101		mg/L		101	75 - 125	2	20
Cobalt	<0.00022		0.0500	0.0500		mg/L		100	75 - 125	3	20
Copper	<0.0011		0.100	0.109		mg/L		109	75 - 125	2	20
Lead	<0.00021		0.500	0.495		mg/L		99	75 - 125	1	20
Vanadium	<0.00063		0.100	0.0996		mg/L		100	75 - 125	2	20
Zinc	<0.0028		0.100	0.101		mg/L		101	75 - 125	2	20

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 680-795829/1
Matrix: Water
Analysis Batch: 795829

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			08/30/23 10:02	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C) (Continued)

Lab Sample ID: LCS 680-795829/2
Matrix: Water
Analysis Batch: 795829

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2380	2380		mg/L		100	80 - 120

Lab Sample ID: LCSD 680-795829/3
Matrix: Water
Analysis Batch: 795829

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2380	2390		mg/L		100	80 - 120	0	25

Lab Sample ID: 680-239515-A-1 DU
Matrix: Water
Analysis Batch: 795829

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	270		254	F3	mg/L		7	5

Lab Sample ID: 680-239627-1 DU
Matrix: Water
Analysis Batch: 795829

Client Sample ID: MCI-GWA-7A
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	140		144		mg/L		4	5

Lab Sample ID: MB 680-796501/1
Matrix: Water
Analysis Batch: 796501

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			09/05/23 11:59	1

Lab Sample ID: LCS 680-796501/2
Matrix: Water
Analysis Batch: 796501

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2380	2390		mg/L		100	80 - 120

Lab Sample ID: LCSD 680-796501/3
Matrix: Water
Analysis Batch: 796501

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2380	2360		mg/L		99	80 - 120	1	25

Lab Sample ID: 680-239698-E-1 DU
Matrix: Water
Analysis Batch: 796501

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	180		156	F5	mg/L		14	5

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

HPLC/IC

Analysis Batch: 795920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239627-1	MCI-GWA-7A	Total/NA	Water	300.0-1993 R2.1	
680-239627-2	MCI-GWA-1B	Total/NA	Water	300.0-1993 R2.1	
680-239627-3	MCI-GWA-2B	Total/NA	Water	300.0-1993 R2.1	
680-239627-4	MCI-GWA-3A	Total/NA	Water	300.0-1993 R2.1	
680-239627-5	MCI-LF3-EB-11	Total/NA	Water	300.0-1993 R2.1	
680-239627-6	MCI-GWC-6A	Total/NA	Water	300.0-1993 R2.1	
680-239627-7	MCI-LF3-FB-10	Total/NA	Water	300.0-1993 R2.1	
680-239627-8	MCI-LF3-EB-12	Total/NA	Water	300.0-1993 R2.1	
680-239627-9	MCI-GWC-2	Total/NA	Water	300.0-1993 R2.1	
680-239629-1	MCI-GWA-4	Total/NA	Water	300.0-1993 R2.1	
680-239629-2	MCI-GWC-5A	Total/NA	Water	300.0-1993 R2.1	
680-239629-3	MCI-LF3-FD-05	Total/NA	Water	300.0-1993 R2.1	
680-239629-4	MCI-GWC-1A	Total/NA	Water	300.0-1993 R2.1	
680-239629-5	MCI-LF3-FB-09	Total/NA	Water	300.0-1993 R2.1	
680-239629-6	MCI-LF3-GWC-4A	Total/NA	Water	300.0-1993 R2.1	
680-239629-7	MCI-LF3-FD-06	Total/NA	Water	300.0-1993 R2.1	
MB 680-795920/2	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-795920/4	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-795920/5	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-239627-1 MS	MCI-GWA-7A	Total/NA	Water	300.0-1993 R2.1	
680-239627-1 MSD	MCI-GWA-7A	Total/NA	Water	300.0-1993 R2.1	
680-239629-2 MS	MCI-GWC-5A	Total/NA	Water	300.0-1993 R2.1	
680-239629-2 MSD	MCI-GWC-5A	Total/NA	Water	300.0-1993 R2.1	

Metals

Prep Batch: 795758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239627-7	MCI-LF3-FB-10	Total Recoverable	Water	3005A	
680-239629-1	MCI-GWA-4	Total Recoverable	Water	3005A	
680-239629-2	MCI-GWC-5A	Total Recoverable	Water	3005A	
680-239629-3	MCI-LF3-FD-05	Total Recoverable	Water	3005A	
680-239629-4	MCI-GWC-1A	Total Recoverable	Water	3005A	
680-239629-5	MCI-LF3-FB-09	Total Recoverable	Water	3005A	
680-239629-7	MCI-LF3-FD-06	Total Recoverable	Water	3005A	
MB 680-795758/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-795758/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-239616-D-1-E MS	Matrix Spike	Dissolved	Water	3005A	
680-239616-D-1-F MSD	Matrix Spike Duplicate	Dissolved	Water	3005A	

Prep Batch: 795770

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239627-1	MCI-GWA-7A	Total Recoverable	Water	3005A	
680-239627-2	MCI-GWA-1B	Total Recoverable	Water	3005A	
680-239627-3	MCI-GWA-2B	Total Recoverable	Water	3005A	
680-239627-4	MCI-GWA-3A	Total Recoverable	Water	3005A	
680-239627-5	MCI-LF3-EB-11	Total Recoverable	Water	3005A	
680-239627-6	MCI-GWC-6A	Total Recoverable	Water	3005A	
680-239627-8	MCI-LF3-EB-12	Total Recoverable	Water	3005A	
680-239627-9	MCI-GWC-2	Total Recoverable	Water	3005A	
680-239629-6	MCI-LF3-GWC-4A	Total Recoverable	Water	3005A	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Metals (Continued)

Prep Batch: 795770 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-795770/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-795770/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-239613-A-28-B MS	Matrix Spike	Total Recoverable	Water	3005A	
680-239613-A-28-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 796106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239627-1	MCI-GWA-7A	Total Recoverable	Water	6020B	795770
680-239627-2	MCI-GWA-1B	Total Recoverable	Water	6020B	795770
680-239627-3	MCI-GWA-2B	Total Recoverable	Water	6020B	795770
680-239627-4	MCI-GWA-3A	Total Recoverable	Water	6020B	795770
680-239627-5	MCI-LF3-EB-11	Total Recoverable	Water	6020B	795770
680-239627-6	MCI-GWC-6A	Total Recoverable	Water	6020B	795770
680-239627-7	MCI-LF3-FB-10	Total Recoverable	Water	6020B	795758
680-239627-8	MCI-LF3-EB-12	Total Recoverable	Water	6020B	795770
680-239627-9	MCI-GWC-2	Total Recoverable	Water	6020B	795770
680-239629-1	MCI-GWA-4	Total Recoverable	Water	6020B	795758
680-239629-2	MCI-GWC-5A	Total Recoverable	Water	6020B	795758
680-239629-3	MCI-LF3-FD-05	Total Recoverable	Water	6020B	795758
680-239629-4	MCI-GWC-1A	Total Recoverable	Water	6020B	795758
680-239629-5	MCI-LF3-FB-09	Total Recoverable	Water	6020B	795758
680-239629-6	MCI-LF3-GWC-4A	Total Recoverable	Water	6020B	795770
680-239629-7	MCI-LF3-FD-06	Total Recoverable	Water	6020B	795758
MB 680-795758/1-A	Method Blank	Total Recoverable	Water	6020B	795758
MB 680-795770/1-A	Method Blank	Total Recoverable	Water	6020B	795770
LCS 680-795758/2-A	Lab Control Sample	Total Recoverable	Water	6020B	795758
LCS 680-795770/2-A	Lab Control Sample	Total Recoverable	Water	6020B	795770
680-239613-A-28-B MS	Matrix Spike	Total Recoverable	Water	6020B	795770
680-239613-A-28-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	6020B	795770
680-239616-D-1-E MS	Matrix Spike	Dissolved	Water	6020B	795758
680-239616-D-1-F MSD	Matrix Spike Duplicate	Dissolved	Water	6020B	795758

General Chemistry

Analysis Batch: 795829

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239627-1	MCI-GWA-7A	Total/NA	Water	2540C-2011	
680-239627-2	MCI-GWA-1B	Total/NA	Water	2540C-2011	
680-239627-3	MCI-GWA-2B	Total/NA	Water	2540C-2011	
680-239627-4	MCI-GWA-3A	Total/NA	Water	2540C-2011	
680-239627-5	MCI-LF3-EB-11	Total/NA	Water	2540C-2011	
680-239627-6	MCI-GWC-6A	Total/NA	Water	2540C-2011	
680-239627-7	MCI-LF3-FB-10	Total/NA	Water	2540C-2011	
680-239627-8	MCI-LF3-EB-12	Total/NA	Water	2540C-2011	
680-239627-9	MCI-GWC-2	Total/NA	Water	2540C-2011	
680-239629-1	MCI-GWA-4	Total/NA	Water	2540C-2011	
680-239629-2	MCI-GWC-5A	Total/NA	Water	2540C-2011	
680-239629-3	MCI-LF3-FD-05	Total/NA	Water	2540C-2011	
680-239629-4	MCI-GWC-1A	Total/NA	Water	2540C-2011	
680-239629-5	MCI-LF3-FB-09	Total/NA	Water	2540C-2011	
680-239629-6	MCI-LF3-GWC-4A	Total/NA	Water	2540C-2011	

Eurofins Savannah

QC Association Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

General Chemistry (Continued)

Analysis Batch: 795829 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-795829/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-795829/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-795829/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-239515-A-1 DU	Duplicate	Total/NA	Water	2540C-2011	
680-239627-1 DU	MCI-GWA-7A	Total/NA	Water	2540C-2011	

Analysis Batch: 796501

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239629-7	MCI-LF3-FD-06	Total/NA	Water	2540C-2011	
MB 680-796501/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-796501/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-796501/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-239698-E-1 DU	Duplicate	Total/NA	Water	2540C-2011	

Lab Chronicle

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWA-7A

Lab Sample ID: 680-239627-1

Date Collected: 08/28/23 16:45

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 11:12	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 18:43	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWA-1B

Lab Sample ID: 680-239627-2

Date Collected: 08/28/23 18:35

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 11:50	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 18:39	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWA-2B

Lab Sample ID: 680-239627-3

Date Collected: 08/29/23 09:30

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 12:02	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:22	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWA-3A

Lab Sample ID: 680-239627-4

Date Collected: 08/29/23 10:25

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 12:15	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:50	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-LF3-EB-11

Lab Sample ID: 680-239627-5

Date Collected: 08/29/23 10:40

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 12:27	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:30	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWC-6A

Lab Sample ID: 680-239627-6

Date Collected: 08/29/23 11:22

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 12:40	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:38	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-FB-10

Lab Sample ID: 680-239627-7

Date Collected: 08/29/23 13:25

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 15:25	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 02:38	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-EB-12

Lab Sample ID: 680-239627-8

Date Collected: 08/29/23 14:15

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 13:05	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 18:27	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
 Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWC-2

Lab Sample ID: 680-239627-9

Date Collected: 08/29/23 13:45

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 13:18	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:26	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWA-4

Lab Sample ID: 680-239629-1

Date Collected: 08/28/23 17:16

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 13:31	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 01:12	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-GWC-5A

Lab Sample ID: 680-239629-2

Date Collected: 08/29/23 11:03

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 14:09	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 02:22	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-FD-05

Lab Sample ID: 680-239629-3

Date Collected: 08/29/23 00:00

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 14:47	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 02:34	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Client Sample ID: MCI-GWC-1A

Lab Sample ID: 680-239629-4

Date Collected: 08/29/23 12:18

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 14:59	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 02:30	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-FB-09

Lab Sample ID: 680-239629-5

Date Collected: 08/29/23 12:30

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 15:12	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 01:21	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-GWC-4A

Lab Sample ID: 680-239629-6

Date Collected: 08/29/23 13:25

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 12:53	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795770	08/30/23 07:36	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	08/31/23 17:34	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	795829	08/30/23 10:02	PG	EET SAV
Instrument ID: NOEQUIP										

Client Sample ID: MCI-LF3-FD-06

Lab Sample ID: 680-239629-7

Date Collected: 08/29/23 00:00

Matrix: Water

Date Received: 08/29/23 16:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	795920	08/31/23 15:38	T1C	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	795758	08/30/23 06:57	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796106	09/01/23 01:17	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	796501	09/05/23 11:59	PG	EET SAV
Instrument ID: NOEQUIP										

Eurofins Savannah

Lab Chronicle

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

1

2

3

4

5

6

7

8

9

10

11

12

Accreditation/Certification Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Laboratory: Eurofins Savannah

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87052	06-30-24
Georgia	State	E87052	06-30-24

1

2

3

4

5

6

7

8

9

10

11

12

Method Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239627-1

Method	Method Description	Protocol	Laboratory
300.0-1993 R2.1	Anions, Ion Chromatography	MCAWW	EET SAV
6020B	Metals (ICP/MS)	SW846	EET SAV
2540C-2011	Total Dissolved Solids (Dried at 180 °C)	SM	EET SAV
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Chain of Custody Record

Client Information					Sampler: <i>Jordan Bonzaf</i> ACC		Lab PM: Fuller, David		Carrier Tracking No(s):		COC No:			
Client Contact: SCS Contacts					Phone: <i>770-594-5998</i>		E-Mail: david.fuller@et.eurofins.com				Page:			
Company: GA Power					Analysis Requested							Job #:		
Address: 241 Ralph McGill Blvd SE												Due Date Requested:		Preservation Codes:
City: Atlanta					TAT Requested (days):		Perform MS/MSD (Yes or No) APP III Metals: B,Ca Cl, F, SO ₄ & TDS (EPA 300.0 & SM 2540C) Custom State 8 Permit Metals (EPA 6020): Ba, Be, Cr, Co, Cu, Pb, V, Zn		Total Number of containers		A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)			
State, Zip: GA, 30308					Lab Project #: 68027732						Task Code: MCI-CCR-ASSMT-2023S2			
Phone: 404-506-7116(Tel)					PO #:								Special Instructions/Note: Full APP III + 8 State Metals	
Email: SCS Contacts / ACC Contacts					Project #:									
Project Name: Plant McIntosh Landfill 3					SSOW#:									
Site: Georgia														
Sample Identification					Sample Date (mm/dd/yy)		Sample Time (hhmm)		Sample Type (C=Comp, G=grab)		Matrix (WG=ground water, WS=surface water, WQ=quality control)			
									Preservation Code:					
MCI- <i>GWA-7A</i>					<i>08/28/23</i>		<i>1645</i>		G WG		M N ✓ ✓ ✓			
MCI- <i>GWA-1B</i>					<i>08/28/23</i>		<i>1835</i>		G WG		M N ✓ ✓ ✓			
MCI- <i>GWA-2B</i>					<i>08/29/23</i>		<i>0930</i>		G WG		M N ✓ ✓ ✓			
MCI- <i>GWA-3A</i>					<i>08/29/23</i>		<i>1025</i>		G WG		M N ✓ ✓ ✓			
MCI- <i>LF3-EB-11</i>					<i>08/29/23</i>		<i>1040</i>		G WQ		M N ✓ ✓ ✓			
MCI- <i>GWC-6A</i>					<i>08/29/23</i>		<i>1122</i>		G WG		M N ✓ ✓ ✓			
MCI- <i>LF3-FB-10</i>					<i>08/29/23</i>		<i>1325</i>		G WQ		M N ✓ ✓ ✓			
MCI- <i>LF3-FB-12</i>					<i>08/29/23</i>		<i>1415</i>		G WQ		M N ✓ ✓ ✓			
MCI- <i>GWC-2</i>					<i>08/29/23</i>		<i>1345</i>		G WG		M N ✓ ✓ ✓			
MCI-									G		N			
MCI-									G		N			
Possible Hazard Identification					Sample Disposal (A fee may be assessed if sa									
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By La									
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements: State Per lead, vanadium, zinc									
Empty Kit Relinquished by:					Date:		Time:		Method of Shipment:					
Relinquished by: <i>[Signature]</i>					Date/Time: <i>8/29/23 1628</i>		Company: <i>ACC</i>		Received by: <i>[Signature]</i>		Date/Time: <i>8/29/23 1628</i>		Company:	
Relinquished by:					Date/Time:		Company:		Received by:		Date/Time:		Company:	
Relinquished by:					Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:			Cooler Temperature(s) °C and Other Remarks: <i>1.0/1.1 0.9/1.0</i>									



Chain of Custody Record

Client Information		Sampler: <u>Hunter Auld</u> ACC	Lab PM: Fuller, David	Carrier Tracking No(s):	COC No:								
Client Contact: <u>770-594-5998</u>		Phone: <u>770-594-5998</u>	E-Mail: <u>david.fuller@et.eurofins.com</u>	Page:									
Company: GA Power		Analysis Requested			Job #:								
Address: 241 Ralph McGill Blvd SE		Due Date Requested:	Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify) Other:										
City: Atlanta		TAT Requested (days):											
State, Zip: GA, 30308		Lab Project #: 68027732											
Phone: 404-506-7116(Tel)		PO #:											
Email: SCS Contacts / ACC Contacts		Project #:											
Project Name: Plant McIntosh Landfill 3		SSOW#:											
Site: Georgia		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) APP III Metals: B,Ca Cl, F, SO ₄ & TDS (EPA 300.0 & SM 2540C) Custom State 8 Permit Metals (EPA 6020): Ba,Be,Cr,Cu,Cu,Pb,V,Zn			Total Number of containers								
Sample Identification		Sample Date (mm/dd/yy)	Sample Time (hhmm)	Sample Type (C=Comp, G=grab)	Matrix (WG=ground water, WS=surface water, WQ=quality control)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	APP III Metals: B,Ca	Cl, F, SO ₄ & TDS (EPA 300.0 & SM 2540C)	Custom State 8 Permit Metals (EPA 6020): Ba,Be,Cr,Cu,Cu,Pb,V,Zn	Total Number of containers	Task Code: MCI-CCR-ASSMT-2023S2	Special Instructions/Note: Full APP III + 8 State Metals
				Preservation Code:				D	I	D			
MCI- GWA-4	08/28/23	1716	G	WG		N	✓	✓	✓		3		
MCI- GWC-5A	08/29/23	1103	G	WG		N	✓	✓	✓		3		
MCI- LF3-FD-05	08/29/23	—	G	WG		N	✓	✓	✓		3		
MCI- GWC-1A	08/29/23	1218	G	WG		N	✓	✓	✓		3		
MCI- LF3-FB-09	08/29/23	1230	G	WQ		N	✓	✓	✓		3		
MCI- LF3-GWC-4A	08/29/23	1325	G	WG		N	✓	✓	✓		3		
MCI- LF3-FD-06	08/29/23	—	G	WQ		N	✓	✓	✓		3		
MCI-			G			N							
MCI-			G			N							
MCI-			G			N							
MCI-			G			N							
Possible Hazard Identification						Sample Disposal (A fee may be assessed)							
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By _____							
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements: State Permit Metals: barium, beryllium, chromium, cobalt, copper, lead, vanadium, zinc							
Empty Kit Relinquished by:			Date:			Time:			Method of Shipment:				
Relinquished by: <u>[Signature]</u>			Date/Time: 08/29/23 1420			Company: ACC			Received by: <u>[Signature]</u>				
Relinquished by: <u>[Signature]</u>			Date/Time: 8/29/23 1628			Company: ACC			Received by: <u>[Signature]</u>				
Relinquished by:			Date/Time:			Company:			Received by:				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 1.0/1.1 0.9/1.0									



Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-239627-1

Login Number: 239627

List Source: Eurofins Savannah

List Number: 1

Creator: Sims, Robert D

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-239627-1

Login Number: 239629

List Source: Eurofins Savannah

List Number: 1

Creator: Sims, Robert D

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Lauren Hartley
Southern Company
241 Ralph McGill Blvd SE
B10185
Atlanta, Georgia 30308

Generated 9/11/2023 4:14:28 PM

JOB DESCRIPTION

Plant McIntosh Landfill 3

JOB NUMBER

680-239882-1

Eurofins Savannah

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Authorized for release by
David Fuller, Project Manager
David.Fuller@et.eurofinsus.com
(770)344-8986

Generated
9/11/2023 4:14:28 PM

Definitions/Glossary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-239882-1	MCI-LF3-GWA-5	Water	09/06/23 09:51	09/06/23 11:40

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Job ID: 680-239882-1

Laboratory: Eurofins Savannah

Narrative

**Job Narrative
680-239882-1**

Receipt

The sample was received on 9/6/2023 11:40 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.7°C

HPLC/IC


No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Client Sample Results

Client: Southern Company
 Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Client Sample ID: MCI-LF3-GWA-5

Lab Sample ID: 680-239882-1

Date Collected: 09/06/23 09:51

Matrix: Water

Date Received: 09/06/23 11:40

Method: MCAWW 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		1.0	0.20	mg/L			09/08/23 01:30	1
Fluoride	0.15		0.10	0.040	mg/L			09/08/23 01:30	1
Sulfate	14		1.0	0.40	mg/L			09/08/23 01:30	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.12		0.010	0.00089	mg/L		09/07/23 05:26	09/07/23 11:46	1
Beryllium	0.00041	J	0.0025	0.00020	mg/L		09/07/23 05:26	09/07/23 11:46	1
Boron	0.032	J	0.080	0.022	mg/L		09/07/23 05:26	09/07/23 11:46	1
Calcium	3.7		0.50	0.14	mg/L		09/07/23 05:26	09/07/23 11:46	1
Chromium	0.0016	J	0.0020	0.0012	mg/L		09/07/23 05:26	09/07/23 11:46	1
Cobalt	0.0017	J	0.0025	0.00022	mg/L		09/07/23 05:26	09/07/23 11:46	1
Copper	<0.0011		0.0020	0.0011	mg/L		09/07/23 05:26	09/07/23 11:46	1
Lead	0.00070	J	0.0010	0.00021	mg/L		09/07/23 05:26	09/07/23 11:46	1
Vanadium	0.0015	J	0.0020	0.00063	mg/L		09/07/23 05:26	09/07/23 11:46	1
Zinc	0.0082		0.0050	0.0028	mg/L		09/07/23 05:26	09/07/23 11:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C-2011)	66		10	10	mg/L			09/07/23 11:37	1

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 680-796839/63
Matrix: Water
Analysis Batch: 796839

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.20		1.0	0.20	mg/L			09/08/23 00:01	1
Fluoride	<0.040		0.10	0.040	mg/L			09/08/23 00:01	1
Sulfate	<0.40		1.0	0.40	mg/L			09/08/23 00:01	1

Lab Sample ID: LCS 680-796839/64
Matrix: Water
Analysis Batch: 796839

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.81		mg/L		98	90 - 110
Fluoride	2.00	2.07		mg/L		104	90 - 110
Sulfate	10.0	10.0		mg/L		100	90 - 110

Lab Sample ID: LCSD 680-796839/65
Matrix: Water
Analysis Batch: 796839

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.81		mg/L		98	90 - 110	0	15
Fluoride	2.00	2.07		mg/L		103	90 - 110	0	15
Sulfate	10.0	10.0		mg/L		100	90 - 110	0	15

Lab Sample ID: 680-239870-A-1 MS
Matrix: Water
Analysis Batch: 796839

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	6.1		10.0	15.9		mg/L		98	80 - 120
Fluoride	0.55		2.00	2.59		mg/L		102	80 - 120
Sulfate	8.0		10.0	18.1		mg/L		101	80 - 120

Lab Sample ID: 680-239870-A-1 MSD
Matrix: Water
Analysis Batch: 796839

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	6.1		10.0	16.2		mg/L		101	80 - 120	2	15
Fluoride	0.55		2.00	2.66		mg/L		106	80 - 120	2	15
Sulfate	8.0		10.0	18.4		mg/L		104	80 - 120	2	15

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 680-796755/1-A
Matrix: Water
Analysis Batch: 796913

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 796755

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	<0.00089		0.010	0.00089	mg/L		09/07/23 05:26	09/07/23 11:18	1
Beryllium	<0.00020		0.0025	0.00020	mg/L		09/07/23 05:26	09/07/23 11:18	1
Boron	<0.022		0.080	0.022	mg/L		09/07/23 05:26	09/07/23 11:18	1

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 680-796755/1-A
Matrix: Water
Analysis Batch: 796913

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 796755

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Calcium	<0.14		0.50	0.14	mg/L		09/07/23 05:26	09/07/23 11:18	1
Chromium	<0.0012		0.0020	0.0012	mg/L		09/07/23 05:26	09/07/23 11:18	1
Cobalt	<0.00022		0.0025	0.00022	mg/L		09/07/23 05:26	09/07/23 11:18	1
Copper	<0.0011		0.0020	0.0011	mg/L		09/07/23 05:26	09/07/23 11:18	1
Lead	<0.00021		0.0010	0.00021	mg/L		09/07/23 05:26	09/07/23 11:18	1
Vanadium	<0.00063		0.0020	0.00063	mg/L		09/07/23 05:26	09/07/23 11:18	1
Zinc	<0.0028		0.0050	0.0028	mg/L		09/07/23 05:26	09/07/23 11:18	1

Lab Sample ID: LCS 680-796755/2-A
Matrix: Water
Analysis Batch: 796913

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 796755

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Beryllium	0.0500	0.0523		mg/L		105	80 - 120
Boron	0.200	0.205		mg/L		102	80 - 120
Calcium	5.00	5.48		mg/L		110	80 - 120
Chromium	0.100	0.108		mg/L		108	80 - 120
Cobalt	0.0500	0.0541		mg/L		108	80 - 120
Copper	0.100	0.104		mg/L		104	80 - 120
Lead	0.500	0.497		mg/L		99	80 - 120
Vanadium	0.100	0.105		mg/L		105	80 - 120
Zinc	0.100	0.103		mg/L		103	80 - 120

Lab Sample ID: 680-239867-C-3-E MS
Matrix: Water
Analysis Batch: 796913

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 796755

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Barium	0.47		0.100	0.595	4	mg/L		126	75 - 125
Beryllium	<0.00020		0.0500	0.0547		mg/L		109	75 - 125
Boron	0.046	J	0.200	0.256		mg/L		105	75 - 125
Calcium	110		5.00	113	4	mg/L		152	75 - 125
Chromium	<0.0012		0.100	0.112		mg/L		112	75 - 125
Cobalt	<0.00022		0.0500	0.0554		mg/L		111	75 - 125
Copper	<0.0011		0.100	0.108		mg/L		108	75 - 125
Lead	<0.00021		0.500	0.531		mg/L		106	75 - 125
Vanadium	0.0013	J	0.100	0.110		mg/L		108	75 - 125
Zinc	<0.0028		0.100	0.107		mg/L		107	75 - 125

Lab Sample ID: 680-239867-C-3-F MSD
Matrix: Water
Analysis Batch: 796913

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 796755

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
	Result	Qualifier		Result	Qualifier					RPD	Limit
Barium	0.47		0.100	0.603	4	mg/L		134	75 - 125	1	20
Beryllium	<0.00020		0.0500	0.0540		mg/L		108	75 - 125	1	20
Boron	0.046	J	0.200	0.258		mg/L		106	75 - 125	1	20
Calcium	110		5.00	113	4	mg/L		154	75 - 125	0	20

Eurofins Savannah

QC Sample Results

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 680-239867-C-3-F MSD

Matrix: Water

Analysis Batch: 796913

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total Recoverable

Prep Batch: 796755

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chromium	<0.0012		0.100	0.111		mg/L		111	75 - 125	1	20
Cobalt	<0.00022		0.0500	0.0548		mg/L		110	75 - 125	1	20
Copper	<0.0011		0.100	0.109		mg/L		109	75 - 125	1	20
Lead	<0.00021		0.500	0.526		mg/L		105	75 - 125	1	20
Vanadium	0.0013	J	0.100	0.108		mg/L		106	75 - 125	2	20
Zinc	<0.0028		0.100	0.106		mg/L		106	75 - 125	1	20

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 680-796851/1

Matrix: Water

Analysis Batch: 796851

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	10	mg/L			09/07/23 11:37	1

Lab Sample ID: LCS 680-796851/2

Matrix: Water

Analysis Batch: 796851

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	2380	2310		mg/L		97	80 - 120

Lab Sample ID: LCSD 680-796851/3

Matrix: Water

Analysis Batch: 796851

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	2380	2360		mg/L		99	80 - 120	2	25

Lab Sample ID: 680-239771-A-1 DU

Matrix: Water

Analysis Batch: 796851

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	3100		3130		mg/L		0.8	5

QC Association Summary

Client: Southern Company
 Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

HPLC/IC

Analysis Batch: 796839

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239882-1	MCI-LF3-GWA-5	Total/NA	Water	300.0-1993 R2.1	
MB 680-796839/63	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-796839/64	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-796839/65	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-239870-A-1 MS	Matrix Spike	Total/NA	Water	300.0-1993 R2.1	
680-239870-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0-1993 R2.1	

Metals

Prep Batch: 796755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239882-1	MCI-LF3-GWA-5	Total Recoverable	Water	3005A	
MB 680-796755/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-796755/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
680-239867-C-3-E MS	Matrix Spike	Total Recoverable	Water	3005A	
680-239867-C-3-F MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	

Analysis Batch: 796913

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239882-1	MCI-LF3-GWA-5	Total Recoverable	Water	6020B	796755
MB 680-796755/1-A	Method Blank	Total Recoverable	Water	6020B	796755
LCS 680-796755/2-A	Lab Control Sample	Total Recoverable	Water	6020B	796755
680-239867-C-3-E MS	Matrix Spike	Total Recoverable	Water	6020B	796755
680-239867-C-3-F MSD	Matrix Spike Duplicate	Total Recoverable	Water	6020B	796755

General Chemistry

Analysis Batch: 796851

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-239882-1	MCI-LF3-GWA-5	Total/NA	Water	2540C-2011	
MB 680-796851/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-796851/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-796851/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-239771-A-1 DU	Duplicate	Total/NA	Water	2540C-2011	

Lab Chronicle

Client: Southern Company
 Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Client Sample ID: MCI-LF3-GWA-5

Lab Sample ID: 680-239882-1

Date Collected: 09/06/23 09:51

Matrix: Water

Date Received: 09/06/23 11:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	796839	09/08/23 01:30	OK	EET SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			25 mL	125 mL	796755	09/07/23 05:26	RR	EET SAV
Total Recoverable	Analysis	6020B		1			796913	09/07/23 11:46	BWR	EET SAV
Instrument ID: ICPMSC										
Total/NA	Analysis	2540C-2011		1	200 mL	200 mL	796851	09/07/23 11:37	PG	EET SAV
Instrument ID: NOEQUIP										

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Accreditation/Certification Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Laboratory: Eurofins Savannah

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87052	06-30-24
Georgia	State	E87052	06-30-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Method Summary

Client: Southern Company
Project/Site: Plant McIntosh Landfill 3

Job ID: 680-239882-1

Method	Method Description	Protocol	Laboratory
300.0-1993 R2.1	Anions, Ion Chromatography	MCAWW	EET SAV
6020B	Metals (ICP/MS)	SW846	EET SAV
2540C-2011	Total Dissolved Solids (Dried at 180 °C)	SM	EET SAV
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SM = "Standard Methods For The Examination Of Water And Wastewater"
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Login Sample Receipt Checklist

Client: Southern Company

Job Number: 680-239882-1

Login Number: 239882

List Number: 1

Creator: Sims, Robert D

List Source: Eurofins Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



LEVEL 2A LABORATORY DATA VALIDATIONS

McIntosh Inactive Landfill No. 3

Semiannual Event

August 2023

Georgia Power Company – McIntosh Landfill 3

Quality Control Review of Analytical Data – August 2023

This narrative presents results of the Quality Control (QC) data review performed on analytical data submitted by Eurofins Environment Testing America, Savannah for groundwater samples collected at McIntosh Landfill 3 (LF3) between August 28, 2023 and September 6, 2023. The chemical data were reviewed to identify quality issues which could affect the use of the data for decision-making purposes.

Information regarding the primary sample locations, analytical parameters, QC samples, sampling dates, and laboratory sample delivery group (SDG) designations is summarized in Table 1 of this Appendix. Work order 680-239627-1 was revised to correct a laboratory mislabeling error.

In accordance with groundwater monitoring and corrective action procedures discussed in Title 40 Code of Federal Regulations (CFR), Subpart D – Standards for the Disposal of Coal Combustion Residuals in Landfills and Surface Impoundments, the samples were analyzed for detection monitoring constituents listed in 40 CFR, Part 257, Appendix III and permit-required state metals. Test methods included Inductively Coupled Plasma – Mass Spectrometry (US EPA Method 6020B), Determination of Inorganic Anions (US EPA Method 300.0), and Solids in Water (Standard Methods 2540C).

Data were reviewed in accordance with the US EPA Region IV Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy (September 2011, Rev. 2.0)¹ and the National Functional Guidelines for Inorganic Superfund Methods Data Review (January 2017)². The review included an assessment of the results for completeness, precision (laboratory duplicate recoveries and matrix spike/matrix spike duplicate recoveries), accuracy (laboratory control samples and matrix spike samples), and blank contamination (field, equipment, and laboratory blanks). Sample receipt conditions, holding times, and chains of custody were reviewed. If there was a discrepancy between the QC criteria in the guidelines and the QC criterion established in the analytical methodology, method-specific criteria or professional judgment were used.

DATA QUALITY OBJECTIVES

Laboratory Precision: Laboratory goals for precision were met.

Field Precision: Field goals for precision were met, except for total dissolved solids (TDS) from MCI-GWC-5A (680-239629-2) and MCI-LF3-GWC-4A (680-239629-6) as described in the qualifications section below.

Accuracy: Laboratory goals for accuracy were met.

Detection Limits: Project goals for detection limits were met. Certain samples were diluted due to the concentration of target or non-target analyte interferences. Dilutions do not require qualifications based on US EPA guidelines. Reporting limits (RLs) of non-detect compounds are elevated proportional to the dilution when undiluted sample results were not provided by the laboratory. The data usability of diluted results was evaluated by the data user in the context of site-wide characterization.

Completeness: There were no rejected analytical results for this event, resulting in a completion of 100%.

Holding Times: Holding time requirements were met.

QUALIFICATIONS

In general, chemical results for the samples collected at the site were qualified on the basis of low precision or low accuracy or on the basis of professional judgment. The following definitions provide brief explanations of the qualifiers which may have been assigned to data by the laboratory during the validation process:

B: The analyte was positively identified above the method detection limit; however, the analyte was also detected in a method blank, field blank, and/or equipment blank.

J: The analyte was positively identified above the method detection limit; however, the associated numerical value is the approximate concentration of the analyte in the sample.

ND: The analyte was not detected above the method detection limit.

The data generated as part of this sampling event met the QC criteria established in the respective analytical methods and data validation guidelines except as specified below. The

applied qualifications may not have been required for all samples collected at the site. A summary of sample qualifications can be found in Table 2 of this Appendix.

- Samples MCI-GWC-5A (680-239629-2), MCI-LF3-FD-05 (680-239629-3), MCI-LF3-GWC-4A (680-239629-6), and MCI-LF3-FD-06 (680-239629-7) were qualified as estimated (J) for TDS as the relative percent differences (RPDs) exceeded QC criteria (32.3% and 21.0%, respectively, above the limit of 20).
- Certain fluoride results on work order 680-239627-1 were qualified as blank detections (B) due to the analytes being detected in field and/or equipment blank samples, as shown in Table 2.

Atlantic Coast Consulting, Inc. reviewed the laboratory data from McIntosh LF3 sampled between August 28, 2023 and September 6, 2023 in accordance with the analytical methods, the laboratory-specified QC criteria, and the guidelines. As described above, the results were acceptable for project use.

REFERENCES

¹US EPA, September 2011, Region 4, Science and Ecosystem Support Division, Quality Assurance Section, MTSB, Data Validation Standard Operating Procedures for Contract Laboratory Program Inorganic Data by Inductively Coupled Plasma – Atomic Emission Spectroscopy and Inductively Coupled Plasma – Mass Spectroscopy, Revision 2.0

²US EPA, January 2017, National Office of Superfund Remediation and Technology Innovation, National Functional Guidelines for Inorganic Superfund Methods Data Review, Revision 0.0

Plant McIntosh Inactive Landfill No. 3
 2023 Semiannual Groundwater Monitoring and Corrective Action Report

TABLE 1
 Georgia Power Company – McIntosh LF3
 Sample Summary Table – August 2023

SDG	Field Identification	Collection Date	Lab Identification	Matrix	QC Samples	Analyses		
						Metals (6020B)	Anions (300.0)	TDS (SM 2540C)
239627-1	MCI-GWA-7A	08/28/23	680-239627-1	WG		X	X	X
239627-1	MCI-GWA-1B	08/28/23	680-239627-2	WG		X	X	X
239627-1	MCI-GWA-2B	08/29/23	680-239627-3	WG		X	X	X
239627-1	MCI-GWA-3A	08/29/23	680-239627-4	WG		X	X	X
239627-1	MCI-LF3-EB-11	08/29/23	680-239627-5	WQ	EB	X	X	X
239627-1	MCI-GWC-6A	08/29/23	680-239627-6	WG		X	X	X
239627-1	MCI-LF3-FB-10	08/29/23	680-239627-7	WQ	FB	X	X	X
239627-1	MCI-LF3-EB-12	08/29/23	680-239627-8	WQ	EB	X	X	X
239627-1	MCI-GWC-2	08/29/23	680-239627-9	WG		X	X	X
239627-1	MCI-GWA-4	08/28/23	680-239629-1	WG		X	X	X
239627-1	MCI-GWC-5A	08/29/23	680-239629-2	WG		X	X	X
239627-1	MCI-LF3-FD-05	08/29/23	680-239629-3	WG	FD (MCI-GWC-5A)	X	X	X
239627-1	MCI-GWC-1A	08/29/23	680-239629-4	WG		X	X	X
239627-1	MCI-LF3-FB-09	08/29/23	680-239629-5	WQ	FB	X	X	X
239627-1	MCI-LF3-GWC-4A	08/29/23	680-239629-6	WG		X	X	X
239627-1	MCI-LF3-FD-06	08/29/23	680-239629-7	WG	FD (MCI-LF3-GWC-4A)	X	X	X
239882-1	MCI-LF3-GWA-5	09/06/23	680-239882-1	WG		X	X	X

Abbreviations:
 EB – Equipment Blank
 FB – Field Blank
 FD – Field Duplicate
 QC – Quality Control
 SDG – Sample Delivery Group
 TDS – Total Dissolved Solids
 WG – Groundwater
 WQ – Water Quality Control

Plant McIntosh Inactive Landfill No. 3
 2023 Semiannual Groundwater Monitoring and Corrective Action Report

TABLE 2
 Georgia Power Company – McIntosh LF3
 Qualifier Summary Table – August 2023

SDG	Field Identification	Constituent	New RL	New MDL or MDC	Qualifier	Reason
239627-1	MCI-LF3-EB-11	Fluoride			B	Blank detection
239627-1	MCI-LF3-EB-12	Fluoride			B	Blank detection
239627-1	MCI-LF3-FB-09	Fluoride			B	Blank detection
239627-1	MCI-LF3-FB-10	Fluoride			B	Blank detection
239627-1	MCI-GWC-5A	TDS			J	RPD exceeds field goal
239627-1	MCI-LF3-FD-05	TDS			J	RPD exceeds field goal
239627-1	MCI-LF3-GWC-4A	TDS			J	RPD exceeds field goal
239627-1	MCI-LF3-FD-06	TDS			J	RPD exceeds field goal

Abbreviations:

MDC – Minimum Detectable Concentration
 MS/MSD – Matrix Spike / Matrix Spike Duplicate
 MDL – Method Detection Limit
 RL – Reporting Limit
 RPD – Relative Percent Difference
 SDG – Sample Delivery Group
 TDS – Total Dissolved Solids

Qualifiers:

B – Field or Equipment Blank Detection
 J – Estimated Result
 ND – Non-Detect Result

Low-Flow Test Report:

Test Date / Time: 8/28/2023 5:15:05 PM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWA-1B Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 48.53 ft Total Depth: 58.53 ft Initial Depth to Water: 22.6 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 53 ft Estimated Total Volume Pumped: 20 liter Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 3 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
--	---	--

Test Notes:

Sunny, sample time-1835

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/28/2023 5:15 PM	00:00	5.42 pH	28.39 °C	0.56 µS/cm	7.42 mg/L	0.47 NTU	127.0 mV	22.60 ft	250.00 ml/min
8/28/2023 5:20 PM	05:00	5.39 pH	23.27 °C	29.38 µS/cm	5.55 mg/L	0.51 NTU	96.7 mV	22.80 ft	250.00 ml/min
8/28/2023 5:25 PM	10:00	5.41 pH	22.67 °C	29.47 µS/cm	5.52 mg/L	0.35 NTU	94.9 mV	22.80 ft	250.00 ml/min
8/28/2023 5:30 PM	15:00	5.39 pH	22.67 °C	29.47 µS/cm	5.52 mg/L	0.37 NTU	94.8 mV	22.80 ft	250.00 ml/min
8/28/2023 5:35 PM	20:00	5.33 pH	22.67 °C	29.31 µS/cm	4.87 mg/L	0.33 NTU	93.6 mV	22.80 ft	250.00 ml/min
8/28/2023 5:40 PM	25:00	5.28 pH	22.58 °C	28.97 µS/cm	3.38 mg/L	0.46 NTU	92.2 mV	22.80 ft	250.00 ml/min
8/28/2023 5:45 PM	30:00	5.20 pH	22.49 °C	28.92 µS/cm	2.42 mg/L	0.45 NTU	93.8 mV	22.80 ft	250.00 ml/min
8/28/2023 5:50 PM	35:00	5.17 pH	22.49 °C	29.08 µS/cm	1.91 mg/L	0.34 NTU	94.8 mV	22.80 ft	250.00 ml/min
8/28/2023 5:55 PM	40:00	5.19 pH	22.54 °C	29.37 µS/cm	1.68 mg/L	0.38 NTU	94.3 mV	22.80 ft	250.00 ml/min
8/28/2023 6:00 PM	45:00	5.27 pH	22.49 °C	30.98 µS/cm	1.59 mg/L	0.62 NTU	93.0 mV	22.80 ft	250.00 ml/min
8/28/2023 6:05 PM	50:00	5.28 pH	22.40 °C	33.29 µS/cm	1.41 mg/L	0.57 NTU	93.8 mV	22.80 ft	250.00 ml/min
8/28/2023 6:10 PM	55:00	5.50 pH	23.08 °C	44.24 µS/cm	1.30 mg/L	0.37 NTU	90.7 mV	22.80 ft	250.00 ml/min
8/28/2023 6:15 PM	01:00:00	5.67 pH	23.70 °C	48.10 µS/cm	0.96 mg/L	0.30 NTU	89.1 mV	22.80 ft	250.00 ml/min
8/28/2023 6:20 PM	01:05:00	5.69 pH	23.74 °C	48.72 µS/cm	0.80 mg/L	0.44 NTU	89.6 mV	22.80 ft	250.00 ml/min
8/28/2023 6:25 PM	01:10:00	5.68 pH	23.74 °C	48.96 µS/cm	0.67 mg/L	1.83 NTU	90.9 mV	22.80 ft	250.00 ml/min

8/28/2023 6:30 PM	01:15:00	5.69 pH	23.74 °C	49.44 µS/cm	0.57 mg/L	1.54 NTU	90.2 mV	22.80 ft	250.00 ml/min
8/28/2023 6:35 PM	01:20:00	5.72 pH	23.77 °C	49.88 µS/cm	0.48 mg/L	1.59 NTU	89.0 mV	22.80 ft	250.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 9:00:08 AM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWA-2B Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 41.73 ft Total Depth: 51.73 ft Initial Depth to Water: 20.48 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 46 ft Estimated Total Volume Pumped: 3.75 liter Flow Cell Volume: 90 ml Final Flow Rate: 125 ml/min Final Draw Down: 19 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
---	--	--

Test Notes:

Sunny, sample time-0930

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/29/2023 9:00 AM	00:00	6.18 pH	22.83 °C	93.62 µS/cm	0.85 mg/L	0.98 NTU	116.3 mV	20.48 ft	125.00 ml/min
8/29/2023 9:05 AM	05:00	5.88 pH	21.78 °C	94.00 µS/cm	0.26 mg/L	1.01 NTU	103.7 mV	20.80 ft	125.00 ml/min
8/29/2023 9:10 AM	10:00	5.85 pH	21.66 °C	93.79 µS/cm	0.20 mg/L	1.06 NTU	100.6 mV	21.30 ft	125.00 ml/min
8/29/2023 9:15 AM	15:00	5.85 pH	21.77 °C	94.20 µS/cm	0.19 mg/L	0.71 NTU	99.0 mV	21.80 ft	125.00 ml/min
8/29/2023 9:20 AM	20:00	5.85 pH	21.91 °C	94.18 µS/cm	0.19 mg/L	0.80 NTU	98.3 mV	22.10 ft	125.00 ml/min
8/29/2023 9:25 AM	25:00	5.82 pH	21.95 °C	93.82 µS/cm	0.17 mg/L	0.77 NTU	98.2 mV	22.10 ft	125.00 ml/min
8/29/2023 9:30 AM	30:00	5.78 pH	21.86 °C	93.54 µS/cm	0.17 mg/L	0.65 NTU	98.0 mV	22.10 ft	125.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 9:55:25 AM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWA-3A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23.88 ft Total Depth: 33.88 ft Initial Depth to Water: 17.35 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 28 ft Estimated Total Volume Pumped: 4.5 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 19 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
---	---	--

Test Notes:

Sunny, sample time-1025

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/29/2023 9:55 AM	00:00	5.76 pH	24.65 °C	95.73 µS/cm	2.97 mg/L	6.24 NTU	98.6 mV	17.35 ft	150.00 ml/min
8/29/2023 10:00 AM	05:00	4.73 pH	22.71 °C	67.30 µS/cm	0.61 mg/L	6.70 NTU	99.1 mV	17.80 ft	150.00 ml/min
8/29/2023 10:05 AM	10:00	4.66 pH	22.28 °C	67.57 µS/cm	0.25 mg/L	8.94 NTU	100.5 mV	18.30 ft	150.00 ml/min
8/29/2023 10:10 AM	15:00	4.62 pH	21.98 °C	67.94 µS/cm	0.21 mg/L	7.31 NTU	101.1 mV	18.80 ft	150.00 ml/min
8/29/2023 10:15 AM	20:00	4.53 pH	22.32 °C	67.41 µS/cm	0.20 mg/L	11.00 NTU	101.4 mV	19.00 ft	150.00 ml/min
8/29/2023 10:20 AM	25:00	4.44 pH	21.99 °C	66.55 µS/cm	0.17 mg/L	5.25 NTU	101.9 mV	19.00 ft	150.00 ml/min
8/29/2023 10:25 AM	30:00	4.46 pH	22.22 °C	65.18 µS/cm	0.25 mg/L	3.72 NTU	101.4 mV	19.00 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/28/2023 4:36:20 PM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWA-4 Well Diameter: 2 in Casing Type: PVC Screen Length: 5 ft Top of Screen: 24.16 ft Total Depth: 29.16 ft Initial Depth to Water: 17.36 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 27 ft Estimated Total Volume Pumped: 2.8 liter Flow Cell Volume: 90 ml Final Flow Rate: 50 ml/min Final Draw Down: 40.3 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	--	--

Test Notes:

Sampled at 1716. Partly cloudy, 90.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/28/2023 4:36 PM	00:00	5.12 pH	26.28 °C	48.94 µS/cm	2.13 mg/L	2.00 NTU	103.3 mV	17.36 ft	100.00 ml/min
8/28/2023 4:41 PM	05:00	4.45 pH	24.83 °C	42.66 µS/cm	0.88 mg/L	2.00 NTU	99.1 mV	18.60 ft	80.00 ml/min
8/28/2023 4:46 PM	10:00	4.34 pH	24.75 °C	42.28 µS/cm	0.80 mg/L	0.60 NTU	91.5 mV	18.90 ft	80.00 ml/min
8/28/2023 4:51 PM	15:00	4.29 pH	24.68 °C	41.34 µS/cm	0.79 mg/L	0.70 NTU	88.3 mV	19.30 ft	80.00 ml/min
8/28/2023 4:56 PM	20:00	4.24 pH	24.78 °C	41.49 µS/cm	0.79 mg/L	0.80 NTU	87.5 mV	19.80 ft	80.00 ml/min
8/28/2023 5:01 PM	25:00	4.16 pH	24.78 °C	41.90 µS/cm	0.79 mg/L	0.70 NTU	90.2 mV	20.10 ft	80.00 ml/min
8/28/2023 5:06 PM	30:00	4.28 pH	24.60 °C	41.46 µS/cm	0.80 mg/L	0.80 NTU	82.4 mV	20.50 ft	80.00 ml/min
8/28/2023 5:11 PM	35:00	4.32 pH	23.32 °C	41.34 µS/cm	0.85 mg/L	0.40 NTU	79.3 mV	20.60 ft	50.00 ml/min
8/28/2023 5:16 PM	40:00	4.34 pH	24.69 °C	41.55 µS/cm	0.88 mg/L	0.50 NTU	78.8 mV	20.70 ft	50.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 8:56:56 AM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23 ft Total Depth: 33 ft Initial Depth to Water: 16.66 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 28 ft Estimated Total Volume Pumped: 13.2 liter Flow Cell Volume: 90 ml Final Flow Rate: 300 ml/min Final Draw Down: 103.7 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	---	--

Test Notes:

Well purged dry. Partly cloudy , 70s.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/29/2023 8:56 AM	00:00	7.41 pH	25.69 °C	46.85 µS/cm	8.19 mg/L	5.00 NTU	257.7 mV	16.66 ft	100.00 ml/min
8/29/2023 9:01 AM	05:00	5.02 pH	24.65 °C	126.96 µS/cm	3.16 mg/L	2.20 NTU	118.0 mV	17.10 ft	100.00 ml/min
8/29/2023 9:06 AM	10:00	4.23 pH	22.98 °C	83.46 µS/cm	1.32 mg/L	1.70 NTU	101.2 mV	17.90 ft	100.00 ml/min
8/29/2023 9:11 AM	15:00	4.20 pH	22.73 °C	82.34 µS/cm	1.26 mg/L	3.40 NTU	94.1 mV	18.40 ft	75.00 ml/min
8/29/2023 9:16 AM	20:00	4.20 pH	22.94 °C	81.50 µS/cm	1.21 mg/L	2.70 NTU	90.9 mV	18.80 ft	75.00 ml/min
8/29/2023 9:21 AM	25:00	4.17 pH	23.34 °C	82.21 µS/cm	1.10 mg/L	2.30 NTU	90.2 mV	19.10 ft	50.00 ml/min
8/29/2023 9:26 AM	30:00	4.19 pH	23.35 °C	83.48 µS/cm	0.98 mg/L	2.50 NTU	89.5 mV	19.40 ft	50.00 ml/min
8/29/2023 9:31 AM	35:00	4.18 pH	21.97 °C	86.79 µS/cm	0.89 mg/L	4.90 NTU	93.0 mV	20.20 ft	150.00 ml/min
8/29/2023 9:36 AM	40:00	4.23 pH	21.69 °C	83.72 µS/cm	1.10 mg/L	30.00 NTU	91.6 mV	21.20 ft	225.00 ml/min
8/29/2023 9:41 AM	45:00	4.33 pH	22.38 °C	59.33 µS/cm	6.06 mg/L	20.00 NTU	99.8 mV	22.10 ft	225.00 ml/min
8/29/2023 9:46 AM	50:00	4.39 pH	23.69 °C	84.12 µS/cm	5.76 mg/L	14.20 NTU	98.4 mV	22.00 ft	225.00 ml/min
8/29/2023 9:51 AM	55:00	4.31 pH	21.60 °C	81.90 µS/cm	0.36 mg/L	9.90 NTU	94.0 mV	22.50 ft	225.00 ml/min
8/29/2023 9:56 AM	01:00:00	4.28 pH	22.57 °C	80.57 µS/cm	0.34 mg/L	9.60 NTU	94.1 mV	22.80 ft	50.00 ml/min
8/29/2023 10:01 AM	01:05:00	4.33 pH	21.44 °C	81.22 µS/cm	0.48 mg/L	29.50 NTU	89.7 mV	23.90 ft	300.00 ml/min
8/29/2023 10:06 AM	01:10:00	4.32 pH	21.30 °C	80.88 µS/cm	0.37 mg/L	31.00 NTU	92.3 mV	24.90 ft	300.00 ml/min

8/29/2023 10:11 AM	01:15:00	4.33 pH	21.29 °C	81.06 µS/cm	0.24 mg/L	30.00 NTU	92.0 mV	25.30 ft	300.00 ml/min
-----------------------	----------	---------	----------	-------------	-----------	-----------	---------	----------	---------------

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 2:03:14 PM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23 ft Total Depth: 33 ft Initial Depth to Water: 19.9 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 24 ft Estimated Total Volume Pumped: 2250 ml Flow Cell Volume: 90 ml Final Flow Rate: 50 ml/min Final Draw Down: 2.6 ft	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	---	--

Test Notes:

No sample taken. High turbidity, bad weather rolling in.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/29/2023 2:03 PM	00:00	5.06 pH	34.31 °C	0.09 µS/cm	6.71 mg/L	50.00 NTU	119.8 mV	19.90 ft	50.00 ml/min
8/29/2023 2:08 PM	05:00	4.42 pH	31.91 °C	77.85 µS/cm	4.50 mg/L	52.00 NTU	101.2 mV	20.40 ft	50.00 ml/min
8/29/2023 2:13 PM	10:00	4.40 pH	26.04 °C	80.51 µS/cm	1.30 mg/L	39.90 NTU	99.8 mV	20.60 ft	50.00 ml/min
8/29/2023 2:18 PM	15:00	4.41 pH	25.38 °C	80.04 µS/cm	1.56 mg/L	32.30 NTU	97.5 mV	20.80 ft	50.00 ml/min
8/29/2023 2:23 PM	20:00	4.42 pH	25.09 °C	79.94 µS/cm	2.18 mg/L	25.40 NTU	96.9 mV	21.00 ft	50.00 ml/min
8/29/2023 2:28 PM	25:00	4.37 pH	25.06 °C	78.87 µS/cm	3.39 mg/L	22.60 NTU	97.7 mV	21.30 ft	50.00 ml/min
8/29/2023 2:33 PM	30:00	4.37 pH	24.74 °C	77.50 µS/cm	4.75 mg/L	18.00 NTU	96.3 mV	21.60 ft	50.00 ml/min
8/29/2023 2:38 PM	35:00	4.33 pH	24.78 °C	76.42 µS/cm	5.79 mg/L	21.60 NTU	97.2 mV	21.90 ft	50.00 ml/min
8/29/2023 2:43 PM	40:00	4.32 pH	24.42 °C	76.28 µS/cm	6.36 mg/L	28.20 NTU	95.4 mV	22.30 ft	50.00 ml/min
8/29/2023 2:48 PM	45:00	4.34 pH	24.90 °C	76.11 µS/cm	6.49 mg/L	28.00 NTU	94.8 mV	22.50 ft	50.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 9/5/2023 4:18:17 PM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23 ft Total Depth: 33 ft Initial Depth to Water: 16.57 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 25 ft Estimated Total Volume Pumped: 7.5 liter Flow Cell Volume: 90 ml Final Flow Rate: 250 ml/min Final Draw Down: 101 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	--	--

Test Notes:

Well purged dry. Cloudy 90s.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
9/5/2023 4:18 PM	00:00	6.65 pH	28.27 °C	185.47 µS/cm	7.38 mg/L	5.00 NTU	137.7 mV	16.57 ft	200.00 ml/min
9/5/2023 4:23 PM	05:00	4.18 pH	21.89 °C	92.82 µS/cm	5.46 mg/L	13.00 NTU	105.0 mV	18.30 ft	200.00 ml/min
9/5/2023 4:28 PM	10:00	4.22 pH	21.24 °C	92.62 µS/cm	6.45 mg/L	13.50 NTU	94.6 mV	19.90 ft	250.00 ml/min
9/5/2023 4:33 PM	15:00	4.20 pH	21.24 °C	91.24 µS/cm	6.68 mg/L	15.20 NTU	97.1 mV	21.40 ft	250.00 ml/min
9/5/2023 4:38 PM	20:00	4.17 pH	21.33 °C	92.36 µS/cm	6.81 mg/L	116.00 NTU	100.5 mV	22.60 ft	250.00 ml/min
9/5/2023 4:43 PM	25:00	4.21 pH	21.26 °C	92.03 µS/cm	6.47 mg/L	128.00 NTU	102.8 mV	23.80 ft	250.00 ml/min
9/5/2023 4:48 PM	30:00	4.25 pH	21.24 °C	85.49 µS/cm	5.37 mg/L	140.00 NTU	109.8 mV	25.00 ft	250.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 9/6/2023 9:31:50 AM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWA-5 Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 23 ft Total Depth: 33 ft Initial Depth to Water: 16.58 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 24 ft Estimated Total Volume Pumped: 1 liter Flow Cell Volume: 90 ml Final Flow Rate: 50 ml/min Final Draw Down: 25.4 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	--	--

Test Notes:

Sampled at 0951. Partly cloudy 70s.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
9/6/2023 9:31 AM	00:00	4.99 pH	24.56 °C	94.52 µS/cm	7.95 mg/L	23.00 NTU	127.9 mV	16.58 ft	50.00 ml/min
9/6/2023 9:36 AM	05:00	4.29 pH	22.35 °C	82.37 µS/cm	4.30 mg/L	12.80 NTU	99.9 mV	17.40 ft	50.00 ml/min
9/6/2023 9:41 AM	10:00	4.31 pH	21.76 °C	82.87 µS/cm	3.83 mg/L	10.20 NTU	97.7 mV	17.80 ft	50.00 ml/min
9/6/2023 9:46 AM	15:00	4.29 pH	21.64 °C	82.45 µS/cm	4.37 mg/L	10.60 NTU	98.3 mV	18.40 ft	50.00 ml/min
9/6/2023 9:51 AM	20:00	4.32 pH	21.70 °C	82.18 µS/cm	5.25 mg/L	9.80 NTU	97.6 mV	18.70 ft	50.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/28/2023 4:15:05 PM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWA-7A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 36.94 ft Total Depth: 46.94 ft Initial Depth to Water: 23.94 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 41 ft Estimated Total Volume Pumped: 3.9 liter Flow Cell Volume: 90 ml Final Flow Rate: 130 ml/min Final Draw Down: 11 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
---	---	--

Test Notes:

Sunny, sample time- 1645

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/28/2023 4:15 PM	00:00	5.82 pH	29.10 °C	178.89 µS/cm	5.69 mg/L	2.00 NTU	129.7 mV	23.94 ft	130.00 ml/min
8/28/2023 4:20 PM	05:00	5.01 pH	23.66 °C	112.31 µS/cm	0.45 mg/L	2.25 NTU	104.1 mV	24.60 ft	130.00 ml/min
8/28/2023 4:25 PM	10:00	4.98 pH	23.15 °C	111.66 µS/cm	0.30 mg/L	1.78 NTU	101.4 mV	24.80 ft	130.00 ml/min
8/28/2023 4:30 PM	15:00	4.97 pH	22.89 °C	111.75 µS/cm	0.26 mg/L	1.52 NTU	100.0 mV	24.80 ft	130.00 ml/min
8/28/2023 4:35 PM	20:00	4.93 pH	22.98 °C	111.43 µS/cm	0.22 mg/L	2.94 NTU	100.8 mV	24.80 ft	130.00 ml/min
8/28/2023 4:40 PM	25:00	4.91 pH	22.98 °C	111.14 µS/cm	0.21 mg/L	3.27 NTU	101.1 mV	24.80 ft	130.00 ml/min
8/28/2023 4:45 PM	30:00	4.91 pH	22.84 °C	111.44 µS/cm	0.20 mg/L	1.65 NTU	100.7 mV	24.80 ft	130.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 11:53:08 AM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWC-1A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 37.3 ft Total Depth: 47.37 ft Initial Depth to Water: 22.97 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 42.5 ft Estimated Total Volume Pumped: 3.8 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 7.6 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	--	--

Test Notes:

Sampled at 1218. Sunny 80s. FB-09 here at 1230.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/29/2023 11:53 AM	00:00	4.19 pH	28.69 °C	68.78 µS/cm	3.04 mg/L	5.00 NTU	100.6 mV	22.97 ft	150.00 ml/min
8/29/2023 11:58 AM	05:00	4.21 pH	23.90 °C	72.20 µS/cm	0.56 mg/L	1.00 NTU	96.7 mV	23.50 ft	150.00 ml/min
8/29/2023 12:03 PM	10:00	4.23 pH	23.21 °C	72.46 µS/cm	0.45 mg/L	2.10 NTU	94.5 mV	23.50 ft	150.00 ml/min
8/29/2023 12:08 PM	15:00	4.25 pH	23.08 °C	72.43 µS/cm	0.40 mg/L	2.50 NTU	93.7 mV	23.60 ft	150.00 ml/min
8/29/2023 12:13 PM	20:00	4.25 pH	23.07 °C	71.99 µS/cm	0.38 mg/L	1.90 NTU	92.7 mV	23.60 ft	150.00 ml/min
8/29/2023 12:18 PM	25:00	4.25 pH	22.80 °C	72.41 µS/cm	0.36 mg/L	2.10 NTU	92.7 mV	23.60 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 1:15:10 PM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWC-2 Well Diameter: 2 in Casing Type: PVC Screen Length: 9.3 ft Top of Screen: 27.49 ft Total Depth: 36.79 ft Initial Depth to Water: 21.51 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 31 ft Estimated Total Volume Pumped: 6 liter Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 2 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
---	--	--

Test Notes:

Sunny, sample time-1345, FB-10 here at 1325

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/29/2023 1:15 PM	00:00	5.95 pH	33.33 °C	0.30 µS/cm	6.69 mg/L	1.68 NTU	144.3 mV	21.51 ft	200.00 ml/min
8/29/2023 1:20 PM	05:00	4.73 pH	24.12 °C	28.96 µS/cm	0.52 mg/L	1.51 NTU	107.5 mV	21.60 ft	200.00 ml/min
8/29/2023 1:25 PM	10:00	4.70 pH	23.47 °C	29.02 µS/cm	0.39 mg/L	1.33 NTU	106.8 mV	21.70 ft	200.00 ml/min
8/29/2023 1:30 PM	15:00	4.68 pH	23.60 °C	29.20 µS/cm	0.29 mg/L	0.95 NTU	106.5 mV	21.70 ft	200.00 ml/min
8/29/2023 1:35 PM	20:00	4.66 pH	23.75 °C	29.14 µS/cm	0.26 mg/L	0.99 NTU	107.2 mV	21.70 ft	200.00 ml/min
8/29/2023 1:40 PM	25:00	4.64 pH	23.61 °C	29.24 µS/cm	0.22 mg/L	0.84 NTU	108.5 mV	21.70 ft	200.00 ml/min
8/29/2023 1:45 PM	30:00	4.63 pH	23.35 °C	29.20 µS/cm	0.20 mg/L	0.80 NTU	109.3 mV	21.70 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 12:55:24 PM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWC-4A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 26.9 ft Total Depth: 36.96 ft Initial Depth to Water: 23.35 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 32 ft Estimated Total Volume Pumped: 4.5 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 7.8 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
--	--	--

Test Notes:

Sampled at 1325. Cloudy 80s. FD-06 here.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/29/2023 12:55 PM	00:00	5.19 pH	34.26 °C	0.26 µS/cm	7.04 mg/L	5.00 NTU	118.8 mV	23.35 ft	150.00 ml/min
8/29/2023 1:00 PM	05:00	4.29 pH	27.34 °C	22.37 µS/cm	1.24 mg/L	4.40 NTU	85.3 mV	23.80 ft	150.00 ml/min
8/29/2023 1:05 PM	10:00	4.32 pH	26.44 °C	22.67 µS/cm	1.09 mg/L	3.10 NTU	81.7 mV	23.90 ft	150.00 ml/min
8/29/2023 1:10 PM	15:00	4.37 pH	25.50 °C	22.31 µS/cm	0.85 mg/L	2.40 NTU	78.0 mV	23.90 ft	150.00 ml/min
8/29/2023 1:15 PM	20:00	4.35 pH	26.03 °C	22.29 µS/cm	0.69 mg/L	1.90 NTU	77.6 mV	23.90 ft	150.00 ml/min
8/29/2023 1:20 PM	25:00	4.35 pH	24.94 °C	22.23 µS/cm	0.59 mg/L	1.70 NTU	77.8 mV	24.00 ft	150.00 ml/min
8/29/2023 1:25 PM	30:00	4.39 pH	24.42 °C	22.11 µS/cm	0.52 mg/L	1.30 NTU	76.3 mV	24.00 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 10:38:00 AM

Project: Plant McIntosh LF3

Operator Name: H. Auld

Location Name: GWC-5A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.6 ft Total Depth: 42.6 ft Initial Depth to Water: 24.71 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 37.5 ft Estimated Total Volume Pumped: 3.8 liter Flow Cell Volume: 90 ml Final Flow Rate: 150 ml/min Final Draw Down: 3.5 in	Instrument Used: Aqua TROLL 400 Serial Number: 965678
---	--	--

Test Notes:

Sampled at 1103. Partly cloudy 80s. FD-05 here.

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 100	+/- 5 %	+/- 10 %	+/- 5	+/- 300	+/- 0.3	
8/29/2023 10:38 AM	00:00	4.80 pH	25.23 °C	0.26 µS/cm	7.81 mg/L	5.00 NTU	123.0 mV	24.71 ft	150.00 ml/min
8/29/2023 10:43 AM	05:00	4.64 pH	25.23 °C	30.52 µS/cm	2.74 mg/L	3.50 NTU	90.6 mV	24.90 ft	150.00 ml/min
8/29/2023 10:48 AM	10:00	4.61 pH	23.92 °C	30.73 µS/cm	0.58 mg/L	2.50 NTU	91.6 mV	24.90 ft	150.00 ml/min
8/29/2023 10:53 AM	15:00	4.65 pH	23.43 °C	30.49 µS/cm	0.41 mg/L	1.90 NTU	92.3 mV	24.90 ft	150.00 ml/min
8/29/2023 10:58 AM	20:00	4.70 pH	23.29 °C	30.71 µS/cm	0.35 mg/L	2.30 NTU	89.5 mV	25.00 ft	150.00 ml/min
8/29/2023 11:03 AM	25:24	4.60 pH	23.34 °C	30.59 µS/cm	0.30 mg/L	1.90 NTU	94.1 mV	25.00 ft	150.00 ml/min

Samples

Sample ID:	Description:
------------	--------------

Low-Flow Test Report:

Test Date / Time: 8/29/2023 10:51:54 AM

Project: Plant McIntosh LF3

Operator Name: J. Berisford

Location Name: GWC-6A Well Diameter: 2 in Casing Type: PVC Screen Length: 10 ft Top of Screen: 32.43 ft Total Depth: 42.43 ft Initial Depth to Water: 24.69 ft	Pump Type: Peri Pump Tubing Type: Poly Pump Intake From TOC: 38 ft Estimated Total Volume Pumped: 6 liter Flow Cell Volume: 90 ml Final Flow Rate: 200 ml/min Final Draw Down: 9.7 in	Instrument Used: Aqua TROLL 400 Serial Number: 965658
---	--	--

Test Notes:

Sunny, sample time-1122

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 2	+/- 5 %	+/- 10 %	+/- 10	+/- 100	+/- 0.3	
8/29/2023 10:51 AM	00:00	5.04 pH	24.24 °C	38.75 µS/cm	1.78 mg/L	1.55 NTU	100.8 mV	24.69 ft	200.00 ml/min
8/29/2023 10:56 AM	05:00	5.03 pH	21.84 °C	40.23 µS/cm	0.27 mg/L	1.39 NTU	99.2 mV	25.30 ft	200.00 ml/min
8/29/2023 11:01 AM	10:00	5.04 pH	21.66 °C	40.06 µS/cm	0.21 mg/L	1.25 NTU	98.3 mV	25.40 ft	200.00 ml/min
8/29/2023 11:06 AM	15:00	5.02 pH	21.61 °C	39.68 µS/cm	0.19 mg/L	1.72 NTU	98.4 mV	25.50 ft	200.00 ml/min
8/29/2023 11:11 AM	20:00	5.00 pH	21.82 °C	39.31 µS/cm	0.18 mg/L	0.69 NTU	98.7 mV	25.50 ft	200.00 ml/min
8/29/2023 11:16 AM	25:00	4.99 pH	22.06 °C	39.17 µS/cm	0.17 mg/L	0.99 NTU	99.3 mV	25.50 ft	200.00 ml/min
8/29/2023 11:21 AM	30:00	4.96 pH	21.75 °C	38.88 µS/cm	0.17 mg/L	1.07 NTU	100.8 mV	25.50 ft	200.00 ml/min

Samples

Sample ID:	Description:
------------	--------------



ATLANTIC COAST CONSULTING, INC.

Daily Instrument Calibration Log

Page: 1 of 1

SITE:	<u>McIntosh LFB</u>		
TECHNICIAN:	<u>J. Beauford</u>		
WATER LEVEL:	<u>Solart</u>		
WATER LEVEL S/N:	<u>267301</u>		
INSTRUMENT S/N:	<u>965658</u>		
INSTRUMENT TYPE:	<u>AquaTroll</u>		
CAL. SOLUTIONS:	ID: pH 4	LOT #: <u>360910</u>	EXP. DATE: <u>3/25</u>
Manufact. Drift range <i>pH must be less than .10</i> (6.90-7.10 range) <i>Conductivity must be within 1.0%</i> (1399 - 1427 range)	ID: pH 7	LOT #: <u>266042</u>	EXP. DATE: <u>7/24</u>
	ID: pH 10	LOT #: <u>2611903</u>	EXP. DATE: <u>8/24</u>
	ID: Conductivity	LOT #: <u>265642</u>	EXP. DATE: <u>9/23</u>
	ID: ORP	LOT #: <u>262022</u>	EXP. DATE: <u>9/23</u>
Calibration	Date: <u>8/28/23</u>	Time: <u>1548</u>	
	RDO: 100% sat. = <u>86.9</u>		
	PH: 4.00 = <u>3.74</u>	7.00 = <u>6.94</u>	10.00 = <u>10.18</u>
	CONDUCTIVITY: <u>1413</u>	= <u>1500</u>	
	ORP (mV) <u>240</u>	= <u>221.9</u>	
Drift Check	Date: <u>1850</u>	Time: <u>8/28/23</u>	
	pH 7.00 = <u>7.04</u>	SC 1413 = <u>1472</u>	ORP 240 = <u>221</u>
Drift Check	Date: <u> </u>	Time: <u> </u>	
	pH 7.00 = <u> </u>	SC 1413 = <u> </u>	ORP 240 = <u> </u>
Calibration	Date: <u>8/29/23</u>	Time: <u>0841</u>	
	RDO: 100% sat. = <u>105.9</u>		
	PH: 4.00 = <u>4.11</u>	7.00 = <u>7.08</u>	10.00 = <u>10.04</u>
	CONDUCTIVITY: <u>1413</u>	= <u>1497</u>	
	ORP (mV) <u>240</u>	= <u>224.3</u>	
Drift Check	Date: <u>8/29/23</u>	Time: <u>1134</u>	
	pH 7.00 = <u>7.03</u>	SC 1413 = <u>1476</u>	ORP 240 = <u>227</u>
Drift Check	Date: <u>8/29/23</u>	Time: <u>1405</u>	
	pH 7.00 = <u>7.05</u>	SC 1413 = <u>1457</u>	ORP 240 = <u>231</u>
Calibration	Date: <u> </u>	Time: <u> </u>	
	RDO: 100% sat. = <u> </u>		
	PH: 4.00 = <u> </u>	7.00 = <u> </u>	10.00 = <u> </u>
	CONDUCTIVITY: <u>1413</u>	= <u> </u>	
	ORP (mV) <u>240</u>	= <u> </u>	
Drift Check	Date: <u> </u>	Time: <u> </u>	
	pH 7.00 = <u> </u>	SC 1413 = <u> </u>	ORP 240 = <u> </u>
Drift Check	Date: <u> </u>	Time: <u> </u>	
	pH 7.00 = <u> </u>	SC 1413 = <u> </u>	ORP 240 = <u> </u>



ATLANTIC COAST CONSULTING, INC.

Daily Instrument Calibration Log

SITE: McEwan LF3
TECHNICIAN: J. Borland

INSTRUMENT S/N: 171200063767
INSTRUMENT TYPE: HACH 2100 Q
CAL. SOLUTION: 0 NTU - LOT # 01/A EXP. DATE: DI 1/20
10 NTU - LOT # 43129 EXP. DATE: 8/24
20 NTU - LOT # 43189 EXP. DATE: 8/24

Calibration Date: 8/28/27 Time: 1548

Calibration Solution	Instrument Reading	
0.0	<u>0.31</u>	NTU
10.0	<u>10.0</u>	NTU
20.0	<u>21.4</u>	NTU

Spot Check/s

Time: 1850

10.0 = 9.81 NTU

Time: / NTU

10.0 = /

Recal if spot check is out of range

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: 8/29/23 Time: 0841

Calibration Solution	Instrument Reading	
0.0	<u>0.27</u>	NTU
10.0	<u>10.1</u>	NTU
20.0	<u>20.2</u>	NTU

Spot Check/s

Time: 1134

10.0 = 9.94 NTU

Time: 1405 NTU

10.0 = 10.1

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: _____ Time: _____

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s

Time: _____

10.0 = _____ NTU

Time: _____ NTU

10.0 = _____

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: _____ Time: _____

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s

Time: _____

10.0 = _____ NTU

Time: _____ NTU

10.0 = _____

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: _____ Time: _____

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s

Time: _____

10.0 = _____ NTU

Time: _____ NTU

10.0 = _____

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: _____ Time: _____

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s

Time: _____

10.0 = _____ NTU

Time: _____ NTU

10.0 = _____

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: _____ Time: _____

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s

Time: _____

10.0 = _____ NTU

Time: _____ NTU

10.0 = _____

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU



ATLANTIC COAST CONSULTING, INC.

Daily Instrument Calibration Log

Page: 1 of 1

SITE: Plant McIntosh LF3

TECHNICIAN: He Aniel

WATER LEVEL: Solinst

WATER LEVEL S/N: 532172

INSTRUMENT S/N: 965678

INSTRUMENT TYPE: AquaTroll

CAL. SOLUTION/S: ID: pH 4 LOT #: 36C916 EXP. DATE: 03/25

Manufact. Drift range pH must be less than .10 (6.90-7.10 range) Conductivity must be within 1.0% (1399 - 1427 range)	ID: pH 7	LOT #: <u>266042</u>	EXP. DATE: <u>07/24</u>
	ID: pH 10	LOT #: <u>266018</u>	EXP. DATE: <u>07/24</u>
	ID: Conductivity	LOT #: <u>265642</u>	EXP. DATE: <u>09/23</u>
	ID: ORP	LOT #: <u>266022</u>	EXP. DATE: <u>08/23 09/23</u>

Calibration Date: 8/28/23 Time: 1600

RDO: 100% sat. = 91%

PH: 4.00 = 4.00 7.00 = 6.87 10.00 = 9.99

CONDUCTIVITY: 1413 = 1388

ORP (mV) 240 = 216

Drift Check Date: Time:

pH 7.00 = SC 1413 = ORP 240 = NA

Drift Check Date: 8/29/23 Time: 0830

pH 7.00 = SC 1413 = ORP 240 = NA

Calibration Date: 8/29/23 Time: 0830

RDO: 100% sat. = 102.3

PH: 4.00 = 4.07 7.00 = 7.09 10.00 = 10.08

CONDUCTIVITY: 1413 = 1515

ORP (mV) 240 = 237

Drift Check Date: 08/29 Time: 1145

pH 7.00 = 7.05 SC 1413 = 1400 ORP 240 = 238

Drift Check Date: Time:

pH 7.00 = SC 1413 = ORP 240 = NA - storm

Calibration Date: Time:

RDO: 100% sat. =

PH: 4.00 = 7.00 = 10.00 =

CONDUCTIVITY: 1413 =

ORP (mV) 240 =

Drift Check Date: Time:

pH 7.00 = SC 1413 = ORP 240 =

Drift Check Date: Time:

pH 7.00 = SC 1413 = ORP 240 =



Daily Instrument Calibration Log

Page: 1 of 1

SITE: Plant McIntosh LF3

TECHNICIAN: H. Amel

WATER LEVEL: Solinst

WATER LEVEL S/N: 532172

INSTRUMENT S/N: 965678

INSTRUMENT TYPE: AquaTroll

CAL. SOLUTION/S: ID: pH 4 LOT #: 366916 EXP. DATE: 03/25

Manufact. Drift range pH must be less than .10 (6.90-7.10 range) Conductivity must be within 1.0% (1399 - 1427 range)	ID: pH 7	LOT #: <u>2GG042</u>	EXP. DATE: <u>07/24</u>
	ID: pH 10	LOT #: <u>2GG018</u>	EXP. DATE: <u>07/24</u>
	ID: Conductivity	LOT #: <u>2GJ642</u>	EXP. DATE: <u>09/23</u>
	ID: ORP	LOT #: <u>2GL022</u>	EXP. DATE: <u>09/23</u>

Calibration Date: 9/5/23 Time: 1530

RDO: 100% sat. = 97.3

PH: 4.00 = 3.92 7.00 = 6.84 10.00 = 9.88

CONDUCTIVITY: 1413 = 1452

ORP (mV) 240 = 231

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= NA

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= 1 well

Calibration Date: 9/6/23 Time: 0900

RDO: 100% sat. = 103.1

PH: 4.00 = 4.10 7.00 = 7.10 10.00 = 10.08

CONDUCTIVITY: 1413 = 1451

ORP (mV) 240 = 238.4

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= NA

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= 1 well

Calibration Date: _____ Time: _____

RDO: 100% sat. = _____

PH: 4.00 = _____ 7.00 = _____ 10.00 = _____

CONDUCTIVITY: 1413 = _____

ORP (mV) 240 = _____

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= _____

Drift Check Date: _____ Time: _____

pH 7.00 = SC 1413= ORP 240= _____



ATLANTIC COAST CONSULTING, INC.

Daily Instrument Calibration Log

SITE: Plant McIntosh LF3
TECHNICIAN: H. Amiel

INSTRUMENT S/N: 22080D00083
INSTRUMENT TYPE: HACH 2100Q
CAL. SOLUTION: 0 NTU - LOT # EXP. DATE:
10 NTU - LOT # A3139 EXP. DATE: 08/24
20 NTU - LOT # A3144 EXP. DATE: 09/24

Calibration Date: 08/28/23 Time: 1400

Calibration Solution	Instrument Reading	
0.0	<u>0.3</u>	NTU
10.0	<u>9.7</u>	NTU
20.0	<u>19.6</u>	NTU

Spot Check/s
Time:
10.0 = NA NTU
Time: NA NTU
10.0 = half day

Recal if spot check is out of range

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: 08/29/23 Time: 0830

Calibration Solution	Instrument Reading	
0.0	<u>0.3</u>	NTU
10.0	<u>9.5</u>	NTU
20.0	<u>19.7</u>	NTU

Spot Check/s
Time: 1230
10.0 = 10.2
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s
Time:
10.0 =
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s
Time:
10.0 =
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s
Time:
10.0 =
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s
Time:
10.0 =
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Spot Check/s
Time:
10.0 =
Time: NTU
10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU



Hunter Auld
McIntosh LF3

Daily Instrument Calibration Log

Recal if spot check is out of range

Calibration Date: 9-5-23 Time: 1600

Calibration Solution	Instrument Reading	
0.0	0.3	NTU
10.0	10.1	NTU
20.0	19.6	NTU

Time:
 Midday Spot Check
 10.0 = NA NTU

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: 9-6-23 Time: 0930

Calibration Solution	Instrument Reading	
0.0	0.3	NTU
10.0	9.7	NTU
20.0	19.5	NTU

Time:
 Midday Spot Check
 Spot Check/s NA NTU
 10.0 = NA NTU

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Time:
 10.0 =
 Time:
 Spot Check/s NTU
 10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Time:
 10.0 =
 Time:
 Spot Check/s NTU
 10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Time:
 10.0 =
 Time:
 Spot Check/s NTU
 10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Time:
 10.0 =
 Time:
 Spot Check/s NTU
 10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Calibration Date: Time:

Calibration Solution	Instrument Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Time:
 10.0 =
 Time:
 Spot Check/s NTU
 10.0 =

Midday Calibration Time:

Cal Solution	Reading	
0.0		NTU
10.0		NTU
20.0		NTU

Instrument S/N : 22080D00083 ; HACH 2100 Q

0 NTU : Fresh DI #20
 10 NTU : #A3139 Exp. 08/24
 20 NTU : #A3144 Exp. 09/24

Well Inspection

Site Name: Plant McIntosh LF3

Date: 8/28/2023

Permit Number: 051-008D(CCR)

Field Conditions: 87 °F

	Corrective actions as needed, by date:
Well ID:	
GWA-1B	
GWA-2B	
GWA-3A	
GWA-4	
GWA-5	
GWA-7A	
GWC-1A	
GWC-2	
GWC-4A	
GWC-5A	
GWC-6A	
PZ-1	
PZ-2	
PZ-3	
PZ-4	
PZ-5	


APPENDIX B

STATISTICAL ANALYSIS REPORTS

GROUNDWATER STATS CONSULTING

February 28, 2024

Southern Company Services
Attn: Ms. Kristen Jurinko
241 Ralph McGill Blvd NE, Bin 10160
Atlanta, Georgia 30308



Re: Plant McIntosh Landfill #3
Statistical Analysis – August 2023 Semi-Annual Sample Event

Dear Ms. Jurinko,

Groundwater Stats Consulting, formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the statistical analysis of the August 2023 semi-annual sample event for Georgia Power Company's Plant McIntosh Landfill #3. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals (CCR) from Electric Utilities (CCR Rule, 2015), the Georgia Environmental Protection Division (EPD) Rules for Solid Waste Management Chapter 391-3-4-.10 and follows the United States Environmental Protection Agency (USEPA) Unified Guidance (2009).

Sampling at the majority of wells began for the CCR program in 2016, and for the state program in accordance with the Georgia EPD's Solid Waste Permit in 1999. Semi-annual sampling for select constituents has been performed for several years in accordance with the Georgia Department of Natural Resources, Environmental Protection Division groundwater monitoring regulations; and all available data from upgradient wells are screened in this report.

The current monitoring well network, as provided by Southern Company Services, consists of the following:

- **Upgradient wells:** GWA-1B, GWA-2B, GWA-3A, GWA-4, GWA-5, and GWA-7A
- **Downgradient wells:** GWC-1A, GWC-2, GWC-4A, GWC-5A, and GWC-6A

Previously, the monitoring well network included upgradient well GWA-1A and downgradient wells GWC-1, GWC-5, and GWC-6. However, these wells were recently

abandoned. While data from upgradient well GWA-1A continues to be included in construction of interwell prediction limits since the data represents historical groundwater quality upgradient of the facility, downgradient wells GWC-1, GWC-5, and GWC-6 are not included in the analysis.

A minimum of 8 samples have been collected at each of the existing wells. New upgradient well GWA-1B and new downgradient wells GWC-1A, GWC-5A, and GWC-6A currently have been sampled at least 8 times for Appendix I and III constituents. Therefore, data from downgradient wells GWC-1A, GWC-5A, and GWC-6A are included on all statistical analysis.

Data were sent electronically to Groundwater Stats Consulting, and the statistical analysis was reviewed by Andrew Collins, Project Manager of Groundwater Stats Consulting. The analysis is prepared according to the recommended interwell statistical methodology as presented in the USEPA Unified Guidance. The original screening was conducted in the Fall 2017 by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance. During the initial screening both intrawell and interwell statistical methods were recommended. However, further studies conducted by Southern Company Services of waste placement with respect to when groundwater monitoring began suggested interwell methods for all constituents should be used as they will be the primary statistical method.

The following constituents were evaluated in this report:

- **CCR Appendix III** - boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- **Georgia EPD Appendix I** - barium, beryllium, chromium, cobalt, copper, lead, vanadium, and zinc

Note that when there are no detections present in downgradient wells for a given constituent, statistical analyses are not required. A list of downgradient Appendix I well/constituent pairs with 100% non-detects follows this letter.

Due to varying detection limits in background data sets as a result of improved laboratory practices, a substitution of the most recent reporting limit is used for all non-detects.

Time series plots for reported CCR Appendix III and Georgia EPD Appendix I constituents are provided for all wells (Figure A). Additionally, a separate section of box plots is included for all constituents at upgradient and downgradient wells (Figure B). The time series plots are used to initially screen for suspected outliers and trends, while the box

plots provide visual representation of variation within individual wells and between all wells.

Data at all wells were evaluated during the initial background screening in 2019, as described below, for the following: 1) outliers; 2) trends; 3) most appropriate statistical method for constituents based on site characteristics of groundwater data upgradient of the facility; and 4) eligibility of downgradient wells when intrawell statistical methods are recommended. Because groundwater sampling began after waste was placed, interwell prediction limits were determined to be the most appropriate statistical method. Power curves were provided during previous analyses and demonstrated that the interwell methods for all constituents comply with the USEPA Unified Guidance recommendations as discussed below. The EPA suggests the selected statistical method should provide at least 55% power at 3 standard deviations or at least 80% power at 4 standard deviations. Power curves were based on the following statistical methods:

CCR Appendix III Constituents:

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan
- # Constituents: 7
- # Downgradient wells: 5

Georgia EPD Appendix I Constituents:

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan
- # Constituents: 8
- # Downgradient wells: 5

Summary of Statistical Methods – All Constituents

Based on the earlier evaluation discussed above, the following methods were selected:

- Interwell prediction limits, combined with a 1-of-2 resample plan for boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- Interwell prediction limits, combined with a 1-of-2 resample plan for barium, beryllium, chromium, cobalt, copper, lead, vanadium, and zinc

Parametric prediction limits are utilized when the screened historical data follow a normal or transformed-normal distribution. When data cannot be normalized or the majority of

data are non-detects, a nonparametric test is utilized. The distribution of data is tested using the Shapiro-Wilk/Shapiro-Francia test for normality. After testing for normality and performing any adjustments as discussed below (US EPA, 2009), data are analyzed using either parametric or non-parametric prediction limits. Non-detects are handled as follows:

- No statistical analyses are required on wells and analytes containing 100% non-detects (USEPA Unified Guidance, 2009, Chapter 6).
- When data contain <15% non-detects, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the most recent practical quantification limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, the Kaplan-Meier non-detect adjustment is applied to the background data for parametric limits. This technique adjusts the mean and standard deviation of the historical concentrations to account for concentrations below the reporting limit.
- Nonparametric prediction limits are used on data containing greater than 50% non-detects.

Natural systems continuously evolve due to physical changes made to the environment. Examples include capping a landfill, paving areas near a well, or lining a drainage channel to prevent erosion. Periodic updating of background statistical limits will be necessary to accommodate these types of changes. In the interwell case, newer data are included during each sample event after screening for new outliers in upgradient wells. In some cases, the earlier portion of data may require deselection prior to construction of limits in order to provide sensitive limits that will rapidly detect changes in groundwater quality. Even though the data are excluded from the calculation, the values will continue to be reported and shown in tables and graphs, and a summary of any truncated records will be provided.

Summary of Initial Background Screening (2019) – All Constituents

Outlier Analysis

The original background screening for the CCR and Georgia EPD state programs was conducted in 2019 and the results were submitted at that time. Several values were identified and flagged as outliers in both upgradient and downgradient wells for all constituents. Suspected outliers at upgradient wells for all constituents were formally tested using Tukey's box plot method and, when confirmed, flagged in the computer database with "o" and deselected prior to construction of statistical limits.

When suspected outliers were evaluated using the Tukey box plot method, several outliers were identified. As a general rule, when the most recent values are identified as outliers, values are not flagged in the database (except in cases where statistical limits would be elevated) as the concentrations may represent a possible trend. If future values do not remain at similar concentrations, these values may be flagged as outliers and deselected. Note that for some well/constituent pairs, the test identified multiple outliers. However, in many of those cases, only the highest value(s) were flagged as outliers as the remaining values were similar to other measurements within the same well or neighboring wells. In other cases, the test did not identify an outlier; however, the highest measurement(s) did not appear to represent the population and were flagged as outliers in the database to establish limits that are conservative from a regulatory perspective.

Seasonality

No seasonal patterns were observed on the time series plots for any of the detected data; therefore, no deseasonalizing adjustments were made to the data. When seasonal patterns are observed, data may be deseasonalized so that the resulting limits will correctly account for the seasonality as a predictable pattern rather than random variation or a release.

Trend Tests

Time series plots were also used to identify any visually trending patterns in upgradient well data. None were observed except for increasing low-level concentrations of chloride in upgradient well GWA-3A. However, because the more recent observations are similar to those historically reported in upgradient well GWA-5, no adjustments were required at this time.

In the future, if statistically significant increasing or decreasing trends are identified in the pooled upgradient well data, significant trending data are typically not included as part of the background data used for construction of prediction limits. This step serves to eliminate the trend and, thus, reduce variation in background. When statistically significant decreasing trends are present, earlier data are evaluated to determine whether earlier concentration levels are significantly different than current reported concentrations and will be deselected as necessary. A list of the adjusted background date ranges will be provided if this step is required in future analyses.

Statistical Analysis of Appendix III Parameters – August 2023

During this analysis, only upgradient well data were re-evaluated through time series graphs for new outliers, or extreme values in background that would result in limits that are not conservative from a regulatory perspective, prior to construction of interwell prediction limits. Values flagged in downgradient wells from previous analyses remain flagged but have no impact on calculations of interwell prediction limits. No additional outliers were flagged during this analysis. When any values are flagged in the database as outliers, they are plotted in a disconnected and lighter symbol on the time series graph. The accompanying data pages display the flagged value in a lighter font as well. A list of all flagged values follows this letter (Figure C).

Interwell Prediction Limits

For all Appendix III parameters, interwell prediction limits combined with a 1-of-2 resample plan were constructed using all upgradient historical data through August 2023 (Figure D). Data from upgradient wells were screened for new outliers, and no additional measurements were flagged. The reported measurement of 0.51 mg/L for fluoride in upgradient well GWA-1B during the August 2022 sample event was slightly higher than historical measurements but well below the Groundwater Protection Standard of 4.0 mg/L. This measurement was not identified as a statistical outlier and was not flagged in the database. Interwell prediction limits pool upgradient well data to establish a background limit for an individual constituent. The most recent sample from each downgradient well is compared to the background limit to determine whether initial exceedances are present.

In the event of an initial exceedance of compliance well data, the 1-of-2 resample plan allows for collection of one additional sample to determine whether the initial exceedance is confirmed. If the resample falls within the statistical limit, the initial exceedance is considered to be a false positive result; therefore, no exceedance is noted, and no further action is necessary. If no resample is collected, the original result is considered a confirmed exceedance. Summary tables of the Appendix III prediction limits follow this letter. No exceedances were noted for Appendix III parameters; therefore, no further action was required.

Trend Test Evaluation

While this step was not required during this analysis, when data from downgradient well/constituent pairs are found to exceed their respective prediction limit, however, data will be further evaluated using the Sen's Slope/Mann Kendall trend test along with

upgradient wells for the same constituents. Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit in downgradient wells to identify whether similar patterns exist upgradient of the site. Such patterns are an indication of variability in groundwater unrelated to practices at the site.

Statistical Analysis of Georgia EPD Appendix I Parameters – August 2023

Interwell Prediction Limits

Interwell prediction limits, combined with a 1-of-2 resample plan, were constructed using all available data from upgradient wells through August 2023 (Figure E). As previously discussed, no statistical analyses were included for downgradient well/constituent pairs containing 100% non-detects. A summary table of the prediction limits along with the complete prediction limits results follows this letter. No exceedances were noted for any of the Appendix I parameters.

Trend Test Evaluation

As mentioned above, data from downgradient well/constituent pairs found to exceed their respective prediction limit are further evaluated using the Sen's Slope/Mann Kendall trend test along with upgradient wells for the same constituents. Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit. Since no prediction limit exceedances were noted for any of the Appendix I constituents, no trend analyses were required.

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for McIntosh Landfill #3. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,



Abdul Diane
Groundwater Analyst



Andrew T. Collins
Project Manager

100% Non-Detects: Appendix I Downgradient

Analysis Run 9/28/2023 5:43 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Copper (mg/L)
GWC-4A, GWC-5A, GWC-6A

Lead (mg/L)
GWC-4A

Vanadium (mg/L)
GWC-5A, GWC-6A

Interwell Prediction Limits Appendix I - All Results (No Significant)

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR Printed 9/29/2023, 3:36 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Barium (mg/L)	GWC-1A	0.33	n/a	8/29/2023	0.24	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-2	0.33	n/a	8/29/2023	0.065	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-4A	0.33	n/a	8/29/2023	0.032	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-5A	0.33	n/a	8/29/2023	0.076	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-6A	0.33	n/a	8/29/2023	0.079	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Beryllium (mg/L)	GWC-1A	0.0036	n/a	8/29/2023	0.00038J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-2	0.0036	n/a	8/29/2023	0.00031J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-4A	0.0036	n/a	8/29/2023	0.0025ND	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-5A	0.0036	n/a	8/29/2023	0.00031J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-6A	0.0036	n/a	8/29/2023	0.00026J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-1A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-2	0.032	n/a	8/29/2023	0.0037	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-4A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-5A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-6A	0.032	n/a	8/29/2023	0.0013J	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Cobalt (mg/L)	GWC-1A	0.0072	n/a	8/29/2023	0.0047	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-2	0.0072	n/a	8/29/2023	0.0014J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-4A	0.0072	n/a	8/29/2023	0.00045J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-5A	0.0072	n/a	8/29/2023	0.0023J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-6A	0.0072	n/a	8/29/2023	0.00099J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Copper (mg/L)	GWC-1A	0.008	n/a	8/29/2023	0.002ND	No	234	n/a	n/a	79.91	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Copper (mg/L)	GWC-2	0.008	n/a	8/29/2023	0.002ND	No	234	n/a	n/a	79.91	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-1A	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-2	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-5A	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-6A	0.016	n/a	8/29/2023	0.00038J	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-1A	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-2	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-4A	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Zinc (mg/L)	GWC-1A	0.074	n/a	8/29/2023	0.017	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-2	0.074	n/a	8/29/2023	0.0065	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-4A	0.074	n/a	8/29/2023	0.004J	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-5A	0.074	n/a	8/29/2023	0.01	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-6A	0.074	n/a	8/29/2023	0.008	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2

Interwell Prediction Limits Appendix III - All Results (No Significant)

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR Printed 9/28/2023, 5:38 PM


Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Boron (mg/L)	GWC-1A	1.9	n/a	8/29/2023	0.042J	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-2	1.9	n/a	8/29/2023	0.1	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-4A	1.9	n/a	8/29/2023	0.08ND	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-5A	1.9	n/a	8/29/2023	0.08ND	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-6A	1.9	n/a	8/29/2023	0.033J	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-1A	20	n/a	8/29/2023	2.5	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-2	20	n/a	8/29/2023	1.6	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-4A	20	n/a	8/29/2023	0.37J	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-5A	20	n/a	8/29/2023	1.1	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-6A	20	n/a	8/29/2023	3.2	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-1A	30	n/a	8/29/2023	13	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-2	30	n/a	8/29/2023	4.8	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-4A	30	n/a	8/29/2023	4.1	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-5A	30	n/a	8/29/2023	5.2	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-6A	30	n/a	8/29/2023	9.5	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Fluoride (mg/L)	GWC-1A	0.51	n/a	8/29/2023	0.08J	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-2	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-4A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-5A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-6A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
pH (S.U.)	GWC-1A	5.903	4.063	8/29/2023	4.25	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-2	5.903	4.063	8/29/2023	4.63	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-4A	5.903	4.063	8/29/2023	4.39	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-5A	5.903	4.063	8/29/2023	4.6	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-6A	5.903	4.063	8/29/2023	4.96	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
Sulfate (mg/L)	GWC-1A	110	n/a	8/29/2023	0.4J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-2	110	n/a	8/29/2023	5.2	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-4A	110	n/a	8/29/2023	0.57J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-5A	110	n/a	8/29/2023	0.48J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-6A	110	n/a	8/29/2023	2.7	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Total Dissolved Solids (mg/L)	GWC-1A	166.8	n/a	8/29/2023	53	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-2	166.8	n/a	8/29/2023	45	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-4A	166.8	n/a	8/29/2023	21	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-5A	166.8	n/a	8/29/2023	36	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-6A	166.8	n/a	8/29/2023	76	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2

Table of Contents

Figure A. Time Series	12
Figure B. Box Plots	69
Figure C. Outlier Summary	78
Figure D. Appendix III Interwell Prediction Limits	81
Figure E. Appdndix I Interwell Prediction Limits	101


FIGURE A.

Time Series




Constituent: Barium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Barium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Beryllium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Beryllium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Boron Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Boron Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Calcium Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Calcium Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Chloride Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Chloride Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Chromium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Chromium Analysis Run 9/28/2023 5:22 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Cobalt Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Cobalt Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Copper Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Copper Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Fluoride Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Fluoride Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Lead Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Lead Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: pH Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: pH Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Sulfate Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Sulfate Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Total Dissolved Solids Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Total Dissolved Solids Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Vanadium Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series




Constituent: Vanadium Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series



Constituent: Zinc Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series



Constituent: Zinc Analysis Run 9/28/2023 5:22 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Time Series

Constituent: Barium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	0.084			0.031	0.013	0.1
11/12/1999	0.099			0.023	0.017	0.086
12/29/1999	0.18			0.033	0.027	0.12
2/17/2000	0.12			0.026	0.023	0.13
9/13/2000	0.038			0.044	0.022	0.18
11/10/2000	0.065			0.044	0.035	0.018
1/4/2001	0.037			0.043	0.032	0.23
12/11/2001	0.027			0.041	0.032	0.12
4/4/2002	0.027			0.038	0.03	0.094
12/6/2002	0.028			0.044	0.041	0.33
6/28/2003	0.054			0.045	0.035	0.11
12/13/2003	0.027			0.039	0.029	0.057
5/28/2004	0.18			0.042	0.033	0.035
12/10/2004	0.1			0.045	0.037	0.04
6/24/2005	0.045			0.042	0.034	0.037
12/13/2005	0.048			0.043	0.03	0.039
7/12/2006	0.13			0.043	0.03	0.042
12/1/2006	0.012			0.041	0.032	0.044
6/21/2007	0.2			0.043	0.03	0.058
12/15/2007	0.14			0.045	0.034	0.073
6/21/2008					0.037	
6/22/2008	0.1			0.05		0.096
12/6/2008				0.14	0.034	0.094
12/7/2008	0.043					
7/10/2009				0.046		
7/11/2009	0.13				0.037	0.12
12/22/2009						0.089
12/23/2009	0.17			0.049	0.058	
6/23/2010				0.043	0.046	0.081
6/24/2010	0.045					
1/8/2011				0.047	0.036	0.097
1/9/2011	0.11					
7/10/2011				0.035	0.031	0.084
7/11/2011	0.022					
1/19/2012				0.05	0.045	
1/20/2012	0.043					0.099
7/12/2012				0.042	0.039	0.12
7/13/2012	0.05					
1/21/2013	0.11			0.048	0.042	0.095
7/20/2013	0.04			0.047	0.054	0.086
1/17/2014	0.082			0.049	0.057	0.14
7/12/2014	0.034			0.043	0.042	0.17
1/15/2015				0.05	0.041	
1/16/2015	0.029					0.12
7/15/2015	0.025			0.044	0.04	0.12
1/16/2016	0.026			0.048	0.04	0.12
6/22/2016	0.0374 (D)			0.0471 (D)	0.0453	0.0839
8/31/2016				0.043	0.041	0.093
9/1/2016	0.86 (o)					
1/19/2017				0.052	0.052	0.079
2/28/2017	0.027					
7/17/2017	0.022					

Time Series

Constituent: Barium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
7/18/2017				0.046	0.037	
7/19/2017						0.085
9/20/2017	0.023			0.053		
9/21/2017					0.042	0.1
1/8/2018	0.022					
1/9/2018				0.05	0.043	0.13
3/27/2018	0.023			0.054	0.039	0.18
7/10/2018	0.024			0.056	0.043	0.14 (o)
10/8/2018	0.03		0.049		0.042	0.11
10/9/2018				0.061		
1/30/2019	0.024		0.041	0.071	0.04	0.079
3/27/2019	0.021					0.12
3/28/2019			0.035	0.068	0.041	
9/11/2019	0.022					
9/12/2019			0.049	0.073	0.044	0.086
3/10/2020	0.018		0.047	0.082	0.058	0.081
4/2/2020				0.088		
9/21/2020	0.023			0.083	0.052	
9/22/2020			0.049			0.078
3/23/2021	0.023	0.021	0.044	0.093		
3/24/2021					0.052	0.096
8/17/2021	0.025	0.022	0.047	0.095	0.056	0.094
2/7/2022			0.047			
2/8/2022	0.024	0.019		0.1	0.054	0.1
8/30/2022	0.023	0.022	0.03	0.11	0.046	0.13
1/31/2023		0.024	0.036			
2/1/2023				0.13	0.05	
2/2/2023						0.13
3/28/2023		0.018				
5/30/2023		0.019				
7/26/2023		0.026				
8/28/2023		0.023			0.047	
8/29/2023			0.045	0.12		
9/6/2023						0.12

Time Series

Constituent: Barium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			0.097	0.095		
11/12/1999			0.057	0.063		
12/29/1999			0.084	0.066		
2/17/2000			0.079	0.023		
9/13/2000			0.06	0.056		
11/10/2000			0.062	0.059		
1/4/2001			0.064	0.079		
12/11/2001			0.057	0.049		
4/4/2002			0.06	0.048		
12/6/2002			0.072	0.1		
6/28/2003			0.066	0.036		
12/13/2003			0.063	0.031		
5/28/2004			0.067	0.038		
12/10/2004			0.075	0.041		
6/24/2005			0.071	0.028		
12/13/2005			0.068	0.025		
7/12/2006			0.058	0.033		
12/1/2006			0.063	0.051		
6/21/2007			0.071	0.052		
12/15/2007			0.068	0.062		
6/21/2008				0.065		
6/22/2008			0.057			
12/6/2008			0.058	0.056		
7/11/2009			0.05	0.059		
12/23/2009			0.05	0.067		
6/23/2010			0.083	0.084		
1/8/2011			0.057	0.053		
7/10/2011			0.046	0.043		
1/20/2012			0.055	0.054		
7/12/2012			0.045	0.053		
1/21/2013			0.045	0.053		
7/20/2013			0.079	0.052		
1/17/2014			0.084	0.063		
7/11/2014				0.068		
7/12/2014			0.065			
1/15/2015			0.067			
1/16/2015				0.059		
7/15/2015			0.049	0.045		
1/17/2016			0.09	0.052		
6/22/2016			0.0806	0.0528		
8/31/2016			0.057	0.037		
1/24/2017			0.06			
1/25/2017				0.034		
7/19/2017			0.06			
7/20/2017				0.028		
9/21/2017			0.063	0.032		
1/9/2018			0.059	0.033		
3/28/2018				0.037		
3/29/2018			0.06			
7/10/2018			0.073	0.065		
10/8/2018	0.14					
10/9/2018			0.057	0.029		

Time Series

Constituent: Barium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
1/30/2019	0.1			0.027		
1/31/2019			0.067			
3/28/2019	0.1		0.064	0.028		
9/12/2019	0.077		0.06	0.026		
3/11/2020	0.067					
3/31/2020			0.077	0.036		
9/21/2020	0.11					
9/22/2020			0.061	0.031		
3/23/2021	0.048		0.083			0.098
3/24/2021		0.29		0.031	0.055	
8/17/2021	0.054					
8/18/2021		0.28	0.062	0.032	0.052	0.09
2/7/2022	0.096					
2/8/2022			0.062		0.052	
2/9/2022		0.27		0.034		0.083
8/30/2022	0.047	0.24	0.058	0.035		
8/31/2022					0.057	0.081
1/31/2023	0.043	0.27			0.07	0.083
2/1/2023			0.063	0.034		
3/29/2023		0.27			0.071	0.082
5/31/2023		0.29			0.076	0.096
7/26/2023		0.28			0.082	0.086
8/28/2023	0.044					
8/29/2023		0.24	0.065	0.032	0.076	0.079

Time Series

Constituent: Beryllium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	<0.0025			<0.0025	<0.0025	<0.0025
11/12/1999	<0.0025			<0.0025	<0.0025	<0.0025
12/29/1999	<0.0025			<0.0025	<0.0025	<0.0025
2/17/2000	<0.0025			<0.0025	<0.0025	<0.0025
9/13/2000	<0.0025			<0.0025	<0.0025	<0.0025
11/10/2000	<0.0025			<0.0025	<0.0025	<0.0025
1/4/2001	<0.0025			<0.0025	<0.0025	<0.0025
12/11/2001	<0.0025			<0.0025	<0.0025	<0.0025
4/4/2002	<0.0025			<0.0025	<0.0025	<0.0025
12/6/2002	<0.0025			<0.0025	<0.0025	0.0018
6/28/2003	<0.0025			<0.0025	<0.0025	0.0036
12/13/2003	<0.0025			<0.0025	<0.0025	0.0019
5/28/2004	<0.0025			<0.0025	<0.0025	<0.0025
12/10/2004	0.0028			0.0024	0.0023	0.0035
6/24/2005	<0.0025			<0.0025	<0.0025	<0.0025
12/13/2005	<0.0025			<0.0025	<0.0025	<0.0025
7/12/2006	0.0013			<0.0025	<0.0025	0.0013
12/1/2006	<0.0025			<0.0025	<0.0025	<0.0025
6/21/2007	<0.0025			<0.0025	<0.0025	<0.0025
12/15/2007	<0.0025			<0.0025	<0.0025	<0.0025
6/21/2008					<0.0025	
6/22/2008	<0.0025			<0.0025		<0.0025
12/6/2008				<0.0025	<0.0025	<0.0025
12/7/2008	<0.0025					
7/10/2009				<0.0025		
7/11/2009	<0.0025				<0.0025	<0.0025
12/22/2009						<0.0025
12/23/2009	<0.0025			<0.0025	<0.0025	
6/23/2010				<0.0025	<0.0025	<0.0025
6/24/2010	<0.0025					
1/8/2011				<0.0025	<0.0025	<0.0025
1/9/2011	<0.0025					
7/10/2011				<0.0025	<0.0025	<0.0025
7/11/2011	<0.0025					
1/19/2012				<0.0025	<0.0025	
1/20/2012	<0.0025					<0.0025
7/12/2012				<0.0025	<0.0025	<0.0025
7/13/2012	<0.0025					
1/21/2013	<0.0025			<0.0025	<0.0025	<0.0025
7/20/2013	<0.0025			<0.0025	<0.0025	<0.0025
1/17/2014	<0.0013 (J)			<0.0025	<0.0013 (J)	<0.0013 (J)
7/12/2014	<0.0013 (J)			<0.0025	<0.0013 (J)	<0.0013 (J)
1/15/2015				0.00039 (J)	0.0002 (J)	
1/16/2015	0.00022 (J)					0.00043 (J)
7/15/2015	0.00015 (J)			0.00031 (J)	0.00018 (J)	0.00064 (J)
1/16/2016	0.00011 (J)			0.00034 (J)	0.00013 (J)	0.00039 (J)
6/22/2016	0.00025 (JD)			0.0004 (J)	0.0001 (J)	0.0002 (J)
8/31/2016				0.00035 (J)	<0.0025	<0.0025
9/1/2016	0.0084 (o)					
1/19/2017				<0.0025	<0.0025	<0.0025
2/28/2017	<0.0025					
7/17/2017	<0.0025					

Time Series

Constituent: Beryllium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
7/18/2017				0.00038 (J)	<0.0025	
7/19/2017						<0.0025
9/20/2017	<0.0025			0.00039 (J)		
9/21/2017					<0.0025	<0.0025
1/8/2018	<0.0025					
1/9/2018				<0.0025	<0.0025	<0.0025
3/27/2018	<0.0025			<0.0025	<0.0025	<0.0025
7/10/2018	<0.0025			0.00038 (J)	<0.0025	<0.0025
10/8/2018	<0.0025		0.0014 (J)		<0.0025	<0.0025
10/9/2018				<0.0025		
1/30/2019	0.00026 (J)		0.0019 (J)	0.00051 (J)	0.00019 (J)	0.00024 (J)
3/27/2019	<0.0025					<0.0025
3/28/2019			0.0017 (J)	0.00046 (J)	<0.0025	
9/11/2019	0.00019 (J)					
9/12/2019			0.00088 (J)	0.00084 (J)	<0.0025	0.00036 (J)
3/10/2020	0.00018 (J)		0.00087 (J)	0.00058 (J)	0.00029 (J)	0.00028 (J)
4/2/2020				0.00062 (J)		
9/21/2020	0.0002 (J)			0.00054 (J)	<0.0025	
9/22/2020			0.00042 (J)			<0.0025
3/23/2021	0.00021 (J)	<0.0025	0.00071 (J)	0.00063 (J)		
3/24/2021					0.00019 (J)	0.00026 (J)
8/17/2021	<0.0025	<0.0025	0.00068 (J)	0.00049 (J)	<0.0025	0.00018 (J)
2/7/2022			0.00071 (J)			
2/8/2022	<0.0025	<0.0025		0.00061 (J)	<0.0025	<0.0025
8/30/2022	0.00035 (J)	<0.0025	0.0019 (J)	0.00083 (J)	0.00028 (J)	<0.0025
1/31/2023		<0.0025	0.0018 (J)			
2/1/2023				0.00078 (J)	0.00024 (J)	
2/2/2023						0.0005 (J)
3/28/2023		<0.0025				
5/30/2023		<0.0025				
7/26/2023		<0.0025				
8/28/2023		<0.0025			0.00024 (J)	
8/29/2023			0.00063 (J)	0.00071 (J)		
9/6/2023						0.00041 (J)

Time Series

Constituent: Beryllium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			<0.0025	<0.0025		
11/12/1999			<0.0025	<0.0025		
12/29/1999			<0.0025	<0.0025		
2/17/2000			<0.0025	<0.0025		
9/13/2000			<0.0025	<0.0025		
11/10/2000			<0.0025	<0.0025		
1/4/2001			<0.0025	<0.0025		
12/11/2001			<0.0025	<0.0025		
4/4/2002			<0.0025	<0.0025		
12/6/2002			<0.0025	<0.0025		
6/28/2003			<0.0025	<0.0025		
12/13/2003			<0.0025	<0.0025		
5/28/2004			<0.0025	<0.0025		
12/10/2004			0.0023	0.0023		
6/24/2005			<0.0025	<0.0025		
12/13/2005			<0.0025	<0.0025		
7/12/2006			0.0013	0.0013		
12/1/2006			<0.0025	<0.0025		
6/21/2007			<0.0025	<0.0025		
12/15/2007			<0.0025	<0.0025		
6/21/2008				<0.0025		
6/22/2008			<0.0025			
12/6/2008			<0.0025	<0.0025		
7/11/2009			<0.0025	<0.0025		
12/23/2009			<0.0025	<0.0025		
6/23/2010			<0.0025	<0.0025		
1/8/2011			<0.0025	<0.0025		
7/10/2011			<0.0025	<0.0025		
1/20/2012			<0.0025	<0.0025		
7/12/2012			<0.0025	<0.0025		
1/21/2013			<0.0025	<0.0025		
7/20/2013			<0.0025	<0.0025		
1/17/2014			<0.0013 (J)	<0.0025		
7/11/2014				<0.0013 (J)		
7/12/2014			<0.0013 (J)			
1/15/2015			0.00019 (J)			
1/16/2015				0.00012 (J)		
7/15/2015			0.00018 (J)	<0.0025		
1/17/2016			0.00011 (J)	<0.0025		
6/22/2016			0.0002 (J)	<0.0025		
8/31/2016			<0.0025	<0.0025		
1/24/2017			<0.0025			
1/25/2017				<0.0025		
7/19/2017			<0.0025			
7/20/2017				<0.0025		
9/21/2017			<0.0025	<0.0025		
1/9/2018			<0.0025	<0.0025		
3/28/2018				<0.0025		
3/29/2018			<0.0025			
7/10/2018			<0.0025	<0.0025		
10/8/2018	<0.0025					
10/9/2018			<0.0025	<0.0025		

Time Series

Constituent: Beryllium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
1/30/2019	0.00047 (J)			7E-05 (J)		
1/31/2019			6.5E-05 (J)			
3/28/2019	0.00034 (J)		<0.0025	<0.0025		
9/12/2019	0.00097 (J)		<0.0025	0.00028 (J)		
3/11/2020	0.00078 (J)					
3/31/2020			<0.0025	<0.0025		
9/21/2020	<0.0025					
9/22/2020			0.00025 (J)	<0.0025		
3/23/2021	0.00066 (J)		0.00018 (J)			<0.0025
3/24/2021		0.00039 (J)		<0.0025	<0.0025	
8/17/2021	0.00047 (J)					
8/18/2021		0.00041 (J)	0.0002 (J)	<0.0025	<0.0025	<0.0025
2/7/2022	<0.0025					
2/8/2022			<0.0025	<0.0025		
2/9/2022		0.0004 (J)		<0.0025		0.00032 (J)
8/30/2022	0.0007 (J)	0.00042 (J)	0.00038 (J)	<0.0025		
8/31/2022					<0.0025	0.00029 (J)
1/31/2023	0.00056 (J)	0.00043 (J)			0.00023 (J)	0.00031 (J)
2/1/2023			0.00024 (J)	<0.0025		
3/29/2023		0.00046 (J)			0.00024 (J)	0.00029 (J)
5/31/2023		0.00039 (J)			0.00024 (J)	0.00032 (J)
7/26/2023		0.00041 (J)			0.00032 (J)	0.00031 (J)
8/28/2023	0.0005 (J)					
8/29/2023		0.00038 (J)	0.00031 (J)	<0.0025	0.00031 (J)	0.00026 (J)

Time Series

Constituent: Boron (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				<0.08	<0.08	0.073
9/1/2016	0.029 (J)					
1/19/2017				<0.08	0.027 (J)	0.036 (J)
2/28/2017	<0.08					
7/17/2017	<0.08					
7/18/2017				<0.08	<0.08	
7/19/2017						0.07
9/20/2017	<0.08			<0.08		
9/21/2017					<0.08	0.07
1/8/2018	<0.08					
1/9/2018				<0.08	<0.08	0.042 (J)
3/27/2018	<0.08			<0.08	<0.08	0.037 (J)
7/10/2018	<0.08			<0.08	<0.08	0.042 (J)
10/8/2018	<0.08		0.76		<0.08	0.044 (J)
10/9/2018				<0.08		
1/30/2019	<0.08		0.77	<0.08	<0.08	0.03 (J)
3/27/2019	<0.08					0.036 (J)
3/28/2019			0.83	0.024 (J)	<0.08	
9/11/2019	<0.08					
9/12/2019			0.65	<0.08	<0.08	0.048 (J)
3/10/2020	<0.08		0.64	0.059 (J)	<0.08	0.066 (J)
4/2/2020				0.084		
9/21/2020	0.11			0.11	0.073 (J)	
9/22/2020			0.73			0.097
3/23/2021	<0.08	0.1	0.57	0.088		
3/24/2021					<0.08	0.048 (J)
8/17/2021	0.049 (J)	0.11	0.68	0.098	0.045 (J)	0.067 (J)
2/7/2022			0.54			
2/8/2022	<0.08	0.084		0.077 (J)	<0.08	<0.08
8/30/2022	<0.08	0.12	0.98	0.1	<0.08	<0.08
1/31/2023		0.044 (J)	0.99			
2/1/2023				0.087	0.023 (J)	
2/2/2023						0.039 (J)
3/28/2023		0.072 (J)				
5/30/2023		0.068 (J)				
7/26/2023		0.032 (J)				
8/28/2023		0.035 (J)			<0.08	
8/29/2023			0.53	0.078 (J)		
9/6/2023						0.032 (J)

Time Series

Constituent: Boron (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			0.023 (J)	<0.08		
1/24/2017			<0.021			
1/25/2017				0.023 (J)		
7/19/2017			0.026 (J)			
7/20/2017				<0.08		
9/21/2017			0.025 (J)	<0.08		
1/9/2018			0.023 (J)	<0.08		
3/28/2018				<0.08		
3/29/2018			0.035 (J)			
7/10/2018			0.044 (J)	<0.08		
10/8/2018	1.3					
10/9/2018			0.043 (J)	<0.08		
1/30/2019	1.5			<0.08		
1/31/2019			0.04 (J)			
3/28/2019	1.4		0.062	<0.08		
9/12/2019	1.6		0.045 (J)	<0.08		
3/11/2020	1.9					
3/31/2020			0.046 (J)	<0.08		
9/21/2020	0.61					
9/22/2020			0.083	0.053 (J)		
3/23/2021	1.5		0.07 (J)			0.043 (J)
3/24/2021		0.36		<0.08	<0.08	
8/17/2021	1.4					
8/18/2021		0.25	0.095	0.043 (J)	<0.08	0.077 (J)
2/7/2022	0.6					
2/8/2022			0.094		<0.08	
2/9/2022		0.13		<0.08		<0.08
8/30/2022	1.2	0.099	0.085	<0.08		
8/31/2022					<0.08	<0.08
1/31/2023	1.3	0.094			0.033 (J)	0.047 (J)
2/1/2023			0.091	<0.08		
3/29/2023		0.063 (J)			0.024 (J)	0.046 (J)
5/31/2023		0.054 (J)			<0.08	0.036 (J)
7/26/2023		0.054 (J)			<0.08	0.039 (J)
8/28/2023	1.2					
8/29/2023		0.042 (J)	0.1	<0.08	<0.08	0.033 (J)

Time Series

Constituent: Calcium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				1.5	0.88	3.7
9/1/2016	26 (o)					
1/19/2017				1.8	1.1	2
2/28/2017	2.7					
7/17/2017	1.7					
7/18/2017				1.7	0.86	
7/19/2017						2.6
9/20/2017	1.5			1.7		
9/21/2017					0.9	2.7
1/8/2018	1.7					
1/9/2018				1.9	1	4.1
3/27/2018	1.7			1.9	0.89	4.8
7/10/2018	1.7			1.9	0.99	3.7
10/8/2018	1.6		17		1.1	3.2
10/9/2018				2.2		
1/30/2019	1.9		16	2.4	1	1.7
3/27/2019	1.6					3.1
3/28/2019			16	2.4	0.98	
9/11/2019	1.6					
9/12/2019			15	2.3	0.84	1.9
3/10/2020	2		14	2.8	1.1	2.9
4/2/2020				3		
9/21/2020	1.8			3.1	1.4	
9/22/2020			16			2.9
3/23/2021	1.8	4	15	3.6		
3/24/2021					1.3	3.1
8/17/2021	1.8	3.9	15	3.5	1.4	2.9
2/7/2022			12			
2/8/2022	1.7	2.7		3.3	1.3	2.8
8/30/2022	1.8	5.2	15	3.9	1.2	3.4
1/31/2023		6.8	16			
2/1/2023				4.6	1.4	
2/2/2023						3.7
3/28/2023		3				
5/30/2023		3.3				
7/26/2023		7.5				
8/28/2023		8.6			1.3	
8/29/2023			13	4.7		
9/6/2023						3.7

Time Series

Constituent: Calcium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			5.5	0.42		
1/24/2017			2.9			
1/25/2017				0.37		
7/19/2017			4.2			
7/20/2017				0.29		
9/21/2017			2.9	0.3		
1/9/2018			1.7	0.38		
3/28/2018				0.44		
3/29/2018			2.2			
7/10/2018			3.9	2 (o)		
10/8/2018	17					
10/9/2018			1.7	0.34		
1/30/2019	15			0.34		
1/31/2019			4.8			
3/28/2019	18		4.9	0.3		
9/12/2019	19		2	0.3 (J)		
3/11/2020	20					
3/31/2020			8.3	0.48 (J)		
9/21/2020	13					
9/22/2020			2.1	0.51		
3/23/2021	19		9.2			5
3/24/2021		3.3		0.46 (J)	6.1	
8/17/2021	17					
8/18/2021		2.9	1.7	0.37 (J)	2.7	3.8
2/7/2022	11					
2/8/2022			1.3		2.1	
2/9/2022		2.5		0.39 (J)		3.2
8/30/2022	14	2.3	1.4	0.39 (J)		
8/31/2022					0.98	3.2
1/31/2023	15	2.6			1	3.1
2/1/2023			1.3	0.34 (J)		
3/29/2023		2.6			0.83	3
5/31/2023		2.8			1.1	3.8
7/26/2023		2.7			1.2	3.3
8/28/2023	14					
8/29/2023		2.5	1.6	0.37 (J)	1.1	3.2

Time Series

Constituent: Chloride (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				6.8	3.7	7.1
9/1/2016	8					
1/19/2017				6.9	4.6	3.3
2/28/2017	8.5					
7/17/2017	7.8					
7/18/2017				7.4	4.2	
7/19/2017						5.8
9/20/2017	8			7.6		
9/21/2017					4.4	6.2
1/8/2018	7.9					
1/9/2018				8.6	4.4	9.9
3/27/2018	8			9.4	4.9	13
7/10/2018	7.8			11	5.5	17
10/8/2018	8.5		7.3		6.6	16
10/9/2018				14		
1/30/2019	8.2		7.3	15	6.9	6.5
3/27/2019	8.1					9.1
3/28/2019			6.1	15	5.7	
9/11/2019	7.1					
9/12/2019			7.6	16	6.1	9.1
3/10/2020	8.1		8	19	5	3.7
4/2/2020				20		
9/21/2020	8.1			19	5.4	
9/22/2020			8			6.3
3/23/2021	8.6	9.9	7.8	22		
3/24/2021					6.2	7.4
8/17/2021	9.1	10	7.7	23	6.1	11
2/7/2022			6.7			
2/8/2022	8.6	9.5		23	6.4	12
8/30/2022	8.5	7.7	5.9	26	4.7	15
1/31/2023		8	6.7			
2/1/2023				30	4.5	
2/2/2023						15
3/28/2023		10				
5/30/2023		9.1				
7/26/2023		7.3				
8/28/2023		6.8			4.6	
8/29/2023			7.9	29		
9/6/2023						14

Time Series

Constituent: Chloride (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			5.6	19		
1/24/2017			5.4			
1/25/2017				15		
7/19/2017			5.6			
7/20/2017				14		
9/21/2017			5.5	14		
1/9/2018			5.6	15		
3/28/2018				14		
3/29/2018			5.3			
7/10/2018			5.2	13		
10/8/2018	6.8					
10/9/2018			5.4	13		
1/30/2019	7.1			12		
1/31/2019			5.2			
3/28/2019	6.1		4.6	11		
9/12/2019	6.8		5.2	9.9		
3/11/2020	6.9					
3/31/2020			5.7	14		
9/21/2020	6.5					
9/22/2020			5.4	11		
3/23/2021	7.6		5.2			11
3/24/2021		15		10	15	
8/17/2021	8.3					
8/18/2021		16	5.7	7.3	7.8	12
2/7/2022	7.6					
2/8/2022			5		5.9	
2/9/2022		15		5.3		9.5
8/30/2022	7.5	14	4.8	4.8		
8/31/2022					4.5	9.6
1/31/2023	7.9	14			4.5	9.7
2/1/2023			4.8	4.3		
3/29/2023		14			5	11
5/31/2023		13			4.8	9.4
7/26/2023		14			5.4	10
8/28/2023	7.1					
8/29/2023		13	4.8	4.1	5.2	9.5

Time Series

Constituent: Chromium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	0.023			<0.002	<0.002	<0.002
11/12/1999	0.03			<0.002	<0.002	<0.002
12/29/1999	0.059 (o)			<0.002	<0.002	<0.002
2/17/2000	0.048 (o)			<0.002	<0.002	<0.002
9/13/2000	<0.0025			<0.002	<0.002	<0.002
11/10/2000	0.018			<0.002	<0.002	<0.002
1/4/2001	<0.0025			<0.002	<0.002	<0.002
12/11/2001	<0.0025			<0.002	<0.002	<0.002
4/4/2002	<0.0025			<0.002	<0.002	<0.002
12/6/2002	0.0046			<0.002	0.0037	0.027
6/28/2003	0.0082			0.0053	0.0039	0.0051
12/13/2003	<0.0025			<0.002	<0.002	<0.002
5/28/2004	0.016			0.0027	<0.002	0.0031
12/10/2004	0.0087			0.004	<0.002	0.0067
6/24/2005	0.0069			0.0031	<0.002	<0.002
12/13/2005	0.0075			0.0031	<0.002	<0.002
7/12/2006	0.027			0.0025	0.023	<0.002
12/1/2006	<0.0025			0.0037	0.0017	<0.002
6/21/2007	0.012			0.0053	0.0027	0.0021
12/15/2007	0.0085			0.0044	0.0026	0.0022
6/21/2008					0.0021	
6/22/2008	0.021			0.0059		0.0019
12/6/2008				0.0031	<0.002	<0.002
12/7/2008	0.01					
7/10/2009				0.0029		
7/11/2009	0.0073				<0.002	<0.002
12/22/2009						0.0032
12/23/2009	0.013			0.0025	<0.002	
6/23/2010				0.0013	<0.002	<0.002
6/24/2010	0.0076					
1/8/2011				0.0017	<0.002	0.0019
1/9/2011	0.023					
7/10/2011				<0.002	<0.002	<0.002
7/11/2011	0.0042					
1/19/2012				<0.002	<0.002	
1/20/2012	0.009					<0.002
7/12/2012				<0.002	<0.002	0.0044
7/13/2012	0.013					
1/21/2013	0.032			0.0014	<0.002	<0.002
7/20/2013	0.01			0.0021	<0.002	0.0017
1/17/2014	0.024			0.0023	<0.002	<0.0013 (J)
7/12/2014	0.0069			<0.0013 (J)	<0.002	0.0014
1/15/2015				<0.002	<0.002	
1/16/2015	0.0064					0.0011 (J)
7/15/2015	0.0051			<0.002	<0.002	0.0016
1/16/2016	0.0066			0.0025	<0.002	<0.002
6/22/2016	0.00815 (JD)			0.00255 (JD)	0.0005 (J)	0.002 (J)
8/31/2016				0.0042	<0.002	0.002 (J)
9/1/2016	0.12 (o)					
1/19/2017				0.0039	<0.002	0.002 (J)
2/28/2017	0.0012 (J)					
7/17/2017	0.003					

Time Series

Constituent: Chromium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
7/18/2017				0.0018 (J)	<0.002	
7/19/2017						0.0017 (J)
9/20/2017	0.0025			0.0026		
9/21/2017					<0.002	0.0021 (J)
1/8/2018	0.0038					
1/9/2018				0.0038	0.0087	0.0019 (J)
3/27/2018	0.0044			0.0037	<0.002	<0.002
7/10/2018	0.0045			0.0022 (J)	<0.002	0.0012 (J)
10/8/2018	0.0054		<0.002		<0.002	0.0015 (J)
10/9/2018				0.0047		
1/30/2019	0.0061		0.003	0.005	0.00088 (J)	0.0014 (J)
3/27/2019	0.0044					<0.002
3/28/2019			0.0017 (J)	0.0037	<0.002	
9/11/2019	0.0076					
9/12/2019			<0.002	<0.002	<0.002	0.0032
3/10/2020	0.0041		<0.002	<0.002	<0.002	0.0031
4/2/2020				0.0031		
9/21/2020	0.0049			<0.002	<0.002	
9/22/2020			<0.002			0.0017 (J)
3/23/2021	0.0047	<0.002	<0.002	0.0022		
3/24/2021					<0.002	<0.002
8/17/2021	0.0046	<0.002	<0.002	<0.002	<0.002	<0.002
2/7/2022			<0.002			
2/8/2022	0.0051	<0.002		<0.002	<0.002	0.003
8/30/2022	0.0047	<0.002	0.0028	0.0084	<0.002	<0.002
1/31/2023		<0.002	0.0022			
2/1/2023				0.0016 (J)	0.0016 (J)	
2/2/2023						0.0023
3/28/2023		<0.002				
5/30/2023		<0.002				
7/26/2023		<0.002				
8/28/2023		<0.002			<0.002	
8/29/2023			<0.002	<0.002		
9/6/2023						0.0016 (J)

Time Series

Constituent: Chromium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			0.017	<0.002		
11/12/1999			<0.005	<0.002		
12/29/1999			0.011	<0.002		
2/17/2000			0.013	<0.002		
9/13/2000			<0.005	<0.002		
11/10/2000			<0.005	<0.002		
1/4/2001			<0.005	<0.002		
12/11/2001			<0.005	<0.002		
4/4/2002			<0.005	<0.002		
12/6/2002			<0.005	<0.002		
6/28/2003			0.0027	0.061 (o)		
12/13/2003			<0.005	<0.002		
5/28/2004			<0.005	<0.002		
12/10/2004			0.74 (o)	0.0059 (o)		
2/5/2005			<0.005			
6/24/2005			0.0023	<0.002		
12/13/2005			0.0031	<0.002		
7/12/2006			0.0016	<0.002		
12/1/2006			0.0022	<0.002		
6/21/2007			0.002	<0.002		
12/15/2007			0.0029	<0.002		
6/21/2008				<0.002		
6/22/2008			0.0023			
12/6/2008			0.0023	<0.002		
7/11/2009			0.0015	<0.002		
12/23/2009			0.0014	<0.002		
6/23/2010			0.0018	<0.002		
1/8/2011			0.0033	<0.002		
7/10/2011			0.0028	<0.002		
1/20/2012			<0.005	<0.002		
7/12/2012			0.0025	<0.002		
1/21/2013			0.0022	<0.002		
7/20/2013			0.0075	<0.002		
1/17/2014			0.0039	<0.002		
7/11/2014				<0.002		
7/12/2014			0.0031			
1/15/2015			0.0026			
1/16/2015				<0.002		
7/15/2015			0.0032	<0.002		
1/17/2016			0.0029	<0.002		
6/22/2016			0.0036 (J)	<0.002		
8/31/2016			0.0027	<0.002		
1/24/2017			0.0034			
1/25/2017				<0.002 (D)		
7/19/2017			0.0028			
7/20/2017				<0.002		
9/21/2017			0.0035	<0.002		
1/9/2018			0.003	<0.002		
3/28/2018				0.0019 (J)		
3/29/2018			0.0032			
7/10/2018			0.0033	0.0029		
10/8/2018	<0.002					

Time Series

Constituent: Chromium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/9/2018			0.0039	<0.002		
1/30/2019	<0.002			<0.002		
1/31/2019			0.0061			
3/28/2019	<0.002		0.0049	<0.002		
9/12/2019	<0.002		0.0048	0.0028		
3/11/2020	<0.002					
3/31/2020			0.005	<0.002		
9/21/2020	<0.002					
9/22/2020			0.0036	<0.002		
3/23/2021	<0.002		0.0048			<0.002
3/24/2021		<0.002		<0.002	<0.002	
8/17/2021	<0.002					
8/18/2021		<0.002	0.0064	<0.002	<0.002	<0.002
2/7/2022	<0.002					
2/8/2022			0.0046		<0.002	
2/9/2022		<0.002		<0.002		<0.002
8/30/2022	<0.002	<0.002	0.005	<0.002		
8/31/2022					0.0021	<0.002
1/31/2023	<0.002	<0.002			<0.002	<0.002
2/1/2023			0.0037	<0.002		
3/29/2023		0.0016 (J)			<0.002	0.0014 (J)
5/31/2023		0.0012 (J)			<0.002	0.0021
7/26/2023		<0.002			<0.002	<0.002
8/28/2023	0.0016 (J)					
8/29/2023		<0.002	0.0037	<0.002	<0.002	0.0013 (J)

Time Series

Constituent: Cobalt (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	<0.0025			<0.0025	<0.0025	<0.0025
11/12/1999	<0.0025			<0.0025	<0.0025	<0.0025
12/29/1999	<0.0025			<0.0025	<0.0025	<0.0025
2/17/2000	<0.0025			<0.0025	<0.0025	<0.0025
9/13/2000	<0.0025			<0.0025	<0.0025	<0.0025
11/10/2000	<0.0025			<0.0025	<0.0025	<0.0025
1/4/2001	<0.0025			<0.0025	<0.0025	<0.0025
12/11/2001	<0.0025			<0.0025	<0.0025	<0.0025
4/4/2002	<0.0025			<0.0025	<0.0025	<0.0025
12/6/2002	<0.0025			<0.0025	<0.0025	<0.0025
6/28/2003	<0.0025			<0.0025	<0.0025	0.018 (o)
12/13/2003	<0.0025			<0.0025	<0.0025	<0.0025
5/28/2004	<0.0025			<0.0025	<0.0025	<0.0025
12/10/2004	<0.0025			<0.0025	<0.0025	0.007
6/24/2005	<0.0025			<0.0025	<0.0025	0.0072
12/13/2005	<0.0025			<0.0025	<0.0025	0.0062
7/12/2006	0.0032			<0.0025	<0.0025	0.0048
12/1/2006	0.012 (o)			<0.0025	<0.0025	0.0032
6/21/2007	<0.0025			0.0025	<0.0025	0.0037
12/15/2007	<0.0025			<0.0025	<0.0025	<0.0025
6/21/2008					<0.0025	
6/22/2008	0.0031			<0.0025		0.0025
12/6/2008				<0.0025	<0.0025	0.0025
12/7/2008	<0.0025					
7/10/2009				<0.0025		
7/11/2009	<0.0025				<0.0025	<0.0025
12/22/2009						0.0025
12/23/2009	<0.0025			<0.0025	<0.0025	
6/23/2010				<0.0025	<0.0025	<0.0025
6/24/2010	<0.0025					
1/8/2011				<0.0025	<0.0025	0.0026
1/9/2011	0.0031					
7/10/2011				<0.0025	<0.0025	<0.0025
7/11/2011	<0.0025					
1/19/2012				<0.0025	<0.0025	
1/20/2012	<0.0025					<0.0025
7/12/2012				<0.0025	<0.0025	0.002
7/13/2012	0.0015					
1/21/2013	0.0035			<0.0025	<0.0025	0.0014
7/20/2013	<0.0025			<0.0025	<0.0025	<0.0025
1/17/2014	0.0027			<0.0013 (J)	<0.0013 (J)	0.0019
7/12/2014	<0.0013 (J)			<0.0013 (J)	<0.0013 (J)	0.0026
1/15/2015				0.00086 (J)	0.00084 (J)	
1/16/2015	<0.0025					0.0021
7/15/2015	<0.0025			0.00087 (J)	0.00083 (J)	0.0023
1/16/2016	0.00059 (J)			0.0011 (J)	0.00092 (J)	0.002
6/22/2016	0.00085 (JD)			0.0009 (J)	0.0005 (J)	0.0007 (J)
8/31/2016				0.00095 (J)	0.00055 (J)	0.001 (J)
9/1/2016	0.023 (o)					
1/19/2017				0.00087 (J)	0.00041 (J)	0.00046 (J)
2/28/2017	0.00048 (J)					
7/17/2017	<0.0025					

Time Series

Constituent: Cobalt (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
7/18/2017				0.001 (J)	0.0007 (J)	
7/19/2017						0.00069 (J)
9/20/2017	<0.0025			0.0011 (J)		
9/21/2017					0.00073 (J)	0.00073 (J)
1/8/2018	<0.0025					
1/9/2018				0.0011 (J)	0.0012 (J)	0.0014 (J)
3/27/2018	<0.0025			0.0011 (J)	0.00081 (J)	0.0019 (J)
7/10/2018	<0.0025			0.0012 (J)	0.00086 (J)	0.0015 (J)
10/8/2018	<0.0025		0.0051		<0.0025	<0.0025
10/9/2018				<0.0025		
1/30/2019	0.00038 (J)		0.0044	0.0014 (J)	0.00092 (J)	0.00076 (J)
3/27/2019	<0.0025					0.0012 (J)
3/28/2019			0.0046	0.0014 (J)	0.00089 (J)	
9/11/2019	0.00032 (J)					
9/12/2019			0.0023	0.0015	0.00091	0.00074
3/10/2020	0.00028 (J)		0.003	0.0019	0.0009	0.00099
4/2/2020				0.0017 (J)		
9/21/2020	0.0003 (J)			0.0016 (J)	0.00059 (J)	
9/22/2020			<0.0025			0.00064 (J)
3/23/2021	0.00028 (J)	0.00019 (J)	0.00096 (J)	0.0017 (J)		
3/24/2021					0.00069 (J)	0.00077 (J)
8/17/2021	0.00032 (J)	0.00025 (J)	0.00016 (J)	0.002 (J)	0.00096 (J)	0.00085 (J)
2/7/2022			0.00073 (J)			
2/8/2022	0.00029 (J)	0.00032 (J)		0.0019 (J)	0.00096 (J)	0.001 (J)
8/30/2022	0.00031 (J)	0.00029 (J)	0.004	0.0023 (J)	0.00097 (J)	0.0016 (J)
1/31/2023		0.00028 (J)	0.0041			
2/1/2023				0.0027	0.0012 (J)	
2/2/2023						0.0017 (J)
3/28/2023		0.00032 (J)				
5/30/2023		0.00028 (J)				
7/26/2023		<0.0025				
8/28/2023		<0.0025			0.001 (J)	
8/29/2023			0.0029	0.0026		
9/6/2023						0.0017 (J)

Time Series

Constituent: Cobalt (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			<0.0025	<0.0025		
11/12/1999			<0.0025	<0.0025		
12/29/1999			<0.0025	<0.0025		
2/17/2000			<0.0025	<0.0025		
9/13/2000			0.01	<0.0025		
11/10/2000			<0.0025	<0.0025		
1/4/2001			<0.0025	<0.0025		
12/11/2001			<0.0025	<0.0025		
4/4/2002			<0.0025	<0.0025		
12/6/2002			<0.0025	<0.0025		
6/28/2003			<0.0025	<0.0025		
12/13/2003			<0.0025	<0.0025		
5/28/2004			<0.0025	<0.0025		
12/10/2004			0.0062	<0.0025		
6/24/2005			<0.0025	<0.0025		
12/13/2005			<0.0025	<0.0025		
7/12/2006			<0.0025	<0.0025		
12/1/2006			<0.0025	<0.0025		
6/21/2007			<0.0025	<0.0025		
12/15/2007			<0.0025	<0.0025		
6/21/2008				0.0025		
6/22/2008			<0.0025			
12/6/2008			<0.0025	<0.0025		
7/11/2009			<0.0025	<0.0025		
12/23/2009			<0.0025	<0.0025		
6/23/2010			<0.0025	<0.0025		
1/8/2011			<0.0025	<0.0025		
7/10/2011			<0.0025	<0.0025		
1/20/2012			<0.0025	<0.0025		
7/12/2012			<0.0025	<0.0025		
1/21/2013			<0.0025	<0.0025		
7/20/2013			<0.0025	<0.0025		
1/17/2014			<0.0025	<0.0025		
7/11/2014				<0.0025		
7/12/2014			<0.0013 (J)			
1/15/2015			0.00096 (J)			
1/16/2015				0.00071 (J)		
7/15/2015			0.0006 (J)	0.00064 (J)		
1/17/2016			0.00069 (J)	0.00066 (J)		
6/22/2016			0.0011 (J)	0.0009 (J)		
8/31/2016			0.0006 (J)	0.0006 (J)		
1/24/2017			0.00067 (J)			
1/25/2017				0.00047 (J)		
7/19/2017			0.00079 (J)			
7/20/2017				<0.0025		
9/21/2017			0.00077 (J)	<0.0025		
1/9/2018			0.00092 (J)	0.00048 (J)		
3/28/2018				0.00048 (J)		
3/29/2018			0.0008 (J)			
7/10/2018			0.00097 (J)	0.00084 (J)		
10/8/2018	0.0055					
10/9/2018			<0.0025	<0.0025		

Time Series

Constituent: Cobalt (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
1/30/2019	0.0047			0.00038 (J)		
1/31/2019			0.00092 (J)			
3/28/2019	0.0045		0.00072 (J)	<0.0025		
9/12/2019	0.0043		0.0009	0.00044 (J)		
3/11/2020	0.0056					
3/31/2020			0.00061 (J)	0.00033 (J)		
9/21/2020	0.0025					
9/22/2020			0.00092 (J)	0.00042 (J)		
3/23/2021	0.003		0.00069 (J)			0.0034
3/24/2021		0.0063		0.00037 (J)	0.0023 (J)	
8/17/2021	0.0026					
8/18/2021		0.0053	0.0011 (J)	0.00034 (J)	0.0021 (J)	0.0016 (J)
2/7/2022	0.0024 (J)					
2/8/2022			0.0013 (J)		0.002 (J)	
2/9/2022		0.0044		0.00042 (J)		0.0012 (J)
8/30/2022	0.0024 (J)	0.0044	0.0012 (J)	0.00048 (J)		
8/31/2022					0.0018 (J)	0.0012 (J)
1/31/2023	0.0023 (J)	0.0046			0.0021 (J)	0.0011 (J)
2/1/2023			0.0013 (J)	0.00047 (J)		
3/29/2023		0.0051			0.0021 (J)	0.001 (J)
5/31/2023		0.005			0.0021 (J)	0.0011 (J)
7/26/2023		0.0054			0.0026	0.0011 (J)
8/28/2023	0.0019 (J)					
8/29/2023		0.0047	0.0014 (J)	0.00045 (J)	0.0023 (J)	0.00099 (J)

Time Series

Constituent: Copper (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	<0.002			<0.002	<0.002	<0.002
11/12/1999	<0.002			<0.002	<0.002	<0.002
12/29/1999	<0.002			<0.002	<0.002	<0.002
2/17/2000	<0.002			<0.002	<0.002	<0.002
9/13/2000	<0.002			<0.002	<0.002	<0.002
11/10/2000	<0.002			<0.002	<0.002	<0.002
1/4/2001	<0.002			<0.002	<0.002	<0.002
12/11/2001	<0.002			<0.002	<0.002	<0.002
4/4/2002	<0.002			<0.002	<0.002	<0.002
12/6/2002	<0.002			<0.002	<0.002	0.0089 (o)
6/28/2003	<0.002			<0.002	<0.002	0.019 (o)
12/13/2003	<0.002			<0.002	<0.002	0.0067 (o)
5/28/2004	0.0052			<0.002	<0.002	0.0057 (o)
12/10/2004	<0.002			<0.002	<0.002	0.0027
6/24/2005	<0.002			<0.002	<0.002	0.0038
12/13/2005	<0.002			<0.002	<0.002	<0.002
7/12/2006	0.0055			<0.002	<0.002	0.0033
12/1/2006	<0.002			<0.002	<0.002	<0.002
6/21/2007	0.0032			<0.002	<0.002	0.0035
12/15/2007	<0.002			<0.002	<0.002	<0.002
6/21/2008					<0.002	
6/22/2008	<0.002			<0.002		<0.002
12/6/2008				<0.002	<0.002	<0.002
12/7/2008	<0.002					
7/10/2009				<0.002		
7/11/2009	<0.002				<0.002	<0.002
12/22/2009						0.0025
12/23/2009	0.0025			<0.002	<0.002	
6/23/2010				<0.002	<0.002	<0.002
6/24/2010	<0.002					
1/8/2011				<0.002	<0.002	<0.002
1/9/2011	0.004					
7/10/2011				<0.002	<0.002	<0.002
7/11/2011	<0.002					
1/19/2012				<0.002	<0.002	
1/20/2012	<0.002					<0.002
7/12/2012				<0.002	<0.002	<0.002
7/13/2012	<0.002					
1/21/2013	<0.002			<0.002	<0.002	<0.002
7/20/2013	<0.002			<0.002	<0.002	<0.002
1/17/2014	<0.005 (J)			<0.002	<0.002	<0.005 (J)
7/12/2014	<0.005 (J)			<0.002	<0.002	<0.002
1/15/2015				<0.002	<0.002	
1/16/2015	<0.002					<0.002
7/15/2015	<0.002			<0.002	<0.002	<0.002
1/16/2016	<0.002			<0.002	<0.002	<0.002
6/22/2016	0.002 (JD)			0.00205 (JD)	<0.002	0.001
1/19/2017				<0.002	<0.002	<0.002
2/28/2017	<0.002					
7/17/2017	<0.002					
7/18/2017				<0.002	<0.002	
7/19/2017						<0.002

Time Series

Constituent: Copper (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
1/8/2018	<0.002					
1/9/2018				<0.002	0.0025	<0.002
7/10/2018	<0.002			<0.002	<0.002	<0.002
1/30/2019	<0.002		0.0035	<0.002	<0.002	<0.002
3/27/2019	<0.002					<0.002
3/28/2019			0.0031	<0.002	<0.002	
9/11/2019	<0.002					
9/12/2019			0.0038	0.0024	0.0022	0.0011 (J)
3/10/2020	<0.002		0.0021	0.00082 (J)	<0.002	0.0019 (J)
4/2/2020				0.0019 (J)		
9/21/2020	<0.002			<0.002	<0.002	
9/22/2020			0.00096 (J)			0.0013 (J)
3/23/2021	<0.002	0.0015 (J)	0.0011 (J)	<0.002		
3/24/2021					<0.002	0.00077 (J)
8/17/2021	<0.002	<0.002	0.0043	<0.002	<0.002	<0.002
2/7/2022			0.0012 (J)			
2/8/2022	<0.002	<0.002		0.0011 (J)	<0.002	<0.002
8/30/2022	<0.002	<0.002	0.0013 (J)	0.0029	0.0012 (J)	0.0011 (J)
1/31/2023		<0.002	<0.002			
2/1/2023				<0.002	<0.002	
2/2/2023						0.0018 (J)
3/28/2023		<0.002				
5/30/2023		<0.002				
7/26/2023		<0.002				
8/28/2023		<0.002			<0.002	
8/29/2023			<0.002	0.0057		
9/6/2023						<0.002

Time Series

Constituent: Copper (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			<0.002	<0.002		
11/12/1999			<0.002	<0.002		
12/29/1999			<0.002	<0.002		
2/17/2000			<0.002	<0.002		
9/13/2000			<0.002	<0.002		
11/10/2000			<0.002	<0.002		
1/4/2001			<0.002	<0.002		
12/11/2001			<0.002	<0.002		
4/4/2002			<0.002	<0.002		
12/6/2002			<0.002	<0.002		
6/28/2003			<0.002	<0.002		
12/13/2003			<0.002	<0.002		
5/28/2004			<0.002	<0.002		
12/10/2004			0.11 (o)	<0.002		
6/24/2005			<0.002	<0.002		
12/13/2005			<0.002	<0.002		
7/12/2006			<0.002	<0.002		
12/1/2006			<0.002	<0.002		
6/21/2007			<0.002	<0.002		
12/15/2007			<0.002	<0.002		
6/21/2008				<0.002		
6/22/2008			<0.002			
12/6/2008			<0.002	<0.002		
7/11/2009			<0.002	<0.002		
12/23/2009			<0.002	<0.002		
6/23/2010			<0.002	<0.002		
1/8/2011			<0.002	<0.002		
7/10/2011			<0.002	<0.002		
1/20/2012			<0.002	<0.002		
7/12/2012			<0.002	<0.002		
1/21/2013			<0.002	<0.002		
7/20/2013			<0.002	<0.002		
1/17/2014			0.0065 (o)	<0.002		
7/11/2014				<0.002		
7/12/2014			<0.002			
1/15/2015			<0.002			
1/16/2015				<0.002		
7/15/2015			<0.002	<0.002		
1/17/2016			<0.002	<0.002		
6/22/2016			0.0005 (J)	<0.002		
1/24/2017			<0.002			
1/25/2017				<0.002		
7/19/2017			<0.002			
7/20/2017				<0.002		
1/9/2018			<0.002	<0.002		
7/10/2018			<0.002	<0.002		
1/30/2019	0.0018 (J)			<0.002		
1/31/2019			<0.002			
3/28/2019	<0.002		<0.002	<0.002		
9/12/2019	0.0041		0.002	<0.002		
3/11/2020	0.0032					
3/31/2020			<0.002	<0.002		

Time Series

Constituent: Copper (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
9/21/2020	0.0018 (J)					
9/22/2020			<0.002	<0.002		
3/23/2021	0.0027		<0.002			<0.002
3/24/2021		0.001 (J)		<0.002	<0.002	
8/17/2021	0.0025					
8/18/2021		0.00085 (J)	<0.002	<0.002	<0.002	<0.002
2/7/2022	0.008					
2/8/2022			0.0019 (J)		<0.002	
2/9/2022		<0.002		<0.002		<0.002
8/30/2022	0.0028	0.0019 (J)	<0.002	<0.002		
8/31/2022					<0.002	<0.002
1/31/2023	<0.002	<0.002			<0.002	<0.002
2/1/2023			<0.002	<0.002		
3/29/2023		0.0011 (J)			<0.002	<0.002
5/31/2023		0.0012 (J)			<0.002	<0.002
7/26/2023		<0.002			<0.002	<0.002
8/28/2023	0.0016 (J)					
8/29/2023		<0.002	<0.002	<0.002	<0.002	<0.002

Time Series

Constituent: Fluoride (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				<0.1	<0.2	0.13 (J)
9/1/2016	<0.1					
1/19/2017				<0.1	0.089 (J)	<0.082
2/28/2017	0.098 (J)					
7/17/2017	<0.1					
7/18/2017				<0.1	<0.2	
7/19/2017						<0.082
9/20/2017	<0.1			<0.1		
9/21/2017					<0.2	0.13 (J)
1/8/2018	<0.1					
1/9/2018				<0.1	<0.2	0.13 (J)
3/27/2018	<0.1			<0.1	<0.2	0.21
7/10/2018	<0.1			<0.1	<0.2	0.17 (J)
10/8/2018	<0.1		<0.1		<0.2	0.11 (J)
10/9/2018				<0.1		
1/30/2019	<0.1		<0.1	<0.1	0.029 (J)	0.089 (J)
3/27/2019	<0.1					0.1 (J)
3/28/2019			<0.1	<0.1	<0.2	
9/11/2019	<0.1					
9/12/2019			0.036 (J)	<0.1	0.035 (J)	0.052 (J)
3/10/2020	<0.1		<0.1	0.026 (J)	0.066 (J)	0.051 (J)
4/2/2020				0.051 (J)		
9/21/2020	<0.1			<0.1	0.06 (J)	
9/22/2020			0.039 (J)			0.049 (J)
3/23/2021	<0.1	0.079 (J)	<0.1	<0.1		
3/24/2021					0.12	0.08 (J)
8/17/2021	0.038 (J)	0.09 (J)	0.083 (J)	0.064 (J)	0.061 (J)	0.097 (J)
2/7/2022			0.027 (J)			
2/8/2022	<0.1	0.077 (J)		0.033 (J)	0.061 (J)	0.12
8/30/2022	<0.1	0.51	<0.1	<0.1	0.047 (J)	0.11
1/31/2023		0.13	<0.1			
2/1/2023				<0.1	0.043 (J)	
2/2/2023						0.12
3/28/2023		0.04 (J)				
5/30/2023		0.067 (J)				
7/26/2023		0.19				
8/28/2023		0.21			0.051 (J)	
8/29/2023			<0.1	<0.1		
9/6/2023						0.15

Time Series

Constituent: Fluoride (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			<0.1	<0.1		
1/24/2017			<0.1			
1/25/2017				<0.1		
7/19/2017			<0.1			
7/20/2017				<0.1		
9/21/2017			<0.1	<0.1		
1/9/2018			<0.1	<0.1		
3/28/2018				<0.1		
3/29/2018			<0.1			
7/10/2018			<0.1	<0.1		
10/8/2018	<0.1					
10/9/2018			<0.1	<0.1		
1/30/2019	<0.1			<0.1		
1/31/2019			<0.1			
3/28/2019	<0.1		<0.1	<0.1		
9/12/2019	<0.1		<0.1	<0.1		
3/11/2020	<0.1					
3/31/2020			0.043 (J)	0.028 (J)		
9/21/2020	<0.1					
9/22/2020			<0.1	<0.1		
3/23/2021	<0.1		<0.1			<0.1
3/24/2021		0.046 (J)		<0.1	<0.1	
8/17/2021	0.033 (J)					
8/18/2021		0.072 (J)	<0.1	<0.1	<0.1	0.039 (J)
2/7/2022	<0.1					
2/8/2022			<0.1		0.033 (J)	
2/9/2022		0.069 (J)		0.038 (J)		0.042 (J)
8/30/2022	<0.1	0.071 (J)	<0.1	<0.1		
8/31/2022					<0.1	<0.1
1/31/2023	<0.1	0.074 (J)			<0.1	<0.1
2/1/2023			<0.1	<0.1		
3/29/2023		0.066 (J)			<0.1	<0.1
5/31/2023		0.11			0.056 (J)	0.05 (J)
7/26/2023		0.085 (J)			<0.1	<0.1
8/28/2023	<0.1					
8/29/2023		0.08 (J)	<0.1	<0.1	<0.1	<0.1

Time Series

Constituent: Lead (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	0.007			<0.001	<0.001	<0.0013
11/12/1999	0.0063 (o)			<0.001	<0.001	<0.0013
12/29/1999	0.016			<0.001	<0.001	<0.0013
2/17/2000	<0.001			<0.001	<0.001	<0.0013
9/13/2000	<0.001			<0.001	<0.001	<0.0013
11/10/2000	<0.001			<0.001	<0.001	<0.0013
1/4/2001	<0.001			<0.001	<0.001	<0.0013
12/11/2001	<0.001			<0.001	<0.001	<0.0013
4/4/2002	<0.001			<0.001	<0.001	<0.0013
12/6/2002	<0.001			<0.001	<0.001	0.011
6/28/2003	<0.001			<0.001	<0.001	<0.0013
12/13/2003	<0.001			<0.001	<0.001	<0.0013
5/28/2004	0.015			<0.001	<0.001	<0.0013
12/10/2004	0.01			<0.001	<0.001	<0.0013
6/24/2005	<0.001			<0.001	<0.001	<0.0013
12/13/2005	<0.001			<0.001	<0.001	<0.0013
7/12/2006	0.013			<0.001	<0.001	<0.0013
12/1/2006	<0.001			<0.001	<0.001	<0.0013
6/21/2007	<0.001			<0.001	<0.001	<0.0013
12/15/2007	<0.001			<0.001	<0.001	<0.0013
6/21/2008					<0.001	
6/22/2008	<0.001			<0.001		<0.0013
12/6/2008				<0.001	<0.001	<0.0013
12/7/2008	<0.001					
7/10/2009				<0.001		
7/11/2009	<0.001				<0.001	<0.0013
12/22/2009						<0.0013
12/23/2009	<0.001			<0.001	<0.001	
6/23/2010				<0.001	<0.001	<0.0013
6/24/2010	<0.001					
1/8/2011				<0.001	<0.001	<0.0013
1/9/2011	<0.001					
7/10/2011				<0.001	<0.001	<0.0013
7/11/2011	<0.001					
1/19/2012				<0.001	<0.001	
1/20/2012	<0.001					<0.0013
7/12/2012				<0.001	<0.001	<0.0013
7/13/2012	<0.001					
1/21/2013	<0.001			<0.001	<0.001	<0.0013
7/20/2013	<0.001			<0.001	<0.001	<0.0013
1/17/2014	<0.001			<0.001	<0.001	<0.0013
7/12/2014	<0.001			<0.001	<0.001	<0.0013
1/15/2015				<0.001	<0.001	
1/16/2015	<0.001					<0.0013
7/15/2015	<0.001			<0.001	<0.001	<0.0013
1/16/2016	<0.001			<0.001	<0.001	<0.0013
6/22/2016	0.00125 (JD)			0.00025 (JD)	0.0003 (J)	0.001 (J)
8/31/2016				<0.001	<0.001	0.00099 (J)
9/1/2016	0.082 (o)					
1/19/2017				<0.001	<0.001	0.001 (J)
2/28/2017	<0.001					
7/17/2017	<0.001					

Time Series

Constituent: Lead (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
7/18/2017				<0.001	<0.001	
7/19/2017						0.00081 (J)
9/20/2017	0.00035 (J)			<0.001		
9/21/2017					0.0076	0.00086 (J)
1/8/2018	<0.001					
1/9/2018				<0.001	0.0023	0.00059 (J)
3/27/2018	<0.001			<0.001	<0.001	<0.0013
7/10/2018	<0.001			<0.001	<0.001	0.00045 (J)
10/8/2018	<0.001		<0.001		<0.001	<0.0013
10/9/2018				<0.001		
1/30/2019	0.00021 (J)		0.00028 (J)	0.00034 (J)	0.00013 (J)	0.00064 (J)
3/27/2019	<0.001					0.0012 (J)
3/28/2019			<0.001	0.00038 (J)	<0.001	
9/11/2019	<0.001					
9/12/2019			<0.001	<0.001	<0.001	0.00082 (J)
3/10/2020	0.00015 (J)		<0.001	0.00013 (J)	0.00031 (J)	0.0022
4/2/2020				0.00062 (J)		
9/21/2020	<0.001			<0.001	0.00025 (J)	
9/22/2020			<0.001			0.0012
3/23/2021	0.00017 (J)	<0.001	<0.001	0.00029 (J)		
3/24/2021					0.00021 (J)	0.00066 (J)
8/17/2021	<0.001	<0.001	0.00073 (J)	0.00015 (J)	<0.001	0.00044 (J)
2/7/2022			<0.001			
2/8/2022	<0.001	<0.001		<0.001	<0.001	0.00058 (J)
8/30/2022	<0.001	<0.001	<0.001	<0.001	<0.001	0.00064 (J)
1/31/2023		<0.001	<0.001			
2/1/2023				0.00027 (J)	<0.001	
2/2/2023						0.0013
3/28/2023		<0.001				
5/30/2023		0.00043 (J)				
7/26/2023		<0.001				
8/28/2023		<0.001			<0.001	
8/29/2023			<0.001	<0.001		
9/6/2023						0.0007 (J)

Time Series

Constituent: Lead (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			0.0054 (o)	<0.001		
11/12/1999			<0.001	<0.001		
12/29/1999			<0.001	<0.001		
2/17/2000			<0.001	<0.001		
9/13/2000			<0.001	0.0067 (o)		
11/10/2000			<0.001	<0.001		
1/4/2001			<0.001	<0.001		
12/11/2001			<0.001	<0.001		
4/4/2002			<0.001	<0.001		
12/6/2002			<0.001	<0.001		
6/28/2003			<0.001	<0.001		
12/13/2003			<0.001	<0.001		
5/28/2004			<0.001	<0.001		
12/10/2004			<0.001	<0.001		
6/24/2005			<0.001	<0.001		
12/13/2005			<0.001	<0.001		
7/12/2006			<0.001	<0.001		
12/1/2006			<0.001	<0.001		
6/21/2007			<0.001	<0.001		
12/15/2007			<0.001	<0.001		
6/21/2008				<0.001		
6/22/2008			<0.001			
12/6/2008			<0.001	<0.001		
7/11/2009			<0.001	<0.001		
12/23/2009			<0.001	<0.001		
6/23/2010			<0.001	<0.001		
1/8/2011			<0.001	<0.001		
7/10/2011			<0.001	<0.001		
1/20/2012			<0.001	<0.001		
7/12/2012			<0.001	<0.001		
1/21/2013			<0.001	<0.001		
7/20/2013			<0.001	<0.001		
1/17/2014			<0.001	<0.001		
7/11/2014				<0.001		
7/12/2014			<0.001			
1/15/2015			<0.001			
1/16/2015				<0.001		
7/15/2015			<0.001	<0.001		
1/17/2016			<0.001	<0.001		
6/22/2016			0.0001 (J)	<0.001		
8/31/2016			<0.001	<0.001		
1/24/2017			<0.001			
1/25/2017				<0.001 (D)		
7/19/2017			<0.001			
7/20/2017				<0.001		
9/21/2017			0.0014 (o)	<0.001		
1/9/2018			<0.001	<0.001		
3/28/2018				<0.001		
3/29/2018			<0.001			
7/10/2018			<0.001	<0.001		
10/8/2018	<0.001					
10/9/2018			<0.001	<0.001		

Time Series

Constituent: Lead (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
1/30/2019	<0.001			<0.001		
1/31/2019			<0.001			
3/28/2019	<0.001		<0.001	<0.001		
9/12/2019	<0.001		<0.001	<0.001		
3/11/2020	<0.001					
3/31/2020			<0.001	<0.001		
9/21/2020	<0.001					
9/22/2020			<0.001	<0.001		
3/23/2021	<0.001		<0.001			<0.001
3/24/2021		<0.001		<0.001	0.0003 (J)	
8/17/2021	<0.001					
8/18/2021		<0.001	<0.001	<0.001	0.00021 (J)	<0.001
2/7/2022	<0.001					
2/8/2022			<0.001		0.00061 (J)	
2/9/2022		<0.001		<0.001		<0.001
8/30/2022	<0.001	<0.001	<0.001	<0.001		
8/31/2022					0.00027 (J)	<0.001
1/31/2023	<0.001	<0.001			<0.001	<0.001
2/1/2023			<0.001	<0.001		
3/29/2023		<0.001			<0.001	<0.001
5/31/2023		0.00048 (J)			0.00061 (J)	0.00038 (J)
7/26/2023		<0.001			<0.001	<0.001
8/28/2023	<0.001					
8/29/2023		<0.001	<0.001	<0.001	<0.001	0.00038 (J)

Time Series

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	6.63			6.42	6.51	6.3
11/12/1999	5.51			5.03	5.46	4.72
12/29/1999	5.23			4.92	5.13	4.8
2/17/2000	5.29			5.13	5.22	4.78
9/13/2000	5.41			4.85	4.86	4.58
11/10/2000	5.47			5.05	5.29	4.5
1/4/2001	5.44			5.08	5.53	4.61
12/11/2001	4.86			4.81	5.37	4.87
4/4/2002	5.1			4.92	5.32	4.96
12/6/2002	4.917 (D)			5.07 (D)	5.3 (D)	4.4 (D)
6/28/2003	4.91			4.69	4.73	3.77
12/13/2003	4.87			4.81	4.53	4.25
5/28/2004	4.98			3.93	4.22	3.9
12/10/2004	4.35			4.25	4.26	3.71
6/24/2005	4.82			4.5	4.47	3.94
12/13/2005	4.66			4.52	4.47	3.94
7/12/2006	5.49			3.59	3.68	5.56
7/11/2014	5.55					
7/12/2014				5.44	5.33	3.88
7/15/2015	5.13			4.98	4.94	4.19
1/16/2016	5.06			4.87	4.85	4.35
8/31/2016				4.92	4.79	4.53
1/19/2017				4.86	4.72	4.79
2/28/2017	5.33					
7/17/2017	5.09					
7/18/2017				5.02	4.96	
7/19/2017						4.83
9/20/2017	5.29			4.72		
9/21/2017					4.7	4.57
1/8/2018	5.26			4.92		
1/9/2018				4.83	4.91	4.4
3/27/2018	5.27			4.91	4.92	4.11
7/10/2018	5.17			4.87	4.94	4.62
10/8/2018	5.18		5.29	4.84	4.76	4.51
1/30/2019	5.17		5.08	4.88	4.94	4.72
3/27/2019	5.09					4.56
3/28/2019			4.93	4.8	4.99	
9/11/2019	5.1					
9/12/2019			5.57	4.99	4.92	4.54
3/10/2020	5.48		5.56	4.79	4.59	4.81
4/2/2020				4.75		
9/21/2020	4.95			4.69	4.6	
9/22/2020			5.83			4.99
3/23/2021	5.17	5.63	5.61	4.6		
3/24/2021					4.42	4.37
8/17/2021	5.24	5.83	5.82	4.76	4.78	4.62
2/7/2022			5.7			
2/8/2022	5.17	5.43		4.69	4.93	4.67
8/30/2022	5.01	5.86	4.9	4.71	4.72	4.51
1/31/2023		6.15	5.07			
2/1/2023				4.52	4.77	
2/2/2023						4.59

Time Series

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
3/28/2023		5.73				
5/30/2023		5.89				
7/26/2023		5.86				
8/28/2023		5.72			4.34	
8/29/2023			5.78	4.46		
9/6/2023						4.32

Time Series

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			6.08	5.33		
11/12/1999			5.35	4.6		
12/29/1999			5.19	4.8		
2/17/2000			5.18	4.98		
9/13/2000			5.13	4.75		
11/10/2000			5.2	4.65		
1/4/2001			5.14	4.83		
12/11/2001			4.93	4.73		
4/4/2002			5	5.05		
12/6/2002			5.02	4.65 (D)		
6/28/2003			4.92	4		
12/13/2003			4.82	4.97		
5/28/2004			4.6	4.51		
12/10/2004			4.29	4.09		
2/5/2005			4.43			
6/24/2005			4.56	4.27		
12/13/2005			4.34	4.54		
7/12/2006			4.38	4.57		
7/11/2014				4.64		
7/12/2014			5.68			
7/15/2015			5.22	4.67		
1/17/2016			6.07			
8/31/2016			5.49	4.89		
1/24/2017			5.25			
1/25/2017				4.73		
7/19/2017			5.54			
7/20/2017				4.96		
9/21/2017			5.19	4.78		
1/9/2018			4.97	4.79		
3/28/2018				4.44		
3/29/2018			5.15			
7/10/2018			5.37	4.88		
10/8/2018	5.79					
10/9/2018			5.04	4.85		
1/29/2019				4.7		
1/30/2019	5.15			4.52		
1/31/2019			5.38			
3/28/2019	5.62		5.38	4.68		
9/12/2019	5.1		5.14	4.89		
3/11/2020	5.05					
3/31/2020			5.64	4.66		
9/21/2020	5.35					
9/22/2020			5.04	4.92		
3/23/2021	5.01		5.61			5.31
3/24/2021		4.38		4.59	5.42	
8/17/2021	5.51					
8/18/2021		4.59	4.98	4.76	5.17	5.26
2/7/2022	5.29					
2/8/2022			4.79		5.2	
2/9/2022		4.53		4.82		5.31
8/30/2022	5	4.43	4.96	4.71		
8/31/2022				4.97		5.07

Time Series

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
1/31/2023	5	4.43			4.85	5.32
2/1/2023			4.83	4.6		
3/29/2023		4.38			4.69	5.18
5/31/2023		4.31			4.62	5.07
7/26/2023		4.26			4.57	4.93
8/28/2023	4.91					
8/29/2023		4.25	4.63	4.39	4.6	4.96

Time Series

Constituent: Sulfate (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				<1	7	21
9/1/2016	<1					
1/19/2017				<1	6.3	11
2/28/2017	2.7					
7/17/2017	<1					
7/18/2017				<1	4.7	
7/19/2017						12
9/20/2017	<1			<1		
9/21/2017					4.5	15
1/8/2018	<1					
1/9/2018				<1	3	25
3/27/2018	<1			<1	3.8	31
7/10/2018	<1			<1	3.4	19
10/8/2018	<1		73		3.4	17
10/9/2018				<1		
1/30/2019	1.2		74	0.41 (J)	3.5	15
3/27/2019	<1					20
3/28/2019			71	0.44 (J)	3	
9/11/2019	<1					
9/12/2019			59	0.69 (J)	3.7	10
3/10/2020	1.5		57	3	7.2	15
4/2/2020				<1		
9/21/2020	<1			<1	5	
9/22/2020			52			12
3/23/2021	<1	6.8	49	<1		
3/24/2021					7	16
8/17/2021	<1	5.2	54	<1	5	11
2/7/2022			42			
2/8/2022	<1	2.8		<1	5.9	13
8/30/2022	<1	1.6	74	<1	3.5	13
1/31/2023		1	71			
2/1/2023				<1	3.1	
2/2/2023						15
3/28/2023		2				
5/30/2023		2				
7/26/2023		1.5				
8/28/2023		1.4			3.2	
8/29/2023			42	<1		
9/6/2023						14

Time Series

Constituent: Sulfate (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			<1	1.7		
1/24/2017			<1			
1/25/2017				1.8		
7/19/2017			<1			
7/20/2017				0.83 (J)		
9/21/2017			<1	1.1		
1/9/2018			<1	0.79 (J)		
3/28/2018				0.79 (J)		
3/29/2018			<1			
7/10/2018			<1	0.76 (J)		
10/8/2018	75					
10/9/2018			<1	<1		
1/30/2019	85			0.9 (J)		
1/31/2019			0.57 (J)			
3/28/2019	85		<1	1.1		
9/12/2019	81		0.43 (J)	1.1		
3/11/2020	110					
3/31/2020			1	2.5		
9/21/2020	49					
9/22/2020			<1	0.76 (J)		
3/23/2021	88		0.8 (J)			10
3/24/2021		1		<1	26	
8/17/2021	84					
8/18/2021		0.84 (J)	1.2	<1	10	8.3
2/7/2022	54					
2/8/2022			2.7		5.9	
2/9/2022		<1		<1		5.4
8/30/2022	73	<1	1.1	<1		
8/31/2022					<1	3.5
1/31/2023	74	<1			<1	3.3
2/1/2023			1.3	<1		
3/29/2023		<1			<1	4
5/31/2023		0.43 (J)			0.71 (J)	3.3
7/26/2023		<1			0.43 (J)	3.2
8/28/2023	67					
8/29/2023		0.4 (J)	5.2	0.57 (J)	0.48 (J)	2.7

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
8/31/2016				42 (D)	14 (D)	66 (D)
9/1/2016	2200 (o)					
1/19/2017				52 (D)	34 (D)	48 (D)
2/28/2017	74 (D)					
7/17/2017	50					
7/18/2017				32	26	
7/19/2017						48
9/20/2017	26			16		
9/21/2017					24	76
1/8/2018	16					
1/9/2018				4 (J)	16	18
3/27/2018	40			30	<5	48
7/10/2018	90			30	14	76
10/8/2018	70		170		36	8
10/9/2018				56		
1/30/2019	82		140	41	40	67
3/27/2019	66					70
3/28/2019			150	36	24	
9/11/2019	53					
9/12/2019			89	<10	10	20
3/10/2020	67		130	49	39	67
4/2/2020				61		
9/21/2020	31			61	31	
9/22/2020			110			53
3/23/2021	47	63	130	76		
3/24/2021					36	60
8/17/2021	36	43	130	83	33	50
2/7/2022			120			
2/8/2022	45	39		62	29	57
8/30/2022	55	79	150	87	40	64
1/31/2023		76	140			
2/1/2023				85	34	
2/2/2023						65
3/28/2023		48				
5/30/2023		51				
7/26/2023		84				
8/28/2023		85			48	
8/29/2023			110	85		
9/6/2023						66

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
8/31/2016			42 (D)	36 (D)		
1/24/2017			28 (D)			
1/25/2017				58 (D)		
7/19/2017			42			
7/20/2017				16		
9/21/2017			46	24		
1/9/2018			10	8		
3/28/2018				26		
3/29/2018			52			
7/10/2018			38	26		
10/8/2018	180					
10/9/2018			52	16		
1/30/2019	180			37		
1/31/2019			45			
3/28/2019	170		45	28		
9/12/2019	140		28	<10		
3/11/2020	180					
3/31/2020			50	52		
9/21/2020	130					
9/22/2020			30	36		
3/23/2021	180		56			71
3/24/2021		59		27	97	
8/17/2021	160					
8/18/2021		66	37	29	41	61
2/7/2022	150					
2/8/2022			30		48	
2/9/2022		62		22		100
8/30/2022	160	65	38	21		
8/31/2022					27	73
1/31/2023	150	57			25	71
2/1/2023			36	18		
3/29/2023		63			26	69
5/31/2023		61			25	68
7/26/2023		57			29	70
8/28/2023	140					
8/29/2023		53	45	21	36	76

Time Series

Constituent: Vanadium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	0.02			<0.002	<0.002	<0.0082
11/12/1999	0.027			<0.002	<0.002	<0.0082
12/29/1999	0.055			<0.002	<0.002	<0.0082
2/17/2000	0.042			<0.002	<0.002	<0.0082
9/13/2000	<0.001			<0.002	<0.002	<0.0082
11/10/2000	0.014			<0.002	<0.002	<0.0082
1/4/2001	<0.001			<0.002	<0.002	<0.0082
12/11/2001	<0.001			<0.002	<0.002	<0.0082
4/4/2002	<0.001			<0.002	<0.002	<0.0082
12/6/2002	<0.001			<0.002	<0.002	0.03
6/28/2003	<0.001			<0.002	<0.002	<0.0082
12/13/2003	<0.001			<0.002	<0.002	<0.0082
5/28/2004	0.017			<0.002	<0.002	<0.0082
12/10/2004	0.0082			<0.002	<0.002	<0.0082
6/24/2005	<0.001			<0.002	<0.002	<0.0082
12/13/2005	<0.001			<0.002	<0.002	<0.0082
7/12/2006	0.023			<0.002	<0.002	<0.0082
12/1/2006	0.0081			<0.002	<0.002	<0.0082
6/21/2007	0.009			0.0038	<0.002	0.07 (a)
12/15/2007	0.0056			<0.002	<0.002	<0.0082
6/21/2008					<0.002	
6/22/2008	0.013			<0.002		0.0026
12/6/2008				<0.002	<0.002	<0.0082
12/7/2008	0.0027					
7/10/2009				<0.002		
7/11/2009	0.0032				<0.002	<0.0082
12/22/2009						<0.0082
12/23/2009	0.0093			<0.002	<0.002	
6/23/2010				<0.002	<0.002	<0.0082
6/24/2010	0.0033					
1/8/2011				<0.002	<0.002	<0.0082
1/9/2011	<0.001					
7/10/2011				<0.002	<0.002	<0.0082
7/11/2011	<0.001					
1/19/2012				<0.002	<0.002	
1/20/2012	<0.001					<0.0082
7/12/2012				<0.002	<0.002	<0.0082
7/13/2012	0.011					
1/21/2013	0.028			<0.002	<0.002	<0.0082
7/20/2013	<0.001			<0.002	<0.002	<0.0082
1/17/2014	0.019			<0.002	<0.002	<0.0082
7/12/2014	<0.005 (J)			<0.002	<0.002	<0.0082
1/15/2015				<0.002	<0.002	
1/16/2015	0.0012 (J)					0.0011 (J)
7/15/2015	<0.001			<0.002	<0.002	0.0016 (J)
1/16/2016	0.0015 (J)			0.0011 (J)	0.00082 (J)	<0.0082
6/22/2016	0.0081 (JD)			<0.002	<0.002	0.0018 (J)
1/19/2017				<0.002	0.0025	0.0033
2/28/2017	0.0019 (J)					
7/17/2017	<0.001					
7/18/2017				<0.002	<0.002	
7/19/2017						0.0045

Time Series

Constituent: Vanadium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
1/8/2018	<0.001					
1/9/2018				<0.002	0.0072	0.0027
7/10/2018	<0.001			<0.002	<0.002	<0.0082
1/30/2019	<0.001		<0.002	<0.002	<0.002	0.0019 (J)
3/27/2019	<0.001					<0.0082
3/28/2019			<0.002	<0.002	<0.002	
9/11/2019	0.0014					
9/12/2019			0.0021	0.002	0.0017	0.004
3/10/2020	<0.001		<0.002	<0.002	<0.002	0.01
4/2/2020				0.0013		
9/21/2020	<0.001			<0.002	0.0012	
9/22/2020			<0.002			0.0056
3/23/2021	<0.001	<0.002	<0.002	<0.002		
3/24/2021					<0.002	0.0018
8/17/2021	<0.001	<0.002	<0.002	<0.002	<0.002	0.0018
2/7/2022			<0.002			
2/8/2022	<0.001	<0.002		<0.002	<0.002	0.0023
8/30/2022	0.0019	0.0019	0.0016	<0.002	<0.002	0.0028
1/31/2023		<0.002	<0.002			
2/1/2023				<0.002	<0.002	
2/2/2023						0.0041
3/28/2023		<0.002				
5/30/2023		<0.002				
7/26/2023		<0.002				
8/28/2023		<0.002			<0.002	
8/29/2023			<0.002	<0.002		
9/6/2023						0.0015 (J)

Time Series

Constituent: Vanadium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			0.015 (o)	<0.002		
11/12/1999			<0.002	<0.002		
12/29/1999			<0.002	<0.002		
2/17/2000			<0.002	<0.002		
9/13/2000			<0.002	<0.002		
11/10/2000			<0.002	<0.002		
1/4/2001			<0.002	<0.002		
12/11/2001			<0.002	<0.002		
4/4/2002			<0.002	<0.002		
12/6/2002			<0.002	<0.002		
6/28/2003			<0.002	<0.002		
12/13/2003			<0.002	<0.002		
5/28/2004			<0.002	<0.002		
12/10/2004			<0.002	<0.002		
6/24/2005			<0.002	<0.002		
12/13/2005			<0.002	<0.002		
7/12/2006			<0.002	<0.002		
12/1/2006			<0.002	<0.002		
6/21/2007			<0.002	<0.002		
12/15/2007			<0.002	<0.002		
6/21/2008				<0.002		
6/22/2008			<0.002			
12/6/2008			<0.002	<0.002		
7/11/2009			<0.002	<0.002		
12/23/2009			<0.002	<0.002		
6/23/2010			<0.002	<0.002		
1/8/2011			<0.002	<0.002		
7/10/2011			<0.002	<0.002		
1/20/2012			<0.002	<0.002		
7/12/2012			<0.002	<0.002		
1/21/2013			<0.002	<0.002		
7/20/2013			<0.002	<0.002		
1/17/2014			<0.002	<0.002		
7/11/2014				<0.002		
7/12/2014			<0.002			
1/15/2015			<0.002			
1/16/2015				<0.002		
7/15/2015			<0.002	<0.002		
1/17/2016			<0.002	<0.002		
6/22/2016			0.0019 (J)	<0.002		
1/24/2017			0.0062			
1/25/2017				<0.002		
7/19/2017			0.0015 (J)			
7/20/2017				<0.002		
1/9/2018			<0.002	<0.002		
7/10/2018			<0.002	<0.002		
1/30/2019	<0.002			<0.002		
1/31/2019			<0.002			
3/28/2019	<0.002		<0.002	<0.002		
9/12/2019	0.002		0.0018	0.0021		
3/11/2020	<0.002					
3/31/2020			<0.002	<0.002		

Time Series

Constituent: Vanadium (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
9/21/2020	<0.002					
9/22/2020			<0.002	<0.002		
3/23/2021	<0.002		<0.002			<0.002
3/24/2021		<0.002		<0.002	<0.002	
8/17/2021	<0.002					
8/18/2021		<0.002	<0.002	<0.002	<0.002	<0.002
2/7/2022	0.0011					
2/8/2022			<0.002		<0.002	
2/9/2022		<0.002		<0.002		<0.002
8/30/2022	0.0016	0.00087 (J)	<0.002	<0.002		
8/31/2022					<0.002	<0.002
1/31/2023	<0.002	<0.002			<0.002	<0.002
2/1/2023			<0.002	<0.002		
3/29/2023		<0.002			<0.002	<0.002
5/31/2023		<0.002			<0.002	<0.002
7/26/2023		<0.002			<0.002	<0.002
8/28/2023	<0.002					
8/29/2023		<0.002	<0.002	<0.002	<0.002	<0.002

Time Series

Constituent: Zinc (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
10/5/1999	0.043			0.023	0.039	<0.02
11/12/1999	0.035			<0.02	0.025	<0.02
12/29/1999	0.058			<0.02	0.023	<0.02
2/17/2000	0.051			<0.02	<0.02	<0.02
9/13/2000	<0.005			<0.02	0.035	0.021
11/10/2000	<0.005			<0.02	0.023	<0.02
1/4/2001	<0.005			<0.02	0.027	<0.02
12/11/2001	<0.005			<0.02	0.036	<0.02
4/4/2002	<0.005			<0.02	0.038	<0.02
12/6/2002	<0.005			<0.02	0.033	0.06
6/28/2003	<0.005			<0.02	0.018	0.19 (o)
12/13/2003	<0.005			<0.02	0.013	0.067
5/28/2004	0.034			<0.02	<0.02	0.068
12/10/2004	0.021			<0.02	<0.02	0.039
6/24/2005	<0.005			<0.02	<0.02	0.033
12/13/2005	0.013			<0.02	0.011	0.039
7/12/2006	0.074			0.0047	0.0055	0.022
12/1/2006	0.048			0.065	0.0052	0.018
6/21/2007	0.067			0.008	0.0062	0.058
12/15/2007	0.053			0.0043	0.0055	0.0072
6/21/2008					0.011	
6/22/2008	0.024			0.0062		0.011
12/6/2008				0.051	0.008	0.011
12/7/2008	0.0087					
7/10/2009				0.0043		
7/11/2009	0.045				0.011	0.013
12/22/2009						0.013
12/23/2009	0.054			0.0039	0.0051	
6/23/2010				<0.02	0.0031	0.0084
6/24/2010	0.0065					
1/8/2011				0.0037	0.0035	0.0089
1/9/2011	0.022					
7/10/2011				0.0047	0.0081	0.0084
7/11/2011	0.0032					
1/19/2012				0.0045	0.017	
1/20/2012	0.0089					0.0094
7/12/2012				0.0033	0.01	0.0098
7/13/2012	0.012					
1/21/2013	0.024			0.0038	0.013	0.007
7/20/2013	0.0068			0.004	<0.02	0.0074
1/17/2014	0.02			0.005	0.0066	0.0092
7/12/2014	0.0055			0.004	0.0054	0.013
1/15/2015				0.0056	0.0076	
1/16/2015	0.0043					0.0081
7/15/2015	0.0026			0.0034	0.0053	0.009
1/16/2016	0.0035			0.0038	0.0048	0.007
6/22/2016	0.00805 (JD)			0.00575 (JD)	0.0038 (J)	0.0091 (J)
1/19/2017				<0.02	<0.02	0.0065 (J)
2/28/2017	<0.005					
7/17/2017	<0.005					
7/18/2017				<0.02	<0.02	
7/19/2017						0.0099 (J)

Time Series

Constituent: Zinc (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-1B (bg)	GWA-2B (bg)	GWA-3A (bg)	GWA-4 (bg)	GWA-5 (bg)
1/8/2018	<0.005					
1/9/2018				<0.02	0.0072 (J)	0.014 (J)
7/10/2018	<0.005			<0.02	<0.02	0.0089 (J)
1/30/2019	<0.005		0.013 (J)	0.0058 (J)	0.006 (J)	0.0057 (J)
3/27/2019	<0.005					0.01 (J)
3/28/2019			0.014 (J)	<0.02	<0.02	
9/11/2019	0.0062					
9/12/2019			0.0075	0.0081	0.0073	0.0074
3/10/2020	<0.005		0.0061	0.0079	0.0079	0.0071
4/2/2020				0.011		
9/21/2020	<0.005			0.0055	0.013	
9/22/2020			0.0066			0.039
3/23/2021	<0.005	0.0098	0.0066	0.0092		
3/24/2021					0.0058	0.0085
8/17/2021	0.048	0.024	0.026	0.014	0.029	0.024
2/7/2022			0.0046 (J)			
2/8/2022	0.0031 (J)	0.0048 (J)		0.013	0.007	0.007
8/30/2022	<0.005	0.003 (J)	0.014	0.012	0.01	0.013
1/31/2023		<0.005	0.012			
2/1/2023				0.0071	0.0089	
2/2/2023						0.0095
3/28/2023		0.0096				
5/30/2023		0.0076				
7/26/2023		<0.005				
8/28/2023		0.0029 (J)			0.0064	
8/29/2023			0.011	0.012		
9/6/2023						0.0082

Time Series

Constituent: Zinc (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
10/5/1999			0.028	<0.005		
11/12/1999			<0.02	<0.005		
12/29/1999			0.022	<0.005		
2/17/2000			0.021	<0.005		
9/13/2000			<0.02	0.036 (o)		
11/10/2000			<0.02	<0.005		
1/4/2001			<0.02	<0.005		
12/11/2001			<0.02	<0.005		
4/4/2002			0.069 (o)	<0.005		
12/6/2002			0.012	0.012		
6/28/2003			0.011	<0.005		
12/13/2003			<0.02	<0.005		
5/28/2004			<0.02	<0.005		
12/10/2004			0.027	<0.005		
6/24/2005			<0.02	<0.005		
12/13/2005			0.011	<0.005		
7/12/2006			0.0064	<0.005		
12/1/2006			0.0077	0.098 (o)		
6/21/2007			0.0082	0.0043		
12/15/2007			0.0063	0.0057		
6/21/2008				0.0064		
6/22/2008			0.0074			
12/6/2008			0.0066	0.0052		
7/11/2009			0.0054	0.0049		
12/23/2009			0.0046	0.005		
6/23/2010			0.0041	0.0044		
1/8/2011			0.019	0.0036		
7/10/2011			0.005	0.0046		
1/20/2012			0.007	0.0045		
7/12/2012			0.0045	0.0041		
1/21/2013			0.0045	0.0038		
7/20/2013			<0.02	0.0047		
1/17/2014			0.0075	0.0051		
7/11/2014				0.0066		
7/12/2014			0.0051			
1/15/2015			0.0054			
1/16/2015				0.0046		
7/15/2015			0.0049	0.0036		
1/17/2016			0.0051	0.004		
6/22/2016			0.0087 (J)	0.0053 (J)		
1/24/2017			0.0071 (J)			
1/25/2017				<0.005		
7/19/2017			<0.02			
7/20/2017				<0.005		
1/9/2018			0.0079 (J)	<0.005		
7/10/2018			0.0067 (J)	<0.005		
1/30/2019	0.011 (J)			0.0042 (J)		
1/31/2019			<0.02			
3/28/2019	0.0086 (J)		0.0069 (J)	<0.005		
9/12/2019	0.014		0.0089	0.0093		
3/11/2020	0.0099					
3/31/2020			0.0065	<0.005		


Time Series

Constituent: Zinc (mg/L) Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-7A (bg)	GWC-1A	GWC-2	GWC-4A	GWC-5A	GWC-6A
9/21/2020	0.007					
9/22/2020			0.029	0.017		
3/23/2021	0.0096		0.0085			0.0091
3/24/2021		0.02		0.01	0.013	
8/17/2021	0.052					
8/18/2021		0.15	0.0081	0.012	0.021	0.072
2/7/2022	0.0098					
2/8/2022			0.0078		0.011	
2/9/2022		0.023		0.0039 (J)		0.0069
8/30/2022	0.0089	0.02	0.012	0.0046 (J)		
8/31/2022					0.014	0.0049 (J)
1/31/2023	0.0082	0.018			0.0088	<0.005
2/1/2023			0.0062	<0.005		
3/29/2023		0.02			0.01	0.0056
5/31/2023		0.02			0.0096	0.0049 (J)
7/26/2023		0.019			0.011	0.011
8/28/2023	0.019					
8/29/2023		0.017	0.0065	0.004 (J)	0.01	0.008


FIGURE B.

Box & Whiskers Plot




Constituent: Barium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Barium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Beryllium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Boron Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Boron Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Calcium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Calcium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Chloride Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Chloride Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Chromium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Chromium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Cobalt Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Copper Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Copper Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Fluoride Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Fluoride Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Lead Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Lead Analysis Run 9/28/2023 5:28 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: pH Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: pH Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Sulfate Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Sulfate Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Vanadium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot




Constituent: Vanadium Analysis Run 9/28/2023 5:28 PM View: Constituents View
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot



Constituent: Zinc Analysis Run 9/28/2023 5:29 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Box & Whiskers Plot



Constituent: Zinc Analysis Run 9/28/2023 5:29 PM View: Constituents View
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

FIGURE C.

Outlier Summary

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR Printed 9/28/2023, 5:31 PM

GWC-4A Zinc (mg/L)

10/5/1999	
11/12/1999	
12/29/1999	
2/17/2000	
9/13/2000	0.036 (o)
4/4/2002	
12/6/2002	
6/28/2003	
12/13/2003	
5/28/2004	
12/10/2004	
12/1/2006	0.098 (o)
6/21/2007	
1/17/2014	
9/1/2016	
9/21/2017	
7/10/2018	


FIGURE D.

Interwell Prediction Limits Appendix III - All Results (No Significant)

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR Printed 9/28/2023, 5:38 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Boron (mg/L)	GWC-1A	1.9	n/a	8/29/2023	0.042J	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-2	1.9	n/a	8/29/2023	0.1	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-4A	1.9	n/a	8/29/2023	0.08ND	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-5A	1.9	n/a	8/29/2023	0.08ND	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Boron (mg/L)	GWC-6A	1.9	n/a	8/29/2023	0.033J	No	108	n/a	n/a	37.96	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-1A	20	n/a	8/29/2023	2.5	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-2	20	n/a	8/29/2023	1.6	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-4A	20	n/a	8/29/2023	0.37J	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-5A	20	n/a	8/29/2023	1.1	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Calcium (mg/L)	GWC-6A	20	n/a	8/29/2023	3.2	No	107	n/a	n/a	0	n/a	n/a	0.000173	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-1A	30	n/a	8/29/2023	13	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-2	30	n/a	8/29/2023	4.8	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-4A	30	n/a	8/29/2023	4.1	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-5A	30	n/a	8/29/2023	5.2	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Chloride (mg/L)	GWC-6A	30	n/a	8/29/2023	9.5	No	108	n/a	n/a	0	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Fluoride (mg/L)	GWC-1A	0.51	n/a	8/29/2023	0.08J	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-2	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-4A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-5A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
Fluoride (mg/L)	GWC-6A	0.51	n/a	8/29/2023	0.1ND	No	108	n/a	n/a	55.56	n/a	n/a	0.0001701	NP Inter (NDs) 1 of 2
pH (S.U.)	GWC-1A	5.903	4.063	8/29/2023	4.25	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-2	5.903	4.063	8/29/2023	4.63	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-4A	5.903	4.063	8/29/2023	4.39	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-5A	5.903	4.063	8/29/2023	4.6	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
pH (S.U.)	GWC-6A	5.903	4.063	8/29/2023	4.96	No	188	2.223	0.1157	0	None	sqrt(x)	0.000752	Param Inter 1 of 2
Sulfate (mg/L)	GWC-1A	110	n/a	8/29/2023	0.4J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-2	110	n/a	8/29/2023	5.2	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-4A	110	n/a	8/29/2023	0.57J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-5A	110	n/a	8/29/2023	0.48J	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Sulfate (mg/L)	GWC-6A	110	n/a	8/29/2023	2.7	No	108	n/a	n/a	27.78	n/a	n/a	0.0001701	NP Inter (normality) 1 of 2
Total Dissolved Solids (mg/L)	GWC-1A	166.8	n/a	8/29/2023	53	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-2	166.8	n/a	8/29/2023	45	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-4A	166.8	n/a	8/29/2023	21	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-5A	166.8	n/a	8/29/2023	36	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2
Total Dissolved Solids (mg/L)	GWC-6A	166.8	n/a	8/29/2023	76	No	107	7.871	2.796	1.869	None	sqrt(x)	0.001504	Param Inter 1 of 2


Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 108 background values. 37.96% NDs. Annual per-constituent alpha = 0.001699. Individual comparison alpha = 0.0001701 (1 of 2). Comparing 5 points to limit.

Constituent: Boron Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR


Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 107 background values. Annual per-constituent alpha = 0.001728. Individual comparison alpha = 0.000173 (1 of 2). Comparing 5 points to limit.

Constituent: Calcium Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR


Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 108 background values. Annual per-constituent alpha = 0.001699. Individual comparison alpha = 0.0001701 (1 of 2). Comparing 5 points to limit.

Constituent: Chloride Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 108 background values. 55.56% NDs. Annual per-constituent alpha = 0.001699. Individual comparison alpha = 0.0001701 (1 of 2). Comparing 5 points to limit.

Constituent: Fluoride Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limits

Prediction Limit
Interwell Parametric




Background Data Summary (based on square root transformation): Mean=2.223, Std. Dev.=0.1157, n=188. Normality test: Chi Squared @alpha = 0.01, calculated = 12.64, critical = 14.07. Kappa = 1.788 (c=7, w=5, 1 of 2, event alpha = 0.05132). N exceeds UG tables; Kappa based on n=150. Report alpha = 0.007498. Individual comparison alpha = 0.000752. Comparing 5 points to limit.

Constituent: pH Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Hollow symbols indicate censored values.

Within Limit

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 108 background values. 27.78% NDs. Annual per-constituent alpha = 0.001699. Individual comparison alpha = 0.0001701 (1 of 2). Comparing 5 points to limit.

Constituent: Sulfate Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Hollow symbols indicate censored values.

Within Limit

Prediction Limit
Interwell Parametric



Background Data Summary (based on square root transformation): Mean=7.871, Std. Dev.=2.796, n=107, 1.869% NDs. Normality test: Chi Squared @alpha = 0.01, calculated = 13.84, critical = 14.07. Kappa = 1.804 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001504. Comparing 5 points to limit.

Constituent: Total Dissolved Solids Analysis Run 9/28/2023 5:33 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-2	GWA-5 (bg)	GWA-3A (bg)	GWC-4A	GWA-4 (bg)	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
8/31/2016	0.023 (J)	0.073	<0.08	<0.08	<0.08				
9/1/2016						0.029 (J)			
1/19/2017		0.036 (J)	<0.08		0.027 (J)				
1/24/2017	<0.08								
1/25/2017				0.023 (J)					
2/28/2017						<0.08			
7/17/2017						<0.08			
7/18/2017			<0.08		<0.08				
7/19/2017	0.026 (J)	0.07							
7/20/2017				<0.08					
9/20/2017			<0.08			<0.08			
9/21/2017	0.025 (J)	0.07		<0.08	<0.08				
1/8/2018						<0.08			
1/9/2018	0.023 (J)	0.042 (J)	<0.08	<0.08	<0.08				
3/27/2018		0.037 (J)	<0.08		<0.08	<0.08			
3/28/2018				<0.08					
3/29/2018	0.035 (J)								
7/10/2018	0.044 (J)	0.042 (J)	<0.08	<0.08	<0.08	<0.08			
10/8/2018		0.044 (J)			<0.08	<0.08	1.3	0.76	
10/9/2018	0.043 (J)		<0.08	<0.08					
1/30/2019		0.03 (J)	<0.08	<0.08	<0.08	<0.08	1.5	0.77	
1/31/2019	0.04 (J)								
3/27/2019		0.036 (J)				<0.08			
3/28/2019	0.062		0.024 (J)	<0.08	<0.08		1.4	0.83	
9/11/2019						<0.08			
9/12/2019	0.045 (J)	0.048 (J)	<0.08	<0.08	<0.08		1.6	0.65	
3/10/2020		0.066 (J)	0.059 (J)		<0.08	<0.08		0.64	
3/11/2020							1.9		
3/31/2020	0.046 (J)			<0.08					
4/2/2020			0.084						
9/21/2020			0.11		0.073 (J)	0.11	0.61		
9/22/2020	0.083	0.097		0.053 (J)				0.73	
3/23/2021	0.07 (J)		0.088			<0.08	1.5	0.57	0.043 (J)
3/24/2021		0.048 (J)		<0.08	<0.08				
8/17/2021		0.067 (J)	0.098		0.045 (J)	0.049 (J)	1.4	0.68	
8/18/2021	0.095			0.043 (J)					0.077 (J)
2/7/2022							0.6	0.54	
2/8/2022	0.094	<0.08	0.077 (J)		<0.08	<0.08			
2/9/2022				<0.08					<0.08
8/30/2022	0.085	<0.08	0.1	<0.08	<0.08	<0.08	1.2	0.98	
8/31/2022									<0.08
1/31/2023							1.3	0.99	0.047 (J)
2/1/2023	0.091		0.087	<0.08	0.023 (J)				
2/2/2023		0.039 (J)							
3/28/2023									
3/29/2023									0.046 (J)
5/30/2023									
5/31/2023									0.036 (J)
7/26/2023									0.039 (J)
8/28/2023					<0.08		1.2		
8/29/2023	0.1		0.078 (J)	<0.08				0.53	0.033 (J)
9/6/2023		0.032 (J)							

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	0.1		
3/24/2021		0.36	<0.08
8/17/2021	0.11		
8/18/2021		0.25	<0.08
2/7/2022			
2/8/2022	0.084		<0.08
2/9/2022		0.13	
8/30/2022	0.12	0.099	
8/31/2022			<0.08
1/31/2023	0.044 (J)	0.094	0.033 (J)
2/1/2023			
2/2/2023			
3/28/2023	0.072 (J)		
3/29/2023		0.063 (J)	0.024 (J)
5/30/2023	0.068 (J)		
5/31/2023		0.054 (J)	<0.08
7/26/2023	0.032 (J)	0.054 (J)	<0.08
8/28/2023	0.035 (J)		
8/29/2023		0.042 (J)	<0.08
9/6/2023			

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-4 (bg)	GWA-5 (bg)	GWA-3A (bg)	GWC-2	GWC-4A	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
8/31/2016	0.88	3.7	1.5	5.5	0.42				
9/1/2016						26 (o)			
1/19/2017	1.1	2	1.8						
1/24/2017				2.9					
1/25/2017					0.37				
2/28/2017						2.7			
7/17/2017						1.7			
7/18/2017	0.86		1.7						
7/19/2017		2.6		4.2					
7/20/2017					0.29				
9/20/2017			1.7			1.5			
9/21/2017	0.9	2.7		2.9	0.3				
1/8/2018						1.7			
1/9/2018	1	4.1	1.9	1.7	0.38				
3/27/2018	0.89	4.8	1.9			1.7			
3/28/2018					0.44				
3/29/2018				2.2					
7/10/2018	0.99	3.7	1.9	3.9	2 (o)	1.7			
10/8/2018	1.1	3.2				1.6	17	17	
10/9/2018			2.2	1.7	0.34				
1/30/2019	1	1.7	2.4		0.34	1.9	15	16	
1/31/2019				4.8					
3/27/2019		3.1				1.6			
3/28/2019	0.98		2.4	4.9	0.3		18	16	
9/11/2019						1.6			
9/12/2019	0.84	1.9	2.3	2	0.3 (J)		19	15	
3/10/2020	1.1	2.9	2.8			2		14	
3/11/2020							20		
3/31/2020				8.3	0.48 (J)				
4/2/2020			3						
9/21/2020	1.4		3.1			1.8	13		
9/22/2020		2.9		2.1	0.51			16	
3/23/2021			3.6	9.2		1.8	19	15	4
3/24/2021	1.3	3.1			0.46 (J)				
8/17/2021	1.4	2.9	3.5			1.8	17	15	3.9
8/18/2021				1.7	0.37 (J)				
2/7/2022							11	12	
2/8/2022	1.3	2.8	3.3	1.3		1.7			2.7
2/9/2022					0.39 (J)				
8/30/2022	1.2	3.4	3.9	1.4	0.39 (J)	1.8	14	15	5.2
8/31/2022									
1/31/2023							15	16	6.8
2/1/2023	1.4		4.6	1.3	0.34 (J)				
2/2/2023		3.7							
3/28/2023									3
3/29/2023									
5/30/2023									3.3
5/31/2023									
7/26/2023									7.5
8/28/2023	1.3						14		8.6
8/29/2023			4.7	1.6	0.37 (J)			13	
9/6/2023		3.7							

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-6A	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	5		
3/24/2021		3.3	6.1
8/17/2021			
8/18/2021	3.8	2.9	2.7
2/7/2022			
2/8/2022			2.1
2/9/2022	3.2	2.5	
8/30/2022		2.3	
8/31/2022	3.2		0.98
1/31/2023	3.1	2.6	1
2/1/2023			
2/2/2023			
3/28/2023			
3/29/2023	3	2.6	0.83
5/30/2023			
5/31/2023	3.8	2.8	1.1
7/26/2023	3.3	2.7	1.2
8/28/2023			
8/29/2023	3.2	2.5	1.1
9/6/2023			

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-2	GWA-5 (bg)	GWA-3A (bg)	GWC-4A	GWA-4 (bg)	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
8/31/2016	5.6	7.1	6.8	19	3.7				
9/1/2016						8			
1/19/2017		3.3	6.9		4.6				
1/24/2017	5.4								
1/25/2017				15					
2/28/2017						8.5			
7/17/2017						7.8			
7/18/2017			7.4		4.2				
7/19/2017	5.6	5.8							
7/20/2017				14					
9/20/2017			7.6			8			
9/21/2017	5.5	6.2		14	4.4				
1/8/2018						7.9			
1/9/2018	5.6	9.9	8.6	15	4.4				
3/27/2018		13	9.4		4.9	8			
3/28/2018				14					
3/29/2018	5.3								
7/10/2018	5.2	17	11	13	5.5	7.8			
10/8/2018		16			6.6	8.5	6.8	7.3	
10/9/2018	5.4		14	13					
1/30/2019		6.5	15	12	6.9	8.2	7.1	7.3	
1/31/2019	5.2								
3/27/2019		9.1				8.1			
3/28/2019	4.6		15	11	5.7		6.1	6.1	
9/11/2019						7.1			
9/12/2019	5.2	9.1	16	9.9	6.1		6.8	7.6	
3/10/2020		3.7	19		5	8.1		8	
3/11/2020							6.9		
3/31/2020	5.7			14					
4/2/2020			20						
9/21/2020			19		5.4	8.1	6.5		
9/22/2020	5.4	6.3		11				8	
3/23/2021	5.2		22			8.6	7.6	7.8	11
3/24/2021		7.4		10	6.2				
8/17/2021		11	23		6.1	9.1	8.3	7.7	
8/18/2021	5.7			7.3					12
2/7/2022							7.6	6.7	
2/8/2022	5	12	23		6.4	8.6			
2/9/2022				5.3					9.5
8/30/2022	4.8	15	26	4.8	4.7	8.5	7.5	5.9	
8/31/2022									9.6
1/31/2023							7.9	6.7	9.7
2/1/2023	4.8		30	4.3	4.5				
2/2/2023		15							
3/28/2023									
3/29/2023									11
5/30/2023									
5/31/2023									9.4
7/26/2023									10
8/28/2023					4.6		7.1		
8/29/2023	4.8		29	4.1				7.9	9.5
9/6/2023		14							

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	9.9		
3/24/2021		15	15
8/17/2021	10		
8/18/2021		16	7.8
2/7/2022			
2/8/2022	9.5		5.9
2/9/2022		15	
8/30/2022	7.7	14	
8/31/2022			4.5
1/31/2023	8	14	4.5
2/1/2023			
2/2/2023			
3/28/2023	10		
3/29/2023		14	5
5/30/2023	9.1		
5/31/2023		13	4.8
7/26/2023	7.3	14	5.4
8/28/2023	6.8		
8/29/2023		13	5.2
9/6/2023			

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-2	GWA-5 (bg)	GWA-3A (bg)	GWC-4A	GWA-4 (bg)	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
8/31/2016	<0.1	0.13 (J)	<0.1	<0.1	<0.1				
9/1/2016						<0.1			
1/19/2017		<0.1	<0.1		0.089 (J)				
1/24/2017	<0.1								
1/25/2017				<0.1					
2/28/2017						0.098 (J)			
7/17/2017						<0.1			
7/18/2017			<0.1		<0.1				
7/19/2017	<0.1	<0.1							
7/20/2017				<0.1					
9/20/2017			<0.1			<0.1			
9/21/2017	<0.1	0.13 (J)		<0.1	<0.1				
1/8/2018						<0.1			
1/9/2018	<0.1	0.13 (J)	<0.1	<0.1	<0.1				
3/27/2018		0.21	<0.1		<0.1	<0.1			
3/28/2018				<0.1					
3/29/2018	<0.1								
7/10/2018	<0.1	0.17 (J)	<0.1	<0.1	<0.1	<0.1			
10/8/2018		0.11 (J)			<0.1	<0.1	<0.1	<0.1	
10/9/2018	<0.1		<0.1	<0.1					
1/30/2019		0.089 (J)	<0.1	<0.1	0.029 (J)	<0.1	<0.1	<0.1	
1/31/2019	<0.1								
3/27/2019		0.1 (J)				<0.1			
3/28/2019	<0.1		<0.1	<0.1	<0.1		<0.1	<0.1	
9/11/2019						<0.1			
9/12/2019	<0.1	0.052 (J)	<0.1	<0.1	0.035 (J)		<0.1	0.036 (J)	
3/10/2020		0.051 (J)	0.026 (J)		0.066 (J)	<0.1		<0.1	
3/11/2020							<0.1		
3/31/2020	0.043 (J)			0.028 (J)					
4/2/2020			0.051 (J)						
9/21/2020			<0.1		0.06 (J)	<0.1	<0.1		
9/22/2020	<0.1	0.049 (J)		<0.1				0.039 (J)	
3/23/2021	<0.1		<0.1			<0.1	<0.1	<0.1	<0.1
3/24/2021		0.08 (J)		<0.1	0.12				
8/17/2021		0.097 (J)	0.064 (J)		0.061 (J)	0.038 (J)	0.033 (J)	0.083 (J)	
8/18/2021	<0.1			<0.1					0.039 (J)
2/7/2022							<0.1	0.027 (J)	
2/8/2022	<0.1	0.12	0.033 (J)		0.061 (J)	<0.1			
2/9/2022				0.038 (J)					0.042 (J)
8/30/2022	<0.1	0.11	<0.1	<0.1	0.047 (J)	<0.1	<0.1	<0.1	
8/31/2022									<0.1
1/31/2023							<0.1	<0.1	<0.1
2/1/2023	<0.1		<0.1	<0.1	0.043 (J)				
2/2/2023		0.12							
3/28/2023									
3/29/2023									<0.1
5/30/2023									
5/31/2023									0.05 (J)
7/26/2023									<0.1
8/28/2023					0.051 (J)		<0.1		
8/29/2023	<0.1		<0.1	<0.1				<0.1	<0.1
9/6/2023		0.15							

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	0.079 (J)		
3/24/2021		0.046 (J)	<0.1
8/17/2021	0.09 (J)		
8/18/2021		0.072 (J)	<0.1
2/7/2022			
2/8/2022	0.077 (J)		0.033 (J)
2/9/2022		0.069 (J)	
8/30/2022	0.51	0.071 (J)	
8/31/2022			<0.1
1/31/2023	0.13	0.074 (J)	<0.1
2/1/2023			
2/2/2023			
3/28/2023	0.04 (J)		
3/29/2023		0.066 (J)	<0.1
5/30/2023	0.067 (J)		
5/31/2023		0.11	0.056 (J)
7/26/2023	0.19	0.085 (J)	<0.1
8/28/2023	0.21		
8/29/2023		0.08 (J)	<0.1
9/6/2023			

Prediction Limit

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
10/5/1999	6.63	6.51	6.3	5.33	6.08	6.42			
11/12/1999	5.51	5.46	4.72	4.6	5.35	5.03			
12/29/1999	5.23	5.13	4.8	4.8	5.19	4.92			
2/17/2000	5.29	5.22	4.78	4.98	5.18	5.13			
9/13/2000	5.41	4.86	4.58	4.75	5.13	4.85			
11/10/2000	5.47	5.29	4.5	4.65	5.2	5.05			
1/4/2001	5.44	5.53	4.61	4.83	5.14	5.08			
12/11/2001	4.86	5.37	4.87	4.73	4.93	4.81			
4/4/2002	5.1	5.32	4.96	5.05	5	4.92			
12/6/2002	4.917 (D)	5.3 (D)	4.4 (D)	4.65 (D)	5.02	5.07 (D)			
6/28/2003	4.91	4.73	3.77	4	4.92	4.69			
12/13/2003	4.87	4.53	4.25	4.97	4.82	4.81			
5/28/2004	4.98	4.22	3.9	4.51	4.6	3.93			
12/10/2004	4.35	4.26	3.71	4.09	4.29	4.25			
2/5/2005					4.43				
6/24/2005	4.82	4.47	3.94	4.27	4.56	4.5			
12/13/2005	4.66	4.47	3.94	4.54	4.34	4.52			
7/12/2006	5.49	3.68	5.56	4.57	4.38	3.59			
7/11/2014	5.55			4.64					
7/12/2014		5.33	3.88		5.68	5.44			
7/15/2015	5.13	4.94	4.19	4.67	5.22	4.98			
1/16/2016	5.06	4.85	4.35			4.87			
1/17/2016					6.07				
8/31/2016		4.79	4.53	4.89	5.49	4.92			
1/19/2017		4.72	4.79			4.86			
1/24/2017					5.25				
1/25/2017				4.73					
2/28/2017	5.33								
7/17/2017	5.09								
7/18/2017		4.96				5.02			
7/19/2017			4.83		5.54				
7/20/2017				4.96					
9/20/2017	5.29					4.72			
9/21/2017		4.7	4.57	4.78	5.19				
1/8/2018	5.26					4.92			
1/9/2018		4.91	4.4	4.79	4.97	4.83			
3/27/2018	5.27	4.92	4.11			4.91			
3/28/2018				4.44					
3/29/2018					5.15				
7/10/2018	5.17	4.94	4.62	4.88	5.37	4.87			
10/8/2018	5.18	4.76	4.51			4.84	5.79	5.29	
10/9/2018				4.85	5.04				
1/29/2019				4.7					
1/30/2019	5.17	4.94	4.72	4.52		4.88	5.15	5.08	
1/31/2019					5.38				
3/27/2019	5.09		4.56						
3/28/2019		4.99		4.68	5.38	4.8	5.62	4.93	
9/11/2019	5.1								
9/12/2019		4.92	4.54	4.89	5.14	4.99	5.1	5.57	
3/10/2020	5.48	4.59	4.81			4.79		5.56	
3/11/2020							5.05		
3/31/2020				4.66	5.64				

Prediction Limit

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:38 PM View: Appendix III
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
4/2/2020						4.75			
9/21/2020	4.95	4.6				4.69	5.35		
9/22/2020			4.99	4.92	5.04			5.83	
3/23/2021	5.17				5.61	4.6	5.01	5.61	5.63
3/24/2021		4.42	4.37	4.59					
8/17/2021	5.24	4.78	4.62			4.76	5.51	5.82	5.83
8/18/2021				4.76	4.98				
2/7/2022							5.29	5.7	
2/8/2022	5.17	4.93	4.67		4.79	4.69			5.43
2/9/2022				4.82					
8/30/2022	5.01	4.72	4.51	4.71	4.96	4.71	5	4.9	5.86
8/31/2022									
1/31/2023							5	5.07	6.15
2/1/2023		4.77		4.6	4.83	4.52			
2/2/2023			4.59						
3/28/2023									5.73
3/29/2023									
5/30/2023									5.89
5/31/2023									
7/26/2023									5.86
8/28/2023		4.34					4.91		5.72
8/29/2023				4.39	4.63	4.46		5.78	
9/6/2023			4.32						

Prediction Limit

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-6A GWC-1A GWC-5A

10/5/1999
11/12/1999
12/29/1999
2/17/2000
9/13/2000
11/10/2000
1/4/2001
12/11/2001
4/4/2002
12/6/2002
6/28/2003
12/13/2003
5/28/2004
12/10/2004
2/5/2005
6/24/2005
12/13/2005
7/12/2006
7/11/2014
7/12/2014
7/15/2015
1/16/2016
1/17/2016
8/31/2016
1/19/2017
1/24/2017
1/25/2017
2/28/2017
7/17/2017
7/18/2017
7/19/2017
7/20/2017
9/20/2017
9/21/2017
1/8/2018
1/9/2018
3/27/2018
3/28/2018
3/29/2018
7/10/2018
10/8/2018
10/9/2018
1/29/2019
1/30/2019
1/31/2019
3/27/2019
3/28/2019
9/11/2019
9/12/2019
3/10/2020
3/11/2020
3/31/2020

Prediction Limit

Constituent: pH (S.U.) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-6A	GWC-1A	GWC-5A
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	5.31		
3/24/2021		4.38	5.42
8/17/2021			
8/18/2021	5.26	4.59	5.17
2/7/2022			
2/8/2022			5.2
2/9/2022	5.31	4.53	
8/30/2022		4.43	
8/31/2022	5.07		4.97
1/31/2023	5.32	4.43	4.85
2/1/2023			
2/2/2023			
3/28/2023			
3/29/2023	5.18	4.38	4.69
5/30/2023			
5/31/2023	5.07	4.31	4.62
7/26/2023	4.93	4.26	4.57
8/28/2023			
8/29/2023	4.96	4.25	4.6
9/6/2023			

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-2	GWA-5 (bg)	GWA-3A (bg)	GWC-4A	GWA-4 (bg)	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
8/31/2016	<1	21	<1	1.7	7				
9/1/2016						<1			
1/19/2017		11	<1		6.3				
1/24/2017	<1								
1/25/2017				1.8					
2/28/2017						2.7			
7/17/2017						<1			
7/18/2017			<1		4.7				
7/19/2017	<1	12							
7/20/2017				0.83 (J)					
9/20/2017			<1			<1			
9/21/2017	<1	15		1.1	4.5				
1/8/2018						<1			
1/9/2018	<1	25	<1	0.79 (J)	3				
3/27/2018		31	<1		3.8	<1			
3/28/2018				0.79 (J)					
3/29/2018	<1								
7/10/2018	<1	19	<1	0.76 (J)	3.4	<1			
10/8/2018		17			3.4	<1	75	73	
10/9/2018	<1		<1	<1					
1/30/2019		15	0.41 (J)	0.9 (J)	3.5	1.2	85	74	
1/31/2019	0.57 (J)								
3/27/2019		20				<1			
3/28/2019	<1		0.44 (J)	1.1	3		85	71	
9/11/2019						<1			
9/12/2019	0.43 (J)	10	0.69 (J)	1.1	3.7		81	59	
3/10/2020		15	3		7.2	1.5		57	
3/11/2020							110		
3/31/2020	1			2.5					
4/2/2020			<1						
9/21/2020			<1		5	<1	49		
9/22/2020	<1	12		0.76 (J)				52	
3/23/2021	0.8 (J)		<1			<1	88	49	10
3/24/2021		16		<1	7				
8/17/2021		11	<1		5	<1	84	54	
8/18/2021	1.2			<1					8.3
2/7/2022							54	42	
2/8/2022	2.7	13	<1		5.9	<1			
2/9/2022				<1					5.4
8/30/2022	1.1	13	<1	<1	3.5	<1	73	74	
8/31/2022									3.5
1/31/2023							74	71	3.3
2/1/2023	1.3		<1	<1	3.1				
2/2/2023		15							
3/28/2023									
3/29/2023									4
5/30/2023									
5/31/2023									3.3
7/26/2023									3.2
8/28/2023					3.2		67		
8/29/2023	5.2		<1	0.57 (J)				42	2.7
9/6/2023		14							

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	6.8		
3/24/2021		1	26
8/17/2021	5.2		
8/18/2021		0.84 (J)	10
2/7/2022			
2/8/2022	2.8		5.9
2/9/2022		<1	
8/30/2022	1.6	<1	
8/31/2022			<1
1/31/2023	1	<1	<1
2/1/2023			
2/2/2023			
3/28/2023	2		
3/29/2023		<1	<1
5/30/2023	2		
5/31/2023		0.43 (J)	0.71 (J)
7/26/2023	1.5	<1	0.43 (J)
8/28/2023	1.4		
8/29/2023		0.4 (J)	0.48 (J)
9/6/2023			

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-4 (bg)	GWA-5 (bg)	GWA-3A (bg)	GWC-2	GWC-4A	GWA-1A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
8/31/2016	14 (D)	66 (D)	42 (D)	42 (D)	36 (D)				
9/1/2016						2200 (o)			
1/19/2017	34 (D)	48 (D)	52 (D)						
1/24/2017				28 (D)					
1/25/2017					58 (D)				
2/28/2017						74 (D)			
7/17/2017						50			
7/18/2017	26		32						
7/19/2017		48		42					
7/20/2017					16				
9/20/2017			16			26			
9/21/2017	24	76		46	24				
1/8/2018						16			
1/9/2018	16	18	4 (J)	10	8				
3/27/2018	<10	48	30			40			
3/28/2018					26				
3/29/2018				52					
7/10/2018	14	76	30	38	26	90			
10/8/2018	36	8				70	180	170	
10/9/2018			56	52	16				
1/30/2019	40	67	41		37	82	180	140	
1/31/2019				45					
3/27/2019		70				66			
3/28/2019	24		36	45	28		170	150	
9/11/2019						53			
9/12/2019	10	20	<10	28	<10		140	89	
3/10/2020	39	67	49			67		130	
3/11/2020							180		
3/31/2020				50	52				
4/2/2020			61						
9/21/2020	31		61			31	130		
9/22/2020		53		30	36			110	
3/23/2021			76	56		47	180	130	71
3/24/2021	36	60			27				
8/17/2021	33	50	83			36	160	130	
8/18/2021				37	29				61
2/7/2022							150	120	
2/8/2022	29	57	62	30		45			
2/9/2022					22				100
8/30/2022	40	64	87	38	21	55	160	150	
8/31/2022									73
1/31/2023							150	140	71
2/1/2023	34		85	36	18				
2/2/2023		65							
3/28/2023									
3/29/2023									69
5/30/2023									
5/31/2023									68
7/26/2023									70
8/28/2023	48						140		
8/29/2023			85	45	21			110	76
9/6/2023		66							

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 9/28/2023 5:38 PM View: Appendix III
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
8/31/2016			
9/1/2016			
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	63		
3/24/2021		59	97
8/17/2021	43		
8/18/2021		66	41
2/7/2022			
2/8/2022	39		48
2/9/2022		62	
8/30/2022	79	65	
8/31/2022			27
1/31/2023	76	57	25
2/1/2023			
2/2/2023			
3/28/2023	48		
3/29/2023		63	26
5/30/2023	51		
5/31/2023		61	25
7/26/2023	84	57	29
8/28/2023	85		
8/29/2023		53	36
9/6/2023			

FIGURE E.


Interwell Prediction Limits Appendix I - All Results (No Significant)

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR Printed 9/29/2023, 3:36 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Barium (mg/L)	GWC-1A	0.33	n/a	8/29/2023	0.24	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-2	0.33	n/a	8/29/2023	0.065	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-4A	0.33	n/a	8/29/2023	0.032	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-5A	0.33	n/a	8/29/2023	0.076	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Barium (mg/L)	GWC-6A	0.33	n/a	8/29/2023	0.079	No	254	n/a	n/a	0	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Beryllium (mg/L)	GWC-1A	0.0036	n/a	8/29/2023	0.00038J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-2	0.0036	n/a	8/29/2023	0.00031J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-4A	0.0036	n/a	8/29/2023	0.0025ND	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-5A	0.0036	n/a	8/29/2023	0.00031J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Beryllium (mg/L)	GWC-6A	0.0036	n/a	8/29/2023	0.00026J	No	255	n/a	n/a	68.24	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-1A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-2	0.032	n/a	8/29/2023	0.0037	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-4A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-5A	0.032	n/a	8/29/2023	0.002ND	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Chromium (mg/L)	GWC-6A	0.032	n/a	8/29/2023	0.0013J	No	253	n/a	n/a	50.99	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Cobalt (mg/L)	GWC-1A	0.0072	n/a	8/29/2023	0.0047	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-2	0.0072	n/a	8/29/2023	0.0014J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-4A	0.0072	n/a	8/29/2023	0.00045J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-5A	0.0072	n/a	8/29/2023	0.0023J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Cobalt (mg/L)	GWC-6A	0.0072	n/a	8/29/2023	0.00099J	No	253	n/a	n/a	49.01	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Copper (mg/L)	GWC-1A	0.008	n/a	8/29/2023	0.002ND	No	234	n/a	n/a	79.91	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Copper (mg/L)	GWC-2	0.008	n/a	8/29/2023	0.002ND	No	234	n/a	n/a	79.91	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-1A	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-2	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-5A	0.016	n/a	8/29/2023	0.001ND	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Lead (mg/L)	GWC-6A	0.016	n/a	8/29/2023	0.00038J	No	254	n/a	n/a	81.5	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-1A	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-2	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Vanadium (mg/L)	GWC-4A	0.055	n/a	8/29/2023	0.002ND	No	237	n/a	n/a	75.53	n/a	n/a	0.0000492	NP Inter (NDs) 1 of 2
Zinc (mg/L)	GWC-1A	0.074	n/a	8/29/2023	0.017	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-2	0.074	n/a	8/29/2023	0.0065	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-4A	0.074	n/a	8/29/2023	0.004J	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-5A	0.074	n/a	8/29/2023	0.01	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2
Zinc (mg/L)	GWC-6A	0.074	n/a	8/29/2023	0.008	No	237	n/a	n/a	24.89	n/a	n/a	0.0000492	NP Inter (normality) 1 of 2

Within Limit

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 254 background values. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 5 points to limit.

Constituent: Barium Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 255 background values. 68.24% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 5 points to limit.

Constituent: Beryllium Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 253 background values. 50.99% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 5 points to limit.

Constituent: Chromium Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 253 background values. 49.01% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 5 points to limit.

Constituent: Cobalt Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 234 background values. 79.91% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 2 points to limit. Assumes 3 future values.

Constituent: Copper Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 254 background values. 81.5% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 4 points to limit. Assumes 1 future value.

Constituent: Lead Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit
Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 237 background values. 75.53% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 3 points to limit. Assumes 2 future values.

Constituent: Vanadium Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Within Limit

Prediction Limit
Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 237 background values. 24.89% NDs. Annual per-constituent alpha = 0.0004919. Individual comparison alpha = 0.0000492 (1 of 2). Comparing 5 points to limit.

Constituent: Zinc Analysis Run 9/29/2023 3:34 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

Prediction Limit

Constituent: Barium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
10/5/1999	0.084	0.013	0.1	0.095	0.097	0.031			
11/12/1999	0.099	0.017	0.086	0.063	0.057	0.023			
12/29/1999	0.18	0.027	0.12	0.066	0.084	0.033			
2/17/2000	0.12	0.023	0.13	0.023	0.079	0.026			
9/13/2000	0.038	0.022	0.18	0.056	0.06	0.044			
11/10/2000	0.065	0.035	0.018	0.059	0.062	0.044			
1/4/2001	0.037	0.032	0.23	0.079	0.064	0.043			
12/11/2001	0.027	0.032	0.12	0.049	0.057	0.041			
4/4/2002	0.027	0.03	0.094	0.048	0.06	0.038			
12/6/2002	0.028	0.041	0.33	0.1	0.072	0.044			
6/28/2003	0.054	0.035	0.11	0.036	0.066	0.045			
12/13/2003	0.027	0.029	0.057	0.031	0.063	0.039			
5/28/2004	0.18	0.033	0.035	0.038	0.067	0.042			
12/10/2004	0.1	0.037	0.04	0.041	0.075	0.045			
6/24/2005	0.045	0.034	0.037	0.028	0.071	0.042			
12/13/2005	0.048	0.03	0.039	0.025	0.068	0.043			
7/12/2006	0.13	0.03	0.042	0.033	0.058	0.043			
12/1/2006	0.012	0.032	0.044	0.051	0.063	0.041			
6/21/2007	0.2	0.03	0.058	0.052	0.071	0.043			
12/15/2007	0.14	0.034	0.073	0.062	0.068	0.045			
6/21/2008		0.037		0.065					
6/22/2008	0.1		0.096		0.057	0.05			
12/6/2008		0.034	0.094	0.056	0.058	0.14			
12/7/2008	0.043								
7/10/2009						0.046			
7/11/2009	0.13	0.037	0.12	0.059	0.05				
12/22/2009			0.089						
12/23/2009	0.17	0.058		0.067	0.05	0.049			
6/23/2010		0.046	0.081	0.084	0.083	0.043			
6/24/2010	0.045								
1/8/2011		0.036	0.097	0.053	0.057	0.047			
1/9/2011	0.11								
7/10/2011		0.031	0.084	0.043	0.046	0.035			
7/11/2011	0.022								
1/19/2012		0.045				0.05			
1/20/2012	0.043		0.099	0.054	0.055				
7/12/2012		0.039	0.12	0.053	0.045	0.042			
7/13/2012	0.05								
1/21/2013	0.11	0.042	0.095	0.053	0.045	0.048			
7/20/2013	0.04	0.054	0.086	0.052	0.079	0.047			
1/17/2014	0.082	0.057	0.14	0.063	0.084	0.049			
7/11/2014				0.068					
7/12/2014	0.034	0.042	0.17		0.065	0.043			
1/15/2015		0.041			0.067	0.05			
1/16/2015	0.029		0.12	0.059					
7/15/2015	0.025	0.04	0.12	0.045	0.049	0.044			
1/16/2016	0.026	0.04	0.12			0.048			
1/17/2016				0.052	0.09				
6/22/2016	0.0374 (D)	0.0453	0.0839	0.0528	0.0806	0.0471 (D)			
8/31/2016		0.041	0.093	0.037	0.057	0.043			
9/1/2016	0.86 (o)								
1/19/2017		0.052	0.079			0.052			

Prediction Limit

Constituent: Barium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
1/24/2017					0.06				
1/25/2017				0.034					
2/28/2017	0.027								
7/17/2017	0.022								
7/18/2017		0.037				0.046			
7/19/2017			0.085		0.06				
7/20/2017				0.028					
9/20/2017	0.023					0.053			
9/21/2017		0.042	0.1	0.032	0.063				
1/8/2018	0.022								
1/9/2018		0.043	0.13	0.033	0.059	0.05			
3/27/2018	0.023	0.039	0.18			0.054			
3/28/2018				0.037					
3/29/2018					0.06				
7/10/2018	0.024	0.043	0.14 (o)	0.065	0.073	0.056			
10/8/2018	0.03	0.042	0.11				0.14	0.049	
10/9/2018				0.029	0.057	0.061			
1/30/2019	0.024	0.04	0.079	0.027		0.071	0.1	0.041	
1/31/2019					0.067				
3/27/2019	0.021		0.12						
3/28/2019		0.041		0.028	0.064	0.068	0.1	0.035	
9/11/2019	0.022								
9/12/2019		0.044	0.086	0.026	0.06	0.073	0.077	0.049	
3/10/2020	0.018	0.058	0.081			0.082		0.047	
3/11/2020							0.067		
3/31/2020				0.036	0.077				
4/2/2020						0.088			
9/21/2020	0.023	0.052				0.083	0.11		
9/22/2020			0.078	0.031	0.061			0.049	
3/23/2021	0.023				0.083	0.093	0.048	0.044	0.021
3/24/2021		0.052	0.096	0.031					
8/17/2021	0.025	0.056	0.094			0.095	0.054	0.047	0.022
8/18/2021				0.032	0.062				
2/7/2022							0.096	0.047	
2/8/2022	0.024	0.054	0.1		0.062	0.1			0.019
2/9/2022				0.034					
8/30/2022	0.023	0.046	0.13	0.035	0.058	0.11	0.047	0.03	0.022
8/31/2022									
1/31/2023							0.043	0.036	0.024
2/1/2023		0.05		0.034	0.063	0.13			
2/2/2023			0.13						
3/28/2023									0.018
3/29/2023									
5/30/2023									0.019
5/31/2023									
7/26/2023									0.026
8/28/2023		0.047					0.044		0.023
8/29/2023				0.032	0.065	0.12		0.045	
9/6/2023			0.12						

Prediction Limit

Constituent: Barium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-6A	GWC-1A	GWC-5A
10/5/1999		
11/12/1999		
12/29/1999		
2/17/2000		
9/13/2000		
11/10/2000		
1/4/2001		
12/11/2001		
4/4/2002		
12/6/2002		
6/28/2003		
12/13/2003		
5/28/2004		
12/10/2004		
6/24/2005		
12/13/2005		
7/12/2006		
12/1/2006		
6/21/2007		
12/15/2007		
6/21/2008		
6/22/2008		
12/6/2008		
12/7/2008		
7/10/2009		
7/11/2009		
12/22/2009		
12/23/2009		
6/23/2010		
6/24/2010		
1/8/2011		
1/9/2011		
7/10/2011		
7/11/2011		
1/19/2012		
1/20/2012		
7/12/2012		
7/13/2012		
1/21/2013		
7/20/2013		
1/17/2014		
7/11/2014		
7/12/2014		
1/15/2015		
1/16/2015		
7/15/2015		
1/16/2016		
1/17/2016		
6/22/2016		
8/31/2016		
9/1/2016		
1/19/2017		

Prediction Limit

Constituent: Barium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-6A	GWC-1A	GWC-5A
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	0.098		
3/24/2021		0.29	0.055
8/17/2021			
8/18/2021	0.09	0.28	0.052
2/7/2022			
2/8/2022			0.052
2/9/2022	0.083	0.27	
8/30/2022		0.24	
8/31/2022	0.081		0.057
1/31/2023	0.083	0.27	0.07
2/1/2023			
2/2/2023			
3/28/2023			
3/29/2023	0.082	0.27	0.071
5/30/2023			
5/31/2023	0.096	0.29	0.076
7/26/2023	0.086	0.28	0.082
8/28/2023			
8/29/2023	0.079	0.24	0.076
9/6/2023			

Prediction Limit

Constituent: Beryllium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-2B (bg)	GWA-7A (bg)	GWA-1B (bg)
10/5/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
11/12/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/29/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
2/17/2000	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
9/13/2000	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
11/10/2000	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
1/4/2001	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/11/2001	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
4/4/2002	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/6/2002	<0.0025	<0.0025	0.0018	<0.0025	<0.0025	<0.0025			
6/28/2003	<0.0025	<0.0025	0.0036	<0.0025	<0.0025	<0.0025			
12/13/2003	<0.0025	<0.0025	0.0019	<0.0025	<0.0025	<0.0025			
5/28/2004	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/10/2004	0.0028	0.0023	0.0035	0.0023	0.0023	0.0024			
6/24/2005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/13/2005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
7/12/2006	0.0013	<0.0025	0.0013	0.0013	0.0013	<0.0025			
12/1/2006	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/21/2007	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/15/2007	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/21/2008		<0.0025		<0.0025					
6/22/2008	<0.0025		<0.0025		<0.0025	<0.0025			
12/6/2008		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/7/2008	<0.0025								
7/10/2009						<0.0025			
7/11/2009	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025				
12/22/2009			<0.0025						
12/23/2009	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025			
6/23/2010		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/24/2010	<0.0025								
1/8/2011		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
1/9/2011	<0.0025								
7/10/2011		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
7/11/2011	<0.0025								
1/19/2012		<0.0025				<0.0025			
1/20/2012	<0.0025		<0.0025	<0.0025	<0.0025				
7/12/2012		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
7/13/2012	<0.0025								
1/21/2013	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
7/20/2013	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
1/17/2014	<0.0013 (J)	<0.0013 (J)	<0.0013 (J)	<0.0025	<0.0013 (J)	<0.0025			
7/11/2014				<0.0013 (J)					
7/12/2014	<0.0013 (J)	<0.0013 (J)	<0.0013 (J)		<0.0013 (J)	<0.0025			
1/15/2015		0.0002 (J)			0.00019 (J)	0.00039 (J)			
1/16/2015	0.00022 (J)		0.00043 (J)	0.00012 (J)					
7/15/2015	0.00015 (J)	0.00018 (J)	0.00064 (J)	<0.0025	0.00018 (J)	0.00031 (J)			
1/16/2016	0.00011 (J)	0.00013 (J)	0.00039 (J)			0.00034 (J)			
1/17/2016				<0.0025	0.00011 (J)				
6/22/2016	0.00025 (JD)	0.0001 (J)	0.0002 (J)	<0.0025	0.0002 (J)	0.0004 (J)			
8/31/2016		<0.0025	<0.0025	<0.0025	<0.0025	0.00035 (J)			
9/1/2016	0.0084 (o)								
1/19/2017		<0.0025	<0.0025			<0.0025			

Prediction Limit

Constituent: Beryllium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-2B (bg)	GWA-7A (bg)	GWA-1B (bg)
1/24/2017					<0.0025				
1/25/2017				<0.0025					
2/28/2017	<0.0025								
7/17/2017	<0.0025								
7/18/2017		<0.0025				0.00038 (J)			
7/19/2017			<0.0025		<0.0025				
7/20/2017				<0.0025					
9/20/2017	<0.0025					0.00039 (J)			
9/21/2017		<0.0025	<0.0025	<0.0025	<0.0025				
1/8/2018	<0.0025								
1/9/2018		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
3/27/2018	<0.0025	<0.0025	<0.0025			<0.0025			
3/28/2018				<0.0025					
3/29/2018					<0.0025				
7/10/2018	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.00038 (J)			
10/8/2018	<0.0025	<0.0025	<0.0025				0.0014 (J)	<0.0025	
10/9/2018				<0.0025	<0.0025	<0.0025			
1/30/2019	0.00026 (J)	0.00019 (J)	0.00024 (J)	7E-05 (J)		0.00051 (J)	0.0019 (J)	0.00047 (J)	
1/31/2019					6.5E-05 (J)				
3/27/2019	<0.0025		<0.0025						
3/28/2019		<0.0025		<0.0025	<0.0025	0.00046 (J)	0.0017 (J)	0.00034 (J)	
9/11/2019	0.00019 (J)								
9/12/2019		<0.0025	0.00036 (J)	0.00028 (J)	<0.0025	0.00084 (J)	0.00088 (J)	0.00097 (J)	
3/10/2020	0.00018 (J)	0.00029 (J)	0.00028 (J)			0.00058 (J)	0.00087 (J)		
3/11/2020								0.00078 (J)	
3/31/2020				<0.0025	<0.0025				
4/2/2020						0.00062 (J)			
9/21/2020	0.0002 (J)	<0.0025				0.00054 (J)		<0.0025	
9/22/2020			<0.0025	<0.0025	0.00025 (J)		0.00042 (J)		
3/23/2021	0.00021 (J)				0.00018 (J)	0.00063 (J)	0.00071 (J)	0.00066 (J)	<0.0025
3/24/2021		0.00019 (J)	0.00026 (J)	<0.0025					
8/17/2021	<0.0025	<0.0025	0.00018 (J)			0.00049 (J)	0.00068 (J)	0.00047 (J)	<0.0025
8/18/2021				<0.0025	0.0002 (J)				
2/7/2022							0.00071 (J)	<0.0025	
2/8/2022	<0.0025	<0.0025	<0.0025		<0.0025	0.00061 (J)			<0.0025
2/9/2022				<0.0025					
8/30/2022	0.00035 (J)	0.00028 (J)	<0.0025	<0.0025	0.00038 (J)	0.00083 (J)	0.0019 (J)	0.0007 (J)	<0.0025
8/31/2022									
1/31/2023							0.0018 (J)	0.00056 (J)	<0.0025
2/1/2023		0.00024 (J)		<0.0025	0.00024 (J)	0.00078 (J)			
2/2/2023			0.0005 (J)						
3/28/2023									<0.0025
3/29/2023									
5/30/2023									<0.0025
5/31/2023									
7/26/2023									<0.0025
8/28/2023		0.00024 (J)						0.0005 (J)	<0.0025
8/29/2023				<0.0025	0.00031 (J)	0.00071 (J)	0.00063 (J)		
9/6/2023			0.00041 (J)						

Prediction Limit

Constituent: Beryllium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-6A	GWC-1A	GWC-5A
10/5/1999		
11/12/1999		
12/29/1999		
2/17/2000		
9/13/2000		
11/10/2000		
1/4/2001		
12/11/2001		
4/4/2002		
12/6/2002		
6/28/2003		
12/13/2003		
5/28/2004		
12/10/2004		
6/24/2005		
12/13/2005		
7/12/2006		
12/1/2006		
6/21/2007		
12/15/2007		
6/21/2008		
6/22/2008		
12/6/2008		
12/7/2008		
7/10/2009		
7/11/2009		
12/22/2009		
12/23/2009		
6/23/2010		
6/24/2010		
1/8/2011		
1/9/2011		
7/10/2011		
7/11/2011		
1/19/2012		
1/20/2012		
7/12/2012		
7/13/2012		
1/21/2013		
7/20/2013		
1/17/2014		
7/11/2014		
7/12/2014		
1/15/2015		
1/16/2015		
7/15/2015		
1/16/2016		
1/17/2016		
6/22/2016		
8/31/2016		
9/1/2016		
1/19/2017		

Prediction Limit

Constituent: Beryllium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-6A	GWC-1A	GWC-5A
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	<0.0025		
3/24/2021		0.00039 (J)	<0.0025
8/17/2021			
8/18/2021	<0.0025	0.00041 (J)	<0.0025
2/7/2022			
2/8/2022			<0.0025
2/9/2022	0.00032 (J)	0.0004 (J)	
8/30/2022		0.00042 (J)	
8/31/2022	0.00029 (J)		<0.0025
1/31/2023	0.00031 (J)	0.00043 (J)	0.00023 (J)
2/1/2023			
2/2/2023			
3/28/2023			
3/29/2023	0.00029 (J)	0.00046 (J)	0.00024 (J)
5/30/2023			
5/31/2023	0.00032 (J)	0.00039 (J)	0.00024 (J)
7/26/2023	0.00031 (J)	0.00041 (J)	0.00032 (J)
8/28/2023			
8/29/2023	0.00026 (J)	0.00038 (J)	0.00031 (J)
9/6/2023			

Prediction Limit

Constituent: Chromium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-2	GWC-4A	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
10/5/1999	0.023	<0.002	<0.002	0.017	<0.002	<0.002			
11/12/1999	0.03	<0.002	<0.002	<0.002	<0.002	<0.002			
12/29/1999	0.059 (o)	<0.002	<0.002	0.011	<0.002	<0.002			
2/17/2000	0.048 (o)	<0.002	<0.002	0.013	<0.002	<0.002			
9/13/2000	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
11/10/2000	0.018	<0.002	<0.002	<0.002	<0.002	<0.002			
1/4/2001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/11/2001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/6/2002	0.0046	0.0037	0.027	<0.002	<0.002	<0.002			
6/28/2003	0.0082	0.0039	0.0051	0.0027	0.061 (o)	0.0053			
12/13/2003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
5/28/2004	0.016	<0.002	0.0031	<0.002	<0.002	0.0027			
12/10/2004	0.0087	<0.002	0.0067	0.74 (o)	0.0059 (o)	0.004			
2/5/2005				<0.002					
6/24/2005	0.0069	<0.002	<0.002	0.0023	<0.002	0.0031			
12/13/2005	0.0075	<0.002	<0.002	0.0031	<0.002	0.0031			
7/12/2006	0.027	0.023	<0.002	0.0016	<0.002	0.0025			
12/1/2006	<0.002	0.0017	<0.002	0.0022	<0.002	0.0037			
6/21/2007	0.012	0.0027	0.0021	0.002	<0.002	0.0053			
12/15/2007	0.0085	0.0026	0.0022	0.0029	<0.002	0.0044			
6/21/2008		0.0021			<0.002				
6/22/2008	0.021		0.0019	0.0023		0.0059			
12/6/2008		<0.002	<0.002	0.0023	<0.002	0.0031			
12/7/2008	0.01								
7/10/2009						0.0029			
7/11/2009	0.0073	<0.002	<0.002	0.0015	<0.002				
12/22/2009			0.0032						
12/23/2009	0.013	<0.002		0.0014	<0.002	0.0025			
6/23/2010		<0.002	<0.002	0.0018	<0.002	0.0013			
6/24/2010	0.0076								
1/8/2011		<0.002	0.0019	0.0033	<0.002	0.0017			
1/9/2011	0.023								
7/10/2011		<0.002	<0.002	0.0028	<0.002	<0.002			
7/11/2011	0.0042								
1/19/2012		<0.002				<0.002			
1/20/2012	0.009		<0.002	<0.002	<0.002				
7/12/2012		<0.002	0.0044	0.0025	<0.002	<0.002			
7/13/2012	0.013								
1/21/2013	0.032	<0.002	<0.002	0.0022	<0.002	0.0014			
7/20/2013	0.01	<0.002	0.0017	0.0075	<0.002	0.0021			
1/17/2014	0.024	<0.002	<0.0013 (J)	0.0039	<0.002	0.0023			
7/11/2014					<0.002				
7/12/2014	0.0069	<0.002	0.0014	0.0031		<0.0013 (J)			
1/15/2015		<0.002		0.0026		<0.002			
1/16/2015	0.0064		0.0011 (J)		<0.002				
7/15/2015	0.0051	<0.002	0.0016	0.0032	<0.002	<0.002			
1/16/2016	0.0066	<0.002	<0.002			0.0025			
1/17/2016				0.0029	<0.002				
6/22/2016	0.00815 (JD)	0.0005 (J)	0.002 (J)	0.0036 (J)	<0.002	0.00255 (JD)			
8/31/2016		<0.002	0.002 (J)	0.0027	<0.002	0.0042			
9/1/2016	0.12 (o)								

Prediction Limit

Constituent: Chromium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-2	GWC-4A	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
1/19/2017		<0.002	0.002 (J)			0.0039			
1/24/2017				0.0034					
1/25/2017					<0.002 (D)				
2/28/2017	0.0012 (J)								
7/17/2017	0.003								
7/18/2017		<0.002				0.0018 (J)			
7/19/2017			0.0017 (J)	0.0028					
7/20/2017					<0.002				
9/20/2017	0.0025					0.0026			
9/21/2017		<0.002	0.0021 (J)	0.0035	<0.002				
1/8/2018	0.0038								
1/9/2018		0.0087	0.0019 (J)	0.003	<0.002	0.0038			
3/27/2018	0.0044	<0.002	<0.002			0.0037			
3/28/2018					0.0019 (J)				
3/29/2018				0.0032					
7/10/2018	0.0045	<0.002	0.0012 (J)	0.0033	0.0029	0.0022 (J)			
10/8/2018	0.0054	<0.002	0.0015 (J)				<0.002	<0.002	
10/9/2018				0.0039	<0.002	0.0047			
1/30/2019	0.0061	0.00088 (J)	0.0014 (J)		<0.002	0.005	<0.002	0.003	
1/31/2019				0.0061					
3/27/2019	0.0044		<0.002						
3/28/2019		<0.002		0.0049	<0.002	0.0037	<0.002	0.0017 (J)	
9/11/2019	0.0076								
9/12/2019		<0.002	0.0032	0.0048	0.0028	<0.002	<0.002	<0.002	
3/10/2020	0.0041	<0.002	0.0031			<0.002		<0.002	
3/11/2020							<0.002		
3/31/2020				0.005	<0.002				
4/2/2020						0.0031			
9/21/2020	0.0049	<0.002				<0.002	<0.002		
9/22/2020			0.0017 (J)	0.0036	<0.002			<0.002	
3/23/2021	0.0047			0.0048		0.0022	<0.002	<0.002	<0.002
3/24/2021		<0.002	<0.002		<0.002				
8/17/2021	0.0046	<0.002	<0.002			<0.002	<0.002	<0.002	
8/18/2021				0.0064	<0.002				<0.002
2/7/2022							<0.002	<0.002	
2/8/2022	0.0051	<0.002	0.003	0.0046		<0.002			
2/9/2022					<0.002				<0.002
8/30/2022	0.0047	<0.002	<0.002	0.005	<0.002	0.0084	<0.002	0.0028	
8/31/2022									<0.002
1/31/2023							<0.002	0.0022	<0.002
2/1/2023		0.0016 (J)		0.0037	<0.002	0.0016 (J)			
2/2/2023			0.0023						
3/28/2023									
3/29/2023									0.0014 (J)
5/30/2023									
5/31/2023									0.0021
7/26/2023									<0.002
8/28/2023		<0.002					0.0016 (J)		
8/29/2023				0.0037	<0.002	<0.002		<0.002	0.0013 (J)
9/6/2023			0.0016 (J)						

Prediction Limit

Constituent: Chromium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWA-1B (bg)	GWC-1A	GWC-5A
10/5/1999		
11/12/1999		
12/29/1999		
2/17/2000		
9/13/2000		
11/10/2000		
1/4/2001		
12/11/2001		
4/4/2002		
12/6/2002		
6/28/2003		
12/13/2003		
5/28/2004		
12/10/2004		
2/5/2005		
6/24/2005		
12/13/2005		
7/12/2006		
12/1/2006		
6/21/2007		
12/15/2007		
6/21/2008		
6/22/2008		
12/6/2008		
12/7/2008		
7/10/2009		
7/11/2009		
12/22/2009		
12/23/2009		
6/23/2010		
6/24/2010		
1/8/2011		
1/9/2011		
7/10/2011		
7/11/2011		
1/19/2012		
1/20/2012		
7/12/2012		
7/13/2012		
1/21/2013		
7/20/2013		
1/17/2014		
7/11/2014		
7/12/2014		
1/15/2015		
1/16/2015		
7/15/2015		
1/16/2016		
1/17/2016		
6/22/2016		
8/31/2016		
9/1/2016		

Prediction Limit

Constituent: Chromium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
1/19/2017			
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	<0.002		
3/24/2021		<0.002	<0.002
8/17/2021	<0.002		
8/18/2021		<0.002	<0.002
2/7/2022			
2/8/2022	<0.002		<0.002
2/9/2022		<0.002	
8/30/2022	<0.002	<0.002	
8/31/2022			0.0021
1/31/2023	<0.002	<0.002	<0.002
2/1/2023			
2/2/2023			
3/28/2023	<0.002		
3/29/2023		0.0016 (J)	<0.002
5/30/2023	<0.002		
5/31/2023		0.0012 (J)	<0.002
7/26/2023	<0.002	<0.002	<0.002
8/28/2023	<0.002		
8/29/2023		<0.002	<0.002
9/6/2023			

Prediction Limit

Constituent: Cobalt (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
10/5/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
11/12/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/29/1999	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
2/17/2000	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
9/13/2000	<0.0025	<0.0025	<0.0025	<0.0025	0.01	<0.0025			
11/10/2000	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
1/4/2001	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/11/2001	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
4/4/2002	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/6/2002	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/28/2003	<0.0025	<0.0025	0.018 (o)	<0.0025	<0.0025	<0.0025			
12/13/2003	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
5/28/2004	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
12/10/2004	<0.0025	<0.0025	0.007	<0.0025	0.0062	<0.0025			
6/24/2005	<0.0025	<0.0025	0.0072	<0.0025	<0.0025	<0.0025			
12/13/2005	<0.0025	<0.0025	0.0062	<0.0025	<0.0025	<0.0025			
7/12/2006	0.0032	<0.0025	0.0048	<0.0025	<0.0025	<0.0025			
12/1/2006	0.012 (o)	<0.0025	0.0032	<0.0025	<0.0025	<0.0025			
6/21/2007	<0.0025	<0.0025	0.0037	<0.0025	<0.0025	0.0025			
12/15/2007	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/21/2008		<0.0025		0.0025					
6/22/2008	0.0031		0.0025		<0.0025	<0.0025			
12/6/2008		<0.0025	0.0025	<0.0025	<0.0025	<0.0025			
12/7/2008	<0.0025								
7/10/2009						<0.0025			
7/11/2009	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025				
12/22/2009			0.0025						
12/23/2009	<0.0025	<0.0025		<0.0025	<0.0025	<0.0025			
6/23/2010		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
6/24/2010	<0.0025								
1/8/2011		<0.0025	0.0026	<0.0025	<0.0025	<0.0025			
1/9/2011	0.0031								
7/10/2011		<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
7/11/2011	<0.0025								
1/19/2012		<0.0025				<0.0025			
1/20/2012	<0.0025		<0.0025	<0.0025	<0.0025				
7/12/2012		<0.0025	0.002	<0.0025	<0.0025	<0.0025			
7/13/2012	0.0015								
1/21/2013	0.0035	<0.0025	0.0014	<0.0025	<0.0025	<0.0025			
7/20/2013	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025			
1/17/2014	0.0027	<0.0013 (J)	0.0019	<0.0025	<0.0025	<0.0013 (J)			
7/11/2014				<0.0025					
7/12/2014	<0.0013 (J)	<0.0013 (J)	0.0026		<0.0013 (J)	<0.0013 (J)			
1/15/2015		0.00084 (J)			0.00096 (J)	0.00086 (J)			
1/16/2015	<0.0025		0.0021	0.00071 (J)					
7/15/2015	<0.0025	0.00083 (J)	0.0023	0.00064 (J)	0.0006 (J)	0.00087 (J)			
1/16/2016	0.00059 (J)	0.00092 (J)	0.002			0.0011 (J)			
1/17/2016				0.00066 (J)	0.00069 (J)				
6/22/2016	0.00085 (JD)	0.0005 (J)	0.0007 (J)	0.0009 (J)	0.0011 (J)	0.0009 (J)			
8/31/2016		0.00055 (J)	0.001 (J)	0.0006 (J)	0.0006 (J)	0.00095 (J)			
9/1/2016	0.023 (o)								
1/19/2017		0.00041 (J)	0.00046 (J)			0.00087 (J)			

Prediction Limit

Constituent: Cobalt (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWC-2	GWA-3A (bg)	GWA-7A (bg)	GWA-2B (bg)	GWC-6A
1/24/2017					0.00067 (J)				
1/25/2017				0.00047 (J)					
2/28/2017	0.00048 (J)								
7/17/2017	<0.0025								
7/18/2017		0.0007 (J)				0.001 (J)			
7/19/2017			0.00069 (J)		0.00079 (J)				
7/20/2017				<0.0025					
9/20/2017	<0.0025					0.0011 (J)			
9/21/2017		0.00073 (J)	0.00073 (J)	<0.0025	0.00077 (J)				
1/8/2018	<0.0025								
1/9/2018		0.0012 (J)	0.0014 (J)	0.00048 (J)	0.00092 (J)	0.0011 (J)			
3/27/2018	<0.0025	0.00081 (J)	0.0019 (J)			0.0011 (J)			
3/28/2018				0.00048 (J)					
3/29/2018					0.0008 (J)				
7/10/2018	<0.0025	0.00086 (J)	0.0015 (J)	0.00084 (J)	0.00097 (J)	0.0012 (J)			
10/8/2018	<0.0025	<0.0025	<0.0025				0.0055	0.0051	
10/9/2018				<0.0025	<0.0025	<0.0025			
1/30/2019	0.00038 (J)	0.00092 (J)	0.00076 (J)	0.00038 (J)		0.0014 (J)	0.0047	0.0044	
1/31/2019					0.00092 (J)				
3/27/2019	<0.0025		0.0012 (J)						
3/28/2019		0.00089 (J)		<0.0025	0.00072 (J)	0.0014 (J)	0.0045	0.0046	
9/11/2019	0.00032 (J)								
9/12/2019		0.00091	0.00074	0.00044 (J)	0.0009	0.0015	0.0043	0.0023	
3/10/2020	0.00028 (J)	0.0009	0.00099			0.0019		0.003	
3/11/2020							0.0056		
3/31/2020				0.00033 (J)	0.00061 (J)				
4/2/2020						0.0017 (J)			
9/21/2020	0.0003 (J)	0.00059 (J)				0.0016 (J)	0.0025		
9/22/2020			0.00064 (J)	0.00042 (J)	0.00092 (J)			<0.0025	
3/23/2021	0.00028 (J)				0.00069 (J)	0.0017 (J)	0.003	0.00096 (J)	0.0034
3/24/2021		0.00069 (J)	0.00077 (J)	0.00037 (J)					
8/17/2021	0.00032 (J)	0.00096 (J)	0.00085 (J)			0.002 (J)	0.0026	0.00016 (J)	
8/18/2021				0.00034 (J)	0.0011 (J)				0.0016 (J)
2/7/2022							0.0024 (J)	0.00073 (J)	
2/8/2022	0.00029 (J)	0.00096 (J)	0.001 (J)		0.0013 (J)	0.0019 (J)			
2/9/2022				0.00042 (J)					0.0012 (J)
8/30/2022	0.00031 (J)	0.00097 (J)	0.0016 (J)	0.00048 (J)	0.0012 (J)	0.0023 (J)	0.0024 (J)	0.004	
8/31/2022									0.0012 (J)
1/31/2023							0.0023 (J)	0.0041	0.0011 (J)
2/1/2023		0.0012 (J)		0.00047 (J)	0.0013 (J)	0.0027			
2/2/2023			0.0017 (J)						
3/28/2023									
3/29/2023									0.001 (J)
5/30/2023									
5/31/2023									0.0011 (J)
7/26/2023									0.0011 (J)
8/28/2023		0.001 (J)					0.0019 (J)		
8/29/2023				0.00045 (J)	0.0014 (J)	0.0026		0.0029	0.00099 (J)
9/6/2023			0.0017 (J)						

Prediction Limit

Constituent: Cobalt (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWA-1B (bg)	GWC-1A	GWC-5A
10/5/1999		
11/12/1999		
12/29/1999		
2/17/2000		
9/13/2000		
11/10/2000		
1/4/2001		
12/11/2001		
4/4/2002		
12/6/2002		
6/28/2003		
12/13/2003		
5/28/2004		
12/10/2004		
6/24/2005		
12/13/2005		
7/12/2006		
12/1/2006		
6/21/2007		
12/15/2007		
6/21/2008		
6/22/2008		
12/6/2008		
12/7/2008		
7/10/2009		
7/11/2009		
12/22/2009		
12/23/2009		
6/23/2010		
6/24/2010		
1/8/2011		
1/9/2011		
7/10/2011		
7/11/2011		
1/19/2012		
1/20/2012		
7/12/2012		
7/13/2012		
1/21/2013		
7/20/2013		
1/17/2014		
7/11/2014		
7/12/2014		
1/15/2015		
1/16/2015		
7/15/2015		
1/16/2016		
1/17/2016		
6/22/2016		
8/31/2016		
9/1/2016		
1/19/2017		

Prediction Limit

Constituent: Cobalt (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-1A	GWC-5A
1/24/2017			
1/25/2017			
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
9/20/2017			
9/21/2017			
1/8/2018			
1/9/2018			
3/27/2018			
3/28/2018			
3/29/2018			
7/10/2018			
10/8/2018			
10/9/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	0.00019 (J)		
3/24/2021		0.0063	0.0023 (J)
8/17/2021	0.00025 (J)		
8/18/2021		0.0053	0.0021 (J)
2/7/2022			
2/8/2022	0.00032 (J)		0.002 (J)
2/9/2022		0.0044	
8/30/2022	0.00029 (J)	0.0044	
8/31/2022			0.0018 (J)
1/31/2023	0.00028 (J)	0.0046	0.0021 (J)
2/1/2023			
2/2/2023			
3/28/2023	0.00032 (J)		
3/29/2023		0.0051	0.0021 (J)
5/30/2023	0.00028 (J)		
5/31/2023		0.005	0.0021 (J)
7/26/2023	<0.0025	0.0054	0.0026
8/28/2023	<0.0025		
8/29/2023		0.0047	0.0023 (J)
9/6/2023			

Prediction Limit

Constituent: Copper (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-3A (bg)	GWA-5 (bg)	GWC-2	GWA-4 (bg)	GWA-2B (bg)	GWA-7A (bg)	GWA-1B (bg)	GWC-1A
10/5/1999	<0.002	<0.002	<0.002	<0.002	<0.002				
11/12/1999	<0.002	<0.002	<0.002	<0.002	<0.002				
12/29/1999	<0.002	<0.002	<0.002	<0.002	<0.002				
2/17/2000	<0.002	<0.002	<0.002	<0.002	<0.002				
9/13/2000	<0.002	<0.002	<0.002	<0.002	<0.002				
11/10/2000	<0.002	<0.002	<0.002	<0.002	<0.002				
1/4/2001	<0.002	<0.002	<0.002	<0.002	<0.002				
12/11/2001	<0.002	<0.002	<0.002	<0.002	<0.002				
4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.002				
12/6/2002	<0.002	<0.002	0.0089 (o)	<0.002	<0.002				
6/28/2003	<0.002	<0.002	0.019 (o)	<0.002	<0.002				
12/13/2003	<0.002	<0.002	0.0067 (o)	<0.002	<0.002				
5/28/2004	0.0052	<0.002	0.0057 (o)	<0.002	<0.002				
12/10/2004	<0.002	<0.002	0.0027	0.11 (o)	<0.002				
6/24/2005	<0.002	<0.002	0.0038	<0.002	<0.002				
12/13/2005	<0.002	<0.002	<0.002	<0.002	<0.002				
7/12/2006	0.0055	<0.002	0.0033	<0.002	<0.002				
12/1/2006	<0.002	<0.002	<0.002	<0.002	<0.002				
6/21/2007	0.0032	<0.002	0.0035	<0.002	<0.002				
12/15/2007	<0.002	<0.002	<0.002	<0.002	<0.002				
6/21/2008								<0.002	
6/22/2008	<0.002	<0.002	<0.002	<0.002					
12/6/2008		<0.002	<0.002	<0.002	<0.002			<0.002	
12/7/2008	<0.002								
7/10/2009		<0.002							
7/11/2009	<0.002		<0.002	<0.002	<0.002				
12/22/2009			0.0025						
12/23/2009	0.0025	<0.002		<0.002	<0.002				
6/23/2010		<0.002	<0.002	<0.002	<0.002				
6/24/2010	<0.002								
1/8/2011		<0.002	<0.002	<0.002	<0.002				
1/9/2011	0.004								
7/10/2011		<0.002	<0.002	<0.002	<0.002				
7/11/2011	<0.002								
1/19/2012		<0.002						<0.002	
1/20/2012	<0.002		<0.002	<0.002	<0.002				
7/12/2012		<0.002	<0.002	<0.002	<0.002				
7/13/2012	<0.002								
1/21/2013	<0.002	<0.002	<0.002	<0.002	<0.002				
7/20/2013	<0.002	<0.002	<0.002	<0.002	<0.002				
1/17/2014	<0.005 (J)	<0.002	<0.005 (J)	0.0065 (o)	<0.002				
7/12/2014	<0.005 (J)	<0.002	<0.002	<0.002	<0.002				
1/15/2015		<0.002		<0.002	<0.002				
1/16/2015	<0.002		<0.002						
7/15/2015	<0.002	<0.002	<0.002	<0.002	<0.002				
1/16/2016	<0.002	<0.002	<0.002					<0.002	
1/17/2016				<0.002					
6/22/2016	0.002 (JD)	0.00205 (JD)	0.001	0.0005 (J)	<0.002				
1/19/2017		<0.002	<0.002		<0.002				
1/24/2017				<0.002					
2/28/2017	<0.002								
7/17/2017	<0.002								

Prediction Limit

Constituent: Copper (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-3A (bg)	GWA-5 (bg)	GWC-2	GWA-4 (bg)	GWA-2B (bg)	GWA-7A (bg)	GWA-1B (bg)	GWC-1A
7/18/2017		<0.002			<0.002				
7/19/2017			<0.002	<0.002					
1/8/2018	<0.002								
1/9/2018		<0.002	<0.002	<0.002	0.0025				
7/10/2018	<0.002	<0.002	<0.002	<0.002	<0.002				
1/30/2019	<0.002	<0.002	<0.002		<0.002	0.0035	0.0018 (J)		
1/31/2019				<0.002					
3/27/2019	<0.002		<0.002						
3/28/2019		<0.002		<0.002	<0.002	0.0031	<0.002		
9/11/2019	<0.002								
9/12/2019		0.0024	0.0011 (J)	0.002	0.0022	0.0038	0.0041		
3/10/2020	<0.002	0.00082 (J)	0.0019 (J)		<0.002	0.0021			
3/11/2020							0.0032		
3/31/2020				<0.002					
4/2/2020		0.0019 (J)							
9/21/2020	<0.002	<0.002			<0.002		0.0018 (J)		
9/22/2020			0.0013 (J)	<0.002		0.00096 (J)			
3/23/2021	<0.002	<0.002		<0.002		0.0011 (J)	0.0027	0.0015 (J)	
3/24/2021			0.00077 (J)		<0.002				0.001 (J)
8/17/2021	<0.002	<0.002	<0.002		<0.002	0.0043	0.0025	<0.002	
8/18/2021				<0.002					0.00085 (J)
2/7/2022						0.0012 (J)	0.008		
2/8/2022	<0.002	0.0011 (J)	<0.002	0.0019 (J)	<0.002			<0.002	
2/9/2022									<0.002
8/30/2022	<0.002	0.0029	0.0011 (J)	<0.002	0.0012 (J)	0.0013 (J)	0.0028	<0.002	0.0019 (J)
1/31/2023						<0.002	<0.002	<0.002	<0.002
2/1/2023		<0.002		<0.002	<0.002				
2/2/2023			0.0018 (J)						
3/28/2023								<0.002	
3/29/2023									0.0011 (J)
5/30/2023								<0.002	
5/31/2023									0.0012 (J)
7/26/2023								<0.002	<0.002
8/28/2023					<0.002		0.0016 (J)	<0.002	
8/29/2023		0.0057		<0.002		<0.002			<0.002
9/6/2023			<0.002						

Prediction Limit

Constituent: Lead (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-3A (bg)	GWA-5 (bg)	GWC-2	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)	GWC-6A
10/5/1999	0.007	<0.001	<0.001	<0.001	0.0054 (o)				
11/12/1999	0.0063 (o)	<0.001	<0.001	<0.001	<0.001				
12/29/1999	0.016	<0.001	<0.001	<0.001	<0.001				
2/17/2000	<0.001	<0.001	<0.001	<0.001	<0.001				
9/13/2000	<0.001	<0.001	<0.001	<0.001	<0.001				
11/10/2000	<0.001	<0.001	<0.001	<0.001	<0.001				
1/4/2001	<0.001	<0.001	<0.001	<0.001	<0.001				
12/11/2001	<0.001	<0.001	<0.001	<0.001	<0.001				
4/4/2002	<0.001	<0.001	<0.001	<0.001	<0.001				
12/6/2002	<0.001	<0.001	<0.001	0.011	<0.001				
6/28/2003	<0.001	<0.001	<0.001	<0.001	<0.001				
12/13/2003	<0.001	<0.001	<0.001	<0.001	<0.001				
5/28/2004	0.015	<0.001	<0.001	<0.001	<0.001				
12/10/2004	0.01	<0.001	<0.001	<0.001	<0.001				
6/24/2005	<0.001	<0.001	<0.001	<0.001	<0.001				
12/13/2005	<0.001	<0.001	<0.001	<0.001	<0.001				
7/12/2006	0.013	<0.001	<0.001	<0.001	<0.001				
12/1/2006	<0.001	<0.001	<0.001	<0.001	<0.001				
6/21/2007	<0.001	<0.001	<0.001	<0.001	<0.001				
12/15/2007	<0.001	<0.001	<0.001	<0.001	<0.001				
6/21/2008		<0.001							
6/22/2008	<0.001		<0.001	<0.001	<0.001				
12/6/2008		<0.001	<0.001	<0.001	<0.001				
12/7/2008	<0.001								
7/10/2009			<0.001						
7/11/2009	<0.001	<0.001		<0.001	<0.001				
12/22/2009				<0.001					
12/23/2009	<0.001	<0.001	<0.001		<0.001				
6/23/2010		<0.001	<0.001	<0.001	<0.001				
6/24/2010	<0.001								
1/8/2011		<0.001	<0.001	<0.001	<0.001				
1/9/2011	<0.001								
7/10/2011		<0.001	<0.001	<0.001	<0.001				
7/11/2011	<0.001								
1/19/2012		<0.001	<0.001						
1/20/2012	<0.001			<0.001	<0.001				
7/12/2012		<0.001	<0.001	<0.001	<0.001				
7/13/2012	<0.001								
1/21/2013	<0.001	<0.001	<0.001	<0.001	<0.001				
7/20/2013	<0.001	<0.001	<0.001	<0.001	<0.001				
1/17/2014	<0.001	<0.001	<0.001	<0.001	<0.001				
7/12/2014	<0.001	<0.001	<0.001	<0.001	<0.001				
1/15/2015		<0.001	<0.001		<0.001				
1/16/2015	<0.001			<0.001					
7/15/2015	<0.001	<0.001	<0.001	<0.001	<0.001				
1/16/2016	<0.001	<0.001	<0.001	<0.001	<0.001				
1/17/2016					<0.001				
6/22/2016	0.00125 (JD)	0.0003 (J)	0.00025 (JD)	0.001 (J)	0.0001 (J)				
8/31/2016		<0.001	<0.001	0.00099 (J)	<0.001				
9/1/2016	0.082 (o)								
1/19/2017		<0.001	<0.001	0.001 (J)					
1/24/2017					<0.001				

Prediction Limit

Constituent: Lead (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-3A (bg)	GWA-5 (bg)	GWC-2	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)	GWC-6A
2/28/2017	<0.001								
7/17/2017	<0.001								
7/18/2017		<0.001	<0.001						
7/19/2017				0.00081 (J)	<0.001				
9/20/2017	0.00035 (J)		<0.001						
9/21/2017		0.0076		0.00086 (J)	0.0014 (o)				
1/8/2018	<0.001								
1/9/2018		0.0023	<0.001	0.00059 (J)	<0.001				
3/27/2018	<0.001	<0.001	<0.001	<0.001					
3/29/2018					<0.001				
7/10/2018	<0.001	<0.001	<0.001	0.00045 (J)	<0.001				
10/8/2018	<0.001	<0.001		<0.001		<0.001	<0.001		
10/9/2018			<0.001		<0.001				
1/30/2019	0.00021 (J)	0.00013 (J)	0.00034 (J)	0.00064 (J)		<0.001	0.00028 (J)		
1/31/2019					<0.001				
3/27/2019	<0.001			0.0012 (J)					
3/28/2019		<0.001	0.00038 (J)		<0.001	<0.001	<0.001		
9/11/2019	<0.001								
9/12/2019		<0.001	<0.001	0.00082 (J)	<0.001	<0.001	<0.001		
3/10/2020	0.00015 (J)	0.00031 (J)	0.00013 (J)	0.0022			<0.001		
3/11/2020						<0.001			
3/31/2020					<0.001				
4/2/2020			0.00062 (J)						
9/21/2020	<0.001	0.00025 (J)	<0.001			<0.001			
9/22/2020				0.0012	<0.001		<0.001		
3/23/2021	0.00017 (J)		0.00029 (J)		<0.001	<0.001	<0.001	<0.001	<0.001
3/24/2021		0.00021 (J)		0.00066 (J)					
8/17/2021	<0.001	<0.001	0.00015 (J)	0.00044 (J)		<0.001	0.00073 (J)	<0.001	
8/18/2021					<0.001				<0.001
2/7/2022						<0.001	<0.001		
2/8/2022	<0.001	<0.001	<0.001	0.00058 (J)	<0.001			<0.001	
2/9/2022									<0.001
8/30/2022	<0.001	<0.001	<0.001	0.00064 (J)	<0.001	<0.001	<0.001	<0.001	
8/31/2022									<0.001
1/31/2023						<0.001	<0.001	<0.001	<0.001
2/1/2023		<0.001	0.00027 (J)		<0.001				
2/2/2023				0.0013					
3/28/2023							<0.001		
3/29/2023									<0.001
5/30/2023							0.00043 (J)		
5/31/2023									0.00038 (J)
7/26/2023								<0.001	<0.001
8/28/2023		<0.001				<0.001		<0.001	
8/29/2023			<0.001		<0.001		<0.001		0.00038 (J)
9/6/2023				0.0007 (J)					

Prediction Limit

Constituent: Lead (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-5A

GWC-1A

10/5/1999
11/12/1999
12/29/1999
2/17/2000
9/13/2000
11/10/2000
1/4/2001
12/11/2001
4/4/2002
12/6/2002
6/28/2003
12/13/2003
5/28/2004
12/10/2004
6/24/2005
12/13/2005
7/12/2006
12/1/2006
6/21/2007
12/15/2007
6/21/2008
6/22/2008
12/6/2008
12/7/2008
7/10/2009
7/11/2009
12/22/2009
12/23/2009
6/23/2010
6/24/2010
1/8/2011
1/9/2011
7/10/2011
7/11/2011
1/19/2012
1/20/2012
7/12/2012
7/13/2012
1/21/2013
7/20/2013
1/17/2014
7/12/2014
1/15/2015
1/16/2015
7/15/2015
1/16/2016
1/17/2016
6/22/2016
8/31/2016
9/1/2016
1/19/2017
1/24/2017

Prediction Limit

Constituent: Lead (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWC-5A	GWC-1A
2/28/2017		
7/17/2017		
7/18/2017		
7/19/2017		
9/20/2017		
9/21/2017		
1/8/2018		
1/9/2018		
3/27/2018		
3/29/2018		
7/10/2018		
10/8/2018		
10/9/2018		
1/30/2019		
1/31/2019		
3/27/2019		
3/28/2019		
9/11/2019		
9/12/2019		
3/10/2020		
3/11/2020		
3/31/2020		
4/2/2020		
9/21/2020		
9/22/2020		
3/23/2021		
3/24/2021	0.0003 (J)	<0.001
8/17/2021		
8/18/2021	0.00021 (J)	<0.001
2/7/2022		
2/8/2022	0.00061 (J)	
2/9/2022		<0.001
8/30/2022		<0.001
8/31/2022	0.00027 (J)	
1/31/2023	<0.001	<0.001
2/1/2023		
2/2/2023		
3/28/2023		
3/29/2023	<0.001	<0.001
5/30/2023		
5/31/2023	0.00061 (J)	0.00048 (J)
7/26/2023	<0.001	<0.001
8/28/2023		
8/29/2023	<0.001	<0.001
9/6/2023		

Prediction Limit

Constituent: Vanadium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWA-3A (bg)	GWC-2	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
10/5/1999	0.02	<0.002	<0.002	<0.002	<0.002	0.015 (o)			
11/12/1999	0.027	<0.002	<0.002	<0.002	<0.002	<0.002			
12/29/1999	0.055	<0.002	<0.002	<0.002	<0.002	<0.002			
2/17/2000	0.042	<0.002	<0.002	<0.002	<0.002	<0.002			
9/13/2000	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
11/10/2000	0.014	<0.002	<0.002	<0.002	<0.002	<0.002			
1/4/2001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/11/2001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/6/2002	<0.002	<0.002	0.03	<0.002	<0.002	<0.002			
6/28/2003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/13/2003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
5/28/2004	0.017	<0.002	<0.002	<0.002	<0.002	<0.002			
12/10/2004	0.0082	<0.002	<0.002	<0.002	<0.002	<0.002			
6/24/2005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
12/13/2005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
7/12/2006	0.023	<0.002	<0.002	<0.002	<0.002	<0.002			
12/1/2006	0.0081	<0.002	<0.002	<0.002	<0.002	<0.002			
6/21/2007	0.009	<0.002	0.07 (o)	<0.002	0.0038	<0.002			
12/15/2007	0.0056	<0.002	<0.002	<0.002	<0.002	<0.002			
6/21/2008		<0.002		<0.002					
6/22/2008	0.013		0.0026		<0.002	<0.002			
12/6/2008		<0.002	<0.002	<0.002	<0.002	<0.002			
12/7/2008	0.0027								
7/10/2009					<0.002				
7/11/2009	0.0032	<0.002	<0.002	<0.002		<0.002			
12/22/2009			<0.002						
12/23/2009	0.0093	<0.002		<0.002	<0.002	<0.002			
6/23/2010		<0.002	<0.002	<0.002	<0.002	<0.002			
6/24/2010	0.0033								
1/8/2011		<0.002	<0.002	<0.002	<0.002	<0.002			
1/9/2011	<0.002								
7/10/2011		<0.002	<0.002	<0.002	<0.002	<0.002			
7/11/2011	<0.002								
1/19/2012		<0.002			<0.002				
1/20/2012	<0.002		<0.002	<0.002		<0.002			
7/12/2012		<0.002	<0.002	<0.002	<0.002	<0.002			
7/13/2012	0.011								
1/21/2013	0.028	<0.002	<0.002	<0.002	<0.002	<0.002			
7/20/2013	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
1/17/2014	0.019	<0.002	<0.002	<0.002	<0.002	<0.002			
7/11/2014				<0.002					
7/12/2014	<0.005 (J)	<0.002	<0.002		<0.002	<0.002			
1/15/2015		<0.002			<0.002	<0.002			
1/16/2015	0.0012 (J)		0.0011 (J)	<0.002					
7/15/2015	<0.002	<0.002	0.0016 (J)	<0.002	<0.002	<0.002			
1/16/2016	0.0015 (J)	0.00082 (J)	<0.002		0.0011 (J)				
1/17/2016				<0.002		<0.002			
6/22/2016	0.0081 (JD)	<0.002	0.0018 (J)	<0.002	<0.002	0.0019 (J)			
1/19/2017		0.0025	0.0033		<0.002				
1/24/2017						0.0062			
1/25/2017				<0.002					

Prediction Limit

Constituent: Vanadium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
 Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-4A	GWA-3A (bg)	GWC-2	GWA-7A (bg)	GWA-2B (bg)	GWA-1B (bg)
2/28/2017	0.0019 (J)								
7/17/2017	<0.002								
7/18/2017		<0.002			<0.002				
7/19/2017			0.0045			0.0015 (J)			
7/20/2017				<0.002					
1/8/2018	<0.002								
1/9/2018		0.0072	0.0027	<0.002	<0.002	<0.002			
7/10/2018	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002			
1/30/2019	<0.002	<0.002	0.0019 (J)	<0.002	<0.002		<0.002	<0.002	
1/31/2019						<0.002			
3/27/2019	<0.002		<0.002						
3/28/2019		<0.002		<0.002	<0.002	<0.002	<0.002	<0.002	
9/11/2019	0.0014								
9/12/2019		0.0017	0.004	0.0021	0.002	0.0018	0.002	0.0021	
3/10/2020	<0.002	<0.002	0.01		<0.002			<0.002	
3/11/2020							<0.002		
3/31/2020				<0.002		<0.002			
4/2/2020					0.0013				
9/21/2020	<0.002	0.0012			<0.002		<0.002		
9/22/2020			0.0056	<0.002		<0.002		<0.002	
3/23/2021	<0.002				<0.002	<0.002	<0.002	<0.002	<0.002
3/24/2021		<0.002	0.0018	<0.002					
8/17/2021	<0.002	<0.002	0.0018		<0.002		<0.002	<0.002	<0.002
8/18/2021				<0.002		<0.002			
2/7/2022							0.0011	<0.002	
2/8/2022	<0.002	<0.002	0.0023		<0.002	<0.002			<0.002
2/9/2022				<0.002					
8/30/2022	0.0019	<0.002	0.0028	<0.002	<0.002	<0.002	0.0016	0.0016	0.0019
1/31/2023							<0.002	<0.002	<0.002
2/1/2023		<0.002		<0.002	<0.002	<0.002			
2/2/2023			0.0041						
3/28/2023									<0.002
3/29/2023									
5/30/2023									<0.002
5/31/2023									
7/26/2023									<0.002
8/28/2023		<0.002					<0.002		<0.002
8/29/2023				<0.002	<0.002	<0.002		<0.002	
9/6/2023			0.0015 (J)						

Prediction Limit

Constituent: Vanadium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-1A

10/5/1999
11/12/1999
12/29/1999
2/17/2000
9/13/2000
11/10/2000
1/4/2001
12/11/2001
4/4/2002
12/6/2002
6/28/2003
12/13/2003
5/28/2004
12/10/2004
6/24/2005
12/13/2005
7/12/2006
12/1/2006
6/21/2007
12/15/2007
6/21/2008
6/22/2008
12/6/2008
12/7/2008
7/10/2009
7/11/2009
12/22/2009
12/23/2009
6/23/2010
6/24/2010
1/8/2011
1/9/2011
7/10/2011
7/11/2011
1/19/2012
1/20/2012
7/12/2012
7/13/2012
1/21/2013
7/20/2013
1/17/2014
7/11/2014
7/12/2014
1/15/2015
1/16/2015
7/15/2015
1/16/2016
1/17/2016
6/22/2016
1/19/2017
1/24/2017
1/25/2017

Prediction Limit

Constituent: Vanadium (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWC-1A

2/28/2017	
7/17/2017	
7/18/2017	
7/19/2017	
7/20/2017	
1/8/2018	
1/9/2018	
7/10/2018	
1/30/2019	
1/31/2019	
3/27/2019	
3/28/2019	
9/11/2019	
9/12/2019	
3/10/2020	
3/11/2020	
3/31/2020	
4/2/2020	
9/21/2020	
9/22/2020	
3/23/2021	
3/24/2021	<0.002
8/17/2021	
8/18/2021	<0.002
2/7/2022	
2/8/2022	
2/9/2022	<0.002
8/30/2022	0.00087 (J)
1/31/2023	<0.002
2/1/2023	
2/2/2023	
3/28/2023	
3/29/2023	<0.002
5/30/2023	
5/31/2023	<0.002
7/26/2023	<0.002
8/28/2023	
8/29/2023	<0.002
9/6/2023	

Prediction Limit

Constituent: Zinc (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-2	GWC-4A	GWA-3A (bg)	GWA-2B (bg)	GWA-7A (bg)	GWC-6A
10/5/1999	0.043	0.039	<0.005	0.028	<0.005	0.023			
11/12/1999	0.035	0.025	<0.005	<0.005	<0.005	<0.005			
12/29/1999	0.058	0.023	<0.005	0.022	<0.005	<0.005			
2/17/2000	0.051	<0.005	<0.005	0.021	<0.005	<0.005			
9/13/2000	<0.005	0.035	0.021	<0.005	0.036 (o)	<0.005			
11/10/2000	<0.005	0.023	<0.005	<0.005	<0.005	<0.005			
1/4/2001	<0.005	0.027	<0.005	<0.005	<0.005	<0.005			
12/11/2001	<0.005	0.036	<0.005	<0.005	<0.005	<0.005			
4/4/2002	<0.005	0.038	<0.005	0.069 (o)	<0.005	<0.005			
12/6/2002	<0.005	0.033	0.06	0.012	0.012	<0.005			
6/28/2003	<0.005	0.018	0.19 (o)	0.011	<0.005	<0.005			
12/13/2003	<0.005	0.013	0.067	<0.005	<0.005	<0.005			
5/28/2004	0.034	<0.005	0.068	<0.005	<0.005	<0.005			
12/10/2004	0.021	<0.005	0.039	0.027	<0.005	<0.005			
6/24/2005	<0.005	<0.005	0.033	<0.005	<0.005	<0.005			
12/13/2005	0.013	0.011	0.039	0.011	<0.005	<0.005			
7/12/2006	0.074	0.0055	0.022	0.0064	<0.005	0.0047			
12/1/2006	0.048	0.0052	0.018	0.0077	0.098 (o)	0.065			
6/21/2007	0.067	0.0062	0.058	0.0082	0.0043	0.008			
12/15/2007	0.053	0.0055	0.0072	0.0063	0.0057	0.0043			
6/21/2008		0.011			0.0064				
6/22/2008	0.024		0.011	0.0074		0.0062			
12/6/2008		0.008	0.011	0.0066	0.0052	0.051			
12/7/2008	0.0087								
7/10/2009						0.0043			
7/11/2009	0.045	0.011	0.013	0.0054	0.0049				
12/22/2009			0.013						
12/23/2009	0.054	0.0051		0.0046	0.005	0.0039			
6/23/2010		0.0031	0.0084	0.0041	0.0044	<0.005			
6/24/2010	0.0065								
1/8/2011		0.0035	0.0089	0.019	0.0036	0.0037			
1/9/2011	0.022								
7/10/2011		0.0081	0.0084	0.005	0.0046	0.0047			
7/11/2011	0.0032								
1/19/2012		0.017				0.0045			
1/20/2012	0.0089		0.0094	0.007	0.0045				
7/12/2012		0.01	0.0098	0.0045	0.0041	0.0033			
7/13/2012	0.012								
1/21/2013	0.024	0.013	0.007	0.0045	0.0038	0.0038			
7/20/2013	0.0068	<0.005	0.0074	<0.005	0.0047	0.004			
1/17/2014	0.02	0.0066	0.0092	0.0075	0.0051	0.005			
7/11/2014					0.0066				
7/12/2014	0.0055	0.0054	0.013	0.0051		0.004			
1/15/2015		0.0076		0.0054		0.0056			
1/16/2015	0.0043		0.0081		0.0046				
7/15/2015	0.0026	0.0053	0.009	0.0049	0.0036	0.0034			
1/16/2016	0.0035	0.0048	0.007			0.0038			
1/17/2016				0.0051	0.004				
6/22/2016	0.00805 (JD)	0.0038 (J)	0.0091 (J)	0.0087 (J)	0.0053 (J)	0.00575 (JD)			
1/19/2017		<0.005	0.0065 (J)			<0.005			
1/24/2017				0.0071 (J)					
1/25/2017					<0.005				

Prediction Limit

Constituent: Zinc (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I

Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1A (bg)	GWA-4 (bg)	GWA-5 (bg)	GWC-2	GWC-4A	GWA-3A (bg)	GWA-2B (bg)	GWA-7A (bg)	GWC-6A
2/28/2017	<0.005								
7/17/2017	<0.005								
7/18/2017		<0.005				<0.005			
7/19/2017			0.0099 (J)	<0.005					
7/20/2017					<0.005				
1/8/2018	<0.005								
1/9/2018		0.0072 (J)	0.014 (J)	0.0079 (J)	<0.005	<0.005			
7/10/2018	<0.005	<0.005	0.0089 (J)	0.0067 (J)	<0.005	<0.005			
1/30/2019	<0.005	0.006 (J)	0.0057 (J)		0.0042 (J)	0.0058 (J)	0.013 (J)	0.011 (J)	
1/31/2019				<0.005					
3/27/2019	<0.005		0.01 (J)						
3/28/2019		<0.005		0.0069 (J)	<0.005	<0.005	0.014 (J)	0.0086 (J)	
9/11/2019	0.0062								
9/12/2019		0.0073	0.0074	0.0089	0.0093	0.0081	0.0075	0.014	
3/10/2020	<0.005	0.0079	0.0071			0.0079	0.0061		
3/11/2020								0.0099	
3/31/2020				0.0065	<0.005				
4/2/2020						0.011			
9/21/2020	<0.005	0.013				0.0055		0.007	
9/22/2020			0.039	0.029	0.017		0.0066		
3/23/2021	<0.005			0.0085		0.0092	0.0066	0.0096	0.0091
3/24/2021		0.0058	0.0085		0.01				
8/17/2021	0.048	0.029	0.024			0.014	0.026	0.052	
8/18/2021				0.0081	0.012				0.072
2/7/2022							0.0046 (J)	0.0098	
2/8/2022	0.0031 (J)	0.007	0.007	0.0078		0.013			
2/9/2022					0.0039 (J)				0.0069
8/30/2022	<0.005	0.01	0.013	0.012	0.0046 (J)	0.012	0.014	0.0089	
8/31/2022									0.0049 (J)
1/31/2023							0.012	0.0082	<0.005
2/1/2023		0.0089		0.0062	<0.005	0.0071			
2/2/2023			0.0095						
3/28/2023									
3/29/2023									0.0056
5/30/2023									
5/31/2023									0.0049 (J)
7/26/2023									0.011
8/28/2023		0.0064						0.019	
8/29/2023				0.0065	0.004 (J)	0.012	0.011		0.008
9/6/2023			0.0082						

Prediction Limit

Constituent: Zinc (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

GWA-1B (bg)	GWC-5A	GWC-1A
10/5/1999		
11/12/1999		
12/29/1999		
2/17/2000		
9/13/2000		
11/10/2000		
1/4/2001		
12/11/2001		
4/4/2002		
12/6/2002		
6/28/2003		
12/13/2003		
5/28/2004		
12/10/2004		
6/24/2005		
12/13/2005		
7/12/2006		
12/1/2006		
6/21/2007		
12/15/2007		
6/21/2008		
6/22/2008		
12/6/2008		
12/7/2008		
7/10/2009		
7/11/2009		
12/22/2009		
12/23/2009		
6/23/2010		
6/24/2010		
1/8/2011		
1/9/2011		
7/10/2011		
7/11/2011		
1/19/2012		
1/20/2012		
7/12/2012		
7/13/2012		
1/21/2013		
7/20/2013		
1/17/2014		
7/11/2014		
7/12/2014		
1/15/2015		
1/16/2015		
7/15/2015		
1/16/2016		
1/17/2016		
6/22/2016		
1/19/2017		
1/24/2017		
1/25/2017		

Prediction Limit

Constituent: Zinc (mg/L) Analysis Run 9/29/2023 3:36 PM View: Appendix I
Plant McIntosh Client: Southern Company Data: McIntosh LF 3 CCR

	GWA-1B (bg)	GWC-5A	GWC-1A
2/28/2017			
7/17/2017			
7/18/2017			
7/19/2017			
7/20/2017			
1/8/2018			
1/9/2018			
7/10/2018			
1/30/2019			
1/31/2019			
3/27/2019			
3/28/2019			
9/11/2019			
9/12/2019			
3/10/2020			
3/11/2020			
3/31/2020			
4/2/2020			
9/21/2020			
9/22/2020			
3/23/2021	0.0098		
3/24/2021		0.013	0.02
8/17/2021	0.024		
8/18/2021		0.021	0.15
2/7/2022			
2/8/2022	0.0048 (J)	0.011	
2/9/2022			0.023
8/30/2022	0.003 (J)		0.02
8/31/2022		0.014	
1/31/2023	<0.005	0.0088	0.018
2/1/2023			
2/2/2023			
3/28/2023	0.0096		
3/29/2023		0.01	0.02
5/30/2023	0.0076		
5/31/2023		0.0096	0.02
7/26/2023	<0.005	0.011	0.019
8/28/2023	0.0029 (J)		
8/29/2023		0.01	0.017
9/6/2023			



**ATLANTIC COAST
CONSULTING, INC.**

Roswell, GA
1150 Northmeadow Pkwy
Suite 100
Roswell, GA 30076
Phone: 770.594.5998

Savannah, GA
7414 Hodgson Memorial Dr
Suite 2B
Savannah, GA 31401
Phone: 912.236.3471

Knoxville, TN
8848 Cedar Springs Ln
Suite 202
Knoxville, TN 37923
Phone: 865.531.9143